

**RECEIVED**

*By Alameda County Environmental Health 10:30 am, Apr 17, 2017*

**First Quarter 2017  
Semi-Annual Groundwater  
Monitoring Report and  
Request for Closure**

Chevron-branded Service  
Station 90504  
15900 Hesperian Boulevard  
San Lorenzo, California



Prepared for:  
Chevron Environmental  
Management Company  
6001 Bollinger Canyon Road  
San Ramon, CA 94583

Prepared by:  
Stantec Consulting Services Inc.  
15575 Los Gatos Blvd., Building C  
Los Gatos, CA 95032

April 13, 2017



**Carryl MacLeod**  
Project Manager, Marketing Business Unit

April 13, 2017

Mr. Mark Detterman  
Alameda County Environmental Health  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502

Dear Mr. Detterman:

Attached for your review is the *First Quarter 2017 Semi-Annual Groundwater Monitoring Report and Request for Closure* for Chevron-branded service station 90504, located at 15900 Hesperian Boulevard in San Lorenzo, California. This report was prepared by Stantec Consulting Services Inc. (Stantec), upon whose assistance and advice I have relied. I have read and acknowledge the content, recommendations, and/or conclusions contained in the attached report submitted on my behalf to Alameda County Environmental Health's FTP server and the State Water Resources Control Board's GeoTracker™ Website.

If you should have any further questions, please do not hesitate to contact me or the Stantec project manager, Travis Flora, at (408) 356-6124 ext. 238, or [travis.flora@stantec.com](mailto:travis.flora@stantec.com).

Sincerely,

A handwritten signature in blue ink that reads "Carryl MacLeod".

**Carryl MacLeod**  
Project Manager



April 13, 2017

**Attention:** **Mr. Mark Detterman**

Alameda County Environmental Health  
1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502

**Reference:** **First Quarter 2017 Semi-Annual Groundwater Monitoring Report and Request for Closure**

Chevron-branded Service Station 90504  
15900 Hesperian Boulevard, San Lorenzo, California

Dear Mr. Detterman:

On behalf of Chevron Environmental Management Company (Chevron), Stantec Consulting Services Inc. (Stantec) is pleased to submit the *First Quarter 2017 Semi-Annual Groundwater Monitoring Report* for Chevron-branded service station 90504, which is located at 15900 Hesperian Boulevard, San Lorenzo, Alameda County, California (Site - shown on **Figure 1**). This report is presented in four sections: Site Background, First Quarter 2017 Groundwater Monitoring and Sampling Program, Light Non-Aqueous Phase Liquid (LNAPL) Monitoring, and Conclusions and Recommendations.

### **SITE BACKGROUND**

The Site is an active Chevron-branded service station located on the eastern corner at the intersection of Hesperian Boulevard and Post Office Road in San Lorenzo, California. The Site has been occupied by a service station since approximately 1969. Current Site features include three 10,000-gallon fiberglass gasoline underground storage tanks (USTs), one 10,000-gallon fiberglass diesel UST, three fuel dispenser islands, and a station building with three service bays. The USTs are located in the southern portion of the Site, the fuel dispenser islands are located in the central portion of the Site, and the station building is located in the northeastern portion of the Site. In 1983, two 10,000-gallon and one 5,000-gallon steel USTs were replaced with the current fiberglass tanks. In January 1994, the fuel dispenser islands were replaced, and in March 1994, a 1,000-gallon steel waste oil UST located northeast of the station building was replaced with a 1,000-gallon fiberglass UST, which was later removed in 2001.

Land use near the Site consists primarily of commercial and residential properties. The Site is bounded on the northwest by Post Office Road, to the northeast by a parking lot for the post office, to the southeast by a commercial building, and on the southwest by Hesperian Boulevard.

### **FIRST QUARTER 2017 GROUNDWATER MONITORING AND SAMPLING PROGRAM**

Gettler-Ryan Inc. (G-R) performed the First Quarter 2017 groundwater monitoring and sampling event on February 8, 2017. G-R's standard operating procedures (SOPs) and field data sheets are included in **Attachment A**. G-R gauged depth-to-groundwater (DTW) in all 11 Site wells (C-1 through C-11) prior to collecting groundwater samples, and all 11 Site wells were sampled.

Wells C-2, C-7, and C-8 were purged and sampled using low-flow procedures, while all other Site wells were purged and sampled using disposable bailers. Turbidity measurements were collected at wells C-2, C-7, and C-8 during low-flow sampling, and post-purge turbidity measurements were 32.3 nephelometric turbidity units (NTU), 90.0 NTU, and 80.7 NTU, respectively.

# FIRST QUARTER 2017 SEMI-ANNUAL GROUNDWATER MONITORING REPORT AND REQUEST FOR CLOSURE

Chevron-branded Service Station 90504

April 13, 2017

Page 2 of 5

Investigation-derived waste (IDW) generated during the First Quarter 2017 groundwater monitoring and sampling event was transported by Clean Harbors Environmental Services to Seaport Environmental in Redwood City, California.

## Groundwater Elevation and Gradient

Well construction details and a screen interval assessment for each Site well are presented in **Table 1**. Wells C-1 through C-6 and C-8 are currently screened across the prevailing groundwater table, while the DTW measurements in wells C-7 and C-9 through C-11 are above the respective screen intervals, and the screen intervals are currently entirely submerged. Current and historical groundwater elevation data are presented in **Table 2**. Historical high groundwater elevations were observed in all Site wells except well C-8. A groundwater elevation contour map (based on First Quarter 2017 data) is shown on **Figure 2**. The direction of groundwater flow at the time of sampling was generally towards the southwest at an approximate hydraulic gradient ranging from 0.003 to 0.019 feet per foot (ft/ft). This is consistent with the historical direction of groundwater flow, which has predominantly been toward the southwest, as shown by the groundwater flow direction rose diagram on **Figure 3** illustrating the direction of groundwater flow from Fourth Quarter 1989 to present.

## Schedule of Laboratory Analysis

Groundwater samples were analyzed for total petroleum hydrocarbons as gasoline range organics (TPH-GRO) and total petroleum hydrocarbons as diesel range organics (TPH-DRO) with silica gel cleanup using United States Environmental Protection Agency (US EPA) Method 8015B (SW-846) and benzene, toluene, ethylbenzene, and total xylenes (BTEX compounds) using US EPA Method 8260B (SW-846). In addition, the groundwater sample collected from well C-8 was analyzed for naphthalene using US EPA Method 8260B (SW-846).

## Groundwater Analytical Results

During First Quarter 2017, groundwater samples were collected from 11 Site wells (C-1 through C-11). Current and historical groundwater analytical results are included in **Table 2** and **Table 3**. A figure showing the latest groundwater analytical data plotted on a Site map is included as **Figure 4**. A TPH-GRO isoconcentration map is shown on **Figure 5**. A TPH-DRO isoconcentration map is shown on **Figure 6**. An isoconcentration map was not developed for benzene because concentrations were below method detection limits (MDLs) in all Site wells with the exception of well C-7, which had a benzene concentration equivalent to the California maximum cleanup level (MCL) for drinking water of 1 microgram per liter ( $\mu\text{g}/\text{L}$ ).

The certified laboratory analysis report and chain-of-custody documents are presented as **Attachment B**. Hydrographs based on current and historical groundwater elevations and analytical results are included in **Attachment C**. A summary of First Quarter 2017 groundwater analytical results follows:

- **TPH-GRO** was detected in two Site wells, at concentrations of 3,200  $\mu\text{g}/\text{L}$  (well C-7) and 5,000  $\mu\text{g}/\text{L}$  (well C-8).
- **TPH-DRO** was detected in three Site wells, at concentrations of 150  $\mu\text{g}/\text{L}$  (well C-2), 600  $\mu\text{g}/\text{L}$  (well C-7), and 860  $\mu\text{g}/\text{L}$  (well C-8).
- **Benzene** was detected in one Site well at a concentration of 1  $\mu\text{g}/\text{L}$  (well C-7).

# FIRST QUARTER 2017 SEMI-ANNUAL GROUNDWATER MONITORING REPORT AND REQUEST FOR CLOSURE

Chevron-branded Service Station 90504

April 13, 2017

Page 3 of 5

- **Toluene** was detected in one Site well at a concentration of 0.6 µg/L (well C-8).
- **Ethylbenzene** was detected in two Site wells, at concentrations of 7 µg/L (well C-8) and 41 µg/L (well C-7).
- **Total xylenes** were detected in two Site wells, at concentrations of 0.7 µg/L (well C-8) and 1 µg/L (well C-7).
- **Naphthalene** was detected in the one Site well in which it was analyzed, at a concentration of 2 µg/L (well C-8).

## LNAPL MONITORING

In Second Quarter 2012, measurable LNAPL was observed in well C-2 for the first time since 1991, prompting routine LNAPL monitoring and recovery, which was conducted through Fourth Quarter 2014. Stantec discontinued LNAPL monitoring at well C-2 following Fourth Quarter 2014, because no LNAPL or sheen had been observed since Third Quarter 2013. However, LNAPL was reportedly observed in well C-2 during Second Quarter 2015 at a thickness of 0.02 feet, and quarterly LNAPL monitoring events were resumed during Fourth Quarter 2015. G-R performed First, Second, and Third Quarters 2016 LNAPL monitoring events, and no measurable LNAPL or sheen was observed during any of these quarterly events. Additionally, LNAPL was not observed during the First Quarter 2017 groundwater monitoring and sampling event on February 8, 2017.

## CONCLUSIONS AND RECOMMENDATIONS

An evaluation of the Site compared to the State Water Resources Control Board (SWRCB) Low-Threat UST Case Closure Policy (LTCP) criteria was included in the *Third Quarter 2016 LNAPL Monitoring Report and Case Closure Request*, dated October 28, 2016. Alameda County Environmental Health (ACEH) responded to the request in a letter dated December 21, 2016, and did not recommend closure, instead requesting a minimum of one round of groundwater sampling in February 2017. The First Quarter 2017 groundwater monitoring event indicates the dissolved-phase petroleum hydrocarbon plume at the Site is stable to decreasing in overall size and concentration. An increase in petroleum hydrocarbon concentrations at well C-7 was observed this quarter, likely due to the historically high groundwater table, but the First Quarter 2017 concentrations in well C-7 are still within historical limits for TPH-GRO and benzene, and the down-gradient extent of the petroleum hydrocarbon plume remains defined to less than 250 feet from the source area. Benzene was detected above the MDL in well C-7 at a concentration of 1 µg/L, which is equal to (and does not exceed) the California MCL for benzene in drinking water. MtBE analysis was discontinued following Fourth Quarter 2013 sampling event, because MtBE had not been detected above MDLs in any Site well since Third Quarter 2012.

Current Site conditions continue to satisfy all general and media-specific criteria of the LTCP as LNAPL has not been present in well C-2 since Second Quarter 2015. LTCP groundwater-specific criteria scenario 2 is considered satisfied, and Stantec recommends ACEH re-evaluate the Site for case closure. No further groundwater or LNAPL monitoring activities will be conducted at the Site while ACEH reviews and evaluates the Site for case closure.

If you have any questions, please contact the Stantec Project Manager, Travis Flora, at (408) 356-6124 or [Travis.Flora@stantec.com](mailto:Travis.Flora@stantec.com).

**FIRST QUARTER 2017 SEMI-ANNUAL GROUNDWATER MONITORING REPORT AND REQUEST FOR CLOSURE**

Chevron-branded Service Station 90504

April 13, 2017

Page 4 of 5

**LIMITATIONS**


This document entitled First Quarter 2017 Semi-Annual Groundwater Monitoring Report and Request for Closure was prepared by Stantec Consulting Services Inc. ("Stantec") for the account of Chevron Environmental Management Company (the "Client"). Any reliance on this document by any third party is strictly prohibited. The material in it reflects Stantec's professional judgment in light of the scope, schedule and other limitations stated in the document and in the contract between Stantec and the Client. The opinions in the document are based on conditions and information existing at the time the document was published and do not take into account any subsequent changes. In preparing the document, Stantec did not verify information supplied to it by others. Any use which a third party makes of this document is the responsibility of such third party. Such third party agrees that Stantec shall not be responsible for costs or damages of any kind, if any, suffered by it or any other third party as a result of decisions made or actions taken based on this document.

Prepared by Erin M. Miller  
(signature)

**Rachel Norman**  
Environmental EIT

Reviewed by Marisa Kaffenberger  
(signature)

**Marisa Kaffenberger**  
Senior Engineer



Reviewed by \_\_\_\_\_  
(signature)

**Travis L. Flora**  
Senior Project Manager

Reviewed by Dorota Runyan  
(signature)

**Dorota Runyan, P.E.**  
Senior Engineer



**FIRST QUARTER 2017 SEMI-ANNUAL GROUNDWATER MONITORING REPORT AND REQUEST FOR CLOSURE**

Chevron-branded Service Station 90504

April 13, 2017

Page 5 of 5

**Attachments:**

Table 1 – Well Details / Screen Interval Assessment – First Quarter 2017

Table 2 – Groundwater Monitoring Data and Analytical Results

Table 3 – Additional Groundwater Analytical Results

Figure 1 – Site Location Map

Figure 2 – Groundwater Elevation Contour Map – First Quarter 2017

Figure 3 – Groundwater Flow Direction Rose Diagram – First Quarter 2017

Figure 4 – Site Plan Showing Groundwater Concentrations – First Quarter 2017

Figure 5 – TPH-GRO Isoconcentration Map – First Quarter 2017

Figure 6 – TPH-DRO Isoconcentration Map – First Quarter 2017

Attachment A – Gettler-Ryan Inc. Field Data Sheets and Standard Operating Procedures – First Quarter 2017

Attachment B – Certified Laboratory Analysis Reports and Chain-of-Custody Documents

Attachment C – Hydrographs

**CC:**

Ms. Carryl MacLeod, Chevron Environmental Management Company, 6001 Bollinger Canyon Road, San Ramon, CA 94583 – Electronic Copy

Mr. Scott Bohannon, Bohannon Organization, 60 31<sup>st</sup> Avenue, San Mateo, CA 94403 – Electronic Copy

Mr. Bob Webster, Bohannon Organization, 60 31<sup>st</sup> Avenue, San Mateo, CA 94403 – Electronic Copy

## **TABLES**

**Table 1****Well Details / Screen Interval Assessment****First Quarter 2017**

Chevron-branded Service Station 90504

15900 Hesperian Boulevard

San Lorenzo, California

Well ID	Date Installed	Well Type	Casing Diameter (inches)	Top of Casing (feet above msl)	Construction Well Depth (feet bgs)	Current Well Depth <sup>1</sup> (feet below TOC)	Current Depth to Groundwater <sup>1</sup> (feet below TOC)	Screen Interval (feet bgs)	Screen Interval Assessment
C-1	12/29/83	Monitoring	3	32.80	20.00	18.58	7.00	5-20	Depth-to-groundwater within screen interval.
C-2	12/29/83	Monitoring	3	33.46	20.00	19.11	7.01	5-20	Depth-to-groundwater within screen interval.
C-3	12/29/83	Monitoring	3	35.46	20.00	19.41	9.18	5-20	Depth-to-groundwater within screen interval.
C-4	12/29/83	Monitoring	3	35.23	20.00	19.89	8.68	5-20	Depth-to-groundwater within screen interval.
C-5	12/29/83	Monitoring	3	34.61	20.00	19.90	8.00	5-20	Depth-to-groundwater within screen interval.
C-6	11/27/89	Monitoring	2	36.57	25.50	24.47	10.30	5-25	Depth-to-groundwater within screen interval.
C-7	11/28/89	Monitoring	2	32.32	25.50	24.85	6.63	8-25	Depth-to-groundwater above screen interval.
C-8	11/27/89	Monitoring	2	33.25	25.50	24.82	8.15	5-25	Depth-to-groundwater within screen interval.
C-9	08/28/90	Monitoring	2	32.97	25.50	24.68	8.07	12-25	Depth-to-groundwater above screen interval.
C-10	10/28/90	Monitoring	2	31.16	25.50	24.66	6.42	12-25	Depth-to-groundwater above screen interval.
C-11	08/28/90	Monitoring	2	31.23	25.50	24.71	6.44	12-25	Depth-to-groundwater above screen interval.

Notes:

bgs = below ground surface  
 msl = mean sea level  
 TOC = top of casing  
<sup>1</sup> = As measured on February 8, 2017.

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH (µg/L)	TPH-MO (µg/L)	TPH				B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MtBE (µg/L)	HVOCs (µg/L)
							C13-C40 (µg/L)	TPH-DRO (µg/L)	TPH-GRO (µg/L)							
<b>C-1</b>																
06/06/89	--	--	--	--	--	--	--	--	5,100	250	170	200	990	--	--	
12/08/89	--	--	13.14	0.01	--	--	--	--	--	--	--	--	--	--	--	
09/07/90	33.93	19.91**	14.04	0.03	--	--	--	--	--	--	--	--	--	--	--	
12/20/90	33.93	20.07**	13.87	0.01	--	--	--	--	--	--	--	--	--	--	--	
03/15/91	33.93	22.53	11.40	--	--	--	--	--	37,000	220	53	53	1,900	--	--	
06/28/91	33.93	21.68	12.25	--	--	--	--	--	3,300	110	6.2	6.2	350	--	--	
09/26/91	33.93	19.91	14.02	--	--	--	--	--	3,200	220	6.9	6.9	710	--	--	
01/27/92	33.93	21.30	12.63	--	--	--	--	--	330	20	0.6	0.6	48	--	--	
04/20/92	33.93	23.50	10.43	--	--	--	--	--	2,700	130	3.4	3.4	690	--	--	
07/17/92	33.93	21.32	12.61	--	--	--	--	--	490	17	<0.5	<0.5	52	--	--	
01/20/93	33.93	24.51	9.42	--	--	--	--	--	--	--	--	--	--	--	--	
07/28/93	33.93	23.45	10.48	--	--	--	--	--	--	--	--	--	--	--	--	
10/27/93	32.80	21.48	11.32	--	--	--	--	--	240	3.6	<0.5	11	23	--	--	
03/31/94	32.80	23.35	9.45	--	--	--	--	--	530	23	1.2	10	120	--	--	
06/08/94	32.80	22.87	9.93	--	--	--	--	--	990	15	1.5	42	89	--	--	
09/29/94	32.80	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	--	
11/09/94	32.80	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	--	
12/14/94	32.80	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	--	
03/30/95	32.80	24.79	8.01	--	--	--	--	--	3,900	21	7.2	190	250	--	--	
06/30/95	32.80	22.98	9.82	--	--	--	--	--	1,400	3.1	0.8	54	95	--	--	
09/22/95	32.80	22.20	10.60	--	--	--	--	--	620 <sup>7</sup>	0.7	<0.5	3.3	3.5	--	--	
12/11/95	32.80	22.50	10.30	--	--	--	--	--	210	2.4	<0.5	43	85	79	--	
03/08/96	32.80	25.15	7.65	--	--	--	--	--	750	2.1	<0.5	22	34	330	--	
06/21/96	32.80	23.52	9.28	--	--	--	--	--	2,800	9.0	<0.5	94	83	1,300	--	
09/27/96	32.80	22.52	10.28	--	--	--	--	--	770	0.5	<0.5	5.1	6.1	580	--	
01/03/97	32.80	24.95	7.85	--	--	--	--	--	1,800	2.8	<0.5	51	41	110	--	
03/28/97	32.80	23.43	9.37	--	--	--	--	--	720	0.6	<0.5	4.7	3.7	200	--	
09/30/97	32.80	MONITORED ANNUALLY		--	--	--	--	--	--	--	--	--	--	--	--	
03/28/98	32.80	25.08	7.72	--	--	--	--	--	940 <sup>8</sup>	3.9	<0.5	17	4.7	290	--	
03/19/99	32.80	24.29	8.51	--	--	--	--	--	320	<0.5	<0.5	8.5	2.5	350	--	
03/21/00	32.80	24.72	8.08	--	--	--	--	--	432	<0.5	2.04	5.33	0.658	154	--	
08/28/00	32.80	MONITORED /SAMPLED ANNUALLY		--	--	--	--	--	--	--	--	--	--	--	--	
03/02/01	32.80	24.09	8.71	0.00	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	32.8	--	
09/04/01	32.80	MONITORED /SAMPLED ANNUALLY		--	--	--	--	--	--	--	--	--	--	--	--	
03/21/02	32.80	24.18	8.62	0.00	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	20	--	
09/04/02	32.80	MONITORED /SAMPLED ANNUALLY		--	--	--	--	--	--	--	--	--	--	--	--	
03/31/03	32.80	23.93	8.87	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	40	--	

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH ( $\mu\text{g/L}$ )	TPH-MO ( $\mu\text{g/L}$ )	TPH			B ( $\mu\text{g/L}$ )	T ( $\mu\text{g/L}$ )	E ( $\mu\text{g/L}$ )	X ( $\mu\text{g/L}$ )	MtBE ( $\mu\text{g/L}$ )	HVOCs ( $\mu\text{g/L}$ )
							C13-C40 ( $\mu\text{g/L}$ )	TPH-DRO ( $\mu\text{g/L}$ )	TPH-GRO ( $\mu\text{g/L}$ )						
<b>C-1 (cont)</b>															
09/17/03	32.80				MONITORED /SAMPLED ANNUALLY		--	--	--	--	--	--	--	--	--
03/05/04 <sup>12</sup>	32.80	24.46	8.34	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	15	--
09/03/04	32.80				MONITORED /SAMPLED ANNUALLY		--	--	--	--	--	--	--	--	--
03/02/05 <sup>12</sup>	32.80	24.76	8.04	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	0.5	1	--
09/02/05	32.80				MONITORED /SAMPLED ANNUALLY		--	--	--	--	--	--	--	--	--
03/24/06 <sup>12</sup>	32.80	25.04	7.76	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	4	--
03/05/07 <sup>12</sup>	32.80	24.00	8.80	0.00	--	--	--	--	160	<0.5	<0.5	<0.5	<0.5	14	--
03/17/08 <sup>12</sup>	32.80	23.89	8.91	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	0.9	--
03/03/09 <sup>12</sup>	32.80	24.13	8.67	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	0.8	--
03/17/10 <sup>12</sup>	32.80	24.43	8.37	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	0.5	--
03/04/11 <sup>12</sup>	32.80	24.09	8.71	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/23/12 <sup>12</sup>	32.80	23.46	9.34	0.00	--	--	--	230/73 <sup>14</sup>	<50	<0.5	1	<0.5	<0.5	0.6	--
09/04/12 <sup>12</sup>	32.80	19.51	13.29	0.00	590 <sup>16</sup> / 320 <sup>14,15,16,17</sup>	590 <sup>16</sup> / 320 <sup>14,15,16,17</sup>	--	720/ 740 <sup>14,15,18</sup>	<50	<0.5	<0.5	<0.5	<0.5	0.7	--
12/07/12 <sup>12</sup>	32.80	23.81	8.99	0.00	330 <sup>16</sup> / 51 <sup>14,15,16</sup>	330 <sup>16</sup> / 51 <sup>14,15,16</sup>	--	95/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/12/13 <sup>12</sup>	32.80	23.35	9.45	0.00	650 <sup>16</sup> / 320 <sup>14,15,16</sup>	650 <sup>16</sup> / 320 <sup>14,15,16</sup>	--	220/ 70 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
06/11/13 <sup>12</sup>	32.80	22.70	10.10	0.00	400 <sup>16</sup>	400 <sup>16</sup>	--	54/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/10/13 <sup>12</sup>	32.80	22.05	10.75	0.00	48 <sup>16</sup>	48 <sup>16</sup>	--	130/ 100 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/04/13 <sup>12</sup>	32.80	22.35	10.45	0.00	590 <sup>16</sup>	590 <sup>16</sup>	--	410/ 290 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
02/07/14 <sup>25</sup>	32.80	22.50	10.30	0.00	290 <sup>16</sup>	290 <sup>16</sup>	--	100/ 110 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/25/14 <sup>25</sup>	32.80	22.28	10.52	0.00	<48	--	<48	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/29/14 <sup>25</sup>	32.80	21.57	11.23	0.00	110 <sup>14,15,16</sup>	110 <sup>14,15,16</sup>	--	84 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/12/14 <sup>25</sup>	32.80	24.26	8.54	0.00	<38 <sup>14,15,16</sup>	<38 <sup>14,15,16</sup>	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/01/15 <sup>25,26</sup>	32.80	22.58	10.22	0.00	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/01/15 <sup>25</sup>	32.80	22.58	10.22	0.00	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/23/15 <sup>25,26</sup>	32.80	21.35	11.45	0.00	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/07/16 <sup>25</sup>	32.80	23.97	8.83	0.00	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--
<b>02/08/17<sup>25</sup></b>	<b>32.80</b>	<b>25.80</b>	<b>7.00</b>	<b>0.00</b>	--	--	--	<b>&lt;72<sup>14,15,29</sup></b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	--	--

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH (µg/L)	TPH-MO (µg/L)	TPH				B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MtBE (µg/L)	HVOCs (µg/L)
							C13-C40 (µg/L)	TPH-DRO (µg/L)	TPH-GRO (µg/L)							
<b>C-2</b>																
06/06/89	--	--	--	--	--	--	--	--	130,000	14,000	28,000	3,400	24,000	--	--	
12/08/89	--	--	13.44	0.15	--	--	--	--	--	--	--	--	--	--	--	
09/07/90	34.21	20.01**	14.28	0.10	--	--	--	--	--	--	--	--	--	--	--	
12/20/90	34.21	20.16**	14.06	0.01	--	--	--	--	--	--	--	--	--	--	--	
03/15/91	34.21	22.63**	11.59	0.01	--	--	--	--	1,200,000	4,700	16,000	13,000	140,000	--	--	
06/28/91	34.21	21.66	12.55	--	--	--	--	--	150,000	3,500	4,200	2,100	16,000	--	--	
09/26/91	34.21	20.01	14.20	--	--	--	--	--	4,900	220	290	130	880	--	--	
01/27/92	34.21	21.75	12.46	--	--	--	--	--	8,200	510	590	230	1,300	--	--	
04/20/92	34.21	23.97	10.24	--	--	--	--	--	19,000	1,700	1,700	930	4,700	--	--	
07/17/92	34.21	21.40	12.81	--	--	--	--	--	20,000	950	950	1,300	4,700	--	--	
01/20/93	34.21	25.42	8.79	--	--	--	--	--	--	--	--	--	--	--	--	
10/27/93	33.46	21.10	12.36	--	--	--	--	--	1,600	63	5.8	5.9	190	--	--	
03/31/94	33.46	23.84	9.62	--	--	--	--	--	12,000	300	96	510	2,700	--	--	
06/08/94	33.46	23.48	9.98	--	--	--	--	--	8,700	140	35	250	1,500	--	--	
09/28/94	33.46	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	
11/09/94	33.46	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	
12/14/94	33.46	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/30/95	33.46	25.77	7.69	--	--	--	--	--	1,400	17	5.4	52	240	--	--	
06/30/95	33.46	23.56	9.90	--	--	--	--	--	730	22	2.6	50	240	--	--	
09/22/95	33.46	22.85	10.61	--	--	--	--	--	2,100 <sup>7</sup>	66	7.3	140	550	--	--	
12/11/95	33.46	23.08	10.38	--	--	--	--	--	3,700	23	<0.5	68	300	1,000	--	
03/08/96	33.46	25.76	7.70	--	--	--	--	--	2,200	19	<5.0	63	290	1,300	--	
06/21/96	33.46	24.09	9.37	--	--	--	--	--	2,200	23	1.1	70	260	2,300	--	
09/27/96	33.46	22.88	10.58	--	--	--	--	--	5,500	12	0.6	30	110	2,200	--	
01/03/97	33.46	25.56	7.90	--	--	--	--	--	750	4.2	<0.5	29	120	51	--	
03/28/97	33.46	24.11	9.35	--	--	--	--	--	1,300	12	1.5	24	86	310	--	
09/30/97	33.46	MONITORED ANNUALLY	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/28/98	33.46	25.46	8.00	--	--	--	--	--	1,100 <sup>8</sup>	14	<5.0	34	79	710	--	
03/19/99	33.46	25.01	8.45	--	--	--	--	--	1,400	15	<0.5	56	130	460	--	
03/21/00	33.46	25.37	8.09	--	--	--	--	--	5,420	9.69	<0.5	76.5	125	168	--	
08/28/00	33.46	MONITORED/SAMPLED ANNUALLY	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/02/01	33.46	24.68	8.78	0.00	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	<5.00	
09/04/01	33.46	MONITORED/SAMPLED ANNUALLY	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/21/02	33.46	24.75	8.71	0.00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<1.5	4.5	
09/04/02	33.46	MONITORED/SAMPLED ANNUALLY	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/31/03	33.46	24.53	8.93	0.00	--	--	--	--	<50	<0.5	1.0	<2.0	2.6	<2.5	--	
09/17/03	t	32.80	MONITORED /SAMPLED ANNUALLY	--	--	--	--	--	--	--	--	--	--	--	--	
03/05/04 <sup>12</sup>	32.80	24.41	8.39	0.00	--	--	--	--	940	1	<0.5	21	10	45	--	
09/03/04	32.80	MONITORED /SAMPLED ANNUALLY	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/02/05 <sup>12</sup>	32.80	24.67	8.13	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
09/02/05	32.80	MONITORED /SAMPLED ANNUALLY	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/24/06 <sup>12</sup>	32.80	24.99	7.81	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH ( $\mu\text{g/L}$ )	TPH-MO ( $\mu\text{g/L}$ )	TPH C13-C40 ( $\mu\text{g/L}$ )	TPH-DRO ( $\mu\text{g/L}$ )	TPH-GRO ( $\mu\text{g/L}$ )	B ( $\mu\text{g/L}$ )	T ( $\mu\text{g/L}$ )	E ( $\mu\text{g/L}$ )	X ( $\mu\text{g/L}$ )	MtBE ( $\mu\text{g/L}$ )	HVOCs ( $\mu\text{g/L}$ )
<b>C-2 (cont)</b>															
03/05/07 <sup>12</sup>	32.80	23.89	8.91	0.00	--	--	--	--	1,000	1	<0.5	8	1	<0.5	--
03/17/08 <sup>12</sup>	33.46	25.35	8.11	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/03/09 <sup>12</sup>	33.46	25.43	8.03	0.00	--	--	--	--	<50	<0.5	0.7	<0.5	0.5	<0.5	--
03/17/10 <sup>12</sup>	33.46	24.95	8.51	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/04/11 <sup>12</sup>	33.46	24.64	8.82	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/23/12	33.46	23.99**	9.71	0.30	NOT SAMPLED DUE TO THE PRESENCE OF LNAPL										
09/04/12	33.46	23.09**	10.39	0.03	NOT SAMPLED DUE TO THE PRESENCE OF LNAPL										
12/07/12 <sup>12</sup>	33.46	24.34	9.12	0.00	27,000 <sup>16</sup> / 14,000 <sup>14,16,19</sup>	27,000 <sup>16</sup> / 14,000 <sup>14,16,19</sup>	--	18,000/ 14,000 <sup>14,20</sup>	140	<0.5	<0.5	<0.5	0.6	<0.5	--
03/12/13 <sup>12</sup>	33.46	23.85	9.61	0.00	18,000 <sup>16</sup> / 11,000 <sup>14,16,19</sup>	18,000 <sup>16</sup> / 11,000 <sup>14,16,19</sup>	--	26,000/ 20,000 <sup>14,23</sup>	210	<0.5	<0.5	<0.5	0.7	<0.5	--
06/11/13 <sup>12</sup>	33.46	23.26	10.20	0.00	2,600 <sup>16</sup>	2,600 <sup>16</sup>	--	11,000/ 7,100 <sup>14,23</sup>	690	<0.5	<0.5	1	0.7	<0.5	--
09/10/13 <sup>12</sup>	33.46	22.56	10.90	0.00	5,400 <sup>16</sup>	5,400 <sup>16</sup>	--	23,000/ 20,000 <sup>14,15</sup>	1,100	<0.5	<0.5	1	0.6	<0.5	--
12/04/13 <sup>12</sup>	33.46	22.86	10.60	0.00	8,300 <sup>16</sup>	8,300 <sup>16</sup>	--	11,000/ 8,500 <sup>14,15</sup>	670	<0.5	<0.5	<0.5	0.6	<0.5	--
02/07/14 <sup>25</sup>	33.46	23.16	10.30	0.00	6,600 <sup>16</sup>	6,600 <sup>16</sup>	--	5,800/ 3,000 <sup>14,15</sup>	420	<0.5	<0.5	<0.5	<0.5	--	--
06/25/14 <sup>25</sup>	33.46	22.78	10.68	0.00	51,000	--	51,000	3,000 <sup>14,15</sup>	120	<0.5	<0.5	<0.5	<0.5	--	--
08/29/14 <sup>25,26</sup>	33.46	22.25	11.21	0.00	61 <sup>14,15,16</sup>	61 <sup>14,15,16</sup>	--	2,800 <sup>14,15</sup>	1,600	<0.5	<0.5	2	2	--	--
08/29/14 <sup>25</sup>	33.46	22.25	11.21	0.00	2,700 <sup>14,16,23</sup>	2,700 <sup>14,16,23</sup>	--	4,900 <sup>14,15</sup>	1,700	<0.5	<0.5	2	1	--	--
12/12/14 <sup>25,26</sup>	33.46	24.71	8.75	0.00	260 <sup>14,15,16</sup>	260 <sup>14,15,16</sup>	--	<50 <sup>14,15</sup>	54	<0.5	<0.5	<0.5	<0.5	--	--
12/12/14 <sup>25</sup>	33.46	24.71	8.75	0.00	1,000 <sup>14,15,16</sup>	1,000 <sup>14,15,16</sup>	--	1,300 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/01/15	33.46	23.12**	10.36	0.02	NOT SAMPLED DUE TO THE PRESENCE OF LNAPL										
10/23/15 <sup>25,26</sup>	33.46	21.68	11.78	0.00	--	--	--	140 <sup>14,15</sup>	490	<0.5	<0.5	<0.5	0.7	--	--
04/07/16 <sup>25,26</sup>	33.46	24.51	8.95	0.00	--	--	--	1,700 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--
<b>02/08/17<sup>25,26</sup></b>	<b>33.46</b>	<b>26.45</b>	<b>7.01</b>	<b>0.00</b>	--	--	--	<b>150<sup>14,15,29</sup></b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	--	--
<b>C-3</b>															
06/06/89	--	--	--	--	--	--	--	--	2,600	63	20	390	370	--	--
12/08/89	--	--	--	--	--	--	--	--	680	6.0	1.0	31	58	--	--
09/07/90	35.46	20.15	15.31	--	--	--	--	--	490	6.0	<0.5	41	120	--	--
09/07/90	(D)	35.46	--	--	--	--	--	--	460	6.0	<0.5	40	110	--	--
12/20/90	35.46	20.29	15.17	--	--	--	--	--	100	5.0	<0.5	27	130	--	--
03/06/91	35.46	22.19	13.27	--	--	--	--	--	1,300	7.0	<0.5	75	250	--	--
03/06/91	(D)	35.46	--	--	--	--	--	--	1,400	8.0	<0.5	76	250	--	--

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH (µg/L)	TPH-MO (µg/L)	TPH				B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MtBE (µg/L)	HVOCs (µg/L)
							C13-C40 (µg/L)	TPH-DRO (µg/L)	TPH-GRO (µg/L)							
<b>C-3 (cont)</b>																
06/28/91	35.46	21.79	13.67	--	--	--	--	--	770	6.0	<0.5	81	71	--	--	
06/28/91	(D)	35.46	--	--	--	--	--	--	990	5.5	<0.5	86	75	--	--	
09/26/91	35.46	20.14	15.32	--	--	--	--	--	1,400	7.9	<0.5	98	340	--	--	
01/27/92	35.46	21.55	13.91	--	--	--	--	--	150	0.7	<0.5	12	12	--	--	
04/20/92	35.46	23.80	11.66	--	--	--	--	--	1,600	9.3	1.0	190	370	--	--	
07/17/92	35.46	21.50	13.96	--	--	--	--	--	460	18	<0.5	20	52	--	--	
10/29/92	35.46	19.95	15.51	--	--	--	--	--	520	2.4	1.0	30	79	--	--	
01/20/93	35.46	24.47	10.99	--	--	--	--	--	4,200	7.4	<0.5	140	380	--	--	
05/03/93	35.46	24.49	10.97	--	--	--	--	--	1,300	6.8	3.2	71	170	--	--	
07/28/93	35.46	23.05	12.41	--	--	--	--	--	220	1.4	<0.5	17	39	--	--	
10/27/93	35.46	21.78	13.37	--	--	--	--	--	1,800	5.5	0.7	68	290	--	--	
03/31/94	35.46	23.90	11.56 <sup>1</sup>	--	--	--	--	--	310	1.2	<0.5	19	54	--	--	
06/08/94	35.46	23.39	12.07	--	--	--	--	--	300	2.7	1.6	19	48	--	--	
09/29/94 <sup>2</sup>	35.46	21.62	13.84	--	--	--	--	--	2,500	<25	<25	<25	220	--	--	
11/09/94 <sup>5</sup>	35.46	--	--	--	--	--	--	--	170	<0.5	0.8	3.3	16	--	--	
12/14/94	35.46	23.61	11.85	--	--	--	--	--	510	3.2	1.4	28	60	--	--	
03/30/95	35.46	25.85	9.61	--	--	--	--	--	66	<0.5	<0.5	1.1	2.4	--	--	
06/30/95	35.46	23.96	11.50	--	--	--	--	--	1,500	1.9	8.1	100	300	--	--	
09/22/95	35.46	22.88	12.58	--	--	--	--	--	600 <sup>7</sup>	0.7	<0.5	43	110	--	--	
12/11/95	35.46	22.91	12.55	--	--	--	--	--	670 <sup>8</sup>	<0.5	<0.5	7.0	13	15	--	
03/08/96	35.46	25.80	9.66	--	--	--	--	--	3,600	7.5	33	130	400	1,100	--	
06/21/96	35.46	23.68	11.78	--	--	--	--	--	310	<0.5	<0.5	16	49	57	--	
09/27/96	35.46	23.09	12.37	--	--	--	--	--	250	<0.5	<0.5	3.6	9.6	44	--	
01/03/97	35.46	25.57	9.89	--	--	--	--	--	170	<0.5	1.2	4.5	15	15	--	
03/28/97	35.46	24.50	10.96	--	--	--	--	--	60	<0.5	<0.5	1.7	1.8	23	--	
09/30/97	35.46	MONITORED ANNUALLY			--	--	--	--	--	--	--	--	--	--	--	
03/28/98	35.46	25.74	9.72	--	--	--	--	--	<50	0.88	<0.5	<0.5	<0.5	16	--	
03/19/99	35.46	25.44	10.02	--	--	--	--	--	<50	<0.5	<0.5	<0.5	0.65	12	--	
03/21/00	35.46	25.36	10.10	--	--	--	--	--	122	<0.5	<0.5	4.96	11.7	6.13	--	
08/28/00	35.46	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--	--	--	--	--	
03/02/01	35.46	24.67	10.79	0.00	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--	
09/04/01	35.46	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--	--	--	--	--	
03/21/02	35.46	24.74	10.72	0.00	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	
09/04/02	35.46	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--	--	--	--	--	
03/31/03	35.46	24.31	11.15	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
09/17/03	t	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--	--	--	--	
03/05/04 <sup>12</sup>	32.80	22.42	10.38	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
09/03/04	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--	--	--	--	--	
03/02/05 <sup>12</sup>	32.80	22.67	10.13	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
09/02/05	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--	--	--	--	--	
03/24/06 <sup>12</sup>	32.80	22.95	9.85	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH ( $\mu\text{g/L}$ )	TPH-MO ( $\mu\text{g/L}$ )	TPH C13-C40 ( $\mu\text{g/L}$ )	TPH-DRO ( $\mu\text{g/L}$ )	TPH-GRO ( $\mu\text{g/L}$ )	B ( $\mu\text{g/L}$ )	T ( $\mu\text{g/L}$ )	E ( $\mu\text{g/L}$ )	X ( $\mu\text{g/L}$ )	MtBE ( $\mu\text{g/L}$ )	HVOCs ( $\mu\text{g/L}$ )
<b>C-3 (cont)</b>															
03/05/07 <sup>12</sup>	32.80	21.83	10.97	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
03/17/08 <sup>12</sup>	35.46	24.23	11.23	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
03/03/09 <sup>12</sup>	35.46	24.45	11.01	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
03/17/10 <sup>12</sup>	35.46	24.79	10.67	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
03/04/11 <sup>12</sup>	35.46	24.63	10.83	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
03/23/12 <sup>12</sup>	35.46	23.99	11.47	0.00	--	--	--	<50/<50 <sup>14</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
09/04/12 <sup>12</sup>	35.46	23.01	12.45	0.00	<41 <sup>16</sup> / <41 <sup>14,15,16</sup>	<41 <sup>16</sup> / <41 <sup>14,15,16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
12/07/12 <sup>12</sup>	35.46	24.32	11.14	0.00	64 <sup>16</sup> / <38 <sup>14,15,16</sup>	64 <sup>16</sup> / <38 <sup>14,15,16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
03/12/13 <sup>12</sup>	35.46	23.86	11.60	0.00	<41 <sup>16</sup> / <41 <sup>14,15,16</sup>	<41 <sup>16</sup> / <41 <sup>14,15,16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
06/11/13 <sup>12</sup>	35.46	23.21	12.25	0.00	<39 <sup>16</sup>	<39 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
09/10/13 <sup>12</sup>	35.46	22.53	12.93	0.00	<38 <sup>16</sup>	<38 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
12/04/13 <sup>12</sup>	35.46	21.53	13.93	0.00	<38 <sup>16</sup>	<38 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
02/07/14 <sup>25</sup>	35.46	22.95	12.51	0.00	<41 <sup>16</sup>	<41 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
06/25/14 <sup>25</sup>	35.46	22.82	12.64	0.00	<50	--	<50	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
08/29/14 <sup>25</sup>	35.46	22.03	13.43	0.00	<40 <sup>14,15,16</sup>	<40 <sup>14,15,16</sup>	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
12/12/14 <sup>25</sup>	35.46	24.67	10.79	0.00	<39 <sup>14,15,16</sup>	<39 <sup>14,15,16</sup>	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
06/01/15 <sup>25</sup>	35.46	23.02	12.44	0.00	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
10/23/15 <sup>25</sup>	35.46	21.55	13.91	0.00	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
04/07/16 <sup>25</sup>	35.46	24.41	11.05	0.00	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
<b>02/08/17<sup>25</sup></b>	<b>35.46</b>	<b>26.28</b>	<b>9.18</b>	<b>0.00</b>	--	--	--	<b>&lt;50<sup>14,15</sup></b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	--	
<b>C-4</b>															
06/06/89	--	--	--	--	--	--	--	--	<50	<0.05	<1.0	<1.0	<3.0	--	
12/08/89	--	--	--	--	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	
09/07/90	35.78	20.20	15.58	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
12/20/90	35.78	20.36	15.42	--	--	--	--	--	170	1.0	<0.5	<0.5	4.0	--	
03/06/91	35.78	22.24	13.54	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
06/28/91	35.78	21.85	13.93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.8	--	
09/26/91	35.78	20.14	15.64	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
09/26/91	35.78	--	15.64	--	--	--	--	--	<50	<0.5	<0.5	<0.5	--	--	
01/27/92	35.78	21.82	13.96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH ( $\mu\text{g/L}$ )	TPH-MO ( $\mu\text{g/L}$ )	TPH			B ( $\mu\text{g/L}$ )	T ( $\mu\text{g/L}$ )	E ( $\mu\text{g/L}$ )	X ( $\mu\text{g/L}$ )	MtBE ( $\mu\text{g/L}$ )	HVOCs ( $\mu\text{g/L}$ )
							C13-C40 ( $\mu\text{g/L}$ )	TPH-DRO ( $\mu\text{g/L}$ )	TPH-GRO ( $\mu\text{g/L}$ )						
<b>C-4 (cont)</b>															
04/20/92	35.78	24.07	11.71	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	35.78	21.59	14.19	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	35.78	20.06	15.72	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	35.78	24.61	11.17	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	35.78	24.84	10.94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/28/93	35.78	23.38	12.40	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	35.23	21.91	13.32	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	35.23	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	--
06/08/94	35.23	23.31	11.92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 <sup>2,4</sup>	35.23	21.47	13.76	--	--	--	--	--	<2,500	<25	<25	<25	<25	--	ND <sup>3</sup>
11/09/94 <sup>4,5</sup>	35.23	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	ND <sup>3</sup>
12/14/94 <sup>6</sup>	35.23	23.44	11.79	--	--	--	--	--	<50	2.1	3.0	1.9	3.7	--	ND <sup>3</sup>
03/30/95	35.23	26.22	9.01	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	35.23	23.79	11.44	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	35.23	22.72	12.51	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	35.23	22.61	12.62	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	35.23	25.60	9.63	--	--	--	--	--	<50	<0.5	<0.5	<0.5	0.6	<5.0	--
06/21/96	35.23	23.99	11.24	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	35.23	22.92	12.31	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	35.23	25.54	9.69	--	--	--	--	--	<50	1.5	7.2	1.3	6.2	<5.0	--
03/28/97	35.23	24.23	11.00	--	--	--	--	--	<50	5.0	8.3	0.8	4.7	<5.0	--
NOT MONITORED/SAMPLED					--	--	--	--	--	--	--	--	--	--	--
03/20/12 <sup>13</sup>	35.23	24.01	11.22	--	--	--	--	--	--	--	--	--	--	--	--
03/23/12 <sup>12</sup>	35.23	23.94	11.29	--	<39/<39 <sup>14</sup>	<39/<39 <sup>14</sup>	--	<50/<50 <sup>14</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
09/04/12 <sup>12</sup>	35.23	23.00	12.23	--	<40 <sup>16</sup> / <40 <sup>14,15,16</sup>	<40 <sup>16</sup> / <40 <sup>14,15,16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
12/07/12 <sup>12</sup>	35.23	24.33	10.90	--	55 <sup>16</sup> / <40 <sup>14,15,16</sup>	55 <sup>16</sup> / <40 <sup>14,15,16</sup>	--	65/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/12/13 <sup>12</sup>	35.23	23.82	11.41	--	<42 <sup>16</sup> / <42 <sup>14,15,16</sup>	<42 <sup>16</sup> / <42 <sup>14,15,16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
06/11/13 <sup>12</sup>	35.23	23.14	12.09	--	<42 <sup>16</sup>	<42 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/10/13 <sup>12</sup>	35.23	22.53	12.70	--	<38 <sup>16</sup>	<38 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/04/13 <sup>12</sup>	35.23	22.63	12.60	--	<38 <sup>16</sup>	<38 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
02/07/14 <sup>25</sup>	35.23	22.95	12.28	--	<40 <sup>16</sup>	<40 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH ( $\mu\text{g/L}$ )	TPH-MO ( $\mu\text{g/L}$ )	TPH			B ( $\mu\text{g/L}$ )	T ( $\mu\text{g/L}$ )	E ( $\mu\text{g/L}$ )	X ( $\mu\text{g/L}$ )	MtBE ( $\mu\text{g/L}$ )	HVOCs ( $\mu\text{g/L}$ )
							C13-C40 ( $\mu\text{g/L}$ )	TPH-DRO ( $\mu\text{g/L}$ )	TPH-GRO ( $\mu\text{g/L}$ )						
<b>C-4 (cont)</b>															
06/25/14	35.23	NOT ACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	
08/29/14 <sup>25</sup>	35.23	21.48	13.75	--	<39 <sup>14,15,16</sup>	<39 <sup>14,15,16</sup>	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
12/12/14 <sup>25</sup>	35.23	24.85	10.38	--	<38 <sup>14,15,16</sup>	<38 <sup>14,15,16</sup>	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
06/01/15 <sup>25</sup>	35.23	23.00	12.23	--	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
10/23/15 <sup>25</sup>	35.23	21.63	13.60	--	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
04/07/16 <sup>25</sup>	35.23	24.43	10.80	--	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
<b>02/08/17<sup>25</sup></b>	<b>35.23</b>	<b>26.55</b>	<b>8.68</b>	--	--	--	--	<b>&lt;50<sup>14,15</sup></b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	--	
<b>C-5</b>															
06/06/89	--	--	--	--	--	--	--	--	<50	<0.05	<0.05	<1.0	<3.0	--	
12/08/89	--	--	--	--	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	
09/07/90	35.31	20.21	15.10	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
12/20/90	35.31	20.37	14.94	--	--	--	--	--	80	<0.5	<0.5	<0.5	<0.5	--	
03/06/91	35.31	22.25	13.06	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
06/28/91	35.31	21.85	13.46	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
09/26/91	35.31	20.17	15.14	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
01/27/92	35.31	22.00	13.31	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
04/20/92	35.31	24.21	11.10	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
07/17/92	35.31	21.58	13.73	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
10/29/92	35.31	20.11	15.20	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
01/20/93	35.31	24.59	10.72	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
05/03/93	35.31	24.88	10.43	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	
07/28/93	35.31	23.50	11.81	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	
10/27/93	34.61	21.93	12.68	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	
03/31/94	34.61	23.61	11.00 <sup>1</sup>	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
06/08/94	34.61	23.35	11.26	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
09/29/94 <sup>2</sup>	34.61	21.51	13.10	--	--	--	--	--	<2,500	<25	<25	<25	<25	--	
11/09/94 <sup>5</sup>	34.61	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
12/14/94	34.61	23.24	11.37	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
03/30/95	34.61	25.64	8.97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
06/30/95	34.61	23.78	10.83	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
09/22/95	34.61	22.72	11.89	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
12/11/95	34.61	22.83	11.78	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
03/08/96	34.61	25.59	9.02	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
06/21/96	34.61	23.97	10.64	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
09/27/96	34.61	23.04	11.57	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
01/03/97	34.61	25.59	9.02	--	--	--	--	--	<50	0.7	3.2	<0.5	2.2	<5.0	
03/28/97	34.61	24.23	10.38	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
NOT MONITORED/SAMPLED															
03/20/12 <sup>13</sup>	34.61	24.00	10.61	--	--	--	--	--	--	--	--	--	--	--	
03/23/12 <sup>12</sup>	34.61	23.94	10.67	--	--	--	--	<50/<50 <sup>14</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH ( $\mu\text{g/L}$ )	TPH-MO ( $\mu\text{g/L}$ )	TPH			B ( $\mu\text{g/L}$ )	T ( $\mu\text{g/L}$ )	E ( $\mu\text{g/L}$ )	X ( $\mu\text{g/L}$ )	MtBE ( $\mu\text{g/L}$ )	HVOCs ( $\mu\text{g/L}$ )
							C13-C40 ( $\mu\text{g/L}$ )	TPH-DRO ( $\mu\text{g/L}$ )	TPH-GRO ( $\mu\text{g/L}$ )						
<b>C-5 (cont)</b>															
09/04/12 <sup>12</sup>	34.61	23.01	11.60	--	<41 <sup>16</sup> / <41 <sup>14,15,16</sup>	<41 <sup>16</sup> / <41 <sup>14,15,16</sup>	--	55/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
12/07/12 <sup>12</sup>	34.61	24.35	10.26	--	350 <sup>16</sup> / <40 <sup>14,15,16</sup>	350 <sup>16</sup> / <40 <sup>14,15,16</sup>	--	99/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
03/12/13 <sup>12</sup>	34.61	23.80	10.81	--	<41 <sup>16</sup> / <41 <sup>14,15,16</sup>	<41 <sup>16</sup> / <41 <sup>14,15,16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
06/11/13 <sup>12</sup>	34.61	23.16	11.45	--	<40 <sup>16</sup>	<40 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
09/10/13 <sup>12</sup>	34.61	22.51	12.10	--	<38 <sup>16</sup>	<38 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
12/04/13 <sup>12</sup>	34.61	22.67	11.94	--	<38 <sup>16</sup>	<38 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
02/07/14 <sup>25</sup>	34.61	22.99	11.62	--	<45 <sup>16</sup>	<45 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
06/25/14 <sup>25</sup>	34.61	22.77	11.84	--	<49	--	<49	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
08/29/14 <sup>25</sup>	34.61	21.98	12.63	--	<40 <sup>14,15,16</sup>	<40 <sup>14,15,16</sup>	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
12/12/14 <sup>25</sup>	34.61	24.98	9.63	--	<39 <sup>14,15,16</sup>	<39 <sup>14,15,16</sup>	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
06/01/15 <sup>25</sup>	34.61	23.00	11.61	--	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
10/23/15 <sup>25</sup>	34.61	21.66	12.95	--	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
04/07/16 <sup>25</sup>	34.61	24.33	10.28	--	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
<b>02/08/17<sup>25</sup></b>	<b>34.61</b>	<b>26.61</b>	<b>8.00</b>	--	--	--	--	<b>&lt;50<sup>14,15</sup></b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	--	
<b>C-6</b>															
12/08/89	--	--	--	--	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	
09/07/90	36.89	20.06	16.83	--	--	--	--	--	57	<0.5	<0.5	0.6	4.0	--	
12/20/90	36.89	20.23	16.66	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
03/06/91	36.89	22.09	14.80	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
06/28/91	36.89	21.73	15.16	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
09/26/91	36.89	20.07	16.82	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
01/27/92	36.89	21.45	15.44	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
04/20/92	36.89	23.72	13.17	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
07/17/92	36.89	21.45	15.44	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
10/29/92	36.89	19.91	16.98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
01/20/93	36.89	24.42	12.47	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
05/03/93	36.89	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
07/28/93	36.89	23.03	13.86	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	
10/27/93	36.57	21.72	14.85	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	
03/31/94	36.57	23.57	13.00	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
06/08/94	36.57	23.13	13.44	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH ( $\mu\text{g/L}$ )	TPH-MO ( $\mu\text{g/L}$ )	TPH				B ( $\mu\text{g/L}$ )	T ( $\mu\text{g/L}$ )	E ( $\mu\text{g/L}$ )	X ( $\mu\text{g/L}$ )	MtBE ( $\mu\text{g/L}$ )	HVOCs ( $\mu\text{g/L}$ )
							C13-C40 ( $\mu\text{g/L}$ )	TPH-DRO ( $\mu\text{g/L}$ )	TPH-GRO ( $\mu\text{g/L}$ )							
<b>C-6 (cont)</b>																
09/29/94 <sup>2</sup>	36.57	21.69	14.88	--	--	--	--	--	<2,500	<25	<25	<25	<25	--	--	
11/09/94 <sup>5</sup>	36.57	--	--	--	--	--	--	--	<50	<0.5	0.5	<0.5	<0.5	--	--	
12/14/94	36.57	23.58	12.99	--	--	--	--	--	<50	0.9	1.5	1.3	2.6	--	--	
03/30/95	36.57	25.80	10.77	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	
06/30/95	36.57	23.95	12.62	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	
09/22/95	36.57	22.92	13.65	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	
12/11/95	36.57	22.89	13.68	--	--	--	--	--	140 <sup>8</sup>	<0.5	<0.5	<0.5	<0.5	<0.5	--	
03/08/96	36.57	25.84	10.73	--	--	--	--	--	<50	<0.5	0.6	<0.5	<0.5	<5.0	--	
06/21/96	36.57	24.16	12.41	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	
09/27/96	36.57	23.10	13.47	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	
01/03/97	36.57	25.57	11.00	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	
03/28/97	36.57	24.51	12.06	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	
NOT MONITORED/SAMPLED																
03/20/12 <sup>13</sup>	36.57	24.02	12.55	--	--	--	--	--	--	--	--	--	--	--	--	
03/23/12 <sup>12</sup>	36.57	23.99	12.58	--	--	--	--	<50/<50 <sup>14</sup>	<50	<0.5	1	<0.5	<0.5	<0.5	--	
09/04/12 <sup>12</sup>	36.57	22.99	13.58	--	<40 <sup>16</sup> / <40 <sup>14,15,16</sup>	<40 <sup>16</sup> / <40 <sup>14,15,16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
12/07/12 <sup>12</sup>	36.57	24.30	12.27	--	<38 <sup>16</sup> / <38 <sup>14,15,16</sup>	<38 <sup>16</sup> / <38 <sup>14,15,16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
03/12/13 <sup>12</sup>	36.57	23.84	12.73	--	<40 <sup>16</sup> / <40 <sup>14,15,16</sup>	<40 <sup>16</sup> / <40 <sup>14,15,16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
06/11/13 <sup>12</sup>	36.57	23.19	13.38	--	<40 <sup>16</sup>	<40 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
09/10/13 <sup>12</sup>	36.57	22.55	14.02	--	<38 <sup>16</sup>	<38 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
12/04/13 <sup>12</sup>	36.57	22.64	13.93	--	<38 <sup>16</sup>	<38 <sup>16</sup>	--	500/ 510 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
02/07/14 <sup>25</sup>	36.57	22.96	13.61	--	<40 <sup>16</sup>	<40 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
06/25/14 <sup>25</sup>	36.57	22.80	13.77	--	<50	--	<50	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
08/29/14 <sup>25</sup>	36.57	22.00	14.57	--	<40 <sup>14,15,16</sup>	<40 <sup>14,15,16</sup>	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
12/12/14 <sup>25</sup>	36.57	24.64	11.93	--	<39 <sup>14,15,16</sup>	<39 <sup>14,15,16</sup>	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
06/01/15 <sup>25</sup>	36.57	23.01	13.56	--	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
10/23/15 <sup>25</sup>	36.57	21.54	15.03	--	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
04/07/16 <sup>25</sup>	36.57	24.43	12.14	--	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
<b>02/08/17<sup>25</sup></b>	<b>36.57</b>	<b>26.27</b>	<b>10.30</b>	--	--	--	--	<b>&lt;50<sup>14,15</sup></b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	--	

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH (µg/L)	TPH-MO (µg/L)	TPH				B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MtBE (µg/L)	HVOCs (µg/L)
							C13-C40 (µg/L)	TPH-DRO (µg/L)	TPH-GRO (µg/L)							
<b>C-7</b>																
12/08/89	--	--	--	--	--	--	--	--	1,700	32	12	17	150	--	--	
09/07/90	32.75	19.73	13.02	--	--	--	--	--	880	84	23	46	180	--	--	
12/20/90	32.75	20.47	12.28	--	--	--	--	--	560	24	3.0	19	21	--	--	
03/06/91	32.75	15.83	16.92	--	--	--	--	--	240	25	2.0	4.0	26	--	--	
06/28/91	32.75	21.44	11.31	--	--	--	--	--	2,400	130	13	82	220	--	--	
09/26/91	32.75	20.47	12.28	--	--	--	--	--	8,100	47	35	350	1,200	--	--	
01/27/92	32.75	21.32	11.43	--	--	--	--	--	12,000	170	40	420	830	--	--	
04/20/92	32.75	23.47	9.28	--	--	--	--	--	1,200	80	11	90	110	--	--	
07/17/92	32.75	21.26	11.49	--	--	--	--	--	2,400	20	7.4	95	200	--	--	
10/29/92	32.75	19.70	13.05	--	--	--	--	--	69	1.3	<0.5	3.8	7.2	--	--	
01/20/93	32.75	24.06	8.69	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	
05/03/93	32.75	24.07	8.68	--	--	--	--	--	2,400	29	8.6	140	210	--	--	
07/28/93	32.75	22.76	9.99	--	--	--	--	--	3,600	38	16	290	920	--	--	
10/27/93	32.32	21.60	10.72	--	--	--	--	--	22,000	23	26	990	2,600	--	--	
03/31/94	32.32	23.21	9.11	--	--	--	--	--	2,300	45	7.0	130	190	--	--	
06/08/94	32.32	23.10	9.22	--	--	--	--	--	6,900	46	11	380	820	--	--	
09/29/94	32.32	21.00	11.32	--	--	--	--	--	11,000	10	11	620	810	--	--	
11/09/94 <sup>5</sup>	32.32	--	--	--	--	--	--	--	7,800	33	18	570	1,100	--	--	
12/14/94	32.32	23.33	8.99	--	--	--	--	--	7,700	63	16	140	1,200	--	--	
03/30/95	32.32	25.04	7.28	--	--	--	--	--	4,100	64	18	170	280	--	--	
06/30/95	32.32	23.25	9.07	--	--	--	--	--	1,200	31	3.7	21	18	--	--	
09/22/95	32.32	22.27	10.05	--	--	--	--	--	1,800	64	5.7	30	38	--	--	
12/11/95	32.32	23.02	9.30	--	--	--	--	--	14,000	80	6.1	91	120	70	--	
03/08/96	32.32	24.99	7.33	--	--	--	--	--	2,300	57	8.4	110	180	37	--	
06/21/96	32.32	23.47	8.85	--	--	--	--	--	1,100	37	3.2	21	29	9.0	--	
09/27/96	32.32	23.21	9.11	--	--	--	--	--	10,000	150	30	270	670	45	--	
01/03/97	32.32	24.83	7.49	--	--	--	--	--	1,800	35	<0.5	34	72	15	--	
03/28/97	32.32	23.75	8.57	--	--	--	--	--	2,200	38	4.1	31	56	19	--	
09/30/97	32.32	MONITORED ANNUALLY			--	--	--	--	--	--	--	--	--	--	--	
03/28/98	32.32	24.98	7.34	--	--	--	--	--	2,100 <sup>8</sup>	28	7.8	70	170	<25	--	
03/19/99	32.32	24.61	7.71	--	--	--	--	--	5,300	63	24	280	370	67 <sup>10</sup>	--	
03/21/00	32.32	24.57	7.75	--	--	--	--	--	2,830	19.5	5.14	116	206	11.7	--	
08/28/00	32.32	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--	--	--	--	--	
03/02/01	32.32	24.06	8.26	0.00	--	--	--	--	7,620 <sup>11</sup>	54.7	<25.0	522	945	<250	--	
09/04/01	32.32	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--	--	--	--	--	
03/21/02	32.32	24.10	8.22	0.00	--	--	--	--	9,300	31	8.4	460	850	<20	--	
09/04/02	32.32	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--	--	--	--	--	
03/31/03	32.32	23.67	8.65	0.00	--	--	--	--	3,300	17	3.9	92	190	31	--	
09/17/03	t	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--	--	--	--	
03/05/04 <sup>12</sup>	32.80	24.86	7.94	0.00	--	--	--	--	2,200	7	1	50	120	<0.5	--	
09/03/04	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--	--	--	--	--	
03/02/05 <sup>12</sup>	32.80	25.14	7.66	0.00	--	--	--	--	2,500	11	2	39	84	<0.5	--	
09/02/05	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--	--	--	--	--	

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH ( $\mu\text{g/L}$ )	TPH-MO ( $\mu\text{g/L}$ )	TPH			B ( $\mu\text{g/L}$ )	T ( $\mu\text{g/L}$ )	E ( $\mu\text{g/L}$ )	X ( $\mu\text{g/L}$ )	MtBE ( $\mu\text{g/L}$ )	HVOCs ( $\mu\text{g/L}$ )
							C13-C40 ( $\mu\text{g/L}$ )	TPH-DRO ( $\mu\text{g/L}$ )	TPH-GRO ( $\mu\text{g/L}$ )						
<b>C-7 (cont)</b>															
03/24/06 <sup>12</sup>	32.80	25.44	7.36	0.00	--	--	--	--	3,300	12	3	56	100	<0.5	--
03/05/07 <sup>12</sup>	32.80	24.46	8.34	0.00	--	--	--	--	1,600	5	0.8	13	30	<0.5	--
03/17/08 <sup>12</sup>	32.32	23.69	8.63	0.00	--	--	--	--	750	2	<0.5	4	12	<0.5	--
03/03/09 <sup>12</sup>	32.32	23.88	8.44	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/17/10 <sup>12</sup>	32.32	24.21	8.11	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/04/11 <sup>12</sup>	32.32	23.18	9.14	0.00	--	--	--	--	<50	<0.5	<0.5	0.6	<0.5	<0.5	--
03/23/12 <sup>12</sup>	32.32	23.42	8.90	0.00	--	--	--	<50/<50 <sup>14</sup>	<50	<3	<3	<3	<3	<3	--
09/04/12 <sup>12</sup>	32.32	22.49	9.83	0.00	48 <sup>16</sup> / <40 <sup>14,15,16</sup>	48 <sup>16</sup> / <40 <sup>14,15,16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/07/12 <sup>12</sup>	32.32	23.77	8.55	0.00	140 <sup>16</sup> / <40 <sup>14,15,16</sup>	140 <sup>16</sup> / <40 <sup>14,15,16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/12/13 <sup>12</sup>	32.32	23.31	9.01	0.00	<40 <sup>16</sup> / <40 <sup>14,15,16</sup>	<40 <sup>16</sup> / <40 <sup>14,15,16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
06/11/13 <sup>12</sup>	32.32	22.71	9.61	0.00	<40 <sup>16</sup>	<40 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/10/13 <sup>12</sup>	32.32	22.04	10.28	0.00	<38 <sup>16</sup>	<38 <sup>16</sup>	--	71/ 61 <sup>14,15</sup>	87	<0.5	<0.5	3	<0.5	<0.5	--
12/04/13 <sup>12</sup>	32.32	22.17	10.15	0.00	<38 <sup>16</sup>	<38 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
02/07/14 <sup>25</sup>	32.32	22.55	9.77	0.00	<40 <sup>16</sup>	<40 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/25/14 <sup>25</sup>	32.32	22.27	10.05	0.00	<52	--	<52	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
08/29/14 <sup>25</sup>	32.32	21.54	10.78	0.00	<40 <sup>14,15,16</sup>	<40 <sup>14,15,16</sup>	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/12/14 <sup>25</sup>	32.32	24.08	8.24	0.00	<38 <sup>14,15,16</sup>	<38 <sup>14,15,16</sup>	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
06/01/15 <sup>25</sup>	32.32	22.60	9.72	0.00	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
10/23/15 <sup>25</sup>	32.32	21.20	11.12	0.00	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
04/07/16 <sup>25</sup>	32.32	23.99	8.33	0.00	--	--	--	270 <sup>14,15</sup>	2,100	<3	<3	8	<3	--	--
<b>02/08/17<sup>25,26</sup></b>	<b>32.32</b>	<b>25.69</b>	<b>6.63</b>	<b>0.00</b>	--	--	--	<b>600<sup>14,15</sup></b>	<b>3,200</b>	<b>1</b>	<b>&lt;0.5</b>	<b>41</b>	<b>1</b>	--	--
<b>C-8</b>															
12/08/89	--	--	--	--	--	--	--	--	4,800	62	11	95	180	--	--
09/07/90	33.82	19.50	14.32	--	--	--	--	--	3,700	170	31	180	270	--	--
12/20/90	33.82	19.61	14.20	--	--	--	--	--	3,900	120	20	130	180	--	--
03/06/91	33.82	19.02	14.80	--	--	--	--	--	1,200	45	6.0	34	57	--	--
06/28/91	33.82	21.17	12.65	--	--	--	--	--	6,900	180	46	340	640	--	--
09/26/91	33.82	19.53	14.29	--	--	--	--	--	1,400	66	9.8	38	40	--	--
01/27/92	33.82	21.22	12.60	--	--	--	--	--	3,600	100	26	170	260	--	--
04/20/92	33.82	23.46	10.36	--	--	--	--	--	2,600	110	32	180	260	--	--
07/17/92	33.82	20.94	12.88	--	--	--	--	--	1,100	34	5.9	35	52	--	--

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH (µg/L)	TPH-MO (µg/L)	TPH				B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MtBE (µg/L)	HVOCs (µg/L)
							C13-C40 (µg/L)	TPH-DRO (µg/L)	TPH-GRO (µg/L)							
<b>C-8 (cont)</b>																
10/29/92	33.82	19.43	14.39	--	--	--	--	--	820	29	4.8	23	27	--	--	
01/20/93	33.82	23.80	10.02	--	--	--	--	--	6,000	81	22	200	310	--	--	
05/03/93	33.82	24.07	9.75	--	--	--	--	--	11,000	75	96	880	2,600	--	--	
07/28/93	33.82	22.68	11.14	--	--	--	--	--	2,800	60	13	92	150	--	--	
10/27/93	33.25	21.24	12.01	--	--	--	--	--	2,700	49	17	60	90	--	--	
03/31/94	33.25	22.98	10.27	--	--	--	--	--	190	8.6	1.7	9.1	11	--	--	
06/08/94	33.25	22.69	10.56	--	--	--	--	--	2,800	52	110	78	110	--	--	
09/29/94	33.25	20.83	12.42	--	--	--	--	--	3,700	120	20	120	85	--	--	
11/09/94 <sup>5</sup>	33.25	--	--	--	--	--	--	--	3,200	82	44	160	110	--	--	
12/14/94	33.25	22.74	10.51	--	--	--	--	--	5,300	140	30	170	310	--	--	
03/30/95	33.25	24.81	8.44	--	--	--	--	--	3,900	86	19	180	210	--	--	
06/30/95	33.25	23.11	10.14	--	--	--	--	--	1,500	75	21	72	72	--	--	
09/22/95	33.25	22.05	11.20	--	--	--	--	--	3,400	94	24	110	110	--	--	
12/11/95	33.25	22.26	10.99	--	--	--	--	--	7,500	100	<0.5	160	120	130	--	
03/08/96	33.25	24.79	8.46	--	--	--	--	--	3,600	93	8.9	110	88	82	--	
06/21/96	33.25	23.28	9.97	--	--	--	--	--	3,200	69	6.8	100	88	19	--	
09/27/96	33.25	22.47	10.78	--	--	--	--	--	7,000	98	12	150	130	53	--	
01/03/97	33.25	24.43	8.82	--	--	--	--	--	5,700	43	9.3	110	95	17	--	
03/28/97	33.25	23.60	9.65	--	--	--	--	--	4,900	52	4.7	70	47	50	--	
09/30/97	33.25	MONITORED ANNUALLY			--	--	--	--	--	--	--	--	--	--	--	
03/28/98	33.25	24.78	8.47	--	--	--	--	--	3,300 <sup>8</sup>	33	4.2	110	61	<25	--	
03/19/99	33.25	24.34	8.91	--	--	--	--	--	2,600	34	16	34	19	76 <sup>10</sup>	--	
03/21/00	33.25	24.43	8.82	--	--	--	--	--	4,300	8.45	42.3	61.1	20.3	33.8	--	
08/28/00	33.25	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--	--	--	--	--	
03/02/01	33.25	23.75	9.50	0.00	--	--	--	--	2,980 <sup>11</sup>	37.4	4.12	22.3	11.3	40.4	--	
09/04/01	33.25	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--	--	--	--	--	
03/21/02	33.25	23.86	9.39	0.00	--	--	--	--	3,500	<20	2.0	15	8.3	<10	--	
09/04/02	33.25	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--	--	--	--	--	
03/31/03	33.25	23.45	9.80	0.00	--	--	--	--	4,700	<20	2.1	22	11	<50	--	
09/17/03	†	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--	--	--	--	
03/05/04 <sup>12</sup>		32.80	23.70	9.10	0.00	--	--	--	--	5,500	3	2	58	17	<0.5	--
09/03/04	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--	--	--	--	--	
03/02/05 <sup>12</sup>	32.80	23.94	8.86	0.00	--	--	--	--	3,300	1	0.8	17	9	<0.5	--	
09/02/05	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--	--	--	--	--	
03/24/06 <sup>12</sup>	32.80	25.13	7.67	0.00	--	--	--	--	4,000	0.9	0.7	18	8	<0.5	--	
03/05/07 <sup>12</sup>	32.80	23.26	9.54	0.00	--	--	--	--	8,100	1	1	66	19	<0.5	--	
03/17/08 <sup>12</sup>	33.25	23.45	9.80	0.00	--	--	--	--	8,800	2	1	62	18	<0.5	--	
03/03/09 <sup>12</sup>	33.25	23.52	9.73	0.00	--	--	--	--	7,400	0.8	0.7	56	11	<0.5	--	
03/17/10 <sup>12</sup>	33.25	23.98	9.27	0.00	--	--	--	--	8,700	1	0.8	51	11	<0.5	--	
03/04/11 <sup>12</sup>	33.25	23.32	9.93	0.00	--	--	--	--	8,900	1	0.6	37	8	<0.5	--	

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH (µg/L)	TPH-MO (µg/L)	TPH C13-C40 (µg/L)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MtBE (µg/L)	HVOCS (µg/L)
<b>C-8 (cont)</b>															
03/23/12 <sup>12</sup>	33.25	23.06	9.93	0.00	--	--	--	2,900/ 2,000 <sup>14</sup>	8,900	0.8	5	33	0.5	<0.5	--
09/04/12 <sup>12</sup>	33.25	22.19	11.06	0.00	59 <sup>16</sup> / <40 <sup>14,15,16</sup>	59 <sup>16</sup> / <40 <sup>14,15,16</sup>	--	3,000/ 2,800 <sup>14,15,18</sup>	11,000	1	0.5	35	4	<0.5	--
12/07/12 <sup>12</sup>	33.25	23.45	9.80	0.00	65 <sup>16</sup> / <41 <sup>14,15,16</sup>	65 <sup>16</sup> / <41 <sup>14,15,16</sup>	--	3,100/ 3,000 <sup>14,15</sup>	7,800	<5 <sup>21</sup>	<5 <sup>21</sup>	26 <sup>21</sup>	<5 <sup>21</sup>	<5 <sup>21</sup>	--
03/12/13 <sup>12</sup>	33.25	23.07	10.18	0.00	<42 <sup>16</sup> / <42 <sup>14,15,16</sup>	<42 <sup>16</sup> / <42 <sup>14,15,16</sup>	--	2,200/ 1,800 <sup>14,15</sup>	8,300	<5	<5	21	<5	<5	--
06/11/13 <sup>12</sup>	33.25	22.45	10.80	0.00	<40 <sup>16</sup>	<40 <sup>16</sup>	--	3,000/ 2,000 <sup>14,15</sup>	7,800	0.6	<0.5	31	4	<0.5	--
09/10/13 <sup>12</sup>	33.25	21.75	11.50	0.00	<38 <sup>16,24</sup>	<38 <sup>16,24</sup>	--	2,900/ 2,700 <sup>14,15</sup>	10,000 <sup>21</sup>	<1 <sup>21</sup>	1 <sup>21</sup>	26 <sup>21</sup>	5 <sup>21</sup>	<1 <sup>21</sup>	--
12/04/13 <sup>12</sup>	33.25	21.85	11.40	0.00	<38 <sup>16,24</sup>	<38 <sup>16,24</sup>	--	3,500/ 2,600 <sup>14,23</sup>	8,900	<0.5	<0.5	28	3	<0.5	--
02/07/14 <sup>25</sup>	33.25	22.17	11.08	0.00	52 <sup>16,24</sup>	52 <sup>16,24</sup>	--	2,600/ 2,300 <sup>14,15</sup>	9,100	0.8	0.5	27	3	--	--
06/25/14 <sup>25</sup>	33.25	21.99	11.26	0.00	570	--	570	2,100 <sup>14,15</sup>	9,100	0.8	<0.5	26	3	--	--
08/29/14 <sup>25,26</sup>	33.25	21.24	12.01	0.00	<38 <sup>14,15,16</sup>	<38 <sup>14,15,16</sup>	--	2,800 <sup>14,15</sup>	6,800	0.5	<0.5	18	2	--	--
08/29/14 <sup>25</sup>	33.25	21.24	12.01	0.00	<38 <sup>14,15,16</sup>	<38 <sup>14,15,16</sup>	--	2,400 <sup>14,15</sup>	8,600	0.7	<0.5	21	2	--	--
12/12/14 <sup>25,26</sup>	33.25	23.65	9.60	0.00	<39 <sup>14,15,16</sup>	<39 <sup>14,15,16</sup>	--	1,200 <sup>14,15</sup>	6,300	0.7	<0.5	12	2	--	--
12/12/14 <sup>25</sup>	33.25	23.65	9.60	0.00	<38 <sup>14,15,16</sup>	<38 <sup>14,15,16</sup>	--	1,700 <sup>14,15</sup>	7,600	<1 <sup>21</sup>	<1 <sup>21</sup>	18 <sup>21</sup>	2 <sup>21</sup>	--	--
06/01/15 <sup>25,26</sup>	33.25	22.34	10.91	0.00	--	--	--	1,900 <sup>14,15</sup>	7,300	<3	<3	16	<3	--	--
06/01/15 <sup>25</sup>	33.25	22.34	10.91	0.00	--	--	--	1,800 <sup>14,15</sup>	7,300	10	<3	29	11	--	--
10/23/15 <sup>25,26</sup>	33.25	20.86	12.39	0.00	--	--	--	2,400 <sup>14,15</sup>	9,100	<3	<3	9	<3	--	--
04/07/16 <sup>25,26</sup>	33.25	23.77	9.48	0.00	--	--	--	1,800 <sup>14,15</sup>	9,900	<5	<5	11	<5	--	--
<b>02/08/17<sup>25,26</sup></b>	<b>33.25</b>	<b>25.10</b>	<b>8.15</b>	<b>0.00</b>	--	--	--	<b>860<sup>14,15</sup></b>	<b>5,000</b>	<b>&lt;0.5</b>	<b>0.6</b>	<b>7</b>	<b>0.7</b>	--	--
<b>C-9</b>															
09/07/90	33.43	19.37	14.06	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	33.43	19.40	14.03	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	33.43	21.31	12.12	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	33.43	21.02	12.41	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	33.43	19.41	14.02	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	33.43	20.90	12.53	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/20/92	33.43	23.21	10.22	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	33.43	20.79	12.64	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	33.43	19.23	14.20	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH (µg/L)	TPH-MO (µg/L)	TPH			B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MtBE (µg/L)	HVOCs (µg/L)
							C13-C40 (µg/L)	TPH-DRO (µg/L)	TPH-GRO (µg/L)						
<b>C-9 (cont)</b>															
01/20/93	33.43	23.71	9.72	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	33.43	23.66	9.55	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/28/93	33.43	22.45	10.98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	32.97	20.99	11.98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	32.97	22.80	10.17	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	32.97	22.44	10.53	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 <sup>2</sup>	32.97	20.57	12.40	--	--	--	--	--	<5,000	<50	<50	<50	<50	--	--
11/09/94 <sup>5</sup>	32.97	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	0.7	--	--
12/14/94	32.97	22.48	10.49	--	--	--	--	--	69	1.1	2.2	3.4	7.8	--	--
03/30/95	32.97	24.77	8.20	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	32.97	23.00	9.97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	32.97	21.90	11.07	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	32.97	21.89	11.08	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	32.97	24.77	8.20	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
06/21/96	32.97	23.16	9.81	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	32.97	22.06	10.91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	32.97	24.30	8.67	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	32.97	23.50	9.47	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/30/97	32.97	21.36	11.61	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/98	32.97	24.71	8.26	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/08/98	32.97	22.73	10.24	--	--	--	--	--	<50	5.7	1.4	1.4	1.8	4.9	--
03/19/99	32.97	24.27	8.70	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/21/99	32.97	22.00	10.97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/21/00	32.97	24.38	8.59	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/28/00	32.97	22.02	10.95	0.00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
03/02/01	32.97	23.57	9.40	0.00	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	32.97	21.66	11.31	0.00	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/21/02	32.97	23.72	9.25	0.00	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
09/04/02	32.97	21.93	11.04	0.00	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/31/03	32.97	23.29	9.68	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/17/03 <sup>12</sup>	32.97	21.99	10.98	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/05/04 <sup>12</sup>	32.97	24.07	8.90	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/03/04 <sup>12</sup>	32.97	21.54	11.43	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/02/05 <sup>12</sup>	32.97	24.24	8.73	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/02/05 <sup>12</sup>	32.97	22.38	10.59	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/24/06	32.97	24.30	8.67	0.00	--	--	--	--	--	--	--	--	--	--	--
03/05/07	32.97	23.49	9.48	0.00	--	--	--	--	--	--	--	--	--	--	--
03/17/08	32.97	23.27	9.70	0.00	--	--	--	--	--	--	--	--	--	--	--
03/03/09	32.97	23.37	9.60	0.00	--	--	--	--	--	--	--	--	--	--	--
03/17/10	32.97	23.83	9.14	0.00	--	--	--	--	--	--	--	--	--	--	--
03/04/11	32.97	23.71	9.26	0.00	--	--	--	--	--	--	--	--	--	--	--

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH ( $\mu\text{g/L}$ )	TPH-MO ( $\mu\text{g/L}$ )	TPH			B ( $\mu\text{g/L}$ )	T ( $\mu\text{g/L}$ )	E ( $\mu\text{g/L}$ )	X ( $\mu\text{g/L}$ )	MtBE ( $\mu\text{g/L}$ )	HVOCs ( $\mu\text{g/L}$ )
							C13-C40 ( $\mu\text{g/L}$ )	TPH-DRO ( $\mu\text{g/L}$ )	TPH-GRO ( $\mu\text{g/L}$ )						
<b>C-9 (cont)</b>															
03/20/12 <sup>13</sup>	32.97	22.93	10.04	0.00	--	--	--	--	--	--	--	--	--	--	
03/23/12 <sup>12</sup>	32.97	22.94	10.03	0.00	--	--	--	<50/<50 <sup>14</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
09/04/12 <sup>12</sup>	32.97	21.94	11.03	0.00	55 <sup>16</sup> / <40 <sup>14,15,16</sup>	55 <sup>16</sup> / <40 <sup>14,15,16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
12/07/12 <sup>12</sup>	32.97	23.17	9.80	0.00	43 <sup>16</sup> / <41 <sup>14,15,16</sup>	43 <sup>16</sup> / <41 <sup>14,15,16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
03/12/13 <sup>12</sup>	32.97	22.87	10.10	0.00	<40 <sup>16</sup> / <40 <sup>14,15,16</sup>	<40 <sup>16</sup> / <40 <sup>14,15,16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
06/11/13 <sup>12</sup>	32.97	22.22	10.75	0.00	<42 <sup>16</sup>	<42 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
09/10/13 <sup>12</sup>	32.97	21.47	11.50	0.00	<38 <sup>16</sup>	<38 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
12/04/13 <sup>12</sup>	32.97	21.59	11.38	0.00	<38 <sup>16</sup>	<38 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
02/07/14 <sup>25</sup>	32.97	21.82	11.15	0.00	<40 <sup>16</sup>	<40 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
06/25/14 <sup>25</sup>	32.97	21.76	11.21	0.00	<48	--	<48	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
08/29/14 <sup>25</sup>	32.97	20.96	12.01	0.00	<38 <sup>14,15,16</sup>	<38 <sup>14,15,16</sup>	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
12/12/14 <sup>25</sup>	32.97	23.42	9.55	0.00	<38 <sup>14,15,16</sup>	<38 <sup>14,15,16</sup>	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
06/01/15 <sup>25</sup>	32.97	22.07	10.90	0.00	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
10/23/15 <sup>25</sup>	32.97	20.49	12.48	0.00	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
04/07/16 <sup>25</sup>	32.97	23.50	9.47	0.00	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
<b>02/08/17<sup>25</sup></b>	<b>32.97</b>	<b>24.90</b>	<b>8.07</b>	<b>0.00</b>	--	--	--	<b>&lt;50<sup>14,15</sup></b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	--	
<b>C-10</b>															
09/07/90	31.63	19.14	12.49	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	
12/20/90	31.63	19.27	12.36	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	
03/06/91	31.63	21.18	10.45	--	--	--	--	<50	<0.5	0.8	<0.5	0.8	--	--	
06/28/91	31.63	20.69	10.74	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	
09/26/91	31.63	19.21	12.42	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	
01/27/92	31.63	20.79	10.84	--	--	--	--	<50	<0.5	1.3	<0.5	<0.5	--	--	
01/27/92	(D)	31.63	--	--	--	--	--	<50	<0.5	1.3	<0.5	<0.5	--	--	
04/20/92		31.63	23.06	8.55	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	
07/17/92		31.63	20.61	11.02	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	
10/29/92		31.63	19.23	12.40	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	
01/20/93		31.63	23.49	8.14	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	
05/03/93		31.63	23.71	7.92	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--	
07/28/93		31.63	22.27	9.36	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--	
10/27/93		31.16	20.86	10.30	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--	

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH ( $\mu\text{g/L}$ )	TPH-MO ( $\mu\text{g/L}$ )	TPH			B ( $\mu\text{g/L}$ )	T ( $\mu\text{g/L}$ )	E ( $\mu\text{g/L}$ )	X ( $\mu\text{g/L}$ )	MtBE ( $\mu\text{g/L}$ )	HVOCs ( $\mu\text{g/L}$ )
							C13-C40 ( $\mu\text{g/L}$ )	TPH-DRO ( $\mu\text{g/L}$ )	TPH-GRO ( $\mu\text{g/L}$ )						
<b>C-10 (cont)</b>															
03/31/94	31.16	22.71	8.45	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	31.16	22.31	8.85	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 <sup>2</sup>	31.16	20.46	10.70	--	--	--	--	--	<5,000	<50	<50	<50	<50	--	--
11/09/94 <sup>5</sup>	31.16	--	--	--	--	--	--	--	<50	<0.5	1.4	0.8	1.2	--	--
12/14/94	31.16	22.55	8.61	--	--	--	--	--	110	3.9	5.4	4.3	11	--	--
03/30/95	31.16	24.51	6.65	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	31.16	22.86	8.30	--	--	--	--	--	<50	1.5	1.5	<0.5	2.2	--	--
09/22/95	31.16	21.75	9.41	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	31.16	21.89	9.27	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	31.16	24.53	6.63	--	--	--	--	--	<50	<0.5	<0.5	<0.5	0.5	<5.0	--
06/21/96	31.16	23.04	8.12	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	31.16	21.95	9.21	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	31.16	23.84	7.32	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	31.16	23.34	7.82	--	--	--	--	--	<50	1.2	1.8	<0.5	0.8	<5.0	--
09/30/97	31.16	21.34	9.82	--	--	--	--	--	<250 <sup>9</sup>	<2.5	<2.5	<2.5	<2.5	<25	--
03/28/98	31.16	24.60	6.56	--	--	--	--	--	<50	<0.5	0.52	<0.5	<0.5	<2.5	--
09/08/98	31.16	22.65	8.51	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/19/99	31.16	24.00	7.16	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	9.2 <sup>10</sup>	--
09/21/99	31.16	21.87	9.29	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	6.38	--
03/21/00	31.16	24.54	6.62	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	10.6	--
08/28/00	31.16	21.86	9.30	0.00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	7.7	--
03/02/01	31.16	23.41	7.75	0.00	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	31.16	21.54	9.62	0.00	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/21/02	31.16	23.56	7.60	0.00	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
09/04/02	31.16	21.76	9.40	0.00	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/31/03	31.16	23.14	8.02	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/17/03 <sup>12</sup>	31.16	21.85	9.31	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	0.8	--
03/05/04 <sup>12</sup>	31.16	23.88	7.28	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	0.5	--
09/03/04 <sup>12</sup>	31.16	21.50	9.66	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/02/05 <sup>12</sup>	31.16	24.08	7.08	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/02/05 <sup>12</sup>	31.16	22.35	8.81	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/24/06	31.16	23.54	7.62	0.00	--	--	--	--	--	--	--	--	--	--	--
03/05/07	31.16	23.39	7.77	0.00	--	--	--	--	--	--	--	--	--	--	--
03/17/08	31.16	21.56	9.60	0.00	--	--	--	--	--	--	--	--	--	--	--
03/03/09	31.16	23.26	7.90	0.00	--	--	--	--	--	--	--	--	--	--	--
03/17/10	31.16	23.69	7.47	0.00	--	--	--	--	--	--	--	--	--	--	--
03/04/11	31.16	22.84	8.32	0.00	--	--	--	--	--	--	--	--	--	--	--
03/20/12 <sup>13</sup>	31.16	23.14	8.02	0.00	--	--	--	--	<50/<50 <sup>14</sup>	<50	<0.5	<0.5	<0.5	<0.5	--
03/23/12 <sup>12</sup>	31.16	22.85	8.31	0.00	--	--	--	--	<50/<50 <sup>14</sup>	<0.5	<0.5	<0.5	<0.5	<0.5	--

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH ( $\mu\text{g/L}$ )	TPH-MO ( $\mu\text{g/L}$ )	TPH C13-C40 ( $\mu\text{g/L}$ )	TPH-DRO ( $\mu\text{g/L}$ )	TPH-GRO ( $\mu\text{g/L}$ )	B ( $\mu\text{g/L}$ )	T ( $\mu\text{g/L}$ )	E ( $\mu\text{g/L}$ )	X ( $\mu\text{g/L}$ )	MtBE ( $\mu\text{g/L}$ )	HVOCs ( $\mu\text{g/L}$ )
<b>C-10 (cont)</b>															
09/04/12 <sup>12</sup>	31.16	21.84	9.32	0.00	<40 <sup>16</sup> / <40 <sup>14,15,16</sup>	<40 <sup>16</sup> / <40 <sup>14,15,16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
12/07/12 <sup>12</sup>	31.16	22.72	8.44	0.00	470 <sup>16</sup> / 71 <sup>14,15,16</sup>	470 <sup>16</sup> / 71 <sup>14,15,16</sup>	--	150/ 64 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
03/12/13 <sup>12</sup>	31.16	22.89	8.27	0.00	<42 <sup>16</sup> / <42 <sup>14,15,16</sup>	<42 <sup>16</sup> / <42 <sup>14,15,16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
06/11/13 <sup>12</sup>	31.16	22.14	9.02	0.00	<41 <sup>16</sup>	<41 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
09/10/13 <sup>12</sup>	31.16	21.41	9.75	0.00	<39 <sup>16</sup>	<39 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
12/04/13 <sup>12</sup>	31.16	21.44	9.72	0.00	<38 <sup>16</sup>	<38 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
02/07/14 <sup>25</sup>	31.16	21.78	9.38	0.00	<40 <sup>16</sup>	<40 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
06/25/14 <sup>25</sup>	31.16	21.66	9.50	0.00	<50	--	<50	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
08/29/14 <sup>25</sup>	31.16	21.14	10.02	0.00	<37 <sup>14,15,16</sup>	<37 <sup>14,15,16</sup>	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
12/12/14 <sup>25</sup>	31.16	23.26	7.90	0.00	<38 <sup>14,15,16</sup>	<38 <sup>14,15,16</sup>	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
06/01/15 <sup>25</sup>	31.16	22.02	9.14	0.00	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
10/23/15 <sup>25</sup>	31.16	20.45	10.71	0.00	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
04/07/16 <sup>25</sup>	31.16	23.48	7.68	0.00	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
<b>02/08/17<sup>25</sup></b>	<b>31.16</b>	<b>24.74</b>	<b>6.42</b>	<b>0.00</b>	--	--	--	<b>&lt;50<sup>14,15</sup></b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	--	
<b>C-11</b>															
09/07/90	31.58	19.36	12.22	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
12/20/90	31.58	19.50	12.08	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
03/06/91	31.58	15.43	16.15	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
06/28/91	31.58	21.06	10.52	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
09/26/91	31.58	19.38	12.20	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
01/27/92	31.58	20.85	10.73	--	--	--	--	--	<50	<0.5	0.8	<0.5	<0.5	--	
04/20/92	31.58	23.02	8.56	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
07/17/92	31.58	20.80	10.78	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
10/29/92	31.58	19.51	12.07	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
01/20/93	31.58	21.61	7.97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
05/03/93	31.58	23.63	7.95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	
07/28/93	31.58	22.27	9.31	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	
10/27/93	31.23	21.06	10.17	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	
03/31/94	31.23	22.80	8.43	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
06/08/94	31.23	22.47	8.76	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
09/29/94	31.23	20.69	10.54	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
11/09/94	--	--	--	--	--	--	--	--	<50	<0.5	0.6	<0.5	0.7	--	

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH ( $\mu\text{g/L}$ )	TPH				B ( $\mu\text{g/L}$ )	T ( $\mu\text{g/L}$ )	E ( $\mu\text{g/L}$ )	X ( $\mu\text{g/L}$ )	MtBE ( $\mu\text{g/L}$ )	HVOCs ( $\mu\text{g/L}$ )
						TPH-MO ( $\mu\text{g/L}$ )	C13-C40 ( $\mu\text{g/L}$ )	TPH-DRO ( $\mu\text{g/L}$ )	TPH-GRO ( $\mu\text{g/L}$ )						
<b>C-11 (cont)</b>															
12/14/94	31.23	22.73	8.50	--	--	--	--	--	51	1.1	1.7	1.6	4.0	--	--
03/30/95	31.23	24.38	6.85	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	31.23	22.89	8.34	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	31.23	21.93	9.30	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	31.23	22.22	9.01	--	--	--	--	--	<50	<0.5	<0.5	<0.5	1.1	1.1	--
03/08/96	31.23	24.33	6.90	--	--	--	--	--	<50	<0.5	0.6	<0.5	1.6	<5.0	--
06/21/96	31.23	23.13	8.10	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	31.23	22.16	9.07	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	31.23	24.10	7.13	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	31.23	21.40	9.83	--	--	--	--	--	120	12	20	2.3	14	<5.0	--
09/30/97	31.23	21.56	9.67	--	--	--	--	--	<50	0.7	0.8	<0.5	0.6	<5.0	--
03/28/98	31.23	24.40	6.83	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/08/98	31.23	22.72	8.51	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/19/99	31.23	24.06	7.17	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/21/99	31.23	22.02	9.21	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/21/00	31.23	24.13	7.10	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/28/00	31.23	22.04	9.19	0.00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
03/02/01	31.23	23.34	7.89	0.00	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	31.23	21.78	9.45	0.00	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/21/02	31.23	23.66	7.57	0.00	--	--	--	--	<250	<1.0	<1.0	<1.0	<3.0	<2.5	--
09/04/02	31.23	21.98	9.25	0.00	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/31/03	31.23	23.26	7.97	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/17/03 <sup>12</sup>	31.23	22.04	9.19	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/05/04 <sup>12</sup>	31.23	23.88	7.35	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/03/04 <sup>12</sup>	31.23	21.74	9.49	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/02/05 <sup>12</sup>	31.23	24.18	7.05	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/02/05 <sup>12</sup>	31.23	22.61	8.62	0.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/24/06	31.23	24.22	7.01	0.00	--	--	--	--	--	--	--	--	--	--	--
03/05/07	31.23	23.53	7.70	0.00	--	--	--	--	--	--	--	--	--	--	--
03/17/08	31.23	22.30	8.93	0.00	--	--	--	--	--	--	--	--	--	--	--
03/03/09	31.23	23.43	7.80	0.00	--	--	--	--	--	--	--	--	--	--	--
03/17/10	31.23	23.67	7.56	0.00	--	--	--	--	--	--	--	--	--	--	--
03/04/11	31.23	22.98	8.25	0.00	--	--	--	--	--	--	--	--	--	--	--
03/20/12 <sup>13</sup>	31.23	23.07	8.16	0.00	--	--	--	--	--	--	--	--	--	--	--
03/23/12 <sup>12</sup>	31.23	23.02	8.21	0.00	--	--	--	--	110/<50 <sup>14</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/04/12 <sup>12</sup>	31.23	22.05	9.18	0.00	50 <sup>16</sup> / 60 <sup>14,15,16,17</sup>	50 <sup>16</sup> / 60 <sup>14,15,16,17</sup>	--	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/07/12 <sup>12</sup>	31.23	23.28	7.95	0.00	200 <sup>16</sup> / <40 <sup>14,15,16</sup>	200 <sup>16</sup> / <40 <sup>14,15,16</sup>	--	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH ( $\mu\text{g/L}$ )	TPH-MO ( $\mu\text{g/L}$ )	TPH C13-C40 ( $\mu\text{g/L}$ )	TPH-DRO ( $\mu\text{g/L}$ )	TPH-GRO ( $\mu\text{g/L}$ )	B ( $\mu\text{g/L}$ )	T ( $\mu\text{g/L}$ )	E ( $\mu\text{g/L}$ )	X ( $\mu\text{g/L}$ )	MtBE ( $\mu\text{g/L}$ )	HVOCs ( $\mu\text{g/L}$ )
<b>C-11 (cont)</b>															
03/12/13 <sup>12</sup>	31.23	22.85	8.38	0.00	<42 <sup>16</sup> / <42 <sup>14,15,16</sup>	<42 <sup>16</sup> / <42 <sup>14,15,16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
06/11/13 <sup>12</sup>	31.23	22.33	8.90	0.00	<41 <sup>16</sup>	<41 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
09/10/13 <sup>12</sup>	31.23	21.63	9.60	0.00	<40 <sup>16</sup>	<40 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
12/04/13 <sup>12</sup>	31.23	21.59	9.64	0.00	410 <sup>16</sup>	410 <sup>16</sup>	--	56/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
02/07/14 <sup>25</sup>	31.23	22.13	9.10	0.00	44 <sup>16</sup>	44 <sup>16</sup>	--	<50/ <50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
06/25/14 <sup>25</sup>	31.23	21.85	9.38	0.00	<48	--	<48	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
08/29/14 <sup>25</sup>	31.23	21.12	10.11	0.00	<38 <sup>14,15,16</sup>	<38 <sup>14,15,16</sup>	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
12/12/14 <sup>25</sup>	31.23	23.38	7.85	0.00	<38 <sup>14,15,16</sup>	<38 <sup>14,15,16</sup>	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
06/01/15 <sup>25</sup>	31.23	22.23	9.00	0.00	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
10/23/15 <sup>25</sup>	31.23	20.74	10.49	0.00	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
04/07/16 <sup>25</sup>	31.23	23.55	7.68	0.00	--	--	--	<50 <sup>14,15</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	
<b>02/08/17<sup>25</sup></b>	<b>31.23</b>	<b>24.79</b>	<b>6.44</b>	<b>0.00</b>	--	--	--	<b>&lt;50<sup>14,15</sup></b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	--	
<b>TRIP BLANK</b>															
09/07/90	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
12/20/90	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
03/06/91	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
06/28/91	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
09/26/91	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
01/27/92	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
04/20/92	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
07/17/92	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
10/29/92	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
01/20/93	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
05/03/93	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	
07/28/93	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	
10/27/93	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	
03/31/94	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
06/08/94	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
11/09/94	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
12/14/94	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
03/30/95	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
06/30/95	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
09/22/95	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
12/11/95	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
03/08/96	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<5.0	--	

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH (µg/L)	TPH-MO (µg/L)	TPH			B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MtBE (µg/L)	HVOCs (µg/L)
							C13-C40 (µg/L)	TPH-DRO (µg/L)	TPH-GRO (µg/L)						
<b>TRIP BLANK (cont)</b>															
06/21/96	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/30/97	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/98	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/08/98	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/19/99	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/21/99	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/21/00	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/28/00	--	--	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
03/02/01	--	--	--	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	--	--	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
<b>QA</b>															
03/21/02	--	--	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
09/04/02	--	--	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/31/03	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/17/03 <sup>12</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/05/04 <sup>12</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/03/04 <sup>12</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/02/05 <sup>12</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/02/05 <sup>12</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/24/06 <sup>12</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/05/07 <sup>12</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/17/08 <sup>12</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/03/09 <sup>12</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/04/12 <sup>12</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/07/12 <sup>12</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5 <sup>22</sup>
03/12/13 <sup>12</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
06/11/13 <sup>12</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/10/13 <sup>12</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/04/13 <sup>12</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
02/07/14 <sup>25</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
06/25/14 <sup>25</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
08/29/14 <sup>25</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/12/14 <sup>25,27</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	LNAPL Thickness (ft.)	TOTAL TPH (µg/L)	TPH-MO (µg/L)	TPH			B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MtBE (µg/L)	HVOCs (µg/L)
							C13-C40 (µg/L)	TPH-DRO (µg/L)	TPH-GRO (µg/L)						
<b>QA (cont)</b>															
12/12/14 <sup>25,28</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/01/15 <sup>25,27</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/01/15 <sup>25,28</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/23/15 <sup>25</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/07/16 <sup>25</sup>	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
<b>02/08/17<sup>25</sup></b>	--	--	--	--	--	--	--	--	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	--	--

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

---

**EXPLANATIONS:**

Groundwater monitoring data and laboratory analytical results prior to August 28, 2000, were compiled from reports prepared by Blaine Tech Services, Inc. Current groundwater monitoring data was provided by Gettler - Ryan Inc. Current laboratory analytical results were provided by Eurofins Lancaster Laboratories.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

LNAPL = Light Non-Aqueous Phase Liquid

TPH = Total Petroleum Hydrocarbons

MO= Motor Oil

DRO = Total Petroleum Hydrocarbons as Diesel

GRO = Gasoline Range Organics

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MtBE = Methyl Tertiary-Butyl Ether

HVOCS = Halogenated Volatile Organic Compounds

( $\mu\text{g/L}$ ) = Micrograms per liter

(ppb) = Parts per billion

(D) = Duplicate

ND = Not Detected

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

QC = Quality Control

<sup>t</sup> TOC elevations for wells C-2, C-3, C-7, and C-8 were inadvertently switched from September 17, 2003, to March 5, 2007.  
 TOC's have been corrected as of March 17, 2008, to reflect the current TOC data.

<sup>\*\*</sup> GWE has been corrected due to the presence of LNAPL; correction factor: [(TOC - DTW) + (LNAPL Thickness x 0.80)].

<sup>1</sup> Depth to water measured from top of well vault.

<sup>2</sup> Detection limit raised due to foaming sample.

<sup>3</sup> Other HVOCS were not detected at detection limits of 0.5-1.0 ppb.

<sup>4</sup> Chloroform detected at <0.5 ppb.

<sup>5</sup> All site monitoring wells were re-sampled due to an excessive number of foaming samples on the 09/29/94 event.

<sup>6</sup> Chloroform detected at 1.8 ppb.

<sup>7</sup> Laboratory report indicates uncategorized compounds are not included in gas concentration.

<sup>8</sup> Chromatogram pattern indicates an unidentified hydrocarbon.

<sup>9</sup> Laboratory report indicates sample diluted due to foaming.

<sup>10</sup> MtBE value was reported from a re-analyzation on 04/01/99.

<sup>11</sup> Laboratory report indicates weathered gasoline C6-C12.

<sup>12</sup> BTEX and MtBE by EPA Method 8260.

<sup>13</sup> Well redeveloped.

<sup>14</sup> Analyzed with Silica gel cleanup.

<sup>15</sup> Laboratory report indicates the reverse surrogate, capric acid, is present at <1%.

<sup>16</sup> Laboratory report indicates TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.

<sup>17</sup> Laboratory report indicates target analytes were detected in the method blank associated with the samples as noted on the QC Summary. The following corrective action was taken: The sample was re-analyzed outside of the method required holding time, and the method blank results are outside the from the first trial. Similar results were obtained in both trials.

**Table 2**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron-branded Service Station 90504  
15900 Hesperian Boulevard  
San Lorenzo, California

---

**EXPLANATIONS:**

- <sup>18</sup> Laboratory report indicates target analytes were detected in the method blank associated with the samples as noted on the QC Summary. The following corrective action was taken: The sample was re-extracted outside of the method required holding time and the QC is compliant. All results are reported from the first trial. Similar results were obtained in both trials.
- <sup>19</sup> Laboratory report indicates due to the dilution of the sample extract, capric acid recovery can not be determined.
- <sup>20</sup> Laboratory report indicates due to the matrix of the sample extract, capric acid recovery can not be determined.
- <sup>21</sup> Laboratory report indicates reporting limits were raised due to interference from the sample matrix.
- <sup>22</sup> Laboratory report indicates MtBE in the continuing calibration verification standard is outside the QC acceptance limits. The following corrective action was taken: This analysis was repeated using a previously opened container with headspace under a continuing calibration standard that was within the QC acceptance limits. MtBE was not detected in either analysis. Results reported are from the initial analysis.
- <sup>23</sup> Laboratory report indicates due to the presence of fuel in the sample extract, capric acid recovery can not be determined.
- <sup>24</sup> Laboratory report indicates the surrogate data is outside the QC limits due to unresolvable matrix problems evident in the sample chromatogram.
- <sup>25</sup> BTEX by EPA Method 8260.
- <sup>26</sup> Well purged and sampled using low-flow procedures.
- <sup>27</sup> QA submitted with samples collected from wells sampled using disposable bailers.
- <sup>28</sup> QA submitted with samples collected from wells sampled using low-flow procedures.
- <sup>29</sup> Laboratory report indicates reporting limits were raised due to limited sample volume.

**Table 3**  
**Additional Groundwater Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID	DATE	ETHANOL ( $\mu\text{g/L}$ )	TBA ( $\mu\text{g/L}$ )	DIPE ( $\mu\text{g/L}$ )	EIBE ( $\mu\text{g/L}$ )	TAME ( $\mu\text{g/L}$ )	NAPH ( $\mu\text{g/L}$ )
C-1	03/19/99	<2,500	<500	<10	<10	<10	--
	03/05/04	<50	--	--	--	--	--
	09/03/04	SAMPLED ANNUALLY		--	--	--	--
	03/02/05	<50	--	--	--	--	--
	03/24/06	<50	--	--	--	--	--
	03/05/07	<50	--	--	--	--	--
	03/17/08	<50	--	--	--	--	--
	03/03/09	<50	--	--	--	--	--
	02/07/14	--	--	--	--	--	<1
	06/25/14	--	--	--	--	--	<1
	08/29/14	--	--	--	--	--	<1
	12/12/14	--	--	--	--	--	<1
	06/01/15 <sup>1</sup>	--	--	--	--	--	<1
	06/01/15	--	--	--	--	--	<1
	10/23/15 <sup>1</sup>	--	--	--	--	--	<1
C-2	03/19/99	<2,500	<500	<10	<10	<10	--
	03/05/04	<50	--	--	--	--	--
	09/03/04	SAMPLED ANNUALLY		--	--	--	--
	03/02/05	<50	--	--	--	--	--
	03/24/06	<50	--	--	--	--	--
	03/05/07	<50	--	--	--	--	--
	03/17/08	<50	--	--	--	--	--
	03/03/09	<50	--	--	--	--	--
	02/07/14	--	--	--	--	--	<1
	08/29/14 <sup>1</sup>	--	--	--	--	--	<1
	08/29/14	--	--	--	--	--	<1
	12/12/14 <sup>1</sup>	--	--	--	--	--	<1
	10/23/15 <sup>1</sup>	--	--	--	--	--	<1
C-3	03/19/99	<500	<100	<2.0	<2.0	<2.0	--
	03/05/04	<50	--	--	--	--	--
	09/03/04	SAMPLED ANNUALLY		--	--	--	--
	03/02/05	<50	--	--	--	--	--
	03/24/06	<50	--	--	--	--	--
	03/05/07	<50	--	--	--	--	--
	03/17/08	<50	--	--	--	--	--

**Table 3**  
**Additional Groundwater Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID	DATE	ETHANOL ( $\mu\text{g/L}$ )	TBA ( $\mu\text{g/L}$ )	DIPE ( $\mu\text{g/L}$ )	EtBE ( $\mu\text{g/L}$ )	TAME ( $\mu\text{g/L}$ )	NAPH ( $\mu\text{g/L}$ )
<b>C-3 (cont)</b>	06/25/14	--	--	--	--	--	<1
	03/03/09	<50	--	--	--	--	--
	02/07/14	--	--	--	--	--	<1
	08/29/14	--	--	--	--	--	<1
	12/12/14	--	--	--	--	--	<1
	06/01/15	--	--	--	--	--	<1
	10/23/15	--	--	--	--	--	<1
<b>C-4</b>	02/07/14	--	--	--	--	--	<1
	08/29/14	--	--	--	--	--	<1
	12/12/14	--	--	--	--	--	<1
	06/01/15	--	--	--	--	--	<1
	10/23/15	--	--	--	--	--	<1
<b>C-5</b>	02/07/14	--	--	--	--	--	<1
	06/25/14	--	--	--	--	--	<1
	08/29/14	--	--	--	--	--	<1
	12/12/14	--	--	--	--	--	<1
	06/01/15	--	--	--	--	--	<1
	10/23/15	--	--	--	--	--	<1
<b>C-6</b>	02/07/14	--	--	--	--	--	<1
	06/25/14	--	--	--	--	--	<1
	08/29/14	--	--	--	--	--	<1
	12/12/14	--	--	--	--	--	<1
	06/01/15	--	--	--	--	--	<1
	10/23/15	--	--	--	--	--	<1
<b>C-7</b>	03/19/99	<500	<100	<2.0	<2.0	<2.0	--
	03/05/04	<50	--	--	--	--	--
	09/03/04	SAMPLED ANNUALLY		--	--	--	--
	03/02/05	<50	--	--	--	--	--
	03/24/06	<50	--	--	--	--	--
	03/05/07	<50	--	--	--	--	--
	03/17/08	<50	--	--	--	--	--
	03/03/09	<50	--	--	--	--	--

**Table 3**  
**Additional Groundwater Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID	DATE	ETHANOL ( $\mu\text{g/L}$ )	TBA ( $\mu\text{g/L}$ )	DIPE ( $\mu\text{g/L}$ )	EtBE ( $\mu\text{g/L}$ )	TAME ( $\mu\text{g/L}$ )	NAPH ( $\mu\text{g/L}$ )
<b>C-7 (cont)</b>	02/07/14	--	--	--	--	--	<1
	06/25/14	--	--	--	--	--	<1
	08/29/14	--	--	--	--	--	<1
	12/12/14	--	--	--	--	--	<1
	06/01/15	--	--	--	--	--	<1
	10/23/15	--	--	--	--	--	<1
<b>C-8</b>	03/19/99	<500	<100	<2.0	<2.0	<2.0	--
	03/05/04	<50	--	--	--	--	--
	09/03/04	SAMPLED ANNUALLY		--	--	--	--
	03/02/05	<50	--	--	--	--	--
	03/24/06	<50	--	--	--	--	--
	03/05/07	<50	--	--	--	--	--
	03/17/08	<50	--	--	--	--	--
	03/03/09	<50	--	--	--	--	--
	02/07/14	--	--	--	--	--	9
	06/25/14	--	--	--	--	--	8
	08/29/14 <sup>1</sup>	--	--	--	--	--	7
	08/29/14	--	--	--	--	--	8
	12/12/14 <sup>1</sup>	--	--	--	--	--	3
	12/12/14	--	--	--	--	--	9 <sup>2</sup>
	06/01/15 <sup>1</sup>	--	--	--	--	--	10
	06/01/15	--	--	--	--	--	10
	10/23/15 <sup>1</sup>	--	--	--	--	--	9
	04/07/16 <sup>1</sup>	--	--	--	--	--	<10
	<b>02/08/17<sup>1</sup></b>	--	--	--	--	--	<b>2</b>
<b>C-9</b>	09/17/03	<50	--	--	--	--	--
	03/05/04	<50	--	--	--	--	--
	09/03/04	<50	--	--	--	--	--
	03/02/05	<50	--	--	--	--	--
	09/02/05	<50	--	--	--	--	--
	02/07/14	--	--	--	--	--	<1
	06/25/14	--	--	--	--	--	<1
	08/29/14	--	--	--	--	--	<1
	12/12/14	--	--	--	--	--	<1
	06/01/15	--	--	--	--	--	<1
	10/23/15	--	--	--	--	--	<1

**Table 3**  
**Additional Groundwater Analytical Results**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California

WELL ID	DATE	ETHANOL ( $\mu\text{g/L}$ )	TBA ( $\mu\text{g/L}$ )	DIPE ( $\mu\text{g/L}$ )	EIBE ( $\mu\text{g/L}$ )	TAME ( $\mu\text{g/L}$ )	NAPH ( $\mu\text{g/L}$ )
C-10	03/19/99	<500	<100	<2.0	<2.0	<2.0	--
	09/17/03	<50	--	--	--	--	--
	03/05/04	<50	--	--	--	--	--
	09/03/04	<50	--	--	--	--	--
	03/02/05	<50	--	--	--	--	--
	09/02/05	<50	--	--	--	--	--
	02/07/14	--	--	--	--	--	<1
	06/25/14	--	--	--	--	--	<1
	08/29/14	--	--	--	--	--	<1
	12/12/14	--	--	--	--	--	<1
	06/01/15	--	--	--	--	--	<1
	10/23/15	--	--	--	--	--	<1
C-11	09/17/03	<50	--	--	--	--	--
	03/05/04	<50	--	--	--	--	--
	09/03/04	<50	--	--	--	--	--
	03/02/05	<50	--	--	--	--	--
	09/02/05	<50	--	--	--	--	--
	02/07/14	--	--	--	--	--	<1
	06/25/14	--	--	--	--	--	<1
	08/29/14	--	--	--	--	--	<1
	12/12/14	--	--	--	--	--	<1
	06/01/15	--	--	--	--	--	<1
	10/23/15	--	--	--	--	--	<1
TRIP BLANK							
QA	06/25/14	--	--	--	--	--	<1

**Table 3**  
**Additional Groundwater Analytical Results**  
Chevron-branded Service Station 90504  
15900 Hesperian Boulevard  
San Lorenzo, California

---

**EXPLANATIONS:**

Groundwater laboratory analytical results before September 17, 2003, were compiled from reports prepared by Blaine Tech Services, Inc. Groundwater monitoring data and laboratory analytical results between 2004 and 2009 and since 2014 were provided by Gettler-Ryan Inc. and Eurofins Lancaster Laboratories.

TBA = Tertiary-Butyl Alcohol

MtBE = Methyl Tertiary-Butyl Ether

DIPE = Di-Isopropyl Ether

ETBE = Ethyl Tertiary-Butyl Ether

TAME = Tertiary-Amyl Methyl Ether

NAPH = Naphthalene

( $\mu\text{g/L}$ ) = Micrograms per liter

-- = Not Analyzed

<sup>1</sup> Well purged and sampled using low-flow procedures.

<sup>2</sup> Laboratory report indicates reporting limits were raised due to interference from the sample matrix.

## **FIGURES**



1                  1/2                  0                  1

SCALE IN MILES

1000      0      1000      2000      3000      4000      5000      6000      7000

SCALE IN FEET

REFERENCE: USGS 7.5 MINUTE QUADRANGLES;  
SAN LEANDRO, CALIFORNIA; 2012 AND HAYWARD, CALIFORNIA; 2012



FOR:

CHEVRON-BRANDED  
SERVICE STATION 90504  
15900 HESPERIAN BOULEVARD  
SAN LORENZO, CALIFORNIA

SITE LOCATION MAP

FIGURE:

1

15575 Los Gatos Blvd, Building C  
Los Gatos, CA 95032  
PHONE: (408)356-6124 FAX: (408)356-6138


JOB NUMBER:  
211602395


DRAWN BY:  
JRO

CHECKED BY:  
RMN/MRK

APPROVED BY:  
TLF

DATE:  
03/17/17






### EQUAL AREA PLOT



Number of Points 60  
 Class Size 5  
 Vector Mean 218.64  
 Vector Magnitude 52.16  
 Consistency Ratio 0.87


NOTE: ROSE DIAGRAM IS BASED ON THE DIRECTION OF GROUNDWATER FLOW BEGINNING FOURTH QUARTER 1989.  
 THE ROSE DIAGRAM INCLUDES BOTH THE ON-SITE AND OFF-SITE DIRECTIONS OF GROUNDWATER FLOW FOR  
 THIRD QUARTER 2014.

 15575 Los Gatos Blvd, Building C Los Gatos, CA 95032 PHONE: (408)356-6124 FAX: (408)356-6138	FOR:  CHEVRON-BRANDED SERVICE STATION 90504 15900 HESPERIAN BOULEVARD SAN LORENZO, CALIFORNIA	GROUNDWATER FLOW DIRECTION ROSE DIAGRAM - FIRST QUARTER 2017				FIGURE:  3
		JOB NUMBER: 211602395	DRAWN BY: JRO	CHECKED BY: RMN/MRK	APPROVED BY: TLF	DATE: 03/17/17



<b>APPROXIMATE PROPERTY BOUNDARY</b>	
UST	UNDERGROUND STORAGE TANK
●	GROUNDWATER MONITORING WELL
■	VAPOR WELL
— PR —	PRODUCT PIPING
— V —	VENT LINES
(3,200)	TPH-GRO CONCENTRATION ( $\mu\text{g}/\text{L}$ )
<b>TPH-GRO</b>	<b>TOTAL PETROLEUM HYDROCARBONS AS GASOLINE RANGE ORGANICS</b>
( $\mu\text{g}/\text{L}$ )	MICROGRAMS PER LITER





**ATTACHMENT A**

**Gettler-Ryan Inc. Field Data Sheets and Standard  
Operating Procedures – First Quarter 2017**



***GETTLER - RYAN INC.***

---



***TRANSMITTAL***

February 17, 2017  
G-R #17155259

TO: Mr. Travis Flora  
Stantec  
15575 Los Gatos Blvd., Building C  
Los Gatos, California 95032

FROM: Deanna L. Harding  
Project Coordinator  
Gettler-Ryan Inc.  
6805 Sierra Court, Suite G  
Dublin, California 94568

RE: **Chevron Service Station**  
**#9-0504**  
**15900 Hesperian Boulevard**  
**San Lorenzo, California**  
**RO 0000007**

WE HAVE ENCLOSED THE FOLLOWING:

---

COPIES	DESCRIPTION
VIA PDF	Groundwater Monitoring and Sampling Data Package <b>First Semi Annual Event of February 8, 2017</b>

---

COMMENTS:

Pursuant to your request, we are providing you with a copy of the above referenced data for your use.

Please provide us the updated historical data prior to the next monitoring and sampling event for our field use.

Please feel free to contact me if you have any comments/questions.

trans/9-0504

# **WELL CONDITION STATUS SHEET**

cli

**Facility #:**

**Chevron #9-0504**

**Site Addr**

**15900 Hesperian Blvd,**

**City:**

**San Lorenzo, CA**

Job #:

17155259

**Event Date:**

2. 8. 11

## Sampler

三

### **Comments**

## **WELL CONDITION STATUS SHEET**

**Client/  
Facility #:** **Chevron #9-0504**  
**Site Address:** **15900 Hesperian Blvd.**  
**City:** **San Lorenzo, CA**

Job #: 17155259  
Event Date: 2-8-17  
Sampler: M1

### **Comments**

## **STANDARD OPERATING PROCEDURE, LOW-FLOW PURGING AND SAMPLING**

Gettler-Ryan Inc. field personnel adhere to the following Standard Operating Procedure (SOP) for the collection and handling of representative groundwater samples using the Low-Flow (Minimal-Drawdown) Purging technique. This SOP incorporates purging and sampling methods discussed in U.S. EPA, Ground Water Issue, Publication Number EPA/540/S-95/504, April 1996 by Puls, R.W. and M.J. Barcelona - "*Low-Flow (Minimal-Drawdown) Ground-Water Sampling Procedures.*"

A QED Well Wizard™ (or equivalent) bladder pump or Peristaltic Pump will be used to purge and sample selected wells as outlined in the scope-of-work. An in-line flow cell or other multi-parameter meter is used to collect water quality indicating parameters during purging.

### ***Initial Pump Discharge Test Procedures***

The Static Water Level (SWL) is measured in all wells at the site prior to the installation of the pump or tubing and initiation of the test procedures in any well. In addition, the presence or absence of separate-phase hydrocarbons (SPH) is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot. The SWL measurement and SPH thickness, if any, will be recorded on the field data sheet. Total well depths are measured annually.

The bladder pump or suction inlet tubing of the peristaltic pump is then positioned with its inlet located within the screened interval of the well. The in-line flow cell is then connected to the discharge tubing. After pump installation, the SWL is allowed to recover to its original level. The pump is then started at a discharge rate between 100 ml to 300 ml per minute with the in-line flow cell connected. The water level is monitored continuously for any change from the original measurement and the discharge rate is adjusted until an optimum discharge rate (ODR) is determined. The goal for the ODR is to produce a stable drawdown of less than 0.1 meter as allowed by site conditions; however the total drawdown from the initial SWL should not exceed 25% of the distance between pump inlet location and the top of the well screen. Once achieved, the ODR will be confirmed by volumetric discharge measurement and recorded on the field data sheet.

### ***Purging and Water Quality Parameter Measurement***

When the ODR has been determined and the SWL drawdown has been established within the acceptable range, and a minimum of one pump system volume (bladder volume and/or discharge tubing volume) has been purged, field measurements for temperature (T), pH, conductivity (Ec), and if required, oxygen reduction potential (ORP) and dissolved oxygen (DO) will be collected and documented on the field data sheet. Measurements should be taken every three to five minutes until parameters stabilize for three consecutive readings. The minimum parameter subset of T ( $\pm 10\%$ ), pH ( $\pm 0.1$  unit), and Ec ( $\pm 10$  uS) are required to stabilize. Additional parameters that may be required are DO ( $\pm 0.2$  mg/l) and ORP ( $\pm 20$  mV).

### ***Sample Collection***

When water quality parameters have stabilized, and the SWL drawdown remains established within the acceptable range, groundwater sample collection may begin. If used, the in-line flow cell and its tubing are disconnected from the discharge tubing prior to sample collection. Water samples are collected from the discharge tubing into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards, as directed by the scope of work. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. A laboratory supplied trip blank accompanies each sampling set. The trip blank is analyzed for some or all of the same compounds as the groundwater samples. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by Clean Harbors Environmental Services to Seaport Environmental located in Redwood City, California.



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #9-0504**  
 Site Address: **15900 Hesperian Blvd.**  
 City: **San Lorenzo, CA**

Job Number: **17155259**  
 Event Date: **2. 8.17** (inclusive)  
 Sampler: **FT**

Well ID: **C-1**  
 Well Diameter: **2 1/2** in.  
 Total Depth: **18.58** ft.  
 Depth to Water: **7.00** ft.  
**11.58** xVF **.38** = **4.40**

Date Monitored: **2. 8.17**

Volume Factor (VF)	3/4"= 0.02 4"= 0.66	1"= 0.04 5"= 1.02	2"= 0.17 6"= 1.50	3"= 0.38 12"= 5.80
--------------------	------------------------	----------------------	----------------------	-----------------------

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **9.31**

Purge Equipment:  
 Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Sampling Equipment:  
 Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started:	(2400 hrs)
Time Completed:	(2400 hrs)
Depth to Product:	ft
Depth to Water:	ft
Hydrocarbon Thickness:	ft
Visual Confirmation/Description:	
Skimmer / Absorbant Sock (circle one)	
Amt Removed from Skimmer:	ltr
Amt Removed from Well:	ltr
Water Removed:	ltr

Start Time (purge): **1105**  
 Sample Time/Date: **1135 /2.8.17**  
 Approx. Flow Rate: **≈1.0** gpm.  
 Did well de-water? **No** If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: **9.15**

Time (2400 hr.)	Volume (gal.)	pH	Conductivity <del>1000</del> mS μmhos/cm)	Temperature ( <del>0</del> / F)	D.O. (mg/L)	ORP (mV)
<b>1110</b>	<b>4.5</b>	<b>7.34</b>	<b>803</b>	<b>20.1</b>		
<b>1115</b>	<b>9.0</b>	<b>7.33</b>	<b>813</b>	<b>19.9</b>		
<b>1119</b>	<b>13.0</b>	<b>7.31</b>	<b>821</b>	<b>19.5</b>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<b>C-1</b>	<b>6</b> x voa vial	YES	HCL	EUROFINS	TPH-GRO(8015)/BTEX(8260)
	<b>2</b> x 500ml ambers	YES	NP	EUROFINS	TPH-DRO w/sgc COLUMN

COMMENTS: \_\_\_\_\_

Add/Replaced Gasket: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_



# *GETTLER-RYAN INC.*

## **WELL MONITORING/SAMPLING FIELD DATA SHEET**

**Client/Facility#:** **Chevron #9-0504**  
**Site Address:** **15900 Hesperian Blvd.**  
**City:** **San Lorenzo, CA**

Job Number: 17155259  
Event Date: 2.8.17  
Sampler: FT

Well ID	C- 2
Well Diameter	2 1/2 in.
Total Depth	19.11 ft.
Depth to Water	7.01 ft.

Date Monitored: a-8-17

<b>Volume Factor (VF)</b>	$3/4" = 0.02$	$1" = 0.04$	$2" = 0.17$	$3" = 0.38$
	$4" = 0.66$	$5" = 1.02$	$6" = 1.50$	$12" = 5.80$

12.10 xVF = x3 case volume = Estimated Purge Volume: \_\_\_\_\_ gal

- Purge Equipment:
- Disposable Bailer
- Stainless Steel Bailer
- Stack Pump
- Peristaltic Pump
- QED Bladder Pump
- Other:

- Sampling Equipment:
  - Disposable Bailer
  - Pressure Bailer
  - Metal Filters
  - Peristaltic Pump
  - QED Bladder Pump
  - Other:

Time Started: \_\_\_\_\_ (2400 hrs)  
Time Completed: \_\_\_\_\_ (2400 hrs)  
Depth to Product: \_\_\_\_\_ ft  
Depth to Water: \_\_\_\_\_ ft  
Hydrocarbon Thickness: \_\_\_\_\_ ft  
Visual Confirmation/Description:  
  
~~Skimmer / Absorbant Sock (circle one)~~  
Amt Removed from Skimmer: \_\_\_\_\_ ltr  
Amt Removed from Well: \_\_\_\_\_ ltr  
Water Removed: \_\_\_\_\_ ltr

Start Time (purge): 1210  
Sample Time/Date: 1234 / 2-8-17  
Approx. Flow Rate: 200 ml/gpm.  
Did well de-water? NO If yes,

Weather Conditions: Rain  
Water Color: CLEAR Odor: Y / ~~CRISP~~  
Sediment Description: NOTE  
Volume: \_\_\_\_\_ gal. DTW @ Sampling: 7.33

Time (2400 hr.)	Volume (gal.)	pH	Conductivity mS μmhos/cm)	Temperature (C / F )	TURB. NTU	DTW
1218	3.6	7.62	429	18.0	PRE: 28.1	7.10
1221	4.2	7.55	431	17.8		7.21
1224	4.8	7.55	435	17.7	POST: 32.3	7.33

#### **LABORATORY INFORMATION**

COMMENTS: Depth pump set at: 13'

Add/Replaced Gasket: \_\_\_\_\_

Add/Replaced Bolt:

#### Add/Replaced Lock:

#### Add/Replaced Plug:



**GETTLER - RYAN INC.**

**WELL MONITORING/SAMPLING  
FIELD DATA SHEET**

Client/Facility#: Chevron #9-0504  
 Site Address: 15900 Hesperian Blvd.  
 City: San Lorenzo, CA

Job Number: 17155259  
 Event Date: 2.8.17 (inclusive)  
 Sampler: FT

Well ID C-3

Date Monitored: 2.8.17

Well Diameter 2 1/2 in.

Volume Factor (VF)	3/4"= 0.02 4"= 0.66	1"= 0.04 5"= 1.02	2"= 0.17 6"= 1.50	3"= 0.38 12"= 5.80
--------------------	------------------------	----------------------	----------------------	-----------------------

Total Depth 19.41 ft.

Depth to Water 9.18 ft.

Check if water column is less than 0.50 ft.

10.23 xVF .38 = 3.88 x3 case volume = Estimated Purge Volume: 12.0 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.22

**Purge Equipment:**

Disposable Bailer ✓  
 Stainless Steel Bailer ✓  
 Stack Pump ✓  
 Peristaltic Pump     
 QED Bladder Pump     
 Other:   

**Sampling Equipment:**

Disposable Bailer ✓  
 Pressure Bailer     
 Metal Filters     
 Peristaltic Pump     
 QED Bladder Pump     
 Other:   

Time Started: _____	(2400 hrs)
Time Completed: _____	(2400 hrs)
Depth to Product: _____	ft
Depth to Water: _____	ft
Hydrocarbon Thickness: _____	ft
Visual Confirmation/Description:	
Skimmer / Absorbant Sock (circle one)	
Amt Removed from Skimmer: _____	ltr
Amt Removed from Well: _____	ltr
Water Removed: _____	ltr

Start Time (purge): 1020

Weather Conditions:

Rain

Sample Time/Date: 1045 / 2.8.17

Water Color: CLEAN Odor: Y / NO

Approx. Flow Rate: 2 l.0 gpm.

Sediment Description: NOTE

Did well de-water? No If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 11.18

Time (2400 hr.)	Volume (gal.)	pH	Conductivity <u>155</u> mS µmhos/cm	Temperature <u>19.4</u> / F	D.O. (mg/L)	ORP (mV)
<u>1024</u>	<u>4.0</u>	<u>7.48</u>	<u>779</u>	<u>19.4</u>		
<u>1028</u>	<u>8.0</u>	<u>7.44</u>	<u>788</u>	<u>19.8</u>		
<u>1032</u>	<u>12.0</u>	<u>7.41</u>	<u>797</u>	<u>20.1</u>		

**LABORATORY INFORMATION**

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-3</u>	<u>6</u> x voa vial	YES	HCL	EUROFINS	TPH-GRO(8015)/BTEX(8260)
	<u>2</u> x 500ml ambers	YES	NP	EUROFINS	TPH-DRO w/sgc COLUMN

COMMENTS: \_\_\_\_\_

Add/Replaced Gasket: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0504  
 Site Address: 15900 Hesperian Blvd.  
 City: San Lorenzo, CA

Job Number: 17155259  
 Event Date: 2-8-17 (inclusive)  
 Sampler: FT

Well ID C-4Date Monitored: 2-8-17Well Diameter 2 1/2 in.

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Total Depth 19.89 ft.Depth to Water 8.68 ft. Check if water column is less than 0.50 ft.11.21 xVF .38 = 4.25 x3 case volume = Estimated Purge Volume: 13.0 gal.Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.92

## Purge Equipment:

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump ✓  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

## Sampling Equipment:

Disposable Bailer ✓  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description:  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ ltr  
 Amt Removed from Well: \_\_\_\_\_ ltr  
 Water Removed: \_\_\_\_\_ ltr

Start Time (purge): 0900

Weather Conditions:

Sample Time/Date: 09.25 / 2.8.17Approx. Flow Rate: ~1.0 gpm.Water Color: LT. BROWN Odor: Y / ODid well de-water? No If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 10.75

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ( $\mu\text{S}$ mS $\mu\text{mhos}/\text{cm}$ )	Temperature ( $^{\circ}\text{C}$ / $^{\circ}\text{F}$ )	D.O. (mg/L)	ORP (mV)
-----------------	---------------	----	--	---	-------------	----------

<u>0905</u>	<u>4.5</u>	<u>7.25</u>	<u>1008</u>	<u>19.3</u>		
<u>0910</u>	<u>9.0</u>	<u>7.2</u>	<u>1018</u>	<u>19.6</u>		
<u>0914</u>	<u>13.0</u>	<u>7.35</u>	<u>1028</u>	<u>19.9</u>		

## LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-4</u>	<u>2</u> x voa vial	YES	HCL	EUROFINS	TPH-GRO(8015)/BTEX(8260)
	<u>6</u> x 500ml ambers	YES	NP	EUROFINS	TPH-DRO w/sgc COLUMN

COMMENTS: \_\_\_\_\_

Add/Replaced Gasket: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0504  
 Site Address: 15900 Hesperian Blvd.  
 City: San Lorenzo, CA

Job Number: 17155259  
 Event Date: 2-8-17 (inclusive)  
 Sampler: ML

Well ID C- 5Date Monitored: 2-8-17Well Diameter 213 in.

Volume Factor (VF)	3/4"= 0.02 4"= 0.66	1"= 0.04 5"= 1.02	2"= 0.17 6"= 1.50	3"= 0.38 12"= 5.80
--------------------	------------------------	----------------------	----------------------	-----------------------

Total Depth 19.90 ft.Depth to Water 8.00 ft. Check if water column is less than 0.50 ft.11.90 xVF 38 = 4.5 x3 case volume = Estimated Purge Volume: 13.5 gal.Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.38

## Purge Equipment:

Disposable Bailer \_\_\_\_\_

Stainless Steel Bailer \_\_\_\_\_

Stack Pump X

Peristaltic Pump \_\_\_\_\_

QED Bladder Pump \_\_\_\_\_

Other: \_\_\_\_\_

## Sampling Equipment:

Disposable Bailer X

Pressure Bailer \_\_\_\_\_

Metal Filters \_\_\_\_\_

Peristaltic Pump \_\_\_\_\_

QED Bladder Pump \_\_\_\_\_

Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)

Time Completed: \_\_\_\_\_ (2400 hrs)

Depth to Product: \_\_\_\_\_ ft

Depth to Water: \_\_\_\_\_ ft

Hydrocarbon Thickness: \_\_\_\_\_ ft

Visual Confirmation/Description:

Skimmer / Absorbant Sock (circle one)

Amt Removed from Skimmer: \_\_\_\_\_ ltr

Amt Removed from Well: \_\_\_\_\_ ltr

Water Removed: \_\_\_\_\_ ltr

Start Time (purge): 1135Weather Conditions: RainSample Time/Date: 1205 12-8-17Water Color: Cloudy Odor: N lightApprox. Flow Rate: 1 gpm.Sediment Description: lightDid well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 9.76

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ( $\mu\text{s}/\text{mS}$ $\mu\text{mhos/cm}$ )	Temperature ( $^{\circ}\text{C}$ / $^{\circ}\text{F}$ )	D.O. (mg/L)	ORP (mV)
<u>1140</u>	<u>5</u>	<u>6.90</u>	<u>750</u>	<u>17.8</u>		
<u>1145</u>	<u>10</u>	<u>6.99</u>	<u>760</u>	<u>18.2</u>		
<u>1149</u>	<u>14</u>	<u>7.02</u>	<u>758</u>	<u>18.4</u>		

## LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C- 5</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>EUROFINS</u>	<u>TPH-GRO(8015)/BTEX(8260)</u>
	<u>2</u> x 500ml ambers	<u>YES</u>	<u>NP</u>	<u>EUROFINS</u>	<u>TPH-DRO w/gc COLUMN</u>

COMMENTS: \_\_\_\_\_

Add/Replaced Gasket: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0504  
 Site Address: 15900 Hesperian Blvd.  
 City: San Lorenzo, CA

Job Number: 17155259  
 Event Date: 2-8-17 (inclusive)  
 Sampler: FT

Well ID C-6Date Monitored: 2-8-17Well Diameter 013 in.

Volume Factor (VF)	3/4"= 0.02 4"= 0.66	1"= 0.04 5"= 1.02	2"= 0.17 6"= 1.50	3"= 0.38 12"= 5.80
--------------------	------------------------	----------------------	----------------------	-----------------------

Total Depth 24.47 ft.Depth to Water 10.30 ft.
$$\frac{14.17}{xVF} \cdot 17 = 2.40 \quad x3 \text{ case volume} = \text{Estimated Purge Volume: } 7.0 \text{ gal.}$$
Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.13

## Purge Equipment:

Disposable Bailer /  
 Stainless Steel Bailer /  
 Stack Pump /  
 Peristaltic Pump /  
 QED Bladder Pump /  
 Other: /

## Sampling Equipment:

Disposable Bailer /  
 Pressure Bailer /  
 Metal Filters /  
 Peristaltic Pump /  
 QED Bladder Pump /  
 Other: /

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description:  
 Skimmer/ Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ ltr  
 Amt Removed from Well: \_\_\_\_\_ ltr  
 Water Removed: \_\_\_\_\_ ltr

Start Time (purge): 0940Weather Conditions: RainSample Time/Date: 1005 12-8-17Water Color: CLEAN Odor: Y / NApprox. Flow Rate: / gpm.Sediment Description: NONEDid well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 11.41

Time (2400 hr.)	Volume (gal.)	pH	Conductivity <u>µS/mS</u> <u>µmhos/cm</u>	Temperature <u>°C</u> / <u>°F</u>	D.O. (mg/L)	ORP (mV)
<u>0945</u>	<u>2.5</u>	<u>7.40</u>	<u>878</u>	<u>19.8</u>		
<u>0950</u>	<u>5.0</u>	<u>7.43</u>	<u>884</u>	<u>19.5</u>		
<u>0954</u>	<u>7.0</u>	<u>7.46</u>	<u>890</u>	<u>19.2</u>		

## LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-6</u>	<u>6</u> x voa vial	YES	HCL	EUROFINS	TPH-GRO(8015)/BTEX(8260)
	<u>2</u> x 500ml ambers	YES	NP	EUROFINS	TPH-DRO w/sgc COLUMN

COMMENTS: \_\_\_\_\_

Add/Replaced Gasket: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING LOW FLOW FIELD DATA SHEET

Client/Facility#: **Chevron #9-0504**  
 Site Address: **15900 Hesperian Blvd.**  
 City: **San Lorenzo, CA**

Job Number: **17155259**  
 Event Date: **2-8-17** (inclusive)  
 Sampler: **M.L.**

Well ID	C- 7		Date Monitored:	2-8-17	
Well Diameter	2 1/3 in.		Volume Factor (VF)	3/4"= 0.02 4"= 0.66	1"= 0.04 5"= 1.02
Total Depth	24.85 ft.			2"= 0.17 6"= 1.50	3"= 0.38 12"= 5.80
Depth to Water	6.63 ft. 18.22		x VF	Check if water column is less than 0.50 ft. x3 case volume = Estimated Purge Volume: _____ gal.	
Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____					
Purge Equipment:	Sampling Equipment:				
Disposable Bailer	Disposable Bailer				
Stainless Steel Bailer	Pressure Bailer				
Stack Pump	Metal Filters				
Peristaltic Pump	Peristaltic Pump				
QED Bladder Pump	QED Bladder Pump				
Other: _____					
Time Started: _____ (2400 hrs) Time Completed: _____ (2400 hrs) Depth to Product: _____ ft Depth to Water: _____ ft Hydrocarbon Thickness: _____ ft Visual Confirmation/Description: _____ Skimmer / Absorbant Sock (circle one) Amt Removed from Skimmer: _____ ltr Amt Removed from Well: _____ ltr Water Removed: _____ ltr					

Start Time (purge): **0850**  
 Sample Time/Date: **0920 / 2-8-17**  
 Approx. Flow Rate: **200 mlpm.**  
 Did well de-water? **NO** If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ ltr. DTW @ Sampling: **6.72**

Time (2400 hr.)	Volume (Liters)	pH	Conductivity ( $\mu\text{S}$ mS $\mu\text{mhos}/\text{cm}$ )	Temperature ( $^{\circ}\text{C}$ / $^{\circ}\text{F}$ )	D.O. (mg/L)	TURBIDITY <small>ORP (mA/C NTU)</small>	Gauge DTW as parameters are recorded
0908	3.6	7.12	1062	16.9		RRE: 76.7	6.71
0911	4.2	7.15	1067	17.0			6.71
0914	4.8	7.11	1070	17.0		POST: 90.0	6.72

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
C- 7	6 x voa vial	YES	HCL	EUROFINS	TPH-GRO(8015)/BTEX(8260)
	x voa vial	YES	HCL	EUROFINS	TPH-GRO(8015)/BTEX(8260)/NAPHTHALENE(8260)
	2 x 500ml ambers	YES	NP	EUROFINS	TPH-DRO w/sgc COLUMN

COMMENTS: DEPTH PUMP SET AT: ~ 15.00 feet

Tubing inserted in well at 0745, begin purging at 0850

Add/Replaced Gasket: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING LOW FLOW FIELD DATA SHEET

Client/Facility#: **Chevron #9-0504**  
 Site Address: **15900 Hesperian Blvd.**  
 City: **San Lorenzo, CA**

Job Number: **17155259**  
 Event Date: **2-8-17** (inclusive)  
 Sampler: **M.L.**

Well ID	<b>C- 8</b>	Date Monitored:	<b>2-8-17</b>
Well Diameter	<b>2 1/3</b> in.	Volume Factor (VF)	3/4"= 0.02 4"= 0.66
Total Depth	<b>24.82</b> ft.	1"= 0.04 5"= 1.02	2"= 0.17 6"= 1.50
Depth to Water	<b>8.15</b> ft. <b>16.67</b>	3"= 0.38 12"= 5.80	<input type="checkbox"/> Check if water column is less than 0.50 ft.
xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.			
Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____			
Purge Equipment:	Sampling Equipment:		
Disposable Bailer	Disposable Bailer	Time Started: _____ (2400 hrs)	
Stainless Steel Bailer	Pressure Bailer	Time Completed: _____ (2400 hrs)	
Stack Pump	Metal Filters	Depth to Product: _____ ft	
Peristaltic Pump	Peristaltic Pump	Depth to Water: _____ ft	
QED Bladder Pump	QED Bladder Pump	Hydrocarbon Thickness: _____ ft	
	Other: _____	Visual Confirmation/Description: _____	
<input type="checkbox"/> Skimmer / Absorbant Sock (circle one) Amt Removed from Skimmer: _____ ltr Amt Removed from Well: _____ ltr Water Removed: _____ ltr			

Start Time (purge): **1045**  
 Sample Time/Date: **1115 12-8-17**  
 Approx. Flow Rate: **200** mpm.  
 Did well de-water? **No** If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ ltr. DTW @ Sampling: **8.20**

Time (2400 hr.)	Volume (Liters)	pH	Conductivity ( $\mu$ S mS mmhos/cm)	Temperature ( $^{\circ}$ C / $^{\circ}$ F)	D.O. (mg/L)	TURBIDITY ORP mm (NTU)	Gauge DTW as parameters are recorded
<b>1103</b>	<b>3.4</b>	<b>6.82</b>	<b>9116</b>	<b>17.1</b>		<b>Pre: 69.2</b>	<b>8.19</b>
<b>1106</b>	<b>4.2</b>	<b>6.90</b>	<b>922</b>	<b>17.1</b>		<b>8.20</b>	
<b>1109</b>	<b>4.8</b>	<b>6.91</b>	<b>924</b>	<b>17.1</b>		<b>Post: 80.7</b>	<b>8.20</b>

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<b>C- 8</b>	x voa vial	YES	HCL	EUROFINS	TPH-GRO(8015)/BTEX(8260)
<b>6</b>	x voa vial	YES	HCL	EUROFINS	TPH-GRO(8015)/BTEX(8260)/NAPHTHALENE(8260)
<b>2</b>	x 500ml ambers	YES	NP	EUROFINS	TPH-DRO w/sgc COLUMN

COMMENTS: DEPTH PUMP SET AT: ~ 16.00 feet  
 Tubing inserted in well at 0940, begin purging at 1045

Add/Replaced Gasket: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_ Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0504  
 Site Address: 15900 Hesperian Blvd.  
 City: San Lorenzo, CA

Job Number: 17155259  
 Event Date: 2-8-17 (inclusive)  
 Sampler: ML

Well ID: C-9  
 Well Diameter: 213 in.  
 Total Depth: 24.68 ft.  
 Depth to Water: 8.07 ft.

Date Monitored: 2-8-17

Volume Factor (VF)	3/4"= 0.02 4"= 0.66	1"= 0.04 5"= 1.02	2"= 0.17 6"= 1.50	3"= 0.38 12"= 5.80
--------------------	------------------------	----------------------	----------------------	-----------------------

Check if water column is less than 0.50 ft.

16.61 xVF .17 = 2.8 x3 case volume = Estimated Purge Volume: 8.4 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.39

Purge Equipment:  
 Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Sampling Equipment:  
 Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started:	(2400 hrs)
Time Completed:	(2400 hrs)
Depth to Product:	ft
Depth to Water:	ft
Hydrocarbon Thickness:	ft
Visual Confirmation/Description:	
Skimmer / Absorbant Sock (circle one)	
Amt Removed from Skimmer:	litr
Amt Removed from Well:	litr
Water Removed:	litr

Start Time (purge): 1225  
 Sample Time/Date: 1300 12-8-17  
 Approx. Flow Rate: — gpm.  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 10.02

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µS/mS µmhos/cm)	Temperature (C F)	D.O. (mg/L)	ORP (mV)
<u>1233</u>	<u>3</u>	<u>7.32</u>	<u>77.1</u>	<u>18.1</u>		
<u>1241</u>	<u>6</u>	<u>7.25</u>	<u>73.6</u>	<u>18.4</u>		
<u>1247</u>	<u>8.5</u>	<u>7.24</u>	<u>73.8</u>	<u>18.5</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-9</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>EUROFINS</u>	<u>TPH-GRO(8015)/BTEX(8260)</u>
	<u>2</u> x 500ml ambers	<u>YES</u>	<u>NP</u>	<u>EUROFINS</u>	<u>TPH-DRO w/sgc COLUMN</u>

COMMENTS: \_\_\_\_\_

Add/Replaced Gasket: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0504

Site Address: 15900 Hesperian Blvd.

City: San Lorenzo, CA

Job Number: 17155259

Event Date: 2-8-17 (inclusive)

Sampler: me

Well ID: C-10

Date Monitored: 2-8-17

Well Diameter: 213 in.

Volume Factor (VF)	3/4"= 0.02 4"= 0.66	1"= 0.04 5"= 1.02	2"= 0.17 6"= 1.50	3"= 0.38 12"= 5.80
--------------------	------------------------	----------------------	----------------------	-----------------------

Total Depth: 24.66 ft.

Depth to Water: 6.42 ft.

Check if water column is less than 0.50 ft.

18.24 xVF .17 = 3.1 x3 case volume = Estimated Purge Volume: 9.3 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.06

Purge Equipment:

Disposable Bailer \_\_\_\_\_  
Stainless Steel Bailer \_\_\_\_\_  
Stack Pump X \_\_\_\_\_  
Peristaltic Pump \_\_\_\_\_  
QED Bladder Pump \_\_\_\_\_  
Other: \_\_\_\_\_

Sampling Equipment:

Disposable Bailer X \_\_\_\_\_  
Pressure Bailer \_\_\_\_\_  
Metal Filters \_\_\_\_\_  
Peristaltic Pump \_\_\_\_\_  
QED Bladder Pump \_\_\_\_\_  
Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)

Time Completed: \_\_\_\_\_ (2400 hrs)

Depth to Product: \_\_\_\_\_ ft

Depth to Water: \_\_\_\_\_ ft

Hydrocarbon Thickness: \_\_\_\_\_ ft

Visual Confirmation/Description:

Skimmer / Absorbant Sock (circle one)

Amt Removed from Skimmer: \_\_\_\_\_ ltr

Amt Removed from Well: \_\_\_\_\_ ltr

Water Removed: \_\_\_\_\_ ltr

Start Time (purge): 1315

Weather Conditions:

Sample Time/Date: 1340 12-8-17

Water Color: Cloudy Odor: O/N Light

Approx. Flow Rate: \_\_\_\_\_ gpm.

Sediment Description: 1.92ft

Did well de-water? No If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 9.03

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ( $\mu\text{s}$ / mS umhos/cm)	Temperature ( $^{\circ}\text{C}$ / $^{\circ}\text{F}$ )	D.O. (mg/L)	ORP (mV)
<u>1318</u>	<u>3</u>	<u>6.96</u>	<u>849</u>	<u>19.0</u>		
<u>1321</u>	<u>6</u>	<u>7.07</u>	<u>851</u>	<u>19.9</u>		
<u>1325</u>	<u>10</u>	<u>7.04</u>	<u>868</u>	<u>19.6</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-10</u>	<u>6 x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>EUROFINS</u>	<u>TPH-GRO(8015)/BTEX(8260)</u>
	<u>2 x 500ml ambers</u>	<u>YES</u>	<u>NP</u>	<u>EUROFINS</u>	<u>TPH-DRO w/sgc COLUMN</u>

COMMENTS: \_\_\_\_\_

Add/Replaced Gasket: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0504  
 Site Address: 15900 Hesperian Blvd.  
 City: San Lorenzo, CA

Job Number: 17155259  
 Event Date: 2-8-17 (inclusive)  
 Sampler: FT

Well ID: C- 11

Date Monitored: 2-8-17

Well Diameter: 2 1/3 in.

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Total Depth: 24.71 ft.

Depth to Water: 6.44 ft.

Check if water column is less than 0.50 ft.

18.27 xVF .17 = 3.10 x3 case volume = Estimated Purge Volume: 9.0 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.09

Purge Equipment:

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Sampling Equipment:

Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)

Time Completed: \_\_\_\_\_ (2400 hrs)

Depth to Product: \_\_\_\_\_ ft

Depth to Water: \_\_\_\_\_ ft

Hydrocarbon Thickness: \_\_\_\_\_ ft

Visual Confirmation/Description:

Skimmer / Absorbant Sock (circle one)

Amt Removed from Skimmer: \_\_\_\_\_ ltr

Amt Removed from Well: \_\_\_\_\_ ltr

Water Removed: \_\_\_\_\_ ltr

Start Time (purge): 1255

Weather Conditions:

Rain

Sample Time/Date: 1325 / 2-8-17

Water Color: CLEAN Odor: Y / AD

Approx. Flow Rate: / gpm.

Sediment Description: NOTE

Did well de-water? No If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 7.54

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ( <del>1000</del> mS μhos/cm)	Temperature ( <del>0</del> / F )	D.O. (mg/L)	ORP (mV)
<u>1301</u>	<u>3.0</u>	<u>7.44</u>	<u>921</u>	<u>19.0</u>		
<u>1307</u>	<u>6.0</u>	<u>7.42</u>	<u>927</u>	<u>19.3</u>		
<u>1313</u>	<u>9.0</u>	<u>7.40</u>	<u>934</u>	<u>19.7</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C- 11</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>EUROFINS</u>	<u>TPH-GRO(8015)/BTEX(8260)</u>
	<u>2</u> x 500ml ambers	<u>YES</u>	<u>NP</u>	<u>EUROFINS</u>	<u>TPH-DRO w/sgc COLUMN</u>

COMMENTS: \_\_\_\_\_

Add/Replaced Gasket: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_

# Chevron California Region Analysis Request/Chain of Custody

eurofins

594

Lancaster Laboratories  
Environmental

026917-6

Acct. #

For Eurofins Lancaster Laboratories Environmental use only

Group #

Sample #

Instructions on reverse side correspond with circled numbers.

1072

Client Information				Matrix			Analyses Requested											
Facility # <b>SS#9-0504-OML G-R#17155259 Global WBS ID#FT0600100302</b>				<input type="checkbox"/> Sediment	<input checked="" type="checkbox"/> Ground	<input type="checkbox"/> Surface												
Site Address <b>15900 HESPERIAN BLVD., SAN LORENZO, CA</b>				<input type="checkbox"/> Soil	<input type="checkbox"/> Potable	<input type="checkbox"/> NPDES	<input type="checkbox"/> Oil	<input type="checkbox"/> Air	Total Number of Containers	BTEX + MTBE	TPH-GRO	TPH-DRO 8015 without Silica Gel Cleanup	Oxygenates	Total Lead	Dissolved Lead	Method	Method	
Champion PM <b>CM</b>	Lead Consultant <b>STANTECF Flora</b>			<input type="checkbox"/> Composite	<input type="checkbox"/> Water	<input type="checkbox"/> Sediment	<input type="checkbox"/> BTEX + MTBE	<input type="checkbox"/> 8021	8260	<input checked="" type="checkbox"/> 8015	<input checked="" type="checkbox"/> 8260	<input type="checkbox"/> TPH-DRO 8015 with Silica Gel Cleanup	<input type="checkbox"/> 8260 Full Scan	<input type="checkbox"/> Naphthalene	<input type="checkbox"/> Naphthalene (8260)			
Consultant/Office <b>Gettier-Kyan Inc., 6805 Sierra Court, Suite G, Dublin, CA 94568</b>				<input type="checkbox"/> Project Manager <b>Deanna L. Harding, deanna@grinc.com</b>	<input type="checkbox"/> Date	<input type="checkbox"/> Time	<input type="checkbox"/> Grab	<input type="checkbox"/> Composite										
Consultant Phone # <b>(925) 551-7444 x180</b>				<input type="checkbox"/> Sampler <b>Mike L. Frank T.</b>														
Sample Identification				Soil Depth	Collected													Remarks
CQA		170208	X			X			2	X	X	X						29 DW Bottles from C-1 & C-2, Spillage due to caps not on tight enough.
C-1		1135	X			X			8	X	X	X	X					
C-2		1234	X			X			8	X	X	X	X					
C-3		1045	X			X			8	X	X	X	X					
C-4		0925	X			X			8	X	X	X	X					
C-5		1205	X			X			8	X	X	X	X					
C-6		1005	X			X			8	X	X	X	X					
C-7		0920	X			X			8	X	X	X	X					
C-8		1115	X			X			8	X	X	X	X			X		
C-9		1306	X			X			8	X	Y	X						
Turnaround Time Requested (TAT) (please circle)				Relinquished by			Date	Time	Received by			Date	Time					
Standard	5 day	4 day					17-2-8	1500	GR Fridge			2/8/17						
72 hour	48 hour	24 hour					2/9/17	1153	A. Aleyer			29 FEB 17	1153					
Data Package (circle if required)				EDF/EDD			Relinquished by	Date	Time	Received by			Date	Time				
Type I - Full	Type VI (Raw Data)																	
EDD (circle if required)				Relinquished by Commercial Carrier:						Received by			Date	Time				
EDFFLAT (default)	Other: _____			UPS _____ FedEx _____ Other _____														
Temperature Upon Receipt _____ °C										Custody Seals Intact? Yes No								

# Chevron California Region Analysis Request/Chain of Custody

eurofins

626917-01  
Lancaster Laboratories  
Environmental

Acct. # \_\_\_\_\_  
For Eurofins Lancaster Laboratories Environmental use only  
Group # \_\_\_\_\_ Sample # \_\_\_\_\_  
Instructions on reverse side correspond with circled numbers.

2012

Client Information				Matrix		Analyses Requested															
Facility: SSM-0504-OML G-R#17155259 Global WBS ID#T0600100302				Sediment	<input type="checkbox"/>	Ground	<input checked="" type="checkbox"/>	<input type="checkbox"/>													
Site Address: 19900 HESPERIAN BLVD., SAN LORENZO, CA				Water	<input type="checkbox"/>	Potable	<input type="checkbox"/>	NPDES	<input type="checkbox"/>	Surface	<input type="checkbox"/>										
Champion PM: CM	STANTECF	Lead Consultant: Flora	Consultant/Office: Gitter-Ryan Inc., 6805 Sierra Court, Suite G, Dublin, CA 94568	Oil	<input type="checkbox"/>	Air	<input type="checkbox"/>														
Consultant Project Manager: Deanna L. Harding, deanna@grinc.com				Total Number of Containers																	
Consultant Phone #: (925) 551-7444 x180				BTEX + <input checked="" type="checkbox"/>	8021 <input type="checkbox"/>	8260 <input checked="" type="checkbox"/>															
Sampler: Mike L. Frank T.				TPH-GRO	8015 <input checked="" type="checkbox"/>	8260 <input type="checkbox"/>															
				TPH-DRO 8015 without Silica Gel Cleanup <input type="checkbox"/>																	
				TPH-DRO 8015 with Silica Gel Cleanup <input checked="" type="checkbox"/> <i>Callahan</i>																	
				8260 Full Scan																	
				Oxygenates																	
				Total Lead Method																	
				Dissolved Lead Method																	
SCR #: _____																					
<input type="checkbox"/> Results in Dry Weight <input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds <input type="checkbox"/> 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run _____ oxy's on highest hit <input type="checkbox"/> Run _____ oxy's on all hits																					
Remarks																					
Sample Identification		Soil Depth	Collected	Grab	Composite	Soil	Water	NPDES	Surface	Oil	Air	Total	Number of Containers	Containers							
C-10		170208	1340	X			X					Y	8	Y X X X X X X X							
C-11		↓	1325	X			X					X	8	X X X X X X X X							
Turnaround Time Requested (TAT) (please circle)				Relinquished by		Date	Time	Received by		Date	Time										
Standard	5 day	4 day	<i>Dee</i>		17-2-8	1500	<i>BR Fridge</i>		2/8/17	Time											
72 hour	48 hour	24 hour	<i>Dee</i>		2/9/17	1153	<i>G. Salazar 09 FEB 17</i>		1153	Time											
Data Package (circle if required)				Relinquished by		Date	Time	Received by		Date	Time										
Type I - Full	Type VI (Raw Data)	<i>Dee</i>		2/9/17	1153	<i>G. Salazar 09 FEB 17</i>		1153	Time												
EDD (circle if required)				Relinquished by Commercial Carrier:						Received by		Date	Time								
EDFFLAT (default)	Other: _____	UPS _____ FedEx _____ Other _____																			
Temperature Upon Receipt _____ °C								Custody Seals Intact?				Yes	No								

**ATTACHMENT B**  
**Certified Laboratory Analysis Reports and**  
**Chain-of-Custody Documents**



## ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories Environmental  
2425 New Holland Pike  
Lancaster, PA 17601

Prepared for:

Chevron  
6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Report Date: February 24, 2017

**Project: 90504**

Submittal Date: 02/10/2017

Group Number: 1764481

PO Number: 0015188594

Release Number: CMACLEOD

State of Sample Origin: CA

### Client Sample Description

	Lancaster Labs
	(LL) #
QA-T-170208 NA Water	8830028
C-1-W-170208 Grab Groundwater	8830029
C-2-W-170208 Grab Groundwater	8830030
C-3-W-170208 Grab Groundwater	8830031
C-4-W-170208 Grab Groundwater	8830032
C-5-W-170208 Grab Groundwater	8830033
C-6-W-170208 Grab Groundwater	8830034
C-7-W-170208 Grab Groundwater	8830035
C-8-W-170208 Grab Groundwater	8830036
C-9-W-170208 Grab Groundwater	8830037
C-10-W-170208 Grab Groundwater	8830038
C-11-W-170208 Grab Groundwater	8830039

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

Regulatory agencies do not accredit laboratories for all methods, analytes, and matrices. Our current scopes of accreditation can be viewed at <http://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/resources/certifications/>. To request copies of prior scopes of accreditation, contact your project manager.

Electronic Copy To	Stantec	Attn: Erin O'Malley
Electronic Copy To	Stantec	Attn: Marisa Kaffenberger
Electronic Copy To	Stantec International	Attn: Travis Flora
Electronic Copy To	Stantec	Attn: Laura Viesselman
Electronic Copy To	Gettler-Ryan Inc.	Attn: Gettler Ryan



Lancaster Laboratories  
Environmental

## **Analysis Report**

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • [www.LancasterLabs.com](http://www.LancasterLabs.com)

Respectfully Submitted,



Amek Carter  
Specialist

(717) 556-7252



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

**Sample Description:** QA-T-170208 NA Water  
Facility# 90504 Job# 17155259 GRD  
15900 Hesperian-San Lorenz T0600100302

**LL Sample #** WW 8830028  
**LL Group #** 1764481  
**Account #** 10906

**Project Name:** 90504

Collected: 02/08/2017

Chevron

Submitted: 02/10/2017 09:45

6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Reported: 02/24/2017 17:36

---

**HSLQA**

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1
10945	Toluene	108-88-3	N.D.	0.5	1
10945	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles	SW-846 8015B		ug/l	ug/l	
01728	TPH-GRO N. CA water	C6-C12	n.a.	50	1

---

**Sample Comments**

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

---

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	BTEX 8260B Water	SW-846 8260B	1	D170461AA	02/15/2017 07:29	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D170461AA	02/15/2017 07:29	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	17045D20A	02/14/2017 13:04	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	17045D20A	02/14/2017 13:04	Jeremy C Giffin	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

**Sample Description:** C-1-W-170208 Grab Groundwater  
Facility# 90504 Job# 17155259 GRD  
15900 Hesperian-San Lorenz T0600100302

LL Sample # WW 8830029  
LL Group # 1764481  
Account # 10906

**Project Name:** 90504

Collected: 02/08/2017 11:35 by ML

Chevron

6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Submitted: 02/10/2017 09:45

Reported: 02/24/2017 17:36

HSLC1

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1
10945	Toluene	108-88-3	N.D.	0.5	1
10945	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles	SW-846 8015B		ug/l	ug/l	
01728	TPH-GRO N. CA water	C6-C12	n.a.	50	1
GC Petroleum Hydrocarbons w/Si	SW-846 8015B		ug/l	ug/l	
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	72	1
The reverse surrogate, capric acid, is present at <1%.					
Reporting limits were raised due to limited sample volume.					

### Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	BTEX 8260B Water	SW-846 8260B	1	D170461AA	02/15/2017 07:53	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D170461AA	02/15/2017 07:53	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	17045D20A	02/14/2017 14:25	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	17045D20A	02/14/2017 14:25	Jeremy C Giffin	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	170450013A	02/17/2017 07:42	Amy Lehr	1
11180	Low Vol Ext (W) w/SG	SW-846 3510C	1	170450013A	02/15/2017 08:20	Nadia Bernabe	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

**Sample Description:** C-2-W-170208 Grab Groundwater  
Facility# 90504 Job# 17155259 GRD  
15900 Hesperian-San Lorenz T0600100302

LL Sample # WW 8830030  
LL Group # 1764481  
Account # 10906

**Project Name:** 90504

Collected: 02/08/2017 12:34 by ML

Chevron

6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Submitted: 02/10/2017 09:45

Reported: 02/24/2017 17:36

HSLC2

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1
10945	Toluene	108-88-3	N.D.	0.5	1
10945	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles	SW-846 8015B		ug/l	ug/l	
01728	TPH-GRO N. CA water	C6-C12	n.a.	50	1
GC Petroleum Hydrocarbons w/Si	SW-846 8015B		ug/l	ug/l	
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	150	70	1
The reverse surrogate, capric acid, is present at <1%.					
Reporting limits were raised due to limited sample volume.					

### Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	BTEX 8260B Water	SW-846 8260B	1	D170461AA	02/15/2017 09:05	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D170461AA	02/15/2017 09:05	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	17045D20A	02/14/2017 14:52	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	17045D20A	02/14/2017 14:52	Jeremy C Giffin	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	170450013A	02/17/2017 08:04	Amy Lehr	1
11180	Low Vol Ext (W) w/SG	SW-846 3510C	1	170450013A	02/15/2017 08:20	Nadia Bernabe	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

**Sample Description:** C-3-W-170208 Grab Groundwater  
Facility# 90504 Job# 17155259 GRD  
15900 Hesperian-San Lorenz T0600100302

LL Sample # WW 8830031  
LL Group # 1764481  
Account # 10906

**Project Name:** 90504

Collected: 02/08/2017 10:45 by ML

Chevron

6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Submitted: 02/10/2017 09:45

Reported: 02/24/2017 17:36

HSLC3

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10945 Benzene		71-43-2	N.D.	0.5	1
10945 Ethylbenzene		100-41-4	N.D.	0.5	1
10945 Toluene		108-88-3	N.D.	0.5	1
10945 Xylene (Total)		1330-20-7	N.D.	0.5	1
GC Volatiles	SW-846 8015B		ug/l	ug/l	
01728 TPH-GRO N. CA water	C6-C12	n.a.	N.D.	50	1
GC Petroleum Hydrocarbons w/Si	SW-846 8015B		ug/l	ug/l	
06610 TPH-DRO CA C10-C28 w/ Si Gel		n.a.	N.D.	50	1
The reverse surrogate, capric acid, is present at <1%.					

### Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	BTEX 8260B Water	SW-846 8260B	1	D170461AA	02/15/2017 09:29	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D170461AA	02/15/2017 09:29	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	17045D20A	02/14/2017 15:19	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	17045D20A	02/14/2017 15:19	Jeremy C Giffin	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	170450013A	02/17/2017 08:25	Amy Lehr	1
11180	Low Vol Ext (W) w/SG	SW-846 3510C	1	170450013A	02/15/2017 08:20	Nadia Bernabe	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

**Sample Description:** C-4-W-170208 Grab Groundwater  
Facility# 90504 Job# 17155259 GRD  
15900 Hesperian-San Lorenz T0600100302

LL Sample # WW 8830032  
LL Group # 1764481  
Account # 10906

**Project Name:** 90504

Collected: 02/08/2017 09:25 by ML

Chevron

6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Submitted: 02/10/2017 09:45

Reported: 02/24/2017 17:36

HSLC4

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10945 Benzene		71-43-2	N.D.	0.5	1
10945 Ethylbenzene		100-41-4	N.D.	0.5	1
10945 Toluene		108-88-3	N.D.	0.5	1
10945 Xylene (Total)		1330-20-7	N.D.	0.5	1
GC Volatiles	SW-846 8015B		ug/l	ug/l	
01728 TPH-GRO N. CA water	C6-C12	n.a.	N.D.	50	1
GC Petroleum Hydrocarbons w/Si	SW-846 8015B		ug/l	ug/l	
06610 TPH-DRO CA C10-C28 w/ Si Gel		n.a.	N.D.	50	1
The reverse surrogate, capric acid, is present at <1%.					

#### Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	BTEX 8260B Water	SW-846 8260B	1	D170461AA	02/15/2017 09:53	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D170461AA	02/15/2017 09:53	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	17045D20A	02/14/2017 15:47	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	17045D20A	02/14/2017 15:47	Jeremy C Giffin	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	170450013A	02/17/2017 08:46	Amy Lehr	1
11180	Low Vol Ext (W) w/SG	SW-846 3510C	1	170450013A	02/15/2017 08:20	Nadia Bernabe	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

**Sample Description:** C-5-W-170208 Grab Groundwater  
Facility# 90504 Job# 17155259 GRD  
15900 Hesperian-San Lorenz T0600100302

LL Sample # WW 8830033  
LL Group # 1764481  
Account # 10906

**Project Name:** 90504

Collected: 02/08/2017 12:05 by ML

Chevron

6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Submitted: 02/10/2017 09:45

Reported: 02/24/2017 17:36

HSLC5

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10945 Benzene		71-43-2	N.D.	0.5	1
10945 Ethylbenzene		100-41-4	N.D.	0.5	1
10945 Toluene		108-88-3	N.D.	0.5	1
10945 Xylene (Total)		1330-20-7	N.D.	0.5	1
GC Volatiles	SW-846 8015B		ug/l	ug/l	
01728 TPH-GRO N. CA water	C6-C12	n.a.	N.D.	50	1
GC Petroleum Hydrocarbons w/Si	SW-846 8015B		ug/l	ug/l	
06610 TPH-DRO CA C10-C28 w/ Si Gel		n.a.	N.D.	50	1
The reverse surrogate, capric acid, is present at <1%.					

### Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	BTEX 8260B Water	SW-846 8260B	1	D170461AA	02/15/2017 10:17	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D170461AA	02/15/2017 10:17	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	17045D20A	02/14/2017 16:14	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	17045D20A	02/14/2017 16:14	Jeremy C Giffin	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	170450013A	02/17/2017 09:51	Amy Lehr	1
11180	Low Vol Ext (W) w/SG	SW-846 3510C	1	170450013A	02/15/2017 08:20	Nadia Bernabe	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

**Sample Description:** C-6-W-170208 Grab Groundwater  
Facility# 90504 Job# 17155259 GRD  
15900 Hesperian-San Lorenz T0600100302

LL Sample # WW 8830034  
LL Group # 1764481  
Account # 10906

**Project Name:** 90504

Collected: 02/08/2017 10:05 by ML

Chevron

6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Submitted: 02/10/2017 09:45

Reported: 02/24/2017 17:36

HSLC6

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1
10945	Toluene	108-88-3	N.D.	0.5	1
10945	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles	SW-846 8015B		ug/l	ug/l	
01728	TPH-GRO N. CA water	C6-C12	n.a.	50	1
GC Petroleum Hydrocarbons w/Si	SW-846 8015B		ug/l	ug/l	
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	50	1
	The reverse surrogate, capric acid, is present at <1%.				

### Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	BTEX 8260B Water	SW-846 8260B	1	D170461AA	02/15/2017 10:41	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D170461AA	02/15/2017 10:41	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	17045D20A	02/14/2017 16:41	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	17045D20A	02/14/2017 16:41	Jeremy C Giffin	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	170450013A	02/17/2017 10:12	Amy Lehr	1
11180	Low Vol Ext (W) w/SG	SW-846 3510C	1	170450013A	02/15/2017 08:20	Nadia Bernabe	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

**Sample Description:** C-7-W-170208 Grab Groundwater  
Facility# 90504 Job# 17155259 GRD  
15900 Hesperian-San Lorenz T0600100302

LL Sample # WW 8830035  
LL Group # 1764481  
Account # 10906

**Project Name:** 90504

Collected: 02/08/2017 09:20 by ML

Chevron

6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Submitted: 02/10/2017 09:45

Reported: 02/24/2017 17:36

HSLC7

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10945 Benzene		71-43-2	1	0.5	1
10945 Ethylbenzene		100-41-4	41	0.5	1
10945 Toluene		108-88-3	N.D.	0.5	1
10945 Xylene (Total)		1330-20-7	1	0.5	1
GC Volatiles	SW-846 8015B		ug/l	ug/l	
01728 TPH-GRO N. CA water	C6-C12	n.a.	3,200	250	5
GC Petroleum Hydrocarbons w/Si	SW-846 8015B		ug/l	ug/l	
06610 TPH-DRO CA C10-C28 w/ Si Gel		n.a.	600	50	1
The reverse surrogate, capric acid, is present at <1%.					

### Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	BTEX 8260B Water	SW-846 8260B	1	D170472AA	02/16/2017 15:43	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D170472AA	02/16/2017 15:43	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	17045D20A	02/14/2017 22:06	Jeremy C Giffin	5
01146	GC VOA Water Prep	SW-846 5030B	1	17045D20A	02/14/2017 22:06	Jeremy C Giffin	5
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	170450013A	02/17/2017 10:34	Amy Lehr	1
11180	Low Vol Ext (W) w/SG	SW-846 3510C	1	170450013A	02/15/2017 08:20	Nadia Bernabe	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

**Sample Description:** C-8-W-170208 Grab Groundwater  
Facility# 90504 Job# 17155259 GRD  
15900 Hesperian-San Lorenz T0600100302

LL Sample # WW 8830036  
LL Group # 1764481  
Account # 10906

**Project Name:** 90504

Collected: 02/08/2017 11:15 by ML

Chevron

6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Submitted: 02/10/2017 09:45

Reported: 02/24/2017 17:36

HSLC8

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles</b>	<b>SW-846 8260B</b>		ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1
10945	Ethylbenzene	100-41-4	7	0.5	1
10945	Naphthalene	91-20-3	2	1	1
10945	Toluene	108-88-3	0.6	0.5	1
10945	Xylene (Total)	1330-20-7	0.7	0.5	1
<b>GC Volatiles</b>	<b>SW-846 8015B</b>		ug/l	ug/l	
01728	TPH-GRO N. CA water	C6-C12	n.a.	5,000	500
<b>GC Petroleum Hydrocarbons w/Si</b>	<b>SW-846 8015B</b>		ug/l	ug/l	
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	860	50	1
	The reverse surrogate, capric acid, is present at <1%.				

### Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor	
10945	BTEX & Naphthalene	8260B	SW-846 8260B	1	D170472AA	02/16/2017 13:42	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D170472AA	02/16/2017 13:42	Anita M Dale	1	
01728	TPH-GRO N. CA water	SW-846 8015B	1	17045D20A	02/14/2017 22:33	Jeremy C Giffin	10	
C6-C12								
01146	GC VOA Water Prep	SW-846 5030B	1	17045D20A	02/14/2017 22:33	Jeremy C Giffin	10	
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	170450013A	02/17/2017 10:55	Amy Lehr	1	
11180	Low Vol Ext (W) w/SG	SW-846 3510C	1	170450013A	02/15/2017 08:20	Nadia Bernabe	1	



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

**Sample Description:** C-9-W-170208 Grab Groundwater  
Facility# 90504 Job# 17155259 GRD  
15900 Hesperian-San Lorenz T0600100302

LL Sample # WW 8830037  
LL Group # 1764481  
Account # 10906

**Project Name:** 90504

Collected: 02/08/2017 13:00 by ML

Chevron

6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Submitted: 02/10/2017 09:45

Reported: 02/24/2017 17:36

HSLC9

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10945 Benzene		71-43-2	N.D.	0.5	1
10945 Ethylbenzene		100-41-4	N.D.	0.5	1
10945 Toluene		108-88-3	N.D.	0.5	1
10945 Xylene (Total)		1330-20-7	N.D.	0.5	1
GC Volatiles	SW-846 8015B		ug/l	ug/l	
01728 TPH-GRO N. CA water	C6-C12	n.a.	N.D.	50	1
GC Petroleum Hydrocarbons w/Si	SW-846 8015B		ug/l	ug/l	
06610 TPH-DRO CA C10-C28 w/ Si Gel		n.a.	N.D.	50	1
The reverse surrogate, capric acid, is present at <1%.					

### Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	BTEX 8260B Water	SW-846 8260B	1	D170462AA	02/15/2017 07:40	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D170462AA	02/15/2017 07:40	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	17045D20A	02/14/2017 17:09	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	17045D20A	02/14/2017 17:09	Jeremy C Giffin	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	170450013A	02/17/2017 11:17	Amy Lehr	1
11180	Low Vol Ext (W) w/SG	SW-846 3510C	1	170450013A	02/15/2017 08:20	Nadia Bernabe	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

**Sample Description:** C-10-W-170208 Grab Groundwater  
Facility# 90504 Job# 17155259 GRD  
15900 Hesperian-San Lorenz T0600100302

LL Sample # WW 8830038  
LL Group # 1764481  
Account # 10906

**Project Name:** 90504

Collected: 02/08/2017 13:40 by ML

Chevron

6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Submitted: 02/10/2017 09:45

Reported: 02/24/2017 17:36

HSL10

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10945 Benzene		71-43-2	N.D.	0.5	1
10945 Ethylbenzene		100-41-4	N.D.	0.5	1
10945 Toluene		108-88-3	N.D.	0.5	1
10945 Xylene (Total)		1330-20-7	N.D.	0.5	1
GC Volatiles	SW-846 8015B		ug/l	ug/l	
01728 TPH-GRO N. CA water	C6-C12	n.a.	N.D.	50	1
GC Petroleum Hydrocarbons w/Si	SW-846 8015B		ug/l	ug/l	
06610 TPH-DRO CA C10-C28 w/ Si Gel		n.a.	N.D.	50	1
The reverse surrogate, capric acid, is present at <1%.					

### Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	BTEX 8260B Water	SW-846 8260B	1	D170462AA	02/15/2017 08:04	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D170462AA	02/15/2017 08:04	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	17045D20A	02/14/2017 18:03	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	17045D20A	02/14/2017 18:03	Jeremy C Giffin	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	170450013A	02/17/2017 11:38	Amy Lehr	1
11180	Low Vol Ext (W) w/SG	SW-846 3510C	1	170450013A	02/15/2017 08:20	Nadia Bernabe	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

**Sample Description:** C-11-W-170208 Grab Groundwater  
Facility# 90504 Job# 17155259 GRD  
15900 Hesperian-San Lorenz T0600100302

LL Sample # WW 8830039  
LL Group # 1764481  
Account # 10906

**Project Name:** 90504

Collected: 02/08/2017 13:25 by ML

Chevron

6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Submitted: 02/10/2017 09:45

Reported: 02/24/2017 17:36

HSL11

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10945 Benzene		71-43-2	N.D.	0.5	1
10945 Ethylbenzene		100-41-4	N.D.	0.5	1
10945 Toluene		108-88-3	N.D.	0.5	1
10945 Xylene (Total)		1330-20-7	N.D.	0.5	1
GC Volatiles	SW-846 8015B		ug/l	ug/l	
01728 TPH-GRO N. CA water	C6-C12	n.a.	N.D.	50	1
GC Petroleum Hydrocarbons w/Si	SW-846 8015B		ug/l	ug/l	
06610 TPH-DRO CA C10-C28 w/ Si Gel		n.a.	N.D.	50	1
The reverse surrogate, capric acid, is present at <1%.					

### Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	BTEX 8260B Water	SW-846 8260B	1	D170462AA	02/15/2017 09:16	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D170462AA	02/15/2017 09:16	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	17045D20A	02/14/2017 18:30	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	17045D20A	02/14/2017 18:30	Jeremy C Giffin	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	170450013A	02/17/2017 12:00	Amy Lehr	1
11180	Low Vol Ext (W) w/SG	SW-846 3510C	1	170450013A	02/15/2017 08:20	Nadia Bernabe	1

## Quality Control Summary

Client Name: Chevron  
Reported: 02/24/2017 17:36

Group Number: 1764481

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

### Method Blank

Analysis Name	Result	MDL
	ug/l	ug/l
Batch number: D170461AA	Sample number(s): 8830028-8830034	
Benzene	N.D.	0.5
Ethylbenzene	N.D.	0.5
Toluene	N.D.	0.5
Xylene (Total)	N.D.	0.5
Batch number: D170462AA	Sample number(s): 8830037-8830039	
Benzene	N.D.	0.5
Ethylbenzene	N.D.	0.5
Toluene	N.D.	0.5
Xylene (Total)	N.D.	0.5
Batch number: D170472AA	Sample number(s): 8830035-8830036	
Benzene	N.D.	0.5
Ethylbenzene	N.D.	0.5
Naphthalene	N.D.	1
Toluene	N.D.	0.5
Xylene (Total)	N.D.	0.5
Batch number: 17045D20A	Sample number(s): 8830028-8830039	
TPH-GRO N. CA water C6-C12	N.D.	50
Batch number: 170450013A	Sample number(s): 8830029-8830039	
TPH-DRO CA C10-C28 w/ Si Gel	N.D.	32

### LCS/LCSD

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: D170461AA	Sample number(s): 8830028-8830034								
Benzene	20	21.09			105		78-120		
Ethylbenzene	20	21.11			106		78-120		
Toluene	20	21.18			106		80-120		
Xylene (Total)	60	64.46			107		80-120		
Batch number: D170462AA	Sample number(s): 8830037-8830039								
Benzene	20	19.72			99		78-120		
Ethylbenzene	20	19.95			100		78-120		
Toluene	20	19.75			99		80-120		

\*- Outside of specification

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

## Quality Control Summary

Client Name: Chevron  
Reported: 02/24/2017 17:36

Group Number: 1764481

### LCS/LCSD (continued)

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Xylene (Total)	60	61.04			102		80-120		
Batch number: D170472AA Sample number(s): 8830035-8830036									
Benzene	20	20.91	20	21.07	105	105	78-120	1	30
Ethylbenzene	20	20.75	20	20.79	104	104	78-120	0	30
Naphthalene	20	11.86	20	11.78	59	59	59-120	1	30
Toluene	20	20.49	20	20.73	102	104	80-120	1	30
Xylene (Total)	60	63.45	60	63.08	106	105	80-120	1	30
	ug/l	ug/l	ug/l	ug/l					
Batch number: 17045D20A Sample number(s): 8830028-8830039									
TPH-GRO N. CA water C6-C12	1100	1035.11	1100	1038.16	94	94	80-120	0	30
	ug/l	ug/l	ug/l	ug/l					
Batch number: 170450013A Sample number(s): 8830029-8830039									
TPH-DRO CA C10-C28 w/ Si Gel	1600	893.72	1600	1047.88	56	65	40-105	16	20

### MS/MSD

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc ug/l	MS Spike Added ug/l	MS Conc ug/l	MSD Spike Added ug/l	MSD Conc ug/l	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
Batch number: D170461AA Sample number(s): 8830028-8830034 UNSPK: 8830029										
Benzene	N.D.	20	21.75	20	21.95	109	110	78-120	1	30
Ethylbenzene	N.D.	20	21.67	20	21.61	108	108	78-120	0	30
Toluene	N.D.	20	21.9	20	21.71	110	109	80-120	1	30
Xylene (Total)	N.D.	60	65.85	60	65.65	110	109	80-120	0	30
Batch number: D170462AA Sample number(s): 8830037-8830039 UNSPK: 8830038										
Benzene	N.D.	20	21.81	20	20.22	109	101	78-120	8	30
Ethylbenzene	N.D.	20	21.77	20	20.04	109	100	78-120	8	30
Toluene	N.D.	20	21.7	20	20.03	109	100	80-120	8	30
Xylene (Total)	N.D.	60	66.45	60	61.23	111	102	80-120	8	30

\*- Outside of specification

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

## Quality Control Summary

Client Name: Chevron  
Reported: 02/24/2017 17:36

Group Number: 1764481

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: BTEX 8260B Water  
Batch number: D170461AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
8830028	104	100	100	100
8830029	104	99	98	99
8830030	102	99	100	100
8830031	103	97	99	98
8830032	103	99	99	98
8830033	104	101	98	99
8830034	102	100	99	99
Blank	104	99	98	99
LCS	104	103	100	102
MS	103	101	100	104
MSD	102	101	99	101
Limits:	80-116	77-113	80-113	78-113

Analysis Name: BTEX 8260B Water  
Batch number: D170462AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
8830037	104	94	98	97
8830038	103	97	99	98
8830039	103	96	96	98
Blank	105	96	98	99
LCS	101	96	99	102
MS	102	99	99	102
MSD	104	98	99	102
Limits:	80-116	77-113	80-113	78-113

Analysis Name: BTEX & Naphthalene 8260B  
Batch number: D170472AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
8830035	97	93	97	101
8830036	98	94	98	103
Blank	100	94	98	98
LCS	101	100	99	102
LCSD	99	98	100	101
Limits:	80-116	77-113	80-113	78-113

Analysis Name: TPH-GRO N. CA water C6-C12  
Batch number: 17045D20A

	Trifluorotoluene-F
8830028	88
8830029	92

\*- Outside of specification

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

**Quality Control Summary**

Client Name: Chevron  
Reported: 02/24/2017 17:36

Group Number: 1764481

**Surrogate Quality Control (continued)**

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: TPH-GRO N. CA water C6-C12

Batch number: 17045D20A

## Trifluorotoluene-F

8830030	85
8830031	91
8830032	92
8830033	90
8830034	87
8830035	108
8830036	105
8830037	90
8830038	87
8830039	90
Blank	89
LCS	97
LCSD	95

Limits: 63-135

Analysis Name: TPH-DRO CA C10-C28 w/ Si Gel

Batch number: 170450013A

## Orthoterphenyl

8830029	65
8830030	59
8830031	70
8830032	70
8830033	58
8830034	63
8830035	66
8830036	56
8830037	67
8830038	56
8830039	63
Blank	65
LCS	64
LCSD	67

Limits: 42-126

\*- Outside of specification

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

**Chevron California Region Analysis Request/Chain of Custody**

eurofins

544

Lancaster Laboratories  
Environmental

Acct. # 10906

For Eurofins Lancaster Laboratories Environmental use only  
Group # 1764481 Sample # 8830028-39  
Instructions on reverse side correspond with circled numbers.

Φ2Φ917-Φ

## **Client Information**

Client Information				Matrix				Analyses Requested																							
Facility # SS#9-0504-OML G-R#17155259 WBS Global ID#T0600100302								SCR #: _____																							
Site Address 15900 HESPERIAN BLVD., SAN LORENZO, CA																															
Chevron PM <b>CM</b>		STANTECF Lead Consultant <b>Flora</b>																													
Consultant/Office <b>Gettier-Ryan Inc.</b> , 6805 Sierra Court, Suite G, Dublin, CA 94568																															
Consultant Project Mgr. <b>Deanna L. Harding</b> , deanna@grinc.com																															
Consultant Phone # <b>(925) 551-7444 x180</b>																															
Sampler <i>Mike L. Frank T.</i>																															
Sample Identification	Soil Depth	Collected		Grab	Composite	Soil	Sediment	Water	NPDES	Ground	Surface	Oil	Air	Total Number of Containers	BTEX +	8021	8260	TPH-GRO	8015	8260	TPH-DRO 8015 without Silica Gel Cleanup	TPH-DRO 8015 with Silica Gel Cleanup	8260 Full Scan	Oxygenates	Total Lead	Dissolved Lead	Method	Method	<i>NAPHTHALENE (8260)</i>		
		Date	Time																												
QA	170208	X		X		X								2	X	X															
C-1	1135	X		X		X								8	X	X															
C-2	1234	X		X		X								8	X	X															
C-3	1045	X		X		X								8	X	X															
C-4	0925	X		X		X								8	X	X															
C-5	1205	X		X		X								8	X	X															
C-6	1005	X		X		X								8	X	X															
C-7	0920	X		X		X								8	X	X															
C-8	1115	X		X		X								8	X	X															
C-9	1306	X		X		X								8	X	X															
Turnaround Time Requested (TAT) (please circle)				Relinquished by				Date				Time				Received by				Date				Time							
Standard	5 day	4 day		<i>Jef</i>				17.2.8		1500																					
72 hour	48 hour	24 hour		<i>A. Alyan</i>				2/9/17		1153																					
Data Package (circle if required)				EDF/EDD				Relinquished by				Date				Time				Received by				Date				Time			
Type I - Full	Type VI (Raw Data)			<i>A. Alyan 9 FEB 17</i>				1638																							
EDD (circle if required)								Relinquished by Commercial Carrier:				Date				Time				Received by				Date				Time			
EDFFLAT (default)	Other:			UPS		FedEx	X	Other																							
								Temperature Upon Receipt				0.3 - 0.5 °C				Custody Seals Intact?				Yes				No							

# Chevron California Region Analysis Request/Chain of Custody

eurofins

12-0917-41  
Lancaster Laboratories  
Environmental

Acct. # 10906

For Eurofins Lancaster Laboratories Environmental use only  
Group # 1764481 Sample # 8830028-39  
Instructions on reverse side correspond with circled numbers.

2022

SCR #:

Client Information				Matrix			Analyses Requested					
Facility # <b>SSN-0504-OML</b> G-R# <b>17155259</b> Global ID# <b>T0600100302</b> Site Address <b>15900 HESPERIAN BLVD., SAN LORENZO, CA</b> Chevron PM <b>CM</b> STANTECF Lead Consultant <b>Flora</b> Consultant/Office <b>Getter-Ryan Inc., 6805 Sierra Court, Suite G, Dublin, CA 94568</b> Consultant Project Mgr. <b>Deanna L. Harding, deanna@grinc.com</b> Consultant Phone # <b>(925) 551-7444 x180</b> Sampler <b>Mike L. Frank T.</b>				<input type="checkbox"/> Sediment <input checked="" type="checkbox"/> Ground <input type="checkbox"/> Surface  <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Air  <input type="checkbox"/> Water <input type="checkbox"/> Oil	<input type="checkbox"/> Total Number of Containers  <b>BTEX +</b> TPH-GRO TPH-DRO 8015 without Silica Gel Cleanup TPH-DRO 8015 with Silica Gel Cleanup 8260 Full Scan Oxygenates Total Lead Dissolved Lead	<input type="checkbox"/> 8260 <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> 8015 <input type="checkbox"/> <input type="checkbox"/> 8260	<input type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds <input type="checkbox"/> 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run _____ oxy's on highest hit <input type="checkbox"/> Run _____ oxy's on all hits					
<b>Sample Identification</b> C-10 C-11	<b>Soil Depth</b> Grab Date 170208	Collected						<input type="checkbox"/> Composite <input type="checkbox"/> Soil	<input type="checkbox"/> Total Number of Containers 8	<input type="checkbox"/> Total Lead <input type="checkbox"/> Dissolved Lead	<input type="checkbox"/> Method Method	
		Time	1340	X	X	X	X					X
<b>Turnaround Time Requested (TAT) (please circle)</b> <input checked="" type="radio"/> Standard 5 day 4 day <input type="radio"/> 72-hour 48 hour 24 hour				<b>Relinquished by</b> 	Date	Time	<b>Received by</b> GR Fridge	Date	Time			
				<b>Relinquished by</b> 	17-2-8	1500		2/8/17				
				<b>Relinquished by</b> 	2/9/17	1153	<b>Received by</b> A. Salazar	Date	Time			
				<b>Relinquished by</b> 	09FEB17	1630		2/9/17				
<b>Data Package (circle if required)</b> Type I - Full      Type VI (Raw Data)				<b>EDF/EDD</b> 	<b>Relinquished by</b> 	Date	Time	<b>Received by</b> FX	Date	Time		
<b>EDD (circle if required)</b> EDFFLAT (default) Other: _____				<b>Relinquished by Commercial Carrier:</b> UPS _____ FedEx _____ Other _____			<b>Received by</b> Kris Smith	2/10/17	9:45			
				<b>Temperature Upon Receipt</b> 0, 3 - 0, 5 °C			<b>Custody Seals Intact?</b>	Yes	No			

Client: CA Office

**Delivery and Receipt Information**

Delivery Method:	<u>BASC</u>	Arrival Timestamp:	<u>02/10/2017 9:45</u>
Number of Packages:	<u>2</u>	Number of Projects:	<u>4</u>
State/Province of Origin:	<u>CA</u>		

**Arrival Condition Summary**

Shipping Container Sealed:	Yes	Sample IDs on COC match Containers:	Yes
Custody Seal Present:	Yes	Sample Date/Times match COC:	Yes
Custody Seal Intact:	Yes	VOA Vial Headspace ≥ 6mm:	No
Samples Chilled:	Yes	Total Trip Blank Qty:	2
Paperwork Enclosed:	Yes	Trip Blank Type:	HCl
Samples Intact:	Yes	Air Quality Samples Present:	No
Missing Samples:	Yes		
Extra Samples:	No		
Discrepancy in Container Qty on COC:	No		

Unpacked by Nia Smith (12375) at 12:09 on 02/10/2017

**Samples Chilled Details**

Thermometer Types: DT = Digital (Temp. Bottle) IR = Infrared (Surface Temp) All Temperatures in °C.

Cooler #	Thermometer ID	Corrected Temp	Therm. Type	Ice Type	Ice Present?	Ice Container	Elevated Temp?
1	DT146	0.5	DT	Wet	Y	Bagged	N
2	DT146	0.3	DT	Wet	Y	Bagged	N

**Missing Sample Details**

<u>Sample ID on COC</u>	<u>Comments</u>
C-2 (5 of 6)	

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>BMQL</b>	Below Minimum Quantitation Level	<b>mg</b>	milligram(s)
<b>C</b>	degrees Celsius	<b>mL</b>	milliliter(s)
<b>cfs</b>	colony forming units	<b>MPN</b>	Most Probable Number
<b>CP Units</b>	cobalt-chloroplatinate units	<b>N.D.</b>	none detected
<b>F</b>	degrees Fahrenheit	<b>ng</b>	nanogram(s)
<b>g</b>	gram(s)	<b>NTU</b>	nephelometric turbidity units
<b>IU</b>	International Units	<b>pg/L</b>	picogram/liter
<b>kg</b>	kilogram(s)	<b>RL</b>	Reporting Limit
<b>L</b>	liter(s)	<b>TNTC</b>	Too Numerous To Count
<b>lb.</b>	pound(s)	<b>µg</b>	microgram(s)
<b>m³</b>	cubic meter(s)	<b>µL</b>	microliter(s)
<b>meq</b>	milliequivalents	<b>umhos/cm</b>	micromhos/cm
<	less than		
>	greater than		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

## Laboratory Data Qualifiers:

- C - Result confirmed by reanalysis
- E - Concentration exceeds the calibration range
- J (or G, I, X) - estimated value  $\geq$  the Method Detection Limit (MDL or DL) and < the Limit of Quantitation (LOQ or RL)
- P - Concentration difference between the primary and confirmation column >40%. The lower result is reported.
- U - Analyte was not detected at the value indicated
- V - Concentration difference between the primary and confirmation column >100%. The reporting limit is raised due to this disparity and evident interference...
- W - The dissolved oxygen uptake for the unseeded blank is greater than 0.20 mg/L.

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods. Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.

**Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.**

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

## **ATTACHMENT C**


### **Hydrographs**

# C-1 TPH-GRO, TPH-DRO, Benzene, & MtBE Concentrations and Groundwater Elevations vs. Time

Chevron-branded Service Station 90504

15900 Hesperian Boulevard

San Lorenzo, California




# C-2 TPH-GRO, TPH-DRO, Benzene, & MtBE Concentrations and Groundwater Elevations vs. Time

Chevron-branded Service Station 90504

15900 Hesperian Boulevard

San Lorenzo, California




# C-3 TPH-GRO, TPH-DRO, Benzene, & MtBE Concentrations and Groundwater Elevations vs. Time

Chevron-branded Service Station 90504

15900 Hesperian Boulevard

San Lorenzo, California




# C-4 TPH-GRO, TPH-DRO, Benzene, & MtBE Concentrations and Groundwater Elevations vs. Time


Chevron-branded Service Station 90504

15900 Hesperian Boulevard

San Lorenzo, California



**C-5 TPH-GRO, TPH-DRO, Benzene, & MtBE Concentrations and Groundwater Elevations vs. Time**  
 Chevron-branded Service Station 90504  
 15900 Hesperian Boulevard  
 San Lorenzo, California




# C-6 TPH-GRO, TPH-DRO, Benzene, & MtBE Concentrations and Groundwater Elevations vs. Time

Chevron-branded Service Station 90504

15900 Hesperian Boulevard

San Lorenzo, California




# C-7 TPH-GRO, TPH-DRO, Benzene, & MtBE Concentrations and Groundwater Elevations vs. Time

Chevron-branded Service Station 90504

15900 Hesperian Boulevard

San Lorenzo, California




# C-8 TPH-GRO, TPH-DRO, Benzene, & MtBE Concentrations and Groundwater Elevations vs. Time

Chevron-branded Service Station 90504

15900 Hesperian Boulevard

San Lorenzo, California




# C-9 TPH-GRO, TPH-DRO, Benzene, & MtBE Concentrations and Groundwater Elevations vs. Time

Chevron-branded Service Station 90504

15900 Hesperian Boulevard

San Lorenzo, California




# C-10 TPH-GRO, TPH-DRO, Benzene, & MtBE Concentrations and Groundwater Elevations vs. Time

Chevron-branded Service Station 90504

15900 Hesperian Boulevard

San Lorenzo, California



# C-11 TPH-GRO, TPH-DRO, Benzene, & MtBE Concentrations and Groundwater Elevations vs. Time

Chevron-branded Service Station 90504

15900 Hesperian Boulevard

San Lorenzo, California

