

**From:** [Jeremy Smith](#)  
**To:** [Detterman, Karel, Env. Health](#)  
**Subject:** Re: Fuel Leak Case No. RO0000008 and GeoTracker Global ID T0600100655, Good Chevrolet Parcel B, 1630 Park Street, Alameda, CA 94501  
**Date:** Wednesday, November 20, 2013 4:21:42 PM

---

Yes, TO15. Your email said TO12. I assumed it was a typo, but just wanted to make sure.

Thanks

Jeremy Smith  
Senior Project Manager  
**AEI Consultants**  
2500 Camino Diablo  
Walnut Creek, CA 94597

p. 925.746.6028  
c. 925.595.3156  
f. 925.746.6099  
[www.aeiconsultants.com](http://www.aeiconsultants.com)

On Wed, Nov 20, 2013 at 4:00 PM, Detterman, Karel, Env. Health  
<[Karel.Detterman@acgov.org](mailto:Karel.Detterman@acgov.org)> wrote:

TO15 is what was mentioned in your 11/12/13 Work Plan – which should it be?

Karel Detterman, PG

Hazardous Materials Specialist

Alameda County Environmental Health

1131 Harbor Bay Parkway

Alameda, CA 94502

Direct: [510.567.6708](tel:510.567.6708)

Fax: [510.337.9335](tel:510.337.9335)

Email: [karel.detterman@acgov.org](mailto:karel.detterman@acgov.org)

PDF copies of case files can be downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>

---

**From:** Jeremy Smith [mailto:[jasmith@aeiconsultants.com](mailto:jasmith@aeiconsultants.com)]  
**Sent:** Wednesday, November 20, 2013 3:55 PM  
**To:** Detterman, Karel, Env. Health  
**Subject:** Re: Fuel Leak Case No. R00000008 and GeoTracker Global ID T0600100655, Good Chevrolet Parcel B, 1630 Park Street, Alameda, CA 94501

Thanks so much Karel, we will do this. Regarding the soil vapor, I'm assuming you mean TO15 rather than TO12.

Thanks

Jeremy Smith  
Senior Project Manager  
**AEI Consultants**  
2500 Camino Diablo  
Walnut Creek, CA 94597

p. [925.746.6028](tel:925.746.6028)  
c. [925.595.3156](tel:925.595.3156)  
f. [925.746.6099](tel:925.746.6099)  
[www.aeiconsultants.com](http://www.aeiconsultants.com)

On Wed, Nov 20, 2013 at 3:50 PM, Detterman, Karel, Env. Health  
<[Karel.Detterman@acgov.org](mailto:Karel.Detterman@acgov.org)> wrote:

Hello John:

The following topics were discussed during our Monday November 18, 2013 meeting at ACEH's offices:

1. Please sample soil vapor probes SV-4 and SV-13 on Friday, November 22<sup>nd</sup>, analyze the vapor samples for TPHg and VOCs by TO12 as described in AEI's Soil Vapor Investigation Work Plan dated 4/4/2013, and report these and all soil vapor sampling results in an updated SCM according to the schedule provided in the Technical Report Request below. The additional soil vapor samples are requested because the soil vapor probes are located in or near the proposed building foot print, elevated PCE concentrations persist, and a decreasing trend has not yet been established due to the lack of seasonal data.

2. The three onsite groundwater monitoring wells (MW-1, MW-2, and MW-3) and seven Dual Phase Extraction wells (DPE-1, DPE-4, DPE-6, DPE-8, DPE-9, DPE-10, & DPE-11) may be decommissioned as described in the *Sampling Summary Report and Work Plan for Well Abandonment* dated November 12, 2013 by AEI. Please provide the Well Decommissioning Report by the date shown below.

### **TECHNICAL REPORT REQUEST**

Please upload technical reports to the ACEH ftp site (Attention: Karel Detterman), and to the State Water Resources Control Board's GeoTracker website according to the following schedule and file-naming convention:

- December 20, 2013 – Well Decommissioning Report

File to be named: RO8\_WELL\_DCM\_R\_YYYY-mm-dd

- January 18, 2014 – Updated Site Conceptual Model

File to be named: RO8\_SCM\_R\_YYYY-mm-dd

These reports are being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

Thank you,

Karel Detterman, PG

Hazardous Materials Specialist

Alameda County Environmental Health

1131 Harbor Bay Parkway

Alameda, CA 94502

Direct: [510.567.6708](tel:510.567.6708)

Fax: [510.337.9335](tel:510.337.9335)

Email: [karel.detterman@acgov.org](mailto:karel.detterman@acgov.org)

PDF copies of case files can be downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>