



Atlantic Richfield Company
(a BP affiliated company)

P.O. Box 1257
San Ramon, CA 94583
Phone: (925) 275-3801
Fax: (925) 275-3815

RECEIVED

9:53 am, Nov 02, 2007

Alameda County
Environmental Health



30 October 2007

Re: Third Quarter 2007 Ground-Water Monitoring Report
Former BP Station # 11132
3201 35th Avenue
Oakland, California
ACEH Case #RO0000014

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct."

Submitted by:

Paul Supple
Environmental Business Manager

Prepared for

Mr. Paul Supple
Environmental Business Manager
Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583

Prepared by



1324 Mangrove Avenue, Suite 212
Chico, California 95926
(530) 566-1400
www.broadbentinc.com

30 October 2007

Project No. 06-08-655

Third Quarter 2007 Ground-Water Monitoring Report
Former BP Station #11132
3201 35th Avenue
Oakland, California

Broadbent & Associates, Inc.
1324 Mangrove Ave., Suite 212
Chico, CA 95926
Voice (530) 566-1400
Fax (530) 566-1401



30 October 2007

Project No. 06-08-655

Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583
Submitted via ENFOS

Attn.: Mr. Paul Supple

Re: Third Quarter 2007 Ground-Water Monitoring Report, Former BP Station #11132,
3201 35th Avenue, Oakland, Alameda County, California; ACEH Case #RO0000014


Dear Mr. Supple:

Provided herein is the *Third Quarter 2007 Ground-Water Monitoring Report* for Former BP Station #11132 (herein referred to as Station #11132) located at 3201 35th Avenue, Oakland, California (Site). This report presents results of the ground-water monitoring and sampling conducted at Station #11132 during the Third Quarter of 2007.


Should you have questions regarding the work performed or results obtained, please do not hesitate to contact us at (530) 566-1400.

Sincerely,


BROADBENT & ASSOCIATES, INC.


Thomas A. Venus, P.E.

Senior Engineer


Robert H. Miller, P.G., C.HG.

Principal Hydrogeologist



Enclosures

cc: Mr. Steven Plunkett, Alameda County Environmental Health (Submitted via ACEH ftp site)
Ms. Shelby Lathrop, ConocoPhillips, 76 Broadway, Sacramento, California 95818
Electronic copy uploaded to GeoTracker

STATION #11132 QUARTERLY GROUND-WATER MONITORING REPORT

Facility: <u>#11132</u>	Address: <u>3201 35th Avenue, Oakland, California</u>
Environmental Business Manager:	<u>Mr. Paul Supple</u>
Consulting Co./Contact Persons:	<u>Broadbent & Associates, Inc.(BAI)/Rob Miller & Tom Venus (530) 566-1400</u>
Consultant Project No.:	<u>06-08-655</u>
Primary Agency/Regulatory ID No.:	<u>Alameda County Environmental Health (ACEH) ACEH Case # RO0000014</u>

WORK PERFORMED THIS QUARTER (Third Quarter 2007):

1. Prepared and submitted Second Quarter 2007 Ground-Water Monitoring Report.
2. Conducted ground-water monitoring/sampling for Third Quarter 2007. Work performed by Stratus Environmental, Inc. (Stratus) on 15 August 2007.
3. Performed monthly free product (FP) gauging and bailing.

WORK PROPOSED FOR NEXT QUARTER (Fourth Quarter 2007):

1. Prepared and submitted this Third Quarter 2007 Ground-Water Monitoring Report (contained herein).
2. Conduct quarterly ground-water monitoring/sampling for Fourth Quarter 2007.
3. Perform monthly FP gauging and bailing.
4. Conduct a mobile dual-phase extraction event onsite. Work tentatively scheduled for week of 26 November 2007.

QUARTERLY RESULTS SUMMARY:

Current phase of project:	<u>Ground-Water Monitoring/Sampling/FP Bailing</u>
Frequency of ground-water monitoring:	<u>Quarterly: MW-1 through MW-10 and RW-1</u>
Frequency of ground-water sampling:	<u>Quarterly: MW-1, MW-2, MW-5, MW-8, MW-9, MW-10, and RW-1</u> <u>Annually (1Q): MW-3, MW-4, MW-6, and MW-7</u>
Is free product (FP) present on-site:	<u>Yes (MW-1, RW-1)</u>
FP recovered this quarter:	<u>8.0 gallons</u>
Cumulative FP recovered since 1990:	<u>60.774 gallons</u>
Current remediation techniques:	<u>Interim FP Bailing</u>
Depth to ground water (below TOC):	<u>18.08 ft (MW-6) to 22.34 ft (MW-4)</u>
General ground-water flow direction:	<u>South-southwest</u>
Approximate hydraulic gradient:	<u>0.008 ft/ft</u>

DISCUSSION:

Third quarter ground-water monitoring was conducted at Former BP Station #11132 by Stratus on 15 August 2007. Water levels were gauged in the 11 wells at the Site. Sheen was noted in wells MW-2, MW-8, MW-9 and MW-10. Separate phase hydrocarbons (SPH, or Free Product – FP) were observed in wells MW-1 and RW-1. No other irregularities were noted during water level gauging. Depth to water measurements across the Site ranged from 18.08 ft at MW-6 to 22.34 ft at MW-4. Resulting ground-water surface elevations ranged from 148.02 ft above mean sea level at MW-4 to 146.34 ft at MW-5. Third quarter 2007 ground-water elevations were within the historic minimum and maximum ranges for each well. These ground-water level elevations yielded a potentiometric ground-

water flow direction and gradient of approximately 0.008 ft/ft to the south-southwest, which is consistent with historical data (see Table 3). Ground-water monitoring field data sheets are provided within Appendix A. Measured depths to ground-water and respective ground-water elevations are summarized in Table 1. Potentiometric ground-water elevation contours are presented in Drawing 1.

Ground-water samples were collected from wells MW-2, MW-5, MW-8, MW-9, and MW-10. Wells MW-1 and RW-1 were not sampled as FP was present (See discussion below). No other irregularities were reported during sampling. Samples were submitted under chain-of-custody protocol to Test America Analytical Testing Corporation (Morgan Hill, California), for analysis of Gasoline Range Organics (GRO, C4-12) by the LUFT GCMS Method; for Benzene, Toluene, Ethylbenzene, and Total Xylenes (BTEX) by EPA Method 8260B; and tert-Amyl methyl ether (TAME), tert-Butyl alcohol (TBA), Di-isopropyl ether(DIPE), 1,2-Dibromomethane (EDB), 1,2-Dichloroethane (1,2-DCA), Ethanol, Ethyl tert-butyl ether (ETBE), and Methyl tert-butyl ether (MTBE) by EPA Method 8260B. No significant irregularities were encountered during laboratory analysis of the samples. Ground-water sampling field data sheets and the laboratory analytical report, including chain-of-custody documentation, are provided in Appendix A.

Concentrations of GRO were detected above the laboratory reporting limit in each of the five wells sampled at concentrations up to 17,000 micrograms per liter ($\mu\text{g}/\text{L}$) in well MW-8. Benzene was detected above the laboratory reporting limit in each of the five wells sampled at concentrations up to 7,300 $\mu\text{g}/\text{L}$ in well MW-2. Toluene was detected above the laboratory reporting limit in three of the five wells sampled at concentrations up to 130 $\mu\text{g}/\text{L}$ in well MW-2. Ethylbenzene was detected above the laboratory reporting limit in each of the five wells sampled at concentrations up to 1,000 $\mu\text{g}/\text{L}$ in well MW-8. Total Xylenes were detected above the laboratory reporting limit in each of the five wells sampled at concentrations up to 2,700 $\mu\text{g}/\text{L}$ in well MW-8. TBA was detected above the laboratory reporting limit in one of the five wells sampled at a concentration of 2,400 $\mu\text{g}/\text{L}$ in well MW-2. MTBE was detected above the laboratory reporting limit in four of the five wells sampled at concentrations up to 280 $\mu\text{g}/\text{L}$ in well MW-5. The remaining fuel additives and oxygenates were not detected above their laboratory reporting limits in the wells sampled this quarter.

Detected analyte concentrations were within the historic minimum and maximum ranges recorded for each well with the following exception: Toluene reached a historic minimum value of 130 $\mu\text{g}/\text{L}$ in well MW-2. Historic laboratory analytical results are summarized in Table 1 and Table 2. The most recent GRO, Benzene, and MTBE concentrations are also presented in Drawing 1. A copy of the laboratory analytical report, including chain-of-custody documentation, is provided in Appendix A. Ground-water monitoring data (GEO_WELL) and laboratory analytical results (EDF) were uploaded to the GeoTracker AB2886 database. Upload confirmation pages are provided in Appendix B.

Separate phase hydrocarbons (SPH, or Free Product – FP) were monitored and removed during each month of Third Quarter 2007. On 19 July 2007, FP thickness was measured in wells MW-1 (oily film), RW-1 (no sheen/FP), MW-8 (no sheen/FP), MW-9 (no sheen/FP), and MW-10 (no sheen/FP). No FP was removed during this site visit. On 15 August 2007, FP thickness was measured in wells MW-1 (0.01 ft), RW-1 (0.02 ft), MW-8 (no sheen/FP), MW-9 (no sheen/FP), and MW-10 (no sheen/FP). Approximately two gallons of FP/water mixture was removed from each well MW-1 and RW-1 during this visit. On 18 September 2007, FP thickness was measured in wells MW-1 (0.10 ft) and RW-1 (0.03 ft). Approximately two gallons of FP/water mixture was removed from each well MW-1 and RW-1 during this visit. Approximately four gallons of FP/water mixture was removed from each well MW-1 and RW-1 during Third Quarter 2007, totaling eight gallons of FP/water mixture removed from the Site during Third Quarter 2007. Stratus will investigate the use of passive oil skimmers in wells MW-1 and RW-1. Passive oil skimmers will enable quantification of the volume of FP removed, as well as remove FP full-time. Total cumulative FP removed to date at the Site is approximately 60.774 gallons, but this


does not include the unknown volume absorbed within the socks that were removed and replaced each month during Second Quarter 2007. Table 4 contains a summary of FP removal data. Copies of the field data sheets for site visits conducted this quarter are included within Appendix A.

CLOSURE:

The findings presented in this report are based upon: observations of Stratus field personnel (see Appendix A), the points investigated, and results of laboratory tests performed by Test America (Morgan Hill, California). Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of Atlantic Richfield Company. It is possible that variations in soil or ground-water conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

ATTACHMENTS:

- Drawing 1. Ground-Water Elevation Contour and Analytical Summary Map, 15 August 2007,
Former BP Service Station #11132, 3201 35th Avenue, Oakland, California
- Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses, Station #11132, 3201 35th Ave., Oakland, CA
- Table 2. Summary of Fuel Additives Analytical Data, Station #11132, 3201 35th Ave., Oakland,
CA
- Table 3. Historical Ground-Water Flow Direction and Gradient, Station #11132, 3201 35th Ave.,
Oakland, CA
- Table 4. Free Product Removal, Former BP Service Station #11132, 3201 35th Avenue, Oakland,
CA
- Appendix A. Stratus Ground-Water Sampling Data Package (Includes Field Data Sheets and
Laboratory Analytical Report with Chain-of-Custody Documentation)
- Appendix B. GeoTracker Upload Confirmation



0 50 100
SCALE (ft)



BROADBENT & ASSOCIATES, INC.
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL
1324 Mangrove Ave, Suite 212, Chico, California 95926
Project No.: 06-08-655 Date: 10/19/07

Former BP Service Station #11132
3201 35th Avenue
Oakland, California

Ground-Water Elevation Contours
and Analytical Summary Map
15 August 2007

Drawing

1

NOTES: 1. SITE MAP ADAPTED FROM CAMBRIA ENVIRONMENTAL FIGURES.
SITE DIMENSIONS AND FIGURES FACILITY LOCATIONS NOT VERIFIED.
2. WELL MW-7 AND SUTER STREET LOCATIONS HAVE BEEN
CORRECTED FROM PREVIOUS MAPS.

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-1						--	--	--	--	--	--	--	--	--	--	
7/9/1990	--	169.75	--	0.22	--	--	--	--	--	--	--	--	--	--	--	
12/21/1990	--	169.75	--	0.58	--	--	--	--	--	--	--	--	--	--	--	
3/7/1991	--	169.75	20.59	0	149.16	--	--	--	--	--	--	--	--	--	--	
4/1/1991	--	169.75	16.51	0.15	153.09	--	--	--	--	--	--	--	--	--	--	
6/27/1991	--	169.75	--	0.18	--	--	--	--	--	--	--	--	--	--	--	
9/27/1991	--	169.75	--	0.27	--	--	--	--	--	--	--	--	--	--	--	
12/18/1991	--	169.75	--	0.28	--	--	--	--	--	--	--	--	--	--	--	
7/3/1992	--	169.75	22.30	0.27	147.18	--	--	--	--	--	--	--	--	--	--	
10/5/1992	--	169.75	23.98	0.24	145.53	--	--	--	--	--	--	--	--	--	--	
1/13/1993	--	169.75	17.03	0.24	152.48	--	--	--	--	--	--	--	--	--	--	
4/23/1993	--	169.75	18.10	0.42	151.23	--	--	--	--	--	--	--	--	--	--	
7/12/1993	--	169.75	22.02	0.49	147.24	--	--	--	--	--	--	--	--	--	--	
10/21/1993	--	169.75	25.12	1.09	143.54	--	--	--	--	--	--	--	--	--	--	
1/21/1994	--	169.75	23.02	0.76	145.97	--	--	--	--	--	--	--	--	--	--	
4/20/1994	--	169.75	24.54	1.8	143.41	--	--	--	--	--	--	--	--	--	--	
8/1/1994	--	169.75	24.11	0.35	145.29	--	--	--	--	--	--	--	--	--	--	
12/23/1994	--	169.75	18.19	--	151.56	--	--	--	--	--	--	--	--	--	--	
1/26/1995	--	169.75	16.25	1.1	152.40	--	--	--	--	--	--	--	--	--	--	
6/8/95-6/28/95	--	169.75	--	1.25	145.63	--	--	--	--	--	--	--	--	--	--	
6/8/1995	--	169.75	22.92	--	146.83	--	--	--	--	--	--	--	--	--	--	
8/22/1995	--	169.75	24.45	0.85	144.45	--	--	--	--	--	--	--	--	--	--	
10/27/1995	--	169.75	25.41	--	143.65	--	--	--	--	--	--	--	--	--	--	
10/30/95-12/23/95	--	169.75	--	0.69	--	--	--	--	--	--	--	--	--	--	--	
1/25/1996	--	169.75	18.20	--	151.55	--	--	--	--	--	--	--	--	--	--	
1/25/96-2/16/96	--	169.75	--	1.40	150.15	--	--	--	--	--	--	--	--	--	--	
4/19/1996	--	169.75	19.06	1.22	149.47	--	--	--	--	--	--	--	--	--	--	
7/23/1996	--	169.75	22.98	0.89	145.88	--	--	--	--	--	--	--	--	--	--	
11/11/1996	--	169.75	23.99	0.89	144.78	--	--	--	--	--	--	--	--	--	--	
1/21/1997	--	169.75	16.80	0.9	152.05	--	--	--	--	--	--	--	--	--	--	
4/29/1997	--	169.75	21.90	0.85	147.00	--	--	--	--	--	--	--	--	--	--	
4/30/1997	--	169.75	--	--	--	92,000	3,500	8,100	4,400	23,800	6,900	--	--	--	c	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-1 Cont.																
4/30/1997	--	169.75	--	--	--	100,000	3,600	8,000	4,000	21,300	7,700	5.2	--	--		
8/21/1997	--	169.75	23.40	--	146.35	140,000	3,000	8,500	3,900	22,100	5,700	5.3	--	--		
8/21/1997	--	169.75	--	--	--	120,000	3,200	8,100	3,800	19,600	5,200	--	--	--	c	
11/2/97-12/9/97	--	169.75	--	0.87	--	--	--	--	--	--	--	--	--	--	--	
11/5/1997	--	169.75	23.70	--	145.51	68,000	6,200	4,400	3,300	14,300	8,000	4.7	--	--		
11/5/1997	--	169.75	--	--	--	88,000	7,300	4,800	3,600	16,900	8,200	--	--	--	c	
2/3/1998	--	169.75	13.63	0.32	155.80	--	--	--	--	--	--	--	--	--		
2/4/1998	--	169.75	--	--	--	160,000	2,300	8,400	5,000	29,400	<10000	--	--	--	c	
2/4/1998	--	169.75	--	--	--	190,000	2,200	10,000	5,600	32,000	<10000	5.3	--	--		
5/28/1998	--	169.75	18.03	0.17	151.55	87,000	980	3,900	3,600	19,000	2,900	3.8	--	--		
12/30/1998	--	169.75	19.50	0.08	150.17	70,000	530	3,200	2,900	16,000	3,600	--	--	--		
2/2/1999	--	169.75	18.93	0.03	150.79	79,000	480	3,100	3,500	21,000	3,500	--	--	--		
5/10/1999	--	169.75	18.28	0.03	151.44	110,000	160	1,900	3,700	24,000	3,000	--	--	--		
8/24/1999	--	169.75	20.13	0.06	149.56	110,000	850	1,300	1,900	19,000	<50	--	--	--		
11/3/1999	--	169.75	22.27	0.36	147.12	65,000	6,300	1,100	3,300	9,500	8,900	--	--	--		
3/1/2000	--	169.75	14.79	0.23	154.73	--	--	--	--	--	--	--	--	--	h	
4/21/2000	--	169.75	18.10	0.33	151.32	61,000	330	780	2,700	17,000	1,300	--	--	--		
7/31/2000	--	169.75	21.60	0.53	147.62	1,500,000	340	2,100	24,000	120,000	2,700	--	--	--		
11/20/2000	--	169.75	21.69	0.37	147.69	1,700,000	1,800	2,300	19,000	93,000	3,900	--	--	--		
2/18/2001	--	169.75	16.70	0.13	152.92	--	--	--	--	--	--	--	--	--		
2/26/2001	--	169.75	14.38	0.15	155.22	100,000	658	466	4,210	15,000	1,890	--	--	--		
6/7/2001	--	169.75	20.78	0	148.97	70,000	705	440	3,870	12,200	2,720	--	--	--		
9/5/2001	--	169.75	23.36	0.35	146.04	--	--	--	--	--	--	--	--	--	j	
11/30/2001	--	169.75	20.85	0.41	148.49	--	--	--	--	--	--	--	--	--	k	
12/6/2001	--	169.75	18.72	0.27	150.76	39,000	3,500	237	2,150	4,500	5,400	--	--	--		
2/20/2002	--	169.75	17.43	0.15	152.17	52,000	465	271	1,600	11,400	106	--	--	--		
6/20/2002	--	169.75	21.18	0.34	148.23	--	--	--	--	--	--	--	--	--	j	
9/11/2002	--	169.75	22.86	0.4	146.49	--	--	--	--	--	--	--	--	--	j	
11/12/2002	--	169.75	22.65	0.37	146.73	--	--	--	--	--	--	--	--	--	j	
1/29/2003	--	169.75	18.15	0.3	151.30	--	--	--	--	--	--	--	--	--	j,n	
5/22/2003	--	169.75	18.49	0.2	151.06	--	--	--	--	--	--	--	--	--	j	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-1 Cont.						--	--	--	--	--	--	--	--	--	--	
6/24/2003	--	169.75	21.44	0.35	147.96	--	--	--	--	--	--	--	--	--	--	o
7/28/2003	--	169.75	22.72	0.35	146.68	--	--	--	--	--	--	--	--	--	--	j
8/12/2003	--	169.75	22.64	0.23	146.88	--	--	--	--	--	--	--	--	--	--	o
9/12/2003	--	169.75	20.70	0.24	148.81	--	--	--	--	--	--	--	--	--	--	o
10/3/2003	--	169.75	--	0.23	--	--	--	--	--	--	--	--	--	--	--	
11/18/2003	NP	169.75	21.70	0.25	148.25	--	--	--	--	--	--	--	--	--	--	
12/31/2003	--	169.75	--	0.15	--	--	--	--	--	--	--	--	--	--	--	
2/2/2004	--	169.75	--	0.15	--	--	--	--	--	--	--	--	--	--	--	
02/23/2004	NP	169.75	16.34	0.09	153.48	--	--	--	--	--	--	--	--	--	--	
3/18/2004	--	169.75	--	0.09	--	--	--	--	--	--	--	--	--	--	--	
4/13/2004	--	169.75	--	0.24	--	--	--	--	--	--	--	--	--	--	--	
05/04/2004	NP	169.75	21.28	0.16	148.60	--	--	--	--	--	--	--	--	--	--	
6/2/2004	--	169.75	--	0.08	--	--	--	--	--	--	--	--	--	--	--	
7/2/2004	--	169.75	--	0.28	--	--	--	--	--	--	--	--	--	--	--	
08/04/2004	--	169.75	22.54	0.10	147.29	--	--	--	--	--	--	--	--	--	--	
09/22/2004	NP	169.75	22.76	0.20	147.15	--	--	--	--	--	--	--	--	--	--	
10/26/2004	--	169.75	--	0.12	--	--	--	--	--	--	--	--	--	--	--	
11/10/2004	--	169.75	20.19	0.14	149.67	--	--	--	--	--	--	--	--	--	--	
12/27/2004	--	169.75	--	0.08	--	--	--	--	--	--	--	--	--	--	--	
01/13/2005	--	169.75	14.58	0.03	155.19	--	--	--	--	--	--	--	--	--	--	
02/15/2005	--	169.75	16.13	0.04	153.65	--	--	--	--	--	--	--	--	--	--	
03/07/2005	--	169.75	13.31	0.01	156.45	--	--	--	--	--	--	--	--	--	--	
4/29/2005	--	169.75	--	0.01	--	--	--	--	--	--	--	--	--	--	--	
05/16/2005	--	169.75	15.74	0.02	154.03	--	--	--	--	--	--	--	--	--	--	j
6/21/2005	--	169.75	--	0.01	--	--	--	--	--	--	--	--	--	--	--	
7/7/2005	--	169.75	--	0.18	--	--	--	--	--	--	--	--	--	--	--	
08/17/2005	--	169.75	21.15	0.08	148.66	--	--	--	--	--	--	--	--	--	--	j
9/6/2005	--	169.75	--	0.02	--	--	--	--	--	--	--	--	--	--	--	
10/4/2005	--	169.75	--	0.12	--	--	--	--	--	--	--	--	--	--	--	
11/18/2005	--	169.75	20.15	--	149.60	--	--	--	--	--	--	--	--	--	--	j
12/30/2005	--	169.75	--	0.03	--	--	--	--	--	--	--	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-1 Cont.						--	--	--	--	--	--	--	--	--	--	
1/24/2006	--	169.75	--	0.00	--	--	--	--	--	--	--	--	--	--	--	
02/07/2006	--	169.75	15.19	0.01	154.57	--	--	--	--	--	--	--	--	--	--	j
3/30/2006	--	169.75	--	0.00	--	--	--	--	--	--	--	--	--	--	--	
5/19/2006	P	169.75	17.42	--	152.33	44,000	73	510	3,300	5,300	86	--	SEQM	6.9	u, t	
8/23/2006	--	169.75	22.01	0.14	147.74	--	--	--	--	--	--	--	--	--	--	b, j
11/15/2006	--	169.75	21.98	0.18	147.91	--	--	--	--	--	--	--	--	--	--	b, j
2/14/2007	--	169.75	17.12	0.17	152.76	--	--	--	--	--	--	--	--	--	--	b, j
5/22/2007	--	169.75	19.49	0.01	150.26	--	--	--	--	--	--	--	--	--	--	b, j
8/15/2007	--	169.75	22.24	.01	147.52	--	--	--	--	--	--	--	--	--	--	b, j
MW-2						--	--	--	--	--	--	--	--	--	--	
7/9/1990	--	168.14	--	--	--	--	--	--	--	--	--	--	--	--	--	
12/21/1990	--	168.14	--	--	--	--	--	--	--	--	--	--	--	--	--	
3/7/1991	--	168.14	19.18	--	148.96	--	--	--	--	--	--	--	--	--	--	
4/1/1991	--	168.14	15.21	--	152.93	--	--	--	--	--	--	--	--	--	--	
6/27/1991	--	168.14	--	--	--	--	--	--	--	--	--	--	--	--	--	
9/27/1991	--	168.14	--	--	--	--	--	--	--	--	--	--	--	--	--	
12/18/1991	--	168.14	--	--	--	--	--	--	--	--	--	--	--	--	--	
7/3/1992	--	168.14	20.93	--	147.21	--	--	--	--	--	--	--	--	--	--	
10/5/1992	--	168.14	22.74	--	145.40	--	--	--	--	--	--	--	--	--	--	
1/13/1993	--	168.14	15.55	--	152.59	--	--	--	--	--	--	--	--	--	--	
4/23/1993	--	168.14	16.54	--	151.60	--	--	--	--	--	--	--	--	--	--	
7/12/1993	--	168.14	20.46	--	147.68	--	--	--	--	--	--	--	--	--	--	
10/21/1993	--	168.14	24.91	--	143.23	--	--	--	--	--	--	--	--	--	--	
1/21/1994	--	168.14	21.20	--	146.94	--	--	--	--	--	--	--	--	--	--	
4/20/1994	--	168.14	22.44	--	145.70	1,800	140	370	54	290	24	1.7	--	--	i	
8/1/1994	--	168.14	22.24	--	145.90	--	--	--	--	--	--	--	--	--	--	
12/23/1994	--	168.14	16.25	--	151.89	--	--	--	--	--	--	--	--	--	--	
1/26/1995	--	168.14	14.55	--	153.59	--	--	--	--	--	--	--	--	--	--	
6/8/1995	--	168.14	21.18	--	146.96	--	--	--	--	--	--	--	--	--	--	
8/22/1995	--	168.14	22.76	--	145.38	--	--	--	--	--	--	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-2 Cont.																
10/27/1995	--	168.14	23.61	--	144.53	--	--	--	--	--	--	--	--	--	--	
1/25/1996	--	168.14	15.95	--	152.19	--	--	--	--	--	--	--	--	--	--	
4/19/1996	--	168.14	17.33	--	150.81	--	--	--	--	--	--	--	--	--	--	
7/23/1996	--	168.14	21.25	--	146.89	--	--	--	--	--	--	--	--	--	--	
11/11/1996	--	168.14	22.27	--	145.87	--	--	--	--	--	--	--	--	--	--	
1/21/1997	--	168.14	15.19	--	152.95	--	--	--	--	--	--	--	--	--	--	
4/29/1997	--	168.14	20.22	--	147.92	--	--	--	--	--	--	--	--	--	--	
4/30/1997	--	168.14	--	--	--	130,000	4,600	15,000	6,000	37,000	<5000	5	--	--		
8/21/1997	--	168.14	21.74	--	146.40	110,000	6,000	16,000	4,700	28,000	<500	4.6	--	--		
11/5/1997	--	168.14	21.61	--	146.53	120,000	7,800	18,000	4,900	28,100	<2500	4.6	--	--		
2/3/1998	--	168.14	11.51	--	156.63	75,000	590	1,500	1,800	12,800	<2500	4.5	--	--		
5/28/1998	--	168.14	16.51	--	151.63	79,000	3,900	3,100	3,100	18,000	900	4.3	--	--		
12/30/1998	--	168.14	17.70	--	150.44	95,000	4,700	3,500	3,700	21,000	<250	--	--	--		
2/2/1999	--	168.14	15.46	--	152.68	170,000	3,500	1,500	5,200	34,000	<500	--	--	--		
5/10/1999	--	168.14	16.52	--	151.62	84,000	3,200	3,200	3,700	20,000	75	--	--	--		
8/24/1999	--	168.14	20.73	--	147.41	130,000	9,100	9,200	4,700	27,000	<250	--	--	--		
11/3/1999	--	168.14	20.93	--	147.21	120,000	10,000	21,000	4,700	30,200	2,200	--	--	--		
3/1/2000	--	168.14	13.37	--	154.77	39,000	1,400	1,500	1,700	8,100	44	--	--	--		
4/21/2000	--	168.14	16.59	--	151.55	68,000	3,300	2,500	3,100	20,000	260	--	--	--		
7/31/2000	--	168.14	16.37	--	151.77	99,000	5,600	1,400	4,300	22,000	490	--	--	--		
11/20/2000	--	168.14	19.71	--	148.43	37,000	5,100	1,500	1,300	4,800	2,800	--	--	--		
2/18/2001	--	168.14	15.29	--	152.85	54,000	5,020	3,880	2,850	15,400	1,010	--	--	--		
6/7/2001	--	168.14	19.43	--	148.71	110,000	7,240	4,380	4,160	22,100	567	--	--	--		
9/5/2001	--	168.14	22.44	--	145.70	69,000	5,750	5,790	2,770	14,200	1,510	--	--	--		
11/30/2001	--	168.14	19.58	--	148.56	120,000	7,270	6,540	4,590	23,000	794	--	--	--		
2/20/2002	--	168.14	16.39	--	151.75	56,000	2,410	2,270	2,910	14,300	160	--	--	--		
6/20/2002	--	168.14	19.77	--	148.37	86,000	7,310	6,490	3,080	14,600	659	--	--	--		
9/11/2002	--	168.14	21.60	--	146.54	130,000	7,600	13,000	5,400	30,000	<5000	--	--	--		
11/12/2002	--	168.14	21.34	--	146.80	46,000	4,100	4,300	1,900	10,000	1,900	--	--	--	t	
1/29/2003	--	168.14	16.80	--	151.34	77,000	4,700	2,600	2,800	13,000	820	--	--	--	n,t	
5/22/2003	--	168.14	17.15	--	150.99	52,000	6,400	2,600	1,800	7,400	1,000	--	--	--	t	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-2 Cont.																
7/28/2003	--	168.14	21.47	--	146.67	31,000	6,900	5,500	2,200	12,000	1,700	--	--	--	p	
11/18/2003	P	168.14	20.50	--	147.64	23,000	3,300	800	500	2,000	500	--	SEQM	6.6		
02/23/2004	P	168.14	14.77	--	153.37	84,000	14,000	6,200	3,100	14,000	790	--	SEQM	6.6	t	
05/04/2004	P	168.14	20.09	--	148.05	120,000	15,000	17,000	4,900	24,000	780	--	SEQM	6.6	t	
08/04/2004	P	168.14	21.39	--	146.75	38,000	9,100	3,300	1,900	5,800	430	--	SEQM	6.69	t	
11/10/2004	P	168.14	18.98	--	149.16	22,000	4,400	2,000	940	3,600	310	--	SEQM	7.5		
02/15/2005	P	168.14	15.62	--	152.52	67,000	11,000	4,200	3,000	11,000	690	--	SEQM	7.1	t	
05/16/2005	P	168.14	14.71	--	153.43	94,000	11,000	7,600	4,100	17,000	560	--	SEQM	6.5		
08/17/2005	P	168.14	20.00	--	148.14	110,000	13,000	8,000	4,300	18,000	480	--	SEQM	6.6		
11/18/2005	P	168.14	20.89	--	147.25	37,000	11,000	2,400	1,500	4,600	340	--	SEQM	6.6		
02/07/2006	P	168.14	13.31	--	154.83	74,000	8,900	5,800	3,600	14,000	440	--	SEQM	6.7		
5/19/2006	P	168.14	16.30	--	151.84	78,000	11,000	3,700	4,500	14,000	430	--	SEQM	6.6	t	
8/23/2006	P	168.14	20.83	--	147.31	100,000	12,000	9,100	5,800	25,000	480	--	TAMC	6.6		
11/15/2006	--	168.14	20.80	--	147.34	46,000	8,800	3,600	2,300	8,500	400	0.70	TAMC	6.73		
2/14/2007	P	168.14	15.96	SHEEN	152.18	100,000	13,000	3,600	6,200	26,000	810	1.43	TAMC	6.97	t	
5/22/2007	P	168.14	18.20	--	149.94	91,000	15,000	8,700	4,700	20,000	1,000	0.08	TAMC	6.90		
8/15/2007	P	168.14	21.23	SHEEN	146.91	14,000	7,300	130	280	600	260	4.24	TAMC	6.78		
MW-3																
7/9/1990	--	167.17	--	--	--	140	5.3	4.6	2	3.8	--	--	--	--		
12/21/1990	--	167.17	--	--	--	0.19	100	6	0.9	27	--	--	--	--		
3/7/1991	--	167.17	17.40	--	149.77	0.4	69	22	6.1	57	--	--	--	--		
4/1/1991	--	167.17	13.69	--	153.48	--	--	--	--	--	--	--	--	--		
6/27/1991	--	167.17	--	--	--	380	28	26	13	46	--	--	--	--		
9/27/1991	--	167.17	--	--	--	0.07	7.9	--	0.4	1.1	--	--	--	--		
12/18/1991	--	167.17	--	--	--	0.26	34	24	0.8	28	--	--	--	--		
7/3/1992	--	167.17	19.59	--	147.58	71	9.4	0.9	5	13	--	--	--	--		
10/5/1992	--	167.17	--	--	--	<50	2.2	<0.5	1.5	2.8	--	--	--	--	c	
10/5/1992	--	167.17	21.22	--	145.95	67	5.1	1.1	6.1	8.1	--	--	--	--		
1/13/1993	--	167.17	13.63	--	153.54	830	50	34	42	89	--	--	--	--	i	
4/23/1993	--	167.17	15.02	--	152.15	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	i	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-3 Cont.																
4/23/1993	--	167.17	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	c,i	
7/12/1993	--	167.17	19.16	--	148.01	250	12	4.2	12	16	<5.0	--	--	--	i	
10/21/1993	--	167.17	--	--	--	65	7.4	1	6.9	4.2	--	--	--	--	c	
10/21/1993	--	167.17	21.81	--	145.36	52	4.4	1.4	4.7	3.3	<5.0	--	--	--	i	
1/21/1994	--	167.17	19.94	--	147.23	57	3	3.4	3.6	9	<5.0	--	--	--	i	
4/20/1994	--	167.17	20.24	--	146.93	600	26	23	33	88	28.7	1.8	--	--	i	
8/1/1994	--	167.17	20.74	--	146.43	99	6.2	1.1	4.5	5.2	<5.0	1.4	--	--	i	
8/1/1994	--	167.17	--	--	--	120	7.7	1.6	5.9	6.7	5.43	--	--	--	c,i	
12/23/1994	--	167.17	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	c	
12/23/1994	--	167.17	14.70	--	152.47	<50	<0.5	0.78	<0.5	<0.5	9.8	1.7	--	--	i	
1/26/1995	--	167.17	12.89	--	154.28	190	16	0.5	35	24	--	6.6	--	--	d	
6/8/1995	--	167.17	19.95	--	147.22	330	21	4	34	32	--	7	--	--		
8/22/1995	--	167.17	21.41	--	145.76	150	14	<0.50	<0.50	1.6	<5.0	6.6	--	--	d	
10/27/1995	--	167.17	22.43	--	144.74	--	--	--	--	--	--	--	--	--		
10/30/1995	--	167.17	--	--	--	51	2.4	<0.50	<0.50	<1.0	<5.0	6.9	--	--		
1/25/1996	--	167.17	14.03	--	153.14	<50	<0.50	<0.50	<0.50	<1.0	5.1	--	--	--		
4/19/1996	--	167.17	15.26	--	151.91	460	55	4	33	63	<10	9.4	--	--		
7/23/1996	--	167.17	19.19	--	147.98	<50	<0.5	<0.5	<0.5	<0.5	<10	9.2	--	--		
11/11/1996	--	167.17	20.24	--	146.93	<250	<2.5	<5.0	<5.0	<5.0	<50	8.4	--	--		
1/21/1997	--	167.17	13.09	--	154.08	<50	<0.5	<1.0	<1.0	<1.0	<10	5.4	--	--		
4/29/1997	--	167.17	18.14	--	149.03	<50	<0.5	<1.0	<1.0	<1.0	<10	4.3	--	--		
8/21/1997	--	167.17	19.64	--	147.53	<50	<0.5	<1.0	<1.0	<1.0	<10	4.9	--	--		
11/5/1997	--	167.17	19.95	--	147.22	<250	<2.5	<5.0	<5.0	<5.0	<50	4.5	--	--		
2/3/1998	--	167.17	10.57	--	156.60	<50	<0.50	<1.0	<1.0	<1.0	<10	4.7	--	--		
5/28/1998	--	167.17	14.65	--	152.52	330	<2.5	<5.0	<5.0	<5.0	<50	4.2	--	--		
12/30/1998	--	167.17	16.63	--	150.54	--	--	--	--	--	--	--	--	--		
2/2/1999	--	167.17	13.12	--	154.05	<250	<5.0	<5.0	<5.0	<5.0	<5.0	--	--	--		
5/10/1999	--	167.17	14.21	--	152.96	--	--	--	--	--	--	--	--	--		
8/24/1999	--	167.17	14.36	--	152.81	--	--	--	--	--	--	--	--	--		
11/3/1999	--	167.17	19.21	--	147.96	--	--	--	--	--	--	--	--	--		
3/1/2000	--	167.17	15.17	--	152.00	<50	<0.5	0.57	<0.5	0.62	<0.5	--	--	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-3 Cont.																
4/21/2000	--	167.17	14.88	--	152.29	--	--	--	--	--	--	--	--	--	--	
7/31/2000	--	167.17	15.29	--	151.88	--	--	--	--	--	--	--	--	--	--	
11/20/2000	--	167.17	17.31	--	149.86	--	--	--	--	--	--	--	--	--	--	
2/18/2001	--	167.17	12.85	--	154.32	160	1.95	1.31	10.2	9.09	1	--	--	--	--	
6/7/2001	--	167.17	18.00	--	149.17	--	--	--	--	--	--	--	--	--	--	
9/5/2001	--	167.17	20.32	--	146.85	--	--	--	--	--	--	--	--	--	--	
11/30/2001	--	167.17	16.94	--	150.23	--	--	--	--	--	--	--	--	--	--	
2/20/2002	--	167.17	14.84	--	152.33	86	<0.5	0.845	6.58	5.75	<0.5	--	--	--	--	
6/20/2002	--	167.17	18.40	--	148.77	--	--	--	--	--	--	--	--	--	--	
9/11/2002	--	167.17	20.06	--	147.11	--	--	--	--	--	--	--	--	--	--	
11/12/2002	--	167.17	19.84	--	147.33	--	--	--	--	--	--	--	--	--	--	
1/27/2003	--	167.17	14.83	--	152.34	850	20	9.7	24	45	0.76	--	--	--	n	
5/22/2003	--	167.17	15.60	--	151.57	--	--	--	--	--	--	--	--	--	--	
7/28/2003	--	167.17	20.12	--	147.05	--	--	--	--	--	--	--	--	--	p	
11/18/2003	--	167.17	19.15	--	148.02	--	--	--	--	--	--	--	--	--	--	
02/23/2004	--	167.17	13.53	--	153.64	160	<0.50	1.1	9.6	12	<0.50	--	SEQM	6.7		
05/04/2004	--	167.17	18.61	--	148.56	--	--	--	--	--	--	--	--	--	--	
08/04/2004	--	167.17	19.21	--	147.96	--	--	--	--	--	--	--	--	--	--	
11/10/2004	--	167.17	17.48	--	149.69	--	--	--	--	--	--	--	--	--	--	
02/15/2005	P	167.17	14.31	--	152.86	500	7.8	1.8	9.2	9.6	1.7	--	SEQM	7.5		
05/16/2005	--	167.17	13.11	--	154.06	--	--	--	--	--	--	--	--	--	--	
08/17/2005	--	167.17	18.53	--	148.64	--	--	--	--	--	--	--	--	--	--	
11/18/2005	--	167.17	19.34	--	147.83	--	--	--	--	--	--	--	--	--	--	
02/07/2006	P	167.17	11.64	--	155.53	65	<0.50	<0.50	1.4	2.3	<0.50	--	SEQM	7.1		
5/19/2006	--	167.17	14.88	--	152.29	--	--	--	--	--	--	--	--	--	--	
8/23/2006	--	167.17	19.43	--	147.74	--	--	--	--	--	--	--	--	--	--	
11/15/2006	--	167.17	19.22	--	147.95	--	--	--	--	--	--	--	--	--	--	
2/14/2007	P	167.17	13.80	--	153.37	200	1.1	<0.50	5.9	3.2	3.8	0.68	TAMC	7.52		
5/22/2007	--	167.17	16.80	--	150.37	--	--	--	--	--	--	--	--	--	--	
8/15/2007	--	167.17	19.87	--	147.30	--	--	--	--	--	--	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-4						--	--	--	--	--	--	--	--	--	--	
7/9/1990	--	170.36	--	--	--	--	--	--	--	--	--	--	--	--	--	
12/21/1990	--	170.36	--	--	--	--	--	--	--	0.8	--	--	--	--	--	
3/7/1991	--	170.36	20.72	--	149.64	--	2.2	3.8	1.5	2.8	--	--	--	--	--	
4/1/1991	--	170.36	17.49	--	152.87	--	--	--	--	--	--	--	--	--	--	
6/27/1991	--	170.36	--	--	--	--	6.3	1.8	0.4	1	--	--	--	--	--	
9/27/1991	--	170.36	--	--	--	--	--	--	--	--	--	--	--	--	--	
12/18/1991	--	170.36	--	--	--	--	--	--	--	--	--	--	--	--	--	
7/3/1992	--	170.36	22.16	--	148.20	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	
10/5/1992	--	170.36	23.38	--	146.98	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	
1/13/1993	--	170.36	17.58	--	152.78	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	i	
4/23/1993	--	170.36	15.72	--	154.64	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	i	
7/12/1993	--	170.36	21.74	--	148.62	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	i	
10/21/1993	--	170.36	23.84	--	146.52	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	i	
1/21/1994	--	170.36	22.42	--	147.94	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	i	
4/20/1994	--	170.36	22.66	--	147.70	<50	<0.5	<0.5	<0.5	<0.5	<5.0	2.2	--	--	i	
8/1/1994	--	170.36	23.01	--	147.35	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.9	--	--	i	
12/23/1994	--	170.36	17.03	--	153.33	--	--	--	--	--	--	--	--	--	--	
1/26/1995	--	170.36	17.42	--	152.94	<50	<0.5	<0.5	<0.5	<1	--	7.5	--	--		
6/8/1995	--	170.36	21.55	--	148.81	--	--	--	--	--	--	--	--	--	--	
8/22/1995	--	170.36	23.47	--	146.89	<50	<0.50	<0.50	<0.50	<1.0	<5.0	6.4	--	--	d	
10/27/1995	--	170.36	24.50	--	145.86	--	--	--	--	--	--	--	--	--	--	
1/25/1996	--	170.36	18.74	--	151.62	<50	<0.50	<0.50	<0.50	<1.0	58	--	--	--		
4/19/1996	--	170.36	18.63	--	151.73	--	--	--	--	--	--	--	--	--		
7/23/1996	--	170.36	22.56	--	147.80	--	--	--	--	--	--	--	--	--		
11/11/1996	--	170.36	23.63	--	146.73	<50	<1.0	<1.0	<1.0	<1.0	34	8.2	--	--		
1/21/1997	--	170.36	16.59	--	153.77	--	--	--	--	--	--	--	--	--	--	
4/29/1997	--	170.36	21.43	--	148.93	<50	<0.5	<1.0	<1.0	<1.0	<10	4.7	--	--		
8/21/1997	--	170.36	22.91	--	147.45	--	--	--	--	--	--	--	--	--		
11/5/1997	--	170.36	22.34	--	148.02	60	<0.5	<1.0	<1.0	<1.0	76	4.9	--	--		
2/3/1998	--	170.36	12.26	--	158.10	--	--	--	--	--	--	--	--	--	--	
5/28/1998	--	170.36	18.50	--	151.86	70	<0.5	<1.0	<1.0	<1.0	160	4.2	--	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-4 Cont.																
12/30/1998	--	170.36	19.69	--	150.67	--	--	--	--	--	--	--	--	--	--	
2/2/1999	--	170.36	18.26	--	152.10	70	<1.0	<1.0	<1.0	<1.0	130	--	--	--	--	
5/10/1999	--	170.36	17.86	--	152.50	--	--	--	--	--	--	--	--	--	--	
8/24/1999	--	170.36	17.93	--	152.43	--	--	--	--	--	--	--	--	--	--	
11/3/1999	--	170.36	22.78	--	147.58	--	--	--	--	--	--	--	--	--	--	
3/1/2000	--	170.36	18.04	--	152.32	<50	<0.5	0.67	<0.5	0.7	110	--	--	--	--	
4/21/2000	--	170.36	17.36	--	153.00	--	--	--	--	--	--	--	--	--	--	
7/31/2000	--	170.36	17.83	--	152.53	--	--	--	--	--	--	--	--	--	--	
11/20/2000	--	170.36	18.91	--	151.45	--	--	--	--	--	--	--	--	--	--	
2/18/2001	--	170.36	17.72	--	152.64	88	<0.5	<0.5	<0.5	<0.5	97.3	--	--	--	--	
6/7/2001	--	170.36	20.23	--	150.13	--	--	--	--	--	--	--	--	--	--	
9/5/2001	--	170.36	22.76	--	147.60	--	--	--	--	--	--	--	--	--	--	
11/30/2001	--	170.36	21.30	--	149.06	--	--	--	--	--	--	--	--	--	--	
2/20/2002	--	170.36	19.32	--	151.04	76	<0.5	<0.5	<0.5	<0.5	81	--	--	--	--	
6/20/2002	--	170.36	20.71	--	149.65	--	--	--	--	--	--	--	--	--	--	
9/11/2002	--	170.36	22.22	--	148.14	--	--	--	--	--	--	--	--	--	--	
11/12/2002	--	170.36	22.22	--	148.14	--	--	--	--	--	--	--	--	--	--	
1/29/2003	--	170.36	19.80	--	150.56	100	<0.5	<0.5	<0.5	<0.5	66	--	--	--	n	
5/22/2003	--	170.36	19.35	--	151.01	--	--	--	--	--	--	--	--	--	--	
7/28/2003	--	170.36	22.18	--	148.18	--	--	--	--	--	--	--	--	--	p	
11/18/2003	--	170.36	21.65	--	148.71	--	--	--	--	--	--	--	--	--	--	
02/23/2004	P	170.36	17.53	--	152.83	75	<0.50	<0.50	<0.50	<0.50	65	--	SEQM	6.8		
05/04/2004	--	170.36	20.62	--	149.74	--	--	--	--	--	--	--	--	--	--	
08/04/2004	--	170.36	21.30	--	149.06	--	--	--	--	--	--	--	--	--	--	
11/10/2004	--	170.36	20.65	--	149.71	--	--	--	--	--	--	--	--	--	--	
02/15/2005	P	170.36	18.91	--	151.45	<50	<0.50	<0.50	<0.50	<0.50	62	--	SEQM	7.6		
05/16/2005	--	170.36	17.34	--	153.02	--	--	--	--	--	--	--	--	--	--	
08/17/2005	--	170.36	21.31	--	149.05	--	--	--	--	--	--	--	--	--	--	
11/18/2005	--	170.36	21.67	--	148.69	--	--	--	--	--	--	--	--	--	--	
02/07/2006	P	170.36	16.74	--	153.62	100	<0.50	<0.50	1.0	3.0	29	--	SEQM	6.8		
5/19/2006	--	170.36	18.22	--	152.14	--	--	--	--	--	--	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-4 Cont.																
8/23/2006	--	170.36	20.95	--	149.41	--	--	--	--	--	--	--	--	--	--	
11/15/2006	--	170.36	22.21	--	148.15	--	--	--	--	--	--	--	--	--	--	
2/14/2007	P	170.36	18.25	--	152.11	<50	<0.50	<0.50	<0.50	<0.50	61	0.95	TAMC	7.34		
5/22/2007	--	170.36	20.16	--	150.20	--	--	--	--	--	--	--	--	--	--	
8/15/2007	--	170.36	22.34	--	148.02	--	--	--	--	--	--	--	--	--	--	
MW-5																
7/9/1990	--	165.14	--	--	--	280	200	210	46	290	--	--	--	--	--	
12/21/1990	--	165.14	--	--	--	0.69	300	34	8.4	39	--	--	--	--	--	
3/7/1991	--	165.14	16.60	--	148.54	--	17	0.9	0.7	1.6	--	--	--	--	--	
4/1/1991	--	165.14	11.99	--	153.15	800	250	54	11	60	--	--	--	--	--	
6/27/1991	--	165.14	--	--	--	330	120	10	12	8	--	--	--	--	--	
9/27/1991	--	165.14	--	--	--	0.73	230	16	20	22	--	--	--	--	--	
12/18/1991	--	165.14	--	--	--	--	--	--	--	--	--	--	--	--	--	
7/3/1992	--	165.14	18.65	--	146.49	150	36	<0.5	<0.5	1.1	--	--	--	--	--	
10/5/1992	--	165.14	20.32	--	144.82	270	79	4	1.7	2.9	--	--	--	--	--	
1/13/1993	--	165.14	13.03	--	152.11	180	59	6	1.8	7.6	--	--	--	--	i	
4/23/1993	--	165.14	13.51	--	151.63	8,700	440	96	35	136	--	--	--	--	i	
7/12/1993	--	165.14	18.06	--	147.08	250	57	2.9	2.1	6	<5.0	--	--	--	i	
10/21/1993	--	165.14	20.41	--	144.73	210	82	1.5	<0.5	1.4	--	--	--	--	i	
1/21/1994	--	165.14	18.86	--	146.28	110	36	1.2	<0.5	0.7	<5.0	--	--	--	i	
4/20/1994	--	165.14	17.30	--	147.84	690	230	4.5	1.6	11	21.2	1.3	--	--	i	
8/1/1994	--	165.14	17.53	--	147.61	170	44	1.6	0.9	2.7	<5.0	0.9	--	--	i	
12/23/1994	--	165.14	11.63	--	153.51	630	180	1.9	0.66	1.9	7.81	1.4	--	--	i	
1/26/1995	--	165.14	11.25	--	153.89	160	68	<0.5	<0.5	22	--	5.9	--	--		
6/8/1995	--	165.14	16.80	--	148.34	2,000	630	58	61	180	--	6.5	--	--		
6/8/1995	--	165.14	--	--	--	1,700	560	51	55	170	--	--	--	--	c	
8/22/1995	--	165.14	19.02	--	146.12	3,700	1,100	18	27	59	<130	7.3	--	--	d	
10/27/1995	--	165.14	20.94	--	144.20	--	--	--	--	--	--	--	--	--		
10/30/1995	--	165.14	--	--	--	6,500	2,200	55	180	270	<250	7.5	--	--		
1/25/1996	--	165.14	--	--	--	540	37	0.66	<0.50	<1.0	<5.0	--	--	--	c	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-5 Cont.																
1/25/1996	--	165.14	13.30	--	151.84	590	37	0.7	<0.50	<1.0	<5.0	--	--	--		
4/19/1996	--	165.14	13.63	--	151.51	1,500	470	38	49	210	<50	8.1	--	--		
7/23/1996	--	165.14	17.61	--	147.53	140	4.6	<0.5	<0.5	<0.5	<10	8	--	--		
11/11/1996	--	165.14	18.70	--	146.44	140	40	<1.0	<1.0	<1.0	<10	7.9	--	--		
1/21/1997	--	165.14	11.63	--	153.51	730	300	<5.0	7.8	26	<50	5	--	--		
4/29/1997	--	165.14	16.74	--	148.40	340	530	<5.0	<5.0	<5.0	<50	4.8	--	--		
8/21/1997	--	165.14	18.26	--	146.88	<50	<0.5	<1.0	<1.0	<1.0	<10	4.9	--	--		
11/5/1997	--	165.14	18.84	--	146.30	120	13	<1.0	<1.0	<1.0	<10	4.4	--	--		
2/3/1998	--	165.14	9.49	--	155.65	<50	<0.50	<1.0	<1.0	<1.0	<10	4.3	--	--		
5/28/1998	--	165.14	13.57	--	151.57	4,900	1,500	34	180	311	<10	4.1	--	--		
12/30/1998	--	165.14	14.65	--	150.49	--	--	--	--	--	--	--	--	--		
2/2/1999	--	165.14	12.56	--	152.58	100	<1.0	<1.0	<1.0	<1.0	9.1	--	--	--		
5/10/1999	--	165.14	13.36	--	151.78	--	--	--	--	--	--	--	--	--		
8/24/1999	--	165.14	13.50	--	151.64	--	--	--	--	--	--	--	--	--		
11/3/1999	--	165.14	18.48	--	146.66	--	--	--	--	--	--	--	--	--		
3/1/2000	--	165.14	9.59	--	155.55	<50	<0.5	0.58	<0.5	0.54	2.9	--	--	--		
4/21/2000	--	165.14	13.52	--	151.62	--	--	--	--	--	--	--	--	--		
7/31/2000	--	165.14	14.04	--	151.10	--	--	--	--	--	--	--	--	--		
11/20/2000	--	165.14	15.89	--	149.25	--	--	--	--	--	--	--	--	--		
2/18/2001	--	165.14	11.88	--	153.26	560	161	2.38	6.11	13	5.67	--	--	--		
6/7/2001	--	165.14	15.30	--	149.84	--	--	--	--	--	--	--	--	--		
9/5/2001	--	165.14	19.32	--	145.82	--	--	--	--	--	--	--	--	--		
11/30/2001	--	165.14	17.44	--	147.70	--	--	--	--	--	--	--	--	--		
2/20/2002	--	165.14	13.88	--	151.26	4,200	940	18.7	98.2	176	55.6	--	--	--		
6/20/2002	--	165.14	16.20	--	148.94	--	--	--	--	--	--	--	--	--		
9/11/2002	--	165.14	19.15	--	145.99	--	--	--	--	--	--	--	--	--		
11/12/2002	--	165.14	19.01	--	146.13	390	55	0.89	3.4	3.5	210	--	--	--		
1/29/2003	--	165.14	16.33	--	148.81	7,900	1,400	34	220	350	82	--	--	--	n	
5/22/2003	--	165.14	14.35	--	150.79	9,900	2,300	91	400	690	<50	--	--	--		
7/28/2003	--	165.14	18.90	--	146.24	3,200	690	14	81	100	120	--	--	--	p	
11/18/2003	--	165.14	--	--	--	--	--	--	--	--	--	--	--	--	Well inaccessible e, q	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-5 Cont.																
02/23/2004	P	165.14	12.21	--	152.93	7,500	1,500	100	190	350	100	--	SEQM	6.7		
05/04/2004	P	165.14	17.12	--	148.02	5,900	1,500	57	200	280	42	--	SEQM	6.6		
08/04/2004	P	165.14	19.05	--	146.09	<2,500	<25	<25	<25	<25	390	--	SEQM	6.69		
11/10/2004	P	165.14	16.95	--	148.19	870	80	<5.0	<5.0	<5.0	530	--	SEQM	7.5		
02/15/2005	P	165.14	12.75	--	152.39	1,600	330	8.0	37	67	260	--	SEQM	7.2		
05/16/2005	P	165.14	15.46	--	149.68	<500	<5.0	<5.0	<5.0	<5.0	370	--	SEQM	6.7		
08/17/2005	P	165.14	17.00	--	148.14	7,000	1,000	17	110	130	51	--	SEQM	6.6		
11/18/2005	P	165.14	18.33	--	146.81	1,900	91	<5.0	33	29	340	--	SEQM	7.3		
02/07/2006	P	165.14	10.27	--	154.87	2,100	590	9.6	86	110	200	--	SEQM	6.7		
5/19/2006	P	165.14	13.08	--	152.06	3,200	720	9.7	150	170	44	--	SEQM	6.8		
8/23/2006	P	165.14	17.02	--	148.12	1,400	69	<5.0	20	24	230	--	TAMC	7.11		
11/15/2006	P	165.14	18.30	--	146.84	1,100	24	<2.5	10	8.6	490	0.85	TAMC	6.82		
2/14/2007	P	165.14	13.16	--	151.98	680	110	<2.5	16	11	420	2.54	TAMC	7.24		
5/22/2007	P	165.14	15.42	--	149.72	2,800	660	8.8	74	100	26	1.41	TAMC	7.03		
8/15/2007	P	165.14	18.80	--	146.34	2,800	50	<10	26	29	280	3.81	TAMC	7.14		
MW-6																
7/9/1990	--	165.40	--	--	--	--	--	--	--	--	--	--	--	--		
12/21/1990	--	165.40	--	--	--	0.17	2.6	7	4.9	26	--	--	--	--		
3/7/1991	--	165.40	--	--	--	--	--	--	--	--	--	--	--	--	e	
4/1/1991	--	165.40	11.79	--	153.61	--	--	--	--	--	--	--	--	--	--	
6/27/1991	--	165.40	--	--	--	--	--	--	--	--	--	--	--	--	e	
9/27/1991	--	165.40	--	--	--	--	--	--	--	--	--	--	--	--	e	
12/18/1991	--	165.40	--	--	--	--	1.3	22	--	2.7	--	--	--	--		
7/3/1992	--	165.40	17.77	--	147.63	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
10/5/1992	--	165.40	19.46	--	145.94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
1/13/1993	--	165.40	11.34	--	154.06	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	i	
4/23/1993	--	165.40	12.92	--	152.48	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	i	
7/12/1993	--	165.40	17.36	--	148.04	<50	<0.5	<0.5	<0.5	0.7	<5.0	--	--	--	i	
10/21/1993	--	165.40	19.98	--	145.42	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	i	
1/21/1994	--	165.40	18.10	--	147.30	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	i	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-6 Cont.																
4/20/1994	--	165.40	18.68	--	146.72	<50	<0.5	<0.5	<0.5	<0.5	17.4	2	--	--	i	
8/1/1994	--	165.40	18.90	--	146.50	<50	<0.5	<0.5	<0.5	<0.5	8.66	1.5	--	--	i	
12/23/1994	--	165.40	12.94	--	152.46	--	--	--	--	--	--	--	--	--	--	
1/26/1995	--	165.40	10.46	--	154.94	<50	<0.5	<0.5	<0.5	<1	--	7.3	--	--		
6/8/1995	--	165.40	16.84	--	148.56	--	--	--	--	--	--	--	--	--	--	
8/22/1995	--	165.40	19.48	--	145.92	<50	<0.50	<0.50	<0.50	<1.0	<5.0	6.7	--	--	d	
10/27/1995	--	165.40	20.39	--	145.01	--	--	--	--	--	--	--	--	--	--	
1/25/1996	--	165.40	12.24	--	153.16	<50	<0.50	<0.50	<0.50	<1.0	9.9	--	--	--		
4/19/1996	--	165.40	13.90	--	151.50	--	--	--	--	--	--	--	--	--	--	
7/23/1996	--	165.40	17.83	--	147.57	--	--	--	--	--	--	--	--	--	--	
11/11/1996	--	165.40	18.90	--	146.50	<50	<0.5	<1.0	<1.0	<1.0	<10	7.7	--	--		
1/21/1997	--	165.40	11.97	--	153.43	--	--	--	--	--	--	--	--	--	--	
4/29/1997	--	165.40	17.04	--	148.36	<50	<0.5	<1.0	<1.0	<1.0	<10	4.5	--	--		
8/21/1997	--	165.40	18.58	--	146.82	--	--	--	--	--	--	--	--	--	--	
11/5/1997	--	165.40	19.17	--	146.23	70	<0.5	<1.0	<1.0	<1.0	85	4.3	--	--		
2/3/1998	--	165.40	9.87	--	155.53	--	--	--	--	--	--	--	--	--	--	
5/28/1998	--	165.40	13.38	--	152.02	<50	<0.5	<1.0	<1.0	<1.0	<10	3.7	--	--		
12/30/1998	--	165.40	14.45	--	150.95	--	--	--	--	--	--	--	--	--	--	
2/2/1999	--	165.40	18.29	--	147.11	--	--	--	--	--	--	--	--	--	--	
5/10/1999	--	165.40	17.49	--	147.91	--	--	--	--	--	--	--	--	--	--	
8/24/1999	--	165.40	17.61	--	147.79	--	--	--	--	--	--	--	--	--	--	
11/3/1999	--	165.40	16.26	--	149.14	--	--	--	--	--	--	--	--	--	--	
3/1/2000	--	165.40	17.43	--	147.97	--	--	--	--	--	--	--	--	--	--	
4/21/2000	--	165.40	13.32	--	152.08	--	--	--	--	--	--	--	--	--	--	
7/31/2000	--	165.40	13.46	--	151.94	--	--	--	--	--	--	--	--	--	--	
11/20/2000	--	165.40	14.78	--	150.62	--	--	--	--	--	--	--	--	--	--	
2/18/2001	--	165.40	11.33	--	154.07	--	--	--	--	--	--	--	--	--	--	
6/7/2001	--	165.40	16.36	--	149.04	--	--	--	--	--	--	--	--	--	--	
9/5/2001	--	165.40	18.61	--	146.79	--	--	--	--	--	--	--	--	--	--	
11/30/2001	--	165.40	15.20	--	150.20	--	--	--	--	--	--	--	--	--	--	
2/20/2002	--	165.40	12.74	--	152.66	--	--	--	--	--	--	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-6 Cont.																
6/20/2002	--	165.40	16.68	--	148.72	--	--	--	--	--	--	--	--	--	--	
9/11/2002	--	165.40	18.38	--	147.02	--	--	--	--	--	--	--	--	--	--	
11/12/2002	--	165.40	18.78	--	146.62	--	--	--	--	--	--	--	--	--	--	
1/29/2003	--	165.40	14.45	--	150.95	--	--	--	--	--	--	--	--	--	--	n
5/22/2003	--	165.40	14.36	--	151.04	--	--	--	--	--	--	--	--	--	--	
7/28/2003	--	165.40	18.43	--	146.97	--	--	--	--	--	--	--	--	--	--	p
11/18/2003	--	165.40	17.48	--	147.92	--	--	--	--	--	--	--	--	--	--	
02/23/2004	--	165.40	11.54	--	153.86	--	--	--	--	--	--	--	--	--	--	
05/04/2004	--	165.40	16.58	--	148.82	--	--	--	--	--	--	--	--	--	--	
08/04/2004	--	165.40	18.12	--	147.28	--	--	--	--	--	--	--	--	--	--	
11/10/2004	--	165.40	15.75	--	149.65	--	--	--	--	--	--	--	--	--	--	
02/15/2005	--	165.40	12.50	--	152.90	--	--	--	--	--	--	--	--	--	--	
05/16/2005	P	165.40	11.51	--	153.89	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	SEQM	7.0		
08/17/2005	--	165.40	16.85	--	148.55	--	--	--	--	--	--	--	--	--	--	
11/18/2005	--	165.40	--	--	--	--	--	--	--	--	--	--	--	--	--	e
02/07/2006	P	165.40	9.93	--	155.47	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	SEQM	7.1		
5/19/2006	--	165.40	--	--	--	--	--	--	--	--	--	--	--	--	--	e
8/23/2006	--	165.40	16.35	--	149.05	--	--	--	--	--	--	--	--	--	--	
11/15/2006	--	165.40	17.42	--	147.98	--	--	--	--	--	--	--	--	--	--	
2/14/2007	P	165.40	12.03	--	153.37	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.07	TAMC	7.73		
5/22/2007	--	165.40	15.11	--	150.29	--	--	--	--	--	--	--	--	--	--	
8/15/2007	--	165.40	18.08	--	147.32	--	--	--	--	--	--	--	--	--	--	
MW-7																
7/9/1990	--	167.61	--	--	--	--	--	--	--	--	--	--	--	--	--	
12/21/1990	--	167.61	--	--	--	--	--	--	--	--	--	--	--	--	--	
3/7/1991	--	167.61	19.04	--	148.57	--	--	0.4	0.3	2.4	--	--	--	--	--	
4/1/1991	--	167.61	15.18	--	152.43	--	--	--	--	--	--	--	--	--	--	
6/27/1991	--	167.61	--	--	--	70	17	4	0.8	2.2	--	--	--	--	--	
9/27/1991	--	167.61	--	--	--	--	0.4	--	--	0.4	--	--	--	--	--	
12/18/1991	--	167.61	--	--	--	--	0.7	2.9	0.8	3.3	--	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-7 Cont.																
7/3/1992	--	167.61	20.28	--	147.33	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
10/5/1992	--	167.61	21.56	--	146.05	<50	<0.5	<0.5	<0.5	1.5	--	--	--	--		
1/13/1993	--	167.61	15.41	--	152.20	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	i	
4/23/1993	--	167.61	15.84	--	151.77	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	i	
7/12/1993	--	167.61	19.84	--	147.77	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	i	
10/21/1993	--	167.61	21.61	--	146.00	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	i	
1/21/1994	--	167.61	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	c	
1/21/1994	--	167.61	20.49	--	147.12	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	i	
4/20/1994	--	167.61	20.54	--	147.07	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.5	--	--	i	
8/1/1994	--	167.61	20.99	--	146.62	<50	0.7	<0.5	<0.5	<0.5	<5.0	1.9	--	--	i	
12/23/1994	--	167.61	15.00	--	152.61	--	--	--	--	--	--	--	--	--		
1/26/1995	--	167.61	14.69	--	152.92	<50	<0.5	<0.5	<0.5	<1	--	7	--	--		
6/8/1995	--	167.61	19.87	--	147.74	--	--	--	--	--	--	--	--	--		
8/22/1995	--	167.61	21.49	--	146.12	<50	<0.50	<0.50	<0.50	<1.0	<5.0	6.4	--	--	d	
10/27/1995	--	167.61	22.53	--	145.08	--	--	--	--	--	--	--	--	--		
1/25/1996	--	167.61	17.21	--	150.40	<50	<0.50	<0.50	<0.50	<1.0	<5.0	--	--	--		
4/19/1996	--	167.61	17.09	--	150.52	--	--	--	--	--	--	--	--	--		
7/23/1996	--	167.61	21.02	--	146.59	--	--	--	--	--	--	--	--	--		
11/11/1996	--	167.61	22.03	--	145.58	<50	<0.5	<1.0	<1.0	<1.0	<10	7.8	--	--		
1/21/1997	--	167.61	15.06	--	152.55	--	--	--	--	--	--	--	--	--		
4/29/1997	--	167.61	20.11	--	147.50	<50	<0.5	<1.0	<1.0	<1.0	<10	4.4	--	--		
8/21/1997	--	167.61	21.59	--	146.02	--	--	--	--	--	--	--	--	--		
11/5/1997	--	167.61	20.05	--	147.56	<50	<0.5	<1.0	<1.0	<1.0	<10	4.4	--	--		
2/3/1998	--	167.61	9.97	--	157.64	--	--	--	--	--	--	--	--	--		
5/28/1998	--	167.61	13.52	--	154.09	<50	<0.5	<1.0	<1.0	<1.0	<10	4.3	--	--		
12/30/1998	--	167.61	18.33	--	149.28	--	--	--	--	--	--	--	--	--		
2/2/1999	--	167.61	12.33	--	155.28	--	--	--	--	--	--	--	--	--		
5/10/1999	--	167.61	13.52	--	154.09	--	--	--	--	--	--	--	--	--		
8/24/1999	--	167.61	14.01	--	153.60	--	--	--	--	--	--	--	--	--		
11/3/1999	--	167.61	19.91	--	147.70	--	--	--	--	--	--	--	--	--		
3/1/2000	--	167.61	19.89	--	147.72	--	--	--	--	--	--	--	--	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-7 Cont.																
4/21/2000	--	167.61	17.94	--	149.67	--	--	--	--	--	--	--	--	--	--	
7/31/2000	--	167.61	17.33	--	150.28	--	--	--	--	--	--	--	--	--	--	
11/20/2000	--	167.61	18.41	--	149.20	--	--	--	--	--	--	--	--	--	--	
2/18/2001	--	167.61	15.13	--	152.48	--	--	--	--	--	--	--	--	--	--	
6/7/2001	--	167.61	18.75	--	148.86	--	--	--	--	--	--	--	--	--	--	
9/5/2001	--	167.61	20.48	--	147.13	--	--	--	--	--	--	--	--	--	--	
11/30/2001	--	167.61	20.11	--	147.50	--	--	--	--	--	--	--	--	--	--	
2/20/2002	--	167.61	18.40	--	149.21	--	--	--	--	--	--	--	--	--	--	
6/20/2002	--	167.61	18.62	--	148.99	--	--	--	--	--	--	--	--	--	--	
9/11/2002	--	167.61	20.05	--	147.56	--	--	--	--	--	--	--	--	--	--	
11/12/2002	--	167.61	21.13	--	146.48	--	--	--	--	--	--	--	--	--	--	n
1/29/2003	--	167.61	19.10	--	148.51	--	--	--	--	--	--	--	--	--	--	
5/22/2003	--	167.61	18.83	--	148.78	--	--	--	--	--	--	--	--	--	--	
7/28/2003	--	167.61	19.88	--	147.73	--	--	--	--	--	--	--	--	--	--	p
11/18/2003	--	167.61	20.50	--	147.11	--	--	--	--	--	--	--	--	--	--	s
11/18/2003	--	168.08	20.50	--	147.58	--	--	--	--	--	--	--	--	--	--	
02/23/2004	--	168.08	15.92	--	152.16	--	--	--	--	--	--	--	--	--	--	
05/04/2004	--	168.08	18.86	--	149.22	--	--	--	--	--	--	--	--	--	--	
08/04/2004	--	168.08	19.10	--	148.98	--	--	--	--	--	--	--	--	--	--	
11/10/2004	--	168.08	20.25	--	147.83	--	--	--	--	--	--	--	--	--	--	
02/15/2005	--	168.08	16.37	--	151.71	--	--	--	--	--	--	--	--	--	--	
05/16/2005	--	168.08	--	--	--	--	--	--	--	--	--	--	--	--	--	e
08/17/2005	--	168.08	19.74	--	148.34	--	--	--	--	--	--	--	--	--	--	
11/18/2005	--	168.08	20.82	--	147.26	--	--	--	--	--	--	--	--	--	--	
02/07/2006	P	168.08	14.26	--	153.82	<500	<5.0	<5.0	<5.0	<5.0	270	--	SEQM	7.3		
5/19/2006	--	168.08	16.51	--	151.57	--	--	--	--	--	--	--	--	--	--	
8/23/2006	--	168.08	20.30	--	147.78	--	--	--	--	--	--	--	--	--	--	
11/15/2006	--	168.08	20.85	--	147.23	--	--	--	--	--	--	--	--	--	--	
2/14/2007	P	168.08	16.57	--	151.51	520	<5.0	<5.0	<5.0	<5.0	740	3.08	TAMC	7.30	v	
5/22/2007	--	168.08	18.40	--	149.68	--	--	--	--	--	--	--	--	--	--	
8/15/2007	--	168.08	20.85	--	147.23	--	--	--	--	--	--	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-7																
MW-8																
3/7/1991	--	165.74	16.72	--	149.02	2.7	780	450	64	310	--	--	--	--		
4/1/1991	--	165.74	12.54	--	153.20	15,000	3,600	2,600	410	1,900	--	--	--	--		
6/27/1991	--	165.74	--	--	--	12,000	3,400	1,100	240	750	--	--	--	--		
9/27/1991	--	165.74	--	--	--	41	5,700	5,200	1,100	4,300	--	--	--	--		
12/18/1991	--	165.74	--	--	--	3.2	990	150	120	250	--	--	--	--		
7/3/1992	--	165.74	18.78	--	146.96	72,000	19,000	32,000	3,000	15,000	--	--	--	--		
10/5/1992	--	165.74	20.48	--	145.26	--	--	--	--	--	--	--	--	--		
1/13/1993	--	165.74	12.87	--	152.87	--	--	--	--	--	--	--	--	--	--	
4/23/1993	--	165.74	13.90	--	151.84	--	--	--	--	--	--	--	--	--	t	
7/12/1993	--	165.74	18.30	--	147.44	--	--	--	--	--	--	--	--	--	t	
10/21/1993	--	165.74	21.91	--	142.88	--	--	--	--	--	--	--	--	--		
10/2/93-12/9/98	--	165.74	--	0.12	--	--	--	--	--	--	--	--	--	--	--	
1/21/1994	--	165.74	19.12	--	146.62	--	--	--	--	--	--	--	--	--		
4/20/1994	--	165.74	19.28	--	146.46	26,000	1,700	4,100	960	4,000	632	1.1	--	--	i	
8/1/1994	--	165.74	--	--	--	--	--	--	--	--	--	--	--	--		
12/23/1994	--	165.74	13.81	--	151.93	--	--	--	--	--	--	--	--	--		
1/26/1995	--	165.74	--	--	--	--	--	--	--	--	--	--	--	--		
6/8/1995	--	165.74	17.82	--	147.92	--	--	--	--	--	--	--	--	--		
8/22/1995	--	165.74	19.41	--	146.33	--	--	--	--	--	--	--	--	--		
10/27/1995	--	165.74	20.47	--	145.27	--	--	--	--	--	--	--	--	--		
1/25/1996	--	165.74	13.35	--	152.39	--	--	--	--	--	--	--	--	--		
4/19/1996	--	165.74	14.40	--	151.34	--	--	--	--	--	--	--	--	--		
7/23/1996	--	165.74	18.35	--	147.39	--	--	--	--	--	--	--	--	--		
11/11/1996	--	165.74	19.41	--	146.33	--	--	--	--	--	--	--	--	--		
1/21/1997	--	165.74	12.29	--	153.45	--	--	--	--	--	--	--	--	--		
4/29/1997	--	165.74	--	--	--	--	--	--	--	--	--	--	--	--	e	
8/21/1997	--	165.74	19.61	--	146.13	240,000	1,100	9,300	4,100	31,100	<1000	5.2	--	--		
11/5/1997	--	165.74	19.45	--	146.29	57,000	790	2,700	2,300	15,200	<1000	5	--	--		
2/3/1998	--	165.74	9.33	--	156.41	--	--	--	--	--	--	--	--	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-8 Cont.																
2/4/1998	--	165.74	--	--	--	94,000	570	1,500	2,100	15,200	<2500	5.5	--	--		
5/28/1998	--	165.74	--	--	--	--	--	--	--	--	--	--	--	--	e	
12/30/1998	--	165.74	15.48	--	150.26	120,000	460	2,300	2,200	15,000	150	--	--	--		
2/2/1999	--	165.74	18.29	--	147.45	82,000	450	2,200	3,700	26,000	<500	--	--	--		
5/10/1999	--	165.74	15.62	--	150.12	28,000	740	1,800	1,100	5,800	<25	--	--	--		
8/24/1999	--	165.74	18.41	--	147.33	75,000	530	1,400	3,300	21,000	150	--	--	--		
11/3/1999	--	165.74	18.71	--	147.03	70,000	600	1,300	3,600	20,500	750	--	--	--		
3/1/2000	--	165.74	19.37	--	146.37	27,000	1,600	1,200	2,600	6,600	120	--	--	--		
4/21/2000	--	165.74	--	--	--	--	--	--	--	--	--	--	--	--	e	
7/31/2000	--	165.74	--	--	--	--	--	--	--	--	--	--	--	--	e	
11/20/2000	--	165.74	17.42	--	148.32	1,300,000	1,400	1,700	20,000	16,000	5,700	--	--	--		
2/18/2001	--	165.74	--	--	--	--	--	--	--	--	--	--	--	--	e	
6/7/2001	--	165.74	--	--	--	--	--	--	--	--	--	--	--	--	e	
9/5/2001	--	165.74	21.45	0.04	144.25	--	--	--	--	--	--	--	--	--	j	
11/30/2001	--	165.74	18.31	--	147.43	--	--	--	--	--	--	--	--	--	h	
12/6/2001	--	165.74	--	--	--	--	--	--	--	--	--	--	--	--	e	
2/20/2002	--	165.74	14.02	--	151.72	20,000	163	114	403	3,810	80.4	--	--	--		
6/20/2002	--	165.74	17.56	--	148.18	28,000	466	141	962	5,850	2,520	--	--	--		
9/11/2002	--	165.74	19.45	--	146.29	190,000	1,500	670	4,500	23,000	1,200	--	--	--		
11/12/2002	--	165.74	19.15	--	146.59	420	6.4	2.9	16	110	31	--	--	--	t	
1/29/2003	--	165.74	15.02	--	150.72	200,000	810	<500	2,000	11,000	<500	--	--	--	n	
5/22/2003	--	165.74	15.07	--	150.67	--	--	--	--	--	--	--	--	--	t	
6/24/2003	--	165.74	17.95	--	147.79	43,000	860	300	2,100	9,600	46	--	--	--		
7/28/2003	--	165.74	19.45	--	146.29	62,000	690	230	1,800	15,000	2,100	--	--	--		
8/12/2003	--	165.74	19.40	<0.01	146.34	--	--	--	--	--	--	--	--	--	o,t	
9/12/2003	--	165.74	19.34	--	146.40	--	--	--	--	--	--	--	--	--	o	
10/3/2003	--	165.74	--	<0.01	--	--	--	--	--	--	--	--	--	--		
11/18/2003	P	165.74	18.80	<0.01	146.94	8,800	500	37	530	930	1,700	--	SEQM	--	o,p	
12/31/2003	--	165.74	--	<0.01	--	--	--	--	--	--	--	--	--	--		
2/2/2004	--	165.74	--	<0.01	--	--	--	--	--	--	--	--	--	--		
02/23/2004	P	165.74	12.82	<0.01	152.92	32,000	840	360	1,000	7,100	110	--	SEQM	6.6	t	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-8 Cont.																
3/18/2004	--	165.74	--	<0.01	--	--	--	--	--	--	--	--	--	--	--	
4/13/2004	--	165.74	--	<0.01	--	--	--	--	--	--	--	--	--	--	--	
05/04/2004	P	165.74	18.87	<0.01	146.87	42,000	570	230	1,700	8,400	2,000	--	SEQM	7.0	t	
6/2/2004	--	165.74	--	<0.01	--	--	--	--	--	--	--	--	--	--	--	
08/04/2004	--	165.74	19.37	0.05	146.41	--	--	--	--	--	--	--	--	--	--	
09/22/2004	NP	165.74	19.60	--	146.14	--	--	--	--	--	--	--	--	--	--	
11/10/2004	P	165.74	16.58	--	149.16	11,000	790	61	1,000	830	74	--	SEQM	7.3	t	
02/15/2005	P	165.74	12.85	--	152.89	38,000	1,300	390	2,300	7,900	<50	--	SEQM	7.2		
05/16/2005	P	165.74	12.22	--	153.52	31,000	1,000	360	2,500	7,500	<50	--	SEQM	6.5		
08/17/2005	P	165.74	17.80	--	147.94	60,000	540	240	2,500	8,600	<50	--	SEQM	6.7		
11/18/2005	P	165.74	21.02	--	144.72	33,000	340	120	1,400	4,900	140	--	SEQM	6.9		
02/07/2006	P	165.74	10.73	--	155.01	5,700	94	27	260	820	7.5	--	SEQM	6.6		
5/19/2006	P	165.74	13.89	--	151.85	40,000	1,100	320	2,900	6,000	<25	--	SEQM	6.6	t	
8/23/2006	P	165.74	18.85	--	146.89	21,000	520	150	1,800	6,300	82	--	TAMC	7.35		
11/15/2006	P	165.74	18.75	--	146.99	3,300	81	<25	130	430	110	0.81	TAMC	6.91		
2/14/2007	P	165.74	13.45	SHEEN	152.29	9,300	320	<25	360	710	82	1.89	TAMC	7.13	t	
5/22/2007	P	165.74	15.92	SHEEN	149.82	17,000	370	51	760	1,600	11	1.05	TAMC	6.99	t	
8/15/2007	P	165.74	19.11	SHEEN	146.63	17,000	170	44	1,000	2,700	28	3.93	TAMC	7.08		
MW-9																
3/7/1991	--	166.20	16.79	--	149.41	7.1	220	4	2.4	2,400	--	--	--	--	--	
4/1/1991	--	166.20	12.89	--	153.31	12,000	2,000	2,600	360	1,600	--	--	--	--	--	
6/27/1991	--	166.20	--	--	--	3,600	520	400	85	310	--	--	--	--	--	
9/27/1991	--	166.20	--	--	--	3.2	720	150	50	180	--	--	--	--	--	
12/18/1991	--	166.20	--	--	--	--	2.5	1.1	0.3	5.8	--	--	--	--	--	
7/3/1992	--	166.20	18.89	--	147.31	5,700	17,000	840	230	800	--	--	--	--	--	
10/5/1992	--	166.20	20.52	--	145.68	1,400	440	17	14	100	--	--	--	--	--	
1/13/1993	--	166.20	--	--	--	11,000	1,200	1,600	330	1,300	--	--	--	--	c,i	
1/13/1993	--	166.20	12.92	--	153.28	11,000	1,200	1,700	340	1,400	--	--	--	--	i	
4/23/1993	--	166.20	14.08	--	152.12	24,000	2,800	4,500	730	3,400	--	--	--	--	i	
7/12/1993	--	166.20	--	--	--	10,000	1,200	900	310	1,200	--	--	--	--	c	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-9 Cont.																
7/12/1993	--	166.20	18.44	--	147.76	13,000	1,400	1,100	360	1,400	20.8	--	--	--	i	
10/21/1993	--	166.20	21.81	--	143.50	--	--	--	--	--	--	--	--	--		
11/2/93-4/29/97	--	166.20	--	0.10	--	--	--	--	--	--	--	--	--	--		
1/21/1994	--	166.20	19.28	--	146.92	--	--	--	--	--	--	--	--	--		
4/20/1994	--	166.20	19.72	--	146.48	43,000	2,800	6,800	1,300	7,900	768	1.7	--	--	i	
4/20/1994	--	166.20	--	--	--	45,000	2,700	6,800	1,200	8,200	740	--	--	--	c,d	
8/1/1994	--	166.20	20.18	--	146.02	--	--	--	--	--	--	--	--	--		
12/23/1994	--	166.20	14.22	--	151.98	--	--	--	--	--	--	--	--	--		
1/26/1995	--	166.20	11.85	--	154.35	--	--	--	--	--	--	--	--	--		
6/8/1995	--	166.20	18.33	--	147.87	--	--	--	--	--	--	--	--	--		
8/22/1995	--	166.20	19.95	--	146.25	--	--	--	--	--	--	--	--	--		
10/27/1995	--	166.20	20.88	--	145.32	--	--	--	--	--	--	--	--	--		
1/25/1996	--	166.20	13.84	--	152.36	--	--	--	--	--	--	--	--	--		
4/19/1996	--	166.20	--	--	--	--	--	--	--	--	--	--	--	--	e	
7/23/1996	--	166.20	18.84	--	147.36	--	--	--	--	--	--	--	--	--		
11/11/1996	--	166.20	19.91	--	146.29	--	--	--	--	--	--	--	--	--		
1/21/1997	--	166.20	12.93	--	153.27	--	--	--	--	--	--	--	--	--		
4/29/1997	--	166.20	18.03	0.1	148.17	--	--	--	--	--	--	--	--	--	t	
4/30/1997	--	166.20	--	--	--	78,000	1,900	3,600	3,100	20,600	<5000	5.5	--	--		
8/21/1997	--	166.20	19.56	--	146.64	110,000	2,100	3,400	2,300	18,800	<500	5.1	--	--		
11/5/1997	--	166.20	20.59	0.01	145.60	59,000	1,400	1,700	2,200	17,000	<500	4.5	--	--		
2/3/1998	--	166.20	10.56	--	155.64	55,000	490	1,200	1,400	10,200	<1000	4.9	--	--		
5/28/1998	--	166.20	--	--	--	53,000	290	830	1,400	10,500	<500	--	--	--	c	
5/28/1998	--	166.20	14.21	--	151.99	41,000	250	1,200	1,500	11,400	<250	3.8	--	--		
12/30/1998	--	166.20	15.61	--	150.59	83,000	860	1,300	2,400	21,000	180	--	--	--		
2/2/1999	--	166.20	12.33	--	153.87	75,000	530	960	1,900	17,000	<50	--	--	--		
5/10/1999	--	166.20	15.67	--	150.53	22,000	600	1,500	1,100	4,400	72	--	--	--		
8/24/1999	--	166.20	19.10	--	147.10	85,000	850	1,300	1,700	20,000	<250	--	--	--		
11/3/1999	--	166.20	19.58	--	146.62	72,000	700	780	1,900	19,000	<5.0	--	--	--		
3/1/2000	--	166.20	13.19	--	153.01	34,000	78	490	1,100	8,200	63	--	--	--		
4/21/2000	--	166.20	14.29	--	151.91	55,000	260	920	1,500	16,000	<5.0	--	--	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-9 Cont.																
7/31/2000	--	166.20	15.01	--	151.19	1,200,000	1,500	6,300	15,000	120,000	1,600	--	--	--		
11/20/2000	--	166.20	18.23	--	147.97	320,000	3,500	19,000	5,000	40,000	3,900	--	--	--		
2/18/2001	--	166.20	13.14	--	153.06	32,000	290	417	1,180	10,400	121	--	--	--		
6/7/2001	--	166.20	17.41	--	148.79	96,000	421	704	2,330	17,300	223	--	--	--		
9/5/2001	--	166.20	20.56	--	145.64	39,000	445	323	1,240	8,940	310	--	--	--		
11/30/2001	--	166.20	17.42	--	148.78	60,000	310	586	1,890	14,200	285	--	--	--		
2/20/2002	--	166.20	13.87	--	152.33	14,000	64	122	897	2,650	293	--	--	--		
6/20/2002	--	166.20	18.22	--	147.98	29,000	307	168	1,100	5,670	208	--	--	--		
9/11/2002	--	166.20	20.27	--	145.93	230,000	1,400	680	3,600	23,000	<2500	--	--	--		
11/12/2002	--	166.20	19.40	--	146.80	840	5.8	3.6	28	160	21	--	--	--	t	
1/29/2003	--	166.20	14.30	0.1	151.80	--	--	--	--	--	--	--	--	--	j,n	
5/22/2003	--	166.20	15.16	--	151.04	23,000	260	<50	1,000	2,900	<50	--	--	--	t	
6/24/2003	--	166.20	--	--	--	--	--	--	--	--	--	--	--	--	e	
7/28/2003	--	166.20	19.55	<0.01	146.65	1,500,000	<500	<500	9,800	79,000	<500	--	--	--		
8/12/2003	--	166.20	19.60	<0.01	146.60	--	--	--	--	--	--	--	--	--	o,t	
9/12/2003	--	166.20	19.60	<0.01	146.60	--	--	--	--	--	--	--	--	--	o,t	
11/18/2003	P	166.20	18.98	<0.01	147.22	19,000	250	18	690	2,400	45	--	SEQM	6.8	o,p	
12/31/2003	--	166.20	--	<0.01	--	--	--	--	--	--	--	--	--	--		
2/2/2004	--	166.20	--	<0.01	--	--	--	--	--	--	--	--	--	--		
02/23/2004	P	166.20	13.91	<0.01	152.29	91,000	<250	440	2,200	13,000	<250	--	SEQM	6.8	t	
3/18/2004	--	166.20	--	<0.01	--	--	--	--	--	--	--	--	--	--		
4/13/2004	--	166.20	--	<0.01	--	--	--	--	--	--	--	--	--	--		
05/04/2004	P	166.20	18.11	<0.01	148.09	39,000	230	44	1,100	4,200	<25	--	SEQM	6.9	t	
6/2/2004	--	166.20	--	<0.01	--	--	--	--	--	--	--	--	--	--		
08/04/2004	--	166.20	18.90	0.03	147.32	--	--	--	--	--	--	--	--	--		
09/22/2004	NP	166.20	19.69	--	146.51	--	--	--	--	--	--	--	--	--		
11/10/2004	NP	166.20	16.95	--	149.25	31,000	300	<50	1,100	3,800	<50	--	SEQM	7.3	t	
02/15/2005	P	166.20	12.95	--	153.25	19,000	200	<50	720	2,000	<50	--	SEQM	7.3	t	
05/16/2005	P	166.20	12.53	--	153.67	17,000	99	15	770	2,500	<10	--	SEQM	6.7		
08/17/2005	P	166.20	18.03	--	148.17	28,000	160	26	1,000	2,700	<12	--	SEQM	6.8		
11/18/2005	P	166.20	19.04	--	147.16	12,000	98	<5.0	410	510	19	--	SEQM	7.1		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-9 Cont.																
02/07/2006	P	166.20	10.95	SHEEN	155.25	18,000	110	8.7	770	1,500	<5.0	--	SEQM	6.9	t	
5/19/2006	--	166.20	--	--	--	--	--	--	--	--	--	--	--	--	e	
8/23/2006	P	166.20	18.91	--	147.29	28,000	84	<50	1,600	6,200	<50	--	TAMC	7.3		
11/15/2006	P	166.20	18.60	--	147.60	8,200	44	<25	190	370	26	0.92	TAMC	6.88		
2/14/2007	P	166.20	13.30	--	152.90	20,000	64	<25	720	2,000	<25	0.87	TAMC	7.17	t	
5/22/2007	P	166.20	16.14	SHEEN	150.06	16,000	80	<25	460	1,200	<25	0.81	TAMC	7.08	t	
8/15/2007	P	166.20	19.31	SHEEN	146.89	5,900	27	<2.5	59	170	27	2.57	TAMC	6.98		
MW-10																
3/7/1991	--	167.01	18.09	--	148.92	1.6	120	190	32	230	--	--	--	--		
4/1/1991	--	167.01	13.92	--	153.09	--	--	--	--	--	--	--	--	--		
6/27/1991	--	167.01	--	--	--	12,000	7,300	500	150	300	--	--	--	--		
9/27/1991	--	167.01	--	--	--	57	12,000	7,200	1,400	4,600	--	--	--	--		
12/18/1991	--	167.01	--	--	--	5.3	2,500	120	36	79	--	--	--	--		
7/3/1992	--	167.01	19.92	--	147.09	8,600	5,100	1,300	180	690	--	--	--	--		
10/5/1992	--	167.01	21.92	--	145.09	--	--	--	--	--	--	--	--	--		
1/13/1993	--	167.01	14.43	--	152.58	--	--	--	--	--	--	--	--	--		
4/23/1993	--	167.01	15.26	--	151.75	--	--	--	--	--	--	--	--	--		
7/12/1993	--	167.01	19.78	--	147.23	--	--	--	--	--	--	--	--	--		
10/21/1993	--	167.01	22.90	--	144.11	--	--	--	--	--	--	--	--	--		
1/21/1994	--	167.01	20.25	--	146.76	--	--	--	--	--	--	--	--	--		
4/20/1994	--	167.01	20.74	--	146.27	100,000	12,000	24,000	2,400	14,000	1,577	1	--	--	d,i	
8/1/1994	--	167.01	22.00	--	145.01	--	--	--	--	--	--	--	--	--		
12/23/1994	--	167.01	16.08	--	150.93	--	--	--	--	--	--	--	--	--		
1/26/1995	--	167.01	13.68	--	153.33	--	--	--	--	--	--	--	--	--		
6/8/1995	--	167.01	19.08	--	147.93	--	--	--	--	--	--	--	--	--		
8/22/1995	--	167.01	20.73	--	146.28	--	--	--	--	--	--	--	--	--		
10/27/1995	--	167.01	21.69	--	145.32	--	--	--	--	--	--	--	--	--		
1/25/1996	--	167.01	15.05	--	151.96	--	--	--	--	--	--	--	--	--		
4/19/1996	--	167.01	16.26	--	150.75	--	--	--	--	--	--	--	--	--		
7/23/1996	--	167.01	20.18	--	146.83	--	--	--	--	--	--	--	--	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-10 Cont.																
9/4/1996	--	167.01	--	0.76	--	--	--	--	--	--	--	--	--	--	--	
11/11/1996	--	167.01	21.20	--	145.81	--	--	--	--	--	--	--	--	--	--	
1/21/1997	--	167.01	13.66	--	153.35	--	--	--	--	--	--	--	--	--	--	
4/29/1997	--	167.01	18.71	--	148.30	--	--	--	--	--	--	--	--	--	--	
4/30/1997	--	167.01	--	--	--	170,000	9,700	38,000	4,700	30,500	<5000	5.6	--	--		
8/21/1997	--	167.01	20.19	--	146.82	170,000	9,500	35,000	4,300	27,100	<5000	5.3	--	--		
11/5/1997	--	167.01	20.52	--	146.49	80,000	3,800	12,000	2,700	15,700	<500	4.4	--	--		
12/2/1997	--	167.01	--	0.03	--	--	--	--	--	--	--	--	--	--	--	
2/3/1998	--	167.01	10.62	--	156.39	--	--	--	--	--	--	--	--	--	--	
2/4/1998	--	167.01	--	--	--	72,000	500	1,300	1,700	12,000	<1000	5.1	--	--		
5/28/1998	--	167.01	15.46	--	151.55	220,000	3,200	24,000	5,200	43,000	<1000	4.8	--	--		
12/30/1998	--	167.01	16.65	--	150.36	110,000	3,500	14,000	5,800	50,000	<50	--	--	--		
2/2/1999	--	167.01	14.58	--	152.43	74,000	1,000	2,800	1,000	26,000	860	--	--	--		
5/10/1999	--	167.01	15.72	--	151.29	81,000	2,800	2,800	3,000	17,000	220	--	--	--		
8/24/1999	--	167.01	19.85	--	147.16	54,000	3,500	3,800	1,500	9,100	<250	--	--	--		
11/3/1999	--	167.01	20.00	--	147.01	30,000	3,000	3,500	1,200	5,000	31	--	--	--		
3/1/2000	--	167.01	14.62	--	152.39	62,000	320	1,200	1,100	26,000	4,400	--	--	--		
4/21/2000	--	167.01	15.46	--	151.55	88,000	2,700	7,400	3,700	35,000	2,400	--	--	--		
7/31/2000	--	167.01	--	--	--	--	--	--	--	--	--	--	--	--	e	
11/20/2000	--	167.01	18.74	--	148.27	78,000	3,800	5,500	2,800	13,000	450	--	--	--		
2/18/2001	--	167.01	14.10	--	152.91	39,000	1,050	1,160	1,550	14,700	4,180	--	--	--		
6/7/2001	--	167.01	18.78	--	148.23	76,000	2,460	2,840	3,330	20,700	635	--	--	--		
9/5/2001	--	167.01	21.40	0.01	145.60	25,000	2,510	2,070	1,090	4,540	189	--	--	--		
11/30/2001	--	167.01	18.50	--	148.51	100,000	2,480	5,720	3,890	22,800	325	--	--	--		
2/20/2002	--	167.01	14.39	--	152.62	49,000	2,170	3,070	1,960	12,300	1,090	--	--	--		
6/20/2002	--	167.01	18.80	--	148.21	44,000	2,040	3,050	1,690	8,430	224	--	--	--		
9/11/2002	--	167.01	20.52	--	146.49	28,000	1,200	2,700	1,400	6,800	<250	--	--	--		
11/12/2002	--	167.01	20.37	0.07	146.57	--	--	--	--	--	--	--	--	--	j	
1/29/2003	--	167.01	16.33	0.03	150.65	--	--	--	--	--	--	--	--	--	j,n	
5/22/2003	--	167.01	16.32	--	150.69	13,000	2,100	850	630	1,600	300	--	--	--	t	
6/24/2003	--	167.01	18.73	0.04	148.24	--	--	--	--	--	--	--	--	--	o	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
MW-10 Cont.																
7/28/2003	--	167.01	20.39	0.04	146.58	--	--	--	--	--	--	--	--	--	--	j
8/12/2003	--	167.01	20.43	<0.01	146.58	--	--	--	--	--	--	--	--	--	--	o,t
9/12/2003	--	167.01	20.41	--	146.60	--	--	--	--	--	--	--	--	--	--	o
10/3/2003	--	167.01	--	<0.01	--	--	--	--	--	--	--	--	--	--	--	
11/18/2003	P	167.01	19.55	<0.01	147.46	9,900	2,200	530	320	860	<50	--	SEQM	6.8		o,p
12/31/2003	--	167.01	--	<0.01	--	--	--	--	--	--	--	--	--	--	--	
2/2/2004	--	167.01	--	<0.01	--	--	--	--	--	--	--	--	--	--	--	
02/23/2004	P	167.01	15.45	<0.01	151.56	46,000	1,900	2,000	1,800	9,000	180	--	SEQM	6.7		t
3/18/2004	--	167.01	--	<0.01	--	--	--	--	--	--	--	--	--	--	--	
4/13/2004	--	167.01	--	<0.01	--	--	--	--	--	--	--	--	--	--	--	
05/04/2004	P	167.01	18.81	<0.01	148.20	35,000	3,100	3,600	1,400	5,600	<25	--	SEQM	7.1		t
6/2/2004	--	167.01	--	<0.01	--	--	--	--	--	--	--	--	--	--	--	
7/2/2004	--	167.01	--	<0.01	--	--	--	--	--	--	--	--	--	--	--	
08/04/2004	--	167.01	18.90	--	148.11	--	--	--	--	--	--	--	--	--	--	
09/22/2004	NP	167.01	20.60	--	146.41	--	--	--	--	--	--	--	--	--	--	
11/10/2004	P	167.01	17.95	--	149.06	9,800	470	91	450	1,700	230	--	SEQM	7.3		t
01/13/2005	--	167.01	12.21	--	154.80	--	--	--	--	--	--	--	--	--	--	
02/15/2005	P	167.01	14.19	--	152.82	30,000	510	330	1,800	7,200	77	--	SEQM	7.2		
05/16/2005	P	167.01	13.85	--	153.16	37,000	540	730	2,100	9,200	<50	--	SEQM	6.7		
08/17/2005	P	167.01	19.01	--	148.00	15,000	1,100	420	1,200	4,100	<50	--	SEQM	6.7		
11/18/2005	P	167.01	19.95	--	147.06	12,000	1,200	240	550	1,300	16	--	SEQM	6.8		
02/07/2006	P	167.01	12.28	SHEEN	154.73	22,000	340	580	1,300	4,500	73	--	SEQM	6.8		t
5/19/2006	P	167.01	15.12	--	151.89	40,000	690	430	2,600	4,900	<25	--	SEQM	6.9		t
8/23/2006	P	167.01	20.00	--	147.01	13,000	1,500	540	1,200	3,000	<10	--	TAMC	6.97		
11/15/2006	P	167.01	19.84	--	147.17	3,800	700	22	67	160	54	0.65	TAMC	6.78		
2/14/2007	P	167.01	14.94	SHEEN	152.07	37,000	350	120	2,400	8,100	120	2.12	TAMC	7.05		t
5/22/2007	P	167.01	17.17	SHEEN	149.84	13,000	810	130	750	2,200	15	0.06	TAMC	7.10		t
8/15/2007	P	167.01	20.30	SHEEN	146.71	4,400	550	38	160	310	<10	3.09	TAMC	7.09		
QC-2																
10/5/1992	--	168.01	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	f	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
QC-2 Cont.						<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	f,i	
1/13/1993	--	168.01	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	f,i	
4/23/1993	--	168.01	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	f	
7/12/1993	--	168.01	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	f	
10/21/1993	--	168.01	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	f	
1/21/1994	--	168.01	--	--	--	<50	<0.5	2.1	<0.5	2.1	--	--	--	--	f	
4/20/1994	--	168.01	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	f	
12/23/1994	--	168.01	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	f	
1/26/1995	--	168.01	--	--	--	<50	<0.5	<0.5	<0.5	<1	--	--	--	--	f	
6/8/1995	--	168.01	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	--	--	--	--	f	
8/22/1995	--	168.01	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	<5.0	--	--	--	d,f	
10/30/1995	--	168.01	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	<5.0	--	--	--	f	
1/25/1996	--	168.01	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	<5.0	--	--	--	f	
4/19/1996	--	168.01	--	--	--	<50	<0.5	<1	<1	<1	<10	--	--	--	f	
RW-1																
7/9/1990	--	168.01	--	--	--	--	--	--	--	--	--	--	--	--		
12/21/1990	--	168.01	--	--	--	--	--	--	--	--	--	--	--	--		
3/7/1991	--	168.01	17.62	--	150.39	--	--	--	--	--	--	--	--	--	t	
4/1/1991	--	168.01	14.40	--	153.61	--	--	--	--	--	--	--	--	--		
6/27/1991	--	168.01	--	--	--	--	--	--	--	--	--	--	--	--		
9/27/1991	--	168.01	--	--	--	--	--	--	--	--	--	--	--	--		
12/18/1991	--	168.01	--	--	--	--	--	--	--	--	--	--	--	--		
7/3/1992	--	168.01	20.66	--	147.35	--	--	--	--	--	--	--	--	--	t	
10/5/1992	--	168.01	23.34	--	144.67	--	--	--	--	--	--	--	--	--		
1/13/1993	--	168.01	16.59	--	151.42	--	--	--	--	--	--	--	--	--		
4/23/1993	--	168.01	16.17	--	151.84	--	--	--	--	--	--	--	--	--		
7/12/1993	--	168.01	20.18	--	147.83	--	--	--	--	--	--	--	--	--		
10/21/1993	--	168.01	25.70	--	142.31	--	--	--	--	--	--	--	--	--		
1/21/1994	--	168.01	21.24	--	146.77	--	--	--	--	--	--	--	--	--		
4/20/1994	--	168.01	32.20	--	135.81	--	--	--	--	--	--	--	--	--		
8/1/1994	--	168.01	21.70	--	146.31	29,000	580	950	300	7,800	1,200	1.1	--	--	d	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
RW-1 Cont.																
12/23/1994	--	168.01	16.02	--	151.99	1,300	25	8.6	1.4	69	616	1.8	--	--	i	
1/26/1995	--	168.01	13.78	--	154.23	<50	<0.5	<0.5	<0.5	<1	--	--	--	--		
1/26/1995	--	168.01	--	--	--	<50	<0.5	<0.5	<0.5	<1	--	--	--	--	c	
6/8/1995	--	168.01	20.05	--	147.96	1,300	130	<1.0	<1.0	36	--	--	--	--		
8/22/1995	--	168.01	21.74	--	146.27	3,300	230	13	4.9	280	<25	6.6	--	--	d	
8/22/1995	--	168.01	--	--	--	2,800	210	9.3	4.3	250	<25	--	--	--	c	
10/27/1995	--	168.01	32.00	--	136.01	--	--	--	--	--	--	--	--	--		
10/30/1995	--	168.01	--	--	--	240	1.6	<1.0	<1.0	<2.0	630	--	--	--	c	
10/30/1995	--	168.01	--	--	--	230	1.4	<1.0	<1.0	<2.0	650	6.9	--	--		
1/25/1996	--	168.01	15.41	--	152.60	15,000	3,400	930	330	2,500	5,300	--	--	--		
4/19/1996	--	168.01	--	--	--	33,000	5,600	3,200	1,700	8,800	15,000	--	--	--	c	
4/19/1996	--	168.01	16.83	--	151.18	35,000	5,500	3,300	1,700	9,400	14,000	7.6	--	--		
7/23/1996	--	168.01	--	--	--	47,000	3,700	2,500	930	5,300	35,000	--	--	--	c	
7/23/1996	--	168.01	20.76	--	147.25	46,000	3,600	2,300	900	5,100	36,000	7.4	--	--		
11/11/1996	--	168.01	--	--	--	31,000	2,900	1,000	860	4,600	22,000	--	--	--	c	
11/11/1996	--	168.01	21.73	--	146.28	34,000	3,000	1,200	880	4,600	22,000	8.3	--	--		
1/21/1997	--	168.01	14.20	--	153.81	260	40	16	2.7	34	1,500	6.1	--	--		
1/21/1997	--	168.01	--	--	--	270	42	17	2.7	36	1,500	--	--	--	c	
4/29/1997	--	168.01	19.15	--	148.86	32,000	3,100	590	1,300	6,000	46,000	5.3	--	--		
8/21/1997	--	168.01	20.67	--	147.34	7,600	730	58	370	1,780	9,500	4.7	--	--		
11/5/1997	--	168.01	21.01	--	147.00	39,000	2,300	86	1,300	3,840	56,000	4.5	--	--		
2/3/1998	--	168.01	10.68	--	157.33	3,400	31	11	29	161	3,200	5.1	--	--		
5/28/1998	--	168.01	15.55	--	152.46	2,000	90	15	60	305	2,700	4.3	--	--		
12/30/1998	--	168.01	17.35	--	150.66	--	--	--	--	--	--	--	--	--		
2/2/1999	--	168.01	14.58	--	153.43	82,000	2,300	120	2,000	3,200	51000/78000	--	--	--	g	
5/10/1999	--	168.01	16.00	--	152.01	15,000	620	88	340	660	61,000	--	--	--		
8/24/1999	--	168.01	20.00	--	148.01	52,000	1,400	170	2,200	2,900	37,000	--	--	--		
11/3/1999	--	168.01	20.39	--	147.62	17,000	2,500	86	1,500	970	54,000	--	--	--		
3/1/2000	--	168.01	12.97	--	155.04	17,000	580	78	790	1,100	13,000	--	--	--		
4/21/2000	--	168.01	16.02	--	151.99	31,000	2,100	100	1,400	1,100	39,000	--	--	--		
7/31/2000	--	168.01	21.89	--	146.12	47,000	1,300	170	2,700	2,300	30,000	--	--	--		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
RW-1 Cont.																
11/20/2000	--	168.01	19.15	--	148.86	--	--	--	--	--	--	--	--	--	--	h
2/18/2001	--	168.01	15.35	--	152.66	14,000	589	89	600	712	13,000	--	--	--	--	
6/7/2001	--	168.01	19.09	--	148.92	28,000	1,140	68.2	504	530	19,100	--	--	--	--	
9/5/2001	--	168.01	22.06	0.02	145.93	--	--	--	--	--	--	--	--	--	--	j
11/30/2001	--	168.01	19.53	--	148.48	20,000	405	39.4	545	740	8,260	--	--	--	--	
2/20/2002	--	168.01	15.99	--	152.02	13,000	469	29	434	655	7,240	--	--	--	--	
6/20/2002	--	168.01	19.31	--	148.70	--	--	--	--	--	--	--	--	--	--	j,l
9/11/2002	--	168.01	21.07	0.03	146.91	--	--	--	--	--	--	--	--	--	--	j
11/12/2002	--	168.01	20.92	0.02	147.07	--	--	--	--	--	--	--	--	--	--	j
1/29/2003	--	168.01	16.31	0.04	151.66	--	--	--	--	--	--	--	--	--	--	j,n
5/22/2003	--	168.01	16.68	--	151.33	--	--	--	--	--	--	--	--	--	--	j,t
6/24/2003	--	168.01	19.76	0.07	148.18	--	--	--	--	--	--	--	--	--	--	o
7/28/2003	--	168.01	21.04	0.04	146.93	--	--	--	--	--	--	--	--	--	--	j
8/12/2003	--	168.01	21.41	<0.01	146.60	--	--	--	--	--	--	--	--	--	--	o,t
9/12/2003	--	168.01	21.10	0.07	146.84	--	--	--	--	--	--	--	--	--	--	o
10/3/2003	--	168.01	--	0.03	--	--	--	--	--	--	--	--	--	--	--	
11/18/2003	P	168.01	20.10	<0.01	147.91	12,000	770	<50	320	250	6,100	--	SEQM	6.6	--	o,p
12/31/2003	--	168.01	--	<0.01	--	--	--	--	--	--	--	--	--	--	--	
02/23/2004	--	168.01	14.35	0.01	153.67	--	--	--	--	--	--	--	--	--	--	
3/18/2004	--	168.01	--	0.09	--	--	--	--	--	--	--	--	--	--	--	
4/13/2004	--	168.01	--	0.02	--	--	--	--	--	--	--	--	--	--	--	
05/04/2004	--	168.01	19.58	0.02	148.45	--	--	--	--	--	--	--	--	--	--	
6/2/2004	--	168.01	--	0.05	--	--	--	--	--	--	--	--	--	--	--	
7/2/2004	--	168.01	--	0.11	--	--	--	--	--	--	--	--	--	--	--	
08/04/2004	--	168.01	22.05	0.05	146.00	--	--	--	--	--	--	--	--	--	--	
09/22/2004	NP	168.01	21.28	0.06	146.78	--	--	--	--	--	--	--	--	--	--	
10/26/2004	--	168.01	--	0.01	--	--	--	--	--	--	--	--	--	--	--	
11/10/2004	--	168.01	18.56	0.02	149.47	--	--	--	--	--	--	--	--	--	--	
12/27/2004	--	168.01	--	0.03	--	--	--	--	--	--	--	--	--	--	--	
01/13/2005	--	168.01	12.51	0.01	155.51	--	--	--	--	--	--	--	--	--	--	
02/15/2005	--	168.01	15.24	0.03	152.79	--	--	--	--	--	--	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments	
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE					
RW-1 Cont.						--	--	--	--	--	--	--	--	--	--	
03/07/2005	--	168.01	11.90	0.02	156.13	--	--	--	--	--	--	--	--	--	--	
4/29/2005	--	168.01	--	0.03	--	--	--	--	--	--	--	--	--	--	--	
05/16/2005	--	168.01	14.39	0.02	153.64	--	--	--	--	--	--	--	--	--	--	j
6/21/2005	--	168.01	--	0.03	--	--	--	--	--	--	--	--	--	--	--	
7/7/2005	--	168.01	--	0.06	--	--	--	--	--	--	--	--	--	--	--	
08/17/2005	--	168.01	19.91	0.03	148.12	--	--	--	--	--	--	--	--	--	--	j
9/6/2005	--	168.01	--	0.03	--	--	--	--	--	--	--	--	--	--	--	
10/4/2005	--	168.01	--	0.07	--	--	--	--	--	--	--	--	--	--	--	
11/18/2005	--	168.01	20.36	0.07	147.71	--	--	--	--	--	--	--	--	--	--	b, j
12/30/2005	--	168.01	--	0.04	--	--	--	--	--	--	--	--	--	--	--	
1/24/2006	--	168.01	--	0.01	--	--	--	--	--	--	--	--	--	--	--	
02/07/2006	--	168.01	12.87	0.01	155.15	--	--	--	--	--	--	--	--	--	--	j
3/30/2006	--	168.01	--	0.02	--	--	--	--	--	--	--	--	--	--	--	
5/19/2006	--	168.01	15.87	0.04	152.17	--	--	--	--	--	--	--	--	--	--	b
8/23/2006	--	168.01	20.50	0.07	147.56	--	--	--	--	--	--	--	--	--	--	b, j
11/15/2006	--	168.01	20.52	0.07	147.54	--	--	--	--	--	--	--	--	--	--	b, j
2/14/2007	--	168.01	15.44	0.04	152.60	--	--	--	--	--	--	--	--	--	--	b, j
5/22/2007	--	168.01	17.78	SHEEN	150.23	--	--	--	--	--	--	--	--	--	--	j, l
8/15/2007	--	168.01	20.80	.02	147.23	--	--	--	--	--	--	--	--	--	--	b, j

SYMBOLS AND ABBREVIATIONS:

-- = Not analyzed/applicable/measured/available
< = Not detected at or above specified laboratory reporting limit
DO = Dissolved oxygen
DTW = Depth to water in ft bgs
ft bgs = Feet below ground surface
ft MSL = Feet above mean sea level
GRO = Gasoline range organics
GWE = Groundwater elevation measured in ft MSL
mg/L = Milligrams per liter
MTBE = Methyl tert-butyl ether
NP = Well not purged prior to sampling
P = Well purged prior to sampling
TOC = Top of casing measured in ft MSL
TPH-g = Total petroleum hydrocarbons as gasoline
µg/L = Micrograms per liter
SEQ/SEQM= Sequoia Analytical/Sequoia Analytical Morgan Hill (Laboratories)
SPH = Separate phase hydrocarbons

FOOTNOTES:

a = Casing elevations surveyed to the nearest 0.01 ft MSL.
b = GWE adjusted assuming a specific gravity of 0.75 for free product (FP).
c = Blind duplicate.
d = A copy of the documentation for this data is included in Appendix C of Alisto report 10-024-10-001.
e = Well inaccessible.
f = Travel blank.
g = EPA Methods 8020/8260 used.
h = Unable to sample.
i = A copy of the documentation for this data can be found in Blaine Tech Services report 010607-M-3. MTBE data for the January 13, 1993 and April 23, 1993 sampling events has been destroyed. No chromatograms could be located for MTBE data from wells MW-5, MW-6, and MW-7, sampled on October 21, 1993.
j = Well not sampled due to presence of SPH and nature of the product.
k = Could not purge and sample; waste drum full.
l = Value represents the depth to product. Unable to determine depth to water, product disabled the interface probe.
m = Discrete p[ak @ C6-7.
n = TPH-g, BTEX, and MTBE analyzed by EPA method 8260 B beginning on 1st quarter 2003 aampling event (1/29/03).
o = Groundwater samples are not collected during FP bailing event.
p = Well not included in the monthly FP bailing program.
q = Well not sampled in November 2003 due to the presence of a pile of gravel dumped over the well box.
r = This sample was analyzed beyond the EPA recommended holding time. The results may still be useful for their intended purpose.
s = MW-7 TOC elevation raised +0.47 ft during well repair on January 20, 2004.
t = Sheen in well.
u = Calib. verif. is within method limits but outside contract limits.
v = GRO result partly due to individual peak(s) in quantitation range.

NOTES:

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported.

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12.

Values for DO and pH were obtained through field measurements.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 2. Summary of Fuel Additives Analytical Data

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-1									
5/19/2006	<6,000	<400	86	<10	<10	<10	<10	<10	
MW-2									
1/29/2003	<4000	<2000	820	<50	<50	<50	<50	<50	
5/22/2003	<10000	<2000	1,000	<50	<50	<50	--	--	
7/28/2003	<20000	<4000	1,700	<100	<100	<100	<100	<100	a
11/18/2003	<5,000	<1,000	500	<25	<25	<25	--	--	
02/23/2004	<25,000	<5,000	790	<120	<120	<120	<120	<120	
05/04/2004	<50,000	<10,000	780	<250	<250	<250	<250	<250	
08/04/2004	<50,000	<10,000	430	<250	<250	<250	<250	<250	
11/10/2004	<5,000	<1,000	310	<25	<25	<25	<25	<25	
02/15/2005	<20,000	<4,000	690	<100	<100	<100	<100	<100	
05/16/2005	<50,000	<10,000	560	<250	<250	<250	<250	<250	
08/17/2005	<20,000	<4,000	480	<100	<100	<100	<100	<100	
11/18/2005	<20,000	<4,000	340	<100	<100	<100	<100	<100	b
02/07/2006	<60,000	<4,000	440	<100	<100	<100	160	<100	
5/19/2006	<60,000	<4,000	430	<100	<100	<100	<100	<100	b
8/23/2006	<60,000	<4,000	480	<100	<100	<100	<100	<100	
11/15/2006	<60,000	<4,000	400	<100	<100	<100	<100	<100	
2/14/2007	<60,000	<4,000	810	<100	<100	<100	<100	<100	
5/22/2007	<150,000	<10,000	1,000	<250	<250	<250	<250	<250	
8/15/2007	<30,000	2,400	260	<50	<50	<50	<50	<50	b
MW-3									
1/29/2003	<40	<20	0.76	<50	<50	<50	<50	<50	
02/23/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
02/15/2005	<100	<20	1.7	<0.50	<0.50	<0.50	<0.50	<0.50	
02/07/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
2/14/2007	<300	<20	3.8	<0.50	<0.50	<0.50	<0.50	<0.50	u
MW-4									
1/29/2003	<40	<20	66	<0.50	<0.50	<0.50	<0.50	<0.50	
02/23/2004	<100	<20	65	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-4 Cont.									
02/15/2005	<100	<20	62	<0.50	<0.50	<0.50	<0.50	<0.50	
02/07/2006	<300	<20	29	<0.50	<0.50	<0.50	<0.50	<0.50	
2/14/2007	<300	<20	61	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-5									
1/29/2003	<400	<200	82	<5.0	<5.0	<5.0	<5.0	<5.0	
5/22/2003	<10000	<2000	<50	<50	<50	<50	--	--	
7/28/2003	<2000	<400	120	<10	<10	<10	<10	<10	
11/18/2003	--	--	--	--	--	--	--	--	Well inaccessible
02/23/2004	<5,000	<1,000	100	<25	<25	<25	38	<25	
05/04/2004	<5,000	<1,000	42	<25	<25	<25	<25	<25	
08/04/2004	<5,000	<1,000	390	<25	<25	<25	<25	<25	
11/10/2004	<1,000	<200	530	<5.0	<5.0	5.5	<5.0	<5.0	
02/15/2005	<1,000	<200	260	<5.0	<5.0	<5.0	<5.0	<5.0	
05/16/2005	<1,000	<200	370	<5.0	<5.0	<5.0	<5.0	<5.0	
08/17/2005	<1,000	<200	51	<5.0	<5.0	<5.0	<5.0	<5.0	
11/18/2005	<1,000	<200	340	<5.0	<5.0	<5.0	<5.0	<5.0	b
02/07/2006	<3,000	<200	200	<5.0	<5.0	<5.0	<5.0	<5.0	
5/19/2006	<3,000	<200	44	<5.0	<5.0	<5.0	<5.0	<5.0	b
8/23/2006	<3,000	<200	230	<5.0	<5.0	<5.0	<5.0	<5.0	
11/15/2006	<1,500	<100	490	<2.5	<2.5	4.2	<2.5	<2.5	
2/14/2007	<1,500	<100	420	<2.5	<2.5	3.6	<2.5	<2.5	
5/22/2007	<1,500	<100	26	<2.5	<2.5	<2.5	<2.5	<2.5	
8/15/2007	<6,000	<400	280	<10	<10	<10	<10	<10	
MW-6									
05/16/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
02/07/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
2/14/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-7									
02/07/2006	<3,000	<200	270	<5.0	<5.0	<5.0	<5.0	<5.0	
2/14/2007	<3,000	<200	740	<5.0	<5.0	9.6	<5.0	<5.0	

Table 2. Summary of Fuel Additives Analytical Data

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-8									
1/29/2003	<4000	<2000	<500	<50	<50	<50	<50	<50	
5/22/2003	<5000	<1000	--	<25	<25	<25	--	--	
7/28/2003	<20000	<4000	2,100	<100	<100	<100	<100	<100	
11/18/2003	<2,000	<400	1,700	<10	<10	20	--	--	a,b
02/23/2004	<10,000	<2,000	110	<50	<50	<50	<50	<50	
05/04/2004	<5,000	<1,000	2,000	<25	<25	33	<25	<25	
11/10/2004	<5,000	<1,000	74	<25	<25	<25	<25	<25	
02/15/2005	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
05/16/2005	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
08/17/2005	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
11/18/2005	<10,000	<2,000	140	<50	<50	<50	<50	<50	b
02/07/2006	<3,000	<200	7.5	<5.0	<5.0	<5.0	<5.0	<5.0	
5/19/2006	<15,000	<1,000	<25	<25	<25	<25	<25	<25	b
8/23/2006	<15,000	<1,000	82	<25	<25	<25	<25	<25	
11/15/2006	<15,000	<1,000	110	<25	<25	<25	<25	<25	
2/14/2007	<15,000	<1,000	82	<25	<25	<25	<25	<25	
5/22/2007	<6,000	<400	11	<10	<10	<10	<10	<10	
8/15/2007	<6,000	<400	28	<10	<10	<10	<10	<10	
MW-9									
5/22/2003	<10000	<2000	<50	<50	<50	<50	--	--	
7/28/2003	<100000	<20000	<500	<500	<500	<500	<500	<500	
11/18/2003	<2,000	<400	45	<10	<10	<10	--	--	a,b
02/23/2004	<50,000	<10,000	<250	<250	<250	<250	<250	<250	
05/04/2004	<5,000	<1,000	<25	<25	<25	<25	<25	<25	
11/10/2004	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
02/15/2005	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
05/16/2005	<2,000	<400	<10	<10	<10	<10	<10	<10	
08/17/2005	<2,500	<500	<12	<12	<12	<12	<12	<12	
11/18/2005	<1,000	<200	19	<5.0	<5.0	<5.0	<5.0	<5.0	b
02/07/2006	<3,000	<200	<5.0	<5.0	<5.0	5.4	<5.0	<5.0	
8/23/2006	<30,000	<2,000	<50	<50	<50	<50	<50	<50	

Table 2. Summary of Fuel Additives Analytical Data

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-9 Cont.									
11/15/2006	<15,000	<1,000	26	<25	<25	<25	<25	<25	
2/14/2007	<15,000	<1,000	<25	<25	<25	<25	<25	<25	
5/22/2007	<15,000	<1,000	<25	<25	<25	<25	<25	<25	
8/15/2007	<1,500	<100	27	<2.5	<2.5	<2.5	<2.5	<2.5	b
MW-10									
5/22/2003	<10000	<2000	300	<50	<50	<50	--	--	
11/18/2003	<10,000	<2,000	<50	<50	<50	<50	--	--	b
02/23/2004	<20,000	<4,000	180	<100	<100	<100	<100	<100	
05/04/2004	<5,000	<1,000	<25	<25	<25	<25	<25	<25	
11/10/2004	<5,000	<1,000	230	<25	<25	<25	<25	<25	b
02/15/2005	<10,000	<2,000	77	<50	<50	<50	<50	<50	
05/16/2005	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
08/17/2005	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
11/18/2005	<2,500	<500	16	<12	<12	<12	<12	<12	b
02/07/2006	<15,000	<1,000	73	<25	<25	<25	<25	<25	
5/19/2006	<15,000	<1,000	<25	<25	<25	<25	<25	<25	b
8/23/2006	<6,000	<400	<10	<10	<10	<10	<10	<10	
11/15/2006	<6,000	<400	54	<10	<10	<10	<10	<10	
2/14/2007	<6,000	<400	120	<10	<10	<10	<10	<25	
5/22/2007	<6,000	<400	15	<10	<10	<10	<10	<10	
8/15/2007	<6,000	<400	<10	<10	<10	<10	<10	<10	
RW-1									
11/18/2003	<10,000	11,000	6,100	<50	<50	160	--	--	a,b

SYMBOLS AND ABBREVIATIONS:

-- = Not analyzed/applicable/measured/available

< = Not detected at or above specified laboratory reporting limit

1,2-DCA = 1,2-Dichloroethane

DIPE = Di-isopropyl ether

EDB = 1,2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

µg/L = Micrograms per Liter

FOOTNOTES:

a = The result for TBA was reported with a possible high bias due to the continuing calibration verification falling outside acceptance criteria

b = The continuing calibration verification for ethanol was outside of client contractual acceptance limits. However, it was within method acceptance limits. The data should still be useful for its intended purpose.

NOTES:

All volatile organic compounds analyzed using EPA Method 8260B.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 3. Historical Ground-Water Flow Direction and Gradient**Station #11132, 3201 35th Ave, Oakland, CA**

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
5/19/2006	South	0.003 to 0.005
8/23/2006	Southwest	0.01
11/15/2006	South	0.004
2/14/2007	Southeast	0.01
5/22/2007	South	0.005
8/15/2007	South-Southwest	0.008

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 4
Free Product Removal
Former BP Service Station #11132
3201 35th Avenue, Oakland, CA

WELL ID	DATE OF MONITORING	PRODUCT THICKNESS (feet)	PRODUCT REMOVED (gallons)	CUMULATIVE PRODUCT REMOVED (gallons)
MW-1	7/9/1990	0.22	2.000	2.000
MW-1	12/21/1990	0.58	2.000	4.000
MW-1	3/7/1991	0.00	--	4.000
MW-1	6/27/1991	0.18	2.000	6.000
MW-1	9/27/1991	0.27	2.000	8.000
MW-1	12/18/1991	0.28	2.000	10.000
MW-1	4/1/1991	0.15	2.000	12.000
MW-1	7/3/1992	0.27	2.000	14.000
MW-1	10/5/1992	0.24	2.000	16.000
MW-1	1/13/1993	0.24	2.000	18.000
MW-1	4/23/1993	0.42	2.000	20.000
MW-1	7/12/1993	0.49	--	20.000
MW-1	10/21/1993	1.09	2.000	22.000
MW-1	1/21/1994	0.76	--	22.000
MW-1	4/20/1994	1.80	2.000	24.000
MW-1	8/1/1994	0.35	--	24.000
MW-1	1/26/1995	1.10	3.000	27.000
MW-1	6/8/95-6/28/95	1.25	0.700	27.700
MW-1	8/22/1995	0.85	0.150	27.850
MW-1	10/30/95-12/23/95	0.69	0.110	27.960
MW-1	1/25/96-2/16/95	1.40	1.080	29.040
MW-1	4/19/1996	1.22	0.750	29.790
MW-1	7/23/1996	0.89	0.000	29.790
MW-1	9/4/1996	--	0.350	30.140
MW-1	11/11/1996	0.89	0.980	31.120
MW-1	1/21/1997	0.90	0.200	31.320
MW-1	4/29/1997	0.85	0.250	31.570
MW-1	8/21/1997	--	0.150	31.720
MW-1	11/2/97-12/9/97	0.87	2.030	33.750
MW-1	2/3/1998	0.32	0.250	34.000
MW-1	2/4/1998	--	--	34.000
MW-1	5/28/1998	0.17	--	34.000
MW-1	12/30/1998	0.08	0.020	34.020
MW-1	2/2/1999	0.03	0.010	34.030
MW-1	5/10/1999	0.03	0.010	34.040
MW-1	8/24/1999	0.06	0.010	34.050
MW-1	11/3/1999	0.36	0.050	34.100
MW-1	3/1/2000	0.23	*	34.100
MW-1	4/21/2000	0.33	0.070	34.170
MW-1	7/31/2000	0.53	0.130	34.300
MW-1	11/20/2000	0.37	0.500	34.800
MW-1	2/18/2001	0.13	0.050	34.850
MW-1	2/26/2001	0.15	0.150	35.000
MW-1	6/7/2001	0.00	--	35.000
MW-1	9/5/2001	0.35	--	35.000
MW-1	11/30/2001	0.41	0.260	35.260
MW-1	12/6/2001	0.27	0.040	35.300
MW-1	2/20/2002	0.15	0.020	35.320
MW-1	6/20/2002	0.34	0.070	35.390
MW-1	9/11/2002	0.40	0.060	35.450
MW-1	11/12/2002	0.37	0.060	35.510
MW-1	1/29/2003	0.30	0.320	35.830

Table 4
Free Product Removal
Former BP Service Station #11132
3201 35th Avenue, Oakland, CA

WELL ID	DATE OF MONITORING	PRODUCT THICKNESS (feet)	PRODUCT REMOVED (gallons)	CUMULATIVE PRODUCT REMOVED (gallons)
MW-1	5/22/2003	0.20	0.140	35.970
MW-1	6/24/2003	0.35	0.070	36.040
MW-1	7/28/2003	0.35	0.080	36.050
MW-1	8/12/2003	0.23	0.040	36.090
MW-1	9/12/2003	0.24	0.040	36.130
MW-1	10/3/2003	0.23	0.040	36.170
MW-1	11/18/2003	0.25	0.040	36.210
MW-1	12/31/2003	0.15	0.020	36.230
MW-1	2/2/2004	0.15	0.020	36.250
MW-1	2/23/2004	0.09	0.030	36.280
MW-1	3/18/2004	0.09	0.010	36.290
MW-1	4/13/2004	0.24	0.040	36.330
MW-1	5/4/2004	0.16	0.030	36.360
MW-1	6/2/2004	0.08	0.010	36.370
MW-1	7/2/2004	0.28	0.040	36.410
MW-1	8/4/2004	0.10	0.080	36.490
MW-1	9/22/2004	0.20	0.030	36.520
MW-1	10/26/2004	0.12	0.020	36.540
MW-1	11/10/2004	0.14	0.020	36.560
MW-1	12/27/2004	0.08	0.010	36.570
MW-1	1/13/2005	0.03	0.005	36.575
MW-1	2/15/2005	0.04	0.006	36.581
MW-1	3/7/2005	0.01	0.007	36.588
MW-1	4/29/2005	0.01	0.002	36.589
MW-1	5/16/2005	0.02	0.003	36.592
MW-1	6/21/2005	0.01	0.002	36.594
MW-1	7/7/2005	0.18	0.029	36.623
MW-1	8/17/2005	0.08	0.013	36.636
MW-1	9/6/2005	0.02	0.003	36.639
MW-1	10/4/2005	0.12	0.020	36.659
MW-1	9/6/2005	0.06	0.010	36.669
MW-1	12/30/2005	0.03	0.005	36.674
MW-1	1/24/2006	0.00	0.000	36.674
MW-1	2/7/2006	0.01	0.002	36.676
MW-1	3/30/2006	0.00	0.000	36.676
MW-1	4/21/2006	0.00	0.000	36.676
MW-1	5/19/2006	<0.01 (SHEEN)	0.000	36.676
MW-1	6/22/2006	0.04	0.006	36.682
MW-1	7/31/2006	0.04	0.006	36.688
MW-1	8/23/2006	0.14	0.022	36.710
MW-1	9/28/2006	0.35	0.056	36.766
MW-1	11/15/2006	0.18	--	36.766
MW-1	2/14/2007	0.17	*	36.766
MW-1	3/14/2007	0.04	****	36.766
MW-1	4/10/2007	0.15	****	36.766
MW-1	5/22/2007	0.01	****	36.766
MW-1	6/26/2007	0.05	****	36.766
MW-1	7/19/2007	0.00	0.000	36.766
MW-1	8/15/2007	0.01	2.000	38.766
MW-1	9/18/2007	0.10	2.000	40.766
MW-8	11/02/93-12/09/98	0.12	1.620	1.620
MW-8	9/5/2001	0.04	--	1.660

Table 4
Free Product Removal
Former BP Service Station #11132
3201 35th Avenue, Oakland, CA

WELL ID	DATE OF MONITORING	PRODUCT THICKNESS (feet)	PRODUCT REMOVED (gallons)	CUMULATIVE PRODUCT REMOVED (gallons)
MW-8	8/12/2003	<0.01 (SHEEN)	--	1.660
MW-8	10/3/2003	<0.01 (SHEEN)	--	1.660
MW-8	11/18/2003	<0.01 (SHEEN)	--	1.660
MW-8	12/31/2003	<0.01 (SHEEN)	--	1.660
MW-8	2/2/2004	<0.01 (SHEEN)	--	1.660
MW-8	2/23/2004	<0.01 (SHEEN)	--	1.660
MW-8	3/18/2004	<0.01 (SHEEN)	--	1.660
MW-8	4/13/2004	<0.01 (SHEEN)	--	1.660
MW-8	5/4/2004	<0.01 (SHEEN)	--	1.660
MW-8	6/2/2004	<0.01 (SHEEN)	--	1.660
MW-8	7/2/2004	--	--	1.660
MW-8	8/4/2004	0.05	0.110	1.770
MW-8	9/22/2004	--	--	1.770
MW-8	10/26/2004	--	--	1.770
MW-8	11/10/2004	--	--	1.770
MW-8	12/26/2004	--	--	1.770
MW-8	1/13/2005	--	--	1.770
MW-8	2/15/2005	--	--	1.770
MW-8	3/7/2005	--	--	1.770
MW-8	4/29/2005	--	--	1.770
MW-8	5/16/2005	--	--	1.770
MW-8	6/21/2005	--	--	1.770
MW-8	7/7/2005	--	--	1.770
MW-8	8/17/2005	--	--	1.770
MW-8	9/6/2005	--	--	1.770
MW-8	1/24/2006	--	--	1.770
MW-8	2/7/2006	--	--	1.770
MW-8	3/30/2006	--	--	1.770
MW-8	4/21/2006	--	--	1.770
MW-8	5/19/2006	<0.01 (Sheen)	--	1.770
MW-8	6/22/2006	--	--	1.770
MW-8	7/31/2006	--	--	1.770
MW-8	8/23/2006	--	--	1.770
MW-8	9/28/2006	--	--	1.770
MW-8	11/15/2006	<0.01 (Sheen)	--	1.770
MW-8	2/14/2007	<0.01 (Sheen)	--	1.770
MW-8	5/22/2007	<0.01 (Sheen)	--	1.770
MW-8	6/26/2007	--	--	1.770
MW-8	7/19/2007	--	--	1.770
MW-8	8/15/2007	<0.01 (Sheen)	--	1.770
MW-8	9/18/2007	--	--	1.770
MW-9	11/2/93-4/29/97	0.10	<0.1	0.880
MW-9	11/5/1997	0.01	<0.1	0.880
MW-9	1/29/2003	0.10	0.190	1.070
MW-9	6/24/2003	NM	NM	1.070
MW-9	7/28/2003	<0.01 (SHEEN)	--	1.070
MW-9	8/12/2003	<0.01 (SHEEN)	--	1.070
MW-9	9/12/2003	<0.01 (SHEEN)	--	1.070
MW-9	10/3/2003	0.01	0.002	1.072
MW-9	11/18/2003	<0.01 (SHEEN)	--	1.072
MW-9	12/31/2003	<0.01 (SHEEN)	--	1.072

Table 4
Free Product Removal
Former BP Service Station #11132
3201 35th Avenue, Oakland, CA

WELL ID	DATE OF MONITORING	PRODUCT THICKNESS (feet)	PRODUCT REMOVED (gallons)	CUMULATIVE PRODUCT REMOVED (gallons)
MW-9	2/2/2004	<0.01 (SHEEN)	--	1.072
MW-9	2/23/2004	<0.01 (SHEEN)	--	1.072
MW-9	3/18/2004	<0.01 (SHEEN)	--	1.072
MW-9	4/13/2004	<0.01 (SHEEN)	--	1.072
MW-9	5/4/2004	<0.01 (SHEEN)	--	1.072
MW-9	6/2/2004	<0.01 (SHEEN)	--	1.072
MW-9	7/2/2004	--	--	1.072
MW-9	8/4/2004	0.03	0.053	1.125
MW-9	9/22/2004	--	--	1.125
MW-9	10/26/2004	--	--	1.125
MW-9	11/10/2004	--	--	1.125
MW-9	12/27/2004	--	--	1.125
MW-9	1/13/2005	--	--	1.125
MW-9	2/15/2005	--	--	1.125
MW-9	3/7/2005	--	--	1.125
MW-9	4/29/2005	--	--	1.125
MW-9	5/16/2005	--	--	1.125
MW-9	6/21/2005	--	--	1.125
MW-9	7/7/2005	--	--	1.125
MW-9	8/17/2005	--	--	1.125
MW-9	9/6/2005	--	--	1.125
MW-9	1/24/2006	--	--	1.125
MW-9	2/7/2006	SHEEN	--	1.125
MW-9	3/30/2006	--	--	1.125
MW-9	4/21/2006	--	--	1.125
MW-9	5/19/2006	NM	--	1.125
MW-9	6/22/2006	--	--	1.125
MW-9	7/31/2006	--	--	1.120
MW-9	8/23/2006	--	--	1.120
MW-9	9/28/2006	--	--	1.120
MW-9	11/15/2006	<0.01 (Sheen)	--	1.120
MW-9	2/14/2007	<0.01 (Sheen)	--	1.120
MW-9	5/22/2007	<0.01 (Sheen)	--	1.120
MW-9	6/26/2007	--	--	1.120
MW-9	7/19/2007	--	--	1.120
MW-9	8/15/2007	<0.01 (Sheen)	--	1.120
MW-9	9/18/2007	--	--	1.120
MW-10	9/7/93-7/23/96	--	10.520	10.520
MW-10	9/4/1996	0.76	0.100	10.620
MW-10	11/11/1996	--	0.200	10.820
MW-10	1/21/1997	--	<0.03	10.850
MW-10	4/29/1997	--	0.040	10.890
MW-10	4/29/1997	--	0.040	10.930
MW-10	12/2/1997	0.03	<0.1	10.930
MW-10	2/3/1998	--	<0.1	10.930
MW-10	9/5/2001	0.01	--	10.930
MW-10	11/12/2002	0.07	0.010	10.940
MW-10	1/29/2003	0.03	0.030	10.970
MW-10	6/24/2003	0.04	0.010	10.980
MW-10	7/28/2003	0.04	0.020	11.000
MW-10	8/12/2003	<0.01 (SHEEN)	--	11.000
MW-10	10/3/2003	<0.01 (SHEEN)	--	11.000

Table 4
Free Product Removal
Former BP Service Station #11132
3201 35th Avenue, Oakland, CA

WELL ID	DATE OF MONITORING	PRODUCT THICKNESS (feet)	PRODUCT REMOVED (gallons)	CUMULATIVE PRODUCT REMOVED (gallons)
MW-10	11/18/2003	<0.01 (SHEEN)	--	11.000
MW-10	12/31/2003	<0.01 (SHEEN)	--	11.000
MW-10	2/2/2004	<0.01 (SHEEN)	--	11.000
MW-10	2/23/2004	<0.01 (SHEEN)	--	11.000
MW-10	3/18/2004	<0.01 (SHEEN)	--	11.000
MW-10	4/13/2004	<0.01 (SHEEN)	--	11.000
MW-10	5/4/2004	<0.01 (SHEEN)	--	11.000
MW-10	6/2/2004	<0.01 (SHEEN)	--	11.000
MW-10	7/2/2004	<0.01 (SHEEN)	--	11.000
MW-10	8/4/2004	0.08	0.110	11.110
MW-10	9/22/2004	--	--	11.110
MW-10	10/26/2004	--	--	11.110
MW-10	11/10/2004	--	--	11.110
MW-10	12/27/2004	--	--	11.110
MW-10	1/13/2005	<0.01 (SHEEN)	--	11.110
MW-10	2/15/2005	--	--	11.110
MW-10	3/7/2005	--	--	11.110
MW-10	4/29/2005	--	--	11.110
MW-10	5/16/2005	--	--	11.110
MW-10	6/21/2005	--	--	11.110
MW-10	7/7/2005	--	--	11.110
MW-10	8/17/2005	--	--	11.110
MW-10	9/6/2005	--	--	11.110
MW-10	1/24/2006	--	--	11.110
MW-10	2/7/2006	SHEEN	--	11.110
MW-10	3/30/2006	--	--	11.110
MW-10	4/21/2006	--	--	11.110
MW-10	5/19/2006	<0.01 (SHEEN)	--	11.110
MW-10	6/22/2006	--	--	11.110
MW-10	7/31/2006	--	--	11.110
MW-10	8/23/2006	--	--	11.110
MW-10	9/28/2006	--	--	11.110
MW-10	11/15/2006	<0.01 (Sheen)	--	11.110
MW-10	2/14/2007	<0.01 (Sheen)	--	11.110
MW-10	5/22/2007	<0.01 (Sheen)	--	11.110
MW-10	6/26/2007	<0.01 (Sheen)	--	11.110
MW-10	7/19/2007	--	--	11.110
MW-10	8/15/2007	<0.01 (Sheen)	--	11.110
MW-10	9/18/2007	--	--	11.110
RW-1	9/5/2001	0.02	--	0.000
RW-1	6/20/2002	**	--	0.000
RW-1	9/11/2002	0.03	0.040	0.040
RW-1	11/12/2002	0.02	0.030	0.070
RW-1	1/29/2003	0.04	0.070	0.140
RW-1	6/24/2003	0.07	0.040	0.180
RW-1	7/28/2003	0.04	0.020	0.200
RW-1	8/12/2003	<0.01 (SHEEN)	--	0.200
RW-1	9/12/2003	0.07	0.100	0.300
RW-1	10/3/2003	0.03	0.040	0.340
RW-1	11/18/2003	<0.01 (SHEEN)	--	0.340
RW-1	12/31/2003	<0.01 (SHEEN)	--	0.340
RW-1	2/23/2004	0.01	0.005	0.345

Table 4
Free Product Removal
Former BP Service Station #11132
3201 35th Avenue, Oakland, CA

WELL ID	DATE OF MONITORING	PRODUCT THICKNESS (feet)	PRODUCT REMOVED (gallons)	CUMULATIVE PRODUCT REMOVED (gallons)
RW-1	3/18/2004	0.09	0.120	0.465
RW-1	4/13/2004	0.02	0.030	0.495
RW-1	5/4/2004	0.02	0.030	0.525
RW-1	6/2/2004	0.05	0.020	0.545
RW-1	7/2/2004	0.11	0.162	0.707
RW-1	8/4/2004	0.05	0.159	0.865
RW-1	9/22/2004	0.06	0.088	0.953
RW-1	10/26/2004	0.01	0.010	0.963
RW-1	11/10/2004	0.02	0.030	0.993
RW-1	12/27/2004	0.03	0.010	1.003
RW-1	1/13/2005	0.01	0.004	1.007
RW-1	2/15/2005	0.03	0.044	1.051
RW-1	3/7/2005	0.02	0.029	1.080
RW-1	4/29/2005	0.03	0.044	1.124
RW-1	5/16/2005	0.02	0.029	1.154
RW-1	6/21/2005	0.03	0.013	1.167
RW-1	7/7/2005	0.06	0.092	1.259
RW-1	8/17/2005	0.03	0.044	1.304
RW-1	9/6/2005	0.03	0.044	1.348
RW-1	10/4/2005	0.07	0.100	1.448
RW-1	11/18/2005	0.07	0.010	1.458
RW-1	12/30/2005	0.04	0.006	1.464
RW-1	1/24/2006	0.01	0.015	1.479
RW-1	2/7/2006	0.01	0.015	1.494
RW-1	3/30/2006	0.02	0.030	1.524
RW-1	4/21/2006	0.00	0.000	1.524
RW-1	5/19/2006	0.04	0.058	1.582
RW-1	6/22/2006	0.03	0.044	1.626
RW-1	7/31/2006	0.12	0.176	1.802
RW-1	8/23/2006	0.07	0.103	1.905
RW-1	9/28/2006	0.07	0.103	2.008
RW-1	11/15/2006	0.07	--	2.008
RW-1	2/14/2007	0.04	*	2.008
RW-1	3/14/2007	0.05	****	2.008
RW-1	4/10/2007	0.10	****	2.008
RW-1	5/22/2007	**	****	2.008
RW-1	6/26/2007	0.05	****	2.008
RW-1	7/19/2007	<0.01 (Sheen)	0.000	2.008
RW-1	8/15/2007	0.02	2.000	4.008
RW-1	9/18/2007	0.03	2.000	6.008
Free Product Removed this Quarter =				8.000
Total Free Product =				60.774

NM = Unable to gauge free product thickness or remove product because the well was inaccessible.

* No hazardous waste drum on-site or drum was full, therefore no product was removed.

** Indeterminate thickness of product. The nature of product is unknown, very viscous.

*** Data prior to 1998 is incomplete, and amounts removed are estimates based on quarter reports from the previous consultants.

**** Absorbent socks used to collect product. Unknown amount of product recovered.

The data within this table collected prior to June 2006 was provided to BAI by RM and their previous consultants. BAI has not verified the accuracy of this information.

APPENDIX A

**STRATUS GROUND-WATER SAMPLING DATA PACKAGE
(INCLUDES FIELD DATA SHEETS AND LABORATORY ANALYTICAL REPORT WITH
CHAIN-OF-CUSTODY DOCUMENTATION)**



Site Contact Phone No.


Site Address: 3201 35th
City Oakland, CA
Sampled By VJ

Site Number: 11132
Project No. GOTTS-0030
Project PM _____
Date Sampled 7-19-07

on site: 0530 off:

(A) Casing water Column
Depth wtr. Depth to Bottom

Multiplier Values



Product Purge

Global ID:
Site Address 3201 35 th.
City Oakland, CA
Sampled By: VinceZ

Site Number 11132
Project No
Project PM
Date 9-18-07

ORIGINAL

0800-

TEST : GRO-BTEX, 5-Oxys, Ethanol

(A) Casing water Column

Depth wtr. Depth to Bottom

Multiplier Values



3330 Cameron Park Drive, Ste 550
Cameron Park, California 95682
(530) 676-6004 ~ Fax: (530) 676-6005

September 24, 2007

Mr. Rob Miller
Broadbent & Associates, Inc.
2000 Kirman Avenue
Reno, NV 89502

Re: Groundwater Sampling Data Package, BP Service Station No. 11132, located at
3201 35th Avenue, Oakland, California

General Information

Data Submittal Prepared / Reviewed by: Sandy Hayes / Jay Johnson

Phone Number: (530) 676-6000

On-Site Supplier Representatives: David DeMello and Vince Zalutka

Sampling Date: August 15, 2007

Arrival: 04:24 *Departure:* 08:40

Weather Conditions: Clear

Unusual Field Conditions: None

Scope of Work Performed: Quarterly monitoring and sampling

Variations from Work Scope: Sheen was noted on Wells MW-2, MW-8, MW-9 and MW-10. Product was noted in Wells MW-1 and RW-1.

This submittal presents the tabulation of data collected in association with routine groundwater monitoring. The attachments include field data sheets, non-hazardous waste data form, chain of custody documentation, and certified analytical results. The information is being provided to BP-ARCO's Scoping Supplier for use in preparing a report for regulatory submittal. This submittal is limited to presentation of collected data and does not include data interpretation or conclusions or recommendations. Any questions concerning this submittal should be addressed to the Preparer/Reviewer identified above.

Sincerely,

STRATUS ENVIRONMENTAL, INC.

Jay R. Johnson, P.G.
Project Manager



Attachments:

- Field Data Sheets
- Non-Hazardous Waste Data Form
- Chain of Custody Documentation
- Certified Analytical Results

cc: Mr. Paul Supple, BP/ARCO



Product Purge

ORIGINAL

Global ID:
Site Address 3201 35Th.
City Oakland, CA
Sampled By: VinceZ

Site Number 11132
Project No _____
Project PM _____
Date 8-15-07

Signature VJ

Date: 8-15-07

unmeasurable with interface probe

TEST : GRO-BTEX, 5-Oxys, Ethanol

(A) Casing water Column

Depth wtr. Depth to Bottom

Multiplier Values
 $2'' = 0.5$ $3'' = 1.0$ $4'' = 2.0$ $6'' = 4.4$

STRATUS

ENVIRONMENTAL, INC.

Site Address: 3201 35th AVE
 City OAKLAND, CA
 Sampled By D. De Mello
VINCE Z.
 * 6 VORAS

Site Number: AREO 11132
 Project No. E 11132-04
 Project PM JAY JOHNSON
 Date Sampled 8-15-07

Site Contact Phone No.

ORIGINAL

Water Level Data				Purge Volume Calculations					Well Purge Method			Sample Record			Field Data		
Well ID	Time	Depth to water feet	Top of Screen feet	Total Depth of Well feet	Casing Water Column (A)	Well Diameter (inches)	Multiplier Value (B)	Three Casing Volumes (gallons)	Actual Water Purged (gallons)	No Purge	Bailer	Pump	Other	DTW At Sample Time	Sample I.D.	Sample Time	Dissolved Oxygen (mg/L)
MW-1	0531	22.24		41.45	19.21	2	.5	9.6	8	X				SEE Below	MW-1	N/S	
*MW-2	0514	21.23		31.67	10.44	2	.5	5.22	5	X				23.54	MW-2	0623	4.24
MW-5	0520	18.80		32.11	13.31	2	.5	6.65	6.5	X				19.05	MW-5	0550	3.81
MW-8	0515	19.61		38.80	19.69	2	.5	9.85	10	X				19.29	MW-8	0625	3.93
MW-9	0503	19.31		28.87	9.156	2	.5	4.28	5	X				20.02	MW-9	0651	2.57
MW-10	0505	20.30		34.05	13.75	2	.5	6.87	7	X				20.90	MW-10	0700	3.09
RW-1	0520	20.80		38.40	17.6	6"	4.8	77.44	20	X					RW-1	N/S	
MW-3	0455	19.87		34.45													
MW-4	0443	22.34		39.83													
MW-6	0815	18.08		34.37													
MW-7	0510	20.85		34.60													
Total 33.5 gal																	

Note: Wells # MW-1 & RW-1 Not Product - Not Sampled Nor Purged

(A) Casing water Column
 Depth wrt. Depth to Bottom

Multiplier Values
 2"=0.5 4"=2.0 6"=4.4



Site Address 2401 22nd AVE
City OAKLAND, CA
Site Sampled by Di Demello

VINCEZ

ORIGINAL

Site Number 44200 11132
Project No. E 11132-04
Project PM JAY JOHNSON
Date Sampled 8-15-07

Well ID <u>Sheen/mw - 2</u> <u>0623</u>					Well ID								
purge start time <u>Bailer</u> <u>Odor</u>					purge start time								
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons				
time	19.2	6.75	2.25	2	time								
time	18.8	6.78	2.38	5	time								
time					time								
time					time								
purge stop time	<u>ORP (-5)</u>				purge stop time								
Well ID <u>Sheen/mw - 9</u> <u>0451</u>					Well ID								
purge start time <u>Bailer</u> <u>Odor</u>					purge start time								
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons				
time	18.6	7.02	1086	2	time								
time	19.3	6.98	1073	5	time								
time					time								
time					time								
purge stop time	<u>ORP (-7)</u>				purge stop time								
Well ID					Well ID								
purge start time					purge start time								
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons				
time					time								
time					time								
time					time								
time					time								
purge stop time					purge stop time								
Well ID					Well ID								
purge start time					purge start time								
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons				
time					time								
time					time								
time					time								
time					time								
purge stop time					purge stop time								



ENVIRONMENTAL INC.

Site Address 2601 10 Ave
City Oaklawn, CO
Site Sampled by D. DeAngelisSite Number 4400 11132
Project No. E 1132-04
Project PM Jay Johnson
Date Sampled 8-15-07VINCE Z
ORIGINAL

Well ID	MW-5 0550				Well ID	Sheen MW-8 0625			
purge start time	Bowlr ODOR!				purge start time	Bowlr ODOR!			
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time	21.1	7.18	1258	6	time	19.7	7.05	1105	6
time	20.9	7.16	1290	3	time	19.9	7.00	1173	5
time	20.7	7.14	1289	6.5	time	19.6	7.08	1215	10
time					time				
purge stop time	DRP (99)				purge stop time	DRP (131)			
Well ID	Sheen MW-10 0700				Well ID				
purge start time	Bowlr ODOR!				purge start time				
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time	19.4	7.08	1189	6	time				
time	19.5	7.11	1244	3	time				
time	19.6	7.09	1187	7	time				
time					time				
purge stop time	DRP (111)				purge stop time				
Well ID					Well ID				
purge start time					purge start time				
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time					time				
time					time				
time					time				
time					time				
purge stop time					purge stop time				
Well ID					Well ID				
purge start time					purge start time				
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time					time				
time					time				
time					time				
time					time				
purge stop time					purge stop time				

NO. 665086

NON-HAZARDOUS WASTE DATA FORM

NAME BP WEST COAST PRODUCTS LLC ARCO # 665086EPA
I.D.
NO.

NOT REQUIRED

ADDRESS P.O. BOX 80246
PARKING SANTA MARINA CA 92680PROFILE
NO.

CITY, STATE, ZIP _____

PHONE NO. ()

CONTAINERS: No. _____ VOLUME 33.45 gal WEIGHT _____TYPE: TANK TRUCK DUMP TRUCK DRUMS CARTONS OTHERWASTE DESCRIPTION NON-HAZARDOUS WATER
COMPONENTS OF WASTEGENERATING PROCESS WELL PUMPING/DECANT WATER
COMPONENTS OF WASTE1. WATER 82-100%

PPM %

2. TRUCK 21%

PPM %

3. _____

PPM %

4. _____

PPM %

PROPERTIES: pH 7-10 SOLID LIQUID SLUDGE SLURRY OTHERHANDLING INSTRUCTIONS: WEAR ALL APPROPRIATE PROTECTIVE CLOTHINGTHE GENERATOR CERTIFIES THAT THE
WASTE AS DESCRIBED IS 100%
NON-HAZARDOUS.Larry Moorthart Best for BP

TYPED OR PRINTED FULL NAME & SIGNATURE

3/15/07

DATE

NAME STRATUS ENVIRONMENTALEPA
I.D.
NO.ADDRESS 3330 CAMERON PARK DR

SERVICE ORDER NO. _____

CITY, STATE, ZIP CAMERON PARK, CA 95682

PICK UP DATE _____

PHONE NO. 520-872-2021TRUCK, UNIT, I.D. NO. 820-100%NAME SEAPORT REFINING & ENVIRONMENTAL, LLCEPA
I.D.
NO.ADDRESS 700 SEAPORT BLVD.

DISPOSAL METHOD

CITY, STATE, ZIP REDWOOD CITY, CA 94063 LANDFILL OTHERPHONE NO. 650-364-1024

TYPED OR PRINTED FULL NAME & SIGNATURE

DATE

GEN	OLD/NEW	L	A	TONS	
TRANS		S	B		
C/Q		RT/CD	HWDF		
			NONE		DISCREPANCY

TO BE COMPLETED BY GENERATOR

TRANSPORTER

TSD FACILITY



A BP affiliated company

Chain of Custody Record

Project Name: ARCO 11132

BP BU/AR Region/Enfos Segment:

BP > Americas > West > Retail > Alameda > 11132

State or Lead Regulatory Agency:

Requested Due Date (mm/dd/yy): STD-TAT

ORIGINAL

Page 1 of 1

On-site Time:	<u>0430</u>	Temp: <u>High 60's</u>
Off-site Time:	<u>0800</u>	Temp:
Sky Conditions:	<u>Clear</u>	
Meteorological Events:	<u>-</u>	
Wind Speed:	<u>-</u>	Direction:

Lab Name: TestAmerica	BP/AR Facility No.: 11132	Consultant/Contractor: Stratus Environmental, Inc.
Address: 885 Jarvis Drive	BP/AR Facility Address: 3201 35th Ave., Oakland	Address: 3330 Cameron Park Drive, Suite 550
Morgan Hill, CA 95937	Site Lat/Long:	Cameron Park, CA 95682
Lab PM: Lisa Race	California Global ID No.: T0600100213	Consultant/Contractor Project No.: E11132-04
Tele/Fax: 408-782-8156 408-782-6308 (fax)	Enfos Project No.: G07TS-0030	Consultant/Contractor PM: Jay Johnson
BP/AR PM Contact: Paul Supple	Provision or OOC (circle one) Provision	Tele/Fax: (530) 676-6000 / (530) 676-6005
Address: 2010 Crow Canyon Place, Suite 150	Phase/WBS: 04-Monitoring	Report Type & QC Level: Level I with EDF
San Ramon, CA	Sub Phase/Task: 03-Analytical	E-mail EDD To: shayes@stratusinc.net
Tele/Fax: 925-275-3506	Cost Element: 01-Contractor labor	Invoice to: Atlantic Richfield Co.

Item No.	Sample Description	Time	Date	Matrix	Laboratory No.	No. of Containers	Preservative		Requested Analysis					Sample Point Lat/Long and Comments *Oxy = MTBE,TAME,ETBE,DIPE,TBA	
							Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	GRO/BTEX/Oxy*	1,2-DCA	Ethanol	
1	MW-2	0623	08/15	X		6			X			X	X	X	
2	MW-5	0550				3				X					
3	MW-8	0628				3					X				
4	MW-9	0651				3						X			
5	MW-10	0700		✓		3						X			
6															
7															
8	TB-11132 08152007	0527	8/15	X		2									N/A
9															
10															

Sampler's Name: David Devella

Sampler's Company: Stratus Environmental Inc.

Shipment Date: 08-15-07

Shipment Method: -

Shipment Tracking No: -

Special Instructions: Please cc results to rmiller@broadbentinc.com

Relinquished By / Affiliation

David Devella

2007
8-15

1040

Accepted By / Affiliation

Personnel - TAI W.San

8/15/07

1040

Custody Seals In Place: Yes / No

Temp Blank: Yes / No

Cooler Temp on Receipt:

°F/C

Trip Blank: Yes / No

MS/MSD Sample Submitted: Yes / No

30 August, 2007

Jay Johnson
Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park, CA 95682

RE: BP Heritage #11132, Oakland, CA
Work Order: MQH0483

Enclosed are the results of analyses for samples received by the laboratory on 08/15/07 19:20. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Lisa Race
Senior Project Manager

CA ELAP Certificate # 1210

The results in this laboratory report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the BPGCLN Technical Specifications, applicable Federal, State, local regulations and certification requirements as well as the methodologies as described in laboratory SOPs reviewed by the BPGCLN. This entire report was reviewed and approved for release.

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11132, Oakland, CA
Project Number: G07TS-0030
Project Manager: Jay Johnson

MQH0483
Reported:
08/30/07 10:21

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-2	MQH0483-01	Water	08/15/07 06:23	08/15/07 19:20
MW-5	MQH0483-02	Water	08/15/07 05:50	08/15/07 19:20
MW-8	MQH0483-03	Water	08/15/07 06:28	08/15/07 19:20
MW-9	MQH0483-04	Water	08/15/07 06:51	08/15/07 19:20
MW-10	MQH0483-05	Water	08/15/07 07:00	08/15/07 19:20
TB-11132-08152007	MQH0483-06	Water	08/15/07 05:27	08/15/07 19:20

The carbon range for the TPH-GRO has been changed from C6-C10 to C4-C12. The carbon range for TPH-DRO has been changed from C10-C28 to C10-C36. EPA 8015B has been modified to better meet the requirements of California regulatory agencies.

These samples were received with intact custody seals.

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11132, Oakland, CA
Project Number: G07TS-0030
Project Manager: Jay Johnson

MQH0483
Reported:
08/30/07 10:21

Total Purgeable Hydrocarbons by GC/MS (CA LUFT)

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-2 (MQH0483-01) Water Sampled: 08/15/07 06:23 Received: 08/15/07 19:20										
Gasoline Range Organics (C4-C12)	14000		5000	ug/l	100	7H26006	08/26/07	08/26/07	LUFT GCMS	
Surrogate: 1,2-Dichloroethane-d4		97 %	60-125		"	"	"	"	"	
Surrogate: Dibromofluoromethane		89 %	75-120		"	"	"	"	"	
Surrogate: Toluene-d8		92 %	80-120		"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		87 %	60-135		"	"	"	"	"	
MW-5 (MQH0483-02) Water Sampled: 08/15/07 05:50 Received: 08/15/07 19:20										
Gasoline Range Organics (C4-C12)	2800		1000	ug/l	20	7H25002	08/25/07	08/25/07	LUFT GCMS	
Surrogate: 1,2-Dichloroethane-d4		78 %	60-125		"	"	"	"	"	
Surrogate: Dibromofluoromethane		91 %	75-120		"	"	"	"	"	
Surrogate: Toluene-d8		89 %	80-120		"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		95 %	60-135		"	"	"	"	"	
MW-8 (MQH0483-03) Water Sampled: 08/15/07 06:28 Received: 08/15/07 19:20										
Gasoline Range Organics (C4-C12)	17000		1000	ug/l	20	7H25002	08/25/07	08/25/07	LUFT GCMS	
Surrogate: 1,2-Dichloroethane-d4		92 %	60-125		"	"	"	"	"	
Surrogate: Dibromofluoromethane		96 %	75-120		"	"	"	"	"	
Surrogate: Toluene-d8		100 %	80-120		"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		99 %	60-135		"	"	"	"	"	
MW-9 (MQH0483-04) Water Sampled: 08/15/07 06:51 Received: 08/15/07 19:20										
Gasoline Range Organics (C4-C12)	5900		250	ug/l	5	7H26006	08/26/07	08/26/07	LUFT GCMS	
Surrogate: 1,2-Dichloroethane-d4		94 %	60-125		"	"	"	"	"	
Surrogate: Dibromofluoromethane		90 %	75-120		"	"	"	"	"	
Surrogate: Toluene-d8		95 %	80-120		"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		90 %	60-135		"	"	"	"	"	

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11132, Oakland, CA
Project Number: G07TS-0030
Project Manager: Jay Johnson

MQH0483
Reported:
08/30/07 10:21

Total Purgeable Hydrocarbons by GC/MS (CA LUFT)

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-10 (MQH0483-05) Water Sampled: 08/15/07 07:00 Received: 08/15/07 19:20									
Gasoline Range Organics (C4-C12)	4400	1000	ug/l	20	7H25002	08/25/07	08/25/07	LUFT GCMS	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	99 %	60-125		"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>	99 %	75-120		"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>	107 %	80-120		"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>	88 %	60-135		"	"	"	"	"	

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11132, Oakland, CA
Project Number: G07TS-0030
Project Manager: Jay Johnson

MQH0483
Reported:
08/30/07 10:21

Volatile Organic Compounds by EPA Method 8260B

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-2 (MQH0483-01) Water Sampled: 08/15/07 06:23 Received: 08/15/07 19:20									
tert-Amyl methyl ether	ND	50	ug/l	100	7H26006	08/26/07	08/26/07	EPA 8260B	
Benzene	7300	50	"	"	"	"	"	"	
tert-Butyl alcohol	2400	2000	"	"	"	"	"	"	
Di-isopropyl ether	ND	50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	50	"	"	"	"	"	"	
Ethanol	ND	30000	"	"	"	"	"	"	IC
Ethyl tert-butyl ether	ND	50	"	"	"	"	"	"	
Ethylbenzene	280	50	"	"	"	"	"	"	
Methyl tert-butyl ether	260	50	"	"	"	"	"	"	
Toluene	130	50	"	"	"	"	"	"	
Xylenes (total)	600	50	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	89 %	75-120	"	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4	97 %	60-125	"	"	"	"	"	"	
Surrogate: Toluene-d8	92 %	80-120	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	87 %	60-135	"	"	"	"	"	"	
MW-5 (MQH0483-02) Water Sampled: 08/15/07 05:50 Received: 08/15/07 19:20									
tert-Amyl methyl ether	ND	10	ug/l	20	7H25002	08/25/07	08/25/07	EPA 8260B	
Benzene	50	10	"	"	"	"	"	"	
tert-Butyl alcohol	ND	400	"	"	"	"	"	"	
Di-isopropyl ether	ND	10	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	10	"	"	"	"	"	"	
1,2-Dichloroethane	ND	10	"	"	"	"	"	"	
Ethanol	ND	6000	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	10	"	"	"	"	"	"	
Ethylbenzene	26	10	"	"	"	"	"	"	
Methyl tert-butyl ether	280	10	"	"	"	"	"	"	
Toluene	ND	10	"	"	"	"	"	"	
Xylenes (total)	29	10	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	91 %	75-120	"	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4	78 %	60-125	"	"	"	"	"	"	
Surrogate: Toluene-d8	89 %	80-120	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	95 %	60-135	"	"	"	"	"	"	

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11132, Oakland, CA
Project Number: G07TS-0030
Project Manager: Jay Johnson

MQH0483
Reported:
08/30/07 10:21

Volatile Organic Compounds by EPA Method 8260B

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-8 (MQH0483-03) Water Sampled: 08/15/07 06:28 Received: 08/15/07 19:20									
tert-Amyl methyl ether	ND	10	ug/l	20	7H25002	08/25/07	08/25/07	EPA 8260B	
Benzene	170	10	"	"	"	"	"	"	
tert-Butyl alcohol	ND	400	"	"	"	"	"	"	
Di-isopropyl ether	ND	10	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	10	"	"	"	"	"	"	
1,2-Dichloroethane	ND	10	"	"	"	"	"	"	
Ethanol	ND	6000	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	10	"	"	"	"	"	"	
Ethylbenzene	1000	10	"	"	"	"	"	"	
Methyl tert-butyl ether	28	10	"	"	"	"	"	"	
Toluene	44	10	"	"	"	"	"	"	
Xylenes (total)	2700	10	"	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>	96 %	75-120		"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	92 %	60-125		"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>	100 %	80-120		"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>	99 %	60-135		"	"	"	"	"	
MW-9 (MQH0483-04) Water Sampled: 08/15/07 06:51 Received: 08/15/07 19:20									
tert-Amyl methyl ether	ND	2.5	ug/l	5	7H26006	08/26/07	08/26/07	EPA 8260B	
Benzene	27	2.5	"	"	"	"	"	"	
tert-Butyl alcohol	ND	100	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.5	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	2.5	"	"	"	"	"	"	
1,2-Dichloroethane	ND	2.5	"	"	"	"	"	"	
Ethanol	ND	1500	"	"	"	"	"	"	IC
Ethyl tert-butyl ether	ND	2.5	"	"	"	"	"	"	
Ethylbenzene	59	2.5	"	"	"	"	"	"	
Methyl tert-butyl ether	27	2.5	"	"	"	"	"	"	
Toluene	ND	2.5	"	"	"	"	"	"	
Xylenes (total)	170	2.5	"	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>	90 %	75-120		"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	94 %	60-125		"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>	95 %	80-120		"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>	90 %	60-135		"	"	"	"	"	

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11132, Oakland, CA
Project Number: G07TS-0030
Project Manager: Jay Johnson

MQH0483
Reported:
08/30/07 10:21

Volatile Organic Compounds by EPA Method 8260B

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-10 (MQH0483-05) Water Sampled: 08/15/07 07:00 Received: 08/15/07 19:20									
tert-Amyl methyl ether	ND	10	ug/l	20	7H25002	08/25/07	08/25/07	EPA 8260B	"
Benzene	550	10	"	"	"	"	"	"	"
tert-Butyl alcohol	ND	400	"	"	"	"	"	"	"
Di-isopropyl ether	ND	10	"	"	"	"	"	"	"
1,2-Dibromoethane (EDB)	ND	10	"	"	"	"	"	"	"
1,2-Dichloroethane	ND	10	"	"	"	"	"	"	"
Ethanol	ND	6000	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	10	"	"	"	"	"	"	"
Ethylbenzene	160	10	"	"	"	"	"	"	"
Methyl tert-butyl ether	ND	10	"	"	"	"	"	"	"
Toluene	38	10	"	"	"	"	"	"	"
Xylenes (total)	310	10	"	"	"	"	"	"	"
Surrogate: Dibromofluoromethane	99 %	75-120	"	"	"	"	"	"	"
Surrogate: 1,2-Dichloroethane-d4	99 %	60-125	"	"	"	"	"	"	"
Surrogate: Toluene-d8	107 %	80-120	"	"	"	"	"	"	"
Surrogate: 4-Bromofluorobenzene	88 %	60-135	"	"	"	"	"	"	"

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11132, Oakland, CA
Project Number: G07TS-0030
Project Manager: Jay Johnson

MQH0483
Reported:
08/30/07 10:21

Total Purgeable Hydrocarbons by GC/MS (CA LUFT) - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 7H25002 - EPA 5030B P/T / LUFT GCMS

Blank (7H25002-BLK1)

Prepared & Analyzed: 08/25/07

Gasoline Range Organics (C4-C12)	ND	50	ug/l							
Surrogate: 1,2-Dichloroethane-d4	2.19	"		2.50		88	60-125			
Surrogate: Dibromoformmethane	2.22	"		2.50		89	75-120			
Surrogate: Toluene-d8	2.51	"		2.50		100	80-120			
Surrogate: 4-Bromofluorobenzene	2.26	"		2.50		90	60-135			

Laboratory Control Sample (7H25002-BS2)

Prepared & Analyzed: 08/25/07

Gasoline Range Organics (C4-C12)	400	50	ug/l	500		80	65-120			
Surrogate: 1,2-Dichloroethane-d4	2.22	"		2.50		89	60-125			
Surrogate: Dibromoformmethane	2.34	"		2.50		94	75-120			
Surrogate: Toluene-d8	2.45	"		2.50		98	80-120			
Surrogate: 4-Bromofluorobenzene	2.25	"		2.50		90	60-135			

Laboratory Control Sample Dup (7H25002-BSD2)

Prepared & Analyzed: 08/25/07

Gasoline Range Organics (C4-C12)	431	50	ug/l	500		86	65-120	7	20	
Surrogate: 1,2-Dichloroethane-d4	2.49	"		2.50		100	60-125			
Surrogate: Dibromoformmethane	2.34	"		2.50		94	75-120			
Surrogate: Toluene-d8	2.51	"		2.50		100	80-120			
Surrogate: 4-Bromofluorobenzene	2.42	"		2.50		97	60-135			

Batch 7H26006 - EPA 5030B P/T / LUFT GCMS

Blank (7H26006-BLK1)

Prepared & Analyzed: 08/26/07

Gasoline Range Organics (C4-C12)	ND	50	ug/l							
Surrogate: 1,2-Dichloroethane-d4	2.43	"		2.50		97	60-125			
Surrogate: Dibromoformmethane	2.32	"		2.50		93	75-120			
Surrogate: Toluene-d8	2.33	"		2.50		93	80-120			
Surrogate: 4-Bromofluorobenzene	2.21	"		2.50		88	60-135			

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11132, Oakland, CA
Project Number: G07TS-0030
Project Manager: Jay Johnson

MQH0483
Reported:
08/30/07 10:21

Total Purgeable Hydrocarbons by GC/MS (CA LUFT) - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 7H26006 - EPA 5030B P/T / LUFT GCMS

Laboratory Control Sample (7H26006-BS2) Prepared & Analyzed: 08/26/07

Gasoline Range Organics (C4-C12)	556	50	ug/l	500	111	65-120
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.41	"		2.50	96	60-125
<i>Surrogate: Dibromofluoromethane</i>	2.25	"		2.50	90	75-120
<i>Surrogate: Toluene-d8</i>	2.42	"		2.50	97	80-120
<i>Surrogate: 4-Bromofluorobenzene</i>	2.38	"		2.50	95	60-135

Laboratory Control Sample Dup (7H26006-BSD2) Prepared & Analyzed: 08/26/07

Gasoline Range Organics (C4-C12)	536	50	ug/l	500	107	65-120	4	20
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.39	"		2.50	96	60-125		
<i>Surrogate: Dibromofluoromethane</i>	2.22	"		2.50	89	75-120		
<i>Surrogate: Toluene-d8</i>	2.35	"		2.50	94	80-120		
<i>Surrogate: 4-Bromofluorobenzene</i>	2.38	"		2.50	95	60-135		

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11132, Oakland, CA
Project Number: G07TS-0030
Project Manager: Jay Johnson

MQH0483
Reported:
08/30/07 10:21

Volatile Organic Compounds by EPA Method 8260B - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 7H25002 - EPA 5030B P/T / EPA 8260B

Blank (7H25002-BLK1) Prepared & Analyzed: 08/25/07

tert-Amyl methyl ether	ND	0.50	ug/l							
Benzene	ND	0.50	"							
tert-Butyl alcohol	ND	20	"							
Di-isopropyl ether	ND	0.50	"							
1,2-Dibromoethane (EDB)	ND	0.50	"							
1,2-Dichloroethane	ND	0.50	"							
Ethanol	ND	300	"							
Ethyl tert-butyl ether	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Methyl tert-butyl ether	ND	0.50	"							
Toluene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
<i>Surrogate: Dibromofluoromethane</i>	2.22		"	2.50		89	75-120			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.19		"	2.50		88	60-125			
<i>Surrogate: Toluene-d8</i>	2.51		"	2.50		100	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.26		"	2.50		90	60-135			

Laboratory Control Sample (7H25002-BS1)

Prepared & Analyzed: 08/25/07

tert-Amyl methyl ether	8.78	0.50	ug/l	10.0		88	65-135			
Benzene	9.40	0.50	"	10.0		94	75-120			
tert-Butyl alcohol	203	20	"	200		101	60-135			
Di-isopropyl ether	9.48	0.50	"	10.0		95	70-130			
1,2-Dibromoethane (EDB)	8.69	0.50	"	10.0		87	70-135			
1,2-Dichloroethane	8.61	0.50	"	10.0		86	70-125			
Ethanol	236	300	"	200		118	15-150			
Ethyl tert-butyl ether	9.13	0.50	"	10.0		91	65-130			
Ethylbenzene	9.36	0.50	"	10.0		94	75-120			
Methyl tert-butyl ether	8.45	0.50	"	10.0		84	50-140			
Toluene	9.66	0.50	"	10.0		97	75-120			
Xylenes (total)	28.8	0.50	"	30.0		96	75-130			
<i>Surrogate: Dibromofluoromethane</i>	2.16		"	2.50		86	75-120			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.13		"	2.50		85	60-125			
<i>Surrogate: Toluene-d8</i>	2.44		"	2.50		98	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.37		"	2.50		95	60-135			

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11132, Oakland, CA
Project Number: G07TS-0030
Project Manager: Jay Johnson

MQH0483
Reported:
08/30/07 10:21

Volatile Organic Compounds by EPA Method 8260B - Quality Control

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 7H25002 - EPA 5030B P/T / EPA 8260B

Matrix Spike (7H25002-MS1)	Source: MQH0483-02	Prepared & Analyzed: 08/25/07					
tert-Amyl methyl ether	195	10	ug/l	200	ND	97	65-135
Benzene	280	10	"	200	50.4	115	75-120
tert-Butyl alcohol	4100	400	"	4000	138	99	60-135
Di-isopropyl ether	208	10	"	200	ND	104	70-130
1,2-Dibromoethane (EDB)	200	10	"	200	ND	100	70-135
1,2-Dichloroethane	185	10	"	200	ND	92	70-125
Ethanol	4500	6000	"	4000	ND	113	15-150
Ethyl tert-butyl ether	215	10	"	200	ND	107	65-130
Ethylbenzene	231	10	"	200	25.8	103	75-120
Methyl tert-butyl ether	555	10	"	200	277	139	50-140
Toluene	212	10	"	200	ND	106	75-120
Xylenes (total)	662	10	"	600	28.6	106	75-130
<i>Surrogate: Dibromofluoromethane</i>	2.47		"	2.50		99	75-120
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.15		"	2.50		86	60-125
<i>Surrogate: Toluene-d8</i>	2.59		"	2.50		104	80-120
<i>Surrogate: 4-Bromofluorobenzene</i>	2.48		"	2.50		99	60-135

Matrix Spike Dup (7H25002-MSD1)	Source: MQH0483-02	Prepared & Analyzed: 08/25/07					
tert-Amyl methyl ether	192	10	ug/l	200	ND	96	65-135
Benzene	241	10	"	200	50.4	95	75-120
tert-Butyl alcohol	4240	400	"	4000	138	102	60-135
Di-isopropyl ether	186	10	"	200	ND	93	70-130
1,2-Dibromoethane (EDB)	193	10	"	200	ND	96	70-135
1,2-Dichloroethane	191	10	"	200	ND	96	70-125
Ethanol	4460	6000	"	4000	ND	111	15-150
Ethyl tert-butyl ether	195	10	"	200	ND	97	65-130
Ethylbenzene	218	10	"	200	25.8	96	75-120
Methyl tert-butyl ether	487	10	"	200	277	105	50-140
Toluene	201	10	"	200	ND	101	75-120
Xylenes (total)	645	10	"	600	28.6	103	75-130
<i>Surrogate: Dibromofluoromethane</i>	2.35		"	2.50		94	75-120
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.22		"	2.50		89	60-125
<i>Surrogate: Toluene-d8</i>	2.32		"	2.50		93	80-120
<i>Surrogate: 4-Bromofluorobenzene</i>	2.21		"	2.50		88	60-135

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11132, Oakland, CA
Project Number: G07TS-0030
Project Manager: Jay Johnson

MQH0483
Reported:
08/30/07 10:21

Volatile Organic Compounds by EPA Method 8260B - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 7H26006 - EPA 5030B P/T / EPA 8260B										
Blank (7H26006-BLK1)										
Prepared & Analyzed: 08/26/07										
tert-Amyl methyl ether	ND	0.50	ug/l							
Benzene	ND	0.50	"							
tert-Butyl alcohol	ND	20	"							
Di-isopropyl ether	ND	0.50	"							
1,2-Dibromoethane (EDB)	ND	0.50	"							
1,2-Dichloroethane	ND	0.50	"							
Ethanol	ND	300	"							
Ethyl tert-butyl ether	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Methyl tert-butyl ether	ND	0.50	"							
Toluene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
<i>Surrogate: Dibromofluoromethane</i>	2.32		"	2.50		93	75-120			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.43		"	2.50		97	60-125			
<i>Surrogate: Toluene-d8</i>	2.33		"	2.50		93	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.21		"	2.50		88	60-135			
Laboratory Control Sample (7H26006-BS1)										
Prepared & Analyzed: 08/26/07										
tert-Amyl methyl ether	9.70	0.50	ug/l	10.0		97	65-135			
Benzene	9.81	0.50	"	10.0		98	75-120			
tert-Butyl alcohol	209	20	"	200		105	60-135			
Di-isopropyl ether	9.81	0.50	"	10.0		98	70-130			
1,2-Dibromoethane (EDB)	9.79	0.50	"	10.0		98	70-135			
1,2-Dichloroethane	10.0	0.50	"	10.0		100	70-125			
Ethanol	273	300	"	200		137	15-150			
Ethyl tert-butyl ether	10.0	0.50	"	10.0		100	65-130			
Ethylbenzene	9.54	0.50	"	10.0		95	75-120			
Methyl tert-butyl ether	9.57	0.50	"	10.0		96	50-140			
Toluene	9.91	0.50	"	10.0		99	75-120			
Xylenes (total)	28.8	0.50	"	30.0		96	75-130			
<i>Surrogate: Dibromofluoromethane</i>	2.31		"	2.50		92	75-120			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.29		"	2.50		92	60-125			
<i>Surrogate: Toluene-d8</i>	2.32		"	2.50		93	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.14		"	2.50		86	60-135			

Stratus Environmental Inc. [Arco]
 3330 Cameron Park Dr., Suite 550
 Cameron Park CA, 95682

Project: BP Heritage #11132, Oakland, CA
 Project Number: G07TS-0030
 Project Manager: Jay Johnson

MQH0483
 Reported:
 08/30/07 10:21

Volatile Organic Compounds by EPA Method 8260B - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 7H26006 - EPA 5030B P/T / EPA 8260B

Matrix Spike (7H26006-MS1)	Source: MQH0505-02	Prepared & Analyzed: 08/26/07							
tert-Amyl methyl ether	9.88	0.50	ug/l	10.0	ND	99	65-135		
Benzene	10.2	0.50	"	10.0	0.530	96	75-120		
tert-Butyl alcohol	210	20	"	200	ND	105	60-135		
Di-isopropyl ether	9.94	0.50	"	10.0	ND	99	70-130		
1,2-Dibromoethane (EDB)	10.0	0.50	"	10.0	ND	100	70-135		
1,2-Dichloroethane	12.0	0.50	"	10.0	1.85	102	70-125		
Ethanol	241	300	"	200	ND	121	15-150		
Ethyl tert-butyl ether	10.2	0.50	"	10.0	ND	102	65-130		
Ethylbenzene	9.23	0.50	"	10.0	ND	92	75-120		
Methyl tert-butyl ether	11.6	0.50	"	10.0	1.59	100	50-140		
Toluene	9.88	0.50	"	10.0	0.210	97	75-120		
Xylenes (total)	37.8	0.50	"	30.0	9.74	94	75-130		
<i>Surrogate: Dibromofluoromethane</i>	2.34		"	2.50		94	75-120		
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.41		"	2.50		96	60-125		
<i>Surrogate: Toluene-d8</i>	2.36		"	2.50		94	80-120		
<i>Surrogate: 4-Bromofluorobenzene</i>	2.30		"	2.50		92	60-135		
Matrix Spike Dup (7H26006-MSD1)	Source: MQH0505-02	Prepared & Analyzed: 08/26/07							
tert-Amyl methyl ether	9.91	0.50	ug/l	10.0	ND	99	65-135	0.3	25
Benzene	9.99	0.50	"	10.0	0.530	95	75-120	2	20
tert-Butyl alcohol	199	20	"	200	ND	99	60-135	5	25
Di-isopropyl ether	9.80	0.50	"	10.0	ND	98	70-130	1	25
1,2-Dibromoethane (EDB)	10.3	0.50	"	10.0	ND	103	70-135	2	30
1,2-Dichloroethane	11.8	0.50	"	10.0	1.85	100	70-125	2	25
Ethanol	257	300	"	200	ND	129	15-150	7	25
Ethyl tert-butyl ether	10.2	0.50	"	10.0	ND	102	65-130	0.5	25
Ethylbenzene	9.26	0.50	"	10.0	ND	93	75-120	0.3	20
Methyl tert-butyl ether	11.5	0.50	"	10.0	1.59	99	50-140	0.8	25
Toluene	9.74	0.50	"	10.0	0.210	95	75-120	1	25
Xylenes (total)	37.6	0.50	"	30.0	9.74	93	75-130	0.4	20
<i>Surrogate: Dibromofluoromethane</i>	2.39		"	2.50		96	75-120		
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.35		"	2.50		94	60-125		
<i>Surrogate: Toluene-d8</i>	2.35		"	2.50		94	80-120		
<i>Surrogate: 4-Bromofluorobenzene</i>	2.17		"	2.50		87	60-135		

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Stratus Environmental Inc. [Arco]
3330 Cameron Park Dr., Suite 550
Cameron Park CA, 95682

Project: BP Heritage #11132, Oakland, CA
Project Number: G07TS-0030
Project Manager: Jay Johnson

MQH0483
Reported:
08/30/07 10:21

Notes and Definitions

IC	Calib. verif. is within method limits but outside contract limits
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference



bp
A BP affiliated company

Chain of Custody Record

Project Name: ARCO 11132

BP BU/AR Region/Enfos Segment: BP > Americas > West > Retail > Alameda > 11132

State or Lead Regulatory Agency:

Requested Due Date (mm/dd/yy): STA-TAT

Page 1 of 1

On-site Time:	0430	Temp:	High 60's
Off-site Time:	0800	Temp:	
Sky Conditions:	CLEAR		
Meteorological Events:			
Wind Speed:	—	Direction:	—

Lab Name: TestAmerica	BP/AR Facility No.: 11132	Consultant/Contractor: Stratus Environmental, Inc.
Address: 885 Jarvis Drive	BP/AR Facility Address: 3201 35th Ave., Oakland	Address: 3330 Cameron Park Drive, Suite 550
Morgan Hill, CA 95937	Site Lat/Long:	Cameron Park, CA 95682
Lab PM: Lisa Race	California Global ID No.: T0600100213	Consultant/Contractor Project No.: E11132-04
Tele/Fax: 408-782-8156 408-782-6308 (fax)	Enfos Project No.: G07TS-0030	Consultant/Contractor PM: Jay Johnson
BP/AR PM Contact: Paul Supple	Provision or OOC (circle one) Provision	Tele/Fax: (530) 676-6000 / (530) 676-6005
Address: 2010 Crow Canyon Place, Suite 150	Phase/WBS: 04-Monitoring	Report Type & QC Level: Level 1 with EDF
San Ramon, CA	Sub Phase/Task: 03-Analytical	E-mail EDD To: shayes@stratusinc.net
Tele/Fax: 925-275-3506	Cost Element: 01-Contractor labor	Invoice to: Atlantic Richfield Co.

Item No.	Sample Description	Time	Date	Matrix	Laboratory No.	No. of Containers	Preservative				Requested Analysis				Sample Point Lat/Long and Comments *Oxy = MTBE,TAME,ETBE,DIPE,TBA	
							Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	GRO/BTEX/Oxy*	1,2-DCA	Ethanol	EDB	
1	MW-2	0623	08/15	X	M040483	6			X			X	X	X	X	
2	MW-5	0550				3				1			1	1	1	
3	MW-8	0628				3				1			1	1	1	
4	MW-9	0651				3				1			1	1	1	
5	MW-10	0700		V		5				1			1	1	1	
6																
7																
8	TB-11132 08152007	0527	8/15	X		6	2									No/16
9																
10																

Sampler's Name: David DeMello	Relinquished By / Affiliation	Date	Time	Accepted By / Affiliation	Date	Time
Sampler's Company: Stratus Environmental Inc.						
Shipment Date: 08-15-07	David DeMello	2007 8/15	1040	Deborah Tai W.Sa	8/15/07	1040
Shipment Method: —	Open for	8/15	1540	Deborah Tai W.Sa	8/15	1540
Shipment Tracking No: —	Aug 15 07	8/15	1920	Deborah Tai W.Sa	8/15	1920
Special Instructions: Please cc results to rmiller@broadbentinc.com						
Custody Seals In Place: Yes / No	Temp Blank: Yes / No	Cooler Temp on Receipt: °F/C	Trip Blank: Yes / No	MS/MSD Sample Submitted: Yes / No		
BP COC Rev. 5 10/1/2006						

TEST AMERICA SAMPLE RECEIPT LOG

CLIENT NAME: DRCO 11132
 REC. BY (PRINT) D.V.
 WORKORDER: _____

DATE REC'D AT LAB: 8/15/07
 TIME REC'D AT LAB: 1020
 DATE LOGGED IN: _____

For Regulatory Purposes?
 DRINKING WATER YES / NO
 WASTE WATER YES / NO

CIRCLE THE APPROPRIATE RESPONSE	LAB SAMPLE #	CLIENT ID	CONTAINER DESCRIPTION	PRESER- VATIVE	pH	SAMPLE MATRIX	DATE SAMPLED	REMARKS: CONDITION (ETC.)
1. Custody Seal(s) <input checked="" type="checkbox"/> Present / <input type="checkbox"/> Absent <input type="checkbox"/> Intact / <input checked="" type="checkbox"/> Broken*								
2. Chain-of-Custody <input checked="" type="checkbox"/> Present / <input type="checkbox"/> Absent*								
3. Traffic Reports or Packing List: <input type="checkbox"/> Present / <input checked="" type="checkbox"/> Absent								
4. Airbill: <input type="checkbox"/> Airbill / Sticker <input checked="" type="checkbox"/> Present / <input type="checkbox"/> Absent								
5. Airbill #:								
6. Sample Labels: <input checked="" type="checkbox"/> Present / <input type="checkbox"/> Absent								
7. Sample IDs: <input checked="" type="checkbox"/> Listed / <input type="checkbox"/> Not Listed on Chain-of-Custody						See C.O.C		
8. Sample Condition: <input checked="" type="checkbox"/> Intact / <input type="checkbox"/> Broken* <input type="checkbox"/> Leaking*					8/15/07			
9. Does information on chain-of-custody, traffic reports and sample labels agree? <input checked="" type="checkbox"/> Yes / <input type="checkbox"/> No*						D.V.		
10. Sample received within hold time? <input checked="" type="checkbox"/> Yes / <input type="checkbox"/> No*								
11. Adequate sample volume received? <input checked="" type="checkbox"/> Yes / <input type="checkbox"/> No*								
12. Proper preservatives used? <input checked="" type="checkbox"/> Yes / <input type="checkbox"/> No*								
13. Trip Blank / Temp Blank Received? (circle which, if yes) <input type="checkbox"/> Yes / <input checked="" type="checkbox"/> No*								
14. Read Temp: <u>14°</u> Corrected Temp: <u>V</u> Is corrected temp 4 +/- 2°C? <input checked="" type="checkbox"/> Yes / <input type="checkbox"/> No** (Acceptance range for samples requiring thermal pres.)								
**Exception (if any): METALS / DFF ON ICE or Problem COC								

APPENDIX B

GEOTRACKER UPLOAD CONFIRMATION

Electronic Submittal Information

[Main Menu](#) | [View/Add Facilities](#) | [Upload EDD](#) | [Check EDD](#)

UPLOADING A GEO_WELL FILE

Processing is complete. No errors were found!
Your file has been successfully submitted!

Submittal Title: 3Q07 GEO_WELL 11132

Facility Global ID: T0600100213

Facility Name: BP #11132

Submittal Date/Time: 10/25/2007 10:40:57 AM

Confirmation Number: **6290242075**

[Back to Main Menu](#)

Logged in as BROADBENT-C
(CONTRACTOR)

CONTACT SITE [ADMINISTRATOR](#).

Electronic Submittal Information

[Main Menu](#) | [View/Add Facilities](#) | [Upload EDD](#) | [Check EDD](#)

Your EDF file has been successfully uploaded!

Confirmation Number: 5969278216

Date/Time of Submittal: 10/18/2007 12:14:25 PM

Facility Global ID: T0600100213

Facility Name: BP #11132

Submittal Title: 3Q07 GW Monitoring

Submittal Type: GW Monitoring Report

Click [here](#) to view the detections report for this upload.

BP #11132 3201 35TH OAKLAND, CA 94619	Regional Board - Case #: <u>01-0227</u> SAN FRANCISCO BAY RWQCB (REGION 2)
	Local Agency (lead agency) - Case #: <u>RO0000014</u> ALAMEDA COUNTY LOP - (SP)

CONF #	TITLE	QUARTER
5969278216	3Q07 GW Monitoring	Q3 2007
SUBMITTED BY	SUBMIT DATE	STATUS
Broadbent & Associates, Inc.	10/18/2007	PENDING REVIEW

SAMPLE DETECTIONS REPORT

# FIELD POINTS SAMPLED	5
# FIELD POINTS WITH DETECTIONS	5
# FIELD POINTS WITH WATER SAMPLE DETECTIONS ABOVE MCL	5
SAMPLE MATRIX TYPES	WATER

METHOD QA/QC REPORT

METHODS USED	8260FA,8260TPH
TESTED FOR REQUIRED ANALYTES?	Y
LAB NOTE DATA QUALIFIERS	Y

QA/QC FOR 8021/8260 SERIES SAMPLES

TECHNICAL HOLDING TIME VIOLATIONS	0
METHOD HOLDING TIME VIOLATIONS	0
LAB BLANK DETECTIONS ABOVE REPORTING DETECTION LIMIT	0
LAB BLANK DETECTIONS	0
DO ALL BATCHES WITH THE 8021/8260 SERIES INCLUDE THE FOLLOWING?	
- LAB METHOD BLANK	Y
- MATRIX SPIKE	N
- MATRIX SPIKE DUPLICATE	N
- BLANK SPIKE	Y
- SURROGATE SPIKE	Y

WATER SAMPLES FOR 8021/8260 SERIES

MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) % RECOVERY BETWEEN 65-135%	Y
MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) RPD LESS THAN 30%	Y
SURROGATE SPIKES % RECOVERY BETWEEN 85-115%	Y
BLANK SPIKE / BLANK SPIKE DUPLICATES % RECOVERY BETWEEN 70-130%	Y

SOIL SAMPLES FOR 8021/8260 SERIES

MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) % RECOVERY BETWEEN 65-135%	n/a
MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) RPD LESS THAN 30%	n/a
SURROGATE SPIKES % RECOVERY BETWEEN 70-125%	n/a
BLANK SPIKE / BLANK SPIKE DUPLICATES % RECOVERY BETWEEN 70-130%	n/a

FIELD QC SAMPLES

<u>SAMPLE</u>	<u>COLLECTED</u>	<u>DETECTIONS > REPDL</u>
QCTB SAMPLES	N	0
QCCEB SAMPLES	N	0
QCAB SAMPLES	N	0

Logged in as BROADBENT-C (CONTRACTOR)

CONTACT SITE [ADMINISTRATOR](#).