



Atlantic Richfield Company
(a BP affiliated company)

P.O. Box 1257
San Ramon, CA 94583
Phone: (925) 275-3801
Fax: (925) 275-3815

30 January 2009

Re: Fourth Quarter 2008 Ground-Water Monitoring Report
Former BP Station # 11132
3201 35th Avenue
Oakland, California
ACEH Case #RO0000014

“I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct.”

Submitted by:

Paul Supple
Environmental Business Manger

RECEIVED

11:33 am, Feb 04, 2009

Alameda County
Environmental Health



Fourth Quarter 2008 Ground-Water Monitoring Report

Former BP Station #11132

3201 35th Avenue
Oakland, California

Prepared for

Mr. Paul Supple
Environmental Business Manager
Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583

Prepared by



1324 Mangrove Avenue, Suite 212
Chico, California 95926
(530) 566-1400
www.broadbentinc.com

30 January 2009

Project No. 06-08-655

30 January 2009

Project No. 06-08-655

Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583
Submitted via ENFOS

Attn.: Mr. Paul Supple

Re: Fourth Quarter 2008 Ground-Water Monitoring Report, Former BP Station #11132,
3201 35th Avenue, Oakland, Alameda County, California; ACEH Case #RO0000014

Dear Mr. Supple:

Provided herein is the *Fourth Quarter 2008 Ground-Water Monitoring Report* for Former BP Station #11132 located at 3201 35th Avenue, Oakland, California (Site). This report presents results of the ground-water monitoring and sampling conducted at the Site during the Fourth Quarter of 2008.

Should you have questions regarding the work performed or results obtained, please do not hesitate to contact us at (530) 566-1400.

Sincerely,

BROADBENT & ASSOCIATES, INC.



Thomas A. Venus, P.E.
Senior Engineer



Robert H. Miller, P.G., C.HG.
Principal Hydrogeologist



Enclosures

cc: Mr. Paresh Khatri, Alameda County Environmental Health (Submitted via ACEH ftp site)
Ms. Shelby Lathrop, ConocoPhillips, 76 Broadway, Sacramento, California 95818
Electronic copy uploaded to GeoTracker

STATION #11132 QUARTERLY GROUND-WATER MONITORING REPORT

Facility: #11132	Address:	3201 35 th Avenue, Oakland, California
Environmental Business Manager:		Mr. Paul Supple
Consulting Co./Contact Persons:		Broadbent & Associates, Inc.(BAI)/Rob Miller & Tom Venus (530) 566-1400
Consultant Project No.:		06-08-655
Primary Agency/Regulatory ID No.:		Alameda County Environmental Health (ACEH) ACEH Case # RO0000014

WORK PERFORMED THIS QUARTER (Fourth Quarter 2008):

1. Prepared and submitted *Third Quarter 2008 Ground-Water Monitoring Report* (BAI, 10/24/2008).
2. Conducted ground-water monitoring/sampling for Fourth Quarter 2008. Work performed by Stratus Environmental, Inc. (Stratus) on 17 November 2008.
3. Performed monthly free product (FP) gauging and bailing on 15 October, 17 November, and 18 December 2008. Work performed by Stratus.

WORK PROPOSED FOR NEXT QUARTER (First Quarter 2009):

1. Prepared and submitted this *Fourth Quarter 2008 Ground-Water Monitoring Report* (contained herein).
2. Prepared and submitted the *Dual-Phase Extraction Pilot Testing and Soil & Ground-Water Investigation Work Plan* (BAI, 1/9/2009).
3. Conduct quarterly ground-water monitoring/sampling for First Quarter 2009.
4. Perform monthly FP gauging and bailing.
5. Implement *Dual-Phase Extraction Pilot Testing and Soil & Ground-Water Investigation Work Plan* pending approval by ACEH.

QUARTERLY RESULTS SUMMARY:

Current phase of project:	Ground-Water Monitoring/Sampling/FP Bailing
Frequency of ground-water monitoring:	Quarterly: MW-1 through MW-10 and RW-1
Frequency of ground-water sampling:	Quarterly: MW-1, MW-2, MW-5, MW-8, MW-9, MW-10, and RW-1 Annually (1Q): MW-3, MW-4, MW-6, and MW-7
Is free product (FP) present on-site:	Yes (MW-1, MW-2, MW-8, MW-10, RW-1)
FP recovered this quarter:	14.0 gallons (FP/water mixture)
Cumulative FP recovered since 1990:	163.3 gallons (FP/water mixture)
Current remediation techniques:	Interim FP Bailing/DPE Feasibility Pilot Testing Work Plan Pending
Depth to ground water (below TOC):	18.73 ft (MW-9) to 22.20 ft (MW-4)
General ground-water flow direction:	South-Southwest
Approximate hydraulic gradient:	0.005 ft/ft

DISCUSSION:

Fourth quarter ground-water monitoring was conducted at Former BP Station #11132 by Stratus on 17 November 2008. Water levels were gauged in eight of the 11 wells at the Site. Wells MW-5, MW-6, and MW-8 were inaccessible due to parked cars. Sheen was observed in wells MW-2 and MW-10. No other irregularities were noted during water level gauging. Depth to water measurements

ranged from 18.73 ft at MW-9 to 22.20 ft at MW-4. Resulting ground-water surface elevations ranged from 148.16 ft above mean sea level at well MW-4 to 147.03 ft at MW-10. Water level elevations were within the historic minimum and maximum ranges for each well. Water level elevations yielded a potentiometric ground-water flow direction and gradient of approximately 0.005 ft/ft to the south-southwest, consistent with historical data (see Table 3). Ground-water monitoring field data sheets are provided within Appendix A. Measured depths to ground water and respective ground-water elevations are summarized in Table 1. Potentiometric ground-water elevation contours are presented in Drawing 1.

Ground-water samples were collected from wells MW-1, MW-2, MW-9, MW-10, and RW-1. Wells MW-5 and MW-8 were not sampled due to the presence of parked cars. No other irregularities were reported during sampling. Samples were submitted under chain-of-custody protocol to Calscience Environmental Laboratories, Inc. (Garden Grove, California), for analysis of Gasoline Range Organics (GRO, C6-C12) by EPA Method 8015B; for Benzene, Toluene, Ethylbenzene, and Total Xylenes (BTEX) by EPA Method 8260B; and tert-Amyl methyl ether (TAME), tert-Butyl alcohol (TBA), Di-isopropyl ether (DIPE), 1,2-Dibromomethane (EDB), 1,2-Dichloroethane (1,2-DCA), Ethanol, Ethyl tert-butyl ether (ETBE), and Methyl tert-butyl ether (MTBE) by EPA Method 8260B. Specific bio-degradation parameters including carbon dioxide, methane, manganese, nitrate, sulfate, total alkalinity, dissolved sulfide, ferrous iron, dissolved oxygen, pH, conductivity, temperature, and oxygen-reduction potential were also monitored and analyzed for during this quarter. The laboratory noted that each sample analyzed for ferrous iron and dissolved sulfide were received after the hold time expired. No other significant irregularities were encountered during laboratory analysis of the samples. Ground-water sampling field data sheets and the laboratory analytical report, including chain-of-custody documentation, are provided in Appendix A.

Gasoline Range Organics (GRO) were detected above the laboratory reporting limits in each of the five wells sampled at concentrations up to 45,000 micrograms per liter ($\mu\text{g/L}$) in well MW-2. Benzene was detected above the laboratory reporting limit in each of the five wells sampled at concentrations up to 8,400 $\mu\text{g/L}$ in well MW-2. Toluene was detected above the laboratory reporting limit in three of the five wells sampled at concentrations up to 700 $\mu\text{g/L}$ in well MW-2. Ethylbenzene was detected above the laboratory reporting limit in each of the five wells sampled at concentrations up to 1,800 $\mu\text{g/L}$ in well MW-1. Total Xylenes were detected above the laboratory reporting limit in each of the five wells sampled at concentrations up to 5,600 $\mu\text{g/L}$ in well MW-2. TAME was detected above the laboratory reporting limit in one of the five wells sampled at a concentration of 27 $\mu\text{g/L}$ in well MW-1. TBA was detected above the laboratory reporting limit in two of the five wells sampled at concentrations up to 1,800 $\mu\text{g/L}$ in well MW-2. MTBE was detected above the laboratory reporting limit in each of the five wells sampled at concentrations up to 590 $\mu\text{g/L}$ in well MW-1. The remaining fuel additives and oxygenates were not detected above their laboratory reporting limits in the five wells sampled this quarter. Further discussion about bioparameters will occur in future reports following analysis of the data for trends.

Detected analyte concentrations were within the historic minimum and maximum ranges for each well with the following exceptions: GRO (27,000 $\mu\text{g/L}$), Toluene (30 $\mu\text{g/L}$), and Total Xylenes (1,400 $\mu\text{g/L}$) each reached historic minimum values in well MW-1. Historic laboratory analytical results are summarized in Table 1 and Table 2. The most recent GRO, Benzene, and MTBE concentrations are also presented in Drawing 1. A copy of the laboratory analytical report, including chain-of-custody documentation, is provided in Appendix A. Ground-water monitoring data (GEO_WELL) and laboratory analytical results (EDF) were uploaded to the GeoTracker AB2886 database. Upload confirmation pages are provided in Appendix B.

Separate phase hydrocarbons (SPH, or Free Product – FP) were monitored and removed, if present, during October, November, and December 2008. During the October FP gauging/bailing event


on 15 October 2008, FP thickness was measured in wells MW-1 (0.01 ft), MW-2 (0.01 ft), MW-8 (0.01 ft), MW-10 (0.01 ft), and RW-1 (0.03 ft). No sheen or FP was recorded in well MW-9. Approximately eight gallons of FP/water mixture was removed from well MW-1, approximately three gallons of FP/water mixture was removed from well RW-1 and approximately one gallon of FP/water mixture was removed from wells MW-2, MW-8, and MW-10 during the October visit. Soakese[®] absorbent socks were placed in wells MW-1 and RW-1 during the 15 October 2008 Site visit. During the November FP bailing event on 17 November 2008, no FP was recorded in wells MW-1, MW-9, and RW-1. A sheen was recorded in wells MW-2 and MW-10. Well MW-8 was inaccessible due to a parked car. No FP/water mixture was removed from the Site during the November visit. During the FP gauging/bailing event on 18 December 2008, no sheen or FP was recorded in wells MW-1, MW-2, MW-8, MW-9, MW-10, and RW-1. No FP/water mixture was removed from the Site during the December visit. Total FP/water mixture removed from wells this quarter was approximately 14.0 gallons. Total cumulative FP/water mixture removed to date at the Site is approximately 163.3 gallons, but this does not include the unknown volume removed within absorbent socks that have been installed and replaced as necessary since Second Quarter 2007. Table 4 contains a summary of FP removal data. Copies of the field data sheets for visits to the Site conducted this quarter are included within Appendix A.

CLOSURE:

The findings presented in this report are based upon: observations of Stratus field personnel (see Appendix A), the points investigated, and results of laboratory tests performed by Calscience Environmental Laboratories, Inc. (Garden Grove, California). Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of Atlantic Richfield Company. It is possible that variations in soil or ground-water conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

ATTACHMENTS:

- Drawing 1. Ground-Water Elevation Contour and Analytical Summary Map, 17 November 2008, Former BP Service Station #11132, 3201 35th Avenue, Oakland, California
- Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses, Station #11132, 3201 35th Ave., Oakland, California
- Table 2. Summary of Fuel Additives Analytical Data, Station #11132, 3201 35th Ave., Oakland, California
- Table 3. Historical Ground-Water Flow Direction and Gradient, Station #11132, 3201 35th Ave., Oakland, California
- Table 4. Free Product Removal, Former BP Service Station #11132, 3201 35th Avenue, Oakland, California
- Appendix A. Stratus Ground-Water Sampling Data Package (Includes Field Data Sheets, Laboratory Analytical Report with Chain-of-Custody Documentation, and Field Procedures)
- Appendix B. GeoTracker Upload Confirmation



BROADBENT & ASSOCIATES, INC.
 ENGINEERING, WATER RESOURCES & ENVIRONMENTAL
 1324 Mangrove Ave. Suite 212, Chico, California 95926
 Project No.: 06-08-655 Date: 1/26/09

Former BP Service Station #11132
 3201 35th Avenue
 Oakland, California

Ground-Water Elevation Contours
 and Analytical Summary Map
 17 November 2008

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-1															
7/9/1990	--	169.75	--	0.22	--	--	--	--	--	--	--	--	--	--	
12/21/1990	--	169.75	--	0.58	--	--	--	--	--	--	--	--	--	--	
3/7/1991	--	169.75	20.59	0	149.16	--	--	--	--	--	--	--	--	--	
4/1/1991	--	169.75	16.51	0.15	153.09	--	--	--	--	--	--	--	--	--	
6/27/1991	--	169.75	--	0.18	--	--	--	--	--	--	--	--	--	--	
9/27/1991	--	169.75	--	0.27	--	--	--	--	--	--	--	--	--	--	
12/18/1991	--	169.75	--	0.28	--	--	--	--	--	--	--	--	--	--	
7/3/1992	--	169.75	22.30	0.27	147.18	--	--	--	--	--	--	--	--	--	
10/5/1992	--	169.75	23.98	0.24	145.53	--	--	--	--	--	--	--	--	--	
1/13/1993	--	169.75	17.03	0.24	152.48	--	--	--	--	--	--	--	--	--	
4/23/1993	--	169.75	18.10	0.42	151.23	--	--	--	--	--	--	--	--	--	
7/12/1993	--	169.75	22.02	0.49	147.24	--	--	--	--	--	--	--	--	--	
10/21/1993	--	169.75	25.12	1.09	143.54	--	--	--	--	--	--	--	--	--	
1/21/1994	--	169.75	23.02	0.76	145.97	--	--	--	--	--	--	--	--	--	
4/20/1994	--	169.75	24.54	1.8	143.41	--	--	--	--	--	--	--	--	--	
8/1/1994	--	169.75	24.11	0.35	145.29	--	--	--	--	--	--	--	--	--	
12/23/1994	--	169.75	18.19	--	151.56	--	--	--	--	--	--	--	--	--	
1/26/1995	--	169.75	16.25	1.1	152.40	--	--	--	--	--	--	--	--	--	
6/8/1995	--	169.75	22.92	--	146.83	--	--	--	--	--	--	--	--	--	
6/8/95-6/28/95	--	169.75	--	1.25	145.63	--	--	--	--	--	--	--	--	--	
8/22/1995	--	169.75	24.45	0.85	144.45	--	--	--	--	--	--	--	--	--	
10/27/1995	--	169.75	25.41	--	143.65	--	--	--	--	--	--	--	--	--	
10/30/95-12/23/95	--	169.75	--	0.69	--	--	--	--	--	--	--	--	--	--	
1/25/96-2/16/96	--	169.75	--	1.40	150.15	--	--	--	--	--	--	--	--	--	
1/25/1996	--	169.75	18.20	--	151.55	--	--	--	--	--	--	--	--	--	
4/19/1996	--	169.75	19.06	1.22	149.47	--	--	--	--	--	--	--	--	--	
7/23/1996	--	169.75	22.98	0.89	145.88	--	--	--	--	--	--	--	--	--	
11/11/1996	--	169.75	23.99	0.89	144.78	--	--	--	--	--	--	--	--	--	
1/21/1997	--	169.75	16.80	0.9	152.05	--	--	--	--	--	--	--	--	--	
4/29/1997	--	169.75	21.90	0.85	147.00	--	--	--	--	--	--	--	--	--	
4/30/1997	--	169.75	--	--	--	100,000	3,600	8,000	4,000	21,300	7,700	5.2	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-1 Cont.															
4/30/1997	--	169.75	--	--	--	92,000	3,500	8,100	4,400	23,800	6,900	--	--	--	c
8/21/1997	--	169.75	--	--	--	120,000	3,200	8,100	3,800	19,600	5,200	--	--	--	c
8/21/1997	--	169.75	23.40	--	146.35	140,000	3,000	8,500	3,900	22,100	5,700	5.3	--	--	
11/2/97-12/9/97	--	169.75	--	0.87	--	--	--	--	--	--	--	--	--	--	
11/5/1997	--	169.75	23.70	--	145.51	68,000	6,200	4,400	3,300	14,300	8,000	4.7	--	--	
11/5/1997	--	169.75	--	--	--	88,000	7,300	4,800	3,600	16,900	8,200	--	--	--	c
2/3/1998	--	169.75	13.63	0.32	155.80	--	--	--	--	--	--	--	--	--	
2/4/1998	--	169.75	--	--	--	160,000	2,300	8,400	5,000	29,400	<10000	--	--	--	c
2/4/1998	--	169.75	--	--	--	190,000	2,200	10,000	5,600	32,000	<10000	5.3	--	--	
5/28/1998	--	169.75	18.03	0.17	151.55	87,000	980	3,900	3,600	19,000	2,900	3.8	--	--	
12/30/1998	--	169.75	19.50	0.08	150.17	70,000	530	3,200	2,900	16,000	3,600	--	--	--	
2/2/1999	--	169.75	18.93	0.03	150.79	79,000	480	3,100	3,500	21,000	3,500	--	--	--	
5/10/1999	--	169.75	18.28	0.03	151.44	110,000	160	1,900	3,700	24,000	3,000	--	--	--	
8/24/1999	--	169.75	20.13	0.06	149.56	110,000	850	1,300	1,900	19,000	<50	--	--	--	
11/3/1999	--	169.75	22.27	0.36	147.12	65,000	6,300	1,100	3,300	9,500	8,900	--	--	--	
3/1/2000	--	169.75	14.79	0.23	154.73	--	--	--	--	--	--	--	--	--	h
4/21/2000	--	169.75	18.10	0.33	151.32	61,000	330	780	2,700	17,000	1,300	--	--	--	
7/31/2000	--	169.75	21.60	0.53	147.62	1,500,000	340	2,100	24,000	120,000	2,700	--	--	--	
11/20/2000	--	169.75	21.69	0.37	147.69	1,700,000	1,800	2,300	19,000	93,000	3,900	--	--	--	
2/18/2001	--	169.75	16.70	0.13	152.92	--	--	--	--	--	--	--	--	--	
2/26/2001	--	169.75	14.38	0.15	155.22	100,000	658	466	4,210	15,000	1,890	--	--	--	
6/7/2001	--	169.75	20.78	0	148.97	70,000	705	440	3,870	12,200	2,720	--	--	--	
9/5/2001	--	169.75	23.36	0.35	146.04	--	--	--	--	--	--	--	--	--	j
11/30/2001	--	169.75	20.85	0.41	148.49	--	--	--	--	--	--	--	--	--	k
12/6/2001	--	169.75	18.72	0.27	150.76	39,000	3,500	237	2,150	4,500	5,400	--	--	--	
2/20/2002	--	169.75	17.43	0.15	152.17	52,000	465	271	1,600	11,400	106	--	--	--	
6/20/2002	--	169.75	21.18	0.34	148.23	--	--	--	--	--	--	--	--	--	j
9/11/2002	--	169.75	22.86	0.4	146.49	--	--	--	--	--	--	--	--	--	j
11/12/2002	--	169.75	22.65	0.37	146.73	--	--	--	--	--	--	--	--	--	j
1/29/2003	--	169.75	18.15	0.3	151.30	--	--	--	--	--	--	--	--	--	j,n
5/22/2003	--	169.75	18.49	0.2	151.06	--	--	--	--	--	--	--	--	--	j

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-1 Cont.															
6/24/2003	--	169.75	21.44	0.35	147.96	--	--	--	--	--	--	--	--	--	o
7/28/2003	--	169.75	22.72	0.35	146.68	--	--	--	--	--	--	--	--	--	j
8/12/2003	--	169.75	22.64	0.23	146.88	--	--	--	--	--	--	--	--	--	o
9/12/2003	--	169.75	20.70	0.24	148.81	--	--	--	--	--	--	--	--	--	o
10/3/2003	--	169.75	--	0.23	--	--	--	--	--	--	--	--	--	--	
11/18/2003	NP	169.75	21.70	0.25	148.25	--	--	--	--	--	--	--	--	--	
12/31/2003	--	169.75	--	0.15	--	--	--	--	--	--	--	--	--	--	
2/2/2004	--	169.75	--	0.15	--	--	--	--	--	--	--	--	--	--	
02/23/2004	NP	169.75	16.34	0.09	153.48	--	--	--	--	--	--	--	--	--	
3/18/2004	--	169.75	--	0.09	--	--	--	--	--	--	--	--	--	--	
4/13/2004	--	169.75	--	0.24	--	--	--	--	--	--	--	--	--	--	
05/04/2004	NP	169.75	21.28	0.16	148.60	--	--	--	--	--	--	--	--	--	
6/2/2004	--	169.75	--	0.08	--	--	--	--	--	--	--	--	--	--	
7/2/2004	--	169.75	--	0.28	--	--	--	--	--	--	--	--	--	--	
08/04/2004	--	169.75	22.54	0.10	147.29	--	--	--	--	--	--	--	--	--	
09/22/2004	NP	169.75	22.76	0.20	147.15	--	--	--	--	--	--	--	--	--	
10/26/2004	--	169.75	--	0.12	--	--	--	--	--	--	--	--	--	--	
11/10/2004	--	169.75	20.19	0.14	149.67	--	--	--	--	--	--	--	--	--	
12/27/2004	--	169.75	--	0.08	--	--	--	--	--	--	--	--	--	--	
01/13/2005	--	169.75	14.58	0.03	155.19	--	--	--	--	--	--	--	--	--	
02/15/2005	--	169.75	16.13	0.04	153.65	--	--	--	--	--	--	--	--	--	
03/07/2005	--	169.75	13.31	0.01	156.45	--	--	--	--	--	--	--	--	--	
4/29/2005	--	169.75	--	0.01	--	--	--	--	--	--	--	--	--	--	
05/16/2005	--	169.75	15.74	0.02	154.03	--	--	--	--	--	--	--	--	--	j
6/21/2005	--	169.75	--	0.01	--	--	--	--	--	--	--	--	--	--	
7/7/2005	--	169.75	--	0.18	--	--	--	--	--	--	--	--	--	--	
08/17/2005	--	169.75	21.15	0.08	148.66	--	--	--	--	--	--	--	--	--	j
9/6/2005	--	169.75	--	0.02	--	--	--	--	--	--	--	--	--	--	
10/4/2005	--	169.75	--	0.12	--	--	--	--	--	--	--	--	--	--	
11/18/2005	--	169.75	20.15	--	149.60	--	--	--	--	--	--	--	--	--	j
12/30/2005	--	169.75	--	0.03	--	--	--	--	--	--	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-1 Cont.															
1/24/2006	--	169.75	--	0.00	--	--	--	--	--	--	--	--	--	--	
02/07/2006	--	169.75	15.19	0.01	154.57	--	--	--	--	--	--	--	--	--	j
3/30/2006	--	169.75	--	0.00	--	--	--	--	--	--	--	--	--	--	
5/19/2006	P	169.75	17.42	--	152.33	44,000	73	510	3,300	5,300	86	--	SEQM	6.9	u, t
8/23/2006	--	169.75	22.01	0.14	147.74	--	--	--	--	--	--	--	--	--	b, j
11/15/2006	--	169.75	21.98	0.18	147.91	--	--	--	--	--	--	--	--	--	b, j
2/14/2007	--	169.75	17.12	0.17	152.76	--	--	--	--	--	--	--	--	--	b, j
5/22/2007	--	169.75	19.49	0.01	150.26	--	--	--	--	--	--	--	--	--	b, j
8/15/2007	--	169.75	22.24	0.01	147.52	--	--	--	--	--	--	--	--	--	b, j
11/8/2007	--	169.75	21.84	0.01	147.92	--	--	--	--	--	--	--	--	--	b, j
2/20/2008	--	169.75	16.52	0.02	153.25	--	--	--	--	--	--	--	--	--	b, j
5/7/2008	--	169.75	20.91	0.02	148.86	--	--	--	--	--	--	--	--	--	b, j
8/20/2008	--	169.75	22.77	0.02	147.00	--	--	--	--	--	--	--	--	--	b
11/17/2008	P	169.75	22.05	--	147.70	27,000	780	30	1,800	1,400	590	--	CEL	6.60	w
MW-2															
7/9/1990	--	168.14	--	--	--	--	--	--	--	--	--	--	--	--	
12/21/1990	--	168.14	--	--	--	--	--	--	--	--	--	--	--	--	
3/7/1991	--	168.14	19.18	--	148.96	--	--	--	--	--	--	--	--	--	
4/1/1991	--	168.14	15.21	--	152.93	--	--	--	--	--	--	--	--	--	
6/27/1991	--	168.14	--	--	--	--	--	--	--	--	--	--	--	--	
9/27/1991	--	168.14	--	--	--	--	--	--	--	--	--	--	--	--	
12/18/1991	--	168.14	--	--	--	--	--	--	--	--	--	--	--	--	
7/3/1992	--	168.14	20.93	--	147.21	--	--	--	--	--	--	--	--	--	
10/5/1992	--	168.14	22.74	--	145.40	--	--	--	--	--	--	--	--	--	
1/13/1993	--	168.14	15.55	--	152.59	--	--	--	--	--	--	--	--	--	
4/23/1993	--	168.14	16.54	--	151.60	--	--	--	--	--	--	--	--	--	
7/12/1993	--	168.14	20.46	--	147.68	--	--	--	--	--	--	--	--	--	
10/21/1993	--	168.14	24.91	--	143.23	--	--	--	--	--	--	--	--	--	
1/21/1994	--	168.14	21.20	--	146.94	--	--	--	--	--	--	--	--	--	
4/20/1994	--	168.14	22.44	--	145.70	1,800	140	370	54	290	24	1.7	--	--	i

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-2 Cont.															
8/1/1994	--	168.14	22.24	--	145.90	--	--	--	--	--	--	--	--	--	
12/23/1994	--	168.14	16.25	--	151.89	--	--	--	--	--	--	--	--	--	
1/26/1995	--	168.14	14.55	--	153.59	--	--	--	--	--	--	--	--	--	
6/8/1995	--	168.14	21.18	--	146.96	--	--	--	--	--	--	--	--	--	
8/22/1995	--	168.14	22.76	--	145.38	--	--	--	--	--	--	--	--	--	
10/27/1995	--	168.14	23.61	--	144.53	--	--	--	--	--	--	--	--	--	
1/25/1996	--	168.14	15.95	--	152.19	--	--	--	--	--	--	--	--	--	
4/19/1996	--	168.14	17.33	--	150.81	--	--	--	--	--	--	--	--	--	
7/23/1996	--	168.14	21.25	--	146.89	--	--	--	--	--	--	--	--	--	
11/11/1996	--	168.14	22.27	--	145.87	--	--	--	--	--	--	--	--	--	
1/21/1997	--	168.14	15.19	--	152.95	--	--	--	--	--	--	--	--	--	
4/29/1997	--	168.14	20.22	--	147.92	--	--	--	--	--	--	--	--	--	
4/30/1997	--	168.14	--	--	--	130,000	4,600	15,000	6,000	37,000	<5000	5	--	--	
8/21/1997	--	168.14	21.74	--	146.40	110,000	6,000	16,000	4,700	28,000	<500	4.6	--	--	
11/5/1997	--	168.14	21.61	--	146.53	120,000	7,800	18,000	4,900	28,100	<2500	4.6	--	--	
2/3/1998	--	168.14	11.51	--	156.63	75,000	590	1,500	1,800	12,800	<2500	4.5	--	--	
5/28/1998	--	168.14	16.51	--	151.63	79,000	3,900	3,100	3,100	18,000	900	4.3	--	--	
12/30/1998	--	168.14	17.70	--	150.44	95,000	4,700	3,500	3,700	21,000	<250	--	--	--	
2/2/1999	--	168.14	15.46	--	152.68	170,000	3,500	1,500	5,200	34,000	<500	--	--	--	
5/10/1999	--	168.14	16.52	--	151.62	84,000	3,200	3,200	3,700	20,000	75	--	--	--	
8/24/1999	--	168.14	20.73	--	147.41	130,000	9,100	9,200	4,700	27,000	<250	--	--	--	
11/3/1999	--	168.14	20.93	--	147.21	120,000	10,000	21,000	4,700	30,200	2,200	--	--	--	
3/1/2000	--	168.14	13.37	--	154.77	39,000	1,400	1,500	1,700	8,100	44	--	--	--	
4/21/2000	--	168.14	16.59	--	151.55	68,000	3,300	2,500	3,100	20,000	260	--	--	--	
7/31/2000	--	168.14	16.37	--	151.77	99,000	5,600	1,400	4,300	22,000	490	--	--	--	
11/20/2000	--	168.14	19.71	--	148.43	37,000	5,100	1,500	1,300	4,800	2,800	--	--	--	
2/18/2001	--	168.14	15.29	--	152.85	54,000	5,020	3,880	2,850	15,400	1,010	--	--	--	
6/7/2001	--	168.14	19.43	--	148.71	110,000	7,240	4,380	4,160	22,100	567	--	--	--	
9/5/2001	--	168.14	22.44	--	145.70	69,000	5,750	5,790	2,770	14,200	1,510	--	--	--	
11/30/2001	--	168.14	19.58	--	148.56	120,000	7,270	6,540	4,590	23,000	794	--	--	--	
2/20/2002	--	168.14	16.39	--	151.75	56,000	2,410	2,270	2,910	14,300	160	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-2 Cont.															
6/20/2002	--	168.14	19.77	--	148.37	86,000	7,310	6,490	3,080	14,600	659	--	--	--	
9/11/2002	--	168.14	21.60	--	146.54	130,000	7,600	13,000	5,400	30,000	<5000	--	--	--	
11/12/2002	--	168.14	21.34	--	146.80	46,000	4,100	4,300	1,900	10,000	1,900	--	--	--	t
1/29/2003	--	168.14	16.80	--	151.34	77,000	4,700	2,600	2,800	13,000	820	--	--	--	n,t
5/22/2003	--	168.14	17.15	--	150.99	52,000	6,400	2,600	1,800	7,400	1,000	--	--	--	t
7/28/2003	--	168.14	21.47	--	146.67	31,000	6,900	5,500	2,200	12,000	1,700	--	--	--	p
11/18/2003	P	168.14	20.50	--	147.64	23,000	3,300	800	500	2,000	500	--	SEQM	6.6	
02/23/2004	P	168.14	14.77	--	153.37	84,000	14,000	6,200	3,100	14,000	790	--	SEQM	6.6	t
05/04/2004	P	168.14	20.09	--	148.05	120,000	15,000	17,000	4,900	24,000	780	--	SEQM	6.6	t
08/04/2004	P	168.14	21.39	--	146.75	38,000	9,100	3,300	1,900	5,800	430	--	SEQM	6.69	t
11/10/2004	P	168.14	18.98	--	149.16	22,000	4,400	2,000	940	3,600	310	--	SEQM	7.5	
02/15/2005	P	168.14	15.62	--	152.52	67,000	11,000	4,200	3,000	11,000	690	--	SEQM	7.1	t
05/16/2005	P	168.14	14.71	--	153.43	94,000	11,000	7,600	4,100	17,000	560	--	SEQM	6.5	
08/17/2005	P	168.14	20.00	--	148.14	110,000	13,000	8,000	4,300	18,000	480	--	SEQM	6.6	
11/18/2005	P	168.14	20.89	--	147.25	37,000	11,000	2,400	1,500	4,600	340	--	SEQM	6.6	
02/07/2006	P	168.14	13.31	--	154.83	74,000	8,900	5,800	3,600	14,000	440	--	SEQM	6.7	
5/19/2006	P	168.14	16.30	--	151.84	78,000	11,000	3,700	4,500	14,000	430	--	SEQM	6.6	t
8/23/2006	P	168.14	20.83	--	147.31	100,000	12,000	9,100	5,800	25,000	480	--	TAMC	6.6	
11/15/2006	--	168.14	20.80	--	147.34	46,000	8,800	3,600	2,300	8,500	400	0.70	TAMC	6.73	
2/14/2007	P	168.14	15.96	SHEEN	152.18	100,000	13,000	3,600	6,200	26,000	810	1.43	TAMC	6.97	t
5/22/2007	P	168.14	18.20	--	149.94	91,000	15,000	8,700	4,700	20,000	1,000	0.08	TAMC	6.90	
8/15/2007	P	168.14	21.23	SHEEN	146.91	14,000	7,300	130	280	600	260	4.24	TAMC	6.78	
11/8/2007	P	168.14	20.32	--	147.82	22,000	7,400	420	640	1,700	240	1.21	TAMC	7.03	
2/20/2008	--	168.14	15.20	0.06	152.99	--	--	--	--	--	--	--	--	--	b, j
5/7/2008	--	168.14	19.80	0.04	148.37	--	--	--	--	--	--	--	--	--	b, j
8/20/2008	--	168.14	21.70	0.01	146.45	--	--	--	--	--	--	--	--	--	b
11/17/2008	P	168.14	20.73	--	147.41	45,000	8,400	700	1,500	5,600	320	--	CEL	6.46	t, w
MW-3															
7/9/1990	--	167.17	--	--	--	140	5.3	4.6	2	3.8	--	--	--	--	
12/21/1990	--	167.17	--	--	--	0.19	100	6	0.9	27	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-3 Cont.															
3/7/1991	--	167.17	17.40	--	149.77	0.4	69	22	6.1	57	--	--	--	--	
4/1/1991	--	167.17	13.69	--	153.48	--	--	--	--	--	--	--	--	--	
6/27/1991	--	167.17	--	--	--	380	28	26	13	46	--	--	--	--	
9/27/1991	--	167.17	--	--	--	0.07	7.9	--	0.4	1.1	--	--	--	--	
12/18/1991	--	167.17	--	--	--	0.26	34	24	0.8	28	--	--	--	--	
7/3/1992	--	167.17	19.59	--	147.58	71	9.4	0.9	5	13	--	--	--	--	
10/5/1992	--	167.17	--	--	--	<50	2.2	<0.5	1.5	2.8	--	--	--	--	c
10/5/1992	--	167.17	21.22	--	145.95	67	5.1	1.1	6.1	8.1	--	--	--	--	
1/13/1993	--	167.17	13.63	--	153.54	830	50	34	42	89	--	--	--	--	i
4/23/1993	--	167.17	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	c,i
4/23/1993	--	167.17	15.02	--	152.15	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	i
7/12/1993	--	167.17	19.16	--	148.01	250	12	4.2	12	16	<5.0	--	--	--	i
10/21/1993	--	167.17	--	--	--	65	7.4	1	6.9	4.2	--	--	--	--	c
10/21/1993	--	167.17	21.81	--	145.36	52	4.4	1.4	4.7	3.3	<5.0	--	--	--	i
1/21/1994	--	167.17	19.94	--	147.23	57	3	3.4	3.6	9	<5.0	--	--	--	i
4/20/1994	--	167.17	20.24	--	146.93	600	26	23	33	88	28.7	1.8	--	--	i
8/1/1994	--	167.17	--	--	--	120	7.7	1.6	5.9	6.7	5.43	--	--	--	c,i
8/1/1994	--	167.17	20.74	--	146.43	99	6.2	1.1	4.5	5.2	<5.0	1.4	--	--	i
12/23/1994	--	167.17	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	c
12/23/1994	--	167.17	14.70	--	152.47	<50	<0.5	0.78	<0.5	<0.5	9.8	1.7	--	--	i
1/26/1995	--	167.17	12.89	--	154.28	190	16	0.5	35	24	--	6.6	--	--	d
6/8/1995	--	167.17	19.95	--	147.22	330	21	4	34	32	--	7	--	--	
8/22/1995	--	167.17	21.41	--	145.76	150	14	<0.50	<0.50	1.6	<5.0	6.6	--	--	d
10/27/1995	--	167.17	22.43	--	144.74	--	--	--	--	--	--	--	--	--	
10/30/1995	--	167.17	--	--	--	51	2.4	<0.50	<0.50	<1.0	<5.0	6.9	--	--	
1/25/1996	--	167.17	14.03	--	153.14	<50	<0.50	<0.50	<0.50	<1.0	5.1	--	--	--	
4/19/1996	--	167.17	15.26	--	151.91	460	55	4	33	63	<10	9.4	--	--	
7/23/1996	--	167.17	19.19	--	147.98	<50	<0.5	<0.5	<0.5	<0.5	<10	9.2	--	--	
11/11/1996	--	167.17	20.24	--	146.93	<250	<2.5	<5.0	<5.0	<5.0	<50	8.4	--	--	
1/21/1997	--	167.17	13.09	--	154.08	<50	<0.5	<1.0	<1.0	<1.0	<10	5.4	--	--	
4/29/1997	--	167.17	18.14	--	149.03	<50	<0.5	<1.0	<1.0	<1.0	<10	4.3	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-3 Cont.															
8/21/1997	--	167.17	19.64	--	147.53	<50	<0.5	<1.0	<1.0	<1.0	<10	4.9	--	--	
11/5/1997	--	167.17	19.95	--	147.22	<250	<2.5	<5.0	<5.0	<5.0	<50	4.5	--	--	
2/3/1998	--	167.17	10.57	--	156.60	<50	<0.50	<1.0	<1.0	<1.0	<10	4.7	--	--	
5/28/1998	--	167.17	14.65	--	152.52	330	<2.5	<5.0	<5.0	<5.0	<50	4.2	--	--	
12/30/1998	--	167.17	16.63	--	150.54	--	--	--	--	--	--	--	--	--	
2/2/1999	--	167.17	13.12	--	154.05	<250	<5.0	<5.0	<5.0	<5.0	<5.0	--	--	--	
5/10/1999	--	167.17	14.21	--	152.96	--	--	--	--	--	--	--	--	--	
8/24/1999	--	167.17	14.36	--	152.81	--	--	--	--	--	--	--	--	--	
11/3/1999	--	167.17	19.21	--	147.96	--	--	--	--	--	--	--	--	--	
3/1/2000	--	167.17	15.17	--	152.00	<50	<0.5	0.57	<0.5	0.62	<0.5	--	--	--	
4/21/2000	--	167.17	14.88	--	152.29	--	--	--	--	--	--	--	--	--	
7/31/2000	--	167.17	15.29	--	151.88	--	--	--	--	--	--	--	--	--	
11/20/2000	--	167.17	17.31	--	149.86	--	--	--	--	--	--	--	--	--	
2/18/2001	--	167.17	12.85	--	154.32	160	1.95	1.31	10.2	9.09	1	--	--	--	
6/7/2001	--	167.17	18.00	--	149.17	--	--	--	--	--	--	--	--	--	
9/5/2001	--	167.17	20.32	--	146.85	--	--	--	--	--	--	--	--	--	
11/30/2001	--	167.17	16.94	--	150.23	--	--	--	--	--	--	--	--	--	
2/20/2002	--	167.17	14.84	--	152.33	86	<0.5	0.845	6.58	5.75	<0.5	--	--	--	
6/20/2002	--	167.17	18.40	--	148.77	--	--	--	--	--	--	--	--	--	
9/11/2002	--	167.17	20.06	--	147.11	--	--	--	--	--	--	--	--	--	
11/12/2002	--	167.17	19.84	--	147.33	--	--	--	--	--	--	--	--	--	
1/27/2003	--	167.17	14.83	--	152.34	850	20	9.7	24	45	0.76	--	--	--	n
5/22/2003	--	167.17	15.60	--	151.57	--	--	--	--	--	--	--	--	--	
7/28/2003	--	167.17	20.12	--	147.05	--	--	--	--	--	--	--	--	--	p
11/18/2003	--	167.17	19.15	--	148.02	--	--	--	--	--	--	--	--	--	
02/23/2004	--	167.17	13.53	--	153.64	160	<0.50	1.1	9.6	12	<0.50	--	SEQM	6.7	
05/04/2004	--	167.17	18.61	--	148.56	--	--	--	--	--	--	--	--	--	
08/04/2004	--	167.17	19.21	--	147.96	--	--	--	--	--	--	--	--	--	
11/10/2004	--	167.17	17.48	--	149.69	--	--	--	--	--	--	--	--	--	
02/15/2005	P	167.17	14.31	--	152.86	500	7.8	1.8	9.2	9.6	1.7	--	SEQM	7.5	
05/16/2005	--	167.17	13.11	--	154.06	--	--	--	--	--	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-3 Cont.															
08/17/2005	--	167.17	18.53	--	148.64	--	--	--	--	--	--	--	--	--	
11/18/2005	--	167.17	19.34	--	147.83	--	--	--	--	--	--	--	--	--	
02/07/2006	P	167.17	11.64	--	155.53	65	<0.50	<0.50	1.4	2.3	<0.50	--	SEQM	7.1	
5/19/2006	--	167.17	14.88	--	152.29	--	--	--	--	--	--	--	--	--	
8/23/2006	--	167.17	19.43	--	147.74	--	--	--	--	--	--	--	--	--	
11/15/2006	--	167.17	19.22	--	147.95	--	--	--	--	--	--	--	--	--	
2/14/2007	P	167.17	13.80	--	153.37	200	1.1	<0.50	5.9	3.2	3.8	0.68	TAMC	7.52	
5/22/2007	--	167.17	16.80	--	150.37	--	--	--	--	--	--	--	--	--	
8/15/2007	--	167.17	19.87	--	147.30	--	--	--	--	--	--	--	--	--	
11/8/2007	--	167.17	19.27	--	147.90	--	--	--	--	--	--	--	--	--	
2/20/2008	P	167.17	13.58	--	153.59	240	1.1	<0.50	0.99	0.79	2.3	2.58	CEL	7.06	
5/7/2008	--	167.17	18.32	--	148.85	--	--	--	--	--	--	--	--	--	
8/20/2008	--	167.17	20.29	--	146.88	--	--	--	--	--	--	--	--	--	
11/17/2008	--	167.17	19.35	--	147.82	--	--	--	--	--	--	--	--	--	
MW-4															
7/9/1990	--	170.36	--	--	--	--	--	--	--	--	--	--	--	--	
12/21/1990	--	170.36	--	--	--	--	--	--	--	0.8	--	--	--	--	
3/7/1991	--	170.36	20.72	--	149.64	--	2.2	3.8	1.5	2.8	--	--	--	--	
4/1/1991	--	170.36	17.49	--	152.87	--	--	--	--	--	--	--	--	--	
6/27/1991	--	170.36	--	--	--	--	6.3	1.8	0.4	1	--	--	--	--	
9/27/1991	--	170.36	--	--	--	--	--	--	--	--	--	--	--	--	
12/18/1991	--	170.36	--	--	--	--	--	--	--	--	--	--	--	--	
7/3/1992	--	170.36	22.16	--	148.20	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
10/5/1992	--	170.36	23.38	--	146.98	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
1/13/1993	--	170.36	17.58	--	152.78	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	i
4/23/1993	--	170.36	15.72	--	154.64	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	i
7/12/1993	--	170.36	21.74	--	148.62	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	i
10/21/1993	--	170.36	23.84	--	146.52	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	i
1/21/1994	--	170.36	22.42	--	147.94	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	i
4/20/1994	--	170.36	22.66	--	147.70	<50	<0.5	<0.5	<0.5	<0.5	<5.0	2.2	--	--	i

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-4 Cont.															
8/1/1994	--	170.36	23.01	--	147.35	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.9	--	--	i
12/23/1994	--	170.36	17.03	--	153.33	--	--	--	--	--	--	--	--	--	
1/26/1995	--	170.36	17.42	--	152.94	<50	<0.5	<0.5	<0.5	<1	--	7.5	--	--	
6/8/1995	--	170.36	21.55	--	148.81	--	--	--	--	--	--	--	--	--	
8/22/1995	--	170.36	23.47	--	146.89	<50	<0.50	<0.50	<0.50	<1.0	<5.0	6.4	--	--	d
10/27/1995	--	170.36	24.50	--	145.86	--	--	--	--	--	--	--	--	--	
1/25/1996	--	170.36	18.74	--	151.62	<50	<0.50	<0.50	<0.50	<1.0	58	--	--	--	
4/19/1996	--	170.36	18.63	--	151.73	--	--	--	--	--	--	--	--	--	
7/23/1996	--	170.36	22.56	--	147.80	--	--	--	--	--	--	--	--	--	
11/11/1996	--	170.36	23.63	--	146.73	<50	<1.0	<1.0	<1.0	<1.0	34	8.2	--	--	
1/21/1997	--	170.36	16.59	--	153.77	--	--	--	--	--	--	--	--	--	
4/29/1997	--	170.36	21.43	--	148.93	<50	<0.5	<1.0	<1.0	<1.0	<10	4.7	--	--	
8/21/1997	--	170.36	22.91	--	147.45	--	--	--	--	--	--	--	--	--	
11/5/1997	--	170.36	22.34	--	148.02	60	<0.5	<1.0	<1.0	<1.0	76	4.9	--	--	
2/3/1998	--	170.36	12.26	--	158.10	--	--	--	--	--	--	--	--	--	
5/28/1998	--	170.36	18.50	--	151.86	70	<0.5	<1.0	<1.0	<1.0	160	4.2	--	--	
12/30/1998	--	170.36	19.69	--	150.67	--	--	--	--	--	--	--	--	--	
2/2/1999	--	170.36	18.26	--	152.10	70	<1.0	<1.0	<1.0	<1.0	130	--	--	--	
5/10/1999	--	170.36	17.86	--	152.50	--	--	--	--	--	--	--	--	--	
8/24/1999	--	170.36	17.93	--	152.43	--	--	--	--	--	--	--	--	--	
11/3/1999	--	170.36	22.78	--	147.58	--	--	--	--	--	--	--	--	--	
3/1/2000	--	170.36	18.04	--	152.32	<50	<0.5	0.67	<0.5	0.7	110	--	--	--	
4/21/2000	--	170.36	17.36	--	153.00	--	--	--	--	--	--	--	--	--	
7/31/2000	--	170.36	17.83	--	152.53	--	--	--	--	--	--	--	--	--	
11/20/2000	--	170.36	18.91	--	151.45	--	--	--	--	--	--	--	--	--	
2/18/2001	--	170.36	17.72	--	152.64	88	<0.5	<0.5	<0.5	<0.5	97.3	--	--	--	
6/7/2001	--	170.36	20.23	--	150.13	--	--	--	--	--	--	--	--	--	
9/5/2001	--	170.36	22.76	--	147.60	--	--	--	--	--	--	--	--	--	
11/30/2001	--	170.36	21.30	--	149.06	--	--	--	--	--	--	--	--	--	
2/20/2002	--	170.36	19.32	--	151.04	76	<0.5	<0.5	<0.5	<1.0	81	--	--	--	
6/20/2002	--	170.36	20.71	--	149.65	--	--	--	--	--	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-4 Cont.															
9/11/2002	--	170.36	22.22	--	148.14	--	--	--	--	--	--	--	--	--	
11/12/2002	--	170.36	22.22	--	148.14	--	--	--	--	--	--	--	--	--	
1/29/2003	--	170.36	19.80	--	150.56	100	<0.5	<0.5	<0.5	<0.5	66	--	--	--	n
5/22/2003	--	170.36	19.35	--	151.01	--	--	--	--	--	--	--	--	--	
7/28/2003	--	170.36	22.18	--	148.18	--	--	--	--	--	--	--	--	--	p
11/18/2003	--	170.36	21.65	--	148.71	--	--	--	--	--	--	--	--	--	
02/23/2004	P	170.36	17.53	--	152.83	75	<0.50	<0.50	<0.50	<0.50	65	--	SEQM	6.8	
05/04/2004	--	170.36	20.62	--	149.74	--	--	--	--	--	--	--	--	--	
08/04/2004	--	170.36	21.30	--	149.06	--	--	--	--	--	--	--	--	--	
11/10/2004	--	170.36	20.65	--	149.71	--	--	--	--	--	--	--	--	--	
02/15/2005	P	170.36	18.91	--	151.45	<50	<0.50	<0.50	<0.50	<0.50	62	--	SEQM	7.6	
05/16/2005	--	170.36	17.34	--	153.02	--	--	--	--	--	--	--	--	--	
08/17/2005	--	170.36	21.31	--	149.05	--	--	--	--	--	--	--	--	--	
11/18/2005	--	170.36	21.67	--	148.69	--	--	--	--	--	--	--	--	--	
02/07/2006	P	170.36	16.74	--	153.62	100	<0.50	<0.50	1.0	3.0	29	--	SEQM	6.8	
5/19/2006	--	170.36	18.22	--	152.14	--	--	--	--	--	--	--	--	--	
8/23/2006	--	170.36	20.95	--	149.41	--	--	--	--	--	--	--	--	--	
11/15/2006	--	170.36	22.21	--	148.15	--	--	--	--	--	--	--	--	--	
2/14/2007	P	170.36	18.25	--	152.11	<50	<0.50	<0.50	<0.50	<0.50	61	0.95	TAMC	7.34	
5/22/2007	--	170.36	20.16	--	150.20	--	--	--	--	--	--	--	--	--	
8/15/2007	--	170.36	22.34	--	148.02	--	--	--	--	--	--	--	--	--	
11/8/2007	--	170.36	21.86	--	148.50	--	--	--	--	--	--	--	--	--	
2/20/2008	P	170.36	17.74	--	152.62	<50	<0.50	<0.50	<0.50	<0.50	36	2.13	CEL	6.93	
5/7/2008	--	170.36	21.38	--	148.98	--	--	--	--	--	--	--	--	--	
8/20/2008	--	170.36	22.44	--	147.92	--	--	--	--	--	--	--	--	--	
11/17/2008	--	170.36	22.20	--	148.16	--	--	--	--	--	--	--	--	--	
MW-5															
7/9/1990	--	165.14	--	--	--	280	200	210	46	290	--	--	--	--	
12/21/1990	--	165.14	--	--	--	0.69	300	34	8.4	39	--	--	--	--	
3/7/1991	--	165.14	16.60	--	148.54	--	17	0.9	0.7	1.6	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-5 Cont.															
4/1/1991	--	165.14	11.99	--	153.15	800	250	54	11	60	--	--	--	--	
6/27/1991	--	165.14	--	--	--	330	120	10	12	8	--	--	--	--	
9/27/1991	--	165.14	--	--	--	0.73	230	16	20	22	--	--	--	--	
12/18/1991	--	165.14	--	--	--	--	--	--	--	--	--	--	--	--	
7/3/1992	--	165.14	18.65	--	146.49	150	36	<0.5	<0.5	1.1	--	--	--	--	
10/5/1992	--	165.14	20.32	--	144.82	270	79	4	1.7	2.9	--	--	--	--	
1/13/1993	--	165.14	13.03	--	152.11	180	59	6	1.8	7.6	--	--	--	--	i
4/23/1993	--	165.14	13.51	--	151.63	8,700	440	96	35	136	--	--	--	--	i
7/12/1993	--	165.14	18.06	--	147.08	250	57	2.9	2.1	6	<5.0	--	--	--	i
10/21/1993	--	165.14	20.41	--	144.73	210	82	1.5	<0.5	1.4	--	--	--	--	i
1/21/1994	--	165.14	18.86	--	146.28	110	36	1.2	<0.5	0.7	<5.0	--	--	--	i
4/20/1994	--	165.14	17.30	--	147.84	690	230	4.5	1.6	11	21.2	1.3	--	--	i
8/1/1994	--	165.14	17.53	--	147.61	170	44	1.6	0.9	2.7	<5.0	0.9	--	--	i
12/23/1994	--	165.14	11.63	--	153.51	630	180	1.9	0.66	1.9	7.81	1.4	--	--	i
1/26/1995	--	165.14	11.25	--	153.89	160	68	<0.5	<0.5	22	--	5.9	--	--	
6/8/1995	--	165.14	--	--	--	1,700	560	51	55	170	--	--	--	--	c
6/8/1995	--	165.14	16.80	--	148.34	2,000	630	58	61	180	--	6.5	--	--	
8/22/1995	--	165.14	19.02	--	146.12	3,700	1,100	18	27	59	<130	7.3	--	--	d
10/27/1995	--	165.14	20.94	--	144.20	--	--	--	--	--	--	--	--	--	
10/30/1995	--	165.14	--	--	--	6,500	2,200	55	180	270	<250	7.5	--	--	
1/25/1996	--	165.14	13.30	--	151.84	590	37	0.7	<0.50	<1.0	<5.0	--	--	--	
1/25/1996	--	165.14	--	--	--	540	37	0.66	<0.50	<1.0	<5.0	--	--	--	c
4/19/1996	--	165.14	13.63	--	151.51	1,500	470	38	49	210	<50	8.1	--	--	
7/23/1996	--	165.14	17.61	--	147.53	140	4.6	<0.5	<0.5	<0.5	<10	8	--	--	
11/11/1996	--	165.14	18.70	--	146.44	140	40	<1.0	<1.0	<1.0	<10	7.9	--	--	
1/21/1997	--	165.14	11.63	--	153.51	730	300	<5.0	7.8	26	<50	5	--	--	
4/29/1997	--	165.14	16.74	--	148.40	340	530	<5.0	<5.0	<5.0	<50	4.8	--	--	
8/21/1997	--	165.14	18.26	--	146.88	<50	<0.5	<1.0	<1.0	<1.0	<10	4.9	--	--	
11/5/1997	--	165.14	18.84	--	146.30	120	13	<1.0	<1.0	<1.0	<10	4.4	--	--	
2/3/1998	--	165.14	9.49	--	155.65	<50	<0.50	<1.0	<1.0	<1.0	<10	4.3	--	--	
5/28/1998	--	165.14	13.57	--	151.57	4,900	1,500	34	180	311	<10	4.1	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-5 Cont.															
12/30/1998	--	165.14	14.65	--	150.49	--	--	--	--	--	--	--	--	--	
2/2/1999	--	165.14	12.56	--	152.58	100	<1.0	<1.0	<1.0	<1.0	9.1	--	--	--	
5/10/1999	--	165.14	13.36	--	151.78	--	--	--	--	--	--	--	--	--	
8/24/1999	--	165.14	13.50	--	151.64	--	--	--	--	--	--	--	--	--	
11/3/1999	--	165.14	18.48	--	146.66	--	--	--	--	--	--	--	--	--	
3/1/2000	--	165.14	9.59	--	155.55	<50	<0.5	0.58	<0.5	0.54	2.9	--	--	--	
4/21/2000	--	165.14	13.52	--	151.62	--	--	--	--	--	--	--	--	--	
7/31/2000	--	165.14	14.04	--	151.10	--	--	--	--	--	--	--	--	--	
11/20/2000	--	165.14	15.89	--	149.25	--	--	--	--	--	--	--	--	--	
2/18/2001	--	165.14	11.88	--	153.26	560	161	2.38	6.11	13	5.67	--	--	--	
6/7/2001	--	165.14	15.30	--	149.84	--	--	--	--	--	--	--	--	--	
9/5/2001	--	165.14	19.32	--	145.82	--	--	--	--	--	--	--	--	--	
11/30/2001	--	165.14	17.44	--	147.70	--	--	--	--	--	--	--	--	--	
2/20/2002	--	165.14	13.88	--	151.26	4,200	940	18.7	98.2	176	55.6	--	--	--	
6/20/2002	--	165.14	16.20	--	148.94	--	--	--	--	--	--	--	--	--	
9/11/2002	--	165.14	19.15	--	145.99	--	--	--	--	--	--	--	--	--	
11/12/2002	--	165.14	19.01	--	146.13	390	55	0.89	3.4	3.5	210	--	--	--	
1/29/2003	--	165.14	16.33	--	148.81	7,900	1,400	34	220	350	82	--	--	--	n
5/22/2003	--	165.14	14.35	--	150.79	9,900	2,300	91	400	690	<50	--	--	--	
7/28/2003	--	165.14	18.90	--	146.24	3,200	690	14	81	100	120	--	--	--	p
11/18/2003	--	165.14	--	--	--	--	--	--	--	--	--	--	--	--	Well inaccessible e, q
02/23/2004	P	165.14	12.21	--	152.93	7,500	1,500	100	190	350	100	--	SEQM	6.7	
05/04/2004	P	165.14	17.12	--	148.02	5,900	1,500	57	200	280	42	--	SEQM	6.6	
08/04/2004	P	165.14	19.05	--	146.09	<2,500	<25	<25	<25	<25	390	--	SEQM	6.69	
11/10/2004	P	165.14	16.95	--	148.19	870	80	<5.0	<5.0	<5.0	530	--	SEQM	7.5	
02/15/2005	P	165.14	12.75	--	152.39	1,600	330	8.0	37	67	260	--	SEQM	7.2	
05/16/2005	P	165.14	15.46	--	149.68	<500	<5.0	<5.0	<5.0	<5.0	370	--	SEQM	6.7	
08/17/2005	P	165.14	17.00	--	148.14	7,000	1,000	17	110	130	51	--	SEQM	6.6	
11/18/2005	P	165.14	18.33	--	146.81	1,900	91	<5.0	33	29	340	--	SEQM	7.3	
02/07/2006	P	165.14	10.27	--	154.87	2,100	590	9.6	86	110	200	--	SEQM	6.7	
5/19/2006	P	165.14	13.08	--	152.06	3,200	720	9.7	150	170	44	--	SEQM	6.8	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-5 Cont.															
8/23/2006	P	165.14	17.02	--	148.12	1,400	69	<5.0	20	24	230	--	TAMC	7.11	
11/15/2006	P	165.14	18.30	--	146.84	1,100	24	<2.5	10	8.6	490	0.85	TAMC	6.82	
2/14/2007	P	165.14	13.16	--	151.98	680	110	<2.5	16	11	420	2.54	TAMC	7.24	
5/22/2007	P	165.14	15.42	--	149.72	2,800	660	8.8	74	100	26	1.41	TAMC	7.03	
8/15/2007	P	165.14	18.80	--	146.34	2,800	50	<10	26	29	280	3.81	TAMC	7.14	
11/8/2007	P	165.14	18.55	SHEEN	146.59	3,800	77	<2.5	46	35	270	1.08	TAMC	7.23	t
2/20/2008	P	165.14	12.21	--	152.93	2,500	530	<5.0	75	62	43	2.01	CEL	6.84	
5/7/2008	P	165.14	16.91	--	148.23	6,700	1,800	29	270	360	30	2.45	CEL	6.87	t
8/20/2008	P	165.14	19.45	--	145.69	300	22	<2.0	8.5	5.3	260	5.57	CEL	6.86	
11/17/2008	--	165.14	--	--	--	--	--	--	--	--	--	--	--	--	e
MW-6															
7/9/1990	--	165.40	--	--	--	--	--	--	--	--	--	--	--	--	
12/21/1990	--	165.40	--	--	--	0.17	2.6	7	4.9	26	--	--	--	--	
3/7/1991	--	165.40	--	--	--	--	--	--	--	--	--	--	--	--	e
4/1/1991	--	165.40	11.79	--	153.61	--	--	--	--	--	--	--	--	--	
6/27/1991	--	165.40	--	--	--	--	--	--	--	--	--	--	--	--	e
9/27/1991	--	165.40	--	--	--	--	--	--	--	--	--	--	--	--	e
12/18/1991	--	165.40	--	--	--	--	1.3	22	--	2.7	--	--	--	--	
7/3/1992	--	165.40	17.77	--	147.63	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
10/5/1992	--	165.40	19.46	--	145.94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
1/13/1993	--	165.40	11.34	--	154.06	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	i
4/23/1993	--	165.40	12.92	--	152.48	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	i
7/12/1993	--	165.40	17.36	--	148.04	<50	<0.5	<0.5	<0.5	0.7	<5.0	--	--	--	i
10/21/1993	--	165.40	19.98	--	145.42	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	i
1/21/1994	--	165.40	18.10	--	147.30	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	i
4/20/1994	--	165.40	18.68	--	146.72	<50	<0.5	<0.5	<0.5	<0.5	17.4	2	--	--	i
8/1/1994	--	165.40	18.90	--	146.50	<50	<0.5	<0.5	<0.5	<0.5	8.66	1.5	--	--	i
12/23/1994	--	165.40	12.94	--	152.46	--	--	--	--	--	--	--	--	--	
1/26/1995	--	165.40	10.46	--	154.94	<50	<0.5	<0.5	<0.5	<1	--	7.3	--	--	
6/8/1995	--	165.40	16.84	--	148.56	--	--	--	--	--	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-6 Cont.															
8/22/1995	--	165.40	19.48	--	145.92	<50	<0.50	<0.50	<0.50	<1.0	<5.0	6.7	--	--	d
10/27/1995	--	165.40	20.39	--	145.01	--	--	--	--	--	--	--	--	--	
1/25/1996	--	165.40	12.24	--	153.16	<50	<0.50	<0.50	<0.50	<1.0	9.9	--	--	--	
4/19/1996	--	165.40	13.90	--	151.50	--	--	--	--	--	--	--	--	--	
7/23/1996	--	165.40	17.83	--	147.57	--	--	--	--	--	--	--	--	--	
11/11/1996	--	165.40	18.90	--	146.50	<50	<0.5	<1.0	<1.0	<1.0	<10	7.7	--	--	
1/21/1997	--	165.40	11.97	--	153.43	--	--	--	--	--	--	--	--	--	
4/29/1997	--	165.40	17.04	--	148.36	<50	<0.5	<1.0	<1.0	<1.0	<10	4.5	--	--	
8/21/1997	--	165.40	18.58	--	146.82	--	--	--	--	--	--	--	--	--	
11/5/1997	--	165.40	19.17	--	146.23	70	<0.5	<1.0	<1.0	<1.0	85	4.3	--	--	
2/3/1998	--	165.40	9.87	--	155.53	--	--	--	--	--	--	--	--	--	
5/28/1998	--	165.40	13.38	--	152.02	<50	<0.5	<1.0	<1.0	<1.0	<10	3.7	--	--	
12/30/1998	--	165.40	14.45	--	150.95	--	--	--	--	--	--	--	--	--	
2/2/1999	--	165.40	18.29	--	147.11	--	--	--	--	--	--	--	--	--	
5/10/1999	--	165.40	17.49	--	147.91	--	--	--	--	--	--	--	--	--	
8/24/1999	--	165.40	17.61	--	147.79	--	--	--	--	--	--	--	--	--	
11/3/1999	--	165.40	16.26	--	149.14	--	--	--	--	--	--	--	--	--	
3/1/2000	--	165.40	17.43	--	147.97	--	--	--	--	--	--	--	--	--	
4/21/2000	--	165.40	13.32	--	152.08	--	--	--	--	--	--	--	--	--	
7/31/2000	--	165.40	13.46	--	151.94	--	--	--	--	--	--	--	--	--	
11/20/2000	--	165.40	14.78	--	150.62	--	--	--	--	--	--	--	--	--	
2/18/2001	--	165.40	11.33	--	154.07	--	--	--	--	--	--	--	--	--	
6/7/2001	--	165.40	16.36	--	149.04	--	--	--	--	--	--	--	--	--	
9/5/2001	--	165.40	18.61	--	146.79	--	--	--	--	--	--	--	--	--	
11/30/2001	--	165.40	15.20	--	150.20	--	--	--	--	--	--	--	--	--	
2/20/2002	--	165.40	12.74	--	152.66	--	--	--	--	--	--	--	--	--	
6/20/2002	--	165.40	16.68	--	148.72	--	--	--	--	--	--	--	--	--	
9/11/2002	--	165.40	18.38	--	147.02	--	--	--	--	--	--	--	--	--	
11/12/2002	--	165.40	18.78	--	146.62	--	--	--	--	--	--	--	--	--	
1/29/2003	--	165.40	14.45	--	150.95	--	--	--	--	--	--	--	--	--	n
5/22/2003	--	165.40	14.36	--	151.04	--	--	--	--	--	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-6 Cont.															
7/28/2003	--	165.40	18.43	--	146.97	--	--	--	--	--	--	--	--	--	p
11/18/2003	--	165.40	17.48	--	147.92	--	--	--	--	--	--	--	--	--	
02/23/2004	--	165.40	11.54	--	153.86	--	--	--	--	--	--	--	--	--	
05/04/2004	--	165.40	16.58	--	148.82	--	--	--	--	--	--	--	--	--	
08/04/2004	--	165.40	18.12	--	147.28	--	--	--	--	--	--	--	--	--	
11/10/2004	--	165.40	15.75	--	149.65	--	--	--	--	--	--	--	--	--	
02/15/2005	--	165.40	12.50	--	152.90	--	--	--	--	--	--	--	--	--	
05/16/2005	P	165.40	11.51	--	153.89	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	SEQM	7.0	
08/17/2005	--	165.40	16.85	--	148.55	--	--	--	--	--	--	--	--	--	
11/18/2005	--	165.40	--	--	--	--	--	--	--	--	--	--	--	--	e
02/07/2006	P	165.40	9.93	--	155.47	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	SEQM	7.1	
5/19/2006	--	165.40	--	--	--	--	--	--	--	--	--	--	--	--	e
8/23/2006	--	165.40	16.35	--	149.05	--	--	--	--	--	--	--	--	--	
11/15/2006	--	165.40	17.42	--	147.98	--	--	--	--	--	--	--	--	--	
2/14/2007	P	165.40	12.03	--	153.37	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.07	TAMC	7.73	
5/22/2007	--	165.40	15.11	--	150.29	--	--	--	--	--	--	--	--	--	
8/15/2007	--	165.40	18.08	--	147.32	--	--	--	--	--	--	--	--	--	
11/8/2007	--	165.40	17.79	--	147.61	--	--	--	--	--	--	--	--	--	
2/20/2008	P	165.40	11.81	--	153.59	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.29	CEL	7.10	
5/7/2008	--	165.40	16.75	--	148.65	--	--	--	--	--	--	--	--	--	
8/20/2008	--	165.40	--	--	--	--	--	--	--	--	--	--	--	--	e
11/17/2008	--	165.40	--	--	--	--	--	--	--	--	--	--	--	--	e
MW-7															
7/9/1990	--	167.61	--	--	--	--	--	--	--	--	--	--	--	--	
12/21/1990	--	167.61	--	--	--	--	--	--	--	--	--	--	--	--	
3/7/1991	--	167.61	19.04	--	148.57	--	--	0.4	0.3	2.4	--	--	--	--	
4/1/1991	--	167.61	15.18	--	152.43	--	--	--	--	--	--	--	--	--	
6/27/1991	--	167.61	--	--	--	70	17	4	0.8	2.2	--	--	--	--	
9/27/1991	--	167.61	--	--	--	--	0.4	--	--	0.4	--	--	--	--	
12/18/1991	--	167.61	--	--	--	--	0.7	2.9	0.8	3.3	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-7 Cont.															
7/3/1992	--	167.61	20.28	--	147.33	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
10/5/1992	--	167.61	21.56	--	146.05	<50	<0.5	<0.5	<0.5	1.5	--	--	--	--	
1/13/1993	--	167.61	15.41	--	152.20	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	i
4/23/1993	--	167.61	15.84	--	151.77	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	i
7/12/1993	--	167.61	19.84	--	147.77	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	i
10/21/1993	--	167.61	21.61	--	146.00	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	i
1/21/1994	--	167.61	20.49	--	147.12	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	i
1/21/1994	--	167.61	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	c
4/20/1994	--	167.61	20.54	--	147.07	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.5	--	--	i
8/1/1994	--	167.61	20.99	--	146.62	<50	0.7	<0.5	<0.5	<0.5	<5.0	1.9	--	--	i
12/23/1994	--	167.61	15.00	--	152.61	--	--	--	--	--	--	--	--	--	
1/26/1995	--	167.61	14.69	--	152.92	<50	<0.5	<0.5	<0.5	<1	--	7	--	--	
6/8/1995	--	167.61	19.87	--	147.74	--	--	--	--	--	--	--	--	--	
8/22/1995	--	167.61	21.49	--	146.12	<50	<0.50	<0.50	<0.50	<1.0	<5.0	6.4	--	--	d
10/27/1995	--	167.61	22.53	--	145.08	--	--	--	--	--	--	--	--	--	
1/25/1996	--	167.61	17.21	--	150.40	<50	<0.50	<0.50	<0.50	<1.0	<5.0	--	--	--	
4/19/1996	--	167.61	17.09	--	150.52	--	--	--	--	--	--	--	--	--	
7/23/1996	--	167.61	21.02	--	146.59	--	--	--	--	--	--	--	--	--	
11/11/1996	--	167.61	22.03	--	145.58	<50	<0.5	<1.0	<1.0	<1.0	<10	7.8	--	--	
1/21/1997	--	167.61	15.06	--	152.55	--	--	--	--	--	--	--	--	--	
4/29/1997	--	167.61	20.11	--	147.50	<50	<0.5	<1.0	<1.0	<1.0	<10	4.4	--	--	
8/21/1997	--	167.61	21.59	--	146.02	--	--	--	--	--	--	--	--	--	
11/5/1997	--	167.61	20.05	--	147.56	<50	<0.5	<1.0	<1.0	<1.0	<10	4.4	--	--	
2/3/1998	--	167.61	9.97	--	157.64	--	--	--	--	--	--	--	--	--	
5/28/1998	--	167.61	13.52	--	154.09	<50	<0.5	<1.0	<1.0	<1.0	<10	4.3	--	--	
12/30/1998	--	167.61	18.33	--	149.28	--	--	--	--	--	--	--	--	--	
2/2/1999	--	167.61	12.33	--	155.28	--	--	--	--	--	--	--	--	--	
5/10/1999	--	167.61	13.52	--	154.09	--	--	--	--	--	--	--	--	--	
8/24/1999	--	167.61	14.01	--	153.60	--	--	--	--	--	--	--	--	--	
11/3/1999	--	167.61	19.91	--	147.70	--	--	--	--	--	--	--	--	--	
3/1/2000	--	167.61	19.89	--	147.72	--	--	--	--	--	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-7 Cont.															
4/21/2000	--	167.61	17.94	--	149.67	--	--	--	--	--	--	--	--	--	
7/31/2000	--	167.61	17.33	--	150.28	--	--	--	--	--	--	--	--	--	
11/20/2000	--	167.61	18.41	--	149.20	--	--	--	--	--	--	--	--	--	
2/18/2001	--	167.61	15.13	--	152.48	--	--	--	--	--	--	--	--	--	
6/7/2001	--	167.61	18.75	--	148.86	--	--	--	--	--	--	--	--	--	
9/5/2001	--	167.61	20.48	--	147.13	--	--	--	--	--	--	--	--	--	
11/30/2001	--	167.61	20.11	--	147.50	--	--	--	--	--	--	--	--	--	
2/20/2002	--	167.61	18.40	--	149.21	--	--	--	--	--	--	--	--	--	
6/20/2002	--	167.61	18.62	--	148.99	--	--	--	--	--	--	--	--	--	
9/11/2002	--	167.61	20.05	--	147.56	--	--	--	--	--	--	--	--	--	
11/12/2002	--	167.61	21.13	--	146.48	--	--	--	--	--	--	--	--	--	n
1/29/2003	--	167.61	19.10	--	148.51	--	--	--	--	--	--	--	--	--	
5/22/2003	--	167.61	18.83	--	148.78	--	--	--	--	--	--	--	--	--	
7/28/2003	--	167.61	19.88	--	147.73	--	--	--	--	--	--	--	--	--	p
11/18/2003	--	167.61	20.50	--	147.11	--	--	--	--	--	--	--	--	--	s
11/18/2003	--	168.08	20.50	--	147.58	--	--	--	--	--	--	--	--	--	
02/23/2004	--	168.08	15.92	--	152.16	--	--	--	--	--	--	--	--	--	
05/04/2004	--	168.08	18.86	--	149.22	--	--	--	--	--	--	--	--	--	
08/04/2004	--	168.08	19.10	--	148.98	--	--	--	--	--	--	--	--	--	
11/10/2004	--	168.08	20.25	--	147.83	--	--	--	--	--	--	--	--	--	
02/15/2005	--	168.08	16.37	--	151.71	--	--	--	--	--	--	--	--	--	
05/16/2005	--	168.08	--	--	--	--	--	--	--	--	--	--	--	--	e
08/17/2005	--	168.08	19.74	--	148.34	--	--	--	--	--	--	--	--	--	
11/18/2005	--	168.08	20.82	--	147.26	--	--	--	--	--	--	--	--	--	
02/07/2006	P	168.08	14.26	--	153.82	<500	<5.0	<5.0	<5.0	<5.0	270	--	SEQM	7.3	
5/19/2006	--	168.08	16.51	--	151.57	--	--	--	--	--	--	--	--	--	
8/23/2006	--	168.08	20.30	--	147.78	--	--	--	--	--	--	--	--	--	
11/15/2006	--	168.08	20.85	--	147.23	--	--	--	--	--	--	--	--	--	
2/14/2007	P	168.08	16.57	--	151.51	520	<5.0	<5.0	<5.0	<5.0	740	3.08	TAMC	7.30	v
5/22/2007	--	168.08	18.40	--	149.68	--	--	--	--	--	--	--	--	--	
8/15/2007	--	168.08	20.85	--	147.23	--	--	--	--	--	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-7 Cont.															
11/8/2007	--	168.08	20.41	--	147.67	--	--	--	--	--	--	--	--	--	
2/20/2008	P	168.08	15.90	--	152.18	<50	<0.50	<0.50	<0.50	<0.50	700	4.34	CEL	7.09	
5/7/2008	--	168.08	19.41	--	148.67	--	--	--	--	--	--	--	--	--	
8/20/2008	--	168.08	21.34	--	146.74	--	--	--	--	--	--	--	--	--	
11/17/2008	--	168.08	20.54	--	147.54	--	--	--	--	--	--	--	--	--	
MW-8															
3/7/1991	--	165.74	16.72	--	149.02	2.7	780	450	64	310	--	--	--	--	
4/1/1991	--	165.74	12.54	--	153.20	15,000	3,600	2,600	410	1,900	--	--	--	--	
6/27/1991	--	165.74	--	--	--	12,000	3,400	1,100	240	750	--	--	--	--	
9/27/1991	--	165.74	--	--	--	41	5,700	5,200	1,100	4,300	--	--	--	--	
12/18/1991	--	165.74	--	--	--	3.2	990	150	120	250	--	--	--	--	
7/3/1992	--	165.74	18.78	--	146.96	72,000	19,000	32,000	3,000	15,000	--	--	--	--	
10/5/1992	--	165.74	20.48	--	145.26	--	--	--	--	--	--	--	--	--	
1/13/1993	--	165.74	12.87	--	152.87	--	--	--	--	--	--	--	--	--	
4/23/1993	--	165.74	13.90	--	151.84	--	--	--	--	--	--	--	--	--	t
7/12/1993	--	165.74	18.30	--	147.44	--	--	--	--	--	--	--	--	--	t
10/21/1993	--	165.74	21.91	--	142.88	--	--	--	--	--	--	--	--	--	
10/2/93-12/9/98	--	165.74	--	0.12	--	--	--	--	--	--	--	--	--	--	
1/21/1994	--	165.74	19.12	--	146.62	--	--	--	--	--	--	--	--	--	
4/20/1994	--	165.74	19.28	--	146.46	26,000	1,700	4,100	960	4,000	632	1.1	--	--	i
8/1/1994	--	165.74	--	--	--	--	--	--	--	--	--	--	--	--	
12/23/1994	--	165.74	13.81	--	151.93	--	--	--	--	--	--	--	--	--	
1/26/1995	--	165.74	--	--	--	--	--	--	--	--	--	--	--	--	
6/8/1995	--	165.74	17.82	--	147.92	--	--	--	--	--	--	--	--	--	
8/22/1995	--	165.74	19.41	--	146.33	--	--	--	--	--	--	--	--	--	
10/27/1995	--	165.74	20.47	--	145.27	--	--	--	--	--	--	--	--	--	
1/25/1996	--	165.74	13.35	--	152.39	--	--	--	--	--	--	--	--	--	
4/19/1996	--	165.74	14.40	--	151.34	--	--	--	--	--	--	--	--	--	
7/23/1996	--	165.74	18.35	--	147.39	--	--	--	--	--	--	--	--	--	
11/11/1996	--	165.74	19.41	--	146.33	--	--	--	--	--	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-8 Cont.															
1/21/1997	--	165.74	12.29	--	153.45	--	--	--	--	--	--	--	--	--	
4/29/1997	--	165.74	--	--	--	--	--	--	--	--	--	--	--	--	e
8/21/1997	--	165.74	19.61	--	146.13	240,000	1,100	9,300	4,100	31,100	<1000	5.2	--	--	
11/5/1997	--	165.74	19.45	--	146.29	57,000	790	2,700	2,300	15,200	<1000	5	--	--	
2/3/1998	--	165.74	9.33	--	156.41	--	--	--	--	--	--	--	--	--	
2/4/1998	--	165.74	--	--	--	94,000	570	1,500	2,100	15,200	<2500	5.5	--	--	
5/28/1998	--	165.74	--	--	--	--	--	--	--	--	--	--	--	--	e
12/30/1998	--	165.74	15.48	--	150.26	120,000	460	2,300	2,200	15,000	150	--	--	--	
2/2/1999	--	165.74	18.29	--	147.45	82,000	450	2,200	3,700	26,000	<500	--	--	--	
5/10/1999	--	165.74	15.62	--	150.12	28,000	740	1,800	1,100	5,800	<25	--	--	--	
8/24/1999	--	165.74	18.41	--	147.33	75,000	530	1,400	3,300	21,000	150	--	--	--	
11/3/1999	--	165.74	18.71	--	147.03	70,000	600	1,300	3,600	20,500	750	--	--	--	
3/1/2000	--	165.74	19.37	--	146.37	27,000	1,600	1,200	2,600	6,600	120	--	--	--	
4/21/2000	--	165.74	--	--	--	--	--	--	--	--	--	--	--	--	e
7/31/2000	--	165.74	--	--	--	--	--	--	--	--	--	--	--	--	e
11/20/2000	--	165.74	17.42	--	148.32	1,300,000	1,400	1,700	20,000	16,000	5,700	--	--	--	
2/18/2001	--	165.74	--	--	--	--	--	--	--	--	--	--	--	--	e
6/7/2001	--	165.74	--	--	--	--	--	--	--	--	--	--	--	--	e
9/5/2001	--	165.74	21.45	0.04	144.25	--	--	--	--	--	--	--	--	--	j
11/30/2001	--	165.74	18.31	--	147.43	--	--	--	--	--	--	--	--	--	h
12/6/2001	--	165.74	--	--	--	--	--	--	--	--	--	--	--	--	e
2/20/2002	--	165.74	14.02	--	151.72	20,000	163	114	403	3,810	80.4	--	--	--	
6/20/2002	--	165.74	17.56	--	148.18	28,000	466	141	962	5,850	2,520	--	--	--	
9/11/2002	--	165.74	19.45	--	146.29	190,000	1,500	670	4,500	23,000	1,200	--	--	--	
11/12/2002	--	165.74	19.15	--	146.59	420	6.4	2.9	16	110	31	--	--	--	t
1/29/2003	--	165.74	15.02	--	150.72	200,000	810	<500	2,000	11,000	<500	--	--	--	n
5/22/2003	--	165.74	15.07	--	150.67	--	--	--	--	--	--	--	--	--	t
6/24/2003	--	165.74	17.95	--	147.79	43,000	860	300	2,100	9,600	46	--	--	--	
7/28/2003	--	165.74	19.45	--	146.29	62,000	690	230	1,800	15,000	2,100	--	--	--	
8/12/2003	--	165.74	19.40	<0.01	146.34	--	--	--	--	--	--	--	--	--	o,t
9/12/2003	--	165.74	19.34	--	146.40	--	--	--	--	--	--	--	--	--	o

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-8 Cont.															
10/3/2003	--	165.74	--	<0.01	--	--	--	--	--	--	--	--	--	--	
11/18/2003	P	165.74	18.80	<0.01	146.94	8,800	500	37	530	930	1,700	--	SEQM	--	o,p
12/31/2003	--	165.74	--	<0.01	--	--	--	--	--	--	--	--	--	--	
2/2/2004	--	165.74	--	<0.01	--	--	--	--	--	--	--	--	--	--	
02/23/2004	P	165.74	12.82	<0.01	152.92	32,000	840	360	1,000	7,100	110	--	SEQM	6.6	t
3/18/2004	--	165.74	--	<0.01	--	--	--	--	--	--	--	--	--	--	
4/13/2004	--	165.74	--	<0.01	--	--	--	--	--	--	--	--	--	--	
05/04/2004	P	165.74	18.87	<0.01	146.87	42,000	570	230	1,700	8,400	2,000	--	SEQM	7.0	t
6/2/2004	--	165.74	--	<0.01	--	--	--	--	--	--	--	--	--	--	
08/04/2004	--	165.74	19.37	0.05	146.41	--	--	--	--	--	--	--	--	--	
09/22/2004	NP	165.74	19.60	--	146.14	--	--	--	--	--	--	--	--	--	
11/10/2004	P	165.74	16.58	--	149.16	11,000	790	61	1,000	830	74	--	SEQM	7.3	t
02/15/2005	P	165.74	12.85	--	152.89	38,000	1,300	390	2,300	7,900	<50	--	SEQM	7.2	
05/16/2005	P	165.74	12.22	--	153.52	31,000	1,000	360	2,500	7,500	<50	--	SEQM	6.5	
08/17/2005	P	165.74	17.80	--	147.94	60,000	540	240	2,500	8,600	<50	--	SEQM	6.7	
11/18/2005	P	165.74	21.02	--	144.72	33,000	340	120	1,400	4,900	140	--	SEQM	6.9	
02/07/2006	P	165.74	10.73	--	155.01	5,700	94	27	260	820	7.5	--	SEQM	6.6	
5/19/2006	P	165.74	13.89	--	151.85	40,000	1,100	320	2,900	6,000	<25	--	SEQM	6.6	t
8/23/2006	P	165.74	18.85	--	146.89	21,000	520	150	1,800	6,300	82	--	TAMC	7.35	
11/15/2006	P	165.74	18.75	--	146.99	3,300	81	<25	130	430	110	0.81	TAMC	6.91	
2/14/2007	P	165.74	13.45	SHEEN	152.29	9,300	320	<25	360	710	82	1.89	TAMC	7.13	t
5/22/2007	P	165.74	15.92	SHEEN	149.82	17,000	370	51	760	1,600	11	1.05	TAMC	6.99	t
8/15/2007	P	165.74	19.11	SHEEN	146.63	17,000	170	44	1,000	2,700	28	3.93	TAMC	7.08	
11/8/2007	P	165.74	18.46	SHEEN	147.28	24,000	150	43	1,100	3,200	27	1.29	TAMC	7.14	t
2/20/2008	--	--	--	--	--	--	--	--	--	--	--	--	--	--	e
5/7/2008	--	--	--	--	--	--	--	--	--	--	--	--	--	--	e
8/20/2008	--	165.74	19.66	0.01	146.09	--	--	--	--	--	--	--	--	--	b
11/17/2008	--	165.74	--	--	--	--	--	--	--	--	--	--	--	--	e
MW-9															
3/7/1991	--	166.20	16.79	--	149.41	7.1	220	4	2.4	2,400	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-9 Cont.															
4/1/1991	--	166.20	12.89	--	153.31	12,000	2,000	2,600	360	1,600	--	--	--	--	
6/27/1991	--	166.20	--	--	--	3,600	520	400	85	310	--	--	--	--	
9/27/1991	--	166.20	--	--	--	3.2	720	150	50	180	--	--	--	--	
12/18/1991	--	166.20	--	--	--	--	2.5	1.1	0.3	5.8	--	--	--	--	
7/3/1992	--	166.20	18.89	--	147.31	5,700	17,000	840	230	800	--	--	--	--	
10/5/1992	--	166.20	20.52	--	145.68	1,400	440	17	14	100	--	--	--	--	
1/13/1993	--	166.20	--	--	--	11,000	1,200	1,600	330	1,300	--	--	--	--	c,i
1/13/1993	--	166.20	12.92	--	153.28	11,000	1,200	1,700	340	1,400	--	--	--	--	i
4/23/1993	--	166.20	14.08	--	152.12	24,000	2,800	4,500	730	3,400	--	--	--	--	i
7/12/1993	--	166.20	--	--	--	10,000	1,200	900	310	1,200	--	--	--	--	c
7/12/1993	--	166.20	18.44	--	147.76	13,000	1,400	1,100	360	1,400	20.8	--	--	--	i
10/21/1993	--	166.20	21.81	--	143.50	--	--	--	--	--	--	--	--	--	
11/2/93-4/29/97	--	166.20	--	0.10	--	--	--	--	--	--	--	--	--	--	
1/21/1994	--	166.20	19.28	--	146.92	--	--	--	--	--	--	--	--	--	
4/20/1994	--	166.20	19.72	--	146.48	43,000	2,800	6,800	1,300	7,900	768	1.7	--	--	i
4/20/1994	--	166.20	--	--	--	45,000	2,700	6,800	1,200	8,200	740	--	--	--	c,d
8/1/1994	--	166.20	20.18	--	146.02	--	--	--	--	--	--	--	--	--	
12/23/1994	--	166.20	14.22	--	151.98	--	--	--	--	--	--	--	--	--	
1/26/1995	--	166.20	11.85	--	154.35	--	--	--	--	--	--	--	--	--	
6/8/1995	--	166.20	18.33	--	147.87	--	--	--	--	--	--	--	--	--	
8/22/1995	--	166.20	19.95	--	146.25	--	--	--	--	--	--	--	--	--	
10/27/1995	--	166.20	20.88	--	145.32	--	--	--	--	--	--	--	--	--	
1/25/1996	--	166.20	13.84	--	152.36	--	--	--	--	--	--	--	--	--	
4/19/1996	--	166.20	--	--	--	--	--	--	--	--	--	--	--	--	e
7/23/1996	--	166.20	18.84	--	147.36	--	--	--	--	--	--	--	--	--	
11/11/1996	--	166.20	19.91	--	146.29	--	--	--	--	--	--	--	--	--	
1/21/1997	--	166.20	12.93	--	153.27	--	--	--	--	--	--	--	--	--	
4/29/1997	--	166.20	18.03	0.1	148.17	--	--	--	--	--	--	--	--	--	t
4/30/1997	--	166.20	--	--	--	78,000	1,900	3,600	3,100	20,600	<5000	5.5	--	--	
8/21/1997	--	166.20	19.56	--	146.64	110,000	2,100	3,400	2,300	18,800	<500	5.1	--	--	
11/5/1997	--	166.20	20.59	0.01	145.60	59,000	1,400	1,700	2,200	17,000	<500	4.5	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-9 Cont.															
2/3/1998	--	166.20	10.56	--	155.64	55,000	490	1,200	1,400	10,200	<1000	4.9	--	--	
5/28/1998	--	166.20	--	--	--	53,000	290	830	1,400	10,500	<500	--	--	--	c
5/28/1998	--	166.20	14.21	--	151.99	41,000	250	1,200	1,500	11,400	<250	3.8	--	--	
12/30/1998	--	166.20	15.61	--	150.59	83,000	860	1,300	2,400	21,000	180	--	--	--	
2/2/1999	--	166.20	12.33	--	153.87	75,000	530	960	1,900	17,000	<50	--	--	--	
5/10/1999	--	166.20	15.67	--	150.53	22,000	600	1,500	1,100	4,400	72	--	--	--	
8/24/1999	--	166.20	19.10	--	147.10	85,000	850	1,300	1,700	20,000	<250	--	--	--	
11/3/1999	--	166.20	19.58	--	146.62	72,000	700	780	1,900	19,000	<5.0	--	--	--	
3/1/2000	--	166.20	13.19	--	153.01	34,000	78	490	1,100	8,200	63	--	--	--	
4/21/2000	--	166.20	14.29	--	151.91	55,000	260	920	1,500	16,000	<5.0	--	--	--	
7/31/2000	--	166.20	15.01	--	151.19	1,200,000	1,500	6,300	15,000	120,000	1,600	--	--	--	
11/20/2000	--	166.20	18.23	--	147.97	320,000	3,500	19,000	5,000	40,000	3,900	--	--	--	
2/18/2001	--	166.20	13.14	--	153.06	32,000	290	417	1,180	10,400	121	--	--	--	
6/7/2001	--	166.20	17.41	--	148.79	96,000	421	704	2,330	17,300	223	--	--	--	
9/5/2001	--	166.20	20.56	--	145.64	39,000	445	323	1,240	8,940	310	--	--	--	
11/30/2001	--	166.20	17.42	--	148.78	60,000	310	586	1,890	14,200	285	--	--	--	
2/20/2002	--	166.20	13.87	--	152.33	14,000	64	122	897	2,650	293	--	--	--	
6/20/2002	--	166.20	18.22	--	147.98	29,000	307	168	1,100	5,670	208	--	--	--	
9/11/2002	--	166.20	20.27	--	145.93	230,000	1,400	680	3,600	23,000	<2500	--	--	--	
11/12/2002	--	166.20	19.40	--	146.80	840	5.8	3.6	28	160	21	--	--	--	t
1/29/2003	--	166.20	14.30	0.1	151.80	--	--	--	--	--	--	--	--	--	j,n
5/22/2003	--	166.20	15.16	--	151.04	23,000	260	<50	1,000	2,900	<50	--	--	--	t
6/24/2003	--	166.20	--	--	--	--	--	--	--	--	--	--	--	--	e
7/28/2003	--	166.20	19.55	<0.01	146.65	1,500,000	<500	<500	9,800	79,000	<500	--	--	--	
8/12/2003	--	166.20	19.60	<0.01	146.60	--	--	--	--	--	--	--	--	--	o,t
9/12/2003	--	166.20	19.60	<0.01	146.60	--	--	--	--	--	--	--	--	--	o,t
11/18/2003	P	166.20	18.98	<0.01	147.22	19,000	250	18	690	2,400	45	--	SEQM	6.8	o,p
12/31/2003	--	166.20	--	<0.01	--	--	--	--	--	--	--	--	--	--	
2/2/2004	--	166.20	--	<0.01	--	--	--	--	--	--	--	--	--	--	
02/23/2004	P	166.20	13.91	<0.01	152.29	91,000	<250	440	2,200	13,000	<250	--	SEQM	6.8	t
3/18/2004	--	166.20	--	<0.01	--	--	--	--	--	--	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-9 Cont.															
4/13/2004	--	166.20	--	<0.01	--	--	--	--	--	--	--	--	--	--	
05/04/2004	P	166.20	18.11	<0.01	148.09	39,000	230	44	1,100	4,200	<25	--	SEQM	6.9	t
6/2/2004	--	166.20	--	<0.01	--	--	--	--	--	--	--	--	--	--	
08/04/2004	--	166.20	18.90	0.03	147.32	--	--	--	--	--	--	--	--	--	
09/22/2004	NP	166.20	19.69	--	146.51	--	--	--	--	--	--	--	--	--	
11/10/2004	NP	166.20	16.95	--	149.25	31,000	300	<50	1,100	3,800	<50	--	SEQM	7.3	t
02/15/2005	P	166.20	12.95	--	153.25	19,000	200	<50	720	2,000	<50	--	SEQM	7.3	t
05/16/2005	P	166.20	12.53	--	153.67	17,000	99	15	770	2,500	<10	--	SEQM	6.7	
08/17/2005	P	166.20	18.03	--	148.17	28,000	160	26	1,000	2,700	<12	--	SEQM	6.8	
11/18/2005	P	166.20	19.04	--	147.16	12,000	98	<5.0	410	510	19	--	SEQM	7.1	
02/07/2006	P	166.20	10.95	SHEEN	155.25	18,000	110	8.7	770	1,500	<5.0	--	SEQM	6.9	t
5/19/2006	--	166.20	--	--	--	--	--	--	--	--	--	--	--	--	e
8/23/2006	P	166.20	18.91	--	147.29	28,000	84	<50	1,600	6,200	<50	--	TAMC	7.3	
11/15/2006	P	166.20	18.60	--	147.60	8,200	44	<25	190	370	26	0.92	TAMC	6.88	
2/14/2007	P	166.20	13.30	--	152.90	20,000	64	<25	720	2,000	<25	0.87	TAMC	7.17	t
5/22/2007	P	166.20	16.14	SHEEN	150.06	16,000	80	<25	460	1,200	<25	0.81	TAMC	7.08	t
8/15/2007	P	166.20	19.31	SHEEN	146.89	5,900	27	<2.5	59	170	27	2.57	TAMC	6.98	
11/8/2007	P	166.20	18.70	--	147.50	6,100	29	<5.0	98	250	52	1.24	TAMC	7.47	
2/20/2008	--	166.20	12.79	0.03	153.43	--	--	--	--	--	--	--	--	--	b, j
5/7/2008	--	166.20	17.68	0.03	148.54	--	--	--	--	--	--	--	--	--	b, j
8/20/2008	--	166.20	19.75	0.01	146.46	--	--	--	--	--	--	--	--	--	b
11/17/2008	P	166.20	18.73	--	147.47	10,000	24	<2.5	160	140	33	--	CEL	6.64	w
MW-10															
3/7/1991	--	167.01	18.09	--	148.92	1.6	120	190	32	230	--	--	--	--	
4/1/1991	--	167.01	13.92	--	153.09	--	--	--	--	--	--	--	--	--	
6/27/1991	--	167.01	--	--	--	12,000	7,300	500	150	300	--	--	--	--	
9/27/1991	--	167.01	--	--	--	57	12,000	7,200	1,400	4,600	--	--	--	--	
12/18/1991	--	167.01	--	--	--	5.3	2,500	120	36	79	--	--	--	--	
7/3/1992	--	167.01	19.92	--	147.09	8,600	5,100	1,300	180	690	--	--	--	--	
10/5/1992	--	167.01	21.92	--	145.09	--	--	--	--	--	--	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-10 Cont.															
1/13/1993	--	167.01	14.43	--	152.58	--	--	--	--	--	--	--	--	--	
4/23/1993	--	167.01	15.26	--	151.75	--	--	--	--	--	--	--	--	--	
7/12/1993	--	167.01	19.78	--	147.23	--	--	--	--	--	--	--	--	--	
10/21/1993	--	167.01	22.90	--	144.11	--	--	--	--	--	--	--	--	--	
1/21/1994	--	167.01	20.25	--	146.76	--	--	--	--	--	--	--	--	--	
4/20/1994	--	167.01	20.74	--	146.27	100,000	12,000	24,000	2,400	14,000	1,577	1	--	--	d.i
8/1/1994	--	167.01	22.00	--	145.01	--	--	--	--	--	--	--	--	--	
12/23/1994	--	167.01	16.08	--	150.93	--	--	--	--	--	--	--	--	--	
1/26/1995	--	167.01	13.68	--	153.33	--	--	--	--	--	--	--	--	--	
6/8/1995	--	167.01	19.08	--	147.93	--	--	--	--	--	--	--	--	--	
8/22/1995	--	167.01	20.73	--	146.28	--	--	--	--	--	--	--	--	--	
10/27/1995	--	167.01	21.69	--	145.32	--	--	--	--	--	--	--	--	--	
1/25/1996	--	167.01	15.05	--	151.96	--	--	--	--	--	--	--	--	--	
4/19/1996	--	167.01	16.26	--	150.75	--	--	--	--	--	--	--	--	--	
7/23/1996	--	167.01	20.18	--	146.83	--	--	--	--	--	--	--	--	--	
9/4/1996	--	167.01	--	0.76	--	--	--	--	--	--	--	--	--	--	
11/11/1996	--	167.01	21.20	--	145.81	--	--	--	--	--	--	--	--	--	
1/21/1997	--	167.01	13.66	--	153.35	--	--	--	--	--	--	--	--	--	
4/29/1997	--	167.01	18.71	--	148.30	--	--	--	--	--	--	--	--	--	
4/30/1997	--	167.01	--	--	--	170,000	9,700	38,000	4,700	30,500	<5000	5.6	--	--	
8/21/1997	--	167.01	20.19	--	146.82	170,000	9,500	35,000	4,300	27,100	<5000	5.3	--	--	
11/5/1997	--	167.01	20.52	--	146.49	80,000	3,800	12,000	2,700	15,700	<500	4.4	--	--	
12/2/1997	--	167.01	--	0.03	--	--	--	--	--	--	--	--	--	--	
2/3/1998	--	167.01	10.62	--	156.39	--	--	--	--	--	--	--	--	--	
2/4/1998	--	167.01	--	--	--	72,000	500	1,300	1,700	12,000	<1000	5.1	--	--	
5/28/1998	--	167.01	15.46	--	151.55	220,000	3,200	24,000	5,200	43,000	<1000	4.8	--	--	
12/30/1998	--	167.01	16.65	--	150.36	110,000	3,500	14,000	5,800	50,000	<50	--	--	--	
2/2/1999	--	167.01	14.58	--	152.43	74,000	1,000	2,800	1,000	26,000	860	--	--	--	
5/10/1999	--	167.01	15.72	--	151.29	81,000	2,800	2,800	3,000	17,000	220	--	--	--	
8/24/1999	--	167.01	19.85	--	147.16	54,000	3,500	3,800	1,500	9,100	<250	--	--	--	
11/3/1999	--	167.01	20.00	--	147.01	30,000	3,000	3,500	1,200	5,000	31	--	--	--	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-10 Cont.															
3/1/2000	--	167.01	14.62	--	152.39	62,000	320	1,200	1,100	26,000	4,400	--	--	--	
4/21/2000	--	167.01	15.46	--	151.55	88,000	2,700	7,400	3,700	35,000	2,400	--	--	--	
7/31/2000	--	167.01	--	--	--	--	--	--	--	--	--	--	--	--	e
11/20/2000	--	167.01	18.74	--	148.27	78,000	3,800	5,500	2,800	13,000	450	--	--	--	
2/18/2001	--	167.01	14.10	--	152.91	39,000	1,050	1,160	1,550	14,700	4,180	--	--	--	
6/7/2001	--	167.01	18.78	--	148.23	76,000	2,460	2,840	3,330	20,700	635	--	--	--	
9/5/2001	--	167.01	21.40	0.01	145.60	25,000	2,510	2,070	1,090	4,540	189	--	--	--	
11/30/2001	--	167.01	18.50	--	148.51	100,000	2,480	5,720	3,890	22,800	325	--	--	--	
2/20/2002	--	167.01	14.39	--	152.62	49,000	2,170	3,070	1,960	12,300	1,090	--	--	--	
6/20/2002	--	167.01	18.80	--	148.21	44,000	2,040	3,050	1,690	8,430	224	--	--	--	
9/11/2002	--	167.01	20.52	--	146.49	28,000	1,200	2,700	1,400	6,800	<250	--	--	--	
11/12/2002	--	167.01	20.37	0.07	146.57	--	--	--	--	--	--	--	--	--	j
1/29/2003	--	167.01	16.33	0.03	150.65	--	--	--	--	--	--	--	--	--	j,n
5/22/2003	--	167.01	16.32	--	150.69	13,000	2,100	850	630	1,600	300	--	--	--	t
6/24/2003	--	167.01	18.73	0.04	148.24	--	--	--	--	--	--	--	--	--	o
7/28/2003	--	167.01	20.39	0.04	146.58	--	--	--	--	--	--	--	--	--	j
8/12/2003	--	167.01	20.43	<0.01	146.58	--	--	--	--	--	--	--	--	--	o,t
9/12/2003	--	167.01	20.41	--	146.60	--	--	--	--	--	--	--	--	--	o
10/3/2003	--	167.01	--	<0.01	--	--	--	--	--	--	--	--	--	--	
11/18/2003	P	167.01	19.55	<0.01	147.46	9,900	2,200	530	320	860	<50	--	SEQM	6.8	o,p
12/31/2003	--	167.01	--	<0.01	--	--	--	--	--	--	--	--	--	--	
2/2/2004	--	167.01	--	<0.01	--	--	--	--	--	--	--	--	--	--	
02/23/2004	P	167.01	15.45	<0.01	151.56	46,000	1,900	2,000	1,800	9,000	180	--	SEQM	6.7	t
3/18/2004	--	167.01	--	<0.01	--	--	--	--	--	--	--	--	--	--	
4/13/2004	--	167.01	--	<0.01	--	--	--	--	--	--	--	--	--	--	
05/04/2004	P	167.01	18.81	<0.01	148.20	35,000	3,100	3,600	1,400	5,600	<25	--	SEQM	7.1	t
6/2/2004	--	167.01	--	<0.01	--	--	--	--	--	--	--	--	--	--	
7/2/2004	--	167.01	--	<0.01	--	--	--	--	--	--	--	--	--	--	
08/04/2004	--	167.01	18.90	--	148.11	--	--	--	--	--	--	--	--	--	
09/22/2004	NP	167.01	20.60	--	146.41	--	--	--	--	--	--	--	--	--	
11/10/2004	P	167.01	17.95	--	149.06	9,800	470	91	450	1,700	230	--	SEQM	7.3	t

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
MW-10 Cont.															
01/13/2005	--	167.01	12.21	--	154.80	--	--	--	--	--	--	--	--	--	
02/15/2005	P	167.01	14.19	--	152.82	30,000	510	330	1,800	7,200	77	--	SEQM	7.2	
05/16/2005	P	167.01	13.85	--	153.16	37,000	540	730	2,100	9,200	<50	--	SEQM	6.7	
08/17/2005	P	167.01	19.01	--	148.00	15,000	1,100	420	1,200	4,100	<50	--	SEQM	6.7	
11/18/2005	P	167.01	19.95	--	147.06	12,000	1,200	240	550	1,300	16	--	SEQM	6.8	
02/07/2006	P	167.01	12.28	SHEEN	154.73	22,000	340	580	1,300	4,500	73	--	SEQM	6.8	t
5/19/2006	P	167.01	15.12	--	151.89	40,000	690	430	2,600	4,900	<25	--	SEQM	6.9	t
8/23/2006	P	167.01	20.00	--	147.01	13,000	1,500	540	1,200	3,000	<10	--	TAMC	6.97	
11/15/2006	P	167.01	19.84	--	147.17	3,800	700	22	67	160	54	0.65	TAMC	6.78	
2/14/2007	P	167.01	14.94	SHEEN	152.07	37,000	350	120	2,400	8,100	120	2.12	TAMC	7.05	t
5/22/2007	P	167.01	17.17	SHEEN	149.84	13,000	810	130	750	2,200	15	0.06	TAMC	7.10	t
8/15/2007	P	167.01	20.30	SHEEN	146.71	4,400	550	38	160	310	<10	3.09	TAMC	7.09	
11/8/2007	P	167.01	19.58	SHEEN	147.43	13,000	970	130	480	1,600	6.0	1.47	TAMC	7.95	t
2/20/2008	--	167.01	14.27	0.05	152.78	--	--	--	--	--	--	--	--	--	b, j
5/7/2008	P	167.01	18.61	--	148.40	16,000	970	150	770	2,000	<20	2.18	CEL	6.98	t
8/20/2008	--	167.01	20.71	0.01	146.31	--	--	--	--	--	--	--	--	--	b
11/17/2008	P	167.01	19.71	--	147.30	10,000	960	57	270	720	23	--	CEL	6.54	t, w
QC-2															
10/5/1992	--	168.01	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	f
1/13/1993	--	168.01	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	f,i
4/23/1993	--	168.01	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	f,i
7/12/1993	--	168.01	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	f
10/21/1993	--	168.01	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	f
1/21/1994	--	168.01	--	--	--	<50	<0.5	2.1	<0.5	2.1	--	--	--	--	f
4/20/1994	--	168.01	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	f
12/23/1994	--	168.01	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	f
1/26/1995	--	168.01	--	--	--	<50	<0.5	<0.5	<0.5	<1	--	--	--	--	f
6/8/1995	--	168.01	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	--	--	--	--	f
8/22/1995	--	168.01	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	<5.0	--	--	--	d,f
10/30/1995	--	168.01	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	<5.0	--	--	--	f

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
QC-2 Cont.															
1/25/1996	--	168.01	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	<5.0	--	--	--	f
4/19/1996	--	168.01	--	--	--	<50	<0.5	<1	<1	<1	<10	--	--	--	f
RW-1															
7/9/1990	--	168.01	--	--	--	--	--	--	--	--	--	--	--	--	
12/21/1990	--	168.01	--	--	--	--	--	--	--	--	--	--	--	--	
3/7/1991	--	168.01	17.62	--	150.39	--	--	--	--	--	--	--	--	--	t
4/1/1991	--	168.01	14.40	--	153.61	--	--	--	--	--	--	--	--	--	
6/27/1991	--	168.01	--	--	--	--	--	--	--	--	--	--	--	--	
9/27/1991	--	168.01	--	--	--	--	--	--	--	--	--	--	--	--	
12/18/1991	--	168.01	--	--	--	--	--	--	--	--	--	--	--	--	
7/3/1992	--	168.01	20.66	--	147.35	--	--	--	--	--	--	--	--	--	t
10/5/1992	--	168.01	23.34	--	144.67	--	--	--	--	--	--	--	--	--	
1/13/1993	--	168.01	16.59	--	151.42	--	--	--	--	--	--	--	--	--	
4/23/1993	--	168.01	16.17	--	151.84	--	--	--	--	--	--	--	--	--	
7/12/1993	--	168.01	20.18	--	147.83	--	--	--	--	--	--	--	--	--	
10/21/1993	--	168.01	25.70	--	142.31	--	--	--	--	--	--	--	--	--	
1/21/1994	--	168.01	21.24	--	146.77	--	--	--	--	--	--	--	--	--	
4/20/1994	--	168.01	32.20	--	135.81	--	--	--	--	--	--	--	--	--	
8/1/1994	--	168.01	21.70	--	146.31	29,000	580	950	300	7,800	1,200	1.1	--	--	d
12/23/1994	--	168.01	16.02	--	151.99	1,300	25	8.6	1.4	69	616	1.8	--	--	i
1/26/1995	--	168.01	13.78	--	154.23	<50	<0.5	<0.5	<0.5	<1	--	--	--	--	
1/26/1995	--	168.01	--	--	--	<50	<0.5	<0.5	<0.5	<1	--	--	--	--	c
6/8/1995	--	168.01	20.05	--	147.96	1,300	130	<1.0	<1.0	36	--	--	--	--	
8/22/1995	--	168.01	--	--	--	2,800	210	9.3	4.3	250	<25	--	--	--	c
8/22/1995	--	168.01	21.74	--	146.27	3,300	230	13	4.9	280	<25	6.6	--	--	d
10/27/1995	--	168.01	32.00	--	136.01	--	--	--	--	--	--	--	--	--	
10/30/1995	--	168.01	--	--	--	230	1.4	<1.0	<1.0	<2.0	650	6.9	--	--	
10/30/1995	--	168.01	--	--	--	240	1.6	<1.0	<1.0	<2.0	630	--	--	--	c
1/25/1996	--	168.01	15.41	--	152.60	15,000	3,400	930	330	2,500	5,300	--	--	--	
4/19/1996	--	168.01	--	--	--	33,000	5,600	3,200	1,700	8,800	15,000	--	--	--	c

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
RW-1 Cont.															
4/19/1996	--	168.01	16.83	--	151.18	35,000	5,500	3,300	1,700	9,400	14,000	7.6	--	--	
7/23/1996	--	168.01	--	--	--	47,000	3,700	2,500	930	5,300	35,000	--	--	--	c
7/23/1996	--	168.01	20.76	--	147.25	46,000	3,600	2,300	900	5,100	36,000	7.4	--	--	
11/11/1996	--	168.01	--	--	--	31,000	2,900	1,000	860	4,600	22,000	--	--	--	c
11/11/1996	--	168.01	21.73	--	146.28	34,000	3,000	1,200	880	4,600	22,000	8.3	--	--	
1/21/1997	--	168.01	--	--	--	270	42	17	2.7	36	1,500	--	--	--	c
1/21/1997	--	168.01	14.20	--	153.81	260	40	16	2.7	34	1,500	6.1	--	--	
4/29/1997	--	168.01	19.15	--	148.86	32,000	3,100	590	1,300	6,000	46,000	5.3	--	--	
8/21/1997	--	168.01	20.67	--	147.34	7,600	730	58	370	1,780	9,500	4.7	--	--	
11/5/1997	--	168.01	21.01	--	147.00	39,000	2,300	86	1,300	3,840	56,000	4.5	--	--	
2/3/1998	--	168.01	10.68	--	157.33	3,400	31	11	29	161	3,200	5.1	--	--	
5/28/1998	--	168.01	15.55	--	152.46	2,000	90	15	60	305	2,700	4.3	--	--	
12/30/1998	--	168.01	17.35	--	150.66	--	--	--	--	--	--	--	--	--	
2/2/1999	--	168.01	14.58	--	153.43	82,000	2,300	120	2,000	3,200	51000/78000	--	--	--	g
5/10/1999	--	168.01	16.00	--	152.01	15,000	620	88	340	660	61,000	--	--	--	
8/24/1999	--	168.01	20.00	--	148.01	52,000	1,400	170	2,200	2,900	37,000	--	--	--	
11/3/1999	--	168.01	20.39	--	147.62	17,000	2,500	86	1,500	970	54,000	--	--	--	
3/1/2000	--	168.01	12.97	--	155.04	17,000	580	78	790	1,100	13,000	--	--	--	
4/21/2000	--	168.01	16.02	--	151.99	31,000	2,100	100	1,400	1,100	39,000	--	--	--	
7/31/2000	--	168.01	21.89	--	146.12	47,000	1,300	170	2,700	2,300	30,000	--	--	--	
11/20/2000	--	168.01	19.15	--	148.86	--	--	--	--	--	--	--	--	--	h
2/18/2001	--	168.01	15.35	--	152.66	14,000	589	89	600	712	13,000	--	--	--	
6/7/2001	--	168.01	19.09	--	148.92	28,000	1,140	68.2	504	530	19,100	--	--	--	
9/5/2001	--	168.01	22.06	0.02	145.93	--	--	--	--	--	--	--	--	--	j
11/30/2001	--	168.01	19.53	--	148.48	20,000	405	39.4	545	740	8,260	--	--	--	
2/20/2002	--	168.01	15.99	--	152.02	13,000	469	29	434	655	7,240	--	--	--	
6/20/2002	--	168.01	19.31	--	148.70	--	--	--	--	--	--	--	--	--	j,l
9/11/2002	--	168.01	21.07	0.03	146.91	--	--	--	--	--	--	--	--	--	j
11/12/2002	--	168.01	20.92	0.02	147.07	--	--	--	--	--	--	--	--	--	j
1/29/2003	--	168.01	16.31	0.04	151.66	--	--	--	--	--	--	--	--	--	j,n
5/22/2003	--	168.01	16.68	--	151.33	--	--	--	--	--	--	--	--	--	j,t

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
RW-1 Cont.															
6/24/2003	--	168.01	19.76	0.07	148.18	--	--	--	--	--	--	--	--	--	o
7/28/2003	--	168.01	21.04	0.04	146.93	--	--	--	--	--	--	--	--	--	j
8/12/2003	--	168.01	21.41	<0.01	146.60	--	--	--	--	--	--	--	--	--	o,t
9/12/2003	--	168.01	21.10	0.07	146.84	--	--	--	--	--	--	--	--	--	o
10/3/2003	--	168.01	--	0.03	--	--	--	--	--	--	--	--	--	--	
11/18/2003	P	168.01	20.10	<0.01	147.91	12,000	770	<50	320	250	6,100	--	SEQM	6.6	o,p
12/31/2003	--	168.01	--	<0.01	--	--	--	--	--	--	--	--	--	--	
02/23/2004	--	168.01	14.35	0.01	153.67	--	--	--	--	--	--	--	--	--	
3/18/2004	--	168.01	--	0.09	--	--	--	--	--	--	--	--	--	--	
4/13/2004	--	168.01	--	0.02	--	--	--	--	--	--	--	--	--	--	
05/04/2004	--	168.01	19.58	0.02	148.45	--	--	--	--	--	--	--	--	--	
6/2/2004	--	168.01	--	0.05	--	--	--	--	--	--	--	--	--	--	
7/2/2004	--	168.01	--	0.11	--	--	--	--	--	--	--	--	--	--	
08/04/2004	--	168.01	22.05	0.05	146.00	--	--	--	--	--	--	--	--	--	
09/22/2004	NP	168.01	21.28	0.06	146.78	--	--	--	--	--	--	--	--	--	
10/26/2004	--	168.01	--	0.01	--	--	--	--	--	--	--	--	--	--	
11/10/2004	--	168.01	18.56	0.02	149.47	--	--	--	--	--	--	--	--	--	
12/27/2004	--	168.01	--	0.03	--	--	--	--	--	--	--	--	--	--	
01/13/2005	--	168.01	12.51	0.01	155.51	--	--	--	--	--	--	--	--	--	
02/15/2005	--	168.01	15.24	0.03	152.79	--	--	--	--	--	--	--	--	--	
03/07/2005	--	168.01	11.90	0.02	156.13	--	--	--	--	--	--	--	--	--	
4/29/2005	--	168.01	--	0.03	--	--	--	--	--	--	--	--	--	--	
05/16/2005	--	168.01	14.39	0.02	153.64	--	--	--	--	--	--	--	--	--	j
6/21/2005	--	168.01	--	0.03	--	--	--	--	--	--	--	--	--	--	
7/7/2005	--	168.01	--	0.06	--	--	--	--	--	--	--	--	--	--	
08/17/2005	--	168.01	19.91	0.03	148.12	--	--	--	--	--	--	--	--	--	j
9/6/2005	--	168.01	--	0.03	--	--	--	--	--	--	--	--	--	--	
10/4/2005	--	168.01	--	0.07	--	--	--	--	--	--	--	--	--	--	
11/18/2005	--	168.01	20.36	0.07	147.71	--	--	--	--	--	--	--	--	--	b, j
12/30/2005	--	168.01	--	0.04	--	--	--	--	--	--	--	--	--	--	
1/24/2006	--	168.01	--	0.01	--	--	--	--	--	--	--	--	--	--	

**Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11132, 3201 35th Ave, Oakland, CA**

Well and Sample Date	P/NP	TOC Elevation (feet msl)	Depth to Water (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	Comments
						GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE				
RW-1 Cont.															
02/07/2006	--	168.01	12.87	0.01	155.15	--	--	--	--	--	--	--	--	--	j
3/30/2006	--	168.01	--	0.02	--	--	--	--	--	--	--	--	--	--	
5/19/2006	--	168.01	15.87	0.04	152.17	--	--	--	--	--	--	--	--	--	b
8/23/2006	--	168.01	20.50	0.07	147.56	--	--	--	--	--	--	--	--	--	b, j
11/15/2006	--	168.01	20.52	0.07	147.54	--	--	--	--	--	--	--	--	--	b, j
2/14/2007	--	168.01	15.44	0.04	152.60	--	--	--	--	--	--	--	--	--	b, j
5/22/2007	--	168.01	17.78	SHEEN	150.23	--	--	--	--	--	--	--	--	--	j, l
8/15/2007	--	168.01	20.80	0.02	147.23	--	--	--	--	--	--	--	--	--	b, j
11/8/2007	--	168.01	20.32	0.01	147.70	--	--	--	--	--	--	--	--	--	b, j
2/20/2008	--	168.01	14.55	0.02	153.48	--	--	--	--	--	--	--	--	--	b, j
5/7/2008	--	168.01	--	--	--	--	--	--	--	--	--	--	--	--	e
8/20/2008	--	168.01	21.34	0.02	146.69	--	--	--	--	--	--	--	--	--	b
11/17/2008	P	168.01	20.41	--	147.60	13,000	120	<20	590	320	120	--	CEL	6.47	w

SYMBOLS AND ABBREVIATIONS:

-- = Not analyzed/applicable/measured/available
< = Not detected at or above specified laboratory reporting limit
DO = Dissolved oxygen
DTW = Depth to water in ft bgs
ft bgs = Feet below ground surface
ft MSL = Feet above mean sea level
GRO = Gasoline range organics
GWE = Groundwater elevation measured in ft MSL
mg/L = Milligrams per liter
MTBE = Methyl tert-butyl ether
NP = Well not purged prior to sampling
P = Well purged prior to sampling
TOC = Top of casing measured in ft MSL
TPH-g = Total petroleum hydrocarbons as gasoline
µg/L = Micrograms per liter
SEQ/SEQM= Sequoia Analytical/Sequoia Analytical Morgan Hill (Laboratories)
SPH = Separate phase hydrocarbons
CEL = Calscience Environmental Laboratories

FOOTNOTES:

a = Casing elevations surveyed to the nearest 0.01 ft MSL.
b = GWE adjusted assuming a specific gravity of 0.75 for free product (FP).
c = Blind duplicate.
d = A copy of the documentation for this data is included in Appendix C of Alisto report 10-024-10-001.
e = Well inaccessible.
f = Travel blank.
g = EPA Methods 8020/8260 used.
h = Unable to sample.
i = A copy of the documentation for this data can be found in Blaine Tech Services report 010607-M-3. MTBE data for the January 13, 1993 and April 23, 1993 sampling events has been destroyed. No chromatograms could be located for MTBE data from wells MW-5, MW-6, and MW-7, sampled on October 21, 1993.
j = Well not sampled due to presence of SPH and nature of the product.
k = Could not purge and sample; waste drum full.
l = Value represents the depth to product. Unable to determine depth to water, product disabled the interface probe.
m = Discrete plume @ C6-7.
n = TPH-g, BTEX, and MTBE analyzed by EPA method 8260 B beginning on 1st quarter 2003 sampling event (1/29/03).
o = Groundwater samples are not collected during FP bailing event.
p = Well not included in the monthly FP bailing program.
q = Well not sampled in November 2003 due to the presence of a pile of gravel dumped over the well box.
r = This sample was analyzed beyond the EPA recommended holding time. The results may still be useful for their intended purpose.
s = MW-7 TOC elevation raised +0.47 ft during well repair on January 20, 2004.
t = Sheen in well.
u = Calib. verif. is within method limits but outside contract limits.
v = GRO result partly due to individual peak(s) in quantitation range.
w = DO meter not working at time of measurement

NOTES:

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported.

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12.

Values for DO and pH were obtained through field measurements.

GRO analysis was completed by EPA method 8260B (C4-C12) for samples collected from the time period April 2006 through February 4, 2008. The analysis for GRO was changed to EPA method 8015B (C6-C12) for samples collected from the time period February 5, 2008 through the present.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 2. Summary of Fuel Additives Analytical Data
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-1									
5/19/2006	<6,000	<400	86	<10	<10	<10	<10	<10	
11/17/2008	<6,000	350	590	<10	<10	27	<10	<10	
MW-2									
1/29/2003	<4000	<2000	820	<50	<50	<50	<50	<50	
5/22/2003	<10000	<2000	1,000	<50	<50	<50	--	--	
7/28/2003	<20000	<4000	1,700	<100	<100	<100	<100	<100	a
11/18/2003	<5,000	<1,000	500	<25	<25	<25	--	--	
02/23/2004	<25,000	<5,000	790	<120	<120	<120	<120	<120	
05/04/2004	<50,000	<10,000	780	<250	<250	<250	<250	<250	
08/04/2004	<50,000	<10,000	430	<250	<250	<250	<250	<250	
11/10/2004	<5,000	<1,000	310	<25	<25	<25	<25	<25	
02/15/2005	<20,000	<4,000	690	<100	<100	<100	<100	<100	
05/16/2005	<50,000	<10,000	560	<250	<250	<250	<250	<250	
08/17/2005	<20,000	<4,000	480	<100	<100	<100	<100	<100	
11/18/2005	<20,000	<4,000	340	<100	<100	<100	<100	<100	b
02/07/2006	<60,000	<4,000	440	<100	<100	<100	160	<100	
5/19/2006	<60,000	<4,000	430	<100	<100	<100	<100	<100	b
8/23/2006	<60,000	<4,000	480	<100	<100	<100	<100	<100	
11/15/2006	<60,000	<4,000	400	<100	<100	<100	<100	<100	
2/14/2007	<60,000	<4,000	810	<100	<100	<100	<100	<100	
5/22/2007	<150,000	<10,000	1,000	<250	<250	<250	<250	<250	
8/15/2007	<30,000	2,400	260	<50	<50	<50	<50	<50	b
11/8/2007	<30,000	2,800	240	<50	<50	<50	<50	<50	
11/17/2008	<6,000	1,800	320	<10	<10	<10	<10	<10	
MW-3									
1/29/2003	<40	<20	0.76	<50	<50	<50	<50	<50	
02/23/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
02/15/2005	<100	<20	1.7	<0.50	<0.50	<0.50	<0.50	<0.50	
02/07/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
2/14/2007	<300	<20	3.8	<0.50	<0.50	<0.50	<0.50	<0.50	u

Table 2. Summary of Fuel Additives Analytical Data
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-3 Cont.									
2/20/2008	<100	<10	2.3	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-4									
1/29/2003	<40	<20	66	<0.50	<0.50	<0.50	<0.50	<0.50	
02/23/2004	<100	<20	65	<0.50	<0.50	<0.50	<0.50	<0.50	
02/15/2005	<100	<20	62	<0.50	<0.50	<0.50	<0.50	<0.50	
02/07/2006	<300	<20	29	<0.50	<0.50	<0.50	<0.50	<0.50	
2/14/2007	<300	<20	61	<0.50	<0.50	<0.50	<0.50	<0.50	
2/20/2008	<100	<10	36	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-5									
1/29/2003	<400	<200	82	<5.0	<5.0	<5.0	<5.0	<5.0	
5/22/2003	<10000	<2000	<50	<50	<50	<50	--	--	
7/28/2003	<2000	<400	120	<10	<10	<10	<10	<10	
11/18/2003	--	--	--	--	--	--	--	--	Well inaccessible
02/23/2004	<5,000	<1,000	100	<25	<25	<25	38	<25	
05/04/2004	<5,000	<1,000	42	<25	<25	<25	<25	<25	
08/04/2004	<5,000	<1,000	390	<25	<25	<25	<25	<25	
11/10/2004	<1,000	<200	530	<5.0	<5.0	5.5	<5.0	<5.0	
02/15/2005	<1,000	<200	260	<5.0	<5.0	<5.0	<5.0	<5.0	
05/16/2005	<1,000	<200	370	<5.0	<5.0	<5.0	<5.0	<5.0	
08/17/2005	<1,000	<200	51	<5.0	<5.0	<5.0	<5.0	<5.0	
11/18/2005	<1,000	<200	340	<5.0	<5.0	<5.0	<5.0	<5.0	b
02/07/2006	<3,000	<200	200	<5.0	<5.0	<5.0	<5.0	<5.0	
5/19/2006	<3,000	<200	44	<5.0	<5.0	<5.0	<5.0	<5.0	b
8/23/2006	<3,000	<200	230	<5.0	<5.0	<5.0	<5.0	<5.0	
11/15/2006	<1,500	<100	490	<2.5	<2.5	4.2	<2.5	<2.5	
2/14/2007	<1,500	<100	420	<2.5	<2.5	3.6	<2.5	<2.5	
5/22/2007	<1,500	<100	26	<2.5	<2.5	<2.5	<2.5	<2.5	
8/15/2007	<6,000	<400	280	<10	<10	<10	<10	<10	
11/8/2007	<1,500	310	270	<2.5	<2.5	<2.5	<2.5	<2.5	
2/20/2008	<1,000	<100	43	<5.0	<5.0	<5.0	<5.0	<5.0	

Table 2. Summary of Fuel Additives Analytical Data
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-5 Cont.									
5/7/2008	<6,000	<200	30	<10	<10	<10	<10	<10	
8/20/2008	<1,200	270	260	<2.0	<2.0	3.0	<2.0	<2.0	
MW-6									
05/16/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
02/07/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
2/14/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
2/20/2008	<100	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-7									
02/07/2006	<3,000	<200	270	<5.0	<5.0	<5.0	<5.0	<5.0	
2/14/2007	<3,000	<200	740	<5.0	<5.0	9.6	<5.0	<5.0	
2/20/2008	<100	13	700	<0.50	<0.50	12	0.60	<0.50	
MW-8									
1/29/2003	<4000	<2000	<500	<50	<50	<50	<50	<50	
5/22/2003	<5000	<1000	--	<25	<25	<25	--	--	
7/28/2003	<20000	<4000	2,100	<100	<100	<100	<100	<100	
11/18/2003	<2,000	<400	1,700	<10	<10	20	--	--	a,b
02/23/2004	<10,000	<2,000	110	<50	<50	<50	<50	<50	
05/04/2004	<5,000	<1,000	2,000	<25	<25	33	<25	<25	
11/10/2004	<5,000	<1,000	74	<25	<25	<25	<25	<25	
02/15/2005	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
05/16/2005	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
08/17/2005	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
11/18/2005	<10,000	<2,000	140	<50	<50	<50	<50	<50	b
02/07/2006	<3,000	<200	7.5	<5.0	<5.0	<5.0	<5.0	<5.0	
5/19/2006	<15,000	<1,000	<25	<25	<25	<25	<25	<25	b
8/23/2006	<15,000	<1,000	82	<25	<25	<25	<25	<25	
11/15/2006	<15,000	<1,000	110	<25	<25	<25	<25	<25	
2/14/2007	<15,000	<1,000	82	<25	<25	<25	<25	<25	
5/22/2007	<6,000	<400	11	<10	<10	<10	<10	<10	
8/15/2007	<6,000	<400	28	<10	<10	<10	<10	<10	

Table 2. Summary of Fuel Additives Analytical Data
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-8 Cont.									
11/8/2007	<15,000	<1,000	27	<25	<25	<25	<25	<25	
MW-9									
5/22/2003	<10000	<2000	<50	<50	<50	<50	--	--	
7/28/2003	<100000	<20000	<500	<500	<500	<500	<500	<500	
11/18/2003	<2,000	<400	45	<10	<10	<10	--	--	a,b
02/23/2004	<50,000	<10,000	<250	<250	<250	<250	<250	<250	
05/04/2004	<5,000	<1,000	<25	<25	<25	<25	<25	<25	
11/10/2004	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
02/15/2005	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
05/16/2005	<2,000	<400	<10	<10	<10	<10	<10	<10	
08/17/2005	<2,500	<500	<12	<12	<12	<12	<12	<12	
11/18/2005	<1,000	<200	19	<5.0	<5.0	<5.0	<5.0	<5.0	b
02/07/2006	<3,000	<200	<5.0	<5.0	<5.0	5.4	<5.0	<5.0	
8/23/2006	<30,000	<2,000	<50	<50	<50	<50	<50	<50	
11/15/2006	<15,000	<1,000	26	<25	<25	<25	<25	<25	
2/14/2007	<15,000	<1,000	<25	<25	<25	<25	<25	<25	
5/22/2007	<15,000	<1,000	<25	<25	<25	<25	<25	<25	
8/15/2007	<1,500	<100	27	<2.5	<2.5	<2.5	<2.5	<2.5	b
11/8/2007	<3,000	<200	52	<5.0	<5.0	<5.0	<5.0	<5.0	
11/17/2008	<1,500	<50	33	<2.5	<2.5	<2.5	<2.5	<2.5	
MW-10									
5/22/2003	<10000	<2000	300	<50	<50	<50	--	--	
11/18/2003	<10,000	<2,000	<50	<50	<50	<50	--	--	b
02/23/2004	<20,000	<4,000	180	<100	<100	<100	<100	<100	
05/04/2004	<5,000	<1,000	<25	<25	<25	<25	<25	<25	
11/10/2004	<5,000	<1,000	230	<25	<25	<25	<25	<25	b
02/15/2005	<10,000	<2,000	77	<50	<50	<50	<50	<50	
05/16/2005	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
08/17/2005	<10,000	<2,000	<50	<50	<50	<50	<50	<50	
11/18/2005	<2,500	<500	16	<12	<12	<12	<12	<12	b

Table 2. Summary of Fuel Additives Analytical Data
Station #11132, 3201 35th Ave, Oakland, CA

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-10 Cont.									
02/07/2006	<15,000	<1,000	73	<25	<25	<25	<25	<25	
5/19/2006	<15,000	<1,000	<25	<25	<25	<25	<25	<25	b
8/23/2006	<6,000	<400	<10	<10	<10	<10	<10	<10	
11/15/2006	<6,000	<400	54	<10	<10	<10	<10	<10	
2/14/2007	<6,000	<400	120	<10	<10	<10	<10	<25	
5/22/2007	<6,000	<400	15	<10	<10	<10	<10	<10	
8/15/2007	<6,000	<400	<10	<10	<10	<10	<10	<10	
11/8/2007	<3,000	<200	6.0	<5.0	<5.0	<5.0	<5.0	<5.0	
5/7/2008	<12,000	<400	<20	<20	<20	<20	<20	<20	
11/17/2008	<12,000	<400	23	<20	<20	<20	<20	<20	
RW-1									
11/18/2003	<10,000	11,000	6,100	<50	<50	160	--	--	a,b
11/17/2008	<12,000	<400	120	<20	<20	<20	<20	<20	

SYMBOLS AND ABBREVIATIONS:

-- = Not analyzed/applicable/measured/available

< = Not detected at or above specified laboratory reporting limit

1,2-DCA = 1,2-Dichloroethane

DIPE = Di-isopropyl ether

EDB = 1,2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

µg/L = Micrograms per Liter

FOOTNOTES:

a = The result for TBA was reported with a possible high bias due to the continuing calibration verification falling outside acceptance criteria

b = The continuing calibration verification for ethanol was outside of client contractual acceptance limits. However, it was within method acceptance limits. The data should still be useful for its intended purpose.

NOTES:

All volatile organic compounds analyzed using EPA Method 8260B.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

**Table 3. Historical Ground-Water Flow Direction and Gradient
Station #11132, 3201 35th Ave, Oakland, CA**

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
5/19/2006	South	0.003 to 0.005
8/23/2006	Southwest	0.01
11/15/2006	South	0.004
2/14/2007	Southeast	0.01
5/22/2007	South	0.005
8/15/2007	South-Southwest	0.008
11/8/2007	Southwest	0.006
2/20/2008	Southeast	0.008
5/7/2008	South-Southwest	0.003
8/20/2008	South-Southwest	0.007
11/17/2008	South-Southwest	0.005

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 4
Free Product Removal
Former BP Service Station #11132
3201 35th Avenue, Oakland, CA

WELL ID	DATE OF MONITORING	PRODUCT THICKNESS (feet)	PRODUCT REMOVED (gallons)	CUMULATIVE PRODUCT REMOVED (gallons)
MW-1	7/9/1990	0.22	2.000	2.000
MW-1	12/21/1990	0.58	2.000	4.000
MW-1	3/7/1991	0.00	--	4.000
MW-1	6/27/1991	0.18	2.000	6.000
MW-1	9/27/1991	0.27	2.000	8.000
MW-1	12/18/1991	0.28	2.000	10.000
MW-1	4/1/1991	0.15	2.000	12.000
MW-1	7/3/1992	0.27	2.000	14.000
MW-1	10/5/1992	0.24	2.000	16.000
MW-1	1/13/1993	0.24	2.000	18.000
MW-1	4/23/1993	0.42	2.000	20.000
MW-1	7/12/1993	0.49	--	20.000
MW-1	10/21/1993	1.09	2.000	22.000
MW-1	1/21/1994	0.76	--	22.000
MW-1	4/20/1994	1.80	2.000	24.000
MW-1	8/1/1994	0.35	--	24.000
MW-1	1/26/1995	1.10	3.000	27.000
MW-1	6/8/95-6/28/95	1.25	0.700	27.700
MW-1	8/22/1995	0.85	0.150	27.850
MW-1	10/30/95-12/23/95	0.69	0.110	27.960
MW-1	1/25/96-2/16/95	1.40	1.080	29.040
MW-1	4/19/1996	1.22	0.750	29.790
MW-1	7/23/1996	0.89	0.000	29.790
MW-1	9/4/1996	--	0.350	30.140
MW-1	11/11/1996	0.89	0.980	31.120
MW-1	1/21/1997	0.90	0.200	31.320
MW-1	4/29/1997	0.85	0.250	31.570
MW-1	8/21/1997	--	0.150	31.720
MW-1	11/2/97-12/9/97	0.87	2.030	33.750
MW-1	2/3/1998	0.32	0.250	34.000
MW-1	2/4/1998	--	--	34.000
MW-1	5/28/1998	0.17	--	34.000
MW-1	12/30/1998	0.08	0.020	34.020
MW-1	2/2/1999	0.03	0.010	34.030
MW-1	5/10/1999	0.03	0.010	34.040
MW-1	8/24/1999	0.06	0.010	34.050
MW-1	11/3/1999	0.36	0.050	34.100
MW-1	3/1/2000	0.23	*	34.100
MW-1	4/21/2000	0.33	0.070	34.170
MW-1	7/31/2000	0.53	0.130	34.300
MW-1	11/20/2000	0.37	0.500	34.800
MW-1	2/18/2001	0.13	0.050	34.850
MW-1	2/26/2001	0.15	0.150	35.000
MW-1	6/7/2001	0.00	--	35.000
MW-1	9/5/2001	0.35	--	35.000
MW-1	11/30/2001	0.41	0.260	35.260
MW-1	12/6/2001	0.27	0.040	35.300
MW-1	2/20/2002	0.15	0.020	35.320
MW-1	6/20/2002	0.34	0.070	35.390
MW-1	9/11/2002	0.40	0.060	35.450
MW-1	11/12/2002	0.37	0.060	35.510
MW-1	1/29/2003	0.30	0.320	35.830

Table 4
Free Product Removal
Former BP Service Station #11132
3201 35th Avenue, Oakland, CA

WELL ID	DATE OF MONITORING	PRODUCT THICKNESS (feet)	PRODUCT REMOVED (gallons)	CUMULATIVE PRODUCT REMOVED (gallons)
MW-1	5/22/2003	0.20	0.140	35.970
MW-1	6/24/2003	0.35	0.070	36.040
MW-1	7/28/2003	0.35	0.080	36.050
MW-1	8/12/2003	0.23	0.040	36.090
MW-1	9/12/2003	0.24	0.040	36.130
MW-1	10/3/2003	0.23	0.040	36.170
MW-1	11/18/2003	0.25	0.040	36.210
MW-1	12/31/2003	0.15	0.020	36.230
MW-1	2/2/2004	0.15	0.020	36.250
MW-1	2/23/2004	0.09	0.030	36.280
MW-1	3/18/2004	0.09	0.010	36.290
MW-1	4/13/2004	0.24	0.040	36.330
MW-1	5/4/2004	0.16	0.030	36.360
MW-1	6/2/2004	0.08	0.010	36.370
MW-1	7/2/2004	0.28	0.040	36.410
MW-1	8/4/2004	0.10	0.080	36.490
MW-1	9/22/2004	0.20	0.030	36.520
MW-1	10/26/2004	0.12	0.020	36.540
MW-1	11/10/2004	0.14	0.020	36.560
MW-1	12/27/2004	0.08	0.010	36.570
MW-1	1/13/2005	0.03	0.005	36.575
MW-1	2/15/2005	0.04	0.006	36.581
MW-1	3/7/2005	0.01	0.007	36.588
MW-1	4/29/2005	0.01	0.002	36.589
MW-1	5/16/2005	0.02	0.003	36.592
MW-1	6/21/2005	0.01	0.002	36.594
MW-1	7/7/2005	0.18	0.029	36.623
MW-1	8/17/2005	0.08	0.013	36.636
MW-1	9/6/2005	0.02	0.003	36.639
MW-1	10/4/2005	0.12	0.020	36.659
MW-1	9/6/2005	0.06	0.010	36.669
MW-1	12/30/2005	0.03	0.005	36.674
MW-1	1/24/2006	0.00	0.000	36.674
MW-1	2/7/2006	0.01	0.002	36.676
MW-1	3/30/2006	0.00	0.000	36.676
MW-1	4/21/2006	0.00	0.000	36.676
MW-1	5/19/2006	<0.01 (SHEEN)	0.000	36.676
MW-1	6/22/2006	0.04	0.006	36.682
MW-1	7/31/2006	0.04	0.006	36.688
MW-1	8/23/2006	0.14	0.022	36.710
MW-1	9/28/2006	0.35	0.056	36.766
MW-1	11/15/2006	0.18	--	36.766
MW-1	2/14/2007	0.17	*	36.766
MW-1	3/14/2007	0.04	****	36.766
MW-1	4/10/2007	0.15	****	36.766
MW-1	5/22/2007	0.01	****	36.766
MW-1	6/26/2007	0.05	****	36.766
MW-1	7/19/2007	0.00	--	36.766
MW-1	8/15/2007	0.01	2.0	38.766
MW-1	9/18/2007	0.10	2.0	40.766
MW-1	10/17/2007	0.01	4.0	44.766
MW-1	11/8/2007	0.01	3.0	47.766

Table 4
Free Product Removal
Former BP Service Station #11132
3201 35th Avenue, Oakland, CA

WELL ID	DATE OF MONITORING	PRODUCT THICKNESS (feet)	PRODUCT REMOVED (gallons)	CUMULATIVE PRODUCT REMOVED (gallons)
MW-1	12/12/2007	0.01	1.5	49.266
MW-1	1/14/2008	0.01	3.0	52.266
MW-1	2/27/2008	--	2.0	54.266
MW-1	4/1/2008	0.01	5.0	59.266
MW-1	5/7/2008	0.02	*	59.266
MW-1	5/20/2008	0.00	1.0	60.266
MW-1	6/18/2008	0.00	4.5	64.766
MW-1	7/16/2008	0.01	2.0	66.766
MW-1	8/13/2008	0.02	9.0	75.766
MW-1	8/20/2008	0.02	0.0	75.766
MW-1	9/15/2008	0.04	3.0	78.766
MW-1	10/15/2008	0.01	8.0	86.766
MW-1	11/17/2008	0.00	0.0	86.766
MW-1	12/18/2008	0.00	0.0	86.766
MW-2	4/1/2008	0.01	1.5	1.500
MW-2	5/7/2008	0.04	*	1.500
MW-2	5/20/2008	0.00	1.0	2.500
MW-2	6/18/2008	0.00	2.5	5.000
MW-2	7/16/2008	0.01	1.5	6.500
MW-2	8/13/2008	<0.01 (SHEEN)	4.0	10.500
MW-2	8/20/2008	0.01	0.0	10.500
MW-2	9/15/2008	0.00	0.0	10.500
MW-2	10/15/2008	0.01	1.0	11.500
MW-2	11/17/2008	<0.01 (SHEEN)	0.0	11.500
MW-2	12/18/2008	0.00	0.0	11.500
MW-8	11/02/93-12/09/98	0.12	1.620	1.620
MW-8	9/5/2001	0.04	--	1.660
MW-8	8/12/2003	<0.01 (SHEEN)	--	1.660
MW-8	10/3/2003	<0.01 (SHEEN)	--	1.660
MW-8	11/18/2003	<0.01 (SHEEN)	--	1.660
MW-8	12/31/2003	<0.01 (SHEEN)	--	1.660
MW-8	2/2/2004	<0.01 (SHEEN)	--	1.660
MW-8	2/23/2004	<0.01 (SHEEN)	--	1.660
MW-8	3/18/2004	<0.01 (SHEEN)	--	1.660
MW-8	4/13/2004	<0.01 (SHEEN)	--	1.660
MW-8	5/4/2004	<0.01 (SHEEN)	--	1.660
MW-8	6/2/2004	<0.01 (SHEEN)	--	1.660
MW-8	7/2/2004	--	--	1.660
MW-8	8/4/2004	0.05	0.110	1.770
MW-8	9/22/2004	--	--	1.770
MW-8	10/26/2004	--	--	1.770
MW-8	11/10/2004	--	--	1.770
MW-8	12/26/2004	--	--	1.770
MW-8	1/13/2005	--	--	1.770
MW-8	2/15/2005	--	--	1.770
MW-8	3/7/2005	--	--	1.770
MW-8	4/29/2005	--	--	1.770
MW-8	5/16/2005	--	--	1.770
MW-8	6/21/2005	--	--	1.770
MW-8	7/7/2005	--	--	1.770
MW-8	8/17/2005	--	--	1.770

Table 4
Free Product Removal
Former BP Service Station #11132
3201 35th Avenue, Oakland, CA

WELL ID	DATE OF MONITORING	PRODUCT THICKNESS (feet)	PRODUCT REMOVED (gallons)	CUMULATIVE PRODUCT REMOVED (gallons)
MW-8	9/6/2005	--	--	1.770
MW-8	1/24/2006	--	--	1.770
MW-8	2/7/2006	--	--	1.770
MW-8	3/30/2006	--	--	1.770
MW-8	4/21/2006	--	--	1.770
MW-8	5/19/2006	<0.01 (Sheen)	--	1.770
MW-8	6/22/2006	--	--	1.770
MW-8	7/31/2006	--	--	1.770
MW-8	8/23/2006	--	--	1.770
MW-8	9/28/2006	--	--	1.770
MW-8	11/15/2006	<0.01 (Sheen)	--	1.770
MW-8	2/14/2007	<0.01 (Sheen)	--	1.770
MW-8	5/22/2007	<0.01 (Sheen)	--	1.770
MW-8	6/26/2007	--	--	1.770
MW-8	7/19/2007	--	--	1.770
MW-8	8/15/2007	<0.01 (Sheen)	--	1.770
MW-8	9/18/2007	--	--	1.770
MW-8	10/17/2007	--	--	1.770
MW-8	11/8/2007	--	--	1.770
MW-8	12/12/2007	--	--	1.770
MW-8	1/14/2008	NM	NM	1.770
MW-8	2/27/2008	NM	NM	1.770
MW-8	4/1/2008	NM	NM	1.770
MW-8	5/7/2008	NM	NM	1.770
MW-8	5/20/2008	0.00	0.000	1.770
MW-8	6/18/2008	0.00	0.000	1.770
MW-8	7/16/2008	0.00	0.000	1.770
MW-8	8/13/2008	0.00	0.000	1.770
MW-8	8/20/2008	0.01	0.000	1.770
MW-8	9/15/2008	NM	NM	1.770
MW-8	10/15/2008	0.01	1.000	2.770
MW-8	11/17/2008	NM	NM	2.770
MW-8	12/18/2008	0.00	0.000	2.770
MW-9	11/2/93-4/29/97	0.10	<0.1	0.880
MW-9	11/5/1997	0.01	<0.1	0.880
MW-9	1/29/2003	0.10	0.190	1.070
MW-9	6/24/2003	NM	NM	1.070
MW-9	7/28/2003	<0.01 (SHEEN)	--	1.070
MW-9	8/12/2003	<0.01 (SHEEN)	--	1.070
MW-9	9/12/2003	<0.01 (SHEEN)	--	1.070
MW-9	10/3/2003	0.01	0.002	1.072
MW-9	11/18/2003	<0.01 (SHEEN)	--	1.072
MW-9	12/31/2003	<0.01 (SHEEN)	--	1.072
MW-9	2/2/2004	<0.01 (SHEEN)	--	1.072
MW-9	2/23/2004	<0.01 (SHEEN)	--	1.072
MW-9	3/18/2004	<0.01 (SHEEN)	--	1.072
MW-9	4/13/2004	<0.01 (SHEEN)	--	1.072
MW-9	5/4/2004	<0.01 (SHEEN)	--	1.072
MW-9	6/2/2004	<0.01 (SHEEN)	--	1.072
MW-9	7/2/2004	--	--	1.072
MW-9	8/4/2004	0.03	0.053	1.125

Table 4
Free Product Removal
Former BP Service Station #11132
3201 35th Avenue, Oakland, CA

WELL ID	DATE OF MONITORING	PRODUCT THICKNESS (feet)	PRODUCT REMOVED (gallons)	CUMULATIVE PRODUCT REMOVED (gallons)
MW-9	9/22/2004	--	--	1.125
MW-9	10/26/2004	--	--	1.125
MW-9	11/10/2004	--	--	1.125
MW-9	12/27/2004	--	--	1.125
MW-9	1/13/2005	--	--	1.125
MW-9	2/15/2005	--	--	1.125
MW-9	3/7/2005	--	--	1.125
MW-9	4/29/2005	--	--	1.125
MW-9	5/16/2005	--	--	1.125
MW-9	6/21/2005	--	--	1.125
MW-9	7/7/2005	--	--	1.125
MW-9	8/17/2005	--	--	1.125
MW-9	9/6/2005	--	--	1.125
MW-9	1/24/2006	--	--	1.125
MW-9	2/7/2006	SHEEN	--	1.125
MW-9	3/30/2006	--	--	1.125
MW-9	4/21/2006	--	--	1.125
MW-9	5/19/2006	NM	--	1.125
MW-9	6/22/2006	--	--	1.125
MW-9	7/31/2006	--	--	1.120
MW-9	8/23/2006	--	--	1.120
MW-9	9/28/2006	--	--	1.120
MW-9	11/15/2006	<0.01 (Sheen)	--	1.120
MW-9	2/14/2007	<0.01 (Sheen)	--	1.120
MW-9	5/22/2007	<0.01 (Sheen)	--	1.120
MW-9	6/26/2007	--	--	1.120
MW-9	7/19/2007	--	--	1.120
MW-9	8/15/2007	<0.01 (Sheen)	--	1.120
MW-9	9/18/2007	--	--	1.120
MW-9	10/17/2007	--	--	1.120
MW-9	11/8/2007	--	--	1.120
MW-9	12/12/2007	--	--	1.120
MW-9	1/14/2008	--	--	1.120
MW-9	2/27/2008	--	--	1.120
MW-9	4/1/2008	0.00	0.000	1.120
MW-9	5/7/2008	0.03	*	1.120
MW-9	5/20/2008	0.00	0.000	1.120
MW-9	6/18/2008	0.00	0.000	1.120
MW-9	7/16/2008	0.00	0.000	1.120
MW-9	8/13/2008	0.00	0.000	1.120
MW-9	8/20/2008	0.01	0.000	1.120
MW-9	9/15/2008	0.01	1.000	2.120
MW-9	10/15/2008	0.00	0.000	2.120
MW-9	11/17/2008	0.00	0.000	2.120
MW-9	12/18/2008	0.00	0.000	2.120
MW-10	9/7/93-7/23/96	--	10.520	10.520
MW-10	9/4/1996	0.76	0.100	10.620
MW-10	11/11/1996	--	0.200	10.820
MW-10	1/21/1997	--	<0.03	10.850
MW-10	4/29/1997	--	0.040	10.890
MW-10	4/29/1997	--	0.040	10.930
MW-10	12/2/1997	0.03	<0.1	10.930

Table 4
Free Product Removal
Former BP Service Station #11132
3201 35th Avenue, Oakland, CA

WELL ID	DATE OF MONITORING	PRODUCT THICKNESS (feet)	PRODUCT REMOVED (gallons)	CUMULATIVE PRODUCT REMOVED (gallons)
MW-10	2/3/1998	--	<0.1	10.930
MW-10	9/5/2001	0.01	--	10.930
MW-10	11/12/2002	0.07	0.010	10.940
MW-10	1/29/2003	0.03	0.030	10.970
MW-10	6/24/2003	0.04	0.010	10.980
MW-10	7/28/2003	0.04	0.020	11.000
MW-10	8/12/2003	<0.01 (SHEEN)	--	11.000
MW-10	10/3/2003	<0.01 (SHEEN)	--	11.000
MW-10	11/18/2003	<0.01 (SHEEN)	--	11.000
MW-10	12/31/2003	<0.01 (SHEEN)	--	11.000
MW-10	2/2/2004	<0.01 (SHEEN)	--	11.000
MW-10	2/23/2004	<0.01 (SHEEN)	--	11.000
MW-10	3/18/2004	<0.01 (SHEEN)	--	11.000
MW-10	4/13/2004	<0.01 (SHEEN)	--	11.000
MW-10	5/4/2004	<0.01 (SHEEN)	--	11.000
MW-10	6/2/2004	<0.01 (SHEEN)	--	11.000
MW-10	7/2/2004	<0.01 (SHEEN)	--	11.000
MW-10	8/4/2004	0.08	0.110	11.110
MW-10	9/22/2004	--	--	11.110
MW-10	10/26/2004	--	--	11.110
MW-10	11/10/2004	--	--	11.110
MW-10	12/27/2004	--	--	11.110
MW-10	1/13/2005	<0.01 (SHEEN)	--	11.110
MW-10	2/15/2005	--	--	11.110
MW-10	3/7/2005	--	--	11.110
MW-10	4/29/2005	--	--	11.110
MW-10	5/16/2005	--	--	11.110
MW-10	6/21/2005	--	--	11.110
MW-10	7/7/2005	--	--	11.110
MW-10	8/17/2005	--	--	11.110
MW-10	9/6/2005	--	--	11.110
MW-10	1/24/2006	--	--	11.110
MW-10	2/7/2006	SHEEN	--	11.110
MW-10	3/30/2006	--	--	11.110
MW-10	4/21/2006	--	--	11.110
MW-10	5/19/2006	<0.01 (SHEEN)	--	11.110
MW-10	6/22/2006	--	--	11.110
MW-10	7/31/2006	--	--	11.110
MW-10	8/23/2006	--	--	11.110
MW-10	9/28/2006	--	--	11.110
MW-10	11/15/2006	<0.01 (Sheen)	--	11.110
MW-10	2/14/2007	<0.01 (Sheen)	--	11.110
MW-10	5/22/2007	<0.01 (Sheen)	--	11.110
MW-10	6/26/2007	<0.01 (Sheen)	--	11.110
MW-10	7/19/2007	--	--	11.110
MW-10	8/15/2007	<0.01 (Sheen)	--	11.110
MW-10	9/18/2007	--	--	11.110
MW-10	10/17/2007	--	--	11.110
MW-10	11/8/2007	--	--	11.110
MW-10	12/12/2007	--	--	11.110
MW-10	1/14/2008	--	--	11.110
MW-10	2/27/2008	--	--	11.110

Table 4
Free Product Removal
Former BP Service Station #11132
3201 35th Avenue, Oakland, CA

WELL ID	DATE OF MONITORING	PRODUCT THICKNESS (feet)	PRODUCT REMOVED (gallons)	CUMULATIVE PRODUCT REMOVED (gallons)
MW-10	4/1/2008	0.00	0.000	11.110
MW-10	5/7/2008	0.00	0.000	11.110
MW-10	5/20/2008	0.00	0.000	11.110
MW-10	6/18/2008	0.00	0.000	11.110
MW-10	7/16/2008	0.01	1.500	12.610
MW-10	8/13/2008	0.01	2.000	14.610
MW-10	8/20/2008	0.01	0.000	14.610
MW-10	9/15/2008	0.00	0.000	14.610
MW-10	10/15/2008	0.01	1.000	15.610
MW-10	11/17/2008	0.00	0.000	15.610
MW-10	12/18/2008	0.00	0.000	15.610
RW-1	9/5/2001	0.02	--	0.000
RW-1	6/20/2002	**	--	0.000
RW-1	9/11/2002	0.03	0.040	0.040
RW-1	11/12/2002	0.02	0.030	0.070
RW-1	1/29/2003	0.04	0.070	0.140
RW-1	6/24/2003	0.07	0.040	0.180
RW-1	7/28/2003	0.04	0.020	0.200
RW-1	8/12/2003	<0.01 (SHEEN)	--	0.200
RW-1	9/12/2003	0.07	0.100	0.300
RW-1	10/3/2003	0.03	0.040	0.340
RW-1	11/18/2003	<0.01 (SHEEN)	--	0.340
RW-1	12/31/2003	<0.01 (SHEEN)	--	0.340
RW-1	2/23/2004	0.01	0.005	0.345
RW-1	3/18/2004	0.09	0.120	0.465
RW-1	4/13/2004	0.02	0.030	0.495
RW-1	5/4/2004	0.02	0.030	0.525
RW-1	6/2/2004	0.05	0.020	0.545
RW-1	7/2/2004	0.11	0.162	0.707
RW-1	8/4/2004	0.05	0.159	0.865
RW-1	9/22/2004	0.06	0.088	0.953
RW-1	10/26/2004	0.01	0.010	0.963
RW-1	11/10/2004	0.02	0.030	0.993
RW-1	12/27/2004	0.03	0.010	1.003
RW-1	1/13/2005	0.01	0.004	1.007
RW-1	2/15/2005	0.03	0.044	1.051
RW-1	3/7/2005	0.02	0.029	1.080
RW-1	4/29/2005	0.03	0.044	1.124
RW-1	5/16/2005	0.02	0.029	1.154
RW-1	6/21/2005	0.03	0.013	1.167
RW-1	7/7/2005	0.06	0.092	1.259
RW-1	8/17/2005	0.03	0.044	1.304
RW-1	9/6/2005	0.03	0.044	1.348
RW-1	10/4/2005	0.07	0.100	1.448
RW-1	11/18/2005	0.07	0.010	1.458
RW-1	12/30/2005	0.04	0.006	1.464
RW-1	1/24/2006	0.01	0.015	1.479
RW-1	2/7/2006	0.01	0.015	1.494
RW-1	3/30/2006	0.02	0.030	1.524
RW-1	4/21/2006	0.00	0.000	1.524
RW-1	5/19/2006	0.04	0.058	1.582
RW-1	6/22/2006	0.03	0.044	1.626

Table 4
Free Product Removal
Former BP Service Station #11132
3201 35th Avenue, Oakland, CA

WELL ID	DATE OF MONITORING	PRODUCT THICKNESS (feet)	PRODUCT REMOVED (gallons)	CUMULATIVE PRODUCT REMOVED (gallons)
RW-1	7/31/2006	0.12	0.176	1.802
RW-1	8/23/2006	0.07	0.103	1.905
RW-1	9/28/2006	0.07	0.103	2.008
RW-1	11/15/2006	0.07	--	2.008
RW-1	2/14/2007	0.04	*	2.008
RW-1	3/14/2007	0.05	****	2.008
RW-1	4/10/2007	0.10	****	2.008
RW-1	5/22/2007	**	****	2.008
RW-1	6/26/2007	0.05	****	2.008
RW-1	7/19/2007	<0.01 (Sheen)	--	2.008
RW-1	8/15/2007	0.02	2.0	4.008
RW-1	9/18/2007	0.03	2.0	6.008
RW-1	10/17/2007	0.01	4.0	10.008
RW-1	11/8/2007	0.01	2.5	12.508
RW-1	12/12/2007	0.01	2.5	15.008
RW-1	1/14/2008	0.01	4.0	19.008
RW-1	2/27/2008	--	1.0	20.008
RW-1	4/1/2008	0.01	1.5	21.508
RW-1	5/7/2008	NM	NM	21.508
RW-1	5/20/2008	0.00	2.0	23.508
RW-1	6/18/2008	0.00	3.0	26.508
RW-1	7/16/2008	0.02	4.0	30.508
RW-1	8/13/2008	0.01	7.0	37.508
RW-1	8/20/2008	0.02	0.0	37.508
RW-1	9/15/2008	0.02	4.0	41.508
RW-1	10/15/2008	0.03	3.0	44.508
RW-1	11/17/2008	0.00	0.0	44.508
RW-1	12/18/2008	0.00	0.0	44.508

Free Product Removed this Quarter = 14.000

Total Free Product = 163.274

NM = Unable to gauge free product thickness or remove product because the well was inaccessible.

* No hazardous waste drum on-site or drum was full, therefore no product was removed.

** Indeterminate thickness of product. The nature of product is unknown, very viscous.

*** Data prior to 1998 is incomplete, and amounts removed are estimates based on quarter reports from the previous consultants.

**** Absorbent socks used to collect product. Unknown amount of product recovered.

The data within this table collected prior to June 2006 was provided to BAI by RM and their previous consultants. BAI has not verified the accuracy of this information.

APPENDIX A

**STRATUS GROUND-WATER SAMPLING DATA PACKAGE
(INCLUDES FIELD DATA SHEETS, LABORATORY ANALYTICAL REPORT WITH
CHAIN-OF-CUSTODY DOCUMENTATION, AND FIELD PROCEDURES)**



3330 Cameron Park Drive, Ste 550
Cameron Park, California 95682
(530) 676-6004 ~ Fax: (530) 676-6005

December 9, 2008

Mr. Rob Miller
Broadbent & Associates, Inc.
2000 Kirman Avenue
Reno, NV 89502

Re: Groundwater Sampling and Monthly Gauging Data Package, BP Service Station
No. 11132, located at 3201 35th Avenue, Oakland, California.

General Information

Data Submittal Prepared / Reviewed by: Becky Carroll / Jay Johnson
Phone Number: (530) 676-6000

On-Site Supplier Representative: Vince Zalutka
Monthly Gauging Date: September 15, 2008
Arrival: Not noted *Departure:* Not noted
Weather Conditions: Not noted.

Unusual Field Conditions: None noted.

Scope of Work Performed: Monthly Gauging and LPH Removal

Variations from Work Scope: All wells were gauged and the LPH was removed and put in the hazardous waste drum located onsite. Well MW-8 had a car parked over it at this event. Field data sheets are submitted immediately following monthly gauging and LPH removal.

On-Site Supplier Representatives: Vince Zalutka
Monthly Gauging Date: October 15, 2008
Arrival: Not noted *Departure:* Not noted

Weather Conditions: Not noted

Unusual Field Conditions: None noted.

Scope of Work Performed: Monthly Gauging and LPH Removal

Variations from Work Scope: All wells were gauged and the LPH was removed and put in the hazardous waste drum located onsite. Soakase socks were placed in wells RW-1, and MW-1. Field data sheets are submitted immediately following monthly gauging and LPH removal.

On-Site Supplier Representatives: Greg Wilkins

Sampling Date: November 17, 2008

Arrival: 04:55 *Departure:* 08:45

Weather Conditions: Clear

Unusual Field Conditions: None noted.


Scope of Work Performed: Quarterly monitoring and sampling

Variations from Work Scope: Wells MW-5, MW-6 and MW-8 had parked cars over them and therefore were not gauged or sampled this event. Sheen was noted in MW-2 and MW-10.

This submittal presents the tabulation of data collected in association with routine groundwater monitoring. The attachments include field data sheets, non-hazardous waste data form, chain of custody documentation, certified analytical results and field procedures for groundwater sampling. The information is being provided to BP-ARCO's Scoping Supplier for use in preparing a report for regulatory submittal. This submittal is limited to presentation of collected data and does not include data interpretation or conclusions or recommendations. Any questions concerning this submittal should be addressed to the Preparer/Reviewer identified above.

Sincerely,

STRATUS ENVIRONMENTAL, INC.


Jay R. Johnson, P.G.
Project Manager



Attachments:

- Field Data Sheets
- Non-Hazardous Waste Data Form
- Chain of Custody Documentation
- Certified Analytical Results
- Field Procedures for Groundwater Sampling

cc: Mr. Paul Supple, BP/ARCO



Site Address 3201 35th Ave
 City Oakland CA
 Sampled by: G. Williams / T. Hill
 Signature [Signature]

Site Number ARC011132
 Project Number E11132-01
 Project PM J. Johnson
 DATE 11-17-08

ORIGINAL

onsite 0455

Water Level Data					Purge Volume Calculations					Purge Method				Sample Record			Field Data	
Well ID	Time	Depth to Product (feet)	Depth to Water (feet)	Total Depth (feet)	Water column (feet)	Diameter (inches)	Multiplier	3 casing volumes (gallons)	Actual water purged (gallons)	No Purge	Bailer	Pump	other	DTW at sample time (feet)	Sample I.D.	Sample Time	DO (mg/L) Pre/Post	
MW-1	0513		22.05	41.50	19.45	2	.5	9.73	6					23.16	MW-1	0507	*	
MW-2	0518	22.44	20.73	31.7	10.97	2	.5	5.49	3			X	Screen	22.44	MW-2	0711	*	
MW-3	0521		19.35	33.40	14.05	2		7.03		X							*	
MW-4	0510		22.20	39.94	17.74	2		8.87		X							*	
MW-5	Car on well					2	.5			X								
MW-6	Car on well					2				X					MW-5			
MW-7	0527		20.54	34.91		2				X								
MW-8	Car on well					2				X								
MW-9	0523		18.73	27.70	8.97	2	.5	4.48	4.5			X			MW-8			
MW-10	0525		19.71	34.31	14.60	2	.5	7.30	7.5			X	Screen	19.50	MW-9	0539	*	
RW-1	0516		20.41	38.85	18.44	6	4.4	813	6			X	Screen	20.71	MW-10	0607	0/*	
														22.95	RW-1	0751	*	
TB 113201172008																		
																0505		
																	*DO meter not working!	

Multiplier
 2" = 0.5 3" = 1.0 4" = 2.0 6" = 4.4

All caps pulled prior to gauging

36
 please refer to groundwater sampling field procedures
 pH/Conductivity/temperature Meter - Oakton Model PC-10
 DO Meter - Oakton 300 Series (DO is always measured before purge)

CALIBRATION DATE
 pH 11-14-08
 Conductivity
 DO

STRATUS ENVIRONMENTAL, INC.

Site Address 3201 35th Ave
 City Oakland CA
 Site Sampled by GW/TH

Site Number AR011132
 Project No. E1113201
 Project PM J. Johnson
 Date Sampled 11-17-08

ORIGINAL

Well ID <u>MW-1</u> <u>0827</u>					Well ID <u>MW-2</u> <u>0711</u>				
purge start time <u>0806</u>					purge start time <u>0656</u> <u>Sheen</u> <u>Odor</u>				
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time	<u>20.7</u>	<u>6.62</u>	<u>467</u>	<u>0</u>	time	<u>19.2</u>	<u>6.41</u>	<u>684</u>	<u>0</u>
time	<u>21.9</u>	<u>6.67</u>	<u>401</u>	<u>2</u>	time	<u>20.9</u>	<u>6.50</u>	<u>675</u>	<u>1</u>
time	<u>21.9</u>	<u>6.61</u>	<u>420</u>	<u>4</u>	time	<u>20.8</u>	<u>6.47</u>	<u>677</u>	<u>2</u>
time	<u>21.8</u>	<u>6.60</u>	<u>430</u>	<u>0</u>	time	<u>20.8</u>	<u>6.46</u>	<u>670</u>	<u>3</u>
purge stop time <u>0828</u> <u>Pre ORP 126</u> <u>Post ORP</u>					purge stop time <u>0712</u> <u>Pre ORP 111</u> <u>Post ORP</u>				
Well ID <u>MW-5</u>					Well ID <u>MW-8</u>				
purge start time					purge start time				
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time					time				
time					time				
time					time				
time					time				
purge stop time <u>Pre ORP</u> <u>Post ORP</u>					purge stop time <u>Pre ORP</u> <u>Post ORP</u>				
Well ID <u>MW-9</u> <u>0639</u>					Well ID <u>MW-10</u> <u>0607</u>				
purge start time <u>0624</u> <u>0</u>					purge start time <u>0548</u> <u>sheen</u> <u>Odor</u>				
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time	<u>19.5</u>	<u>6.57</u>	<u>590</u>	<u>0</u>	time	<u>18.4</u>	<u>6.34</u>	<u>645</u>	<u>0</u>
time	<u>20.2</u>	<u>6.64</u>	<u>592</u>	<u>2.5</u>	time	<u>18.8</u>	<u>6.59</u>	<u>637</u>	<u>4</u>
time	<u>20.4</u>	<u>6.64</u>	<u>557</u>	<u>3.5</u>	time	<u>18.8</u>	<u>6.54</u>	<u>639</u>	<u>7.5</u>
time	<u>19.9</u>	<u>6.64</u>	<u>550</u>	<u>4.5</u>	time				
purge stop time <u>0640</u> <u>Pre ORP 139</u> <u>Post ORP 126</u>					purge stop time <u>0608</u> <u>Pre ORP 160</u> <u>Post ORP 166</u>				
Well ID <u>RW-1</u> <u>0751</u>					Well ID				
purge start time <u>0732</u> <u>Odor</u>					purge start time				
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time	<u>20.3</u>	<u>6.57</u>	<u>162</u>	<u>0</u>	time				
time	<u>20.5</u>	<u>6.59</u>	<u>153</u>	<u>2</u>	time				
time	<u>20.7</u>	<u>6.5</u>	<u>153</u>	<u>4</u>	time				
time	<u>20.7</u>	<u>6.55</u>	<u>155</u>	<u>5.5</u>	time				
time	<u>20.7</u>	<u>6.47</u>	<u>154.9</u>	<u>6</u>	time				
purge stop time <u>0752</u> <u>Pre ORP 108</u> <u>Post ORP</u>					purge stop time				

WELLHEAD OBSERVATION FORM



Site Name/Number: ARCO 11132

Date: 11-17-08 Technician: GW/TH

Well I.D.	Box in Good Condition? <small>X = Yes Blank = No</small>	Lock Missing? <small>X = Yes (replaced) Blank = No</small>	Water in Wellbox? <small>X = Yes Blank = No</small>	Water Level Relative to Cap? <small>A = Above cap B = Below cap L = Level w/cap</small>	Well Cap? <small>I = Intact M = Missing or Compromised (replaced)</small>	Bolts Missing? <small>X = Yes Blank = No</small>	Bolts Stripped? <small>X = Yes Blank = No</small>	Bolt Holes Stripped? <small>X = Yes Blank = No</small>	Cracked or Broken Lid? <small>X = Yes Blank = No</small>	Cracked or Broken Box? <small>X = Yes Blank = No</small>	Grout Level more than 1ft below TOC? <small>X = Yes Blank = No</small>	Additional Comments <small>(such as missing lid, concrete needs replacement, or other - explain)</small>
<u>NW-1</u>	<u>X</u>											
<u>2</u>	<u>X</u>											
<u>3</u>	<u>X</u>											
<u>4</u>			<u>X</u>	<u>A</u>				<u>2</u>				
<u>5</u>	<u>car on well</u>											
<u>6</u>	<u>car on well</u>											
<u>7</u>			<u>X</u>	<u>A</u>								
<u>8</u>	<u>Car on Well</u>											
<u>9</u>	<u>X</u>											
<u>10</u>			<u>X</u>	<u>A</u>								
<u>RW-1</u>	<u>X</u>											

DRUM INVENTORY

Drums on site? Yes No (circle)
 Type and # Steel: _____ Plastic: _____

Note whether drums are full or empty, solids or liquids:

Drum label info (description, date, contact info):

GENERAL SITE CONDITIONS

Make notes on housekeeping conditions (such as trash around remediation system enclosure/compound, bent or missing bollards, signs missing from compound fences, graffiti on compound, etc.)

NO. 674039

NON-HAZARDOUS WASTE DATA FORM

SITE:

EPA I.D. NO.

NOT REQUIRED

NAME BP WEST COAST PRODUCTS LLC ARCO # 11132

PROFILE NO.

ADDRESS P.O. BOX 80249
RANCHO SANTA MARGARITA

CITY, STATE, ZIP CA 92688

PHONE NO. ()

CONTAINERS: No. _____ VOLUME 36 gal WEIGHT _____

TYPE: TANK TRUCK DUMP TRUCK DRUMS CARTONS OTHER _____

WASTE DESCRIPTION NON-HAZARDOUS WATER
COMPONENTS OF WASTE PPM %

GENERATING PROCESS WELL PURGING/DECON WATER
COMPONENTS OF WASTE PPM %

1. WATER 99-100%

5. _____

2. TPH <1%

6. _____

3. _____

7. BESI#

4. _____

8. _____

PROPERTIES: 7-10 pH SOLID LIQUID SLUDGE SLURRY OTHER _____

HANDLING INSTRUCTIONS: WEAR ALL APPROPRIATE PROTECTIVE CLOTHING

THE GENERATOR CERTIFIES THAT THE WASTE AS DESCRIBED IS 100% NON-HAZARDOUS.

Larry Moothart BESI for BP
TYPED OR PRINTED FULL NAME & SIGNATURE

11-17-08
DATE

TO BE COMPLETED BY GENERATOR

TRANSPORTER

Transporter #1 STRATUS ENVIRONMENTAL Transporter #2 _____

EPA I.D. NO.

DATE

NAME STRATUS ENVIRONMENTAL

ADDRESS 3330 CAMERON PARK DR

SERVICE ORDER NO. _____

CITY, STATE, ZIP CAMERON PARK, CA 95682

PICK UP DATE _____

PHONE NO. 530-676-2031

[Signature]
TYPED OR PRINTED FULL NAME & SIGNATURE

DATE

TRUCK, UNIT, I.D. NO. _____

TSD FACILITY

NAME INSTRAT, INC

EPA I.D. NO.

DISPOSAL METHOD

ADDRESS 1105 AIRPORT RD #C

LANDFILL OTHER _____

CITY, STATE, ZIP RIO VISTA, CA 94571


PHONE NO. 530-753-1829

[Signature]
TYPED OR PRINTED FULL NAME & SIGNATURE

DATE

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
C/O		RT/CD	HWDF	NONE

DISCREPANCY



08-11-1581
ARCO

December 04, 2008

Jay Johnson
Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Subject: **Calscience Work Order No.: 08-11-1581**
Client Reference: ARCO 11132

Dear Client:


Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 11/18/2008 and analyzed in accordance with the attached chain-of-custody.


Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Calscience Environmental
Laboratories, Inc.
Richard Villafania
Project Manager





Analytical Report

11/20/08
Inel C

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: N/A
Method: RSK-175M

Project: ARCO 11132

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	08-11-1581-1-J	11/17/08 08:27	Aqueous	GC 14	N/A	11/20/08 00:00	081120L01

Parameter	Result	RL	DF	Qual	Units
Carbon Dioxide	65000	17.0	10		ug/L

MW-2	08-11-1581-2-J	11/17/08 07:11	Aqueous	GC 14	N/A	11/20/08 00:00	081120L01
------	----------------	-------------------	---------	-------	-----	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Carbon Dioxide	98500	170	100		ug/L

MW-9	08-11-1581-3-J	11/17/08 06:39	Aqueous	GC 14	N/A	11/20/08 00:00	081120L01
------	----------------	-------------------	---------	-------	-----	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Carbon Dioxide	19500	17.0	10		ug/L

MW-10	08-11-1581-4-J	11/17/08 06:07	Aqueous	GC 14	N/A	11/20/08 00:00	081120L01
-------	----------------	-------------------	---------	-------	-----	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Carbon Dioxide	283000	170	100		ug/L


RW-1	08-11-1581-5-J	11/17/08 07:51	Aqueous	GC 14	N/A	11/20/08 00:00	081120L01
------	----------------	-------------------	---------	-------	-----	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Carbon Dioxide	35800	17.0	10		ug/L

Method Blank	099-12-659-33-A	N/A	Aqueous	GC 14	N/A	11/20/08 00:00	081120L01
--------------	-----------------	-----	---------	-------	-----	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Carbon Dioxide	ND	1.70	1		ug/L

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: N/A
Method: RSK-175M

Project: ARCO 11132

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	08-11-1581-1-H	11/17/08 08:27	Aqueous	GC 33	N/A	11/21/08 00:00	081121L02

Parameter	Result	RL	DF	Qual	Units
Methane	4830	40.0	40		ug/L

MW-2	08-11-1581-2-H	11/17/08 07:11	Aqueous	GC 33	N/A	11/21/08 00:00	081121L02
------	----------------	-------------------	---------	-------	-----	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Methane	5350	40.0	40		ug/L

MW-9	08-11-1581-3-H	11/17/08 06:39	Aqueous	GC 33	N/A	11/21/08 00:00	081121L02
------	----------------	-------------------	---------	-------	-----	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Methane	1290	40.0	40		ug/L

MW-10	08-11-1581-4-H	11/17/08 06:07	Aqueous	GC 33	N/A	11/21/08 00:00	081121L02
-------	----------------	-------------------	---------	-------	-----	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Methane	1720	40.0	40		ug/L


RW-1	08-11-1581-5-H	11/17/08 07:51	Aqueous	GC 33	N/A	11/21/08 00:00	081121L02
------	----------------	-------------------	---------	-------	-----	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Methane	3780	40.0	40		ug/L

Method Blank	099-12-663-385	N/A	Aqueous	GC 33	N/A	11/21/08 00:00	081121L02
--------------	----------------	-----	---------	-------	-----	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Methane	ND	1.00	1		ug/L

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: EPA 3010A Total
Method: EPA 200.7

Project: ARCO 11132

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	08-11-1581-1-L	11/17/08 08:27	Aqueous	ICP 5300	11/26/08	11/29/08 10:25	081126LA4

Parameter	Result	RL	DF	Qual	Units
Manganese	2750	5.00	1		ug/L

MW-2	08-11-1581-2-L	11/17/08 07:11	Aqueous	ICP 5300	11/26/08	11/29/08 10:46	081126LA4
------	----------------	-------------------	---------	----------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Manganese	6380	5.00	1		ug/L

MW-9	08-11-1581-3-L	11/17/08 06:39	Aqueous	ICP 5300	11/26/08	11/29/08 10:49	081126LA4
------	----------------	-------------------	---------	----------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Manganese	3190	5.00	1		ug/L

MW-10	08-11-1581-4-L	11/17/08 06:07	Aqueous	ICP 5300	11/26/08	11/29/08 10:51	081126LA4
-------	----------------	-------------------	---------	----------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Manganese	4890	5.00	1		ug/L


RW-1	08-11-1581-5-L	11/17/08 07:51	Aqueous	ICP 5300	11/26/08	11/29/08 10:54	081126LA4
------	----------------	-------------------	---------	----------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Manganese	581	5.00	1		ug/L

Method Blank	097-01-012-3,633	N/A	Aqueous	ICP 5300	11/26/08	11/29/08 10:15	081126LA4
--------------	------------------	-----	---------	----------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Manganese	ND	5.00	1		ug/L

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

net c

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: N/A
Method: EPA 300.0
Units: ug/L

Project: ARCO 11132

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID		
MW-1	08-11-1581-1-M	11/17/08 08:27	Aqueous	IC 7	N/A	11/18/08 17:59	081118L01		
Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Nitrate (as N)	ND	100	1		Sulfate	ND	1000	1	
MW-2	08-11-1581-2-M	11/17/08 07:11	Aqueous	IC 7	N/A	11/18/08 18:17	081118L01		
Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Nitrate (as N)	ND	100	1		Sulfate	1100	1000	1	
MW-9	08-11-1581-3-M	11/17/08 06:39	Aqueous	IC 7	N/A	11/18/08 18:34	081118L01		
Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Nitrate (as N)	180	100	1		Sulfate	12000	5000	5	
MW-10	08-11-1581-4-M	11/17/08 06:07	Aqueous	IC 7	N/A	11/18/08 18:51	081118L01		
Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Nitrate (as N)	ND	100	1		Sulfate	1700	1000	1	
RW-1	08-11-1581-5-M	11/17/08 07:51	Aqueous	IC 7	N/A	11/18/08 19:09	081118L01		
Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Nitrate (as N)	ND	100	1		Sulfate	ND	1000	1	
Method Blank	099-05-118-4,889	N/A	Aqueous	IC 7	N/A	11/18/08 08:53	081118L01		
Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Nitrate (as N)	ND	100	1		Sulfate	ND	1000	1	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: N/A
Method: SM 2320B

Project: ARCO 11132

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	08-11-1581-1-M	11/17/08 08:27	Aqueous	N/A	N/A	11/24/08 15:10	81124ALKB1

Parameter	Result	RL	DF	Qual	Units
Alkalinity, Total (as CaCO3)	426000	100	1		ug/L

MW-2	08-11-1581-2-M	11/17/08 07:11	Aqueous	N/A	N/A	11/24/08 15:10	81124ALKB1
------	----------------	-------------------	---------	-----	-----	-------------------	------------

Parameter	Result	RL	DF	Qual	Units
Alkalinity, Total (as CaCO3)	838000	100	1		ug/L

MW-9	08-11-1581-3-M	11/17/08 06:39	Aqueous	N/A	N/A	11/24/08 15:10	81124ALKB1
------	----------------	-------------------	---------	-----	-----	-------------------	------------

Parameter	Result	RL	DF	Qual	Units
Alkalinity, Total (as CaCO3)	480000	100	1		ug/L

MW-10	08-11-1581-4-M	11/17/08 06:07	Aqueous	N/A	N/A	11/24/08 15:10	81124ALKB1
-------	----------------	-------------------	---------	-----	-----	-------------------	------------

Parameter	Result	RL	DF	Qual	Units
Alkalinity, Total (as CaCO3)	686000	100	1		ug/L


RW-1	08-11-1581-5-M	11/17/08 07:51	Aqueous	N/A	N/A	11/24/08 15:10	81124ALKB1
------	----------------	-------------------	---------	-----	-----	-------------------	------------

Parameter	Result	RL	DF	Qual	Units
Alkalinity, Total (as CaCO3)	94000	100	1		ug/L

Method Blank	099-12-223-1,795	N/A	Aqueous	N/A	N/A	11/24/08 15:10	81124ALKB1
--------------	------------------	-----	---------	-----	-----	-------------------	------------

Parameter	Result	RL	DF	Qual	Units
Alkalinity, Total (as CaCO3)	ND	1.0	1		ug/L

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

net c

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: N/A
Method: SM 4500 S2 - D

Project: ARCO 11132

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	08-11-1581-1-K	11/17/08 08:27	Aqueous	N/A	11/18/08	11/18/08 17:00	81118DSB1

Parameter	Result	RL	DF	Qual	Units
Sulfide, Dissolved	ND	50	1		ug/L

MW-2	08-11-1581-2-K	11/17/08 07:11	Aqueous	N/A	11/18/08	11/18/08 17:00	81118DSB1
------	----------------	----------------	---------	-----	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Sulfide, Dissolved	ND	50	1		ug/L

MW-9	08-11-1581-3-K	11/17/08 06:39	Aqueous	N/A	11/18/08	11/18/08 17:00	81118DSB1
------	----------------	----------------	---------	-----	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Sulfide, Dissolved	ND	50	1		ug/L

MW-10	08-11-1581-4-K	11/17/08 06:07	Aqueous	N/A	11/18/08	11/18/08 17:00	81118DSB1
-------	----------------	----------------	---------	-----	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Sulfide, Dissolved	ND	50	1		ug/L


RW-1	08-11-1581-5-K	11/17/08 07:51	Aqueous	N/A	11/18/08	11/18/08 17:00	81118DSB1
------	----------------	----------------	---------	-----	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Sulfide, Dissolved	ND	50	1		ug/L

Method Blank	099-05-088-2,441	N/A	Aqueous	N/A	11/18/08	11/18/08 17:00	81118DSB1
--------------	------------------	-----	---------	-----	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Sulfide, Dissolved	ND	50	1		ug/L

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: N/A
Method: SM3500-FeB

Project: ARCO 11132

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	08-11-1581-1-K	11/17/08 08:27	Aqueous	UV 2	11/18/08	11/18/08 12:35	81118FEL1

Parameter	Result	RL	DF	Qual	Units
Iron (II)	3400	100	1		ug/L

MW-2	08-11-1581-2-K	11/17/08 07:11	Aqueous	UV 2	11/18/08	11/18/08 12:35	81118FEL1
------	----------------	----------------	---------	------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Iron (II)	7300	100	1		ug/L

MW-9	08-11-1581-3-K	11/17/08 06:39	Aqueous	UV 2	11/18/08	11/18/08 12:35	81118FEL1
------	----------------	----------------	---------	------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Iron (II)	3400	100	1		ug/L

MW-10	08-11-1581-4-K	11/17/08 06:07	Aqueous	UV 2	11/18/08	11/18/08 12:35	81118FEL1
-------	----------------	----------------	---------	------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Iron (II)	4700	100	1		ug/L


RW-1	08-11-1581-5-K	11/17/08 07:51	Aqueous	UV 2	11/18/08	11/18/08 12:35	81118FEL1
------	----------------	----------------	---------	------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Iron (II)	990	100	1		ug/L

Method Blank	099-05-111-3,117	N/A	Aqueous	UV 2	11/18/08	11/18/08 12:35	81118FEL1
--------------	------------------	-----	---------	------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Iron (II)	ND	100	1		ug/L

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

11/22/08
net c

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ARCO 11132

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	08-11-1581-1-E	11/17/08 08:27	Aqueous	GC 4	11/21/08	11/22/08 06:33	081121B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	27000	1000	20		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	71	38-134			

MW-2	08-11-1581-2-E	11/17/08 07:11	Aqueous	GC 4	11/21/08	11/22/08 07:06	081121B01
------	----------------	-------------------	---------	------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	45000	1000	20		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	67	38-134			


MW-9	08-11-1581-3-E	11/17/08 06:39	Aqueous	GC 4	11/21/08	11/22/08 07:39	081121B01
------	----------------	-------------------	---------	------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	10000	1000	20		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	71	38-134			

MW-10	08-11-1581-4-E	11/17/08 06:07	Aqueous	GC 4	11/21/08	11/22/08 08:12	081121B01
-------	----------------	-------------------	---------	------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	10000	1000	20		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	72	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: ARCO 11132

Page 2 of 2


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW-1	08-11-1581-5-E	11/17/08 07:51	Aqueous	GC 4	11/21/08	11/22/08 08:44	081121B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	13000	1000	20		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	68	38-134			

Method Blank	099-12-695-341	N/A	Aqueous	GC 4	11/21/08	11/21/08 19:06	081121B01
---------------------	-----------------------	------------	----------------	-------------	-----------------	---------------------------	------------------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	57	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

08-11-1581-1-A
08-11-1581-2-A
08-11-1581-3-C

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ARCO 11132

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	08-11-1581-1-A	11/17/08 08:27	Aqueous	GC/MS BB	11/19/08	11/20/08 09:06	081119L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	780	10	20		Methyl-t-Butyl Ether (MTBE)	590	10	20	
1,2-Dibromoethane	ND	10	20		Tert-Butyl Alcohol (TBA)	350	200	20	
1,2-Dichloroethane	ND	10	20		Diisopropyl Ether (DIPE)	ND	10	20	
Ethylbenzene	1800	50	100		Ethyl-t-Butyl Ether (ETBE)	ND	10	20	
Toluene	30	10	20		Tert-Amyl-Methyl Ether (TAME)	27	10	20	
Xylenes (total)	1400	10	20		Ethanol	ND	6000	20	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	113	73-157			Dibromofluoromethane	111	82-142		
Toluene-d8	102	82-112			1,4-Bromofluorobenzene	99	75-105		


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-2	08-11-1581-2-A	11/17/08 07:11	Aqueous	GC/MS BB	11/19/08	11/20/08 09:34	081119L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	8400	250	500		Methyl-t-Butyl Ether (MTBE)	320	10	20	
1,2-Dibromoethane	ND	10	20		Tert-Butyl Alcohol (TBA)	1800	200	20	
1,2-Dichloroethane	ND	10	20		Diisopropyl Ether (DIPE)	ND	10	20	
Ethylbenzene	1500	250	500		Ethyl-t-Butyl Ether (ETBE)	ND	10	20	
Toluene	700	10	20		Tert-Amyl-Methyl Ether (TAME)	ND	10	20	
Xylenes (total)	5600	250	500		Ethanol	ND	6000	20	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	116	73-157			Dibromofluoromethane	111	82-142		
Toluene-d8	103	82-112			1,4-Bromofluorobenzene	104	75-105		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-9	08-11-1581-3-C	11/17/08 06:39	Aqueous	GC/MS BB	11/20/08	11/20/08 21:13	081120L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	24	2.5	5		Methyl-t-Butyl Ether (MTBE)	33	2.5	5	
1,2-Dibromoethane	ND	2.5	5		Tert-Butyl Alcohol (TBA)	ND	50	5	
1,2-Dichloroethane	ND	2.5	5		Diisopropyl Ether (DIPE)	ND	2.5	5	
Ethylbenzene	160	2.5	5		Ethyl-t-Butyl Ether (ETBE)	ND	2.5	5	
Toluene	ND	2.5	5		Tert-Amyl-Methyl Ether (TAME)	ND	2.5	5	
Xylenes (total)	140	2.5	5		Ethanol	ND	1500	5	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	114	73-157			Dibromofluoromethane	103	82-142		
Toluene-d8	101	82-112			1,4-Bromofluorobenzene	98	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

11/18/08
08-11-1581
EPA 5030B
EPA 8260B
ug/L

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ARCO 11132

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-10	08-11-1581-4-B	11/17/08 06:07	Aqueous	GC/MS BB	11/20/08	11/20/08 21:41	081120L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	960	20	40		Methyl-t-Butyl Ether (MTBE)	23	20	40	
1,2-Dibromoethane	ND	20	40		Tert-Butyl Alcohol (TBA)	ND	400	40	
1,2-Dichloroethane	ND	20	40		Diisopropyl Ether (DIPE)	ND	20	40	
Ethylbenzene	270	20	40		Ethyl-t-Butyl Ether (ETBE)	ND	20	40	
Toluene	57	20	40		Tert-Amyl-Methyl Ether (TAME)	ND	20	40	
Xylenes (total)	720	20	40		Ethanol	ND	12000	40	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	113	73-157			Dibromofluoromethane	103	82-142		
Toluene-d8	100	82-112			1,4-Bromofluorobenzene	92	75-105		


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW-1	08-11-1581-5-A	11/17/08 07:51	Aqueous	GC/MS BB	11/19/08	11/20/08 10:58	081119L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	120	20	40		Methyl-t-Butyl Ether (MTBE)	120	20	40	
1,2-Dibromoethane	ND	20	40		Tert-Butyl Alcohol (TBA)	ND	400	40	
1,2-Dichloroethane	ND	20	40		Diisopropyl Ether (DIPE)	ND	20	40	
Ethylbenzene	590	20	40		Ethyl-t-Butyl Ether (ETBE)	ND	20	40	
Toluene	ND	20	40		Tert-Amyl-Methyl Ether (TAME)	ND	20	40	
Xylenes (total)	320	20	40		Ethanol	ND	12000	40	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	104	73-157			Dibromofluoromethane	101	82-142		
Toluene-d8	100	82-112			1,4-Bromofluorobenzene	101	75-105		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-703-568	N/A	Aqueous	GC/MS BB	11/19/08	11/20/08 02:33	081119L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	116	73-157			Dibromofluoromethane	102	82-142		
Toluene-d8	100	82-112			1,4-Bromofluorobenzene	83	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

011/18/08
net c

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L


Project: ARCO 11132

Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-703-569	N/A	Aqueous	GC/MS BB	11/20/08	11/20/08 14:37	081120L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	114	73-157			Dibromofluoromethane	102	82-142		
Toluene-d8	101	82-112			1,4-Bromofluorobenzene	92	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Quality Control - Duplicate



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: N/A
Method: RSK-175M

Project: ARCO 11132

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
MW-1	Aqueous	GC 14	N/A	11/20/08	081020D01

<u>Parameter</u>	<u>Sample Conc</u>	<u>DUP Conc</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Carbon Dioxide	65000	65600	1	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: N/A
Method: RSK-175M

Project: ARCO 11132

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
MW-9	Aqueous	GC 33	N/A	11/21/08	081121D02

<u>Parameter</u>	<u>Sample Conc.</u>	<u>DUP Conc</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Methane	1290	1290	0	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate

Lincoln Way
Garden Grove, CA
92841-1427
Tel: (714) 895-5494
Fax: (714) 894-7501

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: EPA 3010A Total
Method: EPA 200.7

Project ARCO 11132

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-1	Aqueous	ICP 5300	11/26/08	11/29/08	080026SA4

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Manganese	4X	4X	80-120	4X	0-20	BB

RPD - Relative Percent Difference, CL - Control Limit



Quality Control - PDS / PDSD



Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861


Date Received 11/18/08
 Work Order No: 08-11-1581
 Preparation: EPA 3010A Total
 Method: EPA 200.7

Project: ARCO 11132

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	PDS/PDSD Batch Number
MW-1	Aqueous	ICP 5300	11/26/08	11/29/08	080026SA4

Parameter	PDS %REC	PDSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Manganese	4X	4X	75-125	4X	0-20	BB

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate

anal c

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: N/A
Method: EPA 300.0

Project ARCO 11132

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-1	Aqueous	IC 7	N/A	11/18/08	081118S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Nitrate (as N)	95	96	58-142	1	0-6	
Sulfate	101	102	49-133	2	0-3	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Duplicate



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: N/A
Method: SM 2320B

Project: ARCO 11132

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
08-11-1497-1	Aqueous	N/A	N/A	11/24/08	81124ALKD1

<u>Parameter</u>	<u>Sample Conc</u>	<u>DUP Conc</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Alkalinity, Total (as CaCO ₃)	170000	172000	1	0-25	
Bicarbonate (as CaCO ₃)	170000	172000	1	0-25	
Carbonate (as CaCO ₃)	ND	ND	NA	0-25	
Hydroxide (as CaCO ₃)	ND	ND	NA	0-25	

RPD - Relative Percent Difference, CL - Control Limit



Quality Control - Duplicate



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: N/A
Method: SM 4500 S2 - D

Project: ARCO 11132

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
MW-1	Aqueous	N/A	11/18/08	11/18/08	81118DSD1

<u>Parameter</u>	<u>Sample Conc.</u>	<u>DUP Conc</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Sulfide, Dissolved	ND	ND	NA	0-25	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate

11/18/08
hel c

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: N/A
Method: SM3500-FeB

Project ARCO 11132

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
RW-1	Aqueous	UV 2	11/18/08	11/18/08	81118FES1

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Iron (II)	95	94	70-130	1	0-25	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project ARCO 11132

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-11-1709-3	Aqueous	GC 4	11/21/08	11/21/08	081121S01

<u>Parameter</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Gasoline Range Organics (C6-C12)	104	104	38-134	0	0-25	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: EPA 5030B
Method: EPA 8260B

Project ARCO 11132

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-11-1496-1	Aqueous	GC/MS BB	11/19/08	11/20/08	081119S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	105	104	86-122	1	0-8	
Carbon Tetrachloride	117	122	78-138	5	0-9	
Chlorobenzene	105	104	90-120	0	0-9	
1,2-Dibromoethane	92	94	70-130	2	0-30	
1,2-Dichlorobenzene	105	103	89-119	2	0-10	
1,1-Dichloroethene	102	91	52-142	10	0-23	
Ethylbenzene	105	100	70-130	4	0-30	
Toluene	100	98	85-127	2	0-12	
Trichloroethene	99	98	78-126	1	0-10	
Vinyl Chloride	122	105	56-140	15	0-21	
Methyl-t-Butyl Ether (MTBE)	105	101	64-136	2	0-28	
Tert-Butyl Alcohol (TBA)	109	105	27-183	4	0-60	
Diisopropyl Ether (DIPE)	100	101	78-126	0	0-16	
Ethyl-t-Butyl Ether (ETBE)	100	99	67-133	1	0-21	
Tert-Amyl-Methyl Ether (TAME)	97	97	63-141	0	0-21	
Ethanol	92	92	11-167	0	0-64	

RPD - Relative Percent Difference, CL - Control Limit



Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 11/18/08
Work Order No: 08-11-1581
Preparation: EPA 5030B
Method: EPA 8260B

Project ARCO 11132

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-11-1577-1	Aqueous	GC/MS BB	11/20/08	11/20/08	081120S01

<u>Parameter</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	97	94	86-122	3	0-8	
Carbon Tetrachloride	112	114	78-138	1	0-9	
Chlorobenzene	102	100	90-120	3	0-9	
1,2-Dibromoethane	92	86	70-130	7	0-30	
1,2-Dichlorobenzene	94	94	89-119	1	0-10	
1,1-Dichloroethene	96	92	52-142	4	0-23	
Ethylbenzene	97	95	70-130	2	0-30	
Toluene	95	93	85-127	2	0-12	
Trichloroethene	93	92	78-126	1	0-10	
Vinyl Chloride	76	78	56-140	3	0-21	
Methyl-t-Butyl Ether (MTBE)	93	78	64-136	5	0-28	
Tert-Butyl Alcohol (TBA)	112	114	27-183	2	0-60	
Diisopropyl Ether (DIPE)	89	85	78-126	5	0-16	
Ethyl-t-Butyl Ether (ETBE)	89	88	67-133	1	0-21	
Tert-Amyl-Methyl Ether (TAME)	90	89	63-141	1	0-21	
Ethanol	105	87	11-167	19	0-64	

RPD - Relative Percent Difference, CL - Control Limit



Quality Control - LCS/LCS Duplicate



Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861


Date Received: N/A
 Work Order No: 08-11-1581
 Preparation: N/A
 Method: RSK-175M

Project: ARCO 11132

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-659-33	Aqueous	GC 14	N/A	11/20/08	081120L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Carbon Dioxide	100	101	80-120	0	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: N/A
Work Order No: 08-11-1581
Preparation: N/A
Method: RSK-175M

Project: ARCO 11132

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-663-385	Aqueous	GC 33	N/A	11/21/08	081121L02

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Methane	101	101	79-109	1	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861


Date Received: N/A
 Work Order No: 08-11-1581
 Preparation: EPA 3010A Total
 Method: EPA 200.7

Project: ARCO 11132

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
097-01-012-3,633	Aqueous	ICP 5300	11/26/08	11/29/08	081126LA4

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Manganese	110	112	85-115	2	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861

Date Received: N/A
 Work Order No: 08-11-1581
 Preparation: N/A
 Method: EPA 300.0

Project: ARCO 11132

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-05-118-4,889	Aqueous	IC 7	N/A	11/18/08	081118L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Nitrate (as N)	93	100	87-111	7	0-12	
Sulfate	101	101	89-107	1	0-13	

RPD - Relative Percent Difference , CL - Control Limit

Calscience
Environmental Laboratories, Inc. Quality Control - Laboratory Control Sample

81118FEL1


Stratus Environmental, inc.	Date Received:	N/A
3330 Cameron Park Drive, Suite 550	Work Order No:	08-11-1581
Cameron Park, CA 95682-8861	Preparation:	N/A
	Method:	SM3500-FeB

Project: ARCO 11132

Quality Control Sample ID	Matrix	Instrument	Date Analyzed	Lab File ID	LCS Batch Number
099-05-111-3,117	Aqueous	UV 2	11/18/08	NONE	81118FEL1

Parameter	Conc Added	Conc Recovered	LCS %Rec	%Rec CL	Qualifiers
Iron (II)	1.00	0.981	98	80-120	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861


Date Received: N/A
 Work Order No: 08-11-1581
 Preparation: EPA 5030B
 Method: EPA 8015B (M)

Project: ARCO 11132

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-695-341	Aqueous	GC 4	11/21/08	11/21/08	081121B01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Gasoline Range Organics (C6-C12)	104	109	78-120	5	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: N/A
Work Order No: 08-11-1581
Preparation: EPA 5030B
Method: EPA 8260B

Project: ARCO 11132

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-703-568	Aqueous	GC/MS BB	11/19/08	11/20/08	081119L02		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	103	106	87-117	82-122	3	0-7	
Carbon Tetrachloride	119	125	78-132	69-141	5	0-8	
Chlorobenzene	107	109	88-118	83-123	2	0-8	
1,2-Dibromoethane	99	98	80-120	73-127	2	0-20	
1,2-Dichlorobenzene	107	108	88-118	83-123	1	0-8	
1,1-Dichloroethene	104	105	71-131	61-141	1	0-14	
Ethylbenzene	104	105	80-120	73-127	1	0-20	
Toluene	104	105	85-127	78-134	1	0-7	
Trichloroethene	111	114	85-121	79-127	3	0-11	
Vinyl Chloride	107	112	64-136	52-148	4	0-10	
Methyl-t-Butyl Ether (MTBE)	99	100	67-133	56-144	1	0-16	
Tert-Butyl Alcohol (TBA)	108	109	34-154	14-174	1	0-19	
Diisopropyl Ether (DIPE)	105	103	80-122	73-129	1	0-8	
Ethyl-t-Butyl Ether (ETBE)	103	103	73-127	64-136	0	0-11	
Tert-Amyl-Methyl Ether (TAME)	103	104	69-135	58-146	1	0-12	
Ethanol	104	92	34-124	19-139	12	0-44	


Total number of LCS compounds : 16

Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: N/A
Work Order No: 08-11-1581
Preparation: EPA 5030B
Method: EPA 8260B

Project: ARCO 11132

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-703-569	Aqueous	GC/MS BB	11/20/08	11/20/08	081120L01		
<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>ME CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	96	97	87-117	82-122	1	0-7	
Carbon Tetrachloride	113	114	78-132	69-141	1	0-8	
Chlorobenzene	101	100	88-118	83-123	1	0-8	
1,2-Dibromoethane	90	91	80-120	73-127	2	0-20	
1,2-Dichlorobenzene	97	97	88-118	83-123	1	0-8	
1,1-Dichloroethene	95	99	71-131	61-141	4	0-14	
Ethylbenzene	99	96	80-120	73-127	3	0-20	
Toluene	97	97	85-127	78-134	0	0-7	
Trichloroethene	97	98	85-121	79-127	1	0-11	
Vinyl Chloride	81	86	64-136	52-148	6	0-10	
Methyl-t-Butyl Ether (MTBE)	90	94	67-133	56-144	4	0-16	
Tert-Butyl Alcohol (TBA)	105	91	34-154	14-174	15	0-19	
Diisopropyl Ether (DIPE)	85	89	80-122	73-129	5	0-8	
Ethyl-t-Butyl Ether (ETBE)	86	95	73-127	64-136	10	0-11	
Tert-Amyl-Methyl Ether (TAME)	92	96	69-135	58-146	4	0-12	
Ethanol	88	78	34-124	19-139	12	0-44	


Total number of LCS compounds : 16


Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Glossary of Terms and Qualifiers

Work Order Number: 08-11-1581

<u>Qualifier</u>	<u>Definition</u>
AX	Sample too dilute to quantify surrogate.
BA	There was no MS/MSD analyzed with this batch due to insufficient sample volume (NR = not reported). See Blank Spike/Blank Spike Duplicate.
BA,AY	Relative percent difference out of control, matrix interference suspected.
BB	Sample > 4x spike concentration.
BF	Reporting limits raised due to high hydrocarbon background.
BH	Reporting limits raised due to high level of non-target analytes.
BU	Sample analyzed after holding time expired.
BV	Sample received after holding time expired.
BY	Sample received at improper temperature.
CL	Initial analysis within holding time but required dilution.
CQ	Analyte concentration greater than 10 times the blank concentration.
CU	Surrogate concentration diluted to not detectable during analysis.
DF	Reporting limits elevated due to matrix interferences.
ET	Sample was extracted past end of recommended max. holding time.
EY	Result exceeds normal dynamic range; reported as a min est.
GS	Internal standard recovery is outside method recovery limit.
IB	CCV recovery above limit; analyte not detected.
IH	Calibrtn. verif. recov. below method CL for this analyte.
IJ	Calibrtn. verif. recov. above method CL for this analyte.
J,DX	J=EPA Flag -Estimated value; DX= Value < lowest standard (MQL), but > than MDL.
LA	Confirmatory analysis was past holding time.
LG	Surrogate recovery below the acceptance limit.
LH	Surrogate recovery above the acceptance limit.
LM,AY	MS and/or MSD above acceptance limits. See Blank Spike (LCS). Matrix interference suspected.
LN,AY	MS and/or MSD below acceptance limits. See Blank Spike (LCS). Matrix interference suspected.
LQ	LCS recovery above method control limits.
LR	LCS recovery below method control limits.

Work Order Number: 08-11-1581

<u>Qualifier</u>	<u>Definition</u>
MB	Analyte present in the method blank.
MG	Analyte is a suspected lab contaminate.
PC	Sample taken from VOA vial with air bubble > 6mm diameter.
PI	Primary and confirm results varied by > than 40% RPD.
RB	RPD exceeded method control limit; % recoveries within limits.





Chain of Custody Record

Project Name: ARCO 11132
BP BU/AR Region/Enfos Segment: BP > Americas > West > Retail > Alameda > 11132
State or Lead Regulatory Agency:
Requested Due Date (mm/dd/yy): 5/21/08

(1581)

On-site Time: <u>0455</u>	Temp: <u>50's</u>
Off-site Time: <u>0845</u>	Temp: <u>60's</u>
Sky Conditions: <u>Clear</u>	
Meteorological Events: <u>---</u>	
Wind Speed: <u>---</u>	Direction: <u>---</u>

Lab Name: Cal Science	BP/AR Facility No.: 11132	Consultant/Contractor: Stratus Environmental, Inc.
Address: 7440 Lincoln Way	BP/AR Facility Address: 3201 35th Ave., Oakland	Address: 3330 Cameron Park Drive, Suite 550
Garden Grove Ca 92841-1427	Site Lat/Long:	Cameron Park, CA 95682
Lab PM: Linda Scharpenberg	California Global ID No.: T0600100213	Consultant/Contractor Project No.: E11132-04
Tele/Fax: 714-895-5494 714-895-7501	Enfos Project No.: G07TS-0039	Consultant/Contractor PM: Jay Johnson
BP/AR PM Contact: Paul Supple	Provision or OOC (circle one) Provision	Tele/Fax: (530) 676-6000 / (530) 676-6005
Address: 2010 Crow Canyon Place, Suite 150	Phase/WBS: 04-Monitoring	Report Type & QC Level: Level 1 with EDF
San Ramon, CA	Sub Phase/Task: 03-Analytical	E-mail EDD To: bcarroll@stratusinc.net
Tele/Fax: 925-275-3506	Cost Element: 01-Contractor labor	Invoice to: Atlantic Richfield Co.


Item No.	Sample Description	Time	Date	Matrix			Laboratory No.	No. of Containers	Preservative					Requested Analysis								Sample Point Lat/Long and Comments *Oxy = MTBE, TAME, ETBE, DIPE, TBA				
				Soil/Solid	Water/Liquid	Air			Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	GRD by 305M	BTEX	50xy's	EDB	1,2 DCA	Ethanol	Nitrate of Nitrite	Petroleum Im. Management		Disinfectant Soluble	Methane & Carbon Dioxide	Alkalinity	
1	MW-1	0827	11/17	X				3	X	X	X			X	X	X	X	X	X	X	X	X	X	X	X	* by 8260
2	MW-2	0711																								1 by EPA 300
3	MW-9	0639																								2 by EPA 200.7
4	MW-10	0607																								3 by EPA 376.2
5	RW-1	0751																								4 by RS Kern 175
6	TB11321172008	0505	11/17	X				2			X															5 by EPA 310.1
10																										HOLD

Sampler's Name: <u>G. Williams / T. Hill</u>	Relinquished By / Affiliation: <u>[Signature]</u>	Date: <u>11/20/08</u>	Time: <u>0950</u>	Accepted By / Affiliation: <u>[Signature]</u>	Date: <u>11/17/08</u>	Time: <u>0950</u>
Shipment Date: <u>11-17-08</u>	Shipment Method: <u>Stratus</u>	Shipment Tracking No.: <u>510755647</u>				

Special Instructions: Please cc results to rmliller@broadbentinc.com

Custody Seals In Place: Yes / No | Temp Blank: Yes / No | Cooler Temp on Receipt: °F/C | Trip Blank: Yes / No | MS/MSD Sample Submitted: Yes / No

Page 15 of 39



WORK ORDER #: 08-11-1581

SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: STRATUS ENV'L

DATE: 11/18/08

TEMPERATURE: (Criteria: 0.0°C – 6.0°C, not frozen)

Temperature 3.6 °C - 0.2°C (CF) = 3.4 °C Blank Sample

Sample(s) outside temperature criteria (PM/APM contacted by: _____).

Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

Received at ambient temperature, placed on ice for transport by Courier.

Ambient Temperature: Air Filter Metals Only PCBs Only Initial: WB

CUSTODY SEALS INTACT:

Cooler _____ No (Not Intact) Not Present N/A Initial: WB

Sample _____ No (Not Intact) Not Present Initial: WJC

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Correct containers and volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Analyses received within holding time.....	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Proper preservation noted on sample label(s).....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Volatile analysis container(s) free of headspace.....	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

CONTAINER TYPE:

Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve EnCores® TerraCores® _____

Water: VOA VOA_h VOAn₂ 125AGB² 125AGB_h² 125AGBpo₄ 1AGB 1AGBna₂

1AGBs 500AGB 500AGBs 250CGB 250CGBs 1PB 500PB 500PBna 250PB

250PBn 125PB 125PBz_{na} 100PBsterile 100PBna₂ _____ _____ _____

Air: Tedlar® Summa® _____


Container: C:Clear A:Amber P:Poly/Plastic G:Glass J:Jar B:Bottle

Preservative: h:HCL n:HNO₃ na₂:Na₂S₂O₃ na:NaOH po₄:H₃PO₄ s:H₂SO₄ z_{na}:ZnAc₂+NaOH

Checked/Labeled by: WJC

Reviewed by: PS

Scanned by: WJC



WORK ORDER #: 08-11-1581

SAMPLE ANOMALY FORM

CHAIN OF CUSTODY (COC):

- Not relinquished by client – no signature
- No date/time relinquished
- COC not received with samples – notify PM
- Incomplete information regarding samples, tests, etc.

Comments:

SAMPLES - CONTAINERS & LABELS:

- Samples NOT RECEIVED but listed on COC
- Samples received but NOT LISTED on COC
- Holding time expired – list sample ID(s) and test
- Insufficient quantities for analysis – list test
- Improper container(s) used – list test
- No preservative noted on label – list test and notify lab
- Sample labels illegible – note test/container type
- Sample labels do not match COC – Note in comments
 - Sample ID
 - Date and Time Collected
 - Project Information
 - # of containers
- Sample containers compromised – Note in comments
 - Leaking
 - Broken
 - Without Labels
- Other: _____

Comments:

test for iron + dissolved sulfide holding time expired.

HEADSPACE – Containers with Bubble > 6mm or 1/4 inch:

Sample #	Container ID(s)	# of Vials Received	Sample #	Container ID(s)	# of Vials Received	Sample #	Container ID(s)	# of RSK or CO ₂ or DO or Organic Lead Received
						(2)+(3)	G	RSK 2
						(4)+(5)	G.H.	RSK 2
						(1)+(2)	J	CO ₂ 2
						(4)+(5)	IJ	CO ₂ 2

Comments: _____

Initial / Date *WSC 11-18-08*

Philip Sanelle

From: Sonia Nandi [snandi@stratusinc.net]
Sent: Wednesday, November 19, 2008 3:47 PM
To: Philip Sanelle; Becky Carroll (E-mail); Sandy Hayes (E-mail)
Subject: RE: Question on COC for site 11132

Phil,

Please proceed with the analysis.

Sonia

-----Original Message-----

From: Philip Sanelle [mailto:PSanelle@calscience.com]
 Sent: Wednesday, November 19, 2008 03:01 PM
 To: Becky Carroll (E-mail); Sandy Hayes (E-mail); Sonia Nandi (E-mail)
 Subject: FW: Question on COC for site 11132

All,
 Please see below.

Thank you,
 Phil

> -----Original Message-----

> From: Philip Sanelle
 > Sent: Tuesday, November 18, 2008 3:17 PM
 > To: Broadbent EDF (E-mail); Becky Carroll (E-mail); Sandy Hayes (E-mail);
 Sonia Nandi (E-mail)
 > Subject: Question on COC for site 11132

>
 > All,
 > We received the Ferrous iron and dissolved sulfide samples past hold time.
 Do you want to proceed with analysis?

>
 > Attached is the COC.
 > > <<08-11-1581.PDF>>

>
 > Thank you,
 > Philip Sanelle
 > Assistant Project Manager
 > Calscience Environmental
 > Laboratories, Inc.
 > 7440 Lincoln Way
 > Garden Grove, CA 92841-1427
 > Tel.: 714-895-5494
 > Fax : 714-894-7501
 > PSanelle@calscience.com

> PRIVACY NOTICE:
 > This email (and/or the documents attached to it) is intended only for the
 use of the individual or entity to which it is addressed and may contain
 information that is privileged, confidential, or exempt from disclosure
 under applicable Federal or State law. If the reader of this message is not
 the intended recipient or the employee or agent responsible for delivering
 the message to the intended recipient, you are hereby notified that any
 dissemination, distribution, or copying of this communication is strictly
 prohibited. If you have received this communication in error, please notify
 us immediately by telephone or else to arrange for the return of the
 documents.

> REPORT SECURITY NOTICE:

ATTACHMENT

FIELD PROCEDURES FOR GROUNDWATER SAMPLING

The sampling procedures for groundwater monitoring events are contained in this appendix.

Equipment Calibration

Standard groundwater sampling equipment – pH/Conductivity/Temperature meter, and dissolved oxygen (DO) meters are calibrated prior to all field work. All calibration is conducted in accordance with equipment manufacturer's recommended procedure and buffer solutions. MSDS for all buffer solutions are maintained in Stratus vehicles. Calibration is completed everyday prior to field work and also once a week. The pH probe is calibrated for a pH of 7.0 daily and for 4.0, 7.0 and 10.0 weekly. The conductivity probe is calibrated for 1413 μs daily and 1413 μs and 447 μs weekly. The temperature probe is calibrated weekly with a NIST-traceable thermometer. The DO probe is calibrated for 100% oxygen daily and 0% and 100% oxygen weekly. All calibration logs are maintained in the Stratus office.

Groundwater and Liquid-Phase Petroleum Hydrocarbon Depth Assessment

Prior to measuring the depth to liquid in the well, the well caps are removed and the liquid level allowed to stabilize. A water/hydrocarbon interface probe is used to assess the liquid-phase petroleum hydrocarbon (LPH) thickness, if present, and a water level indicator is used to measure the groundwater depth in monitoring wells that do not contain LPH. Depth to groundwater or LPH is measured from a datum point at the top of each monitoring well casing. The datum point is typically a notch cut in the north side of the casing edge. If a water level indicator is used, the tip is subjectively analyzed for hydrocarbon sheen.

Subjective Analysis of Groundwater

Prior to purging, a water sample is collected from the monitoring well for subjective assessment. The sample is retrieved by gently lowering a clean, disposable bailer to approximately one-half the bailer length past the air/liquid interface. The bailer is then retrieved, and the sample contained within the bailer is examined for floating LPH and the appearance of a LPH sheen.

Monitoring Well Sampling

In many cases, determining whether to purge or not to purge wells prior to sample collection is made in the field and is often based on depth to water relative to the screen interval of the well. Site-specific field data sheets present details associated with the purge method and equipment used.

Monitoring wells, when purged, use a pump or bailer until pH, temperature, and conductivity of the purge water has stabilized and a minimum of three well volumes of water has been removed. Field measuring equipment is calibrated and maintained according to the manufacturer's instructions. If three well volumes cannot be removed in one half hour's time the well is allowed to recharge to 80% of original level. After recharging, a groundwater sample is then collected from each of the wells using disposable bailers.

A Teflon bailer, electric submersible or bladder pump will be the only equipment used for well sampling. When samples for volatile organic analysis are being collected, the pump flow will be regulated at approximately 100 milliliters per minute to minimize pump effluent turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa will be used in sampling for volatile organics. These bottles will be filled completely to prevent air accumulation in the bottle. A positive meniscus forms when the bottle is completely full. A convex Teflon septum will be placed over the positive meniscus to eliminate air. After the bottle is capped, it is inverted and tapped to verify that it contains no air bubbles. The sample containers for other parameters will be filled, filtered as required, and capped. Glass and plastic bottles used by Stratus to collect groundwater samples are supplied by the laboratory.

Groundwater Sample Labeling and Preservation

Samples are collected in appropriate containers supplied by the laboratory. All required chemical preservation is added to the bottles prior to delivery to Stratus. Sample label information includes a unique sample identification number, job identification number, date, and time. After labeling, all groundwater samples are placed in a Ziploc[®] type bag and placed in an ice chest cooled to approximately 4° Celsius. Upon arriving at Stratus' office the samples are transferred to a locked refrigerator cooled to approximately 4° Celsius. Chemical preservation is controlled by the required analysis and is noted on the chain-of-custody form. Trip and temperature blanks supplied by the laboratory accompany the groundwater sample containers and groundwater samples.

Sample Identification and Chain-of-Custody Procedures

Sample identification and chain-of-custody procedures document sample possession from the time of collection to ultimate disposal. Each sample container submitted for analysis has a label affixed to identify the job number, sampler, date and time of sample collection, and a sample number unique to that sample. This information, in addition to a description of the sample, field measurements made, sampling methodology, names of on-site personnel, and any other pertinent field observations, is recorded in the field records. The samples are analyzed by a California-certified laboratory.

A chain-of-custody form is used to record possession of the sample from time of collection to its arrival at the laboratory. When the samples are shipped, the person in custody of them relinquishes the samples by signing the chain-of-custody form and noting the time. The sample-control officer at the laboratory verifies sample integrity and confirms that the samples are collected in the proper containers, preserved correctly, and

contain adequate volumes for analysis. These conditions are noted on a Laboratory Sample Receipt Checklist that becomes part of the laboratory report upon request.

If these conditions are met, each sample is assigned a unique log number for identification throughout analysis and reporting. The log number is recorded on the chain-of-custody form and in the legally-required log book maintained by the laboratory. The sample description, date received, client's name, and other relevant information is also recorded.

Equipment Cleaning

All reusable sampling equipments are cleaned using phosphate-free detergents and rinsed with de-ionized water.



Product Purge

Global ID: _____
 Site Address 3201 35 th.
 City Oakland, CA
 Sampled By: VinceZ

Site Number 11132
 Project No _____
 Project PM _____
 Date 12-18-08

ORIGINAL

0550-0700

Signature Vince Zabolton

Water Level Data					Purge Volume Calculations					Sample Record		Field Data
Well ID	DTP	DTW	Top of Screen feet	Qtr. Meas. Depth of Well feet	Well Diameter (Inches)	Multiplier Value (B)	(MIX) Water/Product Gallons Purged	Baller	Other	Sample I.D.		
RW-1		19.96			6	4.4	N/A			RW-1		
MW-1		21.43			2	0.5	N/A			MW-1		
MW-8		17.89			2	N/A	N/A					
MW-9		17.80			2	N/A	N/A					
MW-10		19.11			2	N/A	N/A					
MW-2		20.10			2	N/A	N/A					
No Meas. Product this visit												
Vince Zabolton												

TEST ; GRO-BTEX, 5-Oxys, Ethanol
 (A) Casing water Column
 Depth wtr. Depth to Bottom

Multiplier Values
 2" = 0.5 3" = 1.0 4"=2.0 6"=4.4

APPENDIX B

GEOTRACKER UPLOAD CONFIRMATION

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A GEO_WELL FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	GEO_WELL
<u>Submittal Title:</u>	4Q08 GEO_WELL 11132
<u>Facility Global ID:</u>	T0600100213
<u>Facility Name:</u>	BP #11132
<u>File Name:</u>	GEO_WELL.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	67.118.40.90
<u>Submittal Date/Time:</u>	1/20/2009 3:07:50 PM
<u>Confirmation Number:</u>	4679153919

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A EDF FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	EDF - Monitoring Report - Quarterly
<u>Submittal Title:</u>	4Q08 GW Monitoring
<u>Facility Global ID:</u>	T0600100213
<u>Facility Name:</u>	BP #11132
<u>File Name:</u>	08111581.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	67.118.40.90
<u>Submittal Date/Time:</u>	1/20/2009 3:09:14 PM
<u>Confirmation Number:</u>	2214079916

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)