



**RECEIVED**

1:09 pm, Sep 29, 2009

**Alameda County  
Environmental Health**

321 Court Street  
Woodland California 95695  
Tel (530) 406-1760  
Fax (530) 406-1071  
A, B Haz 909563

**September 28, 2009**

Paresh C. Khatri  
Hazardous Materials Specialist  
Alameda County Environmental Health Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

**SUBJECT: Fuel Leak Case No. RO0000022  
1310 Central Avenue  
Alameda, CA  
Report Submittal – *Semi-Annual Groundwater Monitoring Report, Third Quarter 2009***

Dear Mr. Khatri:

Please find enclosed the *Semi-Annual Groundwater Monitoring Report, Third Quarter 2009* prepared by Matriks for Nissan Saidian, Joe Zadik, and Leon Zektser

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document are true and correct to the best of my knowledge.

Please call me at 530-406-1760 or email [thenderson@matrikscorp.com](mailto:thenderson@matrikscorp.com) if you have any questions.

Sincerely,

A handwritten signature in blue ink, appearing to read "Tom Henderson", followed by a horizontal line extending to the right.

Tom Henderson  
President

**SEMI-ANNUAL GROUNDWATER MONITORING REPORT**  
**Third Quarter 2009**

**Alaska Gas**  
**1310 Central Avenue**  
**Alameda, California 94501**  
**LOP Case No. RO0000022**

**PREPARED FOR:**  
Nissan Saidian  
5733 Medallion Court  
Castro Valley, California 94552

**SUBMITTED TO:**  
Alameda County Environmental Health Services  
Local Oversight Program  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502

**September 22, 2009**

**Project No. 6022**



**PREPARED BY:**  
Matriks Corporation  
321 Court Street  
Woodland, California 95695

## TABLE OF CONTENTS

PROFESSIONAL CERTIFICATION .....	ii
ACRONYMS AND ABBREVIATIONS .....	iii
INTRODUCTION.....	1
Site Description and Physical Setting.....	1
Site History .....	1
SCOPE OF WORK.....	4
METHODS AND PROCEDURES.....	4
Groundwater Level Measurements.....	4
Monitoring Well Purging and Sampling.....	5
Geotracker Requirements .....	6
RESULTS .....	5
Groundwater Levels and Gradient .....	5
Groundwater Analytical Results .....	5
DISCUSSION .....	6
RECOMMENDATIONS .....	7

### FIGURES

Figure 1	Site Location Map
Figure 2	Site Map
Figure 3	Groundwater elevation Contours
Figure 4	Elevation versus Time Hydrograph
Figure 5	MW-1 TPH-g and Benzene Concentration Trends
Figure 6	MW-3 TPH-g and Benzene Concentration Trends

## TABLES

Table 1	Well Construction Details
Table 2	Groundwater Levels and Elevations
Table 3	Groundwater Analytical Results

## APPENDICES

Appendix A	Monitoring Well Purge Logs
Appendix B	Laboratory Analytical Report

**PROFESSIONAL CERTIFICATION**

**SEMI-ANNUAL GROUNDWATER MONITORING REPORT**  
**Third Quarter 2009**

**Alaska Gas**  
**1310 Central Avenue**  
**Alameda, California 94501**  
LOP Case No. RO0000022



**Project No. 6022**  
**September 22, 2009**

Matriks Corporation prepared this document under the professional supervision of the person whose seal and signature appears below. No warranty, either expressed or implied, is made as to the professional advice presented herein. The analysis, conclusions, and recommendations contained in this document are based upon site conditions at the time of the investigation, which are subject to change.


The conclusions presented in this document are professional opinions based solely upon visual observations of the site and vicinity, and interpretation of available information as described in this report. The limited scope of services performed in execution of this investigation may not be appropriate to satisfy the needs, or requirements of other regulatory agencies, or of other users. Any use or reuse of this document or its findings, conclusions or recommendations presented herein is at the sole risk of said user.

A handwritten signature in blue ink, appearing to read "Tom Henderson", written over a horizontal line.

Tom Henderson  
President

A handwritten signature in blue ink, appearing to read "David Janney", written over a horizontal line.

David Janney, P.G.  
Senior Geologist



## ACRONYMS AND ABBREVIATIONS

ACEHS	Alameda County Environmental Health Services
AEI	All Environmental, Inc.
amsl	above mean sea level
ASE	Aqua Science Engineers, Inc.
BTEX	benzene, toluene, ethyl-benzene, xylenes
COC	chain-of-custody
DCA	1,2-dichloroethane
DIPE	di-isopropyl ether
EDB	ethylene di-bromide
EDF	electronic data file
ESL	Environmental Screening Level
EtBE	ethyl tert-butyl ether
FS/CAP	Feasibility Study/Corrective Action Plan
Geotracker	Geographical Information Management System
Matriks	Matriks Corporation
MtBE	methyl tert-butyl ether
O&G	oil and grease
µg/L	micrograms per liter
mg/Kg	milligrams per kilogram
ml	milliliter
MW	monitoring well
PDF	portable document format
RWQCB	Regional Water Quality Control Board
SC	specific conductance
tAME	tert-amyl methyl ether
tBA	tert butyl alcohol
UST	underground storage tank
VOA	volatile organic analysis

## INTRODUCTION

This report presents the results of the third quarter 2009 groundwater monitoring event conducted by Matriks at Alaska Gas (the "Site"), located at 1310 Central Avenue in Alameda, California. The semi-annual groundwater monitoring event described in this report was conducted on September 22, 2009 and is part of an ongoing subsurface investigation of petroleum hydrocarbons in soil or groundwater that was caused by an unauthorized release of petroleum fuels from the underground storage tank (UST) system (tanks, associated piping and dispensers) formerly located at the Site. Matriks is conducting this investigation on behalf of the responsible parties, Mr. Leon Zektser, Mr. Nissan Saidian, and Mr. Joe Zadik. The Alameda County Environmental Health Services (ACEHS) is the lead regulatory agency overseeing Site investigation and remediation and the ACEHS case number is RO0000022. The semi-annual groundwater monitoring program consists of the collection and laboratory analysis of groundwater samples from five groundwater monitoring wells to assess concentrations of petroleum hydrocarbon compounds in shallow groundwater.

### *Site Description and Physical Setting*

The Site is currently a retail gasoline fueling station located in an area of mixed commercial and residential properties in the south-central part of the island of Alameda. The Site is located at the intersection of Encinal Avenue, Sherman Street, and Central Avenue. A Site location map is shown on **Figure 1** and a Site plan showing physical features and groundwater monitoring well locations is shown on **Figure 2**.

The Site is relatively flat and the investigation area has a surface elevation of approximately 25 feet above mean sea level (amsl). San Francisco Bay and the Alameda Estuary are located approximately one-half mile to the south.

### *Site History*

In May 1996, Petrotek removed three gasoline USTs including one 10,000-gallon, one 7,500-gallon and one 5,000-gallon UST from the western corner of the Site. A 500-gallon waste oil UST adjacent to the building, was also removed from the southern portion of the Site. Fuel dispensers and associated product piping were also removed.

Free-phase petroleum hydrocarbons were observed floating on the groundwater surface in the gasoline UST excavation following removal of the USTs. According to the laboratory analysis, a groundwater sample collected from the gasoline UST excavation contained 2,800 micrograms per liter ( $\mu\text{g}/\text{L}$ ) of total petroleum hydrocarbons as gasoline (TPH-g) and 100  $\mu\text{g}/\text{L}$  benzene. Soil samples collected from the same excavation contained up to 5,000 milligrams per kilogram (mg/Kg) of THP-g and 31mg/Kg benzene. Soil samples collected beneath the former dispenser

island contained up to 6,800 mg/Kg TPH-g and 63 mg/Kg benzene. A ground water sample collected in the waste oil UST excavation contained 35,000 µg/L of total petroleum hydrocarbons as diesel (TPH-d) and motor oil range hydrocarbons, and 1,300 µg/L of TPH-g. These results are documented in a *UST Closure Report* submitted by Petrotek in May 1996.

Petrotek reportedly excavated and disposed of approximately 600 cubic yards of petroleum hydrocarbon-impacted soil from the UST excavations. It does not appear that confirmation soil samples were collected following removal of the petroleum hydrocarbon-impacted soil. Approximately 15,000 gallons of ground water were also removed from the excavations, treated and discharged to the sanitary sewer. Two new gasoline USTs, dispensers and product piping were installed in the same UST excavation after the petroleum hydrocarbon-impacted soil and ground water were removed.

In November 1998, All Environmental Inc. (AEI) advanced 14 soil borings on the Site and collected soil and groundwater samples for analysis. Up to 5,900 mg/Kg of TPH-g was detected in soil samples collected from the borings. Up to 120,000 µg/L TPH-g and 7,200 µg/L benzene were detected in groundwater samples from the borings.

In October 1999, HerSchy Environmental installed three monitoring wells at the Site. The initial sampling yielded up to 43,000 µg/L TPH-g, 8,700 µg/L total petroleum hydrocarbons as diesel (TPH-d), 480 µg/L benzene, and 1,600 µg/L methyl tert-butyl ether (MtBE) were detected in groundwater samples from the wells. The groundwater flow direction was southwesterly under a gradient of 0.0085. Well construction details are presented in **Table 1**.

On May 16, 2000, Aqua Science Engineers (ASE) began quarterly monitoring at the Site. Groundwater samples collected from MW-1 contained 20,000 µg/L TPH-g, 38 µg/L benzene, 6.3 µg/L toluene, 740 µg/L ethyl benzene, and 1,600 µg/L total xylenes. No MtBE or other oxygenates were detected in the sample from MW-1. No hydrocarbons were detected in the groundwater sample taken from MW-2. The groundwater sample from MW-3 contained 17,000 µg/L TPH-g, 2,800 µg/L benzene, 60 µg/L toluene, 380 µg/L ethyl benzene, 190 µg/L total xylenes, 990 µg/L MtBE, 9.1 µg/L tert-amyl methyl ether (TAME), and 350 µg/L tert butyl alcohol (tBA).

On July 28, 2000, ASE advanced 12 Geoprobe borings (borings BH-A through BH-L) to further delineate the lateral and vertical extent of petroleum hydrocarbons and collected soil and grab groundwater samples from each borings. Laboratory analysis detected 0.00061 mg/Kg of MtBE in a soil samples collected from 3.0 feet (ft) below ground surface in boring BH-J. There were no petroleum hydrocarbons or oxygenates detected in soil samples from the other 11 borings, however, petroleum hydrocarbons and oxygenates were detected in grab groundwater samples collected from borings BH-A, B, C, D, I, J, K, and L.

In December 2002, ASE conducted an investigation to assess whether subsurface utility line trenches may provide a groundwater movement pathway. ASE concluded that it did not appear that the utility line trenches act as groundwater movement pathways. This conclusion



was based on ASE's assumption that the utility line trench backfill material is native sandy soil and that the highest concentrations of petroleum hydrocarbons in the 12 Geoprobe borings soil samples were located beyond the utility line trenches. Although ASE concluded that the utility line trenches did not provide a groundwater movement pathway, the ACEHS requested that water samples be collected from the sewer in one of the trenches to assess whether petroleum hydrocarbon-impacted groundwater may have entered the sewer line through seams or cracks.

In January 2004, ASE drilled four additional soil borings, BH-M through BH-P and the soil samples collected from each boring contained concentrations of TPH-d, with the highest concentration of 68 mg/Kg detected in BH-M. No TPH-d, BTEX or oxygenates were detected in any of the other soil samples. The groundwater samples collected from the borings contained TPH-d concentrations as high as 170 µg/L and the groundwater sample collected from boring BH-O also contained 19 µg/L MtBE. None of the other groundwater samples contained detectable concentrations of TPH-g, BTEX or oxygenates. Groundwater samples were also collected from the sewer line beneath Central Avenue, both up gradient and down gradient of the Site. Low concentrations of TPH-g were detected in both samples. No BTEX or oxygenates were detected in either of these samples.

In December 2005, ASE conducted a records search at the Alameda City Public Works Agency and the California Department of Water Resources to identify water wells with ½ mile radius of the Site. A total of 25 wells were located within the search radius. The results included three domestic wells, 10 irrigation wells, one industrial well, two cathodic protection wells, four groundwater monitoring wells, and five vapor extraction wells. The nearest well is located more than 1,000 feet east of the Site. The nearest, potentially down gradient, well is located approximately 1,260 feet northwest of the Site. Based on the records search, ASE proposed additional soil and groundwater assessment for the Site.

In April 2006, ASE advanced two additional borings and installed two groundwater monitoring wells. Borings BH-Q, BH-R and monitoring wells MW-4 and MW-5 were installed using a drill rig equipped with an 8-inch hollow-stem auger. Petroleum hydrocarbons were detected by laboratory analysis at a concentration of 11 mg/Kg TPH-d in a soil sample from BH-Q and 1.7 mg/Kg TPH-d in a soil sample from the boring MW-5. The laboratory noted that the hydrocarbons reported as TPH-D in each sample did not exhibit a typical diesel chromatogram pattern. None of the soil samples contained detectable concentrations of TPH-g, BTEX or oxygenates. Well construction details are presented in **Table 1**.

Groundwater samples collected from BH-Q and BH-R contained detectable concentrations of petroleum hydrocarbon of 220 µg/L TPH-d and 770 µg/L TPH-d, respectively. Similar to the soil samples, the laboratory noted the hydrocarbons reported as TPH-d did not exhibit a typical diesel chromatogram pattern. Based on the results of this investigation, ASE recommended no further delineation of the extent of petroleum hydrocarbons in soil or groundwater.

From April 2006 to March 2009, groundwater monitoring well samples have been collected and analyzed on a quarterly basis. The monitoring schedule for the Site has been reduced to a

semi-annual basis as directed in a letter from the ACEHS dated, July 24, 2009. Groundwater monitoring takes place during the first and third quarters.

In June 2008, the Site owners contracted with Matriks to conduct groundwater monitoring and prepare for further Site remediation.

Matriks submitted the *Site Investigation Workplan*, dated September 16, 2009, to the ACEHS. The workplan was prepared in accordance with an ACEHS directive issued in a letter dated August 13, 2009. The proposed scope of work included the installation of four soil borings to further investigate the vertical extent of the release, define the contaminate plume, and evaluate on and off-site risks.

## SCOPE OF WORK

The scope of work conducted for this semi-annual groundwater monitoring event included the following tasks:

- Measurement of static water levels in five groundwater monitoring wells;
- Collection of field water quality parameters including pH, temperature, dissolved oxygen, and specific conductance from groundwater in each well;
- Purging at least three casing volumes from each well;
- Collection and analysis of groundwater water samples from each well for THP-d, TPH-g, BTEX, MtBE, DIPE, EtBE, tAME, tBA, methanol, ethanol, EDB, and DCA (see the *Monitoring Well Purging and Sampling* section of this report for analytical methods used);
- Update of the Geotracker database; and
- Preparation of this *Semi-Annual Monitoring Report*.

## METHODS AND PROCEDURES

### *Groundwater Level Measurements*

Prior to measuring the depth to groundwater, the cap of each well was removed and the water level was given an opportunity to equilibrate with atmospheric pressure for approximately 30 minutes before recording measurements using an electronic water depth indicator. The static water levels were referenced to the surveyed marks notched into the top of each well casing and the depth-to-water measurements were used to calculate the purge volume of for each monitoring well.

## ***Monitoring Well Purging and Sampling***

At least three well volumes were purged from each well using a new disposable bailer. Dissolved oxygen was measured prior to purging, and groundwater temperature, pH, and SC were measured intermittently during purging with a Hanna multimeter water quality instrument which was calibrated by the equipment rental service prior to on-site use. Water quality measurements were recorded on monitoring well sampling logs, copies of which are included in **Appendix A**. Well purge water was placed into labeled and sealed 55-gallon, DOT-approved steel drums and temporarily stored on-site.

A new disposable bailer dedicated to each well, was used to remove the groundwater samples and transfer them to the appropriate laboratory prepared containers. Care was taken to remove the headspace in each container. Each sample container was labeled with the project number, sample ID, and collection date. The same information was recorded on the laboratory chain-of-custody form. Samples were stored in a cooler filled with ice for transport to the laboratory.

Samples were transported and submitted to McCampbell Analytical, Inc. of Pittsburg, California (DHS ELAP Certification No. 1644) and analyzed for TPH-g and TPH-d by EPA Method 8015 modified; for BTEX by EPA Method 8021B; and for MtBE, DIPE, EtBE, tAME, tBA, methanol, ethanol, EDB, and DCA by EPA Method 8260B.

## **RESULTS**

### ***Groundwater Levels and Gradient***

Depth-to-water was measured in each monitoring well. The groundwater flow direction for this monitoring event was calculated to be N15°E with a gradient of 0.021. Well construction details are presented in **Table 1**. Groundwater levels and elevations are summarized in **Table 2**. Groundwater elevation contours are depicted on **Figure 3**. Graphs of groundwater elevation versus time for all monitoring wells are presented on **Figure 4**.

### ***Groundwater Analytical Results***

TPH-g, BTEX, and MtBE were detected by laboratory analysis in the highest concentrations in onsite groundwater monitoring wells MW-1 and MW-3. TPH-g was detected in MW-1 and MW-3 at concentrations of 7,800 µg/L and 6,100 µg/L, respectively. TPH-g was also detected in MW-5 at a concentration of 230 µg/L. TPH-g was not detected in groundwater samples collected from the other monitoring wells.

Benzene was also detected in MW-1, 3, and 5 at concentrations of 34 µg/L, 110 µg/L, and 1.6 µg/L. Benzene was not detected in samples collected from the other two groundwater

monitoring wells. MtBE was detected in MW-1, MW-2, MW-3, MW-4, and MW-5 at concentrations of 3 µg/L, 4.7 µg/L, 170 µg/L, 1.0 µg/L, and 540 µg/L, respectively.

Groundwater analytical results are summarized in **Table 3**. A copy of the laboratory analytical report is included in **Appendix B**. **Figure 5** shows TPH-g and benzene concentration trends in well MW-1 and **Figure 6** shows these same concentration trends in MW-3.

### ***Geotracker Requirements***

All analytical data were submitted electronically to the California State Water Resources Control Board Geotracker database as required by AB2886 (Water Code Section 13195-13198). EDFs are prepared and formatted by the laboratory and submitted by Matriks. Well latitudes, longitudes (GEO\_XY files), and elevations (GEO\_Z files) were previously submitted to the database. A well status and usage report (GEO\_WELL file) is submitted for each monitoring event. A complete electronic copy of this report (GEO\_REPORT file) in PDF format was also submitted. Update maps (GEO\_MAP files) are submitted when site features such as monitoring wells or soil borings are added.

## **DISCUSSION**

In general, petroleum hydrocarbon concentrations have decreased since groundwater monitoring began in September 1999. This appears to indicate that natural attenuation and degradation are occurring.

The highest concentrations of petroleum hydrocarbons were detected in monitoring wells MW-1 and MW-3. TPH-g, TPH-d, and benzene in these wells were detected above the ESLs of 100 µg/L, 100 µg/L, and 1.0 µg/L, respectively, established by the San Francisco Bay RWQCB. MtBE was also detected above the ESL in MW-3 and MW-5. TPH-d constituents in wells MW-3 and MW-5 appear to be TPH-g. The laboratory notes indicate that gasoline range compounds are significant.

TPH-g, benzene, and MtBE were also detected above the ESLs in well MW-5. This appears to indicate that petroleum hydrocarbons are migrating down gradient from the Site.

MtBE was detected in down gradient well MW-4 at a concentration of 1.0 µg/L. This concentration is less than the ESL for MTBE of 5 µg/L but this also appears to indicate that petroleum hydrocarbons are migrating down gradient within groundwater. Petroleum hydrocarbon concentrations detected in MW-1 and MW-2 appear to be consistent with their spatial relationship to the former USTs.

While benzene and MtBE appear to be migrating in the down gradient direction in low concentrations, the remote possibility of vapor intrusion into down gradient buildings must be considered.

## **RECOMMENDATIONS**

Matriks submitted a Site Investigation Workplan to ACEHS to explore the vertical extent of the constituent plume. The proposed work will be performed upon approval of workplan. A Feasibility Study will be submitted upon defining the vertical and lateral extents of the groundwater constituents.

# FIGURES

---

---





Image courtesy of: 




321 Court Street  
Woodland, CA 95695  
(530) 406-1760

Lic. No. 909563  
Fax No. (530) 406-1071

Site Location Map  
Alaska Gas  
1310 Central Avenue, Alameda, CA

**FIGURE 1**






321 Court Street Lic. No. 909563  
 Woodland, California 95695  
 (530) 406-1760 Fax# (530) 406-1760

**Site Map**

**Alaska Gasoline**  
 1310 Central Avenue  
 Alameda, California

Project #: 6022	Figure:
Date: 9/22/2009	2
Scale: as shown	






321 Court Street Lic. No. 909563  
 Woodland, California 95695  
 (530) 406-1760 Fax# (530) 406-1760

**Groundwater Elevations on  
 September 12, 2009**


**Alaska Gasoline  
 1310 Central Avenue  
 Alameda, California**

Project #: 6022	Figure:
Date: 09/22/2009	<b>3</b>
Scale: as shown	


**Figure 4 Monitoring Well Hydrograph**  
**Alaska Gas**  
**Alameda, CA**



**Figure 5. TPH-g and Benzene vs. Time in Well MW-1  
Alaska Gas  
Alameda, California**



**Figure 6. TPH-g and Benzene vs Time in Well MW-3  
Alaska Gas  
Alameda, California**



# **TABLES**

---

---

**Table 1**  
**Well Construction Details**  
**Alaska Gas**  
**Alameda, California**

Well ID	Date Installed	Total Depth (feet bg)	Screened Interval (feet bg)	Water-Bearing Zone	Screen Slot Size (inches)	Filter Pack Interval (feet bg)	Bentonite Interval (feet bg)	Grout Interval (feet bg)	TOC Elevation (feet amsl)	Northing Coordinates (feet)	Westing Coordinates (feet)
MW-1	10/11/99	18	17.35-2.5	Silty Sand	0.02	18-1.5	1.5-0.5	0.5-0	29.18	15.20394	46.13606
MW-2	10/11/99	18	18-4	Silty Sand	0.02	18-3	3-1.5	1.5-0	29.55	14.93558	45.97882
MW-3	10/11/99	20	19-4	Silty Sand	0.02	20-3	3-1.5	1.5-0	27.74	15.28672	47.24157
MW-4	04/03/06	16	15-5	Sand-Clayey Sand	0.02	15-4.5	4.5-4	4-0.5	26.23	17.12115	48.05243
MW-5	04/04/06	17	15-5	Sand-Clayey Sand	0.02	15-4.5	4.5-4	4-0.5	26.78	16.21022	47.48996

**Table 2**  
**Groundwater Elevation Data**  
**Alaska Gas**  
**Alameda, California**

Well ID	Date	Top of Casing Elevation (msl)	Depth to Water (feet)	Groundwater Elevation
MW-1	11/06/99	26.85	5.16	21.69
	05/16/00		3.24	23.61
	08/03/00		4.15	22.70
	12/05/00		4.90	21.95
	03/05/01		3.04	23.81
	06/04/01		4.01	22.84
	06/05/02		3.73	23.12
	09/09/02		5.06	21.79
	12/19/02		4.09	22.76
	03/10/03		3.50	23.35
	06/03/03		3.66	23.19
	09/19/03		4.91	21.94
	12/22/03		4.30	22.55
	03/12/04		2.93	23.92
	06/11/04		4.23	22.62
	09/13/04		5.02	21.83
	12/16/04		3.76	23.09
	03/21/05		2.81	24.04
	06/23/05		3.66	23.19
	09/30/05		4.55	22.30
	12/08/05		4.21	22.64
	03/01/06		2.90	23.95
	05/25/06	29.18	2.84	26.34
	08/10/06		4.35	24.83
	11/21/06		4.22	24.96
	02/06/07		4.39	24.79
	05/08/07		3.88	25.30
	08/06/07		5.02	24.16
	12/26/07		4.87	24.31
	06/28/08		4.77	24.41
09/27/08		6.29	22.89	
12/30/08		6.04	23.14	
03/28/09		3.78	25.40	
09/12/09			6.59	22.59

**Table 2**  
**Groundwater Elevation Data**  
**Alaska Gas**  
**Alameda, California**

Well ID	Date	Top of Casing Elevation (msl)	Depth to Water (feet)	Groundwater Elevation
MW-2	11/06/99	27.18	5.56	21.62
	05/16/00		3.54	23.64
	08/03/00		4.44	22.74
	12/05/00		5.24	21.94
	03/05/01		3.28	23.90
	06/04/01		4.33	22.85
	06/05/02		3.98	23.20
	09/09/02		5.34	21.84
	12/19/02		4.33	22.85
	03/10/03		3.58	23.60
	06/03/03		3.87	23.31
	09/19/03		5.24	21.94
	12/22/03		4.47	22.71
	03/12/04		3.40	23.78
	06/11/04		4.51	22.67
	09/13/04		5.35	21.83
	12/16/04		4.09	23.09
	03/21/05		3.01	24.17
	06/23/05		3.91	23.27
	09/30/05		4.86	22.32
	12/08/05		4.49	22.69
	03/01/06		3.09	24.09
	05/25/06	29.55	3.16	26.39
	08/10/06		4.98	24.57
	11/21/06		4.81	24.74
	02/06/07		4.37	25.18
	05/08/07		4.12	25.43
	08/06/07		5.36	24.19
	12/26/07		5.03	24.52
	06/28/08		5.06	24.49
	09/27/08		6.64	22.91
	12/30/08		6.28	23.27
03/28/09		4.03	25.52	
09/12/09		6.24	23.31	



**Table 2**  
**Groundwater Elevation Data**  
**Alaska Gas**  
**Alameda, California**

Well ID	Date	Top of Casing Elevation (msl)	Depth to Water (feet)	Groundwater Elevation
MW-3	11/06/99	25.3	4.02	21.28
	05/16/00		2.06	23.24
	08/03/00		3.20	22.10
	12/05/00		3.71	21.59
	03/05/01		1.90	23.40
	06/04/01		2.72	22.58
	06/05/02		2.75	22.55
	09/09/02		3.88	21.42
	12/19/02		2.79	22.51
	03/10/03		2.36	22.94
	06/03/03		2.65	22.65
	09/19/03		3.15	22.15
	12/22/03		2.83	22.47
	03/12/04		2.00	23.30
	06/11/04		3.11	22.19
	09/13/04		3.90	21.40
	12/16/04		2.89	22.41
	03/21/05		1.93	23.37
	06/23/05		2.69	22.61
	09/30/05		4.54	20.76
	12/08/05		3.05	22.25
	03/01/06		1.95	23.35
	05/25/06	27.74	2.11	25.63
	08/10/06		3.25	24.49
	11/21/06		3.35	24.39
	02/06/07		3.34	24.40
	05/08/07		3.53	24.21
	08/06/07		3.91	23.83
	12/26/07		3.57	24.17
	06/28/08		3.66	24.08
	09/27/08		4.98	22.76
	12/30/08		4.63	23.11
03/28/09		2.73	25.01	
09/12/09		4.80	22.94	

**Table 2**  
**Groundwater Elevation Data**  
**Alaska Gas**  
**Alameda, California**

Well ID	Date	Top of Casing Elevation (msl)	Depth to Water (feet)	Groundwater Elevation
MW-4	05/25/06	26.23	2.54	23.69
	08/10/06		4.65	21.58
	11/21/06		4.63	21.60
	02/06/07		3.87	22.36
	05/08/07		4.21	22.02
	08/06/07		4.54	21.69
	12/26/07		2.90	23.33
	06/28/08		3.02	23.21
	09/27/08		4.78	21.45
	12/30/08		3.91	22.32
	03/28/09		2.50	23.73
	09/12/09		4.93	21.30
MW-5	05/25/06	26.78	2.60	24.18
	08/10/06		3.40	23.38
	11/21/06		3.27	23.51
	02/06/07		3.10	23.68
	05/08/07		3.00	23.78
	08/06/07		3.79	22.99
	12/26/07		3.38	23.40
	06/28/08		3.70	23.08
	09/27/08		4.65	22.13
	12/30/08		4.04	22.74
	03/28/09		2.85	23.93
	09/12/09		4.48	22.30

All measurements are in feet. DTW = Depth to water below top of PVC casing.  
 TOC = Top of casing. ELEV = Elevation above mean sea level.  
 Wells resurveyed on April 27, 2006

**Table 3**  
**Groundwater Analytical Results**  
**Alaska Gas**  
**Alameda, California**

Well ID	Date	TPH-g	TPH-d	benzene	toluene	ethyl-benzene	xylenes	MtBE	tAME	tBA	Other Oxygenates
MW-1	11/06/99	5,700	8,700	170	59	22	85	20,000	NA	NA	NA
	05/16/00	20,000	<7,500	38	6.3	740	1,600	<5.0	<5.0	<50	<5.0
	08/03/00	20,000	<6,000	56	9.7	920	1,600	<0.5	<0.5	<50	<0.5
	12/05/00	31,000	<4,000	64	27	820	2,200	<10	<5.0	<50	<5.0
	03/05/01	20,000	<4,000	19	<5.0	480	870	<5	<5.0	<50	<5.0
	06/04/01	23,000	<7,000	58	50	710	2,100	5.1	<5.0	<50	<5.0
	06/05/02	7,400	<1,500	9.3	6.7	180	230	<1.0	<1.0	<10	<1.0
	09/09/02	8,300	<3500	32	20	390	670	<2.0	<2.0	<20	<2.0
	12/19/02	5,100	NS	7.9	2.5	56	93	<1.0	<1.0	<10	<1.0
	03/10/03	2,000	<2,000	3.4	2.9	80	98	<0.5	<0.5	<5.0	<0.5
	06/03/03	7,300	<4,000	6.8	9.9	300	1,000	2.3	<0.5	<5.0	<0.5
	09/19/03	9,000	<3,000	26	22	420	1,200	4.5	<1.5	<20	<1.5
	12/22/03	4,300	<2,000	12	6.7	200	290	9.1	<1.0	<10	<1.0
	03/12/04	7,000	<3,000	8.3	8.2	250	760	3.9	<2.0	<20	<2.0
	06/11/04	13,000	<4,000	26	27	530	1,700	<2.5	<2.5	<15	<2.5
	09/13/04	17,000	<4,000	37	42	840	2,000	<5.0	<5.0	<50	<5.0
	12/16/04	1,800	<1,000	5.9	1.9	100	35	16	<0.5	<5.0	<0.5
	03/21/05	7,500	<3,000	3.4	4.2	290	760	<1.5	<1.5	<20	<1.5
	06/23/05	11,000	<8,000	15	11	370	910	2.4	<1.5	<7.0	<1.5
	09/30/05	9,800	<4,000	32	25	540	680	1.6	<1.5	<7.0	<1.5
	12/08/05	9,200	<4,000	27	21	500	490	2.2	<1.5	<7.0	<1.5
	03/01/06	6,500	<4,000	8.1	9.4	370	660	18	<1.5	<6.0	<1.5
	05/25/06	10,000	<3,000	19	14	900	620	<1.5	<1.5	<7.0	<1.5
	08/10/06	9,800	<1,500	16	8.1	640	180	<1.5	<1.5	<7.0	<1.5
	11/21/06	2,900	<1,000	7.8	2.5	160	12	2.5	2.5	<5.0	<0.5
	02/06/07	4,600	<1,500	9.4	6	380	220	1	<0.50	<5.0	<0.50
	05/08/07	3,700	<800	10	4.6	320	86	1.5	<0.50	<5.0	<0.50
	08/06/07	8,200	<2,000	14	8.8	730	180	<0.50	<0.50	<5.0	<0.50
	12/26/07	1,200	<300	2.3	1.1	89	21	4.8	<0.50	<5.0	<0.50
	03/31/08	2,000	<800	2.2	1.6	99	75	1.8	<0.50	<5.0	<0.50
06/28/08	8,400	3900*	18	26	670	1,100	<2.5	<2.5	<10	<2.5	
09/27/08	12,000	4600*	32	49	1,200	680	<25	<25	<100	<25	
12/30/08	5,300	3,700	12	31	300	27	7.1	<5.0	<20	<5.0	
03/28/09	1,900	920*	<1.7	<1.7	77	58	22	<1.7	<6.7	<1.7	
09/12/09	7,800	9,400	34	110	690	200	3.0	<0.5	140	<0.5	

**Table 3**  
**Groundwater Analytical Results**  
**Alaska Gas**  
**Alameda, California**

Well ID	Date	TPH-g	TPH-d	benzene	toluene	ethyl-benzene	xylenes	MtBE	tAME	tBA	Other Oxygenates
MW-2	11/06/99	<b>6,000</b>	70	<b>1,300</b>	92	50	400	<b>6,800</b>	NA	NA	NA
	05/16/00	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	08/03/00	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	12/05/00	<50	<b>1,400</b>	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	03/05/01	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	06/04/01	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	06/05/02	<50	<b>2,300</b>	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	09/09/02	<50	<b>1,300</b>	<0.5	<0.5	<0.5	<0.5	1.4	<0.5	<5.0	<0.5
	12/19/02	<50	--	<0.5	<0.5	<0.5	<0.5	<b>16</b>	<0.5	<5.0	<0.5
	03/10/03	<50	<b>3,000</b>	<0.5	<0.5	<0.5	<0.5	1	<0.5	<5.0	<0.5
	06/03/03	<50	<b>700</b>	<0.5	<0.5	<0.5	<0.5	2	<0.5	<5.0	<0.5
	09/19/03	<50	<b>1,400</b>	<0.5	<0.5	<0.5	<0.5	4.7	<0.5	<5.0	<0.5
	12/22/03	<50	<b>1,000</b>	<0.5	<0.5	<0.5	<0.5	<b>39</b>	<0.5	<5.0	<0.5
	03/12/04	<50	<b>250</b>	<0.5	<0.5	<0.5	<0.5	2.1	<0.5	<5.0	<0.5
	06/11/04	<50	<b>920</b>	<0.5	<0.5	<0.5	<0.5	0.75	<0.5	<5.0	<0.5
	09/13/04	<50	<b>140</b>	<0.5	<0.5	<0.5	<0.5	1.5	<0.5	<5.0	<0.5
	12/16/04	<50	<b>150</b>	<0.5	<0.5	<0.5	<0.5	<b>12</b>	<0.5	<5.0	<0.5
	03/21/05	<50	<b>130</b>	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	06/23/05	<50	<b>1,100</b>	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	09/30/05	<50	<b>300</b>	<0.5	<0.5	<0.5	<0.5	1.6	<0.5	<5.0	<0.5
	12/08/05	<50	<b>600</b>	<0.5	<0.5	<0.5	<0.5	1.9	<0.5	<5.0	<0.5
	03/01/06	<50	<b>920</b>	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	05/25/06	<50	<b>160</b>	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	08/10/06	<50	<b>870</b>	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	11/21/06	<50	<b>130</b>	<0.5	<0.5	<0.5	<0.5	1.8	<0.5	<5.0	<0.5
	02/06/07	<50	<b>450</b>	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	05/08/07	<50	<b>160</b>	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	08/06/07	<50	<b>180</b>	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	12/26/07	<50	<b>190</b>	<0.5	<0.5	<0.5	<0.5	2.9	<0.5	<5.0	<0.5
	03/31/08	Inaccessible Not Sampled									
06/28/08	<50	<b>180</b>	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<2.0
09/27/08	<50	78	<0.5	<0.5	<0.5	<0.5	<0.5	<b>7</b>	<0.5	<2.0	<0.5
12/30/08	<50	<b>100</b>	<0.5	<0.5	<0.5	<0.5	<0.5	<b>13</b>	<0.5	<0.5	<0.5
03/28/09	<50	60	<0.5	<0.5	<0.5	<0.5	<0.5	<b>5.4</b>	<0.5	<0.5	<0.5
09/12/09	<50	91	<0.5	<0.5	<0.5	<0.5	<0.5	4.7	<0.5	<2.0	<0.5

**Table 3**  
**Groundwater Analytical Results**  
**Alaska Gas**  
**Alameda, California**

Well ID	Date	TPH-g	TPH-d	benzene	toluene	ethyl-benzene	xylenes	MtBE	tAME	tBA	Other Oxygenates
MW-3	11/06/99	43,000	870	860	70	<0.5	65	120,000	NA	NA	NA
	05/16/00	17,000	<5,000	2,800	60	380	190	990	9.1	350	<5.0
	08/03/00	16,000	<2,000	1,600	29	210	53	1,200	21	260	<2.0
	12/05/00	17,000	5800	1,700	45	460	240	1,100	21	230	<5.0
	03/05/01	29,000	<1,300	2,100	68	280	100	180	<8.0	<80	<8.0
	06/04/01	17,000	<6,000	2,000	56	340	230	300	<10	130	<10
	06/05/02	11,000	<2,000	1,600	46	210	47	790	<10	220	<10
	09/09/02	12,000	<800	1,400	44	130	27	760	<10	160	<5.0
	12/19/02	10,000	NS	740	32	180	38	86	<5.0	<50	<5.0
	03/10/03	13,000	<6,000	1,200	42	240	35	470	5.3	140	<2.5
	06/03/03	6,500	<3,000	750	21	46	15	1,300	<50	280	<10
	09/19/03	9,800	<3,000	1,500	38	170	32	420	<10	150	<5.0
	12/22/03	8,800	<2,000	1,100	32	82	20	330	5.8	52	<2.5
	03/12/04	7,600	<3,000	590	23	69	17	470	9.2	63	<1.5
	06/11/04	7,800	<2,000	840	19	58	15	710	12	140	<2.5
	09/13/04	7,500	<1,500	840	17	23	7.8	730	15	93	<2.5
	12/16/04	9,300	<2,000	1,100	26	76	13	600	12	130	<2.5
	03/21/05	11,000	<3,000	1,200	37	190	24	460	9.3	100	<2.5
	06/23/05	9,600	<4,000	1,100	28	93	23	370	8.2	67	<1.5
	09/30/05	9,000	<3,000	690	18	32	14	380	8.4	72	<1.5
	12/08/05	8,700	<3,000	560	23	38	12	350	6.9	82	<1.5
	03/01/06	8,400	<2,000	410	24	42	13	360	8	58	<1.5
	05/25/06	9,900	<2,000	630	25	13	13	190	5.3	59	<1.5
	08/10/06	14,000	<3,000	690	43	130	26	200	5.4	70	<1.5
	11/21/06	10,000	<3,000	580	37	96	25	240	6.3	72	<1.5
	02/06/07	7,700	<1,000	520	36	90	23	260	7.4	54	<1.5
	05/08/07	4,700	<800	150	0.86	<0.5	<0.5	170	5	52	<0.5
	08/06/07	6,000	<1,000	240	26	34	17	180	5	55	<0.5
	12/26/07	8,100	<1,500	76	14	17	12	150	4.3	37	<0.9
	03/31/08	7,900	<1,500	250	30	62	20	140	4.5	47	<0.90
06/28/08	6,400	3100*	97	17	19	13	200	5.6	38	<5.0	
09/27/08	11,000	15000*	190	24	29	16	160	<5.0	40	<5.0	
12/30/08	9,100	2300*	160	24	31	18	150	5	100	<5.0	
03/28/09	9,200	4300*	150	25	34	22	120	<5.0	38	<5.0	
09/12/09	6,100	2700*	110	21	14	18	170	<5.0	38	<0.5	

**Table 3**  
**Groundwater Analytical Results**  
**Alaska Gas**  
**Alameda, California**

Well ID	Date	TPH-g	TPH-d	benzene	toluene	ethyl-benzene	xylenes	MtBE	tAME	tBA	Other Oxygenates
MW-4	05/25/06	410	<80	<2.5	<2.5	<2.5	<2.5	1800	28	44	<2.5
	08/10/06	<50	<50	<0.5	<0.5	<0.5	<0.5	1.2	<0.5	<5.0	<0.5
	11/21/06	<50	<50	<0.5	<0.5	<0.5	<0.5	0.59	<0.5	<5.0	<0.5
	02/06/07	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	05/08/07	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	08/06/07	<50	<50	<0.5	<0.5	<0.5	<0.5	0.82	<0.5	<5.0	<0.5
	12/26/07	<50	<50	<0.5	<0.5	<0.5	<0.5	1.3	<0.5	<5.0	<0.5
	03/31/08	<50	<50	<0.5	<0.5	<0.5	<0.5	1.4	<0.5	<5.0	<0.5
	06/28/08	<50	88	<0.5	<0.5	<0.5	<0.5	1.1	<0.5	<2.0	<0.5
	09/27/08	<50	<50	<0.5	<0.5	<0.5	<0.5	1.3	<0.5	<5.0	<0.5
	12/30/08	<50	<50	<0.5	<0.5	<0.5	<0.5	1.2	<0.5	<0.5	<0.5
	03/28/09	<50	<50	<0.5	<0.5	<0.5	<0.5	0.9	<0.5	<0.5	<0.5
09/12/09	<50	240	<0.5	<0.5	<0.5	<0.5	1.0	<0.5	<2.0	<0.5	
MW-5	05/25/06	<50	86	<0.5	<0.5	<0.5	<0.5	1.2	<0.5	<5.0	<0.5
	08/10/06	55	<50	<0.5	<0.5	<0.5	<0.5	1,100	19	9.1	<0.5
	11/21/06	<250	<50	<2.5	<2.5	<2.5	<2.5	1,500	25	28	<2.5
	02/06/07	430	<50	6.9	<2.5	<2.5	<2.5	1,600	26	34	<2.5
	05/08/07	<250	<50	<2.5	<2.5	<2.5	<2.5	1,200	20	38	<2.5
	08/06/07	330	<80	<2.5	<2.5	<2.5	<2.5	1,000	20	39	<2.5
	12/26/07	490	<50	<2.5	<2.5	<2.5	<2.5	1,000	18	28	<2.5
	03/31/08	520	<100	6.0	1.9	<1.5	2.5	520	16	33	<1.5
	06/28/08	510	290*	6.2	1.0	<0.5	2.3	550	11	<40	<10
	09/27/08	670	320*	<17	<17	<17	<17	650	<17	95	<17
	12/30/08	210	130*	<0.5	0.8	0.99	<0.5	610	12	<40	<10
	03/28/09	200	100*	<17	<17	<17	<17	610	<17	<67	<17
09/12/09	230	130*	1.6	1.3	<0.5	1.4	540	11	<40	<10	
ESL		100	100	1.0	40	30	20	5	NE	50,000	NA

**Notes:**

Units are micrograms per liter (ug/L).

NT analyte not tested

TPH-g total petroleum hydrocarbons as gasoline

TPH-d total petroleum hydrocarbons as diesel

\* Laboratory noted that TPH-g range is significant

MtBE methyl tert-butyl ether

tAME tert-amyl methyl ether

tBA tert-butanol

**APPENDIX A**  
**MONITORING WELL PURGE LOGS**

---

---

## MONITORING WELL SAMPLING LOG

SITE NAME/LOCATION: Alameda

PROJECT #: \_\_\_\_\_

DATE: 9/12/09

SAMPLER'S INITIALS: CM

WELL ID: MW-2

WELL DIAMETER (in): 2

WELL DEPTH (ft): 12.2

DEPTH TO WATER (ft): 6.59

WATER COLUMN Ht (ft): 5.61

STANDING WATER VOLUME (gal): 0.9

3 VOLUMES (gal): 2.8

To obtain standing volume in gallons, multiply the water column height by 0.17 for 2-inch well or 0.66 for a 4-inch well.

PURGE METHOD: Bailer or Mini-Whaler Pump  
(circle the correct method)

SAMPLING METHOD: disposable PE bailer

### PURGE MEASUREMENTS

Time	Gallons Purged	Temp (C)	pH	SC (uS)	DO (mg/L)	Comments
					4.76	DO prior to purging ORP -55
1548	1	73.04	6.52	404	9.36	
1549	2	72.73	6.46	440	8.75	
1550	3	72.6	6.47	451	8.46	
1551	4	72.57	6.46	457	8.71	
						Sampled 15.54

WELL ID: MW-1

WELL DIAMETER (in): 2

WELL DEPTH (ft): 11.03

DEPTH TO WATER (ft): 6.24

WATER COLUMN Ht (ft): 4.79

STANDING WATER VOLUME (gal): 0.8

3 VOLUMES (gal): 2.4

To obtain standing volume in gallons, multiply the water column height by 0.17 for 2-inch well or 0.66 for a 4-inch well.

PURGE METHOD: Bailer or Mini-Whaler Pump  
(circle the correct method)

SAMPLING METHOD: disposable PE bailer

### PURGE MEASUREMENTS

Time	Gallons Purged	Temp (C)	pH	SC (uS)	DO (mg/L)	Comments
					3.22	DO prior to purging ORP -196
1606	1	73.9	6.55	737	6.5	Temp = 73.9
1609	2	73.06	6.61	694	4.6	
1611	2.5	72.75	6.67	566	4.4	
						Sampled 1614



## MONITORING WELL SAMPLING LOG

SITE NAME/LOCATION: Alameda

PROJECT #: \_\_\_\_\_

DATE: 9/12/09

SAMPLER'S INITIALS: CM

WELL ID: MW-4

WELL DIAMETER (in): 2

WELL DEPTH (ft): 14.2

DEPTH TO WATER (ft): 4.93

WATER COLUMN Ht (ft): 9.27

STANDING WATER VOLUME (gal): 1.5

3 VOLUMES (gal): 4.6

To obtain standing volume in gallons, multiply the water column height by 0.17 for 2-inch well or 0.66 for a 4-inch well.

PURGE METHOD: Bailer or Mini-Whaler Pump  
(circle the correct method)

SAMPLING METHOD: disposable PE bailer

### PURGE MEASUREMENTS

Time	Gallons Purged	Temp (C)	pH	SC (uS)	DO (mg/L)	Comments
					2.74	DO prior to purging ORP -149.4
1453	1.5	69.9	6.84	433	6.88	
1526	3.5	68.9	7.15	266	14.9	2 gal bailed dry
	4.5	68.4	6.84	453	10.8	
						Sampled 1531

WELL ID: MW-5

WELL DIAMETER (in): 2

WELL DEPTH (ft): 14.8

DEPTH TO WATER (ft): 4.48

WATER COLUMN Ht (ft): 10.32

STANDING WATER VOLUME (gal): 1.7

3 VOLUMES (gal): 5.1

To obtain standing volume in gallons, multiply the water column height by 0.17 for 2-inch well or 0.66 for a 4-inch well.

PURGE METHOD: Bailer or Mini-Whaler Pump  
(circle the correct method)

SAMPLING METHOD: disposable PE bailer

### PURGE MEASUREMENTS

Time	Gallons Purged	Temp (C)	pH	SC (uS)	DO (mg/L)	Comments
					7.28	DO prior to purging ORP -169
1509	1	69.5	6.69	815	6.87	
1510	2	69.3	6.67	826	7.02	
1513	3	69.2	6.68	829	6.8	
1514	4	69.1	6.67	826	6.91	
1515	5	69.0	6.67	822	6.70	Sampled 1516

## MONITORING WELL SAMPLING LOG

SITE NAME/LOCATION: Alameda

PROJECT #: \_\_\_\_\_

DATE: 9/12/09

SAMPLER'S INITIALS: CM

WELL ID: MW-3

WELL DIAMETER (in): 2

WELL DEPTH (ft): 16.03

DEPTH TO WATER (ft): 4.80

WATER COLUMN Ht (ft): 11.23

STANDING WATER VOLUME (gal): 1.9

3 VOLUMES (gal): 5.6

To obtain standing volume in gallons, multiply the water column height by 0.17 for 2-inch well or 0.66 for a 4-inch well.

PURGE METHOD: Bailer or Mini-Whaler Pump  
(circle the correct method)

SAMPLING METHOD: \_\_\_\_\_ disposable PE bailer

### PURGE MEASUREMENTS

Time	Gallons Purged	Temp (C)	pH	SC (uS)	DO (mg/L)	Comments
					3.58	DO prior to purging <u>ORP - 168</u>
1627	1	75.23	6.47	726	7.09	
1628	2	74.11	6.51	722	6.81	
1631	3	71.80	6.54	717	7.59	
1632	4	71.55	6.53	715	7.68	
1634	6	71.44	6.51	708	7.63	

WELL ID: MW-

WELL DIAMETER (in): \_\_\_\_\_

WELL DEPTH (ft): \_\_\_\_\_

DEPTH TO WATER (ft): \_\_\_\_\_

WATER COLUMN Ht (ft): \_\_\_\_\_

STANDING WATER VOLUME (gal): \_\_\_\_\_

3 VOLUMES (gal): \_\_\_\_\_

To obtain standing volume in gallons, multiply the water column height by 0.17 for 2-inch well or 0.66 for a 4-inch well.

PURGE METHOD: Bailer or Mini-Whaler Pump  
(circle the correct method)

SAMPLING METHOD: \_\_\_\_\_ disposable PE bailer

### PURGE MEASUREMENTS

Time	Gallons Purged	Temp (C)	pH	SC (uS)	DO (mg/L)	Comments
						DO prior to purging

**APPENDIX B**  
**LABORATORY ANALYTICAL REPORTS FOR**  
**GROUNDWATER SAMPLES**

---

---



**McC Campbell Analytical, Inc.**

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701  
Web: www.mcccampbell.com E-mail: main@mcccampbell.com  
Telephone: 877-252-9262 Fax: 925-252-9269

Matriks Corporation 321 Court Street Woodland, CA 95695	Client Project ID: Alaska Gas; Alameda	Date Sampled: 09/12/09
		Date Received: 09/14/09
	Client Contact: Tom Henderson	Date Reported: 09/21/09
	Client P.O.:	Date Completed: 09/18/09

**WorkOrder: 0909397**

September 21, 2009

Dear Tom:

Enclosed within are:

- 1) The results of the **5** analyzed samples from your project: **Alaska Gas; Alameda,**
- 2) A QC report for the above samples,
- 3) A copy of the chain of custody, and
- 4) An invoice for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.

If you have any questions or concerns, please feel free to give me a call. Thank you for choosing

McC Campbell Analytical Laboratories for your analytical needs.

Best regards,

Angela Rydelius  
Laboratory Manager  
McC Campbell Analytical, Inc.



0709397



**McCAMPBELL ANALYTICAL, INC.**  
 1534 WILLOW PASS ROAD  
 PITTSBURG, CA 94565-1701  
 Website: [www.mccampbell.com](http://www.mccampbell.com) Email: [main@mccampbell.com](mailto:main@mccampbell.com)  
 Telephone: (877) 252-9262 Fax: (925) 252-9269

**CHAIN OF CUSTODY RECORD**  
**TURN AROUND TIME**       
 RUSH 24 HR 48 HR 72 HR 5 DAY  
 GeoTracker EDF  PDF  Excel  Write On (DW)   
 Check if sample is effluent and "J" flag is required

Report To: *Tom Howerson* Bill To:  
 Company: *Matrix*  
*Court St*  
*Woodland, CA* E-Mail:  
 Tele: *(530) 902-7106* Fax: ( )  
 Project #: Project Name: *Alaska Gas*  
 Project Location: *Alameda*  
 Sampler Signature: *[Signature]*

Analysis Request										Other	Comments							
BTEX & TPH as Gas (602 / 8021 + 8015) / MTBE	TPH as Diesel (8015)	Total Petroleum Oil & Grease (1664 / 5520 E/B&F)	Total Petroleum Hydrocarbons (418.1)	EPA 502.2 / 601 / 8010 / 8021 (HVOCs)	MTBE / BTEX ONLY (EPA 602 / 8021)	EPA 505 / 608 / 8081 (CI Pesticides)	EPA 608 / 8082 PCB'S ONLY; Aroclors / Congeners	EPA 507 / 8141 (NP Pesticides)	EPA 515 / 8151 (Acidic CI Herbicides)	EPA 524.2 / 624 / 8260 (VOCs)	EPA 525.2 / 625 / 8270 (SVOCs)	EPA 8270 SIM / 8310 (PAHs / PNAs)	CAM 17 Metals (200.7 / 200.8 / 6010 / 6020)	LUFT 5 Metals (200.7 / 200.8 / 6010 / 6020)	Lead (200.7 / 200.8 / 6010 / 6020)	<i>70xy - 2pb scan</i>	Filter Samples for Metals analysis: Yes / No	
<i>+10</i>	<i>MW-1</i>	<i>9/12/02</i>	<i>1614</i>	<i>5</i>	<i>x</i>	<i>5</i>												
<i>+5</i>	<i>MW-2</i>	<i>I</i>	<i>1554</i>	<i>I</i>	<i>I</i>	<i>I</i>												
<i>+5</i>	<i>MW-3</i>	<i>I</i>	<i>1636</i>	<i>I</i>	<i>I</i>	<i>I</i>												
<i>+</i>	<i>MW-4</i>	<i>I</i>	<i>1531</i>	<i>I</i>	<i>I</i>	<i>I</i>												
<i>+1</i>	<i>MW-5</i>	<i>I</i>	<i>1516</i>	<i>I</i>	<i>I</i>	<i>I</i>												

Relinquished By: *Clark Meyer* Date: *9/14* Time: *800* Received By: *Envirotech-RC*  
 Relinquished By: *Envirotech RC* Date: *9/14* Time: *1945* Received By: *[Signature]*  
 Relinquished By: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_ Received By: \_\_\_\_\_

ICE/# *7.2* COMMENTS:  
 GOOD CONDITION *X* *4.2 MA 1*  
 HEAD SPACE ABSENT  
 DECHLORINATED IN LAB  
 APPROPRIATE CONTAINERS  
 PRESERVED IN LAB  
*x = 4 Uoa + 1 amber*  
 VOAS O&G METALS OTHER  
 PRESERVATION pH<2

# McC Campbell Analytical, Inc.



1534 Willow Pass Rd  
 Pittsburg, CA 94565-1701  
 (925) 252-9262

# CHAIN-OF-CUSTODY RECORD

**WorkOrder: 0909397**

**ClientCode: MCW**

WaterTrax   
  WriteOn   
  EDF   
  Excel   
  Fax   
  Email   
  HardCopy   
  ThirdParty   
  J-flag

**Report to:**

Tom Henderson  
 Matriks Corporation  
 321 Court Street  
 Woodland, CA 95695  
 (530) 406-1760    FAX (530) 406-1771

Email: thenderson@matrikscorp.com  
 cc:  
 PO:  
 ProjectNo: Alaska Gas; Alameda

**Bill to:**

Robert Neely  
 Matriks Corporation  
 321 Court Street  
 Woodland, CA 95695

**Requested TAT: 5 days**

**Date Received: 09/14/2009**

**Date Printed: 09/14/2009**

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)											
					1	2	3	4	5	6	7	8	9	10	11	12
0909397-001	MW-1	Water	9/12/2009 16:14	<input type="checkbox"/>	B	A	A	C								
0909397-002	MW-2	Water	9/12/2009 15:54	<input type="checkbox"/>	B	A		C								
0909397-003	MW-3	Water	9/12/2009 16:36	<input type="checkbox"/>	B	A		C								
0909397-004	MW-4	Water	9/12/2009 15:31	<input type="checkbox"/>	B	A		C								
0909397-005	MW-5	Water	9/12/2009 15:16	<input type="checkbox"/>	B	A		C								

**Test Legend:**

1	9-OXYS_W	2	G-MBTEX_W	3	PREFD REPORT	4	TPH(D)_W	5	
6		7		8		9		10	
11		12							

**Prepared by: Ana Venegas**

**Comments:**

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).  
 Hazardous samples will be returned to client or disposed of at client expense.



### Sample Receipt Checklist

Client Name: **Matriks Corporation**

Date and Time Received: **9/14/2009 8:08:44 PM**

Project Name: **Alaska Gas; Alameda**

Checklist completed and reviewed by: **Ana Venegas**

WorkOrder N°: **0909397** Matrix Water

Carrier: EnviroTech (RC)

#### Chain of Custody (COC) Information

- Chain of custody present? Yes  No
- Chain of custody signed when relinquished and received? Yes  No
- Chain of custody agrees with sample labels? Yes  No
- Sample IDs noted by Client on COC? Yes  No
- Date and Time of collection noted by Client on COC? Yes  No
- Sampler's name noted on COC? Yes  No

#### Sample Receipt Information

- Custody seals intact on shipping container/cooler? Yes  No  NA
- Shipping container/cooler in good condition? Yes  No
- Samples in proper containers/bottles? Yes  No
- Sample containers intact? Yes  No
- Sufficient sample volume for indicated test? Yes  No

#### Sample Preservation and Hold Time (HT) Information

- All samples received within holding time? Yes  No
- Container/Temp Blank temperature Cooler Temp: 4.2°C NA
- Water - VOA vials have zero headspace / no bubbles? Yes  No  No VOA vials submitted
- Sample labels checked for correct preservation? Yes  No
- TTLC Metal - pH acceptable upon receipt (pH<2)? Yes  No  NA
- Samples Received on Ice? Yes  No

(Ice Type: WET ICE )

\* NOTE: If the "No" box is checked, see comments below.

-----

Client contacted:

Date contacted:

Contacted by:

Comments:



# McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701  
Web: www.mcccampbell.com E-mail: main@mcccampbell.com  
Telephone: 877-252-9262 Fax: 925-252-9269

Matriks Corporation  321 Court Street  Woodland, CA 95695	Client Project ID: Alaska Gas; Alameda	Date Sampled: 09/12/09
		Date Received: 09/14/09
	Client Contact: Tom Henderson	Date Extracted: 09/15/09-09/16/09
	Client P.O.:	Date Analyzed: 09/15/09-09/16/09

## Oxygenated Volatile Organics + EDB and 1,2-DCA by P&T and GC/MS\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0909397

Lab ID	0909397-001B	0909397-002B	0909397-003B	0909397-004B	Reporting Limit for DF =1	
Client ID	MW-1	MW-2	MW-3	MW-4		
Matrix	W	W	W	W		
DF	1	1	10	1		

Compound	Concentration				ug/kg	µg/L
tert-Amyl methyl ether (TAME)	ND	ND	ND<5.0	ND	NA	0.5
t-Butyl alcohol (TBA)	140	ND	38	ND	NA	2.0
1,2-Dibromoethane (EDB)	ND	ND	ND<5.0	ND	NA	0.5
1,2-Dichloroethane (1,2-DCA)	ND	ND	ND<5.0	ND	NA	0.5
Diisopropyl ether (DIPE)	ND	ND	ND<5.0	ND	NA	0.5
Ethanol	ND	ND	ND<500	ND	NA	50
Ethyl tert-butyl ether (ETBE)	ND	ND	ND<5.0	ND	NA	0.5
Methanol	ND	ND	ND<5000	ND	NA	500
Methyl-t-butyl ether (MTBE)	3.0	4.7	170	1.0	NA	0.5

### Surrogate Recoveries (%)

%SS1:	86	76	85	76	
Comments	b6,b1	b1	b1		

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

b1) aqueous sample that contains greater than ~1 vol. % sediment

b6) lighter than water immiscible sheen/product is present





# McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701  
Web: www.mcccampbell.com E-mail: main@mcccampbell.com  
Telephone: 877-252-9262 Fax: 925-252-9269

Matriks Corporation  321 Court Street  Woodland, CA 95695	Client Project ID: Alaska Gas; Alameda	Date Sampled: 09/12/09
		Date Received: 09/14/09
	Client Contact: Tom Henderson	Date Extracted: 09/15/09-09/16/09
	Client P.O.:	Date Analyzed: 09/15/09-09/16/09

### Oxygenated Volatile Organics + EDB and 1,2-DCA by P&T and GC/MS\*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0909397

Lab ID	0909397-005B			Reporting Limit for DF =1	
Client ID	MW-5				
Matrix	W				
DF	20				S

Compound	Concentration				ug/kg	µg/L
tert-Amyl methyl ether (TAME)	11				NA	0.5
t-Butyl alcohol (TBA)	ND<40				NA	2.0
1,2-Dibromoethane (EDB)	ND<10				NA	0.5
1,2-Dichloroethane (1,2-DCA)	ND<10				NA	0.5
Diisopropyl ether (DIPE)	ND<10				NA	0.5
Ethanol	ND<1000				NA	50
Ethyl tert-butyl ether (ETBE)	ND<10				NA	0.5
Methanol	ND<10,000				NA	500
Methyl-t-butyl ether (MTBE)	540				NA	0.5

### Surrogate Recoveries (%)

%SS1:	77				
-------	----	--	--	--	--

Comments	b1				
----------	----	--	--	--	--

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

b1) aqueous sample that contains greater than ~1 vol. % sediment

b6) lighter than water immiscible sheen/product is present



# McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701  
Web: www.mcccampbell.com E-mail: main@mcccampbell.com  
Telephone: 877-252-9262 Fax: 925-252-9269

Matriks Corporation  321 Court Street  Woodland, CA 95695	Client Project ID: Alaska Gas; Alameda	Date Sampled: 09/12/09
		Date Received: 09/14/09
	Client Contact: Tom Henderson	Date Extracted: 09/15/09-09/16/09
	Client P.O.:	Date Analyzed: 09/15/09-09/16/09

## Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE\*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Bm

Work Order: 0909397

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS	Comments
001A	MW-1	W	7800	ND<100	34	110	690	200	20	113	d1,b6,b1
002A	MW-2	W	ND	ND	ND	ND	ND	ND	1	98	b1
003A	MW-3	W	6100	170	110	21	14	18	10	---	d1,b1
004A	MW-4	W	ND	ND	ND	ND	ND	ND	1	100	
005A	MW-5	W	230	540	1.6	1.3	ND	1.4	1	112	d1,b1

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	5.0	0.5	0.5	0.5	0.5	0.5	μg/L
	S	1.0	0.05	0.005	0.005	0.005	0.005	0.005	mg/Kg

\* water and vapor samples are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in μg/wipe, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts in mg/L.

# cluttered chromatogram; sample peak coelutes w/surrogate peak; low surrogate recovery due to matrix interference.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation:

b1) aqueous sample that contains greater than ~1 vol. % sediment  
b6) lighter than water immiscible sheen/product is present  
d1) weakly modified or unmodified gasoline is significant



# McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701  
 Web: www.mccampbell.com E-mail: main@mccampbell.com  
 Telephone: 877-252-9262 Fax: 925-252-9269

Matriks Corporation  321 Court Street  Woodland, CA 95695	Client Project ID: Alaska Gas; Alameda	Date Sampled: 09/12/09
		Date Received: 09/14/09
	Client Contact: Tom Henderson	Date Extracted: 09/14/09
	Client P.O.:	Date Analyzed 09/17/09-09/18/09

### Total Extractable Petroleum Hydrocarbons\*

Extraction method: SW3510C

Analytical methods: SW8015B

Work Order: 0909397

Lab ID	Client ID	Matrix	TPH-Diesel (C10-C23)	DF	% SS	Comments
0909397-001C	MW-1	W	9400	1	105	e11,e2,b6,b1
0909397-002C	MW-2	W	91	1	97	e2,b1
0909397-003C	MW-3	W	2700	1	105	e4,e2,b1
0909397-004C	MW-4	W	240	1	95	e7,e2
0909397-005C	MW-5	W	130	1	94	e4,e2,b1

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	µg/L
	S	NA	NA

\* water samples are reported in ug/L, wipe samples in µg/wipe, soil/solid/sludge samples in mg/kg, product/oil/non-aqueous liquid samples in mg/L, and all DISTLC / STLC / SPLP / TCLP extracts are reported in µg/L.

# cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation:

b1) aqueous sample that contains greater than ~1 vol. % sediment  
 b6) lighter than water immiscible sheen/product is present  
 e2) diesel range compounds are significant; no recognizable pattern  
 e4) gasoline range compounds are significant.  
 e7) oil range compounds are significant  
 e11) stoddard solvent/mineral spirit (?)



### QC SUMMARY REPORT FOR SW8260B

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 45823

WorkOrder 0909397

EPA Method SW8260B	Extraction SW5030B								Spiked Sample ID: 0909380-002B			
	Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)		
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
tert-Amyl methyl ether (TAME)	ND	10	84	86.8	3.21	90.4	91.1	0.748	70 - 130	30	70 - 130	30
t-Butyl alcohol (TBA)	ND	50	89.4	94.1	5.13	95.3	91.4	4.15	70 - 130	30	70 - 130	30
1,2-Dibromoethane (EDB)	ND	10	95.9	98.8	2.97	104	101	2.69	70 - 130	30	70 - 130	30
1,2-Dichloroethane (1,2-DCA)	ND	10	91.5	95	3.70	101	101	0	70 - 130	30	70 - 130	30
Diisopropyl ether (DIPE)	ND	10	103	107	4.57	117	117	0	70 - 130	30	70 - 130	30
Ethyl tert-butyl ether (ETBE)	ND	10	94.6	96.6	2.10	105	104	0.949	70 - 130	30	70 - 130	30
Methyl-t-butyl ether (MTBE)	2.5	10	95.1	96.7	1.35	105	103	2.36	70 - 130	30	70 - 130	30
%SS1:	77	25	76	77	1.14	76	77	1.83	70 - 130	30	70 - 130	30

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

#### BATCH 45823 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
0909397-001B	09/12/09 4:14 PM	09/15/09	09/15/09 3:43 PM	0909397-002B	09/12/09 3:54 PM	09/15/09	09/15/09 4:21 PM
0909397-003B	09/12/09 4:36 PM	09/15/09	09/15/09 8:10 PM	0909397-004B	09/12/09 3:31 PM	09/15/09	09/15/09 5:38 PM
0909397-005B	09/12/09 3:16 PM	09/16/09	09/16/09 3:01 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

Laboratory extraction solvents such as methylene chloride and acetone may occasionally appear in the method blank at low levels.



### QC SUMMARY REPORT FOR SW8021B/8015Bm

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 45822

WorkOrder: 0909397

EPA Method SW8021B/8015Bm		Extraction SW5030B							Spiked Sample ID: 0909379-001A			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
TPH(btex) <sup>f</sup>	ND	60	106	103	2.40	126	113	11.1	70 - 130	20	70 - 130	20
MTBE	ND	10	105	102	2.61	106	98.2	7.45	70 - 130	20	70 - 130	20
Benzene	ND	10	99.1	104	5.14	91.8	89.2	2.91	70 - 130	20	70 - 130	20
Toluene	ND	10	97.3	102	5.22	98.2	87.9	11.1	70 - 130	20	70 - 130	20
Ethylbenzene	ND	10	96.7	101	4.87	89.3	87.1	2.54	70 - 130	20	70 - 130	20
Xylenes	ND	30	98.1	103	4.72	90.2	87.7	2.82	70 - 130	20	70 - 130	20
%SS:	104	10	97	99	2.57	106	96	10.5	70 - 130	20	70 - 130	20

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

#### BATCH 45822 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
0909397-001A	09/12/09 4:14 PM	09/15/09	09/15/09 5:07 PM	0909397-002A	09/12/09 3:54 PM	09/16/09	09/16/09 5:11 PM
0909397-003A	09/12/09 4:36 PM	09/16/09	09/16/09 6:53 PM	0909397-004A	09/12/09 3:31 PM	09/16/09	09/16/09 5:41 PM
0909397-005A	09/12/09 3:16 PM	09/16/09	09/16/09 6:30 AM	0909397-005A	09/12/09 3:16 PM	09/16/09	09/16/09 7:59 PM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

£ TPH(btex) = sum of BTEX areas from the FID.

# cluttered chromatogram; sample peak coelutes with surrogate peak.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = matrix interference and/or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content, or inconsistency in sample containers.



### QC SUMMARY REPORT FOR SW8015B

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 45824

WorkOrder: 0909397

EPA Method SW8015B		Extraction SW3510C							Spiked Sample ID: N/A			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
TPH-Diesel (C10-C23)	N/A	1000	N/A	N/A	N/A	102	101	0.427	N/A	N/A	70 - 130	30
%SS:	N/A	2500	N/A	N/A	N/A	97	97	0	N/A	N/A	70 - 130	30

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:  
NONE

#### BATCH 45824 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
0909397-001C	09/12/09 4:14 PM	09/14/09	09/18/09 12:39 PM	0909397-002C	09/12/09 3:54 PM	09/14/09	09/18/09 6:32 PM
0909397-003C	09/12/09 4:36 PM	09/14/09	09/17/09 4:53 AM	0909397-004C	09/12/09 3:31 PM	09/14/09	09/17/09 6:01 AM
0909397-005C	09/12/09 3:16 PM	09/14/09	09/17/09 7:10 AM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.