

**RECEIVED**

10:18 am, Jul 28, 2008

Alameda County  
Environmental Health

**GEOENVIRO SERVICES, INC.**

June 10, 2008

Alameda County Department of Environmental Health  
1131 Harbor Bay Park Way  
Alameda, California 94502

Attention: Steven Plunkett

SITE: FORMER EZ-SERVE LOCATION 100877  
525 WEST A STREET  
HAYWARD, CALIFORNIA  
ACDEH CASE NO. 3580

RE: GROUNDWATER MONITORING AND SAMPLING REPORT, SECOND QUARTER  
2008 (2Q08)

Dear Mr. Plunkett:

GeoEnviro Services Inc. (GeoEnviro) has prepared this report on behalf of Restructure Petroleum Marketing Services (RPMS) to document quarterly groundwater monitoring activities completed during the Second Quarter 2008 (2Q08) at the Former EZ-Serve No. 100877 located at 525 West A Street, Hayward, California. Groundwater monitoring and sampling for 2Q08 was completed on May 13, 2008. The results are summarized on the attached summary, tables, and figures.

General field procedures are included in Attachment A. Groundwater monitoring and sampling field documentation are included in Attachment B. Copies of the laboratory analytical reports along with chain-of-custody documentation are included in Attachment C. Geotracker submittal documentation is included in Attachment D.

If you have any questions regarding this report, please contact me at [joe@geoenviroservices.com](mailto:joe@geoenviroservices.com).

Sincerely,

GEOENVIRO SERVICES, INC.



Joseph P. Schaaf, P.G, C.Hg.  
Principal Geologist



cc: Mr. Jack Ceccarelli, Restructure Petroleum Marketing Services of CA  
Mr. Aziz Kandahari, KB Chevron, Property Owner  
State Water Resources Control Board, UST Cleanup Fund

**EZ-SERVE 100877**  
**GROUNDWATER MONITORING AND SAMPLING, SECOND QUARTER 2008**  
June 10, 2008

---

ATTACHMENTS:

Project and Quarterly Monitoring Data Summary

Table 1: Fluid Level Monitoring Data

Table 2: Results of Laboratory Analysis of Groundwater Samples

Figure 1: Site Location Map

Figure 2: Site Map with Contours of Groundwater Elevation, Second Quarter 2008

Figure 3: Site Map with Contours of TPHg Concentrations in Groundwater, Second Quarter 2008

Figure 4: Site Map with Contours of Benzene Concentrations in Groundwater, Second Quarter 2008

Figure 5: Site Map with Contours of MTBE Concentrations in Groundwater, Second Quarter 2008

Attachment A: General Field Procedures

Attachment B: Groundwater Monitoring and Sampling Field Data Sheets

Attachment C: Laboratory Analytical Reports and Chain of Custody Documentation

Attachment D: Geotracker Submittal Documentation

**LIMITATIONS**

This letter-report has been prepared at the request of Restructure Petroleum Marketing Services of California for submittal to the Alameda County Department of Environmental Health. In performing our professional services, we have attempted to apply present engineering and scientific judgment and use a level of effort consistent with the standard of practice measured on the date of work and in locale of the project site for similar type studies. GeoEnviro Services, Inc. makes no warranty, express or implied.

The analyses and interpretations presented in this report have been developed based on the results from the review of existing information pertaining to the Project Site and the results from the laboratory analyses of the groundwater samples collected from discrete locations. It should be recognized that groundwater contamination can vary between sampling locations and between monitoring events.

**FORMER EZ SERVE 100877, ACDEH CASE No. 3580**  
**525 WEST A STREET, HAYWARD CALIFORNIA**  
**GROUNDWATER MONITORING AND SAMPLING, SECOND QUARTER 2008**  
 June 10, 2008

**PROJECT AND QUARTERLY GROUNDWATER MONITORING DATA SUMMARY**

**SITE INFORMATION**

Location/Address:	<b>Former EZ Serve 100877, 525 West A Street, Hayward, California</b>
Owner/RP:	Restructure Petroleum Marketing Services (RPMS)
Address	9519 E. M L King Blvd., Suite 100, Tampa, Florida 33610
Consultant :	GeoEnviro Services, Inc. Joseph P. Schaaf, P.G., C.Hg.
Consultant Phone/Fax/email:	(805) 642-1668 / (805) 642-9331 / joe@geoenviroservices.com

**PROJECT INFORMATION**

GW Monitoring Start Date:	<b>1992</b>
Nature of GW Impacts:	UST release of gasoline to soil and groundwater
Number of <b>onsite wells</b> :	7 GW Monitoring 3 Vapor Extraction 1 GW Extraction
Number of <b>offsite wells</b> :	5 GW Monitoring
Site Well Identification:	MW-1, MW-1A, MW-3 through MW-6, MW-8 through MW-10, MW-12, and MW-14. VEAS-1 through VEAS-3. EX-1
Current Remedial Phase:	Soil excavation activities were complete during recent station rebuild in 1Q08
Remediation Start Date:	<b>To Be Evaluated</b>
Remediation End Date:	<b>To Be Evaluated</b>
Site Access Information:	<b>N/A</b>

**MONITORING ACTIVITY, SECOND QUARTER 2008**

Dates of 2Q08 Monitoring Activities:	<b>May 13, 2008</b>
Number of Wells Guaged:	<b>8 total</b> Note: Wells MW-1A, MW-8 through MW-11, MW-13, and EX-1 inaccessible
Number of Well Containing Free Product	<b>0</b> Maximum F.P. Thickness: <b>NA</b>
Wells Sampled:	<b>8 Wells Total: MW-1, MW-3, MW-4, MW-5, MW-6, MW-7, MW-12, MW-14</b>
Chemical Analyses:	U.S. EPA 8015M: TPH-g U.S. EPA 8260B: BTEX, Fuel Oxygenates
Laboratory Used:	Associated Laboratories, Orange, CA
Purge Method / Total Volume:	Submersible pump / 164.5 Gallons
Sample Method:	Dedicated disposable polyethelene bailer
Storage / Disposal Method:	55-Gallon DOT Drums / pending laboratory analyses results

**HYDROGEOLOGIC CONDITIONS, 2Q08**

GW Depth Range (feet bgs):	<b>14.37 (MW-7) to 16.12 (MW-12)</b>
Average GW Depth (feet bgs):	<b>15.14</b>
GW Elevation Range (feet amsl):	<b>27.13 (MW-12) to 28.37 (MW-3)</b>
Average Groundwater El. (feet amsl):	<b>27.60</b>
Average Change in GW Elevation:	<b>0.87 foot decrease since 2-27-08 (First Quarter 2008)</b>
Groundwater Gradient / Direction	<b>0.011 feet/foot southwest</b>

**CHEMICALS OF CONCERN AND CONCENTRATIONS, 2Q08 (micrograms per liter [ug/L])**

TPH-g: No. of wells detected / Range	<b>6 of 8 wells / 241 ug/l (MW-7) to 4,530 ug/l (MW-1)</b>
Benzene: No. of wells detected / Range	<b>5 of 8 wells / 1.0 ug/l (MW-6) to 102 ug/l (MW-4)</b>
MTBE: No. of wells detected / Range	<b>5 of 8 wells / 6.9 ug/l (MW-1) to 127 ug/l (MW-6)</b>

**QUARTERLY TREND ANALYSES / REMEDIAL PROGRESS**

Concentrations of TPHg, BTEX and/or MTBE are generally higher at the locations of the Site wells than the concentrations recorded in 1Q08. Wells MW-1, MW-5, and MW-6 showed an increase in TPHg concentrations; MW-1, MW-3, and MW-6 showed an increase in Benzene; and MW-1, MW-3, and MW-5 showed an increase in MTBE concentrations. The groundwater generally decreased in elevation since the first quarter 2008.

**PROPOSED FUTURE WORK / RECOMMENDATIONS**

Project Site Remains Under Construction. Preparation of Work Plan for Additional Groundwater Assessment to the West in Progress. Preparation of an Correction Plan pending completion of Additional Site Assessment to the West.

**TABLE 1**  
**FLUID LEVEL MONITORING DATA**  
**February 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

<b>Well ID</b>	<b>Date Monitored</b>	<b>Top of Casing Elevation* (feet)</b>	<b>Screen Interval (fbg)</b>	<b>Free Product</b>	<b>Depth to Water (feet)</b>	<b>Groundwater Elevation (feet)</b>
MW-1	02/05/92	41.75	15-29	--	20.82	20.93
MW-1	09/11/92	41.75	15-29	--	20.08	21.67
MW-1	12/22/92	41.75	15-29	--	19.79	21.96
MW-1	03/03/93	41.75	15-29	--	16.23	25.52
MW-1	06/23/93	41.75	15-29	--	16.86	24.89
MW-1	09/30/93	41.75	15-29		18.04	23.71
MW-1	02/06/94	41.75	15-29	--	18.15	23.60
MW-1	05/02/94	41.75	15-29	--	17.26	24.49
MW-1	07/01/94	41.75	15-29	--	17.60	24.15
MW-1	09/20/94	41.75	15-29	--	20.59	21.16
MW-1	12/05/92	41.75	15-29	--	17.83	23.92
MW-1	03/10/95	41.75	15-29	--	14.67	27.08
MW-1	03/15/95	41.75	15-29	--	14.43	27.32
MW-1	09/23/96	41.75	15-29	--	14.92	26.83
MW-1	12/04/96	41.75	15-29	--	15.61	26.14
MW-1	04/08/97	41.75	15-29	--	13.25	28.50
MW-1	06/30/97	41.75	15-29	--	14.68	27.07
MW-1	11/25/97	41.75	15-29	--	15.99	25.76
MW-1	06/01/98	41.75	15-29	--	9.98	31.77
MW-1	06/14/01	41.75	15-29	--	15.05	26.70
MW-1	11/07/01	41.75	15-29	--	16.31	25.44
MW-1	01/30/02	41.75	15-29	--	14.15	27.60
MW-1	05/29/02	41.75	15-29	--	14.55	27.20
MW-1	08/14/02	41.75	15-29	--	15.56	26.19
MW-1	11/15/02	41.75	15-29	--	16.10	25.65
MW-1	10/25/04	41.75	15-29	--	15.99	25.76
MW-1	12/23/04	41.75	15-29	--	15.64	26.11
MW-1	02/25/05	41.75	15-29	--	12.79	28.96
MW-1	05/19/05	41.75	15-29	--	12.27	29.48
MW-1	09/15/05	41.75	15-29	--	14.30	27.45
MW-1	03/20/06	41.75	15-29		11.44	30.31
MW-1	05/25/06	41.75	15-29		11.05	30.70
MW-1	08/23/06	41.75	15-29		12.75	29.00
MW-1	03/14/07	41.75	15-29		13.12	28.63
MW-1	06/11/07	41.75	15-29		14.42	27.33
MW-1	08/01/07	41.75	15-29	--	14.97	26.78
MW-1	02/27/08	41.75	15-29	--	13.35	28.40
MW-1	<b>05/13/08</b>	41.75	15-29	--	14.51	<b>27.24</b>
MW-1A	06/23/93	43.40	--	0.21	17.80	25.75
MW-1A	09/30/93	43.40	--	--	--	--
MW-1A	02/06/94	43.40	--	--	18.89	24.51
MW-1A	05/02/94	43.40	--	0.09	18.35	38.40
MW-1A	07/01/94	43.40	--	--	18.45	24.95
MW-1A	09/20/94	43.40	--	0.22	21.72	21.84
MW-1A	12/05/94	43.40	--	0.07	18.87	24.58
MW-1A	03/10/95	43.40	--	--	15.83	27.57

**TABLE 1**  
**FLUID LEVEL MONITORING DATA**  
**February 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

<b>Well ID</b>	<b>Date Monitored</b>	<b>Top of Casing Elevation* (feet)</b>	<b>Screen Interval (fbg)</b>	<b>Free Product</b>	<b>Depth to Water (feet)</b>	<b>Groundwater Elevation (feet)</b>
MW-1A	03/15/95	43.40	--	0.05	15.55	27.89
MW-1A	09/23/96	43.40	--	0.01	16.00	27.41
MW-1A	12/04/96	43.40	--	--	16.55	26.85
MW-1A	04/08/97	43.40	--	SHEEN	14.15	29.25
MW-1A	06/30/97	43.40	--	--	15.57	27.83
MW-1A	11/25/97	43.40	--	--	16.91	26.49
MW-1A	06/01/98	43.40	--	--	10.78	32.62
MW-1A	06/14/01	43.40	--	0.01	15.93	27.48
MW-1A	11/07/01	43.40	--	--	17.32	26.08
MW-1A	01/30/02	43.40	--	--	15.05	28.35
MW-1A	05/29/02	43.40	--	--	15.49	27.91
MW-1A	08/14/02	43.40	--	--	16.50	26.90
MW-1A	11/15/02	43.40	--	--	17.04	26.36
MW-1A	10/25/04	43.40	--	--	16.90	26.50
MW-1A	12/23/04	43.40	--	--	16.60	26.80
MW-1A	02/25/05	43.40	--	--	13.75	29.65
MW-1A	05/19/05	43.40	--	--	13.12	30.28
MW-1A	09/15/05	43.40	--	--	15.16	28.24
MW-1A	11/10/05	43.40	--	--	15.78	27.62
MW-1A	03/20/06	43.40	--	--	12.64	30.76
MW-1A	05/25/06	43.40	--	--	11.85	31.55
MW-1A	08/23/06	43.40	--	--	13.55	29.85
MW-1A	03/14/07	43.40	--	--	14.00	29.40
MW-1A	06/12/07	43.40	--	--	15.30	28.10
MW-1A	08/01/07	43.40	--	--	15.84	27.56
MW-1A	02/27/08	43.40	--	--	14.10	29.30
MW-1A	<b>05/13/08</b>	43.40	Well Not Accessable	--	--	--
MW-2	02/05/92	43.26	15-29	--	22.35	20.91
MW-2	09/11/92	43.26	15-29	--	21.67	21.59
MW-2	12/22/92	43.26	15-29	--	21.39	21.87
MW-2	03/03/93	43.26	15-29	--	17.75	25.51
MW-2	06/23/93	43.26	15-29	--	18.42	24.84
MW-2	09/30/93	43.26	15-29	--	19.63	23.63
MW-2	02/06/94	43.26	15-29	--	19.61	23.65
MW-2	05/02/94	43.26	15-29	--	19.84	23.42
MW-2	07/01/94	43.26	15-29	--	19.18	24.08
MW-2	09/20/94	43.26	15-29	--	22.17	21.09
MW-2	12/06/94	43.26	15-29	--	19.37	23.89
MW-2	03/10/95	43.26	15-29	--	16.33	26.93
MW-2	03/15/95	43.26	15-29	--	16.89	26.37
MW-2	09/23/96	43.26	15-29	--	16.61	26.65
MW-2	12/04/96	43.26	15-29	--	17.19	26.07
MW-2	04/08/97	43.26	15-29	--	14.86	28.40
MW-2	06/30/97	43.26	15-29	--	16.28	26.98
MW-2	11/25/97	43.26	15-29	--	17.56	25.70
MW-2	06/01/98	43.26	15-29	--	11.58	31.68

**TABLE 1**  
**FLUID LEVEL MONITORING DATA**  
**February 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

<b>Well ID</b>	<b>Date Monitored</b>	<b>Top of Casing Elevation* (feet)</b>	<b>Screen Interval (fbg)</b>	<b>Free Product</b>	<b>Depth to Water (feet)</b>	<b>Groundwater Elevation (feet)</b>
MW-2	06/14/01	43.26	15-29	--	16.63	26.63
MW-2	11/07/01	43.26	15-29	--	17.85	25.41
MW-2	01/30/02	43.26	15-29	--	15.65	27.61
MW-2	05/29/02	43.26	15-29	--	16.12	27.14
MW-2	08/14/02	43.26	15-29	--	17.20	26.06
MW-2	11/15/02	43.26	15-29	--	17.63	25.63
MW-2	10/25/04	43.26	15-29	--	17.53	25.73
MW-2	12/23/04	43.26	15-29	--	17.15	26.11
MW-2	02/25/05	43.26	15-29	--	14.30	28.96
MW-2	05/19/05	43.26	15-29	--	13.81	29.45
MW-2	09/15/05	43.26	15-29	Inaccessible due to temporary habitat		
MW-2	11/10/05	43.26	15-29	--	16.39	26.87
MW-2	03/20/06	43.26	15-29	--	13.00	30.26
MW-2	05/25/06	43.26	15-29	Destroyed on March 2, 2006		
MW-3	02/05/92	43.89	15-29	--	21.85	22.04
MW-3	09/11/92	43.89	15-29	--	21.13	22.76
MW-3	12/22/92	43.89	15-29	--	20.88	23.01
MW-3	03/03/93	43.89	15-29	--	17.29	26.60
MW-3	06/23/93	43.89	15-29	--	17.88	26.01
MW-3	09/30/93	43.89	15-29	--	19.18	24.71
MW-3	02/06/94	43.89	15-29	--	19.21	24.68
MW-3	05/02/94	43.89	15-29	--	18.30	25.59
MW-3	07/01/94	43.89	15-29	--	18.63	25.26
MW-3	09/20/94	43.89	15-29	--	21.64	22.25
MW-3	12/06/94	43.89	15-29	--	19.15	24.74
MW-3	03/10/95	43.89	15-29	--	16.33	27.56
MW-3	03/15/95	43.89	15-29	--	16.89	27.00
MW-3	09/23/96	43.89	15-29	--	16.11	27.78
MW-3	12/04/96	43.89	15-29	--	16.63	27.26
MW-3	04/08/97	43.89	15-29	--	14.25	29.64
MW-3	06/30/97	43.89	15-29	--	15.70	28.19
MW-3	11/25/97	43.89	15-29	--	16.99	26.90
MW-3	06/01/98	43.89	15-29	--	--	--
MW-3	06/14/01	43.89	15-29	--	16.02	27.87
MW-3	11/07/01	43.89	15-29	--	17.33	26.56
MW-3	01/30/02	43.89	15-29	--	15.10	28.79
MW-3	05/29/02	43.89	15-29	--	15.63	28.26
MW-3	08/14/02	43.89	15-29	--	16.63	27.26
MW-3	11/15/02	43.89	15-29	--	17.10	26.79
MW-3	10/25/04	43.89	15-29	--	17.01	26.88
MW-3	12/20/04	43.89	15-29	--	16.64	27.25
MW-3	02/25/05	43.89	15-29	Could not locate, VEAS-2 sampled instead		
MW-3	05/19/05	43.89	15-29	Could not locate, VEAS-2 sampled instead		
MW-3	09/15/05	43.89	15-29	--	Couldn't locate	--
MW-3	11/10/05	43.89	15-29	--	Couldn't locate	--
MW-3	03/20/06	43.89	15-29	--	12.44	31.45

**TABLE 1**  
**FLUID LEVEL MONITORING DATA**  
**February 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

<b>Well ID</b>	<b>Date Monitored</b>	<b>Top of Casing Elevation* (feet)</b>	<b>Screen Interval (fbg)</b>	<b>Free Product</b>	<b>Depth to Water (feet)</b>	<b>Groundwater Elevation (feet)</b>
MW-3	05/25/06	43.89	15-29	--	12.05	31.84
MW-3	08/23/06	43.89	15-29	--	13.75	30.14
MW-3	03/14/07	43.89	15-29	--	14.11	29.78
MW-3	06/12/07	43.89	15-29	--	15.43	28.46
MW-3	08/01/07	43.89	15-29	--	15.97	27.92
MW-3	02/27/08	43.89	15-29	--	14.40	29.49
MW-3	<b>05/13/08</b>	43.89	15-29	--	15.52	<b>28.37</b>
MW-4	02/05/92	42.76	15-29	--	21.31	21.45
MW-4	09/11/92	42.76	15-29	--	20.62	22.14
MW-4	12/22/92	42.76	15-29	--	20.37	22.39
MW-4	03/03/93	42.76	15-29	--	16.78	25.98
MW-4	06/23/93	42.76	15-29	--	17.45	25.31
MW-4	09/30/93	42.76	15-29	--	18.64	24.12
MW-4	02/06/94	42.76	15-29	--	18.59	24.17
MW-4	05/02/94	42.76	15-29	--	17.81	24.95
MW-4	07/01/94	42.76	15-29	--	18.13	24.63
MW-4	09/20/94	42.76	15-29	--	21.13	21.63
MW-4	12/06/94	42.76	15-29	--	18.36	24.40
MW-4	03/10/95	42.76	15-29	--	15.25	27.51
MW-4	03/15/95	42.76	15-29	--	14.89	27.87
MW-4	09/23/96	42.76	15-29	--	15.56	27.20
MW-4	12/04/96	42.76	15-29	--	16.11	26.65
MW-4	04/08/97	42.76	15-29	--	13.73	29.03
MW-4	06/30/97	42.76	15-29	--	15.19	27.57
MW-4	11/25/97	42.76	15-29	--	16.49	26.27
MW-4	06/01/98	42.76	15-29	--	10.42	32.34
MW-4	06/14/01	42.76	15-29	--	15.55	27.21
MW-4	11/07/01	42.76	15-29	--	16.81	25.95
MW-4	01/30/02	42.76	15-29	--	14.60	28.16
MW-4	05/29/02	42.76	15-29	--	15.14	27.62
MW-4	08/14/02	42.76	15-29	--	16.07	26.69
MW-4	11/15/02	42.76	15-29	--	16.61	26.15
MW-4	10/25/04	42.76	15-29	--	16.50	26.26
MW-4	12/23/04	42.76	15-29	--	16.20	26.56
MW-4	02/25/05	42.76	15-29	--	13.30	29.46
MW-4	05/19/05	42.76	15-29	--	12.74	30.02
MW-4	09/15/05	42.76	15-29	--	14.80	27.96
MW-4	11/10/06	42.76	15-29	--	15.45	27.31
MW-4	03/20/06	42.76	15-29	--	11.93	30.83
MW-4	05/25/06	42.76	15-29	--	11.49	31.27
MW-4	08/23/06	42.76	15-29	--	13.23	29.53
MW-4	03/14/07	42.76	15-29	--	13.65	29.11
MW-4	06/12/07	42.76	15-29	--	14.92	27.84
MW-4	08/01/07	42.76	15-29	--	15.48	27.28
MW-4	02/27/08	42.76	15-29	--	Could not locate well	
MW-4	<b>05/13/08</b>	42.76	15-29	--	15.02	<b>27.74</b>

**TABLE 1**  
**FLUID LEVEL MONITORING DATA**  
**February 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

<b>Well ID</b>	<b>Date Monitored</b>	<b>Top of Casing Elevation* (feet)</b>	<b>Screen Interval (fbg)</b>	<b>Free Product</b>	<b>Depth to Water (feet)</b>	<b>Groundwater Elevation (feet)</b>
MW-5	02/05/92	42.10	15-29	--	20.93	21.17
MW-5	09/11/92	42.10	15-29	--	20.27	21.83
MW-5	12/22/92	42.10	15-29	--	19.99	22.11
MW-5	03/03/93	42.10	15-29	--	16.49	25.61
MW-5	06/23/93	42.10	15-29	--	17.02	25.08
MW-5	09/30/93	42.10	15-29	--	18.25	23.85
MW-5	02/06/94	42.10	15-29	--	18.26	23.84
MW-5	05/02/94	42.10	15-29	--	17.50	24.60
MW-5	07/01/94	42.10	15-29	--	17.79	24.31
MW-5	09/20/94	42.10	15-29	--	20.77	21.33
MW-5	15/5/92	42.10	15-29	--	18.02	24.08
MW-5	03/10/95	42.10	15-29	--	14.93	27.17
MW-5	03/15/95	42.10	15-29	--	14.70	27.40
MW-5	09/23/96	42.10	15-29	--	15.19	26.91
MW-5	12/04/96	42.10	15-29	--	15.78	26.32
MW-5	04/08/97	42.10	15-29	--	13.39	28.71
MW-5	06/30/97	42.10	15-29	--	14.83	27.27
MW-5	11/25/97	42.10	15-29	--	16.14	25.96
MW-5	06/01/98	42.10	15-29	--	10.10	32.00
MW-5	06/14/01	42.10	15-29	--	15.19	26.91
MW-5	11/07/01	42.10	15-29	--	16.47	25.63
MW-5	01/30/02	42.10	15-29	--	14.27	27.83
MW-5	05/29/02	42.10	15-29	--	14.73	27.37
MW-5	08/14/02	42.10	15-29	--	15.73	26.37
MW-5	11/15/02	42.10	15-29	--	16.27	25.83
MW-5	10/25/04	42.10	15-29	--	16.15	25.95
MW-5	12/23/04	42.10	15-29	--	15.88	26.22
MW-5	02/25/05	42.10	15-29	--	12.97	29.13
MW-5	05/19/05	42.10	15-29	--	12.48	29.62
MW-5	09/15/05	42.10	15-29	--	15.47	26.63
MW-5	11/10/08	42.10	15-29	--	15.03	27.07
MW-5	03/20/06	42.10	15-29	--	11.79	30.31
MW-5	05/25/06	42.10	15-29	--	11.15	30.95
MW-5	08/23/06	42.10	15-29	--	12.88	29.22
MW-5	03/14/07	42.10	15-29	--	13.28	28.82
MW-5	06/11/07	42.10	15-29	--	14.56	27.54
MW-5	08/01/07	42.10	15-29	--	15.11	26.99
MW-5	02/27/08	42.10	15-29	--	13.49	28.61
MW-5	<b>05/13/08</b>	42.10	15-29	--	14.64	<b>27.46</b>



**TABLE 1**  
**FLUID LEVEL MONITORING DATA**  
**February 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

<b>Well ID</b>	<b>Date Monitored</b>	<b>Top of Casing Elevation* (feet)</b>	<b>Screen Interval (fbg)</b>	<b>Free Product</b>	<b>Depth to Water (feet)</b>	<b>Groundwater Elevation (feet)</b>
MW-6	02/05/92	42.33	15-29	--	21.29	21.04
MW-6	09/11/92	42.33	15-29	--	20.56	21.77
MW-6	12/22/92	42.33	15-29	--	20.31	22.02
MW-6	03/03/93	42.33	15-29	--	16.83	25.50
MW-6	06/23/93	42.33	15-29	--	17.30	25.03
MW-6	09/30/93	42.33	15-29	--	19.05	23.28
MW-6	02/06/94	42.33	15-29	--	18.55	23.78
MW-6	05/02/94	42.33	15-29	--	17.74	24.59
MW-6	07/01/94	42.33	15-29	--	18.09	24.24
MW-6	09/20/94	42.33	15-29	--	21.05	21.28
MW-6	12/06/94	42.33	15-29	--	18.33	24.00
MW-6	03/10/95	42.33	15-29	--	15.35	26.98
MW-6	03/15/95	42.33	15-29	--	14.91	27.42
MW-6	09/23/96	42.33	15-29	--	15.50	26.83
MW-6	12/04/96	42.33	15-29	--	16.06	26.27
MW-6	04/08/97	42.33	15-29	--	13.64	28.69
MW-6	06/30/97	42.33	15-29	--	15.08	27.25
MW-6	11/25/97	42.33	15-29	--	16.40	25.93
MW-6	06/01/98	42.33	15-29	--	10.31	32.02
MW-6	06/14/01	42.33	15-29	--	15.46	26.87
MW-6	11/07/01	42.33	15-29	--	16.71	25.62
MW-6	01/30/02	42.33	15-29	--	14.60	27.73
MW-6	05/29/02	42.33	15-29	--	14.99	27.34
MW-6	08/14/02	42.33	15-29	--	16.03	26.30
MW-6	11/15/02	42.33	15-29	--	16.53	25.80
MW-6	10/25/04	42.33	15-29	--	16.43	25.90
MW-6	12/23/04	42.33	15-29	--	16.12	26.21
MW-6	02/25/05	42.33	15-29	--	13.13	29.20
MW-6	05/19/05	42.33	15-29	--	12.61	29.72
MW-6	09/15/05	42.33	15-29	--	14.69	27.64
MW-6	11/10/05	42.33	15-29	--	15.30	27.03
MW-6	03/20/06	42.33	15-29	--	11.88	30.45
MW-6	05/25/06	42.33	15-29	--	11.38	30.95
MW-6	08/23/06	42.33	15-29	--	13.10	29.23
MW-6	03/14/07	42.33	15-29	--	13.52	28.81
MW-6	06/12/07	42.33	15-29	--	14.80	27.53
MW-6	08/01/07	42.33	15-29	--	15.38	26.95
MW-6	02/27/08	42.33	15-29	--	13.79	28.54
MW-6	<b>05/13/08</b>	42.33	15-29	--	14.93	<b>27.40</b>
MW-7	06/23/93	42.70	10-29	--	17.87	24.83
MW-7	09/30/93	42.70	10-29	--	18.94	23.76
MW-7	02/06/94	42.70	10-29	0.06	19.11	23.63
MW-7	05/02/94	42.70	10-29	--	18.11	24.59
MW-7	07/01/94	42.70	10-29	--	18.72	23.98
MW-7	09/20/94	42.70	10-29	--	21.41	21.29
MW-7	12/05/94	42.70	10-29	--	18.66	24.04

**TABLE 1**  
**FLUID LEVEL MONITORING DATA**  
**February 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

<b>Well ID</b>	<b>Date Monitored</b>	<b>Top of Casing Elevation* (feet)</b>	<b>Screen Interval (fbg)</b>	<b>Free Product</b>	<b>Depth to Water (feet)</b>	<b>Groundwater Elevation (feet)</b>
MW-7	03/10/95	42.70	10-29	--	15.72	26.98
MW-7	03/14/95	42.70	10-29	--	15.23	27.47
MW-7	09/23/96	42.70	10-29	--	15.94	26.76
MW-7	12/04/96	42.70	10-29	--	16.43	26.27
MW-7	04/08/97	42.70	10-29	--	14.10	28.60
MW-7	06/30/97	42.70	10-29	--	15.51	27.19
MW-7	11/25/97	42.70	10-29	--	16.80	25.90
MW-7	06/01/98	42.70	10-29	--	10.31	32.39
MW-7	06/14/01	42.70	10-29	--	15.46	27.24
MW-7	11/07/01	42.70	10-29	--	--	--
MW-7	01/30/02	42.70	10-29	--	14.97	27.73
MW-7	05/29/02	42.70	10-29	--	15.49	27.21
MW-7	08/14/02	42.70	10-29	--	16.44	26.26
MW-7	11/15/02	42.70	10-29	--	16.91	25.79
MW-7	10/25/04	42.70	10-29		Could not locate	
MW-7	05/19/05	42.70	10-29	--	13.06	29.64
MW-7	09/15/05	42.70	10-29		Could not locate	
MW-7	11/10/05	42.70	10-29	--	15.78	26.92
MW-7	03/20/06	42.70	10-29		Could not locate	
MW-7	05/25/06	42.70	10-29		Well was blocked by debris	
MW-7	08/23/06	42.70	10-29	--	13.60	29.10
MW-7	03/14/07	42.70	10-29	--	14.00	28.70
MW-7	06/12/07	42.70	10-29		Well not safe to access due to dog	
MW-7	08/01/07	42.70	10-29	--	15.82	26.88
MW-7	02/27/08	42.70	10-29	--	14.24	28.46
MW-7	<b>05/13/08</b>	42.70	10-29	--	14.37	<b>28.33</b>
MW-8	06/23/93	97.61	10-29	--	17.64	79.97
MW-8	09/30/93	97.61	10-29	--	18.85	78.76
MW-8	02/06/94	97.61	10-29	--	18.91	78.70
MW-8	05/02/94	97.61	10-29	--	18.11	79.50
MW-8	07/01/94	97.61	10-29	--	18.43	79.18
MW-8	09/20/94	97.61	10-29	--	21.43	76.18
MW-8	12/05/94	97.61	10-29	--	18.72	78.89
MW-8	03/10/95	97.61	10-29	--	18.69	78.92
MW-8	03/15/95	97.61	10-29	--	14.83	82.78
MW-8	09/23/96	97.61	10-29	--	15.83	81.78
	Not sampled, well inaccessible since 4th quarter, 1996					
MW-9	06/23/93	95.41	10-29	--	15.94	79.47
MW-9	09/30/93	95.41	10-29	--	17.05	78.36
MW-9	02/06/94	95.41	10-29	--	17.07	78.34
MW-9	05/02/94	95.41	10-29	--	16.24	79.17
MW-9	07/01/94	95.41	10-29	--	15.59	79.82
MW-9	09/20/94	95.41	10-29	--	16.61	78.80
MW-9	12/05/94	95.41	10-29	--	16.58	78.83
MW-9	03/10/95	95.41	10-29	--	--	--

**TABLE 1**  
**FLUID LEVEL MONITORING DATA**  
**February 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

<b>Well ID</b>	<b>Date Monitored</b>	<b>Top of Casing Elevation* (feet)</b>	<b>Screen Interval (fbg)</b>	<b>Free Product</b>	<b>Depth to Water (feet)</b>	<b>Groundwater Elevation (feet)</b>
MW-9	03/15/95	95.41	10-29	--	14.18	81.23
	Not sampled, well inaccessible since 1st quarter, 1995					
MW-10	06/23/93	97.11	10-29	--	17.39	79.72
MW-10	09/30/93	97.11	10-29	--	18.58	78.53
MW-10	02/06/94	97.11	10-29	--	18.61	78.50
MW-10	05/02/94	97.11	10-29	--	17.83	79.28
MW-10	07/01/94	97.11	10-29	--	18.17	78.94
MW-10	09/20/94	97.11	10-29	--	21.15	75.96
MW-10	12/05/94	97.11	10-29	--	18.43	78.68
MW-10	03/10/95	97.11	10-29	--	15.37	81.74
MW-10	03/15/95	97.11	10-29	--	15.97	81.14
MW-10	09/23/96	97.11	10-29	--	15.59	81.52
MW-10	12/04/96	97.11	10-29	--	16.15	80.96
	Not sampled, well inaccessible since 4th quarter, 1996					
MW-11	02/10/95	92.68	5-29	--	11.80	80.88
MW-11	03/10/95	92.68	5-29	--	11.58	81.10
MW-11	03/15/95	92.68	5-29	--	13.96	78.72
MW-11	09/23/96	92.68	5-29	--	12.29	80.39
MW-11	12/04/96	92.68	5-29	--	--	--
MW-11	04/08/97	92.68	5-29	--	10.51	82.17
	Not sampled, well inaccessible since 2nd quarter, 1997					
MW-12	02/10/95	43.25	10-30	--	16.30	26.95
MW-12	03/10/95	43.25	10-30	--	16.37	26.88
MW-12	03/14/95	43.25	10-30	--	15.69	27.56
MW-12	09/23/96	43.25	10-30	--	16.67	26.58
MW-12	12/04/96	43.25	10-30	--	17.16	26.09
MW-12	04/08/97	43.25	10-30	--	14.88	28.37
MW-12	06/30/97	43.25	10-30	--	16.33	26.92
MW-12	11/25/97	43.25	10-30	--	17.61	25.64
MW-12	06/01/98	43.25	10-30	--	11.58	31.67
MW-12	06/14/01	43.25	10-30	--	16.62	26.63
MW-12	11/07/01	43.25	10-30	--	17.91	25.34
MW-12	01/30/02	43.25	10-30	--	15.60	27.65
MW-12	05/29/02	43.25	10-30	--	16.24	27.01
MW-12	08/14/02	43.25	10-30	--	17.20	26.05
MW-12	11/15/02	43.25	10-30	--	17.62	25.63
MW-12	10/25/04	43.25	10-30			
	Well not sampled, cars parked on well					
MW-12	02/25/05	43.25	10-30	--	14.72	28.53
MW-12	05/19/05	43.25	10-30	--	13.80	29.45
MW-12	09/15/05	43.25	10-30		15.94	27.31
MW-12	11/10/05	43.25	10-30		16.51	26.74
MW-12	03/20/06	43.25	10-30	--	13.04	30.21
MW-12	05/25/06	43.25	10-30	--	12.65	30.60
MW-12	08/23/06	43.25	10-30	--	14.44	28.81

**TABLE 1**  
**FLUID LEVEL MONITORING DATA**  
**February 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

<b>Well ID</b>	<b>Date Monitored</b>	<b>Top of Casing Elevation* (feet)</b>	<b>Screen Interval (fbg)</b>	<b>Free Product</b>	<b>Depth to Water (feet)</b>	<b>Groundwater Elevation (feet)</b>
MW-12	03/14/07	43.25	10-30	--	14.70	28.55
MW-12	06/11/07	43.25	10-30	--	16.02	27.23
MW-12	08/01/07	43.25	10-30	--	16.57	26.68
MW-12	02/27/08	43.25	10-30	--	14.99	28.26
MW-12	<b>05/13/08</b>	43.25	10-30	--	16.12	<b>27.13</b>
MW-13	02/10/95	40.97	10-30	--	14.45	26.52
MW-13	03/10/95	40.97	10-30	--	14.30	26.67
MW-13	03/14/95	40.97	10-30	--	15.81	25.16
MW-13	09/23/96	40.97	10-30	--	14.60	26.37
MW-13	12/04/96	40.97	10-30	--	--	--
MW-13	04/08/97	40.97	10-30	--	12.75	28.22
MW-13	06/30/97	40.97	10-30	--	14.13	26.84
MW-13	11/25/97	40.97	10-30	--	15.48	25.49
MW-13	06/01/98	40.97	10-30	--	9.58	31.39
MW-13	06/14/01	40.97	10-30	--	14.51	26.46
MW-13	11/07/01	40.97	10-30	--	15.85	25.12
MW-13	01/30/02	40.97	10-30	--	13.65	27.32
MW-13	05/29/02	40.97	10-30	--	14.10	26.87
MW-13	08/14/02	40.97	10-30	--	15.13	25.84
MW-13	11/15/02	40.97	10-30	--	--	--
MW-13	10/25/04	40.97	Well not sampled. Unable to locate well since 10/25/04			
MW-14	02/10/95	43.19	10-30	--	16.28	26.91
MW-14	03/10/95	43.19	10-30	--	16.33	26.86
MW-14	03/14/95	43.19	10-30	--	14.87	28.32
MW-14	09/23/96	43.19	10-30	--	16.67	26.52
MW-14	12/04/96	43.19	10-30	--	17.06	26.13
MW-14	04/08/97	43.19	10-30	--	14.77	28.42
MW-14	06/30/97	43.19	10-30	--	16.22	26.97
MW-14	11/25/97	43.19	10-30	--	17.52	25.67
MW-14	06/01/98	43.19	10-30	--	11.46	31.73
MW-14	06/14/01	43.19	10-30	--	16.53	26.66
MW-14	11/07/01	43.19	10-30	--	17.84	25.35
MW-14	01/30/02	43.19	10-30	--	15.55	27.64
MW-14	05/29/02	43.19	10-30	--	16.14	27.05
MW-14	08/14/02	43.19	10-30	--	17.12	26.07
MW-14	11/15/02	43.19	10-30	--	17.56	25.63
MW-14	10/25/04	43.19	Well not sampled. Unable to locate well due to parked cars			
MW-14	02/25/05	43.19	10-30	--	14.20	28.99
MW-14	05/19/05	43.19	10-30	--	13.71	29.48
MW-14	09/15/05	43.19	10-30	Well not sampled due to lack of traffic control		
MW-14	11/10/05	43.19	10-30	Well not sampled due to lack of traffic control		
MW-14	03/20/06	43.19	10-30	--	12.94	30.25
MW-14	05/25/06	43.19	10-30	--	12.68	30.51
MW-14	08/23/06	43.19	10-30	--	15.32	27.87
MW-14	03/14/07	43.19	10-30	--	14.58	28.61

**TABLE 1**  
**FLUID LEVEL MONITORING DATA**  
**February 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

<b>Well ID</b>	<b>Date Monitored</b>	<b>Top of Casing Elevation* (feet)</b>	<b>Screen Interval (fbg)</b>	<b>Free Product</b>	<b>Depth to Water (feet)</b>	<b>Groundwater Elevation (feet)</b>
MW-14	06/11/07	43.19	10-30	--	15.95	27.24
MW-14	08/01/07	43.19	10-30	--	16.47	26.72
MW-14	02/27/08	43.19	10-30	--	14.91	28.28
MW-14	<b>05/13/08</b>	43.19	10-30	--	16.03	<b>27.16</b>
EX-1	08/14/02	--	10-35	--	16.58	--
EX-1	11/15/02	--	10-35	--	17.02	--
EX-1	10/25/04	--	10-35	--	16.91	--
EX-1	12/23/04	--	10-35	--	16.60	--
EX-1	02/25/05	--	10-35	--	13.72	--
EX-1	05/19/05	--	10-35	--	13.13	--
EX-1	09/15/05	--	10-35	--	15.20	--
EX-1	11/10/05	--	10-35	--	15.80	--
EX-1	03/20/06	--	10-35	--	12.35	--
EX-1	05/25/06	--	10-35	--	11.88	--
EX-1	08/23/06	--	10-35	--	13.62	--
EX-1	03/14/07	--	10-35	--	14.00	--
EX-1	06/11/07	--	10-35	--	15.34	--
EX-1	08/01/07	--	10-35	--	15.89	--
EX-1	02/27/08	--	10-35	--	Could not locate well	
EX-1	<b>05/13/08</b>	--	10-35	--	Could not locate well	
VEAS-2	02/25/05	--	5-15/28-30	--	13.68	--
VEAS-2	05/19/05	--	5-15/28-30	--	13.11	--
VEAS-2	11/10/05	--	5-15/28-30	--	DRY	--

Elevations are in feet above mean sea level.

Groundwater elevation calculated as follows:

surface elevation - depth to water

Notes: Free Product = liquid-phase hydrocarbons  
fbg = feet below grade  
-- = not encountered or no data available

Note: No known groundwater sampling was conducted between June 1, 1998 and June 14, 2001 or June 14, 2001 and November 7, 2001. Wellhead elevations resurveyed on January 30, 2002.

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)
MW-1	02/05/92	46,000	7,600	2,300	2,400	6,500	--	--	--	--	--
MW-1	09/11/92	48,000	9,000	1,200	1,800	4,600	--	--	--	--	--
MW-1	12/22/92	84,000	22,000	1,600	4,800	17,000	--	--	--	--	--
MW-1	03/03/93	54,000	16,000	1,600	1,900	4,300	--	--	--	--	--
MW-1	06/23/93	30,000	18,000	1,100	1,400	3,700	--	--	--	--	--
MW-1	09/30/93	33,000	10,000	440	940	1,700	--	--	--	--	--
MW-1	02/06/94	64,000	18,000	1,600	4,700	12,000	--	--	--	--	--
MW-1	05/02/94	7,200	2,100	29	490	520	--	--	--	--	--
MW-1	07/01/94	13,000	3,700	150	550	12,000	--	--	--	--	--
MW-1	09/20/94	10,000	3,100	75	440	870	--	--	--	--	--
MW-1	12/05/92	8,700	3,700	87	520	950	--	--	--	--	--
MW-1	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-1	03/15/95	290	56	2	12	47	--	--	--	--	--
MW-1	09/23/96	20,000	5,200	860	700	1,100	--	--	270	--	--
MW-1	12/04/96	17,000	3,100	64	610	1,200	--	--	280	--	--
MW-1	04/08/97	2,100	430	15	52	85	--	--	100	--	--
MW-1	06/30/97	10,000	2,100	<	<	320	--	--	<	--	--
MW-1	11/25/97	16,000	2,100	23	76	240	--	--	<	--	--
MW-1	06/01/98	19,000	6,100	460	1,100	2,300	--	--	420	--	--
MW-1	06/14/01	6,000	380	8.4	260	180	--	--	<25	--	--
MW-1	11/07/01	12,000	1,000	30	1,000	740	<5.0	<5.0	11	<5.0	<50
MW-1	01/30/02	8,800	690	16	480	270	<5.0	<5.0	14	<5.0	<50
MW-1	05/29/02	6,400	330	13	250	260	2.5	<2.0	12	<2.0	<20
MW-1	08/14/02	5,500	470	14	360	160	<10	<10	10	<10	<100
MW-1	11/15/02	10,000	440	16	310	150	<10	<10	15	<10	<100
MW-1	10/25/04	4,300	260	3.3	150	32	<0.90	<0.90	14	<0.90	5.8
MW-1	12/23/04	11,000	860	6.1	880	280	<0.90	<0.90	16	<0.90	11
MW-1	02/25/05	11,000	710	6.7	720	330	<1.5	<1.5	24	<1.5	11
MW-1	05/19/05	7,500	610	12	370	140	<1.5	<1.5	20	<1.5	11
MW-1	09/15/05	6,100	300	3.5	280	71	<0.90	<0.90	12	<0.90	7.8
MW-1	03/20/06	6,400	290	3.2	330	61	<0.90	<0.90	8.8	<0.90	6
MW-1	05/25/06	4,200	300	6.4	100	40	<0.90	<0.90	11	<0.90	6.7
MW-1	08/23/06	3,400	140	1.9	92	9.2	<0.50	<0.50	4.2	<0.50	<5.0
MW-1	03/14/07	5,600	75	0.83	160	20	<0.50	<0.50	2.5	<0.50	<5.0
MW-1	06/11/07	5,400	90	<1.0	220	12	<1.0	<1.0	2.4	<1.0	<5.0
MW-1	08/01/07	5,300	130	<0.74	450	36	<0.60	<0.63	<0.77	<0.83	<35

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)
MW-1	02/27/08	1,090	11	<0.24	40	9.1	<0.18	<0.23	<0.19	<0.19	<10
MW-1	05/13/08	4,530	77	<0.25	457	56	<2.5	<2.5	6.9	<2.5	<25.0
MW-1A	06/23/93	--	--	--	--	--	--	--	--	--	--
MW-1A	09/30/93	--	--	--	--	--	--	--	--	--	--
MW-1A	02/06/94	8,900	1,700	42	1,000	400	--	--	--	--	--
MW-1A	05/02/94	--	--	--	--	--	--	--	--	--	--
MW-1A	07/01/94	12,000	1,100	<1	920	1,100	--	--	--	--	--
MW-1A	09/20/94	--	--	--	--	--	--	--	--	--	--
MW-1A	12/05/94	--	--	--	--	--	--	--	--	--	--
MW-1A	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-1A	03/15/95	--	--	--	--	--	--	--	--	--	--
MW-1A	09/23/96	--	--	--	--	--	--	--	--	--	--
MW-1A	12/04/96	52,000	420	140	1,000	3,500	--	--	130	--	--
MW-1A	04/08/97	--	--	--	--	--	--	--	--	--	--
MW-1A	06/30/97	17,000	180	<	140	1,100	--	--	<	--	--
MW-1A	11/25/97	19,000	110	37	290	910	--	--	<	--	--
MW-1A	06/01/98	18,000	200	17	230	820	--	--	91	--	--
MW-1A	06/14/01	27,000	29	<5.0	620	520	--	--	<50	--	--
MW-1A	11/07/01	21,000	51	<5.0	700	510	<5.0	<5.0	<5.0	<5.0	<50
MW-1A	01/30/02	24,000	22	<5.0	390	330	<5.0	<5.0	<5.0	<5.0	<50
MW-1A	05/29/02	12,000	32	<5.0	550	270	<5.0	<5.0	<5.0	<5.0	<50
MW-1A	08/14/02	14,000	22	<2.0	510	240	<2.0	<2.0	<2.0	<2.0	<20
MW-1A	11/15/02	17,000	59	2.4	630	250	<2.0	<2.0	<2.0	<2.0	<20
MW-1A	10/25/04	2,200	1.3	<0.50	58	3.7	<0.50	<0.50	<0.50	<0.50	<5.0
MW-1A	12/23/04	3,100	2.2	<0.50	96	5.4	<0.50	<0.50	<0.50	<0.50	<5.0
MW-1A	02/25/05	7,300	4.7	1.1	140	24	<0.50	<0.50	<0.50	<0.50	<5.0
MW-1A	05/19/05	13,000	3.1	1.7	190	50	<1.5	<1.5	<1.5	<1.5	<7.0
MW-1A	09/15/05	4,000	0.84	<0.50	52	2.5	<0.50	<0.50	<0.50	<0.50	<5.0
MW-1A	11/10/05	12,000	<2.0	0.76	130	3.6	<0.50	<0.50	<0.50	<0.50	<5.0
MW-1A	03/20/06	3,300	1.1	<0.50	17	1	<0.50	<0.50	<0.50	<0.50	<5.0
MW-1A	05/25/06	1,600	0.79	<0.50	22	0.94	<0.50	<0.50	<0.50	<0.50	<5.0
MW-1A	08/23/06	4,700	1.6	1.1	84	1.8	<0.50	<0.50	<0.50	<0.50	<5.0
MW-1A	03/14/07	610	<0.50	<0.50	12	<0.50	<0.50	<0.50	7.5	<0.50	<5.0
MW-1A	06/12/07	3,200	1.1	0.84	79	0.76	<0.50	<0.50	20	<0.50	<5.0
MW-1A	08/01/07	440	0.31	<0.15	6.2	<0.34	<0.12	<0.13	79	<0.17	<6.9

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)
MW-1A	02/27/08	1,660	<0.18	<0.24	50	<0.45	<0.20	<0.23	21	<0.19	<10
MW-2	02/05/92	67,000	13,000	4,700	820	1,300	--	--	--	--	--
MW-2	09/11/92	57,000	9,000	1,400	1,200	8,400	--	--	--	--	--
MW-2	12/22/92	31,000	9,900	350	2,000	4,100	--	--	--	--	--
MW-2	03/03/93	17,000	5,100	1,300	720	1,900	--	--	--	--	--
MW-2	06/23/93	60,000	23,000	1,500	4,500	17,000	--	--	--	--	--
MW-2	09/30/93	38,000	12,000	780	1,500	6,500	--	--	--	--	--
MW-2	02/06/94	34,000	8,900	450	2,000	5,500	--	--	--	--	--
MW-2	05/02/94	18,000	3,800	260	1,100	3,500	--	--	--	--	--
MW-2	07/01/94	18,000	3,700	510	870	2,600	--	--	--	--	--
MW-2	09/20/94	19,000	4,500	300	1,200	4,000	--	--	--	--	--
MW-2	12/06/94	22,000	4,700	340	1,400	4,500	--	--	--	--	--
MW-2	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-2	03/15/95	29,000	5,600	350	1,900	6,300	--	--	--	--	--
MW-2	09/23/96	29,000	3,700	150	1,000	4,300	--	--	860	--	--
MW-2	12/04/96	31,000	3,800	140	2,000	5,100	--	--	690	--	--
MW-2	04/08/97	20,000	2,500	80	1,300	3,400	--	--	880	--	--
MW-2	06/30/97	41,000	2,700	130	1,200	4,000	--	--	890	--	--
MW-2	11/25/97	51,000	2,900	140	1,800	7,000	--	--	1,200	--	--
MW-2	06/01/98	33,000	2,700	130	1,800	5,700	--	--	610	--	--
MW-2	06/14/01	18,000	860	14	1,100	2,200	--	--	<100	--	--
MW-2	11/07/01	20,000	880	20	1,100	2,600	<5.0	<5.0	21	<5.0	<50
MW-2	01/30/02	19,000	880	19	1,100	2,400	<5.0	<5.0	56	<5.0	<50
MW-2	05/29/02	8,100	390	16	560	1,400	<5.0	<5.0	32	<5.0	<50
MW-2	08/14/02	19,000	820	21	1,200	2,600	<20	<20	29	<20	<200
MW-2	11/15/02	34,000	910	31	1,000	1,400	<20	<20	39	<20	<200
MW-2	10/25/04	9,300	280	3.8	500	980	<2.0	<2.0	8.2	<2.0	<9.0
MW-2	12/23/04	10,000	310	3.9	470	840	<2.0	<2.0	9.5	<2.0	<9.0
MW-2	02/25/05	15,000	320	4.8	860	1,600	<2.0	<2.0	7.7	<2.0	<9.0
MW-2	05/19/05	15,000	300	3.6	770	1,200	<2.5	<2.5	9.2	<2.5	<15
MW-2	09/15/05	--	--	--	--	--	--	--	--	--	--
MW-2	11/10/05	14,000	230	2.6	530	1,000	<2.5	<2.5	6.2	<2.5	<15
MW-2	03/20/06	8,700	170	<1.5	360	530	<1.5	<1.5	3.8	<1.5	<7.0
MW-2	05/25/06	--	--	--	--	--	--	--	--	--	--
MW-3	02/05/92	16,000	2,700	410	<1	3,400	--	--	--	--	--
MW-3	09/11/92	43,000	7,600	1,600	1,400	4,100	--	--	--	--	--



**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)
MW-3	12/22/92	29,000	8,800	1,200	1,500	3,700	--	--	--	--	--
MW-3	03/03/93	17,000	5,000	1,500	680	1,700	--	--	--	--	--
MW-3	06/23/93	5,700	3,000	120	560	790	--	--	--	--	--
MW-3	09/30/93	21,000	7,000	2,100	970	2,600	--	--	--	--	--
MW-3	02/06/94	24,000	7,200	1,600	990	3,200	--	--	--	--	--
MW-3	05/02/94	10,000	2,200	440	470	1,200	--	--	--	--	--
MW-3	07/01/94	8,200	2,000	370	350	930	--	--	--	--	--
MW-3	09/20/94	7,200	2,000	360	380	1,000	--	--	--	--	--
MW-3	12/06/94	9,000	2,300	400	440	1,100	--	--	--	--	--
MW-3	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-3	03/15/95	4,300	980	47	370	780	--	--	--	--	--
MW-3	09/23/96	10,000	950	20	700	780	--	--	80	--	--
MW-3	12/04/96	13,000	1,100	25	1,000	1,100	--	--	67	--	--
MW-3	04/08/97	3,800	210	4.6	270	280	--	--	56	--	--
MW-3	06/30/97	3,500	280	<	32	180	--	--	<	--	--
MW-3	11/25/97	6,800	230	<	370	290	--	--	130	--	--
MW-3	06/01/98	--	--	--	--	--	--	--	--	--	--
MW-3	06/14/01	2,100	9	<0.5	78	43	--	--	<5.0	--	--
MW-3	11/07/01	7,700	75	<5.0	410	150	<5.0	<5.0	<5.0	<5.0	<50
MW-3	01/30/02	3,600	27	<5.0	120	34	<5.0	<5.0	<5.0	<5.0	<50
MW-3	05/29/02	2,000	18	<5.0	53	13	<5.0	<5.0	<5.0	<5.0	<50
MW-3	08/14/02	2,400	19	<0.5	50	6.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-3	11/15/02	4,300	7.5	<0.5	22	1.1	0.5	0.5	0.5	0.5	<5.0
MW-3	10/25/04	460	0.6	<0.50	9.6	1.7	<0.50	<0.50	<0.50	<0.50	<5.0
MW-3	12/20/04	5,400	9	<0.50	280	74	<0.50	<0.50	<0.50	<0.50	<5.0
MW-3	02/25/05	Could not locate, VEAS-2 sampled instead				--	--	--	--	--	--
MW-3	05/19/05	Could not locate, VEAS-2 sampled instead				--	--	--	--	--	--
MW-3	09/15/05	Could not locate				--	--	--	--	--	--
MW-3	11/10/05	Could not locate				--	--	--	--	--	--
MW-3	03/20/06	800	0.76	<0.50	19	3.7	<0.50	<0.50	<0.50	<0.50	<5.0
MW-3	05/25/06	500	0.59	<0.50	3.8	0.96	<0.50	<0.50	<0.50	<0.50	<5.0
MW-3	08/23/06	550	<0.50	<0.50	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0
MW-3	03/14/07	660	0.85	<0.50	22	3.7	<0.50	<0.50	1.3	<0.50	<5.0
MW-3	06/12/07	540	<0.50	<0.50	14	2.2	<0.50	<0.50	6.0	<0.50	<5.0
MW-3	08/01/07	2,300	2.3	<0.15	87	13	<0.12	<0.13	<0.15	<0.17	<6.9
MW-3	02/27/08	1,360	<0.18	<0.24	32	3	<0.20	<0.23	7.7	<0.19	<10

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

<b>Well Number</b>	<b>Date Sampled</b>	<b>TPH-G (ug/l)</b>	<b>Benzene (ug/l)</b>	<b>Toluene (ug/l)</b>	<b>Ethyl-benzene (ug/l)</b>	<b>Total Xylenes (ug/l)</b>	<b>DIPE (ug/l)</b>	<b>ETBE (ug/l)</b>	<b>MTBE (ug/l)</b>	<b>TAME (ug/l)</b>	<b>TBA (ug/l)</b>
MW-3	05/13/08	1,160	1.2	0.6	28	2.2	<0.5	<0.5	31	<0.5	<5.0
MW-4	02/05/92	16,000	2,700	410	<1	3,400	--	--	--	--	--
MW-4	09/11/92	43,000	7,600	1,600	1,400	4,100	--	--	--	--	--
MW-4	12/22/92	29,000	8,800	1,200	1,500	3,700	--	--	--	--	--
MW-4	03/03/93	17,000	5,000	1,500	680	1,700	--	--	--	--	--
MW-4	06/23/93	5,700	3,000	120	560	790	--	--	--	--	--
MW-4	09/30/93	21,000	7,000	2,100	970	2,600	--	--	--	--	--
MW-4	02/06/94	24,000	7,200	1,600	990	3,200	--	--	--	--	--
MW-4	05/02/94	10,000	2,200	440	470	1,200	--	--	--	--	--
MW-4	07/01/94	8,200	2,000	370	350	930	--	--	--	--	--
MW-4	09/20/94	7,200	2,000	360	380	1,000	--	--	--	--	--
MW-4	12/06/94	9,000	2,300	400	440	1,100	--	--	--	--	--
MW-4	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-4	03/15/95	15,000	4,400	600	770	2,660	--	--	--	--	--
MW-4	09/23/96	32,000	7,400	540	1,500	2,800	--	--	2,100	--	--
MW-4	12/04/96	23,000	7,800	140	1,200	1,200	--	--	1,900	--	--
MW-4	04/08/97	16,000	3,900	680	850	2,300	--	--	980	--	--
MW-4	06/30/97	63,000	7,000	430	1,400	4,400	--	--	1,700	--	--
MW-4	11/25/97	30,000	4,300	61	810	1,500	--	--	880	--	--
MW-4	06/01/98	33,000	5,700	710	1,700	2,900	--	--	720	--	--
MW-4	06/14/01	9,500	690	45	560	600	<5.0	<5.0	<50	<5.0	<50
MW-4	11/07/01	6,000	710	20	630	190	<5.0	<5.0	27	<5.0	<50
MW-4	01/30/02	4,800	830	16	600	61	<20	<20	42	<20	<200
MW-4	05/29/02	5,300	720	57	600	200	<2.0	<2.0	35	<2.0	<20
MW-4	08/14/02	5,000	640	15	550	35	<2.0	<2.0	28	<2.0	<20
MW-4	11/15/02	3,700	330	10	260	200	<0.50	<0.50	20	<0.50	<5.0
MW-4	10/25/04	4,000	180	15	200	190	<0.90	<0.90	4.1	<0.90	<5.0
MW-4	12/23/04	7,400	280	24	340	340	<0.90	<0.90	7.9	<0.90	<5.0
MW-4	02/25/05	4,200	160	15	280	420	<4.0	<4.0	6.2	<4.0	<20
MW-4	05/19/05	15,000	480	76	1,100	1,600	<0.90	<0.90	14	<0.90	5.4
MW-4	09/15/05	5,400	220	22	250	430	<0.50	<0.50	10	<0.50	<5.0
MW-4	11/10/06	8,000	320	37	530	670	<0.50	<0.50	9.3	<0.50	<5.0
MW-4	03/20/06	3,900	91	26	5.8	360.0	<0.50	<0.50	5.7	<0.50	<5.0
MW-4	05/25/06	8,300	300	77	570	730	<0.50	<0.50	5.4	<0.50	<5.0
MW-4	08/23/06	9,400	240	79	490	860	<0.50	<0.50	6.1	<0.50	<5.0
MW-4	03/14/07	4,600	100	20	350	570	<0.50	<0.50	2.3	<0.50	<5.0

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)
MW-4	06/12/07	3,700	120	14	150	230	<0.50	<0.50	2.5	<0.50	<5.0
MW-4	08/01/07	3,700	120	15	280	310	<0.60	<0.63	<0.77	<0.83	<35
MW-4	02/27/08	Could not locate well		--	--	--	--	--	--	--	--
MW-4	<b>05/13/08</b>	2,800	102	18	329	343	<2.5	<2.5	8.0	<2.5	<25.0
MW-5	02/05/92	78,000	7,900	5,000	2,900	1,800	--	--	--	--	--
MW-5	09/11/92	49,000	4,700	400	1,400	4,100	--	--	--	--	--
MW-5	12/22/92	34,000	8,600	340	2,200	4,800	--	--	--	--	--
MW-5	03/03/93	22,000	7,500	640	1,300	3,400	--	--	--	--	--
MW-5	06/23/93	15,000	5,800	120	1,100	2,100	--	--	--	--	--
MW-5	09/30/93	25,000	7,600	410	1,000	4,400	--	--	--	--	--
MW-5	02/06/94	23,000	6,000	180	2,000	5,900	--	--	--	--	--
MW-5	05/02/94	8,000	1,300	29	440	770	--	--	--	--	--
MW-5	07/01/94	10,000	1,700	97	600	1,400	--	--	--	--	--
MW-5	09/20/94	8,400	1,600	54	650	1,400	--	--	--	--	--
MW-5	15/5/92	10,000	1,800	<50	620	1,400	--	--	--	--	--
MW-5	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-5	03/15/95	5,300	1,100	11	180	320	--	--	--	--	--
MW-5	09/23/96	9,800	1,800	11	470	510	--	--	100	--	--
MW-5	12/04/96	10,000	2,200	9	550	430	--	--	70	--	--
MW-5	04/08/97	11,000	1,300	15	450	720	--	--	180	--	--
MW-5	06/30/97	3,800	500	<	75	84	--	--	<	--	--
MW-5	11/25/97	8,200	1,300	14	310	220	--	--	<	--	--
MW-5	06/01/98	3,600	290	12	52	52	--	--	81	--	--
MW-5	06/14/01	5,100	44	0.71	110	23	--	--	<5.0	--	--
MW-5	11/07/01	7,600	220	<5.0	550	30	<5.0	<5.0	<5.0	<5.0	<50
MW-5	01/30/02	6,200	180	<20	310	130	<20	<20	<20	<20	<200
MW-5	05/29/02	3,900	66	0.8	110	7.4	2	<0.5	0.9	<0.5	<5.0
MW-5	08/14/02	4,300	80	0.9	150	12	<0.5	<0.5	1.1	<0.5	<5.0
MW-5	11/15/02	7,000	99	<5.0	250	500	<5.0	<5.0	<5.0	<5.0	<5.0
MW-5	10/25/04	4,800	27	0.5	50	3.7	<0.50	<0.50	0.79	<0.50	<5.0
MW-5	12/23/04	6,300	55	<0.90	140	5.6	<0.90	<0.90	<0.90	<0.90	<5.0
MW-5	02/25/05	4,700	44	0.59	110	4.8	<0.50	<0.50	0.85	<0.50	<5.0
MW-5	05/19/05	3,800	32	0.61	66	4.4	<0.50	<0.50	1	<0.50	<5.0
MW-5	09/15/05	4,500	22	0.65	78	4	<0.50	<0.50	9.5	<0.50	<5.0
MW-5	11/10/08	4,000	19	0.52	77	4.3	<0.50	<0.50	0.8	<0.50	<5.0

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)
MW-5	03/20/06	4,000	9.5	<0.50	4.9	4	<0.50	<0.50	1.5	<0.50	<5.0
MW-5	05/25/06	3,400	12	<0.50	46	3.8	<0.50	<0.50	1.6	<0.50	<5.0
MW-5	08/23/06	4,000	5.6	0.75	42	3.6	<0.50	<0.50	1.3	<0.50	<5.0
MW-5	03/14/07	3,500	3.1	1	31	1.6	<0.50	<0.50	1.8	<0.50	<5.0
MW-5	06/11/07	2,500	3.0	0.83	14	1.4	<0.50	<0.50	1.9	<0.50	<5.0
MW-5	08/01/07	2,700	3.6	1.1	21	1.1	<0.12	<0.12	<0.15	<0.12	<6.9
MW-5	02/27/08	628	1.5	<0.24	8.9	4.2	<0.20	<0.23	1.6	<0.19	<10
MW-5	<b>05/13/08</b>	752	1.3	1.1	1.9	1.8	<0.5	<0.5	7.9	<0.5	<5.0
MW-6	02/05/92	51,000	5,400	3,500	3,600	10,000	--	--	--	--	--
MW-6	09/11/92	24,000	2,500	830	1,400	2,300	--	--	--	--	--
MW-6	12/22/92	23,000	5,100	630	2,000	3,100	--	--	--	--	--
MW-6	03/03/93	18,000	4,400	820	1,400	2,400	--	--	--	--	--
MW-6	06/23/93	18,000	4,600	850	2,700	3,400	--	--	--	--	--
MW-6	09/30/93	--	--	--	--	--	--	--	--	--	--
MW-6	02/06/94	20,000	4,600	690	2,100	2,500	--	--	--	--	--
MW-6	05/02/94	5,300	930	54	610	240	--	--	--	--	--
MW-6	07/01/94	10,000	1,500	160	850	690	--	--	--	--	--
MW-6	09/20/94	11,000	2,000	140	1,200	760	--	--	--	--	--
MW-6	12/06/94	8,600	1,300	87	980	610	--	--	--	--	--
MW-6	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-6	03/15/95	9,800	1,600	110	1,000	1,000	--	--	--	--	--
MW-6	09/23/96	12,000	520	55	930	350	--	--	51	--	--
MW-6	12/04/96	11,000	390	25	680	170	--	--	130	--	--
MW-6	04/08/97	17,000	700	92	1,400	900	--	--	2,700	--	--
MW-6	06/30/97	11,000	270	37	590	450	--	--	<	--	--
MW-6	11/25/97	9,100	130	26	500	150	--	--	310	--	--
MW-6	06/01/98	14,000	190	50	680	400	--	--	160	--	--
MW-6	06/14/01	6,400	29	6.3	200	55	--	--	<20	--	--
MW-6	11/07/01	7,200	34	8.7	180	31	<5.0	<5.0	<5.0	<5.0	<50
MW-6	01/30/02	6,600	32	7.2	130	28	<5.0	<5.0	<5.0	<5.0	<50
MW-6	05/29/02	5,200	26	7	150	27	<0.5	<0.5	<5.0	<0.5	<50
MW-6	08/14/02	5,300	24	6.6	120	22	<2.0	<2.0	<2.0	<2.0	<20
MW-6	11/15/02	5,000	19	4.7	70	38	<0.5	<0.5	<0.5	<0.5	<5.0
MW-6	10/25/04	3,600	9.8	2.1	83	16	<0.50	<0.50	2.3	<0.50	<5.0
MW-6	12/23/04	2,100	8.2	1.3	10	2.4	<0.90	<0.90	1.5	<0.90	<5.0

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)
MW-6	02/25/05	2,500	6.6	1.4	29	5.2	<0.50	<0.50	0.74	<0.50	<5.0
MW-6	05/19/05	3,800	7.5	2.2	54	12	<0.50	<0.50	3.1	<0.50	<5.0
MW-6	09/15/05	1,900	2.9	0.88	12	2.7	<0.50	<0.50	0.94	<0.50	<5.0
MW-6	11/10/05	1,700	2.1	0.6	5.4	1.7	<0.50	<0.50	0.81	<0.50	<5.0
MW-6	03/20/06	2,300	3.6	1.0	12	3.9	<0.50	<0.50	1.1	<0.50	<5.0
MW-6	05/25/06	2,400	5	1.8	31	14	<0.50	<0.50	3	<0.50	<5.0
MW-6	08/23/06	2,300	2.3	0.84	7.8	4.2	<0.50	<0.50	1.7	<0.50	<5.0
MW-6	03/14/07	3,300	2.8	0.7	49	6.5	<0.50	<0.50	10	<0.50	<5.0
MW-6	06/12/07	2,000	1.4	0.54	3.2	2.1	<0.50	<0.50	32	<0.50	<5.0
MW-6	08/01/07	1,500	0.99	0.4	2.1	1.2	<0.12	<0.13	50	<0.17	<6.9
MW-6	02/27/08	1,520	<0.18	<0.24	2.4	1.3	<0.20	<0.23	140	<0.19	<10
MW-6	<b>05/13/08</b>	1,530	1.0	0.8	4.0	1.5	<0.5	<0.5	127	<0.5	<5.0
MW-7	06/23/93	29,000	4,200	71	4,400	5,600	--	--	--	--	--
MW-7	09/30/93	30,000	3,200	71	2,800	3,400	--	--	--	--	--
MW-7	02/06/94	--	--	--	--	--	--	--	--	--	--
MW-7	05/02/94	5,700	630	13	660	400	--	--	--	--	--
MW-7	07/01/94	3,100	180	99	160	520	--	--	--	--	--
MW-7	09/20/94	6,100	540	6	750	730	--	--	--	--	--
MW-7	12/05/94	3,700	280	<10	430	350	--	--	--	--	--
MW-7	03/10/95	3,900	310	<10	540	540	--	--	--	--	--
MW-7	03/14/95	1,900	290	4	26	296	--	--	--	--	--
MW-7	09/23/96	6,300	76	<	420	270	--	--	15	--	--
MW-7	12/04/96	7,800	67	<	600	350	--	--	22	--	--
MW-7	04/08/97	5,600	42	<	240	96	--	--	<	--	--
MW-7	06/30/97	5,500	<	79	<	44	--	--	280	--	--
MW-7	11/25/97	2,400	23	5.4	<	54	--	--	120	--	--
MW-7	06/01/98	14,000	190	50	680	400	--	--	160	--	--
MW-7	06/14/01	6,400	29	6	200	55	--	--	<20	--	--
MW-7	11/07/01	--	--	--	--	--	--	--	--	--	--
MW-7	01/30/02	6,200	1.5	<0.50	96	4.6	<0.5	<0.5	<0.5	<0.5	<50
MW-7	05/29/02	1,600	1	<0.50	3.4	1.9	<0.5	<0.5	<0.5	<0.5	<5.0
MW-7	08/14/02	4,100	1.3	<0.50	74	1.3	<0.5	<0.5	<0.5	<0.5	<5.0
MW-7	11/15/02	1,000	0.6	<0.50	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<5.0
MW-7	10/25/04	Could not locate well		--	--	--	--	--	--	--	--
MW-7	05/19/05	660	<0.50	<0.50	1.8	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)
MW-7	09/15/05	Could not locate well	--	--	--	--	--	--	--	--	--
MW-7	11/10/05	340	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0
MW-7	03/20/06	Could not locate well	--	--	--	--	--	--	--	--	--
MW-7	05/25/06	Well was blocked by debris	--	--	--	--	--	--	--	--	--
MW-7	08/23/06	380	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0
MW-7	03/14/07	170	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0
MW-7	06/12/07	Well not safe to access due to dog	--	--	--	--	--	--	--	--	--
MW-7	08/01/07	470	<0.12	<0.15	1.7	0.5	<0.12	<0.13	<0.15	<0.17	<6.9
MW-7	02/27/08	257	<0.18	<0.24	<0.21	<0.45	<0.20	<0.23	<0.19	<0.19	<10
MW-7	<b>05/13/08</b>	241	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-8	06/23/93	350	43	9	35	67	--	--	--	--	--
MW-8	09/30/93	2,700	190	340	170	720	--	--	--	--	--
MW-8	02/06/94	<100	<1	1	1	2	--	--	--	--	--
MW-8	05/02/94	<100	<1	3	<1	7	--	--	--	--	--
MW-8	07/01/94	300	18	48	19	37	--	--	--	--	--
MW-8	09/20/94	<100	<1	<1	<1	<1	--	--	--	--	--
MW-8	12/05/94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
MW-8	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-8	03/15/95	<50	<0.5	<0.5	<0.5	1	--	--	--	--	--
MW-8	09/23/96	<	<	<	<	<	<	<	<	<	<
	Not sampled, well inaccessible since 4th quarter, 199										
MW-9	06/23/93	45,000	14,000	1,200	2,800	12,000	--	--	--	--	--
MW-9	09/30/93	86,000	22,000	1,100	3,300	15,000	--	--	--	--	--
MW-9	02/06/94	43,000	10,000	460	2,100	7,500	--	--	--	--	--
MW-9	05/02/94	17,000	5,400	270	1,300	4,700	--	--	--	--	--
MW-9	07/01/94	10,000	2,100	120	450	1,300	--	--	--	--	--
MW-9	09/20/94	7,500	2,200	97	400	1,200	--	--	--	--	--
MW-9	12/05/94	10,000	2,700	130	530	1,600	--	--	--	--	--
MW-9	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-9	03/15/95	18,000	5,900	270	1,200	3,680	--	--	--	--	--
	Not sampled, well inaccessible since 1st quarter, 199										

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)
MW-10	06/23/93	35,000	980	640	3,500	12,000	--	--	--	--	--
MW-10	09/30/93	4,000	230	12	100	680	--	--	--	--	--
MW-10	02/06/94	2,000	69	12	220	120	--	--	--	--	--
MW-10	05/02/94	710	16	6	85	62	--	--	--	--	--
MW-10	07/01/94	2,000	52	43	120	210	--	--	--	--	--
MW-10	09/20/94	2,800	34	16	270	560	--	--	--	--	--
MW-10	12/05/94	2,700	30	13	260	430	--	--	--	--	--
MW-10	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-10	03/15/95	1,400	18	6	200	239	--	--	--	--	--
MW-10	09/23/96	3,800	4	2.9	220	170	--	--	397	--	--
MW-10	12/04/96	4,600	1.6	7.7	260	150	--	--	20	--	--
Not sampled, well inaccessible since 4th quarter, 199											
MW-11	02/10/95	7,000	140	22	600	1,000	--	--	--	--	--
MW-11	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-11	03/15/95	6,000	200	17	750	1,276	--	--	--	--	--
MW-11	09/23/96	27,000	55	81	300	3,500	--	--	40	--	--
MW-11	12/04/96	--	--	--	--	--	--	--	--	--	--
MW-11	04/08/97	24,000	280	130	3,000	3,700	--	--	<	--	--
Not sampled, well inaccessible since 2nd quarter, 199											
MW-12	02/10/95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
MW-12	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-12	03/14/95	<50	<0.5	<0.5	<0.5	0.9	--	--	--	--	--
MW-12	09/23/96	<	<	1.6	<	<	--	--	--	--	--
MW-12	12/04/96	<	3.2	<	1.9	3.4	--	--	--	--	--
MW-12	04/08/97	<	<	<	<	<	--	--	--	--	--
MW-12	06/30/97	--	--	--	--	--	--	--	--	--	--
MW-12	11/25/97	--	--	--	--	--	--	--	--	--	--
MW-12	06/01/98	--	--	--	--	--	--	--	--	--	--
MW-12	06/14/01	<50	<0.50	<0.50	<0.50	<0.50	--	--	<5.0	--	--
MW-12	11/07/01	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-12	01/30/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-12	05/29/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-12	08/14/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-12	11/15/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)	
MW-12	10/25/04	Well not sampled, cars parked on well			--	--	--	--	--	--	--	
MW-12	02/25/05	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	
MW-12	05/19/05	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	
MW-12	09/15/05	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	
MW-12	11/10/05	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	
MW-12	03/20/06	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	
MW-12	05/25/06	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	
MW-12	08/23/06	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	
MW-12	03/14/07	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	
MW-12	06/11/07	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	
MW-12	08/01/07	45	<0.12	<0.15	<0.17	<0.34	<0.12	<0.13	<0.15	<0.17	<6.9	
MW-12	02/27/08	<6.6	<0.18	<0.24	<0.21	<0.45	<0.20	<0.23	<0.19	<0.19	<10	
MW-12	<b>05/13/08</b>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	
MW-13	02/10/95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	
MW-13	03/10/95	--	--	--	--	--	--	--	--	--	--	
MW-13	03/14/95	<50	<0.5	<0.5	<0.5	1	--	--	--	--	--	
MW-13	09/23/96	<	<	0.8	1	<	--	--	<	--	--	
MW-13	12/04/96	--	--	--	--	--	--	--	--	--	--	
MW-13	04/08/97	<	<	<	<	<	--	--	<	--	--	
MW-13	06/30/97	--	--	--	--	--	--	--	--	--	--	
MW-13	11/25/97	--	--	--	--	--	--	--	--	--	--	
MW-13	06/01/98	--	--	--	--	--	--	--	--	--	--	
MW-13	06/14/01	<50	<0.50	<0.50	<0.50	<0.50	--	--	<5.0	--	--	
MW-13	11/07/01	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	
MW-13	01/30/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	
MW-13	05/29/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	
MW-13	08/14/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	
MW-13	11/15/02	--	--	--	--	--	--	--	--	--	--	
MW-13	10/25/04	Well not sampled. Unable to locate well due to parked cars					--	--	--	--	--	--
MW-14	02/10/95	12,000	42	8	740	2,100	--	--	--	--	--	
MW-14	03/10/95	--	--	--	--	--	--	--	--	--	--	
MW-14	03/14/95	1,400	6	2	36	298	--	--	--	--	--	
MW-14	09/23/96	6,400	2.8	<	690	96	--	--	9.6	--	--	
MW-14	12/04/96	9,500	6.3	<	1,100	400	--	--	30	--	--	



**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)
MW-14	04/08/97	2,900	<	2.7	220	21	--	--	<	--	--
MW-14	06/30/97	74	1.3	<	0.51	0.68	--	--	<	--	--
MW-14	11/25/97	<	<	<	<	<	--	--	<	--	--
MW-14	06/01/98	<50	<0.5	<0.5	<0.5	<0.5	--	--	<5	--	--
MW-14	06/14/01	470	<0.5	<0.5	2.8	1	--	--	<5	--	--
MW-14	11/07/01	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	01/30/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	05/29/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	08/14/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	11/15/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	10/25/04	Well not sampled. Unable to locate well due to parked cars					--	--	--	--	--
MW-14	02/25/05	210	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	05/19/05	230	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	09/15/05	Well not sampled due to lack of traffic contro					--	--	--	--	--
MW-14	11/10/05	Well not sampled due to lack of traffic contro					--	--	--	--	--
MW-14	03/20/06	180	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	05/25/06	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	08/23/06	99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	03/14/07	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	06/11/07	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	08/01/07	53	<0.12	<0.15	<0.17	<0.34	<0.12	<0.13	<0.15	<0.17	<6.9
MW-14	02/27/08	<6.6	<0.18	<0.24	<0.21	<0.45	<0.20	<0.23	<0.19	<0.19	<10
MW-14	<b>05/13/08</b>	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
EX-1	08/14/02	250	31	<0.5	<0.5	4	<0.5	<0.5	1.4	<0.5	<5.0
EX-1	11/15/02	67	4.1	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	<5.0
EX-1	10/25/04	96	2.1	<0.50	4.9	1.8	<0.5	<0.5	<0.5	<0.5	<5.0
EX-1	12/23/04	<50	<0.50	<0.50	0.87	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0
EX-1	02/25/05	59	1.4	<0.50	2	0.87	<0.50	<0.50	<0.50	<0.50	<5.0
EX-1	05/19/05	200	3.4	<0.50	3.7	1.8	<0.50	<0.50	1.3	<0.50	<5.0
EX-1	09/15/05	290	7.5	<0.50	2.8	0.66	<0.50	<0.50	1.2	<0.50	<5.0
EX-1	11/10/05	270	5.1	<0.50	9.2	1.5	<0.50	<0.50	0.94	<0.50	<5.0
EX-1	03/20/06	820	7.5	<0.50	15	7.2	<0.50	<0.50	0.94	<0.50	<5.0
EX-1	05/25/06	100	<0.50	<0.50	1	0.9	<0.50	<0.50	0.79	<0.50	<5.0
EX-1	08/23/06	440	7.3	<0.50	0.72	0.61	<0.50	<0.50	1.2	<0.50	<5.0
EX-1	03/14/07	360	1.6	<0.50	8.8	1.8	<0.50	<0.50	1.7	<0.50	<5.0

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through May 2008**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)
EX-1	06/11/07	240	1.1	<0.50	6.0	1.4	<0.50	<0.50	4.3	<0.50	<5.0
EX-1	08/01/07	410	2.5	<0.15	4.2	0.92	<0.12	<0.13	3.6	<0.17	<6.9
EX-1	Could not locate well	--	--	--	--	--	--	--	--	--	--
VEAS-2	02/25/05	90	1.1	<0.50	0.7	1.3	<0.50	<0.50	1.4	<0.50	<5.0
VEAS-2	05/19/05	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0
VEAS-2	11/10/05	--	--	--	--	--	--	--	--	--	--

Notes:

TPH-G = total petroleum hydrocarbons with gasoline distinction

MTBE = methyl tertiary butyl ether

DIPE = di-isopropyl ether

ETBE = ethyl-tert-butyl ether

TAME = tert-amyl methyl ether

TBA = tert butanol

ug/l = micrograms per liter


-- = not analyzed, measured, or collected

< = Sample reported as "not detected", in previous tables, reporting limit not known (Delta Environmental)

Note: No known groundwater sampling was conducted between June 1, 1998 and June 14, 2001, June 14, 2001 and November 7, 2001

Wellhead elevations resurveyed on January 30, 2002.

## FIGURES



**SITE LOCATION**  
**FORMER EZ SERVE 100877**  
**525 WEST A STREET**  
**HAYWARD, CA**

0 1000 FEET 0 500 1000 METERS  
 Printed from TPOPI ©2001 National Geographic Holdings (www.topo.com)

DRAWN BY: JPS  
 CLIENT: RPMS




**GEOENVIRO SERVICES, INC.**

**SITE LOCATION MAP**

FORMER EZ SERVE STATION NO. 100877  
 525 WEST A STREET  
 HAYWARD, CA

**JUNE 2008** **FIGURE 1**








SCALE 1" = 80'



DRAWN BY: GRS  
 REVISION DATE: June 12, 2008  
 CLIENT: RPMS

### LEGEND

- MW-1  GROUNDWATER MONITORING WELL WITH GROUNDWATER ELEVATION IN FEET AMSL AS MEASURED ON 5/13/08
- EX-1  GROUNDWATER EXTRACTION WELL
- VEAS-2  REMEDIATION WELL      NM NOT MEASURED
- MW-2  DESTROYED GROUNDWATER MONITORING WELL
- (29.0)'  GROUNDWATER ELEVATION CONTOUR IN FEET ABOVE MEAN SEA LEVEL AS MEASURED 5/13/08


**GEOENVIRO SERVICES, INC.**

**SITE MAP WITH CONTOURS OF GROUNDWATER ELEVATION SECOND QUARTER 2008**


**FORMER EZ SERVE STATION NO. 100877  
 525 WEST A STREET  
 HAYWARD, CA**

**JUNE 2008**

**FIGURE 2**



SCALE 1" = 80'



DRAWN BY: GRS  
 REVISION DATE: JUNE 10, 2008  
 CLIENT: RPMS

### LEGEND

- MW-1 GROUNDWATER MONITORING WELL WITH TPHg CONCENTRATIONS IN ug/L AS MEASURED ON 5/13/08
- EX-1 GROUNDWATER EXTRACTION WELL
- VEAS-2 REMEDIATION WELL
- MW-2 DESTROYED GROUNDWATER MONITORING WELL
- 1,000 ug/L TPHg IN GROUNDWATER CONCENTRATION CONTOUR
- NA - NOT ANALYZED


**GEOENVIRO SERVICES, INC.**

SITE MAP WITH CONTOURS OF TPHg CONCENTRATIONS IN GROUNDWATER SECOND QUARTER 2008

FORMER EZ SERVE STATION NO. 100877  
 525 WEST A STREET  
 HAYWARD, CA

**JUNE 2008**

**FIGURE 3**



SCALE 1" = 80'



DRAWN BY: GRS  
 REVISION DATE: JUNE 10, 2008  
 CLIENT: RPMS

**LEGEND**


- MW-1 GROUNDWATER MONITORING WELL WITH BENZENE CONCENTRATIONS IN ug/L AS MEASURED ON 5/13/08
- EX-1 GROUNDWATER EXTRACTION WELL
- VEAS-2 REMEDIATION WELL
- MW-2 DESTROYED GROUNDWATER MONITORING WELL
- 10 ug/L BENZENE IN GROUNDWATER CONCENTRATION CONTOUR

**GEOENVIRO SERVICES, INC.**

SITE MAP WITH CONTOURS OF BENZENE CONCENTRATIONS IN GROUNDWATER SECOND QUARTER 2008

FORMER EZ SERVE STATION NO. 100877  
 525 WEST A STREET  
 HAYWARD, CA

**JUNE 2008** **FIGURE 4**



SCALE 1" = 80'



DRAWN BY: GRS  
 REVISION DATE: JUNE 10, 2008  
 CLIENT: RPMS

**LEGEND**

- MW-1 6.9 GROUNDWATER MONITORING WELL WITH MTBE CONCENTRATIONS IN ug/L AS MEASURED ON 5/13/08
- EX-1 GROUNDWATER EXTRACTION WELL
- VEAS-2 REMEDIATION WELL
- MW-2 DESTROYED GROUNDWATER MONITORING WELL
- 100 ug/L MTBE IN GROUNDWATER CONCENTRATION CONTOUR
- NA - NOT ANALYZED

**GEOENVIRO SERVICES, INC.**

SITE MAP WITH CONTOURS OF MTBE CONCENTRATIONS IN GROUNDWATER SECOND QUARTER 2008

FORMER EZ SERVE STATION NO. 100877  
 525 WEST A STREET  
 HAYWARD, CA

**JUNE 2008** **FIGURE 5**



**ATTACHMENT A**  
**GENERAL GROUNDWATER MONITORING FIELD PROCEDURES**

## Groundwater Sampling Protocol

### **Monitoring Wells**

Prior to purging a monitoring well, groundwater levels are measured with a Solinst electric depth measurement device, or an interface probe, in all wells that are to be measured. At sites where petroleum hydrocarbons are possible contaminants, the well is checked for floating product using an interface probe. If floating product is measured during the initial sampling round or noted during subsequent sampling rounds, floating product measurements are continued.

After the water level and floating product measurements are complete, the monitoring well is purged until a minimum of three casing volumes of water are removed, water is relatively clear of sediment, and pH, conductivity, and temperature measurements of the water become relatively stable. If the well is purged dry, groundwater samples are collected after the water level in the well recovers to at least 80 percent of the original water column measured in the well prior to sampling, or following a maximum recovery period of two hours. The well is purged using a factory-sealed, disposable, polyethylene bailer, a submersible Grundfos pump, or a peristaltic pump. The purge water is stored on-site in clean, 55-gallon drums or aboveground tanks.

A groundwater sample is collected from each monitoring well following re-equilibration of the well after purging. The groundwater sample is collected using a factory-sealed disposable, polyethylene bailer with a sampling port, or a factory-sealed Teflon bailer. A factory provided attachment designed for use with volatile organic compounds (VOCs) is attached to the polyethylene bailer sampling port when collecting samples to be analyzed for VOCs. The groundwater sample is transferred from the bailer into sample container(s) that are obtained directly from the analytical laboratory.

The sample container(s) is labeled with a self-adhesive tag. The following information is included on the tag:

- Project number
- Sample number
- Date and time sample is collected
- Initials of sample collector(s).

Individual log sheets are maintained throughout the sampling operations. The following information is recorded:

- Sample number
- Date and time well sampled and purged
- Sampling location
- Types of sampling equipment used
- Name of sampler(s)
- Volume of water purged.

Following collection of the groundwater sample, the sample is immediately stored on blue ice in an appropriate container. A chain-of-custody form is completed with the following information:

- Date the sample was collected
- Sample number and the number of containers
- Analyses required
- Remarks including preservatives added and any special conditions.

The original copy of the chain-of-custody form accompanies the sample containers to a California-certified laboratory. A copy is retained by GeoEnviro Services and placed in company files.

Sampling equipment including thermometers, pH electrodes, and conductivity probes are cleaned both before and after their use at the site. The following cleaning procedures are used:

- Scrub with a potable water and detergent solution using a hard bristle brush
- Rinse with potable water
- Double-rinse with organic-free or deionized water
- Package and seal equipment in plastic bags or other appropriate containers to prevent contact with solvents, dust, or other contaminants.

In addition, the pumps are cleaned by pumping a potable water and detergent solution and deionized water through the system. Cleaning solutions are contained on-site in clean 55-gallon drums.

### **Domestic and Irrigation Wells**

Groundwater samples collected from domestic or irrigation wells are collected from the spigot that is the closest to the well. Prior to collecting the sample, the spigot is allowed to flow for at least 5 minutes to purge the well. The sample is then collected directly into laboratory-supplied containers, sealed, labeled, and stored on blue ice in an appropriate container, as described above. A chain-of-custody form is completed and submitted with the samples to the analytical laboratory.

**ATTACHMENT B**  
**GROUNDWATER MONITORING AND SAMPLING**  
**FIELD DOCUMENTATION**



# GROUNDWATER SAMPLING LOG

Project No: 07-131  
 Project Name: Former EZ Serve No. 100877  
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-1  
 Sampled By: J. Schaaf  
 Date: 5/13/2008

Well Diameter:	4
Total Well Depth:	30
Depth to Water:	14.51
Water Column:	15.49
Calculated Purge:	30.98
Actual Purge:	31
Free Product?	NO
Product Sheen?	NO

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump  
 Did Well Go Dry? No

Sampling Method: Disposable Bailer  
 Sample Time: 11:16

**Post Purge DTWs:**

Time	DTW
11:16	14.51

Analyze for ):	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp.	pH	Volume Purged (gal)	Comments
9:16	622	19.4	7.19	5	
9:19	616	19.3	6.89	10	
9:26	617	19.4	6.84	20	
9:31	618	19.5	6.83	30	

Additional Comments:

# GROUNDWATER SAMPLING LOG

Project No: 07-131  
 Project Name: Former EZ Serve No. 100877  
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-3  
 Sampled By: J. Schaaf  
 Date: 5/13/2008

Well Diameter:	4
Total Well Depth:	34
Depth to Water:	15.52
Water Column:	18.48
Calculated Purge:	36.9
Actual Purge:	30
Free Product?	NO
Product Sheen?	NO

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump  
 Did Well Go Dry? No

Sampling Method: Disposable Bailer  
 Sample Time: 11:20

**Post Purge DTWs:**

Time	DTW
11:20	15.53

Analyze for ):	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp.	pH	Volume Purged (gal)	Comments
9:42	541	19.5	6.94	5	
9:46	559	19.4	6.92	10	
9:52	575	19.5	6.93	20	
9:58	758	19.5	6.93	30	

Additional Comments:

## GROUNDWATER SAMPLING LOG

Project No: 07-131  
 Project Name: Former EZ Serve No. 100877  
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-4  
 Sampled By: J. Schaaf  
 Date: 5/13/2008

Well Diameter:	
Total Well Depth:	30
Depth to Water:	15.02
Water Column:	14.98
Calculated Purge:	29.96
Actual Purge:	30
Free Product?	NO
Product Sheen?	NO

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump  
 Did Well Go Dry? No

Sampling Method: Disposable Bailer  
 Sample Time: 12.:25

Post Purge DTWs:

Time	DTW
12:25	15:04

Analyze for ):	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp.	pH	Volume Purged (gal)	Comments
11:58	578	20.5	7.05	5	
12:01	600	19.4	7.00	10	
12:05	599	19.3	7.00	20	
12:08	597	19.2	7.01	30	

Additional Comments:



## GROUNDWATER SAMPLING LOG

Project No: 07-131  
 Project Name: Former EZ Serve No. 100877  
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-5  
 Sampled By: J. Schaaf  
 Date: 5/13/2008

Well Diameter:	4
Total Well Depth:	30
Depth to Water:	14.64
Water Column:	15.36
Calculated Purge:	30.72
Actual Purge:	30
Free Product?	NO
Product Sheen?	NO

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump  
 Did Well Go Dry? No

Sampling Method: Disposable Bailer  
 Sample Time: 11:10

Post Purge DTWs:

Time	DTW
11:10	14.67

Analyze for ):	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp.	pH	Volume Purged (gal)	Comments
8:55	435	19.0	7.59	5	
8:58	621	19.4	6.98	10	
9:02	598	19.6	6.90	20	
9:08	610	19.6	6.92	30	

Additional Comments:

## GROUNDWATER SAMPLING LOG

Project No: 07-131  
 Project Name: Former EZ Serve No. 100877  
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-6  
 Sampled By: J. Schaaf  
 Date: 5/13/2008

Well Diameter:	4
Total Well Depth:	30
Depth to Water:	14.93
Water Column:	15.07
Calculated Purge:	30.14
Actual Purge:	30
Free Product?	NO
Product Sheen?	NO

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump  
 Did Well Go Dry? No

Sampling Method: Disposable Bailer  
 Sample Time: 11:26

Post Purge DTWs:

Time	DTW
11:26	14.92

Analyze for ):	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp.	pH	Volume Purged (gal)	Comments
10:19	550	22.1	6.91	8	
10:25	586	20.6	6.86	16	
10:32	588	20.6	6.88	24	
	588	20.7	6.89	30	

Additional Comments:

# GROUNDWATER SAMPLING LOG

Project No: 07-131  
 Project Name: Former EZ Serve No. 100877  
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-7  
 Sampled By: J. Schaaf  
 Date: 5/13/2008

Well Diameter:	2
Total Well Depth:	30
Depth to Water:	15.37
Water Column:	14.63
Calculated Purge:	7.31
Actual Purge:	7.5
Free Product?	NO
Product Sheen?	NO

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump  
 Did Well Go Dry? No

Sampling Method: Disposable Bailer  
 Sample Time: 11:00

Post Purge DTWs:

Time	DTW
11:00	15.38

Analyze for ):	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp.	pH	Volume Purged (gal)	Comments
8:38	467	18.2	7.42	2	
8:40	475	18.2	7.05	4	
8:44	472	18.1	7.08	7.5	

Additional Comments:

## GROUNDWATER SAMPLING LOG

Project No: 07-131  
 Project Name: Former EZ Serve No. 100877  
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-12  
 Sampled By: J. Schaaf  
 Date: 5/13/2008

Well Diameter:	2
Total Well Depth:	30
Depth to Water:	16.12
Water Column:	13.88
Calculated Purge:	6.94
Actual Purge:	7
Free Product?	NO
Product Sheen?	NO

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump  
 Did Well Go Dry? No

Sampling Method: Disposable Bailer  
 Sample Time: 10:22

Post Purge DTWs:

Time	DTW
10.22	16.12

Analyze for ):	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp.	pH	Volume Purged (gal)	Comments
8:14	387	17.9	7.74	2	
8:16	375	18.5	7.21	4	
8:19	380	18.7	6.96	7	

Additional Comments:

# GROUNDWATER SAMPLING LOG

Project No: 07-131  
 Project Name: Former EZ Serve No. 100877  
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-14  
 Sampled By: J. Schaaf  
 Date: 5/13/2008

Well Diameter:	2
Total Well Depth:	30
Depth to Water:	16.03
Water Column:	13.97
Calculated Purge:	6.98
Actual Purge:	7
Free Product?	NO
Product Sheen?	NO

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump  
 Did Well Go Dry? No

Sampling Method: Disposable Bailer  
 Sample Time: 10:46

Post Purge DTWs:

Time	DTW
10:46	16.03

Analyze for ):	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp.	pH	Volume Purged (gal)	Comments
8:20	452	18.4	7.17	2	
8:24	461	18.5	7.00	4	
8:28	458	18.6	6.95	7	

Additional Comments:

**ATTACHMENT C  
LABORATORY ANALYTICAL REPORTS  
AND CHAIN OF CUSTODY DOCUMENTATION**



**ASSOCIATED LABORATORIES**

806 North Batavia - Orange, California 92868 - 714/771-6900

FAX 714/538-1209

CLIENT GeoEnviro Services, Inc. (12421)  
ATTN: Joseph Schaaf  
5529 Kailas St.  
Ventura, CA 93003

LAB REQUEST 212890

REPORTED 05/30/2008

RECEIVED 05/20/2008

PROJECT #07-131  
EZ Serve 100877

SUBMITTER Client

COMMENTS \* Matrix Interference.

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

<u>Order No.</u>	<u>Client Sample Identification</u>
900380	MW-1
900381	MW-3
900382	MW-4
900383	MW-5
900384	MW-6
900385	MW-7
900386	MW-12
900387	MW-14
900388	Laboratory Method Blank

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by,

Edward S. Behare, Ph.D.  
Vice President

*NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 30 days from date reported.*

The reports of the Associated Laboratories are confidential property of our clients and may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING  
Chemical  
Microbiological  
Environmental

Order #: 900380

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-1

Date Sampled: 05/13/2008

Time Sampled: 11:16

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

**8260B VOC Oxygenates - Low DLR (0.5)**

Di-isopropyl ether (DIPE)	ND	5	2.5	ug/L	05/25/08 YL
Ethyl-tertbutylether (ETBE)	ND	5	2.5	ug/L	05/25/08 YL
Tert-amylmethylether (TAME)	ND	5	2.5	ug/L	05/25/08 YL
Tertiary butyl alcohol (TBA)	ND	5	25.0	ug/L	05/25/08 YL
Benzene	77	5	2.5	ug/L	05/25/08 YL
Ethyl benzene	457	5	2.5	ug/L	05/25/08 YL
Methyl-tert-butylether (MTBE)	6.9	5	2.5	ug/L	05/25/08 YL
Toluene	ND	5	2.5	ug/L	05/25/08 YL
Xylenes, total	56	5	2.5	ug/L	05/25/08 YL

**Surrogates**

				Units	Control Limits
Surr1 - Dibromofluoromethane	98			%	70 - 130
Surr2 - 1,2-Dichloroethane-d4	112			%	70 - 130
Surr3 - Toluene-d8	98			%	70 - 130
Surr4 - p-Bromofluorobenzene	102			%	70 - 130

**8015B - Gasoline**

Gasoline	4530	10	500.0	ug/L	05/24/07 LT
----------	------	----	-------	------	-------------

**Surrogates**

				Units	Control Limits
a,a,a-Trifluorotoluene	140			%	55 - 200

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor





Order #: 900381

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-3

Date Sampled: 05/13/2008

Time Sampled: 11:20

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

**8260B VOC Oxygenates - Low DLR (0.5)**

Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	05/25/08 YL
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	05/25/08 YL
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	05/25/08 YL
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	05/25/08 YL
Benzene	1.2	1	0.5	ug/L	05/25/08 YL
Ethyl benzene	28	1	0.5	ug/L	05/25/08 YL
Methyl-tert-butylether (MTBE)	31	1	0.5	ug/L	05/25/08 YL
Toluene	0.6	1	0.5	ug/L	05/25/08 YL
Xylenes, total	2.2	1	0.5	ug/L	05/25/08 YL

**Surrogates**

				Units	Control Limits
Surr1 - Dibromofluoromethane	96			%	70 - 130
Surr2 - 1,2-Dichloroethane-d4	112			%	70 - 130
Surr3 - Toluene-d8	97			%	70 - 130
Surr4 - p-Bromofluorobenzene	101			%	70 - 130

**8015B - Gasoline**

Gasoline	1160	1	50	ug/L	05/22/08 LT
----------	------	---	----	------	-------------

**Surrogates**

				Units	Control Limits
a,a,a-Trifluorotoluene	221*			%	55 - 200

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



Order #: 900382

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-4

Date Sampled: 05/13/2008

Time Sampled: 12:25

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

**8260B VOC Oxygenates - Low DLR (0.5)**

Di-isopropyl ether (DIPE)	ND	5	2.5	ug/L	05/25/08 YL
Ethyl-tertbutylether (ETBE)	ND	5	2.5	ug/L	05/25/08 YL
Tert-amylmethylether (TAME)	ND	5	2.5	ug/L	05/25/08 YL
Tertiary butyl alcohol (TBA)	ND	5	25.0	ug/L	05/25/08 YL
Benzene	102	5	2.5	ug/L	05/25/08 YL
Ethyl benzene	329	5	2.5	ug/L	05/25/08 YL
Methyl-tert-butylether (MTBE)	8.0	5	2.5	ug/L	05/25/08 YL
Toluene	18	5	2.5	ug/L	05/25/08 YL
Xylenes, total	343	5	2.5	ug/L	05/25/08 YL

**Surrogates**

				Units	Control Limits
Surr1 - Dibromofluoromethane	100			%	70 - 130
Surr2 - 1,2-Dichloroethane-d4	111			%	70 - 130
Surr3 - Toluene-d8	96			%	70 - 130
Surr4 - p-Bromofluorobenzene	100			%	70 - 130

**8015B - Gasoline**

Gasoline	2800	1	50	ug/L	05/24/08 LT
----------	------	---	----	------	-------------

**Surrogates**

				Units	Control Limits
a,a,a-Trifluorotoluene	194			%	55 - 200

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



Order #: 900383

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-5

Date Sampled: 05/13/2008

Time Sampled: 11:10

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

**8260B VOC Oxygenates - Low DLR (0.5)**

Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	05/24/08 YL
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	05/24/08 YL
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	05/24/08 YL
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	05/24/08 YL
Benzene	1.3	1	0.5	ug/L	05/24/08 YL
Ethyl benzene	1.9	1	0.5	ug/L	05/24/08 YL
Methyl-tert-butylether (MTBE)	7.9	1	0.5	ug/L	05/24/08 YL
Toluene	1.1	1	0.5	ug/L	05/24/08 YL
Xylenes, total	1.8	1	0.5	ug/L	05/24/08 YL

**Surrogates**

				Units	Control Limits
Surr1 - Dibromofluoromethane	94			%	70 - 130
Surr2 - 1,2-Dichloroethane-d4	115			%	70 - 130
Surr3 - Toluene-d8	98			%	70 - 130
Surr4 - p-Bromofluorobenzene	104			%	70 - 130

**8015B - Gasoline**

Gasoline	752	1	50	ug/L	05/22/08 LT
----------	-----	---	----	------	-------------

**Surrogates**

				Units	Control Limits
a,a,a-Trifluorotoluene	164			%	55 - 200

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



Order #: 900384

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-6

Date Sampled: 05/13/2008

Time Sampled: 11:26

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

**8260B VOC Oxygenates - Low DLR (0.5)**

Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	05/25/08 YL
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	05/25/08 YL
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	05/25/08 YL
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	05/25/08 YL
Benzene	1.0	1	0.5	ug/L	05/25/08 YL
Ethyl benzene	4.0	1	0.5	ug/L	05/25/08 YL
Methyl-tert-butylether (MTBE)	127	1	0.5	ug/L	05/25/08 YL
Toluene	0.8	1	0.5	ug/L	05/25/08 YL
Xylenes, total	1.5	1	0.5	ug/L	05/25/08 YL

**Surrogates**

				Units	Control Limits
Surr1 - Dibromofluoromethane	93			%	70 - 130
Surr2 - 1,2-Dichloroethane-d4	103			%	70 - 130
Surr3 - Toluene-d8	97			%	70 - 130
Surr4 - p-Bromofluorobenzene	99			%	70 - 130

**8015B - Gasoline**

Gasoline	1530	10	500.0	ug/L	05/24/08 LT
----------	------	----	-------	------	-------------

**Surrogates**

				Units	Control Limits
a,a,a-Trifluorotoluene	123			%	55 - 200

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



Order #: 900385

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-7

Date Sampled: 05/13/2008

Time Sampled: 11:00

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

**8260B VOC Oxygenates - Low DLR (0.5)**

Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	05/24/08 YL
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	05/24/08 YL
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	05/24/08 YL
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	05/24/08 YL
Benzene	ND	1	0.5	ug/L	05/24/08 YL
Ethyl benzene	ND	1	0.5	ug/L	05/24/08 YL
Methyl-tert-butylether (MTBE)	ND	1	0.5	ug/L	05/24/08 YL
Toluene	ND	1	0.5	ug/L	05/24/08 YL
Xylenes, total	ND	1	0.5	ug/L	05/24/08 YL

**Surrogates**

				Units	Control Limits
Surr1 - Dibromofluoromethane	95			%	70 - 130
Surr2 - 1,2-Dichloroethane-d4	118			%	70 - 130
Surr3 - Toluene-d8	93			%	70 - 130
Surr4 - p-Bromofluorobenzene	104			%	70 - 130

**8015B - Gasoline**

Gasoline	241	1	50	ug/L	05/22/08 LT
----------	-----	---	----	------	-------------

**Surrogates**

				Units	Control Limits
a,a,a-Trifluorotoluene	182			%	55 - 200

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



Order #: 900386

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-12

Date Sampled: 05/13/2008

Time Sampled: 10:22

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

**8260B VOC Oxygenates - Low DLR (0.5)**

Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	05/24/08 YL
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	05/24/08 YL
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	05/24/08 YL
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	05/24/08 YL
Benzene	ND	1	0.5	ug/L	05/24/08 YL
Ethyl benzene	ND	1	0.5	ug/L	05/24/08 YL
Methyl-tert-butylether (MTBE)	ND	1	0.5	ug/L	05/24/08 YL
Toluene	ND	1	0.5	ug/L	05/24/08 YL
Xylenes, total	ND	1	0.5	ug/L	05/24/08 YL

**Surrogates**

				Units	Control Limits
Surr1 - Dibromofluoromethane	101			%	70 - 130
Surr2 - 1,2-Dichloroethane-d4	118			%	70 - 130
Surr3 - Toluene-d8	100			%	70 - 130
Surr4 - p-Bromofluorobenzene	106			%	70 - 130

**8015B - Gasoline**

Gasoline	ND	1	50	ug/L	05/22/08 LT
----------	----	---	----	------	-------------

**Surrogates**

				Units	Control Limits
a,a,a-Trifluorotoluene	111			%	55 - 200

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



Order #: 900387

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-14

Date Sampled: 05/13/2008

Time Sampled: 10:46

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

**8260B VOC Oxygenates - Low DLR (0.5)**

Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	05/24/08 YL
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	05/24/08 YL
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	05/24/08 YL
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	05/24/08 YL
Benzene	ND	1	0.5	ug/L	05/24/08 YL
Ethyl benzene	ND	1	0.5	ug/L	05/24/08 YL
Methyl-tert-butylether (MTBE)	ND	1	0.5	ug/L	05/24/08 YL
Toluene	ND	1	0.5	ug/L	05/24/08 YL
Xylenes, total	ND	1	0.5	ug/L	05/24/08 YL

**Surrogates**

				Units	Control Limits
Surr1 - Dibromofluoromethane	98			%	70 - 130
Surr2 - 1,2-Dichloroethane-d4	116			%	70 - 130
Surr3 - Toluene-d8	98			%	70 - 130
Surr4 - p-Bromofluorobenzene	101			%	70 - 130

**8015B - Gasoline**

Gasoline	ND	1	50	ug/L	05/22/08 LT
----------	----	---	----	------	-------------

**Surrogates**

				Units	Control Limits
a,a,a-Trifluorotoluene	108			%	55 - 200

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



Order #: 900388

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: Laboratory Method Blank

Date Sampled:

Time Sampled:

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
<b>8260B VOC Oxygenates - Low DLR (0.5)</b>					
Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	05/24/08 YL
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	05/24/08 YL
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	05/24/08 YL
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	05/24/08 YL
Benzene	ND	1	0.5	ug/L	05/24/08 YL
Ethyl benzene	ND	1	0.5	ug/L	05/24/08 YL
Methyl-tert-butylether (MTBE)	ND	1	0.5	ug/L	05/24/08 YL
Toluene	ND	1	0.5	ug/L	05/24/08 YL
Xylenes, total	ND	1	0.5	ug/L	05/24/08 YL

**Surrogates**

				Units	Control Limits
Surr1 - Dibromofluoromethane	98			%	70 - 130
Surr2 - 1,2-Dichloroethane-d4	112			%	70 - 130
Surr3 - Toluene-d8	98			%	70 - 130
Surr4 - p-Bromofluorobenzene	100			%	70 - 130

**8015B - Gasoline**

Gasoline	ND	1	50	ug/L	05/22/08 LT
----------	----	---	----	------	-------------

**Surrogates**

				Units	Control Limits
a,a,a-Trifluorotoluene	103			%	55 - 200

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor







**Chain of Custody Record**

212890  
Page 1 of 1

Company <b>GEOENVIRO SERVICES, INC</b>		Phone <b>805 642 1668</b>		A.L. Job No.						
Project Manager <b>JOE SCHAAF</b>		Fax <b>805 642 9331</b>		Analysis Requested						
Project Name <b>EZ SERVE 100877</b>		Project # <b>07-131</b>								
Site Name and Address <b>525 WEST A STREET HAYWARD CA</b>		GLOBAL ID <b>T0600100483</b>		Test Instructions & Comments						
Sample ID	Lab ID	Date	Time			Matrix	Container Number/Size	Pres.	8015M TPAG	8260B BTEX/TOX
1 MW-1		5/13/08	11:16			H <sub>2</sub> O	(6)SIX VOAS	HCL	X	X
2 MW-3		↓	11:20			↓	↓	↓	↓	↓
3 MW-4		↓	12:25			↓	↓	↓	↓	↓
4 MW-5		↓	11:10			↓	↓	↓	↓	↓
5 MW-6		↓	11:26			↓	↓	↓	↓	↓
6 MW-7		↓	11:00			↓	↓	↓	↓	↓
7 MW-12		↓	10:22			↓	↓	↓	↓	↓
8 MW-14		↓	10:46			↓	↓	↓	X	X
9										
10										
11										
12										
13										
14										
15										

<b>Sample Receipt - To Be Filled By Laboratory</b>				Relinquished by 1.		Relinquished by 2.		Relinquished by 3.	
Total Number of Containers		Properly Cooled Y / N / NA		Signature: <i>[Signature]</i>		Signature:		Signature:	
Custody Seals Y / N / NA		Samples Intact Y / N / NA		Printed Name: <b>JOE SCHAAF</b>		Printed Name:		Printed Name:	
Received in Good Condition Y / N		Samples Accepted Y / N		Date: <b>5/19/08</b> Time: <b>16:50</b>		Date: Time:		Date: Time:	
<b>Turn Around Time</b>				Received By: <i>[Signature]</i>		Received By: <i>[Signature]</i>		Received By: 3.	
<input checked="" type="checkbox"/> Normal		<input type="checkbox"/> Rush		Signature: <i>[Signature]</i>		Signature: <b>5-22-08 10:30</b>		Signature:	
<input type="checkbox"/> Same Day		<input type="checkbox"/> 48 hrs.		Printed Name:		Printed Name:		Printed Name:	
<input type="checkbox"/> 24 hrs.		<input type="checkbox"/> 72 hrs.		Date: <b>5-19-08</b> Time: <b>16:50</b>		Date: Time:		Date: Time:	



**ASSOCIATED LABORATORIES**

806 North Batavia - Orange, California 92868 - 714-771-6900

FAX 714-538-1209

**SAMPLE ACCEPTANCE CHECKLIST**

**Section 1**  
 Client: Peopuino Project: \_\_\_\_\_  
 Date Received: 5-20-08  
 Sample(s) received in cooler:  Yes  No (Skip Section 2)

**Section 2**  
 Was the cooler packed with:  Ice  Ice Packs  Bubble Wrap  Styrofoam  
 Paper  None  Other \_\_\_\_\_  
 Cooler or box temperature: 4.2°C  
 (Acceptance range is 2 to 6 Deg. C.)

Section 3	YES	NO	N/A
Was a COC received?	<input checked="" type="checkbox"/>		
Were custody seals present?			<input checked="" type="checkbox"/>
If Yes - were they intact?			<input checked="" type="checkbox"/>
Were all samples sealed in plastic bags?	<input checked="" type="checkbox"/>		
Did all samples arrive intact? If no, indicate below.	<input checked="" type="checkbox"/>		
Did all bottle labels agree with COC? (ID, dates and times)	<input checked="" type="checkbox"/>		
Were correct containers used for the tests required?	<input checked="" type="checkbox"/>		
Was a sufficient amount of sample sent for tests indicated?	<input checked="" type="checkbox"/>		
Was there head space in VOA vials?		<input checked="" type="checkbox"/>	
Were the correct preservatives used?	<input checked="" type="checkbox"/>		
Were the samples scanned for presence of radioactivity?			<input checked="" type="checkbox"/>
Was total residual chlorine measured (Fish Bioassay samples only)? *			<input checked="" type="checkbox"/>

\*: If the answer is no, please inform Fish Bioassay Dept. immediately.

**Section 4**  
 Explanations/Comments

---



---

**Section 5**  
 Was Project Manager notified of discrepancies: Y / N  N/A

Completed By: N. Afendikous Date: 5-20-08

**ATTACHMENT D**  
**GEOTRACKER SUBMITTAL DOCUMENTATION**

## Electronic Submittal Information

[Main Menu](#) | 
 [View/Add Facilities](#) | 
 [Upload EDD](#) | 
 [Check EDD](#)

Your EDF file has been successfully uploaded!

**Confirmation Number:** 7993591785  
**Date/Time of Submittal:** 6/12/2008 8:17:08 AM  
**Facility Global ID:** T0600100483  
**Facility Name:** EZ SERVE #100877  
**Submittal Title:** 2Q08 GWM Report  
**Submittal Type:** GW Monitoring Report

Click [here](#) to view the detections report for this upload.

<b>EZ SERVE #100877</b> 525 A HAYWARD, CA 94541	<b>Regional Board - Case #: 01-0529</b> SAN FRANCISCO BAY RWQCB (REGION 2) <b>Local Agency (lead agency) - Case #: RO0000023</b> ALAMEDA COUNTY LOP - (PK)
---	---

CONF #	TITLE	QUARTER
7993591785	2Q08 GWM Report	Q2 2008
SUBMITTED BY	SUBMIT DATE	STATUS
Joseph Schaaf	6/12/2008	PENDING REVIEW

### SAMPLE DETECTIONS REPORT

# FIELD POINTS SAMPLED	8
# FIELD POINTS WITH DETECTIONS	6
# FIELD POINTS WITH WATER SAMPLE DETECTIONS ABOVE MCL	6
SAMPLE MATRIX TYPES	WATER

### METHOD QA/QC REPORT

METHODS USED	M8015,SW8260B
TESTED FOR REQUIRED ANALYTES?	N
MISSING PARAMETERS NOT TESTED:	
- SW8260B REQUIRES DCA12 TO BE TESTED - SW8260B REQUIRES EDB TO BE TESTED	
LAB NOTE DATA QUALIFIERS	Y

### QA/QC FOR 8021/8260 SERIES SAMPLES

TECHNICAL HOLDING TIME VIOLATIONS	0
METHOD HOLDING TIME VIOLATIONS	0
LAB BLANK DETECTIONS ABOVE REPORTING DETECTION LIMIT	0
LAB BLANK DETECTIONS	0
DO ALL BATCHES WITH THE 8021/8260 SERIES INCLUDE THE FOLLOWING?	
- LAB METHOD BLANK	Y
- MATRIX SPIKE	Y
- MATRIX SPIKE DUPLICATE	Y
- BLANK SPIKE	Y
- SURROGATE SPIKE	Y

### WATER SAMPLES FOR 8021/8260 SERIES

MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) % RECOVERY BETWEEN 65-135%	n/a
MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) RPD LESS THAN 30%	n/a

**SURROGATE SPIKES % RECOVERY BETWEEN 85-115%** **N**  
 BLANK SPIKE / BLANK SPIKE DUPLICATES % RECOVERY BETWEEN 70-130% n/a

**SOIL SAMPLES FOR 8021/8260 SERIES**

MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) % RECOVERY BETWEEN 65-135% n/a  
 MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) RPD LESS THAN 30% n/a  
 SURROGATE SPIKES % RECOVERY BETWEEN 70-125% n/a  
 BLANK SPIKE / BLANK SPIKE DUPLICATES % RECOVERY BETWEEN 70-130% n/a

**FIELD QC SAMPLES**

<u>SAMPLE</u>	<u>COLLECTED</u>	<u>DETECTIONS &gt; REPDL</u>
QCTB SAMPLES	N	0
QCEB SAMPLES	N	0
QCAB SAMPLES	N	0

Logged in as SCHAAF (AUTH\_RP)

CONTACT SITE [ADMINISTRATOR](#).

## Electronic Submittal Information

[Main Menu](#) | [View/Add Facilities](#) | [Upload EDD](#) | [Check EDD](#)

### UPLOADING A GEO\_WELL FILE

**Processing is complete. No errors were found!  
Your file has been successfully submitted!**

<b>Submittal Title:</b>	<b>2Q08 GWM Report</b>
<b>Facility Global ID:</b>	<b>T0600100483</b>
<b>Facility Name:</b>	<b>EZ SERVE #100877</b>
<b>Submittal Date/Time:</b>	<b>6/12/2008 8:43:27 AM</b>
<b>Confirmation Number:</b>	<b>2599425375</b>

[Back to Main Menu](#)

Logged in as SCHAAF (AUTH\_RP)

CONTACT SITE [ADMINISTRATOR](#).