

RECEIVED

3:09 pm, Nov 30, 2010

Alameda County
Environmental Health

November 22, 2010
Project No. 07-131

Alameda County Department of Environmental Health
1131 Harbor Bay Park Way
Alameda, California 94502

Attention: Mark Detterman, PG, CEG
Hazardous Materials Specialist

SITE: FORMER EZ-SERVE LOCATION 100877
525 WEST A STREET
HAYWARD, CALIFORNIA
FUEL LEAK CASE NO. RO0000023


RE: Semi-Annual Groundwater Monitoring and Sampling
Third Quarter 2009 (3Q09) October 28, 2009

Dear Mr. Detterman:

I declare under penalty of perjury that to the best of my knowledge, the information and/or recommendations contained in the attached report is/are true and correct.

Please contact us with questions at (813) 636-8111 #100 or jackc@edifl.com.

Sincerely,
Restructure Petroleum Marketing Services of California



Jack Ceccarelli
President

GEOENVIRO SERVICES, INC.

October 28, 2009
Project No. 07-131

Alameda County Department of Environmental Health
1131 Harbor Bay Park Way
Alameda, California 94502

Attention: Mark Detterman, PG, CEG
Hazardous Materials Specialist

SITE: FORMER EZ-SERVE LOCATION 100877
525 WEST A STREET
HAYWARD, CALIFORNIA
FUEL LEAK CASE NO. RO0000023

RE: SEMI-ANNUAL GROUNDWATER MONITORING AND SAMPLING
THIRD QUARTER 2009 (3Q09)

Dear Mr. Detterman:

GeoEnviro Services Inc. (GESI) has prepared this report on behalf of Restructure Petroleum Marketing Services (RPMS) to document semi-annual groundwater monitoring activities completed during the Third Quarter 2009 (3Q09) at the Former EZ-Serve No. 100877 located at 525 West A Street, Hayward, California. Groundwater monitoring and sampling for 3Q09 was completed on September 22, 2009. The results are summarized on the attached summary, tables, and figures.

General field procedures are included in Attachment A. Groundwater monitoring and sampling field documentation are included in Attachment B. Copies of the laboratory analytical reports along with chain-of-custody documentation are included in Attachment C. Geotracker submittal documentation is included in Attachment D.

If you have any questions regarding this report, please contact us at (805) 642-1668 or email to jschaaf@geoenviroservices.com.

Sincerely,
GEOENVIRO SERVICES, INC.

Joseph P. Schaaf, P.G., C.Hg.
Principal Geologist



cc: Mr. Jack Ceccarelli, Restructure Petroleum Marketing Services of CA
Mr. Aziz Kandahari, KB Chevron, Property Owner
State Water Resources Control Board, Geotracker Database

EZ-SERVE 100877
GROUNDWATER MONITORING AND SAMPLING, THIRD QUARTER 2009
OCTOBER 28, 2009

ATTACHMENTS:

Project and Monitoring Data Summary

Table 1: Fluid Level Monitoring Data

Table 2: Results of Laboratory Analysis of Groundwater Samples

Figure 1: Site Location Map

Figure 2: Site Map with Contours of Groundwater Elevation, Third Quarter 2009

Figure 3: Site Map with Contours of TPHg Concentrations in Groundwater, Third Quarter 2009

Figure 4: Site Map with Contours of Benzene Concentrations in Groundwater, Third Quarter 2009

Figure 5: Site Map with Contours of MTBE Concentrations in Groundwater, Third Quarter 2009

Attachment A: General Field Procedures

Attachment B: Groundwater Monitoring and Sampling Field Data Sheets

Attachment C: Laboratory Analytical Reports and Chain of Custody Documentation

Attachment D: Geotracker Submittal Documentation

LIMITATIONS

This letter-report has been prepared at the request of Restructure Petroleum Marketing Services of California for submittal to the Alameda County Department of Environmental Health. In performing our professional services, we have attempted to apply present engineering and scientific judgment and use a level of effort consistent with the standard of practice measured on the date of work and in locale of the project site for similar type studies. GeoEnviro Services, Inc. makes no warranty, express or implied.

The analyses and interpretations presented in this report have been developed based on the results from the review of existing information pertaining to the Project Site and the results from the laboratory analyses of the groundwater samples collected from discrete locations. It should be recognized that groundwater contamination can vary between sampling locations and between monitoring events.

FORMER EZ SERVE 100877, ACDEH CASE No. 3580
525 WEST A STREET, HAYWARD CALIFORNIA
GROUNDWATER MONITORING AND SAMPLING, THIRD QUARTER 2009
 October 28, 2009

PROJECT AND GROUNDWATER MONITORING DATA SUMMARY

SITE INFORMATION

| | |
|-----------------------------|---|
| Location/Address: | Former EZ Serve 100877, 525 West A Street, Hayward, California |
| Owner/RP: | Restructure Petroleum Marketing Services (RPMS) |
| Address | 9519 E. M L King Blvd., Suite 100, Tampa, Florida 33610 |
| Consultant : | GeoEnviro Services, Inc. Joseph P. Schaaf, P.G., C.Hg. |
| Consultant Phone/Fax/email: | (805) 642-1668 / (805) 642-9331 / jschaaf@geoenviroservices.com |

PROJECT INFORMATION

| | |
|---------------------------|---|
| GW Monitoring Start Date: | 1992 |
| Nature of GW Impacts: | UST release of gasoline to soil and groundwater |
| Number of onsite wells: | 7 GW Monitoring 3 Vapor Extraction 1 GW Extraction |
| Number of offsite wells: | 5 GW Monitoring |
| Site Well Identification: | MW-1, MW-1A, MW-3 through MW-6, MW-8 through MW-10, MW-12, and MW-14. VEAS-1 through VEAS-3. EX-1 |
| Current Remedial Phase: | Soil Excavation Activities were completed during Recent Station Rebuild in 2008 |
| Current Assessment Phase: | Revised Work Plan for Additional Site Assessment Submitted April 21, 2009 |
| Remediation End Date: | To Be Evaluated |
| Site Access Information: | Active Gasoline Service Station |

MONITORING ACTIVITY, THIRD QUARTER 2009

| | |
|---|---|
| Dates of 3Q09 Monitoring Activities: | September 22, 2009 |
| Number of Wells Guaged: | 8 total Wells MW-1, MW-3 through MW-5, MW-7, MW-12, MW-14, and EX-1 |
| Number of Wells Containing Free Product | 0 Maximum F.P. Thickness: NA |
| Wells Sampled: | 8 Wells Total: MW-1, MW-3 through MW-5, MW-7, MW-12, MW-14, and EX-1 |
| Chemical Analyses: | U.S. EPA 8015M: TPH-g U.S. EPA 8260B: BTEX, Fuel Oxygenates |
| Laboratory Used: | Associated Laboratories, Orange, CA |
| Purge Method / Total Volume: | Submersible pump / 153 Gallons |
| Sample Method: | Dedicated disposable polyethelene bailer |
| Storage / Disposal Method: | 55-Gallon DOT Drums / pending laboratory analyses results |

HYDROGEOLOGIC CONDITIONS, 3Q09

| | |
|--------------------------------------|--|
| GW Depth Range (feet bgs): | 16.41 (MW-1) to 18.33 (MW-12) |
| Average GW Depth (feet bgs): | 17.57 |
| GW Elevation Range (feet amsl): | 24.91 (MW-14) to 26.03 (MW-3) |
| Average Groundwater El. (feet amsl): | 25.26 |
| Average Change in GW Elevation: | 2.49 foot decrease since First Quarter 2009 |
| Groundwater Gradient / Direction | 0.021 feet per foot to the northwest |

CHEMICALS OF CONCERN AND CONCENTRATIONS, 3Q09 (micrograms per liter [ug/L])

| | |
|--|--|
| TPH-g: No. of wells detected / Range | 6 of 8 wells / 216 ug/l (MW-7) to 6,600 ug/l (MW-1) |
| Benzene: No. of wells detected / Range | 4 of 8 wells / 1.6 ug/l (MW-3) to 54 ug/l (MW-1) |
| MTBE: No. of wells detected / Range | 5 of 8 wells / 18 ug/l (MW-1) to 238 ug/l (MW-3) |

QUARTERLY TREND ANALYSES / REMEDIAL PROGRESS

Concentrations of TPHg, BTEX and/or MTBE are generally higher at the locations of the Site wells MW-1, MW-5, and MW-7 than the concentrations recorded in 1Q09 with the exception of decreases in benzene and MTBE concentrations in well MW-1. In the wells containing detectable concentrations of BTEX, benzene concentrations increased only slightly in well MW-3. Concentrations of MTBE also increased in well MW-3. The groundwater generally decreased in elevation since the First Quarter 2009.

PROPOSED FUTURE WORK / RECOMMENDATIONS

Continued groundwater monitoring on a semi-annual basis.
 Additional soil and groundwater assessment completed in September 2009. Report in progress.

TABLES

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through September 2009
EZ Serve 100877, 525 West A Street, Hayward, CA

| Well ID | Date Monitored | Top of Casing Elevation* (feet) | Screen Interval (fbg) | Free Product | Depth to Water (feet) | Groundwater Elevation (feet) |
|----------------|-----------------------|--|------------------------------|---------------------|------------------------------|-------------------------------------|
| MW-1 | 02/05/92 | 41.75 | 15-29 | -- | 20.82 | 20.93 |
| MW-1 | 09/11/92 | 41.75 | 15-29 | -- | 20.08 | 21.67 |
| MW-1 | 12/22/92 | 41.75 | 15-29 | -- | 19.79 | 21.96 |
| MW-1 | 03/03/93 | 41.75 | 15-29 | -- | 16.23 | 25.52 |
| MW-1 | 06/23/93 | 41.75 | 15-29 | -- | 16.86 | 24.89 |
| MW-1 | 09/30/93 | 41.75 | 15-29 | -- | 18.04 | 23.71 |
| MW-1 | 02/06/94 | 41.75 | 15-29 | -- | 18.15 | 23.60 |
| MW-1 | 05/02/94 | 41.75 | 15-29 | -- | 17.26 | 24.49 |
| MW-1 | 07/01/94 | 41.75 | 15-29 | -- | 17.60 | 24.15 |
| MW-1 | 09/20/94 | 41.75 | 15-29 | -- | 20.59 | 21.16 |
| MW-1 | 12/05/92 | 41.75 | 15-29 | -- | 17.83 | 23.92 |
| MW-1 | 03/10/95 | 41.75 | 15-29 | -- | 14.67 | 27.08 |
| MW-1 | 03/15/95 | 41.75 | 15-29 | -- | 14.43 | 27.32 |
| MW-1 | 09/23/96 | 41.75 | 15-29 | -- | 14.92 | 26.83 |
| MW-1 | 12/04/96 | 41.75 | 15-29 | -- | 15.61 | 26.14 |
| MW-1 | 04/08/97 | 41.75 | 15-29 | -- | 13.25 | 28.50 |
| MW-1 | 06/30/97 | 41.75 | 15-29 | -- | 14.68 | 27.07 |
| MW-1 | 11/25/97 | 41.75 | 15-29 | -- | 15.99 | 25.76 |
| MW-1 | 06/01/98 | 41.75 | 15-29 | -- | 9.98 | 31.77 |
| MW-1 | 06/14/01 | 41.75 | 15-29 | -- | 15.05 | 26.70 |
| MW-1 | 11/07/01 | 41.75 | 15-29 | -- | 16.31 | 25.44 |
| MW-1 | 01/30/02 | 41.75 | 15-29 | -- | 14.15 | 27.60 |
| MW-1 | 05/29/02 | 41.75 | 15-29 | -- | 14.55 | 27.20 |
| MW-1 | 08/14/02 | 41.75 | 15-29 | -- | 15.56 | 26.19 |
| MW-1 | 11/15/02 | 41.75 | 15-29 | -- | 16.10 | 25.65 |
| MW-1 | 10/25/04 | 41.75 | 15-29 | -- | 15.99 | 25.76 |
| MW-1 | 12/23/04 | 41.75 | 15-29 | -- | 15.64 | 26.11 |
| MW-1 | 02/25/05 | 41.75 | 15-29 | -- | 12.79 | 28.96 |
| MW-1 | 05/19/05 | 41.75 | 15-29 | -- | 12.27 | 29.48 |
| MW-1 | 09/15/05 | 41.75 | 15-29 | -- | 14.30 | 27.45 |
| MW-1 | 03/20/06 | 41.75 | 15-29 | -- | 11.44 | 30.31 |
| MW-1 | 05/25/06 | 41.75 | 15-29 | -- | 11.05 | 30.70 |
| MW-1 | 08/23/06 | 41.75 | 15-29 | -- | 12.75 | 29.00 |
| MW-1 | 03/14/07 | 41.75 | 15-29 | -- | 13.12 | 28.63 |
| MW-1 | 06/11/07 | 41.75 | 15-29 | -- | 14.42 | 27.33 |
| MW-1 | 08/01/07 | 41.75 | 15-29 | -- | 14.97 | 26.78 |
| MW-1 | 02/27/08 | 41.75 | 15-29 | -- | 13.35 | 28.40 |
| MW-1 | 05/13/08 | 41.75 | 15-29 | -- | 14.51 | 27.24 |
| MW-1 | 08/27/08 | 41.75 | 15-29 | -- | 15.37 | 26.38 |
| MW-1 | 11/18/08 | 41.75 | 15-29 | -- | 15.88 | 25.87 |
| MW-1 | 03/11/09 | 41.75 | 15-29 | -- | 13.65 | 28.10 |
| MW-1 | 09/22/09 | 41.75 | 15-29 | -- | 16.41 | 25.34 |
| MW-1A | 06/23/93 | 43.40 | -- | 0.21 | 17.80 | 25.75 |
| MW-1A | 09/30/93 | 43.40 | -- | -- | -- | -- |
| MW-1A | 02/06/94 | 43.40 | -- | -- | 18.89 | 24.51 |
| MW-1A | 05/02/94 | 43.40 | -- | 0.09 | 18.35 | 38.40 |
| MW-1A | 07/01/94 | 43.40 | -- | -- | 18.45 | 24.95 |
| MW-1A | 09/20/94 | 43.40 | -- | 0.22 | 21.72 | 21.84 |

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through September 2009
EZ Serve 100877, 525 West A Street, Hayward, CA

| Well ID | Date Monitored | Top of Casing Elevation* (feet) | Screen Interval (fbg) | Free Product | Depth to Water (feet) | Groundwater Elevation (feet) |
|----------------|-----------------------|--|------------------------------|---------------------|------------------------------|-------------------------------------|
| MW-1A | 12/05/94 | 43.40 | -- | 0.07 | 18.87 | 24.58 |
| MW-1A | 03/10/95 | 43.40 | -- | -- | 15.83 | 27.57 |
| MW-1A | 03/15/95 | 43.40 | -- | 0.05 | 15.55 | 27.89 |
| MW-1A | 09/23/96 | 43.40 | -- | 0.01 | 16.00 | 27.41 |
| MW-1A | 12/04/96 | 43.40 | -- | -- | 16.55 | 26.85 |
| MW-1A | 04/08/97 | 43.40 | -- | SHEEN | 14.15 | 29.25 |
| MW-1A | 06/30/97 | 43.40 | -- | -- | 15.57 | 27.83 |
| MW-1A | 11/25/97 | 43.40 | -- | -- | 16.91 | 26.49 |
| MW-1A | 06/01/98 | 43.40 | -- | -- | 10.78 | 32.62 |
| MW-1A | 06/14/01 | 43.40 | -- | 0.01 | 15.93 | 27.48 |
| MW-1A | 11/07/01 | 43.40 | -- | -- | 17.32 | 26.08 |
| MW-1A | 01/30/02 | 43.40 | -- | -- | 15.05 | 28.35 |
| MW-1A | 05/29/02 | 43.40 | -- | -- | 15.49 | 27.91 |
| MW-1A | 08/14/02 | 43.40 | -- | -- | 16.50 | 26.90 |
| MW-1A | 11/15/02 | 43.40 | -- | -- | 17.04 | 26.36 |
| MW-1A | 10/25/04 | 43.40 | -- | -- | 16.90 | 26.50 |
| MW-1A | 12/23/04 | 43.40 | -- | -- | 16.60 | 26.80 |
| MW-1A | 02/25/05 | 43.40 | -- | -- | 13.75 | 29.65 |
| MW-1A | 05/19/05 | 43.40 | -- | -- | 13.12 | 30.28 |
| MW-1A | 09/15/05 | 43.40 | -- | -- | 15.16 | 28.24 |
| MW-1A | 11/10/05 | 43.40 | -- | -- | 15.78 | 27.62 |
| MW-1A | 03/20/06 | 43.40 | -- | -- | 12.64 | 30.76 |
| MW-1A | 05/25/06 | 43.40 | -- | -- | 11.85 | 31.55 |
| MW-1A | 08/23/06 | 43.40 | -- | -- | 13.55 | 29.85 |
| MW-1A | 03/14/07 | 43.40 | -- | -- | 14.00 | 29.40 |
| MW-1A | 06/12/07 | 43.40 | -- | -- | 15.30 | 28.10 |
| MW-1A | 08/01/07 | 43.40 | -- | -- | 15.84 | 27.56 |
| MW-1A | 02/27/08 | 43.40 | -- | -- | 14.10 | 29.30 |
| MW-1A | 05/13/08 | 43.40 | Well Not Accessable | -- | -- | -- |
| MW-1A | 08/27/08 | 43.40 | Well Dry | -- | -- | -- |
| MW-1A | 11/18/08 | 43.40 | Well Dry | -- | -- | -- |
| MW-1A | 03/11/09 | 43.40 | Well Dry | -- | -- | -- |
| MW-1A | 09/22/09 | 43.40 | Well Dry | -- | -- | -- |
| MW-2 | 02/05/92 | 43.26 | 15-29 | -- | 22.35 | 20.91 |
| MW-2 | 09/11/92 | 43.26 | 15-29 | -- | 21.67 | 21.59 |
| MW-2 | 12/22/92 | 43.26 | 15-29 | -- | 21.39 | 21.87 |
| MW-2 | 03/03/93 | 43.26 | 15-29 | -- | 17.75 | 25.51 |
| MW-2 | 06/23/93 | 43.26 | 15-29 | -- | 18.42 | 24.84 |
| MW-2 | 09/30/93 | 43.26 | 15-29 | -- | 19.63 | 23.63 |
| MW-2 | 02/06/94 | 43.26 | 15-29 | -- | 19.61 | 23.65 |
| MW-2 | 05/02/94 | 43.26 | 15-29 | -- | 19.84 | 23.42 |
| MW-2 | 07/01/94 | 43.26 | 15-29 | -- | 19.18 | 24.08 |
| MW-2 | 09/20/94 | 43.26 | 15-29 | -- | 22.17 | 21.09 |
| MW-2 | 12/06/94 | 43.26 | 15-29 | -- | 19.37 | 23.89 |
| MW-2 | 03/10/95 | 43.26 | 15-29 | -- | 16.33 | 26.93 |
| MW-2 | 03/15/95 | 43.26 | 15-29 | -- | 16.89 | 26.37 |
| MW-2 | 09/23/96 | 43.26 | 15-29 | -- | 16.61 | 26.65 |
| MW-2 | 12/04/96 | 43.26 | 15-29 | -- | 17.19 | 26.07 |

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through September 2009
EZ Serve 100877, 525 West A Street, Hayward, CA

| Well ID | Date Monitored | Top of Casing Elevation* (feet) | Screen Interval (fbg) | Free Product | Depth to Water (feet) | Groundwater Elevation (feet) |
|----------------|-----------------------|--|------------------------------|--|------------------------------|-------------------------------------|
| MW-2 | 04/08/97 | 43.26 | 15-29 | -- | 14.86 | 28.40 |
| MW-2 | 06/30/97 | 43.26 | 15-29 | -- | 16.28 | 26.98 |
| MW-2 | 11/25/97 | 43.26 | 15-29 | -- | 17.56 | 25.70 |
| MW-2 | 06/01/98 | 43.26 | 15-29 | -- | 11.58 | 31.68 |
| MW-2 | 06/14/01 | 43.26 | 15-29 | -- | 16.63 | 26.63 |
| MW-2 | 11/07/01 | 43.26 | 15-29 | -- | 17.85 | 25.41 |
| MW-2 | 01/30/02 | 43.26 | 15-29 | -- | 15.65 | 27.61 |
| MW-2 | 05/29/02 | 43.26 | 15-29 | -- | 16.12 | 27.14 |
| MW-2 | 08/14/02 | 43.26 | 15-29 | -- | 17.20 | 26.06 |
| MW-2 | 11/15/02 | 43.26 | 15-29 | -- | 17.63 | 25.63 |
| MW-2 | 10/25/04 | 43.26 | 15-29 | -- | 17.53 | 25.73 |
| MW-2 | 12/23/04 | 43.26 | 15-29 | -- | 17.15 | 26.11 |
| MW-2 | 02/25/05 | 43.26 | 15-29 | -- | 14.30 | 28.96 |
| MW-2 | 05/19/05 | 43.26 | 15-29 | -- | 13.81 | 29.45 |
| MW-2 | 09/15/05 | 43.26 | 15-29 | Inaccessible due to temporary habitat | | |
| MW-2 | 11/10/05 | 43.26 | 15-29 | -- | 16.39 | 26.87 |
| MW-2 | 03/20/06 | 43.26 | 15-29 | -- | 13.00 | 30.26 |
| MW-2 | 05/25/06 | 43.26 | 15-29 | Destroyed on March 2, 2006 | | |
| MW-3 | 02/05/92 | 43.89 | 15-29 | -- | 21.85 | 22.04 |
| MW-3 | 09/11/92 | 43.89 | 15-29 | -- | 21.13 | 22.76 |
| MW-3 | 12/22/92 | 43.89 | 15-29 | -- | 20.88 | 23.01 |
| MW-3 | 03/03/93 | 43.89 | 15-29 | -- | 17.29 | 26.60 |
| MW-3 | 06/23/93 | 43.89 | 15-29 | -- | 17.88 | 26.01 |
| MW-3 | 09/30/93 | 43.89 | 15-29 | -- | 19.18 | 24.71 |
| MW-3 | 02/06/94 | 43.89 | 15-29 | -- | 19.21 | 24.68 |
| MW-3 | 05/02/94 | 43.89 | 15-29 | -- | 18.30 | 25.59 |
| MW-3 | 07/01/94 | 43.89 | 15-29 | -- | 18.63 | 25.26 |
| MW-3 | 09/20/94 | 43.89 | 15-29 | -- | 21.64 | 22.25 |
| MW-3 | 12/06/94 | 43.89 | 15-29 | -- | 19.15 | 24.74 |
| MW-3 | 03/10/95 | 43.89 | 15-29 | -- | 16.33 | 27.56 |
| MW-3 | 03/15/95 | 43.89 | 15-29 | -- | 16.89 | 27.00 |
| MW-3 | 09/23/96 | 43.89 | 15-29 | -- | 16.11 | 27.78 |
| MW-3 | 12/04/96 | 43.89 | 15-29 | -- | 16.63 | 27.26 |
| MW-3 | 04/08/97 | 43.89 | 15-29 | -- | 14.25 | 29.64 |
| MW-3 | 06/30/97 | 43.89 | 15-29 | -- | 15.70 | 28.19 |
| MW-3 | 11/25/97 | 43.89 | 15-29 | -- | 16.99 | 26.90 |
| MW-3 | 06/01/98 | 43.89 | 15-29 | -- | -- | -- |
| MW-3 | 06/14/01 | 43.89 | 15-29 | -- | 16.02 | 27.87 |
| MW-3 | 11/07/01 | 43.89 | 15-29 | -- | 17.33 | 26.56 |
| MW-3 | 01/30/02 | 43.89 | 15-29 | -- | 15.10 | 28.79 |
| MW-3 | 05/29/02 | 43.89 | 15-29 | -- | 15.63 | 28.26 |
| MW-3 | 08/14/02 | 43.89 | 15-29 | -- | 16.63 | 27.26 |
| MW-3 | 11/15/02 | 43.89 | 15-29 | -- | 17.10 | 26.79 |
| MW-3 | 10/25/04 | 43.89 | 15-29 | -- | 17.01 | 26.88 |
| MW-3 | 12/20/04 | 43.89 | 15-29 | -- | 16.64 | 27.25 |
| MW-3 | 02/25/05 | 43.89 | 15-29 | Could not locate, VEAS-2 sampled instead | | |
| MW-3 | 05/19/05 | 43.89 | 15-29 | Could not locate, VEAS-2 sampled instead | | |
| MW-3 | 09/15/05 | 43.89 | 15-29 | -- | Couldn't locate | -- |

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through September 2009
EZ Serve 100877, 525 West A Street, Hayward, CA

| Well ID | Date Monitored | Top of Casing Elevation* (feet) | Screen Interval (fbg) | Free Product | Depth to Water (feet) | Groundwater Elevation (feet) |
|----------------|-----------------------|--|------------------------------|---------------------|------------------------------|-------------------------------------|
| MW-3 | 11/10/05 | 43.89 | 15-29 | -- | Couldn't locate | -- |
| MW-3 | 03/20/06 | 43.89 | 15-29 | -- | 12.44 | 31.45 |
| MW-3 | 05/25/06 | 43.89 | 15-29 | -- | 12.05 | 31.84 |
| MW-3 | 08/23/06 | 43.89 | 15-29 | -- | 13.75 | 30.14 |
| MW-3 | 03/14/07 | 43.89 | 15-29 | -- | 14.11 | 29.78 |
| MW-3 | 06/12/07 | 43.89 | 15-29 | -- | 15.43 | 28.46 |
| MW-3 | 08/01/07 | 43.89 | 15-29 | -- | 15.97 | 27.92 |
| MW-3 | 02/27/08 | 43.89 | 15-29 | -- | 14.40 | 29.49 |
| MW-3 | 05/13/08 | 43.89 | 15-29 | -- | 15.52 | 28.37 |
| MW-3 | 08/27/08 | 43.89 | 15-29 | -- | 16.79 | 27.10 |
| MW-3 | 11/18/08 | 43.89 | 15-29 | -- | 17.30 | 26.59 |
| MW-3 | 03/11/09 | 43.89 | 15-29 | -- | 15.37 | 28.52 |
| MW-3 | 09/22/09 | 43.89 | 15-29 | -- | 17.86 | 26.03 |
| | | | | | | |
| MW-4 | 02/05/92 | 42.76 | 15-29 | -- | 21.31 | 21.45 |
| MW-4 | 09/11/92 | 42.76 | 15-29 | -- | 20.62 | 22.14 |
| MW-4 | 12/22/92 | 42.76 | 15-29 | -- | 20.37 | 22.39 |
| MW-4 | 03/03/93 | 42.76 | 15-29 | -- | 16.78 | 25.98 |
| MW-4 | 06/23/93 | 42.76 | 15-29 | -- | 17.45 | 25.31 |
| MW-4 | 09/30/93 | 42.76 | 15-29 | -- | 18.64 | 24.12 |
| MW-4 | 02/06/94 | 42.76 | 15-29 | -- | 18.59 | 24.17 |
| MW-4 | 05/02/94 | 42.76 | 15-29 | -- | 17.81 | 24.95 |
| MW-4 | 07/01/94 | 42.76 | 15-29 | -- | 18.13 | 24.63 |
| MW-4 | 09/20/94 | 42.76 | 15-29 | -- | 21.13 | 21.63 |
| MW-4 | 12/06/94 | 42.76 | 15-29 | -- | 18.36 | 24.40 |
| MW-4 | 03/10/95 | 42.76 | 15-29 | -- | 15.25 | 27.51 |
| MW-4 | 03/15/95 | 42.76 | 15-29 | -- | 14.89 | 27.87 |
| MW-4 | 09/23/96 | 42.76 | 15-29 | -- | 15.56 | 27.20 |
| MW-4 | 12/04/96 | 42.76 | 15-29 | -- | 16.11 | 26.65 |
| MW-4 | 04/08/97 | 42.76 | 15-29 | -- | 13.73 | 29.03 |
| MW-4 | 06/30/97 | 42.76 | 15-29 | -- | 15.19 | 27.57 |
| MW-4 | 11/25/97 | 42.76 | 15-29 | -- | 16.49 | 26.27 |
| MW-4 | 06/01/98 | 42.76 | 15-29 | -- | 10.42 | 32.34 |
| MW-4 | 06/14/01 | 42.76 | 15-29 | -- | 15.55 | 27.21 |
| MW-4 | 11/07/01 | 42.76 | 15-29 | -- | 16.81 | 25.95 |
| MW-4 | 01/30/02 | 42.76 | 15-29 | -- | 14.60 | 28.16 |
| MW-4 | 05/29/02 | 42.76 | 15-29 | -- | 15.14 | 27.62 |
| MW-4 | 08/14/02 | 42.76 | 15-29 | -- | 16.07 | 26.69 |
| MW-4 | 11/15/02 | 42.76 | 15-29 | -- | 16.61 | 26.15 |
| MW-4 | 10/25/04 | 42.76 | 15-29 | -- | 16.50 | 26.26 |
| MW-4 | 12/23/04 | 42.76 | 15-29 | -- | 16.20 | 26.56 |
| MW-4 | 02/25/05 | 42.76 | 15-29 | -- | 13.30 | 29.46 |
| MW-4 | 05/19/05 | 42.76 | 15-29 | -- | 12.74 | 30.02 |
| MW-4 | 09/15/05 | 42.76 | 15-29 | -- | 14.80 | 27.96 |
| MW-4 | 11/10/06 | 42.76 | 15-29 | -- | 15.45 | 27.31 |
| MW-4 | 03/20/06 | 42.76 | 15-29 | -- | 11.93 | 30.83 |
| MW-4 | 05/25/06 | 42.76 | 15-29 | -- | 11.49 | 31.27 |
| MW-4 | 08/23/06 | 42.76 | 15-29 | -- | 13.23 | 29.53 |
| MW-4 | 03/14/07 | 42.76 | 15-29 | -- | 13.65 | 29.11 |

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through September 2009
EZ Serve 100877, 525 West A Street, Hayward, CA

| Well ID | Date Monitored | Top of Casing Elevation* (feet) | Screen Interval (fbg) | Free Product | Depth to Water (feet) | Groundwater Elevation (feet) |
|----------------|-----------------------|--|------------------------------|---------------------|------------------------------|-------------------------------------|
| MW-4 | 06/12/07 | 42.76 | 15-29 | -- | 14.92 | 27.84 |
| MW-4 | 08/01/07 | 42.76 | 15-29 | -- | 15.48 | 27.28 |
| MW-4 | 02/27/08 | 42.76 | 15-29 | -- | Could not locate well | |
| MW-4 | 05/13/08 | 42.76 | 15-29 | -- | 15.02 | 27.74 |
| MW-4 | 08/27/08 | 42.76 | 15-29 | -- | 16.28 | 26.48 |
| MW-4 | 11/18/08 | 42.76 | 15-29 | -- | 16.81 | 25.95 |
| MW-4 | 03/11/09 | 42.76 | 15-29 | -- | 14.87 | 27.89 |
| MW-4 | 09/22/09 | 42.76 | 15-29 | -- | 17.33 | 25.43 |
| MW-5 | 02/05/92 | 42.10 | 15-29 | -- | 20.93 | 21.17 |
| MW-5 | 09/11/92 | 42.10 | 15-29 | -- | 20.27 | 21.83 |
| MW-5 | 12/22/92 | 42.10 | 15-29 | -- | 19.99 | 22.11 |
| MW-5 | 03/03/93 | 42.10 | 15-29 | -- | 16.49 | 25.61 |
| MW-5 | 06/23/93 | 42.10 | 15-29 | -- | 17.02 | 25.08 |
| MW-5 | 09/30/93 | 42.10 | 15-29 | -- | 18.25 | 23.85 |
| MW-5 | 02/06/94 | 42.10 | 15-29 | -- | 18.26 | 23.84 |
| MW-5 | 05/02/94 | 42.10 | 15-29 | -- | 17.50 | 24.60 |
| MW-5 | 07/01/94 | 42.10 | 15-29 | -- | 17.79 | 24.31 |
| MW-5 | 09/20/94 | 42.10 | 15-29 | -- | 20.77 | 21.33 |
| MW-5 | 15/5/92 | 42.10 | 15-29 | -- | 18.02 | 24.08 |
| MW-5 | 03/10/95 | 42.10 | 15-29 | -- | 14.93 | 27.17 |
| MW-5 | 03/15/95 | 42.10 | 15-29 | -- | 14.70 | 27.40 |
| MW-5 | 09/23/96 | 42.10 | 15-29 | -- | 15.19 | 26.91 |
| MW-5 | 12/04/96 | 42.10 | 15-29 | -- | 15.78 | 26.32 |
| MW-5 | 04/08/97 | 42.10 | 15-29 | -- | 13.39 | 28.71 |
| MW-5 | 06/30/97 | 42.10 | 15-29 | -- | 14.83 | 27.27 |
| MW-5 | 11/25/97 | 42.10 | 15-29 | -- | 16.14 | 25.96 |
| MW-5 | 06/01/98 | 42.10 | 15-29 | -- | 10.10 | 32.00 |
| MW-5 | 06/14/01 | 42.10 | 15-29 | -- | 15.19 | 26.91 |
| MW-5 | 11/07/01 | 42.10 | 15-29 | -- | 16.47 | 25.63 |
| MW-5 | 01/30/02 | 42.10 | 15-29 | -- | 14.27 | 27.83 |
| MW-5 | 05/29/02 | 42.10 | 15-29 | -- | 14.73 | 27.37 |
| MW-5 | 08/14/02 | 42.10 | 15-29 | -- | 15.73 | 26.37 |
| MW-5 | 11/15/02 | 42.10 | 15-29 | -- | 16.27 | 25.83 |
| MW-5 | 10/25/04 | 42.10 | 15-29 | -- | 16.15 | 25.95 |
| MW-5 | 12/23/04 | 42.10 | 15-29 | -- | 15.88 | 26.22 |
| MW-5 | 02/25/05 | 42.10 | 15-29 | -- | 12.97 | 29.13 |
| MW-5 | 05/19/05 | 42.10 | 15-29 | -- | 12.48 | 29.62 |
| MW-5 | 09/15/05 | 42.10 | 15-29 | -- | 15.47 | 26.63 |
| MW-5 | 11/10/08 | 42.10 | 15-29 | -- | 15.03 | 27.07 |
| MW-5 | 03/20/06 | 42.10 | 15-29 | -- | 11.79 | 30.31 |
| MW-5 | 05/25/06 | 42.10 | 15-29 | -- | 11.15 | 30.95 |
| MW-5 | 08/23/06 | 42.10 | 15-29 | -- | 12.88 | 29.22 |
| MW-5 | 03/14/07 | 42.10 | 15-29 | -- | 13.28 | 28.82 |
| MW-5 | 06/11/07 | 42.10 | 15-29 | -- | 14.56 | 27.54 |
| MW-5 | 08/01/07 | 42.10 | 15-29 | -- | 15.11 | 26.99 |
| MW-5 | 02/27/08 | 42.10 | 15-29 | -- | 13.49 | 28.61 |
| MW-5 | 05/13/08 | 42.10 | 15-29 | -- | 14.64 | 27.46 |
| MW-5 | 08/27/08 | 42.10 | 15-29 | -- | 15.93 | 26.17 |

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through September 2009
EZ Serve 100877, 525 West A Street, Hayward, CA

| Well ID | Date Monitored | Top of Casing Elevation* (feet) | Screen Interval (fbg) | Free Product | Depth to Water (feet) | Groundwater Elevation (feet) |
|----------------|-----------------------|--|------------------------------|---------------------|------------------------------|-------------------------------------|
| MW-5 | 11/18/08 | 42.10 | 15-29 | -- | 16.43 | 25.67 |
| MW-5 | 03/11/09 | 42.10 | 15-29 | -- | 14.53 | 27.57 |
| MW-5 | 09/22/09 | 42.10 | 15-29 | -- | 16.95 | 25.15 |
| MW-6 | 02/05/92 | 42.33 | 15-29 | -- | 21.29 | 21.04 |
| MW-6 | 09/11/92 | 42.33 | 15-29 | -- | 20.56 | 21.77 |
| MW-6 | 12/22/92 | 42.33 | 15-29 | -- | 20.31 | 22.02 |
| MW-6 | 03/03/93 | 42.33 | 15-29 | -- | 16.83 | 25.50 |
| MW-6 | 06/23/93 | 42.33 | 15-29 | -- | 17.30 | 25.03 |
| MW-6 | 09/30/93 | 42.33 | 15-29 | -- | 19.05 | 23.28 |
| MW-6 | 02/06/94 | 42.33 | 15-29 | -- | 18.55 | 23.78 |
| MW-6 | 05/02/94 | 42.33 | 15-29 | -- | 17.74 | 24.59 |
| MW-6 | 07/01/94 | 42.33 | 15-29 | -- | 18.09 | 24.24 |
| MW-6 | 09/20/94 | 42.33 | 15-29 | -- | 21.05 | 21.28 |
| MW-6 | 12/06/94 | 42.33 | 15-29 | -- | 18.33 | 24.00 |
| MW-6 | 03/10/95 | 42.33 | 15-29 | -- | 15.35 | 26.98 |
| MW-6 | 03/15/95 | 42.33 | 15-29 | -- | 14.91 | 27.42 |
| MW-6 | 09/23/96 | 42.33 | 15-29 | -- | 15.50 | 26.83 |
| MW-6 | 12/04/96 | 42.33 | 15-29 | -- | 16.06 | 26.27 |
| MW-6 | 04/08/97 | 42.33 | 15-29 | -- | 13.64 | 28.69 |
| MW-6 | 06/30/97 | 42.33 | 15-29 | -- | 15.08 | 27.25 |
| MW-6 | 11/25/97 | 42.33 | 15-29 | -- | 16.40 | 25.93 |
| MW-6 | 06/01/98 | 42.33 | 15-29 | -- | 10.31 | 32.02 |
| MW-6 | 06/14/01 | 42.33 | 15-29 | -- | 15.46 | 26.87 |
| MW-6 | 11/07/01 | 42.33 | 15-29 | -- | 16.71 | 25.62 |
| MW-6 | 01/30/02 | 42.33 | 15-29 | -- | 14.60 | 27.73 |
| MW-6 | 05/29/02 | 42.33 | 15-29 | -- | 14.99 | 27.34 |
| MW-6 | 08/14/02 | 42.33 | 15-29 | -- | 16.03 | 26.30 |
| MW-6 | 11/15/02 | 42.33 | 15-29 | -- | 16.53 | 25.80 |
| MW-6 | 10/25/04 | 42.33 | 15-29 | -- | 16.43 | 25.90 |
| MW-6 | 12/23/04 | 42.33 | 15-29 | -- | 16.12 | 26.21 |
| MW-6 | 02/25/05 | 42.33 | 15-29 | -- | 13.13 | 29.20 |
| MW-6 | 05/19/05 | 42.33 | 15-29 | -- | 12.61 | 29.72 |
| MW-6 | 09/15/05 | 42.33 | 15-29 | -- | 14.69 | 27.64 |
| MW-6 | 11/10/05 | 42.33 | 15-29 | -- | 15.30 | 27.03 |
| MW-6 | 03/20/06 | 42.33 | 15-29 | -- | 11.88 | 30.45 |
| MW-6 | 05/25/06 | 42.33 | 15-29 | -- | 11.38 | 30.95 |
| MW-6 | 08/23/06 | 42.33 | 15-29 | -- | 13.10 | 29.23 |
| MW-6 | 03/14/07 | 42.33 | 15-29 | -- | 13.52 | 28.81 |
| MW-6 | 06/12/07 | 42.33 | 15-29 | -- | 14.80 | 27.53 |
| MW-6 | 08/01/07 | 42.33 | 15-29 | -- | 15.38 | 26.95 |
| MW-6 | 02/27/08 | 42.33 | 15-29 | -- | 13.79 | 28.54 |
| MW-6 | 05/13/08 | 42.33 | 15-29 | -- | 14.93 | 27.40 |
| MW-6 | 08/27/08 | 42.33 | 15-29 | -- | Well Not Accessable | |
| MW-6 | 11/18/08 | 42.33 | 15-29 | -- | Well Not Accessable | |
| MW-6 | 03/11/09 | 42.33 | 15-29 | -- | Well Not Accessable | |
| MW-6 | 09/22/09 | 42.33 | 15-29 | -- | Well Not Accessable | |
| MW-7 | 06/23/93 | 42.70 | 10-29 | -- | 17.87 | 24.83 |

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through September 2009
EZ Serve 100877, 525 West A Street, Hayward, CA

| Well ID | Date Monitored | Top of Casing Elevation* (feet) | Screen Interval (fbg) | Free Product | Depth to Water (feet) | Groundwater Elevation (feet) |
|----------------|-----------------------|--|------------------------------|---------------------|------------------------------------|-------------------------------------|
| MW-7 | 09/30/93 | 42.70 | 10-29 | -- | 18.94 | 23.76 |
| MW-7 | 02/06/94 | 42.70 | 10-29 | 0.06 | 19.11 | 23.63 |
| MW-7 | 05/02/94 | 42.70 | 10-29 | -- | 18.11 | 24.59 |
| MW-7 | 07/01/94 | 42.70 | 10-29 | -- | 18.72 | 23.98 |
| MW-7 | 09/20/94 | 42.70 | 10-29 | -- | 21.41 | 21.29 |
| MW-7 | 12/05/94 | 42.70 | 10-29 | -- | 18.66 | 24.04 |
| MW-7 | 03/10/95 | 42.70 | 10-29 | -- | 15.72 | 26.98 |
| MW-7 | 03/14/95 | 42.70 | 10-29 | -- | 15.23 | 27.47 |
| MW-7 | 09/23/96 | 42.70 | 10-29 | -- | 15.94 | 26.76 |
| MW-7 | 12/04/96 | 42.70 | 10-29 | -- | 16.43 | 26.27 |
| MW-7 | 04/08/97 | 42.70 | 10-29 | -- | 14.10 | 28.60 |
| MW-7 | 06/30/97 | 42.70 | 10-29 | -- | 15.51 | 27.19 |
| MW-7 | 11/25/97 | 42.70 | 10-29 | -- | 16.80 | 25.90 |
| MW-7 | 06/01/98 | 42.70 | 10-29 | -- | 10.31 | 32.39 |
| MW-7 | 06/14/01 | 42.70 | 10-29 | -- | 15.46 | 27.24 |
| MW-7 | 11/07/01 | 42.70 | 10-29 | -- | -- | -- |
| MW-7 | 01/30/02 | 42.70 | 10-29 | -- | 14.97 | 27.73 |
| MW-7 | 05/29/02 | 42.70 | 10-29 | -- | 15.49 | 27.21 |
| MW-7 | 08/14/02 | 42.70 | 10-29 | -- | 16.44 | 26.26 |
| MW-7 | 11/15/02 | 42.70 | 10-29 | -- | 16.91 | 25.79 |
| MW-7 | 10/25/04 | 42.70 | 10-29 | | Could not locate | |
| MW-7 | 05/19/05 | 42.70 | 10-29 | -- | 13.06 | 29.64 |
| MW-7 | 09/15/05 | 42.70 | 10-29 | | Could not locate | |
| MW-7 | 11/10/05 | 42.70 | 10-29 | -- | 15.78 | 26.92 |
| MW-7 | 03/20/06 | 42.70 | 10-29 | | Could not locate | |
| MW-7 | 05/25/06 | 42.70 | 10-29 | | Well was blocked by debris | |
| MW-7 | 08/23/06 | 42.70 | 10-29 | -- | 13.60 | 29.10 |
| MW-7 | 03/14/07 | 42.70 | 10-29 | -- | 14.00 | 28.70 |
| MW-7 | 06/12/07 | 42.70 | 10-29 | | Well not safe to access due to dog | |
| MW-7 | 08/01/07 | 42.70 | 10-29 | -- | 15.82 | 26.88 |
| MW-7 | 02/27/08 | 42.70 | 10-29 | -- | 14.24 | 28.46 |
| MW-7 | 05/13/08 | 42.70 | 10-29 | -- | 14.37 | 28.33 |
| MW-7 | 08/27/08 | 42.70 | 10-29 | -- | 16.62 | 26.08 |
| MW-7 | 11/18/08 | 42.70 | 10-29 | -- | 17.12 | 25.58 |
| MW-7 | 03/11/09 | 42.70 | 10-29 | -- | 15.28 | 27.42 |
| MW-7 | 09/22/09 | 42.70 | 10-29 | -- | 17.65 | 25.05 |
| MW-8 | 06/23/93 | 97.61 | 10-29 | -- | 17.64 | 79.97 |
| MW-8 | 09/30/93 | 97.61 | 10-29 | -- | 18.85 | 78.76 |
| MW-8 | 02/06/94 | 97.61 | 10-29 | -- | 18.91 | 78.70 |
| MW-8 | 05/02/94 | 97.61 | 10-29 | -- | 18.11 | 79.50 |
| MW-8 | 07/01/94 | 97.61 | 10-29 | -- | 18.43 | 79.18 |
| MW-8 | 09/20/94 | 97.61 | 10-29 | -- | 21.43 | 76.18 |
| MW-8 | 12/05/94 | 97.61 | 10-29 | -- | 18.72 | 78.89 |
| MW-8 | 03/10/95 | 97.61 | 10-29 | -- | 18.69 | 78.92 |
| MW-8 | 03/15/95 | 97.61 | 10-29 | -- | 14.83 | 82.78 |
| MW-8 | 09/23/96 | 97.61 | 10-29 | -- | 15.83 | 81.78 |

Not sampled, well inaccessible since 4th quarter, 1996

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through September 2009
EZ Serve 100877, 525 West A Street, Hayward, CA

| Well ID | Date Monitored | Top of Casing Elevation* (feet) | Screen Interval (fbg) | Free Product | Depth to Water (feet) | Groundwater Elevation (feet) |
|--|-----------------------|--|------------------------------|---------------------------------------|------------------------------|-------------------------------------|
| MW-9 | 06/23/93 | 95.41 | 10-29 | -- | 15.94 | 79.47 |
| MW-9 | 09/30/93 | 95.41 | 10-29 | -- | 17.05 | 78.36 |
| MW-9 | 02/06/94 | 95.41 | 10-29 | -- | 17.07 | 78.34 |
| MW-9 | 05/02/94 | 95.41 | 10-29 | -- | 16.24 | 79.17 |
| MW-9 | 07/01/94 | 95.41 | 10-29 | -- | 15.59 | 79.82 |
| MW-9 | 09/20/94 | 95.41 | 10-29 | -- | 16.61 | 78.80 |
| MW-9 | 12/05/94 | 95.41 | 10-29 | -- | 16.58 | 78.83 |
| MW-9 | 03/10/95 | 95.41 | 10-29 | -- | -- | -- |
| MW-9 | 03/15/95 | 95.41 | 10-29 | -- | 14.18 | 81.23 |
| Not sampled, well inaccessible since 1st quarter, 1995 | | | | | | |
| MW-10 | 06/23/93 | 97.11 | 10-29 | -- | 17.39 | 79.72 |
| MW-10 | 09/30/93 | 97.11 | 10-29 | -- | 18.58 | 78.53 |
| MW-10 | 02/06/94 | 97.11 | 10-29 | -- | 18.61 | 78.50 |
| MW-10 | 05/02/94 | 97.11 | 10-29 | -- | 17.83 | 79.28 |
| MW-10 | 07/01/94 | 97.11 | 10-29 | -- | 18.17 | 78.94 |
| MW-10 | 09/20/94 | 97.11 | 10-29 | -- | 21.15 | 75.96 |
| MW-10 | 12/05/94 | 97.11 | 10-29 | -- | 18.43 | 78.68 |
| MW-10 | 03/10/95 | 97.11 | 10-29 | -- | 15.37 | 81.74 |
| MW-10 | 03/15/95 | 97.11 | 10-29 | -- | 15.97 | 81.14 |
| MW-10 | 09/23/96 | 97.11 | 10-29 | -- | 15.59 | 81.52 |
| MW-10 | 12/04/96 | 97.11 | 10-29 | -- | 16.15 | 80.96 |
| Not sampled, well inaccessible since 4th quarter, 1996 | | | | | | |
| MW-11 | 02/10/95 | 92.68 | 5-29 | -- | 11.80 | 80.88 |
| MW-11 | 03/10/95 | 92.68 | 5-29 | -- | 11.58 | 81.10 |
| MW-11 | 03/15/95 | 92.68 | 5-29 | -- | 13.96 | 78.72 |
| MW-11 | 09/23/96 | 92.68 | 5-29 | -- | 12.29 | 80.39 |
| MW-11 | 12/04/96 | 92.68 | 5-29 | -- | -- | -- |
| MW-11 | 04/08/97 | 92.68 | 5-29 | -- | 10.51 | 82.17 |
| Not sampled, well inaccessible since 2nd quarter, 1997 | | | | | | |
| MW-12 | 02/10/95 | 43.25 | 10-30 | -- | 16.30 | 26.95 |
| MW-12 | 03/10/95 | 43.25 | 10-30 | -- | 16.37 | 26.88 |
| MW-12 | 03/14/95 | 43.25 | 10-30 | -- | 15.69 | 27.56 |
| MW-12 | 09/23/96 | 43.25 | 10-30 | -- | 16.67 | 26.58 |
| MW-12 | 12/04/96 | 43.25 | 10-30 | -- | 17.16 | 26.09 |
| MW-12 | 04/08/97 | 43.25 | 10-30 | -- | 14.88 | 28.37 |
| MW-12 | 06/30/97 | 43.25 | 10-30 | -- | 16.33 | 26.92 |
| MW-12 | 11/25/97 | 43.25 | 10-30 | -- | 17.61 | 25.64 |
| MW-12 | 06/01/98 | 43.25 | 10-30 | -- | 11.58 | 31.67 |
| MW-12 | 06/14/01 | 43.25 | 10-30 | -- | 16.62 | 26.63 |
| MW-12 | 11/07/01 | 43.25 | 10-30 | -- | 17.91 | 25.34 |
| MW-12 | 01/30/02 | 43.25 | 10-30 | -- | 15.60 | 27.65 |
| MW-12 | 05/29/02 | 43.25 | 10-30 | -- | 16.24 | 27.01 |
| MW-12 | 08/14/02 | 43.25 | 10-30 | -- | 17.20 | 26.05 |
| MW-12 | 11/15/02 | 43.25 | 10-30 | -- | 17.62 | 25.63 |
| MW-12 | 10/25/04 | 43.25 | 10-30 | Well not sampled, cars parked on well | -- | -- |
| MW-12 | 02/25/05 | 43.25 | 10-30 | -- | 14.72 | 28.53 |

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through September 2009
EZ Serve 100877, 525 West A Street, Hayward, CA

| Well ID | Date Monitored | Top of Casing Elevation* (feet) | Screen Interval (fbg) | Free Product | Depth to Water (feet) | Groundwater Elevation (feet) |
|----------------|-----------------------|--|--|---------------------|------------------------------|-------------------------------------|
| MW-12 | 05/19/05 | 43.25 | 10-30 | -- | 13.80 | 29.45 |
| MW-12 | 09/15/05 | 43.25 | 10-30 | -- | 15.94 | 27.31 |
| MW-12 | 11/10/05 | 43.25 | 10-30 | -- | 16.51 | 26.74 |
| MW-12 | 03/20/06 | 43.25 | 10-30 | -- | 13.04 | 30.21 |
| MW-12 | 05/25/06 | 43.25 | 10-30 | -- | 12.65 | 30.60 |
| MW-12 | 08/23/06 | 43.25 | 10-30 | -- | 14.44 | 28.81 |
| MW-12 | 03/14/07 | 43.25 | 10-30 | -- | 14.70 | 28.55 |
| MW-12 | 06/11/07 | 43.25 | 10-30 | -- | 16.02 | 27.23 |
| MW-12 | 08/01/07 | 43.25 | 10-30 | -- | 16.57 | 26.68 |
| MW-12 | 02/27/08 | 43.25 | 10-30 | -- | 14.99 | 28.26 |
| MW-12 | 05/13/08 | 43.25 | 10-30 | -- | 16.12 | 27.13 |
| MW-12 | 08/27/08 | 43.25 | 10-30 | -- | 17.37 | 25.88 |
| MW-12 | 11/18/08 | 43.25 | 10-30 | -- | 17.82 | 25.43 |
| MW-12 | 03/11/09 | 43.25 | 10-30 | -- | 15.88 | 27.37 |
| MW-12 | 09/22/09 | 43.25 | 10-30 | -- | 18.33 | 24.92 |
| MW-13 | 02/10/95 | 40.97 | 10-30 | -- | 14.45 | 26.52 |
| MW-13 | 03/10/95 | 40.97 | 10-30 | -- | 14.30 | 26.67 |
| MW-13 | 03/14/95 | 40.97 | 10-30 | -- | 15.81 | 25.16 |
| MW-13 | 09/23/96 | 40.97 | 10-30 | -- | 14.60 | 26.37 |
| MW-13 | 12/04/96 | 40.97 | 10-30 | -- | -- | -- |
| MW-13 | 04/08/97 | 40.97 | 10-30 | -- | 12.75 | 28.22 |
| MW-13 | 06/30/97 | 40.97 | 10-30 | -- | 14.13 | 26.84 |
| MW-13 | 11/25/97 | 40.97 | 10-30 | -- | 15.48 | 25.49 |
| MW-13 | 06/01/98 | 40.97 | 10-30 | -- | 9.58 | 31.39 |
| MW-13 | 06/14/01 | 40.97 | 10-30 | -- | 14.51 | 26.46 |
| MW-13 | 11/07/01 | 40.97 | 10-30 | -- | 15.85 | 25.12 |
| MW-13 | 01/30/02 | 40.97 | 10-30 | -- | 13.65 | 27.32 |
| MW-13 | 05/29/02 | 40.97 | 10-30 | -- | 14.10 | 26.87 |
| MW-13 | 08/14/02 | 40.97 | 10-30 | -- | 15.13 | 25.84 |
| MW-13 | 11/15/02 | 40.97 | 10-30 | -- | -- | -- |
| MW-13 | 10/25/04 | 40.97 | Well not sampled. Unable to locate well since 10/25/04 | | | |
| MW-14 | 02/10/95 | 43.19 | 10-30 | -- | 16.28 | 26.91 |
| MW-14 | 03/10/95 | 43.19 | 10-30 | -- | 16.33 | 26.86 |
| MW-14 | 03/14/95 | 43.19 | 10-30 | -- | 14.87 | 28.32 |
| MW-14 | 09/23/96 | 43.19 | 10-30 | -- | 16.67 | 26.52 |
| MW-14 | 12/04/96 | 43.19 | 10-30 | -- | 17.06 | 26.13 |
| MW-14 | 04/08/97 | 43.19 | 10-30 | -- | 14.77 | 28.42 |
| MW-14 | 06/30/97 | 43.19 | 10-30 | -- | 16.22 | 26.97 |
| MW-14 | 11/25/97 | 43.19 | 10-30 | -- | 17.52 | 25.67 |
| MW-14 | 06/01/98 | 43.19 | 10-30 | -- | 11.46 | 31.73 |
| MW-14 | 06/14/01 | 43.19 | 10-30 | -- | 16.53 | 26.66 |
| MW-14 | 11/07/01 | 43.19 | 10-30 | -- | 17.84 | 25.35 |
| MW-14 | 01/30/02 | 43.19 | 10-30 | -- | 15.55 | 27.64 |
| MW-14 | 05/29/02 | 43.19 | 10-30 | -- | 16.14 | 27.05 |
| MW-14 | 08/14/02 | 43.19 | 10-30 | -- | 17.12 | 26.07 |
| MW-14 | 11/15/02 | 43.19 | 10-30 | -- | 17.56 | 25.63 |
| MW-14 | 10/25/04 | 43.19 | Well not sampled. Unable to locate well due to parked cars | | | |

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through September 2009
EZ Serve 100877, 525 West A Street, Hayward, CA

| Well ID | Date Monitored | Top of Casing Elevation* (feet) | Screen Interval (fbg) | Free Product | Depth to Water (feet) | Groundwater Elevation (feet) |
|----------------|-----------------------|--|------------------------------|---|------------------------------|-------------------------------------|
| MW-14 | 02/25/05 | 43.19 | 10-30 | -- | 14.20 | 28.99 |
| MW-14 | 05/19/05 | 43.19 | 10-30 | -- | 13.71 | 29.48 |
| MW-14 | 09/15/05 | 43.19 | 10-30 | Well not sampled due to lack of traffic control | | |
| MW-14 | 11/10/05 | 43.19 | 10-30 | Well not sampled due to lack of traffic control | | |
| MW-14 | 03/20/06 | 43.19 | 10-30 | -- | 12.94 | 30.25 |
| MW-14 | 05/25/06 | 43.19 | 10-30 | -- | 12.68 | 30.51 |
| MW-14 | 08/23/06 | 43.19 | 10-30 | -- | 15.32 | 27.87 |
| MW-14 | 03/14/07 | 43.19 | 10-30 | -- | 14.58 | 28.61 |
| MW-14 | 06/11/07 | 43.19 | 10-30 | -- | 15.95 | 27.24 |
| MW-14 | 08/01/07 | 43.19 | 10-30 | -- | 16.47 | 26.72 |
| MW-14 | 02/27/08 | 43.19 | 10-30 | -- | 14.91 | 28.28 |
| MW-14 | 05/13/08 | 43.19 | 10-30 | -- | 16.03 | 27.16 |
| MW-14 | 08/27/08 | 43.19 | 10-30 | -- | 17.28 | 25.91 |
| MW-14 | 11/18/08 | 43.19 | 10-30 | -- | 17.75 | 25.44 |
| MW-14 | 03/11/09 | 43.19 | 10-30 | -- | 15.83 | 27.36 |
| MW-14 | 09/22/09 | 43.19 | 10-30 | -- | 18.28 | 24.91 |
| EX-1 | 08/14/02 | -- | 10-35 | -- | 16.58 | -- |
| EX-1 | 11/15/02 | -- | 10-35 | -- | 17.02 | -- |
| EX-1 | 10/25/04 | -- | 10-35 | -- | 16.91 | -- |
| EX-1 | 12/23/04 | -- | 10-35 | -- | 16.60 | -- |
| EX-1 | 02/25/05 | -- | 10-35 | -- | 13.72 | -- |
| EX-1 | 05/19/05 | -- | 10-35 | -- | 13.13 | -- |
| EX-1 | 09/15/05 | -- | 10-35 | -- | 15.20 | -- |
| EX-1 | 11/10/05 | -- | 10-35 | -- | 15.80 | -- |
| EX-1 | 03/20/06 | -- | 10-35 | -- | 12.35 | -- |
| EX-1 | 05/25/06 | -- | 10-35 | -- | 11.88 | -- |
| EX-1 | 08/23/06 | -- | 10-35 | -- | 13.62 | -- |
| EX-1 | 03/14/07 | -- | 10-35 | -- | 14.00 | -- |
| EX-1 | 06/11/07 | -- | 10-35 | -- | 15.34 | -- |
| EX-1 | 08/01/07 | -- | 10-35 | -- | 15.89 | -- |
| EX-1 | 02/27/08 | -- | 10-35 | -- | Could not locate well | |
| EX-1 | 05/13/08 | -- | 10-35 | -- | Could not locate well | |
| EX-1 | 08/27/08 | -- | 10-35 | -- | 16.70 | -- |
| EX-1 | 11/18/08 | -- | 10-35 | -- | 17.20 | -- |
| EX-1 | 03/11/09 | -- | 10-35 | -- | 15.38 | -- |
| EX-1 | 09/22/09 | -- | 10-35 | -- | 17.71 | -- |
| VEAS-2 | 02/25/05 | -- | 5-15/28-30 | -- | 13.68 | -- |
| VEAS-2 | 05/19/05 | -- | 5-15/28-30 | -- | 13.11 | -- |
| VEAS-2 | 11/10/05 | -- | 5-15/28-30 | -- | DRY | -- |

Elevations are in feet above mean sea level.

Groundwater elevation calculated as follows:
surface elevation - depth to water

Notes: Free Product = liquid-phase hydrocarbons
fbg = feet below grade
-- = not encountered or no data available

Note: No known groundwater sampling was conducted between June 1, 1998 and June 14, 2001 or June 14, 2001 and November 7, 2001. Wellhead elevations resurveyed on January 30, 2002.

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through September 2009
EZ Serve 100877, 525 West A Street, Hayward, CA

| Well Number | Date Sampled | TPH-G (ug/l) | Benzene (ug/l) | Toluene (ug/l) | Ethyl-benzene (ug/l) | Total Xylenes (ug/l) | DIPE (ug/l) | ETBE (ug/l) | MTBE (ug/l) | TAME (ug/l) | TBA (ug/l) |
|-------------|-----------------|--------------|----------------|----------------|----------------------|----------------------|----------------|----------------|-------------|----------------|----------------|
| MW-1 | 02/05/92 | 46,000 | 7,600 | 2,300 | 2,400 | 6,500 | -- | -- | -- | -- | -- |
| MW-1 | 09/11/92 | 48,000 | 9,000 | 1,200 | 1,800 | 4,600 | -- | -- | -- | -- | -- |
| MW-1 | 12/22/92 | 84,000 | 22,000 | 1,600 | 4,800 | 17,000 | -- | -- | -- | -- | -- |
| MW-1 | 03/03/93 | 54,000 | 16,000 | 1,600 | 1,900 | 4,300 | -- | -- | -- | -- | -- |
| MW-1 | 06/23/93 | 30,000 | 18,000 | 1,100 | 1,400 | 3,700 | -- | -- | -- | -- | -- |
| MW-1 | 09/30/93 | 33,000 | 10,000 | 440 | 940 | 1,700 | -- | -- | -- | -- | -- |
| MW-1 | 02/06/94 | 64,000 | 18,000 | 1,600 | 4,700 | 12,000 | -- | -- | -- | -- | -- |
| MW-1 | 05/02/94 | 7,200 | 2,100 | 29 | 490 | 520 | -- | -- | -- | -- | -- |
| MW-1 | 07/01/94 | 13,000 | 3,700 | 150 | 550 | 12,000 | -- | -- | -- | -- | -- |
| MW-1 | 09/20/94 | 10,000 | 3,100 | 75 | 440 | 870 | -- | -- | -- | -- | -- |
| MW-1 | 12/05/92 | 8,700 | 3,700 | 87 | 520 | 950 | -- | -- | -- | -- | -- |
| MW-1 | 03/10/95 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-1 | 03/15/95 | 290 | 56 | 2 | 12 | 47 | -- | -- | -- | -- | -- |
| MW-1 | 09/23/96 | 20,000 | 5,200 | 860 | 700 | 1,100 | -- | -- | 270 | -- | -- |
| MW-1 | 12/04/96 | 17,000 | 3,100 | 64 | 610 | 1,200 | -- | -- | 280 | -- | -- |
| MW-1 | 04/08/97 | 2,100 | 430 | 15 | 52 | 85 | -- | -- | 100 | -- | -- |
| MW-1 | 06/30/97 | 10,000 | 2,100 | < | < | 320 | -- | -- | < | -- | -- |
| MW-1 | 11/25/97 | 16,000 | 2,100 | 23 | 76 | 240 | -- | -- | < | -- | -- |
| MW-1 | 06/01/98 | 19,000 | 6,100 | 460 | 1,100 | 2,300 | -- | -- | 420 | -- | -- |
| MW-1 | 06/14/01 | 6,000 | 380 | 8.4 | 260 | 180 | -- | -- | <25 | -- | -- |
| MW-1 | 11/07/01 | 12,000 | 1,000 | 30 | 1,000 | 740 | <5.0 | <5.0 | 11 | <5.0 | <50 |
| MW-1 | 01/30/02 | 8,800 | 690 | 16 | 480 | 270 | <5.0 | <5.0 | 14 | <5.0 | <50 |
| MW-1 | 05/29/02 | 6,400 | 330 | 13 | 250 | 260 | 2.5 | <2.0 | 12 | <2.0 | <20 |
| MW-1 | 08/14/02 | 5,500 | 470 | 14 | 360 | 160 | <10 | <10 | 10 | <10 | <100 |
| MW-1 | 11/15/02 | 10,000 | 440 | 16 | 310 | 150 | <10 | <10 | 15 | <10 | <100 |
| MW-1 | 10/25/04 | 4,300 | 260 | 3.3 | 150 | 32 | <0.90 | <0.90 | 14 | <0.90 | 5.8 |
| MW-1 | 12/23/04 | 11,000 | 860 | 6.1 | 880 | 280 | <0.90 | <0.90 | 16 | <0.90 | 11 |
| MW-1 | 02/25/05 | 11,000 | 710 | 6.7 | 720 | 330 | <1.5 | <1.5 | 24 | <1.5 | 11 |
| MW-1 | 05/19/05 | 7,500 | 610 | 12 | 370 | 140 | <1.5 | <1.5 | 20 | <1.5 | 11 |
| MW-1 | 09/15/05 | 6,100 | 300 | 3.5 | 280 | 71 | <0.90 | <0.90 | 12 | <0.90 | 7.8 |
| MW-1 | 03/20/06 | 6,400 | 290 | 3.2 | 330 | 61 | <0.90 | <0.90 | 8.8 | <0.90 | 6 |
| MW-1 | 05/25/06 | 4,200 | 300 | 6.4 | 100 | 40 | <0.90 | <0.90 | 11 | <0.90 | 6.7 |
| MW-1 | 08/23/06 | 3,400 | 140 | 1.9 | 92 | 9.2 | <0.50 | <0.50 | 4.2 | <0.50 | <5.0 |
| MW-1 | 03/14/07 | 5,600 | 75 | 0.83 | 160 | 20 | <0.50 | <0.50 | 2.5 | <0.50 | <5.0 |
| MW-1 | 06/11/07 | 5,400 | 90 | <1.0 | 220 | 12 | <1.0 | <1.0 | 2.4 | <1.0 | <5.0 |
| MW-1 | 08/01/07 | 5,300 | 130 | <0.74 | 450 | 36 | <0.60 | <0.63 | <0.77 | <0.83 | <35 |
| MW-1 | 02/27/08 | 1,090 | 11 | <0.24 | 40 | 9.1 | <0.18 | <0.23 | <0.19 | <0.19 | <10 |
| MW-1 | 05/13/08 | 4,530 | 77 | <0.25 | 457 | 56 | <2.5 | <2.5 | 6.9 | <2.5 | <25.0 |
| MW-1 | 08/27/08 | 3,350 | 45 | 1.1 | 261 | 16 | <0.5 | <0.5 | 12 | <0.5 | 9.1 |
| MW-1 | 11/18/08 | 4,680 | 42 | 0.7 | 266 | 6.9 | <0.5 | <0.5 | 15 | <0.5 | 6.9 |
| MW-1 | 03/11/09 | 5,180 | 69 | 2.0 | 440 | 10 | <0.5 | <0.5 | 20 | <0.5 | <5.0 |
| MW-1 | 09/22/09 | 6,600 | 54 | 0.7 | 137 | 2.7 | <0.5 | <0.5 | 18 | <0.5 | <5.0 |

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through September 2009
EZ Serve 100877, 525 West A Street, Hayward, CA

| Well Number | Date Sampled | TPH-G (ug/l) | Benzene (ug/l) | Toluene (ug/l) | Ethyl-benzene (ug/l) | Total Xylenes (ug/l) | DIPE (ug/l) | ETBE (ug/l) | MTBE (ug/l) | TAME (ug/l) | TBA (ug/l) |
|-------------|--------------|------------------------------|----------------|----------------|----------------------|----------------------|-------------|-------------|-------------|-------------|------------|
| MW-1A | 06/23/93 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-1A | 09/30/93 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-1A | 02/06/94 | 8,900 | 1,700 | 42 | 1,000 | 400 | -- | -- | -- | -- | -- |
| MW-1A | 05/02/94 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-1A | 07/01/94 | 12,000 | 1,100 | <1 | 920 | 1,100 | -- | -- | -- | -- | -- |
| MW-1A | 09/20/94 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-1A | 12/05/94 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-1A | 03/10/95 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-1A | 03/15/95 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-1A | 09/23/96 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-1A | 12/04/96 | 52,000 | 420 | 140 | 1,000 | 3,500 | -- | -- | 130 | -- | -- |
| MW-1A | 04/08/97 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-1A | 06/30/97 | 17,000 | 180 | < | 140 | 1,100 | -- | -- | < | -- | -- |
| MW-1A | 11/25/97 | 19,000 | 110 | 37 | 290 | 910 | -- | -- | < | -- | -- |
| MW-1A | 06/01/98 | 18,000 | 200 | 17 | 230 | 820 | -- | -- | 91 | -- | -- |
| MW-1A | 06/14/01 | 27,000 | 29 | <5.0 | 620 | 520 | -- | -- | <50 | -- | -- |
| MW-1A | 11/07/01 | 21,000 | 51 | <5.0 | 700 | 510 | <5.0 | <5.0 | <5.0 | <5.0 | <50 |
| MW-1A | 01/30/02 | 24,000 | 22 | <5.0 | 390 | 330 | <5.0 | <5.0 | <5.0 | <5.0 | <50 |
| MW-1A | 05/29/02 | 12,000 | 32 | <5.0 | 550 | 270 | <5.0 | <5.0 | <5.0 | <5.0 | <50 |
| MW-1A | 08/14/02 | 14,000 | 22 | <2.0 | 510 | 240 | <2.0 | <2.0 | <2.0 | <2.0 | <20 |
| MW-1A | 11/15/02 | 17,000 | 59 | 2.4 | 630 | 250 | <2.0 | <2.0 | <2.0 | <2.0 | <20 |
| MW-1A | 10/25/04 | 2,200 | 1.3 | <0.50 | 58 | 3.7 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 |
| MW-1A | 12/23/04 | 3,100 | 2.2 | <0.50 | 96 | 5.4 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 |
| MW-1A | 02/25/05 | 7,300 | 4.7 | 1.1 | 140 | 24 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 |
| MW-1A | 05/19/05 | 13,000 | 3.1 | 1.7 | 190 | 50 | <1.5 | <1.5 | <1.5 | <1.5 | <7.0 |
| MW-1A | 09/15/05 | 4,000 | 0.84 | <0.50 | 52 | 2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 |
| MW-1A | 11/10/05 | 12,000 | <2.0 | 0.76 | 130 | 3.6 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 |
| MW-1A | 03/20/06 | 3,300 | 1.1 | <0.50 | 17 | 1 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 |
| MW-1A | 05/25/06 | 1,600 | 0.79 | <0.50 | 22 | 0.94 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 |
| MW-1A | 08/23/06 | 4,700 | 1.6 | 1.1 | 84 | 1.8 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 |
| MW-1A | 03/14/07 | 610 | <0.50 | <0.50 | 12 | <0.50 | <0.50 | <0.50 | 7.5 | <0.50 | <5.0 |
| MW-1A | 06/12/07 | 3,200 | 1.1 | 0.84 | 79 | 0.76 | <0.50 | <0.50 | 20 | <0.50 | <5.0 |
| MW-1A | 08/01/07 | 440 | 0.31 | <0.15 | 6.2 | <0.34 | <0.12 | <0.13 | 79 | <0.17 | <6.9 |
| MW-1A | 02/27/08 | 1,660 | <0.18 | <0.24 | 50 | <0.45 | <0.20 | <0.23 | 21 | <0.19 | <10 |
| MW-1A | 11/18/08 | Dry Well No Sample Collected | | | | | -- | -- | -- | -- | -- |
| MW-1A | 03/11/09 | Dry Well No Sample Collected | | | | | -- | -- | -- | -- | -- |
| MW-2 | 02/05/92 | 67,000 | 13,000 | 4,700 | 820 | 1,300 | -- | -- | -- | -- | -- |
| MW-2 | 09/11/92 | 57,000 | 9,000 | 1,400 | 1,200 | 8,400 | -- | -- | -- | -- | -- |
| MW-2 | 12/22/92 | 31,000 | 9,900 | 350 | 2,000 | 4,100 | -- | -- | -- | -- | -- |
| MW-2 | 03/03/93 | 17,000 | 5,100 | 1,300 | 720 | 1,900 | -- | -- | -- | -- | -- |
| MW-2 | 06/23/93 | 60,000 | 23,000 | 1,500 | 4,500 | 17,000 | -- | -- | -- | -- | -- |
| MW-2 | 09/30/93 | 38,000 | 12,000 | 780 | 1,500 | 6,500 | -- | -- | -- | -- | -- |
| MW-2 | 02/06/94 | 34,000 | 8,900 | 450 | 2,000 | 5,500 | -- | -- | -- | -- | -- |
| MW-2 | 05/02/94 | 18,000 | 3,800 | 260 | 1,100 | 3,500 | -- | -- | -- | -- | -- |
| MW-2 | 07/01/94 | 18,000 | 3,700 | 510 | 870 | 2,600 | -- | -- | -- | -- | -- |
| MW-2 | 09/20/94 | 19,000 | 4,500 | 300 | 1,200 | 4,000 | -- | -- | -- | -- | -- |

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through September 2009
EZ Serve 100877, 525 West A Street, Hayward, CA

| Well Number | Date Sampled | TPH-G (ug/l) | Benzene (ug/l) | Toluene (ug/l) | Ethyl-benzene (ug/l) | Total Xylenes (ug/l) | DIPE (ug/l) | ETBE (ug/l) | MTBE (ug/l) | TAME (ug/l) | TBA (ug/l) |
|-------------|--------------|--------------|----------------|----------------|----------------------|----------------------|-------------|-------------|-------------|-------------|------------|
| MW-2 | 12/06/94 | 22,000 | 4,700 | 340 | 1,400 | 4,500 | -- | -- | -- | -- | -- |
| MW-2 | 03/10/95 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-2 | 03/15/95 | 29,000 | 5,600 | 350 | 1,900 | 6,300 | -- | -- | -- | -- | -- |
| MW-2 | 09/23/96 | 29,000 | 3,700 | 150 | 1,000 | 4,300 | -- | -- | 860 | -- | -- |
| MW-2 | 12/04/96 | 31,000 | 3,800 | 140 | 2,000 | 5,100 | -- | -- | 690 | -- | -- |
| MW-2 | 04/08/97 | 20,000 | 2,500 | 80 | 1,300 | 3,400 | -- | -- | 880 | -- | -- |
| MW-2 | 06/30/97 | 41,000 | 2,700 | 130 | 1,200 | 4,000 | -- | -- | 890 | -- | -- |
| MW-2 | 11/25/97 | 51,000 | 2,900 | 140 | 1,800 | 7,000 | -- | -- | 1,200 | -- | -- |
| MW-2 | 06/01/98 | 33,000 | 2,700 | 130 | 1,800 | 5,700 | -- | -- | 610 | -- | -- |
| MW-2 | 06/14/01 | 18,000 | 860 | 14 | 1,100 | 2,200 | -- | -- | <100 | -- | -- |
| MW-2 | 11/07/01 | 20,000 | 880 | 20 | 1,100 | 2,600 | <5.0 | <5.0 | 21 | <5.0 | <50 |
| MW-2 | 01/30/02 | 19,000 | 880 | 19 | 1,100 | 2,400 | <5.0 | <5.0 | 56 | <5.0 | <50 |
| MW-2 | 05/29/02 | 8,100 | 390 | 16 | 560 | 1,400 | <5.0 | <5.0 | 32 | <5.0 | <50 |
| MW-2 | 08/14/02 | 19,000 | 820 | 21 | 1,200 | 2,600 | <20 | <20 | 29 | <20 | <200 |
| MW-2 | 11/15/02 | 34,000 | 910 | 31 | 1,000 | 1,400 | <20 | <20 | 39 | <20 | <200 |
| MW-2 | 10/25/04 | 9,300 | 280 | 3.8 | 500 | 980 | <2.0 | <2.0 | 8.2 | <2.0 | <9.0 |
| MW-2 | 12/23/04 | 10,000 | 310 | 3.9 | 470 | 840 | <2.0 | <2.0 | 9.5 | <2.0 | <9.0 |
| MW-2 | 02/25/05 | 15,000 | 320 | 4.8 | 860 | 1,600 | <2.0 | <2.0 | 7.7 | <2.0 | <9.0 |
| MW-2 | 05/19/05 | 15,000 | 300 | 3.6 | 770 | 1,200 | <2.5 | <2.5 | 9.2 | <2.5 | <15 |
| MW-2 | 09/15/05 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-2 | 11/10/05 | 14,000 | 230 | 2.6 | 530 | 1,000 | <2.5 | <2.5 | 6.2 | <2.5 | <15 |
| MW-2 | 03/20/06 | 8,700 | 170 | <1.5 | 360 | 530 | <1.5 | <1.5 | 3.8 | <1.5 | <7.0 |
| MW-2 | 05/25/06 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-3 | 02/05/92 | 16,000 | 2,700 | 410 | <1 | 3,400 | -- | -- | -- | -- | -- |
| MW-3 | 09/11/92 | 43,000 | 7,600 | 1,600 | 1,400 | 4,100 | -- | -- | -- | -- | -- |
| MW-3 | 12/22/92 | 29,000 | 8,800 | 1,200 | 1,500 | 3,700 | -- | -- | -- | -- | -- |
| MW-3 | 03/03/93 | 17,000 | 5,000 | 1,500 | 680 | 1,700 | -- | -- | -- | -- | -- |
| MW-3 | 06/23/93 | 5,700 | 3,000 | 120 | 560 | 790 | -- | -- | -- | -- | -- |
| MW-3 | 09/30/93 | 21,000 | 7,000 | 2,100 | 970 | 2,600 | -- | -- | -- | -- | -- |
| MW-3 | 02/06/94 | 24,000 | 7,200 | 1,600 | 990 | 3,200 | -- | -- | -- | -- | -- |
| MW-3 | 05/02/94 | 10,000 | 2,200 | 440 | 470 | 1,200 | -- | -- | -- | -- | -- |
| MW-3 | 07/01/94 | 8,200 | 2,000 | 370 | 350 | 930 | -- | -- | -- | -- | -- |
| MW-3 | 09/20/94 | 7,200 | 2,000 | 360 | 380 | 1,000 | -- | -- | -- | -- | -- |
| MW-3 | 12/06/94 | 9,000 | 2,300 | 400 | 440 | 1,100 | -- | -- | -- | -- | -- |
| MW-3 | 03/10/95 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-3 | 03/15/95 | 4,300 | 980 | 47 | 370 | 780 | -- | -- | -- | -- | -- |
| MW-3 | 09/23/96 | 10,000 | 950 | 20 | 700 | 780 | -- | -- | 80 | -- | -- |
| MW-3 | 12/04/96 | 13,000 | 1,100 | 25 | 1,000 | 1,100 | -- | -- | 67 | -- | -- |
| MW-3 | 04/08/97 | 3,800 | 210 | 4.6 | 270 | 280 | -- | -- | 56 | -- | -- |
| MW-3 | 06/30/97 | 3,500 | 280 | < | 32 | 180 | -- | -- | < | -- | -- |
| MW-3 | 11/25/97 | 6,800 | 230 | < | 370 | 290 | -- | -- | 130 | -- | -- |
| MW-3 | 06/01/98 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-3 | 06/14/01 | 2,100 | 9 | <0.5 | 78 | 43 | -- | -- | <5.0 | -- | -- |
| MW-3 | 11/07/01 | 7,700 | 75 | <5.0 | 410 | 150 | <5.0 | <5.0 | <5.0 | <5.0 | <50 |
| MW-3 | 01/30/02 | 3,600 | 27 | <5.0 | 120 | 34 | <5.0 | <5.0 | <5.0 | <5.0 | <50 |
| MW-3 | 05/29/02 | 2,000 | 18 | <5.0 | 53 | 13 | <5.0 | <5.0 | <5.0 | <5.0 | <50 |

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through September 2009
EZ Serve 100877, 525 West A Street, Hayward, CA

| Well Number | Date Sampled | TPH-G (ug/l) | Benzene (ug/l) | Toluene (ug/l) | Ethyl-benzene (ug/l) | Total Xylenes (ug/l) | DIPE (ug/l) | ETBE (ug/l) | MTBE (ug/l) | TAME (ug/l) | TBA (ug/l) | |
|-------------|-----------------|--|----------------|----------------|----------------------|----------------------|----------------|----------------|-------------|----------------|----------------|----|
| MW-3 | 08/14/02 | 2,400 | 19 | <0.5 | 50 | 6.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 | |
| MW-3 | 11/15/02 | 4,300 | 7.5 | <0.5 | 22 | 1.1 | 0.5 | 0.5 | 0.5 | 0.5 | <5.0 | |
| MW-3 | 10/25/04 | 460 | 0.6 | <0.50 | 9.6 | 1.7 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 | |
| MW-3 | 12/20/04 | 5,400 | 9 | <0.50 | 280 | 74 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 | |
| MW-3 | 02/25/05 | Could not locate, VEAS-2 sampled instead | | | | | -- | -- | -- | -- | -- | -- |
| MW-3 | 05/19/05 | Could not locate, VEAS-2 sampled instead | | | | | -- | -- | -- | -- | -- | -- |
| MW-3 | 09/15/05 | Could not locate well | | | | | -- | -- | -- | -- | -- | -- |
| MW-3 | 11/10/05 | Could not locate well | | | | | -- | -- | -- | -- | -- | -- |
| MW-3 | 03/20/06 | 800 | 0.76 | <0.50 | 19 | 3.7 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 | |
| MW-3 | 05/25/06 | 500 | 0.59 | <0.50 | 3.8 | 0.96 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 | |
| MW-3 | 08/23/06 | 550 | <0.50 | <0.50 | 2.2 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 | |
| MW-3 | 03/14/07 | 660 | 0.85 | <0.50 | 22 | 3.7 | <0.50 | <0.50 | 1.3 | <0.50 | <5.0 | |
| MW-3 | 06/12/07 | 540 | <0.50 | <0.50 | 14 | 2.2 | <0.50 | <0.50 | 6.0 | <0.50 | <5.0 | |
| MW-3 | 08/01/07 | 2,300 | 2.3 | <0.15 | 87 | 13 | <0.12 | <0.13 | <0.15 | <0.17 | <6.9 | |
| MW-3 | 02/27/08 | 1,360 | <0.18 | <0.24 | 32 | 3 | <0.20 | <0.23 | 7.7 | <0.19 | <10 | |
| MW-3 | 05/13/08 | 1,160 | 1.2 | 0.6 | 28 | 2.2 | <0.5 | <0.5 | 31 | <0.5 | <5.0 | |
| MW-3 | 08/27/08 | 2,790 | 1.4 | <0.5 | 56 | 4.0 | <0.5 | <0.5 | 40 | <0.5 | 18 | |
| MW-3 | 11/18/08 | 1,800 | 0.8 | <0.5 | 50 | 1.4 | <0.5 | <0.5 | 31 | <0.5 | 13 | |
| MW-3 | 03/11/09 | 957 | 1.2 | 0.9 | 37 | 4.0 | <0.5 | <0.5 | 155 | <0.5 | <5.0 | |
| MW-3 | 09/22/09 | 533 | 1.6 | <0.5 | 8.8 | <0.5 | <0.5 | <0.5 | 238 | <0.5 | <5.0 | |
| MW-4 | 02/05/92 | 16,000 | 2,700 | 410 | <1 | 3,400 | -- | -- | -- | -- | -- | |
| MW-4 | 09/11/92 | 43,000 | 7,600 | 1,600 | 1,400 | 4,100 | -- | -- | -- | -- | -- | |
| MW-4 | 12/22/92 | 29,000 | 8,800 | 1,200 | 1,500 | 3,700 | -- | -- | -- | -- | -- | |
| MW-4 | 03/03/93 | 17,000 | 5,000 | 1,500 | 680 | 1,700 | -- | -- | -- | -- | -- | |
| MW-4 | 06/23/93 | 5,700 | 3,000 | 120 | 560 | 790 | -- | -- | -- | -- | -- | |
| MW-4 | 09/30/93 | 21,000 | 7,000 | 2,100 | 970 | 2,600 | -- | -- | -- | -- | -- | |
| MW-4 | 02/06/94 | 24,000 | 7,200 | 1,600 | 990 | 3,200 | -- | -- | -- | -- | -- | |
| MW-4 | 05/02/94 | 10,000 | 2,200 | 440 | 470 | 1,200 | -- | -- | -- | -- | -- | |
| MW-4 | 07/01/94 | 8,200 | 2,000 | 370 | 350 | 930 | -- | -- | -- | -- | -- | |
| MW-4 | 09/20/94 | 7,200 | 2,000 | 360 | 380 | 1,000 | -- | -- | -- | -- | -- | |
| MW-4 | 12/06/94 | 9,000 | 2,300 | 400 | 440 | 1,100 | -- | -- | -- | -- | -- | |
| MW-4 | 03/10/95 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-4 | 03/15/95 | 15,000 | 4,400 | 600 | 770 | 2,660 | -- | -- | -- | -- | -- | |
| MW-4 | 09/23/96 | 32,000 | 7,400 | 540 | 1,500 | 2,800 | -- | -- | 2,100 | -- | -- | |
| MW-4 | 12/04/96 | 23,000 | 7,800 | 140 | 1,200 | 1,200 | -- | -- | 1,900 | -- | -- | |
| MW-4 | 04/08/97 | 16,000 | 3,900 | 680 | 850 | 2,300 | -- | -- | 980 | -- | -- | |
| MW-4 | 06/30/97 | 63,000 | 7,000 | 430 | 1,400 | 4,400 | -- | -- | 1,700 | -- | -- | |
| MW-4 | 11/25/97 | 30,000 | 4,300 | 61 | 810 | 1,500 | -- | -- | 880 | -- | -- | |
| MW-4 | 06/01/98 | 33,000 | 5,700 | 710 | 1,700 | 2,900 | -- | -- | 720 | -- | -- | |
| MW-4 | 06/14/01 | 9,500 | 690 | 45 | 560 | 600 | <5.0 | <5.0 | <50 | <5.0 | <50 | |
| MW-4 | 11/07/01 | 6,000 | 710 | 20 | 630 | 190 | <5.0 | <5.0 | 27 | <5.0 | <50 | |
| MW-4 | 01/30/02 | 4,800 | 830 | 16 | 600 | 61 | <20 | <20 | 42 | <20 | <200 | |
| MW-4 | 05/29/02 | 5,300 | 720 | 57 | 600 | 200 | <2.0 | <2.0 | 35 | <2.0 | <20 | |
| MW-4 | 08/14/02 | 5,000 | 640 | 15 | 550 | 35 | <2.0 | <2.0 | 28 | <2.0 | <20 | |
| MW-4 | 11/15/02 | 3,700 | 330 | 10 | 260 | 200 | <0.50 | <0.50 | 20 | <0.50 | <5.0 | |
| MW-4 | 10/25/04 | 4,000 | 180 | 15 | 200 | 190 | <0.90 | <0.90 | 4.1 | <0.90 | <5.0 | |

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through September 2009
EZ Serve 100877, 525 West A Street, Hayward, CA

| Well Number | Date Sampled | TPH-G (ug/l) | Benzene (ug/l) | Toluene (ug/l) | Ethyl-benzene (ug/l) | Total Xylenes (ug/l) | DIPE (ug/l) | ETBE (ug/l) | MTBE (ug/l) | TAME (ug/l) | TBA (ug/l) |
|-------------|-----------------|-----------------------|----------------|----------------|----------------------|----------------------|----------------|----------------|-------------|----------------|----------------|
| MW-4 | 12/23/04 | 7,400 | 280 | 24 | 340 | 340 | <0.90 | <0.90 | 7.9 | <0.90 | <5.0 |
| MW-4 | 02/25/05 | 4,200 | 160 | 15 | 280 | 420 | <4.0 | <4.0 | 6.2 | <4.0 | <20 |
| MW-4 | 05/19/05 | 15,000 | 480 | 76 | 1,100 | 1,600 | <0.90 | <0.90 | 14 | <0.90 | 5.4 |
| MW-4 | 09/15/05 | 5,400 | 220 | 22 | 250 | 430 | <0.50 | <0.50 | 10 | <0.50 | <5.0 |
| MW-4 | 11/10/06 | 8,000 | 320 | 37 | 530 | 670 | <0.50 | <0.50 | 9.3 | <0.50 | <5.0 |
| MW-4 | 03/20/06 | 3,900 | 91 | 26 | 5.8 | 360.0 | <0.50 | <0.50 | 5.7 | <0.50 | <5.0 |
| MW-4 | 05/25/06 | 8,300 | 300 | 77 | 570 | 730 | <0.50 | <0.50 | 5.4 | <0.50 | <5.0 |
| MW-4 | 08/23/06 | 9,400 | 240 | 79 | 490 | 860 | <0.50 | <0.50 | 6.1 | <0.50 | <5.0 |
| MW-4 | 03/14/07 | 4,600 | 100 | 20 | 350 | 570 | <0.50 | <0.50 | 2.3 | <0.50 | <5.0 |
| MW-4 | 06/12/07 | 3,700 | 120 | 14 | 150 | 230 | <0.50 | <0.50 | 2.5 | <0.50 | <5.0 |
| MW-4 | 08/01/07 | 3,700 | 120 | 15 | 280 | 310 | <0.60 | <0.63 | <0.77 | <0.83 | <35 |
| MW-4 | 02/27/08 | Could not locate well | | | -- | -- | -- | -- | -- | -- | -- |
| MW-4 | 05/13/08 | 2,800 | 102 | 18 | 329 | 343 | <2.5 | <2.5 | 8.0 | <2.5 | <25.0 |
| MW-4 | 08/27/08 | 4,730 | 72 | 12 | 318 | 233 | <0.5 | <0.5 | 33 | <0.5 | 18 |
| MW-4 | 11/18/08 | 2,430 | 39 | 6.6 | 163 | 102 | <0.5 | <0.5 | 29 | <0.5 | 8.1 |
| MW-4 | 03/11/09 | 3,470 | 67 | 12 | 402 | 340 | <0.5 | <0.5 | 86 | <0.5 | <5.0 |
| MW-4 | 09/22/09 | 1,590 | 25 | <0.5 | 84 | 52 | <0.5 | <0.5 | 116 | <0.5 | <5.0 |
| MW-5 | 02/05/92 | 78,000 | 7,900 | 5,000 | 2,900 | 1,800 | -- | -- | -- | -- | -- |
| MW-5 | 09/11/92 | 49,000 | 4,700 | 400 | 1,400 | 4,100 | -- | -- | -- | -- | -- |
| MW-5 | 12/22/92 | 34,000 | 8,600 | 340 | 2,200 | 4,800 | -- | -- | -- | -- | -- |
| MW-5 | 03/03/93 | 22,000 | 7,500 | 640 | 1,300 | 3,400 | -- | -- | -- | -- | -- |
| MW-5 | 06/23/93 | 15,000 | 5,800 | 120 | 1,100 | 2,100 | -- | -- | -- | -- | -- |
| MW-5 | 09/30/93 | 25,000 | 7,600 | 410 | 1,000 | 4,400 | -- | -- | -- | -- | -- |
| MW-5 | 02/06/94 | 23,000 | 6,000 | 180 | 2,000 | 5,900 | -- | -- | -- | -- | -- |
| MW-5 | 05/02/94 | 8,000 | 1,300 | 29 | 440 | 770 | -- | -- | -- | -- | -- |
| MW-5 | 07/01/94 | 10,000 | 1,700 | 97 | 600 | 1,400 | -- | -- | -- | -- | -- |
| MW-5 | 09/20/94 | 8,400 | 1,600 | 54 | 650 | 1,400 | -- | -- | -- | -- | -- |
| MW-5 | 15/5/92 | 10,000 | 1,800 | <50 | 620 | 1,400 | -- | -- | -- | -- | -- |
| MW-5 | 03/10/95 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-5 | 03/15/95 | 5,300 | 1,100 | 11 | 180 | 320 | -- | -- | -- | -- | -- |
| MW-5 | 09/23/96 | 9,800 | 1,800 | 11 | 470 | 510 | -- | -- | 100 | -- | -- |
| MW-5 | 12/04/96 | 10,000 | 2,200 | 9 | 550 | 430 | -- | -- | 70 | -- | -- |
| MW-5 | 04/08/97 | 11,000 | 1,300 | 15 | 450 | 720 | -- | -- | 180 | -- | -- |
| MW-5 | 06/30/97 | 3,800 | 500 | < | 75 | 84 | -- | -- | < | -- | -- |
| MW-5 | 11/25/97 | 8,200 | 1,300 | 14 | 310 | 220 | -- | -- | < | -- | -- |
| MW-5 | 06/01/98 | 3,600 | 290 | 12 | 52 | 52 | -- | -- | 81 | -- | -- |
| MW-5 | 06/14/01 | 5,100 | 44 | 0.71 | 110 | 23 | -- | -- | <5.0 | -- | -- |
| MW-5 | 11/07/01 | 7,600 | 220 | <5.0 | 550 | 30 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 |
| MW-5 | 01/30/02 | 6,200 | 180 | <20 | 310 | 130 | <20 | <20 | <20 | <20 | <200 |
| MW-5 | 05/29/02 | 3,900 | 66 | 0.8 | 110 | 7.4 | 2 | <0.5 | 0.9 | <0.5 | <5.0 |
| MW-5 | 08/14/02 | 4,300 | 80 | 0.9 | 150 | 12 | <0.5 | <0.5 | 1.1 | <0.5 | <5.0 |
| MW-5 | 11/15/02 | 7,000 | 99 | <5.0 | 250 | 500 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 |
| MW-5 | 10/25/04 | 4,800 | 27 | 0.5 | 50 | 3.7 | <0.50 | <0.50 | 0.79 | <0.50 | <5.0 |
| MW-5 | 12/23/04 | 6,300 | 55 | <0.90 | 140 | 5.6 | <0.90 | <0.90 | <0.90 | <0.90 | <5.0 |
| MW-5 | 02/25/05 | 4,700 | 44 | 0.59 | 110 | 4.8 | <0.50 | <0.50 | 0.85 | <0.50 | <5.0 |
| MW-5 | 05/19/05 | 3,800 | 32 | 0.61 | 66 | 4.4 | <0.50 | <0.50 | 1 | <0.50 | <5.0 |

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through September 2009
EZ Serve 100877, 525 West A Street, Hayward, CA

| Well Number | Date Sampled | TPH-G (ug/l) | Benzene (ug/l) | Toluene (ug/l) | Ethyl-benzene (ug/l) | Total Xylenes (ug/l) | DIPE (ug/l) | ETBE (ug/l) | MTBE (ug/l) | TAME (ug/l) | TBA (ug/l) |
|-------------|-----------------|--------------|----------------|----------------|----------------------|----------------------|----------------|----------------|-------------|----------------|----------------|
| MW-5 | 09/15/05 | 4,500 | 22 | 0.65 | 78 | 4 | <0.50 | <0.50 | 9.5 | <0.50 | <5.0 |
| MW-5 | 11/10/08 | 4,000 | 19 | 0.52 | 77 | 4.3 | <0.50 | <0.50 | 0.8 | <0.50 | <5.0 |
| MW-5 | 03/20/06 | 4,000 | 9.5 | <0.50 | 4.9 | 4 | <0.50 | <0.50 | 1.5 | <0.50 | <5.0 |
| MW-5 | 05/25/06 | 3,400 | 12 | <0.50 | 46 | 3.8 | <0.50 | <0.50 | 1.6 | <0.50 | <5.0 |
| MW-5 | 08/23/06 | 4,000 | 5.6 | 0.75 | 42 | 3.6 | <0.50 | <0.50 | 1.3 | <0.50 | <5.0 |
| MW-5 | 03/14/07 | 3,500 | 3.1 | 1 | 31 | 1.6 | <0.50 | <0.50 | 1.8 | <0.50 | <5.0 |
| MW-5 | 06/11/07 | 2,500 | 3.0 | 0.83 | 14 | 1.4 | <0.50 | <0.50 | 1.9 | <0.50 | <5.0 |
| MW-5 | 08/01/07 | 2,700 | 3.6 | 1.1 | 21 | 1.1 | <0.12 | <0.12 | <0.15 | <0.12 | <6.9 |
| MW-5 | 02/27/08 | 628 | 1.5 | <0.24 | 8.9 | 4.2 | <0.20 | <0.23 | 1.6 | <0.19 | <10 |
| MW-5 | 05/13/08 | 752 | 1.3 | 1.1 | 1.9 | 1.8 | <0.5 | <0.5 | 7.9 | <0.5 | <5.0 |
| MW-5 | 08/27/08 | 3,100 | 2.9 | 2.9 | 12 | 6.8 | <0.5 | <0.5 | 64 | <0.5 | 30 |
| MW-5 | 11/18/08 | 2,490 | 1.9 | 0.7 | 8.7 | 2.4 | <0.5 | <0.5 | 60 | <0.5 | 27 |
| MW-5 | 03/11/09 | 2,210 | 3.3 | 1.1 | 8.5 | 1.3 | <0.5 | <0.5 | 72 | <0.5 | <5.0 |
| MW-5 | 09/22/09 | 2,870 | 4.4 | 1.1 | 11 | 2.9 | <0.5 | <0.5 | 88 | <0.5 | <5.0 |
| MW-6 | 02/05/92 | 51,000 | 5,400 | 3,500 | 3,600 | 10,000 | -- | -- | -- | -- | -- |
| MW-6 | 09/11/92 | 24,000 | 2,500 | 830 | 1,400 | 2,300 | -- | -- | -- | -- | -- |
| MW-6 | 12/22/92 | 23,000 | 5,100 | 630 | 2,000 | 3,100 | -- | -- | -- | -- | -- |
| MW-6 | 03/03/93 | 18,000 | 4,400 | 820 | 1,400 | 2,400 | -- | -- | -- | -- | -- |
| MW-6 | 06/23/93 | 18,000 | 4,600 | 850 | 2,700 | 3,400 | -- | -- | -- | -- | -- |
| MW-6 | 09/30/93 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-6 | 02/06/94 | 20,000 | 4,600 | 690 | 2,100 | 2,500 | -- | -- | -- | -- | -- |
| MW-6 | 05/02/94 | 5,300 | 930 | 54 | 610 | 240 | -- | -- | -- | -- | -- |
| MW-6 | 07/01/94 | 10,000 | 1,500 | 160 | 850 | 690 | -- | -- | -- | -- | -- |
| MW-6 | 09/20/94 | 11,000 | 2,000 | 140 | 1,200 | 760 | -- | -- | -- | -- | -- |
| MW-6 | 12/06/94 | 8,600 | 1,300 | 87 | 980 | 610 | -- | -- | -- | -- | -- |
| MW-6 | 03/10/95 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-6 | 03/15/95 | 9,800 | 1,600 | 110 | 1,000 | 1,000 | -- | -- | -- | -- | -- |
| MW-6 | 09/23/96 | 12,000 | 520 | 55 | 930 | 350 | -- | -- | 51 | -- | -- |
| MW-6 | 12/04/96 | 11,000 | 390 | 25 | 680 | 170 | -- | -- | 130 | -- | -- |
| MW-6 | 04/08/97 | 17,000 | 700 | 92 | 1,400 | 900 | -- | -- | 2,700 | -- | -- |
| MW-6 | 06/30/97 | 11,000 | 270 | 37 | 590 | 450 | -- | -- | < | -- | -- |
| MW-6 | 11/25/97 | 9,100 | 130 | 26 | 500 | 150 | -- | -- | 310 | -- | -- |
| MW-6 | 06/01/98 | 14,000 | 190 | 50 | 680 | 400 | -- | -- | 160 | -- | -- |
| MW-6 | 06/14/01 | 6,400 | 29 | 6.3 | 200 | 55 | -- | -- | <20 | -- | -- |
| MW-6 | 11/07/01 | 7,200 | 34 | 8.7 | 180 | 31 | <5.0 | <5.0 | <5.0 | <5.0 | <50 |
| MW-6 | 01/30/02 | 6,600 | 32 | 7.2 | 130 | 28 | <5.0 | <5.0 | <5.0 | <5.0 | <50 |
| MW-6 | 05/29/02 | 5,200 | 26 | 7 | 150 | 27 | <0.5 | <0.5 | <5.0 | <0.5 | <50 |
| MW-6 | 08/14/02 | 5,300 | 24 | 6.6 | 120 | 22 | <2.0 | <2.0 | <2.0 | <2.0 | <20 |
| MW-6 | 11/15/02 | 5,000 | 19 | 4.7 | 70 | 38 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-6 | 10/25/04 | 3,600 | 9.8 | 2.1 | 83 | 16 | <0.50 | <0.50 | 2.3 | <0.50 | <5.0 |
| MW-6 | 12/23/04 | 2,100 | 8.2 | 1.3 | 10 | 2.4 | <0.90 | <0.90 | 1.5 | <0.90 | <5.0 |
| MW-6 | 02/25/05 | 2,500 | 6.6 | 1.4 | 29 | 5.2 | <0.50 | <0.50 | 0.74 | <0.50 | <5.0 |
| MW-6 | 05/19/05 | 3,800 | 7.5 | 2.2 | 54 | 12 | <0.50 | <0.50 | 3.1 | <0.50 | <5.0 |
| MW-6 | 09/15/05 | 1,900 | 2.9 | 0.88 | 12 | 2.7 | <0.50 | <0.50 | 0.94 | <0.50 | <5.0 |
| MW-6 | 11/10/05 | 1,700 | 2.1 | 0.6 | 5.4 | 1.7 | <0.50 | <0.50 | 0.81 | <0.50 | <5.0 |
| MW-6 | 03/20/06 | 2,300 | 3.6 | 1.0 | 12 | 3.9 | <0.50 | <0.50 | 1.1 | <0.50 | <5.0 |

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through September 2009
EZ Serve 100877, 525 West A Street, Hayward, CA

| Well Number | Date Sampled | TPH-G (ug/l) | Benzene (ug/l) | Toluene (ug/l) | Ethyl-benzene (ug/l) | Total Xylenes (ug/l) | DIPE (ug/l) | ETBE (ug/l) | MTBE (ug/l) | TAME (ug/l) | TBA (ug/l) |
|-------------|-----------------|-----------------------|----------------|----------------|----------------------|----------------------|----------------|----------------|----------------|----------------|----------------|
| MW-6 | 05/25/06 | 2,400 | 5 | 1.8 | 31 | 14 | <0.50 | <0.50 | 3 | <0.50 | <5.0 |
| MW-6 | 08/23/06 | 2,300 | 2.3 | 0.84 | 7.8 | 4.2 | <0.50 | <0.50 | 1.7 | <0.50 | <5.0 |
| MW-6 | 03/14/07 | 3,300 | 2.8 | 0.7 | 49 | 6.5 | <0.50 | <0.50 | 10 | <0.50 | <5.0 |
| MW-6 | 06/12/07 | 2,000 | 1.4 | 0.54 | 3.2 | 2.1 | <0.50 | <0.50 | 32 | <0.50 | <5.0 |
| MW-6 | 08/01/07 | 1,500 | 0.99 | 0.4 | 2.1 | 1.2 | <0.12 | <0.13 | 50 | <0.17 | <6.9 |
| MW-6 | 02/27/08 | 1,520 | <0.18 | <0.24 | 2.4 | 1.3 | <0.20 | <0.23 | 140 | <0.19 | <10 |
| MW-6 | 05/13/08 | 1,530 | 1.0 | 0.8 | 4.0 | 1.5 | <0.5 | <0.5 | 127 | <0.5 | <5.0 |
| MW-6 | 08/27/08 | Not Accessable | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-6 | 11/18/08 | Not Accessable | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-6 | 03/11/09 | Not Accessable | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-7 | 06/23/93 | 29,000 | 4,200 | 71 | 4,400 | 5,600 | -- | -- | -- | -- | -- |
| MW-7 | 09/30/93 | 30,000 | 3,200 | 71 | 2,800 | 3,400 | -- | -- | -- | -- | -- |
| MW-7 | 02/06/94 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-7 | 05/02/94 | 5,700 | 630 | 13 | 660 | 400 | -- | -- | -- | -- | -- |
| MW-7 | 07/01/94 | 3,100 | 180 | 99 | 160 | 520 | -- | -- | -- | -- | -- |
| MW-7 | 09/20/94 | 6,100 | 540 | 6 | 750 | 730 | -- | -- | -- | -- | -- |
| MW-7 | 12/05/94 | 3,700 | 280 | <10 | 430 | 350 | -- | -- | -- | -- | -- |
| MW-7 | 03/10/95 | 3,900 | 310 | <10 | 540 | 540 | -- | -- | -- | -- | -- |
| MW-7 | 03/14/95 | 1,900 | 290 | 4 | 26 | 296 | -- | -- | -- | -- | -- |
| MW-7 | 09/23/96 | 6,300 | 76 | < | 420 | 270 | -- | -- | 15 | -- | -- |
| MW-7 | 12/04/96 | 7,800 | 67 | < | 600 | 350 | -- | -- | 22 | -- | -- |
| MW-7 | 04/08/97 | 5,600 | 42 | < | 240 | 96 | -- | -- | < | -- | -- |
| MW-7 | 06/30/97 | 5,500 | < | 79 | < | 44 | -- | -- | 280 | -- | -- |
| MW-7 | 11/25/97 | 2,400 | 23 | 5.4 | < | 54 | -- | -- | 120 | -- | -- |
| MW-7 | 06/01/98 | 14,000 | 190 | 50 | 680 | 400 | -- | -- | 160 | -- | -- |
| MW-7 | 06/14/01 | 6,400 | 29 | 6 | 200 | 55 | -- | -- | <20 | -- | -- |
| MW-7 | 11/07/01 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-7 | 01/30/02 | 6,200 | 1.5 | <0.50 | 96 | 4.6 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |
| MW-7 | 05/29/02 | 1,600 | 1 | <0.50 | 3.4 | 1.9 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-7 | 08/14/02 | 4,100 | 1.3 | <0.50 | 74 | 1.3 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-7 | 11/15/02 | 1,000 | 0.6 | <0.50 | <0.5 | 0.6 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-7 | 10/25/04 | Could not locate well | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-7 | 05/19/05 | 660 | <0.50 | <0.50 | 1.8 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 |
| MW-7 | 09/15/05 | Could not locate we | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-7 | 11/10/05 | 340 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 |
| MW-7 | 03/20/06 | Could not locate well | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-7 | 05/25/06 | Could not locate well | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-7 | 08/23/06 | 380 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 |
| MW-7 | 03/14/07 | 170 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 |
| MW-7 | 06/12/07 | Could not locate well | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-7 | 08/01/07 | 470 | <0.12 | <0.15 | 1.7 | 0.5 | <0.12 | <0.13 | <0.15 | <0.17 | <6.9 |
| MW-7 | 02/27/08 | 257 | <0.18 | <0.24 | <0.21 | <0.45 | <0.20 | <0.23 | <0.19 | <0.19 | <10 |
| MW-7 | 05/13/08 | 241 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-7 | 08/27/08 | 514 | <0.5 | <0.5 | 0.9 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-7 | 11/18/08 | 281 | <0.5 | <0.5 | 0.7 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-7 | 03/11/09 | 327 | <0.5 | <0.5 | 1.2 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-7 | 09/22/09 | 216 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through September 2009
EZ Serve 100877, 525 West A Street, Hayward, CA

| Well Number | Date Sampled | TPH-G (ug/l) | Benzene (ug/l) | Toluene (ug/l) | Ethyl-benzene (ug/l) | Total Xylenes (ug/l) | DIPE (ug/l) | ETBE (ug/l) | MTBE (ug/l) | TAME (ug/l) | TBA (ug/l) |
|--|--------------|--------------|----------------|----------------|----------------------|----------------------|-------------|-------------|-------------|-------------|------------|
| MW-8 | 06/23/93 | 350 | 43 | 9 | 35 | 67 | -- | -- | -- | -- | -- |
| MW-8 | 09/30/93 | 2,700 | 190 | 340 | 170 | 720 | -- | -- | -- | -- | -- |
| MW-8 | 02/06/94 | <100 | <1 | 1 | 1 | 2 | -- | -- | -- | -- | -- |
| MW-8 | 05/02/94 | <100 | <1 | 3 | <1 | 7 | -- | -- | -- | -- | -- |
| MW-8 | 07/01/94 | 300 | 18 | 48 | 19 | 37 | -- | -- | -- | -- | -- |
| MW-8 | 09/20/94 | <100 | <1 | <1 | <1 | <1 | -- | -- | -- | -- | -- |
| MW-8 | 12/05/94 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- | -- |
| MW-8 | 03/10/95 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-8 | 03/15/95 | <50 | <0.5 | <0.5 | <0.5 | 1 | -- | -- | -- | -- | -- |
| MW-8 | 09/23/96 | < | < | < | < | < | < | < | < | < | < |
| Not sampled, well inaccessible since 4th quarter, 1996 | | | | | | | | | | | |
| MW-9 | 06/23/93 | 45,000 | 14,000 | 1,200 | 2,800 | 12,000 | -- | -- | -- | -- | -- |
| MW-9 | 09/30/93 | 86,000 | 22,000 | 1,100 | 3,300 | 15,000 | -- | -- | -- | -- | -- |
| MW-9 | 02/06/94 | 43,000 | 10,000 | 460 | 2,100 | 7,500 | -- | -- | -- | -- | -- |
| MW-9 | 05/02/94 | 17,000 | 5,400 | 270 | 1,300 | 4,700 | -- | -- | -- | -- | -- |
| MW-9 | 07/01/94 | 10,000 | 2,100 | 120 | 450 | 1,300 | -- | -- | -- | -- | -- |
| MW-9 | 09/20/94 | 7,500 | 2,200 | 97 | 400 | 1,200 | -- | -- | -- | -- | -- |
| MW-9 | 12/05/94 | 10,000 | 2,700 | 130 | 530 | 1,600 | -- | -- | -- | -- | -- |
| MW-9 | 03/10/95 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-9 | 03/15/95 | 18,000 | 5,900 | 270 | 1,200 | 3,680 | -- | -- | -- | -- | -- |
| Not sampled, well inaccessible since 1st quarter, 1995 | | | | | | | | | | | |
| MW-10 | 06/23/93 | 35,000 | 980 | 640 | 3,500 | 12,000 | -- | -- | -- | -- | -- |
| MW-10 | 09/30/93 | 4,000 | 230 | 12 | 100 | 680 | -- | -- | -- | -- | -- |
| MW-10 | 02/06/94 | 2,000 | 69 | 12 | 220 | 120 | -- | -- | -- | -- | -- |
| MW-10 | 05/02/94 | 710 | 16 | 6 | 85 | 62 | -- | -- | -- | -- | -- |
| MW-10 | 07/01/94 | 2,000 | 52 | 43 | 120 | 210 | -- | -- | -- | -- | -- |
| MW-10 | 09/20/94 | 2,800 | 34 | 16 | 270 | 560 | -- | -- | -- | -- | -- |
| MW-10 | 12/05/94 | 2,700 | 30 | 13 | 260 | 430 | -- | -- | -- | -- | -- |
| MW-10 | 03/10/95 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-10 | 03/15/95 | 1,400 | 18 | 6 | 200 | 239 | -- | -- | -- | -- | -- |
| MW-10 | 09/23/96 | 3,800 | 4 | 2.9 | 220 | 170 | -- | -- | 397 | -- | -- |
| MW-10 | 12/04/96 | 4,600 | 1.6 | 7.7 | 260 | 150 | -- | -- | 20 | -- | -- |
| Not sampled, well inaccessible since 4th quarter, 1996 | | | | | | | | | | | |
| MW-11 | 02/10/95 | 7,000 | 140 | 22 | 600 | 1,000 | -- | -- | -- | -- | -- |
| MW-11 | 03/10/95 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-11 | 03/15/95 | 6,000 | 200 | 17 | 750 | 1,276 | -- | -- | -- | -- | -- |
| MW-11 | 09/23/96 | 27,000 | 55 | 81 | 300 | 3,500 | -- | -- | 40 | -- | -- |
| MW-11 | 12/04/96 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-11 | 04/08/97 | 24,000 | 280 | 130 | 3,000 | 3,700 | -- | -- | < | -- | -- |
| Not sampled, well inaccessible since 2nd quarter, 1997 | | | | | | | | | | | |
| MW-12 | 02/10/95 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- | -- |
| MW-12 | 03/10/95 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-12 | 03/14/95 | <50 | <0.5 | <0.5 | <0.5 | 0.9 | -- | -- | -- | -- | -- |

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through September 2009
EZ Serve 100877, 525 West A Street, Hayward, CA

| Well Number | Date Sampled | TPH-G (ug/l) | Benzene (ug/l) | Toluene (ug/l) | Ethyl-benzene (ug/l) | Total Xylenes (ug/l) | DIPE (ug/l) | ETBE (ug/l) | MTBE (ug/l) | TAME (ug/l) | TBA (ug/l) |
|--------------|-----------------|----------------|----------------|----------------|----------------------|----------------------|----------------|----------------|----------------|----------------|----------------|
| MW-12 | 09/23/96 | < | < | 1.6 | < | < | -- | -- | -- | -- | -- |
| MW-12 | 12/04/96 | < | 3.2 | < | 1.9 | 3.4 | -- | -- | -- | -- | -- |
| MW-12 | 04/08/97 | < | < | < | < | < | -- | -- | -- | -- | -- |
| MW-12 | 06/30/97 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-12 | 11/25/97 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-12 | 06/01/98 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-12 | 06/14/01 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | <5.0 | -- | -- |
| MW-12 | 11/07/01 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-12 | 01/30/02 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-12 | 05/29/02 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-12 | 08/14/02 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-12 | 11/15/02 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-12 | 10/25/04 | Not Accessable | | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-12 | 02/25/05 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-12 | 05/19/05 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-12 | 09/15/05 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-12 | 11/10/05 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 |
| MW-12 | 03/20/06 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 |
| MW-12 | 05/25/06 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 |
| MW-12 | 08/23/06 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 |
| MW-12 | 03/14/07 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 |
| MW-12 | 06/11/07 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 |
| MW-12 | 08/01/07 | 45 | <0.12 | <0.15 | <0.17 | <0.34 | <0.12 | <0.13 | <0.15 | <0.17 | <6.9 |
| MW-12 | 02/27/08 | <6.6 | <0.18 | <0.24 | <0.21 | <0.45 | <0.20 | <0.23 | <0.19 | <0.19 | <10 |
| MW-12 | 05/13/08 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-12 | 08/27/08 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-12 | 11/18/08 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-12 | 03/11/09 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-12 | 09/22/09 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-13 | 02/10/95 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- | -- |
| MW-13 | 03/10/95 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-13 | 03/14/95 | <50 | <0.5 | <0.5 | <0.5 | 1 | -- | -- | -- | -- | -- |
| MW-13 | 09/23/96 | < | < | 0.8 | 1 | < | -- | -- | < | -- | -- |
| MW-13 | 12/04/96 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-13 | 04/08/97 | < | < | < | < | < | -- | -- | < | -- | -- |
| MW-13 | 06/30/97 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-13 | 11/25/97 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-13 | 06/01/98 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-13 | 06/14/01 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | <5.0 | -- | -- |
| MW-13 | 11/07/01 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-13 | 01/30/02 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-13 | 05/29/02 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-13 | 08/14/02 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-13 | 11/15/02 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-13 | 10/25/04 | Not Accessable | | -- | -- | -- | -- | -- | -- | -- | -- |

Not sampled, well inaccessible since 4th quarter, 2004

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through September 2009
EZ Serve 100877, 525 West A Street, Hayward, CA

| Well Number | Date Sampled | TPH-G (ug/l) | Benzene (ug/l) | Toluene (ug/l) | Ethyl-benzene (ug/l) | Total Xylenes (ug/l) | DIPE (ug/l) | ETBE (ug/l) | MTBE (ug/l) | TAME (ug/l) | TBA (ug/l) |
|--------------|-----------------|----------------|----------------|----------------|----------------------|----------------------|----------------|----------------|----------------|----------------|----------------|
| MW-14 | 02/10/95 | 12,000 | 42 | 8 | 740 | 2,100 | -- | -- | -- | -- | -- |
| MW-14 | 03/10/95 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-14 | 03/14/95 | 1,400 | 6 | 2 | 36 | 298 | -- | -- | -- | -- | -- |
| MW-14 | 09/23/96 | 6,400 | 2.8 | < | 690 | 96 | -- | -- | 9.6 | -- | -- |
| MW-14 | 12/04/96 | 9,500 | 6.3 | < | 1,100 | 400 | -- | -- | 30 | -- | -- |
| MW-14 | 04/08/97 | 2,900 | < | 2.7 | 220 | 21 | -- | -- | < | -- | -- |
| MW-14 | 06/30/97 | 74 | 1.3 | < | 0.51 | 0.68 | -- | -- | < | -- | -- |
| MW-14 | 11/25/97 | < | < | < | < | < | -- | -- | < | -- | -- |
| MW-14 | 06/01/98 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | <5 | -- | -- |
| MW-14 | 06/14/01 | 470 | <0.5 | <0.5 | 2.8 | 1 | -- | -- | <5 | -- | -- |
| MW-14 | 11/07/01 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-14 | 01/30/02 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-14 | 05/29/02 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-14 | 08/14/02 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-14 | 11/15/02 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-14 | 10/25/04 | Not Accessable | | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-14 | 02/25/05 | 210 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-14 | 05/19/05 | 230 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| MW-14 | 09/15/05 | Not Accessable | | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-14 | 11/10/05 | Not Accessable | | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-14 | 03/20/06 | 180 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-14 | 05/25/06 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-14 | 08/23/06 | 99 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-14 | 03/14/07 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-14 | 06/11/07 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-14 | 08/01/07 | 53 | <0.12 | <0.15 | <0.17 | <0.34 | <0.12 | <0.13 | <0.15 | <0.17 | <6.9 |
| MW-14 | 02/27/08 | <6.6 | <0.18 | <0.24 | <0.21 | <0.45 | <0.20 | <0.23 | <0.19 | <0.19 | <10 |
| MW-14 | 05/13/08 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-14 | 08/27/08 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-14 | 11/18/08 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-14 | 03/11/09 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| MW-14 | 09/22/09 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| EX-1 | 08/14/02 | 250 | 31 | <0.5 | <0.5 | 4 | <0.5 | <0.5 | 1.4 | <0.5 | <5.0 |
| EX-1 | 11/15/02 | 67 | 4.1 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 0.7 | <0.5 | <5.0 |
| EX-1 | 10/25/04 | 96 | 2.1 | <0.50 | 4.9 | 1.8 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| EX-1 | 12/23/04 | <50 | <0.50 | <0.50 | 0.87 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 |
| EX-1 | 02/25/05 | 59 | 1.4 | <0.50 | 2 | 0.87 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 |
| EX-1 | 05/19/05 | 200 | 3.4 | <0.50 | 3.7 | 1.8 | <0.50 | <0.50 | 1.3 | <0.50 | <5.0 |
| EX-1 | 09/15/05 | 290 | 7.5 | <0.50 | 2.8 | 0.66 | <0.50 | <0.50 | 1.2 | <0.50 | <5.0 |
| EX-1 | 11/10/05 | 270 | 5.1 | <0.50 | 9.2 | 1.5 | <0.50 | <0.50 | 0.94 | <0.50 | <5.0 |
| EX-1 | 03/20/06 | 820 | 7.5 | <0.50 | 15 | 7.2 | <0.50 | <0.50 | 0.94 | <0.50 | <5.0 |
| EX-1 | 05/25/06 | 100 | <0.50 | <0.50 | 1 | 0.9 | <0.50 | <0.50 | 0.79 | <0.50 | <5.0 |
| EX-1 | 08/23/06 | 440 | 7.3 | <0.50 | 0.72 | 0.61 | <0.50 | <0.50 | 1.2 | <0.50 | <5.0 |
| EX-1 | 03/14/07 | 360 | 1.6 | <0.50 | 8.8 | 1.8 | <0.50 | <0.50 | 1.7 | <0.50 | <5.0 |
| EX-1 | 06/11/07 | 240 | 1.1 | <0.50 | 6.0 | 1.4 | <0.50 | <0.50 | 4.3 | <0.50 | <5.0 |

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through September 2009
EZ Serve 100877, 525 West A Street, Hayward, CA

| Well Number | Date Sampled | TPH-G (ug/l) | Benzene (ug/l) | Toluene (ug/l) | Ethyl-benzene (ug/l) | Total Xylenes (ug/l) | DIPE (ug/l) | ETBE (ug/l) | MTBE (ug/l) | TAME (ug/l) | TBA (ug/l) |
|-------------|-----------------|----------------|----------------|----------------|----------------------|----------------------|----------------|----------------|-------------|----------------|----------------|
| EX-1 | 08/01/07 | 410 | 2.5 | <0.15 | 4.2 | 0.92 | <0.12 | <0.13 | 3.6 | <0.17 | <6.9 |
| EX-1 | 02/27/08 | Not Accessable | | -- | -- | -- | -- | -- | -- | -- | -- |
| EX-1 | 08/27/08 | 348 | 0.9 | <0.5 | 0.8 | <0.5 | <0.5 | <0.5 | 94 | <0.5 | 22 |
| EX-1 | 11/18/08 | 459 | 0.8 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 16 | <0.5 | 7.9 |
| EX-1 | 03/11/09 | 371 | <0.5 | <0.5 | 3.6 | <0.5 | <0.5 | <0.5 | 151 | <0.5 | <5.0 |
| EX-1 | 09/22/09 | 295 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 79 | <0.5 | <5.0 |
| VEAS-2 | 02/25/05 | 90 | 1.1 | <0.50 | 0.7 | 1.3 | <0.50 | <0.50 | 1.4 | <0.50 | <5.0 |
| VEAS-2 | 05/19/05 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <5.0 |
| VEAS-2 | 11/10/05 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Notes:

TPH-G = total petroleum hydrocarbons with gasoline distinction

MTBE = methyl tertiary butyl ether

DIPE = di-isopropyl ether

ETBE = ethyl-tert-butyl ether

TAME = tert-amyl methyl ether

TBA = tert butanol

ug/l = micrograms per liter


-- = not analyzed, measured, or collected

< = Sample reported as "not detected", in previous tables, reporting limit not known (Delta Environmental)

Note: No known groundwater sampling was conducted between June 1, 1998 and June 14, 2001, June 14, 2001 and November 7, 2001

Wellhead elevations resurveyed on January 30, 2002.

FIGURES



SITE LOCATION
FORMER EZ SERVE 100877
525 WEST A STREET
HAYWARD, CA

GEOENVIRO SERVICES, INC.

SITE LOCATION MAP

FORMER EZ SERVE STATION NO. 100877
525 WEST A STREET
HAYWARD, CA


OCTOBER 2009

FIGURE 1


DRAWN BY: JPS
REVISED: October 7, 2009

CLIENT: RPMS
JOB No.: 07-131





SCALE 1" = 80'



DRAWN BY: GRS
 REVISION DATE: OCTOBER 08, 2009
 CLIENT: RPMS
 JOB No.: 07-131

LEGEND


- MW-1 25.34 GROUNDWATER MONITORING WELL WITH GROUNDWATER ELEVATION IN FEET AMSL AS MEASURED ON 09/22/09
- EX-1 GROUNDWATER EXTRACTION WELL
- VEAS-2 REMEDIATION WELL NM NOT MEASURED
- MW-2 DESTROYED GROUNDWATER MONITORING WELL
- (25.50') GROUNDWATER ELEVATION CONTOUR IN FEET ABOVE MEAN SEA LEVEL AS MEASURED 9/22/09

GEOENVIRO SERVICES, INC.

SITE MAP WITH CONTOURS OF GROUNDWATER ELEVATION THIRD QUARTER 2009

FORMER EZ SERVE STATION NO. 100877
 525 WEST A STREET
 HAYWARD, CA

OCTOBER 2009 FIGURE 2



SCALE 1" = 80'



DRAWN BY: GRS
 REVISION DATE: OCTOBER 16, 2009
 CLIENT: RPMS
 JOB No.: 07-131

LEGEND


- MW-1 6,600 GROUNDWATER MONITORING WELL WITH TPHg CONCENTRATIONS IN ug/L AS MEASURED ON 9/22/09
- EX-1 295 GROUNDWATER EXTRACTION WELL
- VEAS-2 REMEDIATION WELL
- MW-2 DESTROYED GROUNDWATER MONITORING WELL
- 1,000 ug/L TPHg IN GROUNDWATER CONCENTRATION CONTOUR
- NA - NOT ANALYZED

GEOENVIRO SERVICES, INC.


SITE MAP WITH CONTOURS OF THPg CONCENTRATIONS IN GROUNDWATER THIRD QUARTER 2009

FORMER EZ SERVE STATION NO. 100877
 525 WEST A STREET
 HAYWARD, CA

OCTOBER 2009 **FIGURE 3**



SCALE 1" = 80'



DRAWN BY: GRS
 REVISION DATE: OCTOBER 16, 2009
 CLIENT: RPMS
 JOB No.: 07-131

LEGEND


- MW-1 GROUNDWATER MONITORING WELL WITH BENZENE CONCENTRATIONS IN ug/L AS MEASURED ON 9/22/09
- EX-1 GROUNDWATER EXTRACTION WELL
- VEAS-2 REMEDIATION WELL NA - NOT ANALYZED
- MW-2 DESTROYED GROUNDWATER MONITORING WELL
- 10 ug/L BENZENE IN GROUNDWATER CONCENTRATION CONTOUR

GEOENVIRO SERVICES, INC.


SITE MAP WITH CONTOURS OF BENZENE CONCENTRATIONS IN GROUNDWATER THIRD QUARTER 2009

FORMER EZ SERVE STATION NO. 100877
 525 WEST A STREET
 HAYWARD, CA

OCTOBER 2009 FIGURE 4



SCALE 1" = 80'



DRAWN BY: GRS
 REVISION DATE: OCTOBER 16, 2009
 CLIENT: RPMS
 JOB No.: 07-131

LEGEND

- MW-1 18 GROUNDWATER MONITORING WELL WITH MTBE CONCENTRATIONS IN ug/L AS MEASURED ON 9/22/09
- EX-1 79 GROUNDWATER EXTRACTION WELL
- VEAS-2 REMEDIATION WELL
- MW-2 DESTROYED GROUNDWATER MONITORING WELL
- 100 ug/L MTBE IN GROUNDWATER CONCENTRATION CONTOUR
- NA - NOT ANALYZED

GEOENVIRO SERVICES, INC.

SITE MAP WITH CONTOURS OF MTBE CONCENTRATIONS IN GROUNDWATER THIRD QUARTER 2009

FORMER EZ SERVE STATION NO. 100877
 525 WEST A STREET
 HAYWARD, CA

OCTOBER 2009 **FIGURE 5**

ATTACHMENT A
GENERAL GROUNDWATER MONITORING FIELD PROCEDURES

Groundwater Sampling Protocol

Monitoring Wells

Prior to purging a monitoring well, groundwater levels are measured with a Solinst electric depth measurement device, or an interface probe, in all wells that are to be measured. At sites where petroleum hydrocarbons are possible contaminants, the well is checked for floating product using an interface probe. If floating product is measured during the initial sampling round or noted during subsequent sampling rounds, floating product measurements are continued.

After the water level and floating product measurements are complete, the monitoring well is purged until a minimum of three casing volumes of water are removed, water is relatively clear of sediment, and pH, conductivity, and temperature measurements of the water become relatively stable. If the well is purged dry, groundwater samples are collected after the water level in the well recovers to at least 80 percent of the original water column measured in the well prior to sampling, or following a maximum recovery period of two hours. The well is purged using a factory-sealed, disposable, polyethylene bailer, a submersible Grundfos pump, or a peristaltic pump. The purge water is stored on-site in clean, 55-gallon drums or aboveground tanks.

A groundwater sample is collected from each monitoring well following re-equilibration of the well after purging. The groundwater sample is collected using a factory-sealed disposable, polyethylene bailer with a sampling port, or a factory-sealed Teflon bailer. A factory provided attachment designed for use with volatile organic compounds (VOCs) is attached to the polyethylene bailer sampling port when collecting samples to be analyzed for VOCs. The groundwater sample is transferred from the bailer into sample container(s) that are obtained directly from the analytical laboratory.

The sample container(s) is labeled with a self-adhesive tag. The following information is included on the tag:

- Project number
- Sample number
- Date and time sample is collected
- Initials of sample collector(s).

Individual log sheets are maintained throughout the sampling operations. The following information is recorded:

- Sample number
- Date and time well sampled and purged
- Sampling location
- Types of sampling equipment used
- Name of sampler(s)
- Volume of water purged.

Following collection of the groundwater sample, the sample is immediately stored on blue ice in an appropriate container. A chain-of-custody form is completed with the following information:

- Date the sample was collected
- Sample number and the number of containers
- Analyses required
- Remarks including preservatives added and any special conditions.

The original copy of the chain-of-custody form accompanies the sample containers to a California-certified laboratory. A copy is retained by GeoEnviro Services and placed in company files.

Sampling equipment including thermometers, pH electrodes, and conductivity probes are cleaned both before and after their use at the site. The following cleaning procedures are used:

- Scrub with a potable water and detergent solution using a hard bristle brush
- Rinse with potable water
- Double-rinse with organic-free or deionized water
- Package and seal equipment in plastic bags or other appropriate containers to prevent contact with solvents, dust, or other contaminants.

In addition, the pumps are cleaned by pumping a potable water and detergent solution and deionized water through the system. Cleaning solutions are contained on-site in clean 55-gallon drums.

Domestic and Irrigation Wells

Groundwater samples collected from domestic or irrigation wells are collected from the spigot that is the closest to the well. Prior to collecting the sample, the spigot is allowed to flow for at least 5 minutes to purge the well. The sample is then collected directly into laboratory-supplied containers, sealed, labeled, and stored on blue ice in an appropriate container, as described above. A chain-of-custody form is completed and submitted with the samples to the analytical laboratory.

ATTACHMENT B
GROUNDWATER MONITORING AND SAMPLING
FIELD DOCUMENTATION

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-1
 Sampled By: J. Schaaf
 Date: 9/22/2009

| | |
|-------------------|-------|
| Well Diameter: | 4 |
| Total Well Depth: | 25 |
| Depth to Water: | 16.41 |
| Water Column: | 8.59 |
| Calculated Purge: | 17.18 |
| Actual Purge: | 17 |
| Free Product? | No |
| Product Sheen? | No |

| Purge Volume Calculations | |
|----------------------------|---------------------------|
| For 3 Casing Volume Purge: | |
| 2-inch Diameter Well: | 0.5 gallons/linear foot |
| 4-inch Diameter Well: | 2 gallons/linear foot |
| 1-inch Diameter Well: | 0.123 gallons/linear foot |
| 1.25-inch Diameter Well: | 0.191 gallons/linear foot |
| 1.5-inch Diameter Well: | 0.275 gallons/linear foot |

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 12:45

Post Purge DTWs:

| Time | DTW |
|-------|-------|
| 12:45 | 16.44 |

| Analyze for): | |
|----------------------------|---|
| TPH Diesel - TPH Motor Oil | |
| TPH Gasoline | x |
| BTEX | x |
| Petroleum Oxygenates | x |
| Lead Scavengers | |
| Other: | |

Laboratory: Associated Laboratories

| Time | Conductivity | Temp. F | pH | Volume Purged (gal) | Comments |
|-------|--------------|---------|------|---------------------|----------|
| 10:40 | 1379 | 20.9 | 7.21 | 5 | |
| 10:44 | 1357 | 20.5 | 7.18 | 10 | |
| 10:48 | 1349 | 20.5 | 7.17 | 17 | |
| | | | | | |
| | | | | | |
| | | | | | |

Additional Comments:

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D: MW-3
 Sampled By: J. Schaaf
 Date: 9/22/2009

| | |
|-------------------|-------|
| Well Diameter: | 4 |
| Total Well Depth: | 34 |
| Depth to Water: | 17.86 |
| Water Column: | 16.14 |
| Calculated Purge: | 32.28 |
| Actual Purge: | 32 |
| Free Product? | No |
| Product Sheen? | No |

| Purge Volume Calculations | |
|----------------------------|---------------------------|
| For 3 Casing Volume Purge: | |
| 2-inch Diameter Well: | 0.5 gallons/linear foot |
| 4-inch Diameter Well: | 2 gallons/linear foot |
| 1-inch Diameter Well: | 0.123 gallons/linear foot |
| 1.25-inch Diameter Well: | 0.191 gallons/linear foot |
| 1.5-inch Diameter Well: | 0.275 gallons/linear foot |

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 12:00

Post Purge DTWs:

| Time | DTW |
|-------|-------|
| 12:00 | 17.88 |

| Analyze for): | |
|----------------------------|---|
| TPH Diesel - TPH Motor Oil | |
| TPH Gasoline | x |
| BTEX | x |
| Petroleum Oxygenates | x |
| Lead Scavengers | |
| Other: | |

Laboratory: Associated Laboratories

| Time | Conductivity | Temp. F | pH | Volume Purged (gal) | Comments |
|------|--------------|---------|------|---------------------|----------|
| 9:44 | 1351 | 20.0 | 7.28 | 10 | |
| 9:48 | 1340 | 19.5 | 7.21 | 20 | |
| 9:53 | 1327 | 19.4 | 7.21 | 32 | |
| | | | | | |
| | | | | | |
| | | | | | |

Additional Comments:

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D: MW-4
 Sampled By: J. Schaaf
 Date: 9/22/2009

| | |
|-------------------|-------|
| Well Diameter: | 4 |
| Total Well Depth: | 30 |
| Depth to Water: | 17.33 |
| Water Column: | 12.67 |
| Calculated Purge: | 25.34 |
| Actual Purge: | 25 |
| Free Product? | No |
| Product Sheen? | No |

| Purge Volume Calculations | |
|----------------------------|---------------------------|
| For 3 Casing Volume Purge: | |
| 2-inch Diameter Well: | 0.5 gallons/linear foot |
| 4-inch Diameter Well: | 2 gallons/linear foot |
| 1-inch Diameter Well: | 0.123 gallons/linear foot |
| 1.25-inch Diameter Well: | 0.191 gallons/linear foot |
| 1.5-inch Diameter Well: | 0.275 gallons/linear foot |

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 12:10

Post Purge DTWs:

| Time | DTW |
|-------|-------|
| 12:10 | 17.33 |

| Analyze for): | |
|----------------------------|---|
| TPH Diesel - TPH Motor Oil | |
| TPH Gasoline | x |
| BTEX | x |
| Petroleum Oxygenates | x |
| Lead Scavengers | |
| Other: | |

Laboratory: Associated Laboratories

| Time | Conductivity | Temp. F | pH | Volume Purged (gal) | Comments |
|-------|--------------|---------|------|---------------------|----------------------------|
| 9:56 | 1310 | 20.3 | 7.81 | 8 | Gray color, slight HC odor |
| 10:01 | 1347 | 19.8 | 7.42 | 16 | Becoming clear |
| 10:10 | 1346 | 19.7 | 7.36 | 25 | |
| | | | | | |
| | | | | | |
| | | | | | |

Additional Comments:

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D: MW-5
 Sampled By: J. Schaaf
 Date: 9/22/2009

| | |
|-------------------|-------|
| Well Diameter: | 4 |
| Total Well Depth: | 25 |
| Depth to Water: | 16.95 |
| Water Column: | 8.05 |
| Calculated Purge: | 16.1 |
| Actual Purge: | 16 |
| Free Product? | No |
| Product Sheen? | No |

| Purge Volume Calculations | |
|----------------------------|---------------------------|
| For 3 Casing Volume Purge: | |
| 2-inch Diameter Well: | 0.5 gallons/linear foot |
| 4-inch Diameter Well: | 2 gallons/linear foot |
| 1-inch Diameter Well: | 0.123 gallons/linear foot |
| 1.25-inch Diameter Well: | 0.191 gallons/linear foot |
| 1.5-inch Diameter Well: | 0.275 gallons/linear foot |

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 12:30

Post Purge DTWs:

| Time | DTW |
|-------|-------|
| 12:30 | 16.99 |

| Analyze for): | |
|----------------------------|---|
| TPH Diesel - TPH Motor Oil | |
| TPH Gasoline | x |
| BTEX | x |
| Petroleum Oxygenates | x |
| Lead Scavengers | |
| Other: | |

Laboratory: Associated Laboratories

| Time | Conductivity | Temp. F | pH | Volume Purged (gal) | Comments |
|-------|--------------|---------|------|---------------------|----------|
| 10:23 | 1225 | 21.2 | 7.81 | 5 | |
| 10:28 | 1390 | 20.9 | 7.72 | 10 | |
| 10:32 | 1386 | 20.9 | 7.73 | 16 | |
| | | | | | |
| | | | | | |
| | | | | | |

Additional Comments:

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-7
 Sampled By: J. Schaaf
 Date: 9/22/2009

| | |
|-------------------|-------|
| Well Diameter: | 2 |
| Total Well Depth: | 30 |
| Depth to Water: | 17.65 |
| Water Column: | 12.35 |
| Calculated Purge: | 6.17 |
| Actual Purge: | 6 |
| Free Product? | NO |
| Product Sheen? | NO |

| Purge Volume Calculations | |
|----------------------------|---------------------------|
| For 3 Casing Volume Purge: | |
| 2-inch Diameter Well: | 0.5 gallons/linear foot |
| 4-inch Diameter Well: | 2 gallons/linear foot |
| 1-inch Diameter Well: | 0.123 gallons/linear foot |
| 1.25-inch Diameter Well: | 0.191 gallons/linear foot |
| 1.5-inch Diameter Well: | 0.275 gallons/linear foot |

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 11:35

Post Purge DTWs:

| Time | DTW |
|-------|-------|
| 11:35 | 17.65 |
| | |
| | |
| | |

| Analyze for): | |
|----------------------------|---|
| TPH Diesel - TPH Motor Oil | |
| TPH Gasoline | x |
| BTEX | x |
| Petroleum Oxygenates | x |
| Lead Scavengers | |
| Other: | |

Laboratory: Associated Laboratories

| Time | Conductivity | Temp. C | pH | Volume Purged (gal) | Comments |
|------|--------------|---------|------|---------------------|----------|
| 8:44 | 1085 | 18.3 | 7.09 | 2 | |
| 8:46 | 1095 | 18.2 | 7.04 | 4 | |
| 8:48 | 1094 | 18.2 | 7.04 | 6 | |
| | | | | | |
| | | | | | |
| | | | | | |

Additional Comments:

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D: MW-12
 Sampled By: J. Schaaf
 Date: 9/22/2009

| | |
|-------------------|-------|
| Well Diameter: | 2 |
| Total Well Depth: | 30 |
| Depth to Water: | 18.33 |
| Water Column: | 11.67 |
| Calculated Purge: | 5.8 |
| Actual Purge: | 6 |
| Free Product? | NO |
| Product Sheen? | NO |

| Purge Volume Calculations | |
|----------------------------|---------------------------|
| For 3 Casing Volume Purge: | |
| 2-inch Diameter Well: | 0.5 gallons/linear foot |
| 4-inch Diameter Well: | 2 gallons/linear foot |
| 1-inch Diameter Well: | 0.123 gallons/linear foot |
| 1.25-inch Diameter Well: | 0.191 gallons/linear foot |
| 1.5-inch Diameter Well: | 0.275 gallons/linear foot |

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 11:15

Post Purge DTWs:

| Time | DTW |
|-------|-------|
| 11:15 | 18.34 |

| Analyze for): | |
|----------------------------|---|
| TPH Diesel - TPH Motor Oil | |
| TPH Gasoline | x |
| BTEX | x |
| Petroleum Oxygenates | x |
| Lead Scavengers | |
| Other: | |

Laboratory: Associated Laboratories

| Time | Conductivity | Temp. C | pH | Volume Purged (gal) | Comments |
|------|--------------|---------|------|---------------------|----------|
| 8:05 | 830 | 18.3 | 7.76 | 2 | |
| 8:07 | 863 | 18.6 | 7.52 | 4 | |
| 8:09 | 888 | 18.6 | 7.48 | 6 | |
| | | | | | |
| | | | | | |
| | | | | | |

Additional Comments:

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D: MW-14
 Sampled By: J. Schaaf
 Date: 9/22/2009

| | |
|-------------------|-------|
| Well Diameter: | 2 |
| Total Well Depth: | 30 |
| Depth to Water: | 18.28 |
| Water Column: | 11.72 |
| Calculated Purge: | 5.86 |
| Actual Purge: | 6 |
| Free Product? | NO |
| Product Sheen? | NO |

| Purge Volume Calculations | |
|----------------------------|---------------------------|
| For 3 Casing Volume Purge: | |
| 2-inch Diameter Well: | 0.5 gallons/linear foot |
| 4-inch Diameter Well: | 2 gallons/linear foot |
| 1-inch Diameter Well: | 0.123 gallons/linear foot |
| 1.25-inch Diameter Well: | 0.191 gallons/linear foot |
| 1.5-inch Diameter Well: | 0.275 gallons/linear foot |

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 11:20

Post Purge DTWs:

| Time | DTW |
|-------|-------|
| 11:20 | 18.29 |

| Analyze for): | |
|----------------------------|---|
| TPH Diesel - TPH Motor Oil | |
| TPH Gasoline | x |
| BTEX | x |
| Petroleum Oxygenates | x |
| Lead Scavengers | |
| Other: | |

Laboratory: Associated Laboratories

| Time | Conductivity | Temp. | pH | Volume Purged (gal) | Comments |
|------|--------------|-------|------|---------------------|----------|
| 8:30 | 1012 | 18.4 | 7.12 | 2 | |
| 8:32 | 1010 | 18.6 | 7.02 | 4 | |
| 8:34 | 1008 | 18.6 | 7.01 | 6 | |
| | | | | | |
| | | | | | |
| | | | | | |

Additional Comments:

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D.: EX-1
 Sampled By: J. Schaaf
 Date: 9/22/2009

| | |
|-------------------|-------|
| Well Diameter: | 6 |
| Total Well Depth: | 34 |
| Depth to Water: | 17.71 |
| Water Column: | 16.29 |
| Calculated Purge: | 59.77 |
| Actual Purge: | 45 |
| Free Product? | NO |
| Product Sheen? | NO |

| Purge Volume Calculations | |
|----------------------------|---------------------------|
| For 3 Casing Volume Purge: | |
| 2-inch Diameter Well: | 0.5 gallons/linear foot |
| 4-inch Diameter Well: | 2 gallons/linear foot |
| 1-inch Diameter Well: | 0.123 gallons/linear foot |
| 1.25-inch Diameter Well: | 0.191 gallons/linear foot |
| 1.5-inch Diameter Well: | 0.275 gallons/linear foot |

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 11:50

Post Purge DTWs:

| Time | DTW |
|-------|-------|
| 11:50 | 17.71 |

| Analyze for): | |
|----------------------------|---|
| TPH Diesel - TPH Motor Oil | |
| TPH Gasoline | x |
| BTEX | x |
| Petroleum Oxygenates | x |
| Lead Scavengers | |
| Other: | |

Laboratory: Associated Laboratories

| Time | Conductivity | Temp. | pH | Volume Purged (gal) | Comments |
|------|--------------|-------|------|---------------------|------------------------|
| 9:20 | 1296 | 20.8 | 7.03 | 10 | |
| 9:25 | 1324 | 19.9 | 7.07 | 20 | |
| 9:30 | 1318 | 19.8 | 7.07 | 35 | |
| 9:38 | 1317 | 19.9 | 7.07 | 45 | |
| | | | | | Cond., Temp, PH Steady |

Additional Comments:

ATTACHMENT C
LABORATORY ANALYTICAL REPORTS
AND CHAIN OF CUSTODY DOCUMENTATION



ASSOCIATED LABORATORIES

806 North Batavia - Orange, California 92868 - 714/771-6900

FAX 714/538-1209

CLIENT GeoEnviro Services, Inc. (12421)
ATTN: Joseph Schaaf
5529 Kailas St.
Ventura, CA 93003

LAB REQUEST 241572

REPORTED 10/05/2009

RECEIVED 09/24/2009

PROJECT #07-131
Former EZ Serve 100877

SUBMITTER Client

COMMENTS * Matrix Interference.

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

| <u>Order No.</u> | <u>Client Sample Identification</u> |
|------------------|-------------------------------------|
| 1024656 | MW-1 |
| 1024657 | MW-3 |
| 1024658 | MW-4 |
| 1024659 | MW-5 |
| 1024660 | MW-7 |
| 1024661 | MW-12 |
| 1024662 | MW-14 |
| 1024663 | EX-1 |
| 1024664 | Laboratory Method Blank |

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by,

Edward S. Dehate, Ph.D.
Vice President

NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 30 days from date reported.

The reports of the Associated Laboratories are confidential property of our clients and may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING
Chemical
Microbiological
Environmental

Order #: 1024656**Client:** GeoEnviro Services, Inc.**Matrix:** WATER**Client Sample ID:** MW-1**Date Sampled:** 09/22/2009**Time Sampled:** 12:45**Sampled By:**

| Analyte | Result | DF | DLR | Units | Date/Analyst |
|---------|--------|----|-----|-------|--------------|
|---------|--------|----|-----|-------|--------------|

8260B VOC Oxygenates - Low DLR (0.5)

| | | | | | |
|-------------------------------|-----|---|-----|------|-------------|
| Di-isopropyl ether (DIPE) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Ethyl-tertbutylether (ETBE) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Tert-amylmethylether (TAME) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Tertiary butyl alcohol (TBA) | ND | 1 | 5.0 | ug/L | 09/27/09 YL |
| Benzene | 54 | 1 | 0.5 | ug/L | 09/27/09 YL |
| Ethyl benzene | 137 | 5 | 2.5 | ug/L | 09/27/09 YL |
| Methyl-tert-butylether (MTBE) | 18 | 1 | 0.5 | ug/L | 09/27/09 YL |
| Toluene | 0.7 | 1 | 0.5 | ug/L | 09/27/09 YL |
| Xylenes, total | 2.7 | 1 | 0.5 | ug/L | 09/27/09 YL |

Surrogates

| | | | | Units | Control Limits |
|-------------------------------|-----|--|--|-------|----------------|
| Surr1 - Dibromofluoromethane | 98 | | | % | 70 - 135 |
| Surr2 - 1,2-Dichloroethane-d4 | 114 | | | % | 70 - 135 |
| Surr3 - Toluene-d8 | 100 | | | % | 70 - 135 |
| Surr4 - p-Bromofluorobenzene | 85 | | | % | 70 - 135 |

8015B - Gasoline

| | | | | | |
|----------|------|---|-------|------|-------------|
| Gasoline | 6600 | 5 | 250.0 | ug/L | 09/28/09 LT |
|----------|------|---|-------|------|-------------|

Surrogates

| | | | | Units | Control Limits |
|----------------------------|----|--|--|-------|----------------|
| p-Bromofluorobenzene (Sur) | 73 | | | % | 60 - 140 |

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report



Order #: 1024657

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-3

Date Sampled: 09/22/2009

Time Sampled: 12:00

Sampled By:

| Analyte | Result | DF | DLR | Units | Date/Analyst |
|---------|--------|----|-----|-------|--------------|
|---------|--------|----|-----|-------|--------------|

8260B VOC Oxygenates - Low DLR (0.5)

| | | | | | | |
|-------------------------------|-----|----|-----|------|----------|----|
| Di-isopropyl ether (DIPE) | ND | 1 | 0.5 | ug/L | 09/27/09 | YL |
| Ethyl-tertbutylether (ETBE) | ND | 1 | 0.5 | ug/L | 09/27/09 | YL |
| Tert-amylmethylether (TAME) | ND | 1 | 0.5 | ug/L | 09/27/09 | YL |
| Tertiary butyl alcohol (TBA) | ND | 1 | 5.0 | ug/L | 09/27/09 | YL |
| Benzene | 1.6 | 1 | 0.5 | ug/L | 09/27/09 | YL |
| Ethyl benzene | 8.8 | 1 | 0.5 | ug/L | 09/27/09 | YL |
| Methyl-tert-butylether (MTBE) | 238 | 10 | 5.0 | ug/L | 09/29/09 | YL |
| Toluene | ND | 1 | 0.5 | ug/L | 09/27/09 | YL |
| Xylenes, total | ND | 1 | 0.5 | ug/L | 09/27/09 | YL |

Surrogates

| | | | | Units | Control Limits |
|-------------------------------|-----|--|--|-------|----------------|
| Surr1 - Dibromofluoromethane | 93 | | | % | 70 - 135 |
| Surr2 - 1,2-Dichloroethane-d4 | 121 | | | % | 70 - 135 |
| Surr3 - Toluene-d8 | 100 | | | % | 70 - 135 |
| Surr4 - p-Bromofluorobenzene | 94 | | | % | 70 - 135 |

8015B - Gasoline

| | | | | | | |
|----------|-----|---|-------|------|----------|----|
| Gasoline | 533 | 5 | 250.0 | ug/L | 09/28/09 | LT |
|----------|-----|---|-------|------|----------|----|

Surrogates

| | | | | Units | Control Limits |
|----------------------------|-----|--|--|-------|----------------|
| p-Bromofluorobenzene (Sur) | 107 | | | % | 60 - 140 |

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report



Order #: 1024658**Client:** GeoEnviro Services, Inc.**Matrix:** WATER**Client Sample ID:** MW-4**Date Sampled:** 09/22/2009**Time Sampled:** 12:10**Sampled By:****Analyte****Result****DF****DLR****Units****Date/Analyst****8260B VOC Oxygenates - Low DLR (0.5)**

| Analyte | Result | DF | DLR | Units | Date/Analyst |
|-------------------------------|--------|----|-----|-------|--------------|
| Di-isopropyl ether (DIPE) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Ethyl-tertbutylether (ETBE) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Tert-amylmethylether (TAME) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Tertiary butyl alcohol (TBA) | ND | 1 | 5.0 | ug/L | 09/27/09 YL |
| Benzene | 25 | 1 | 0.5 | ug/L | 09/27/09 YL |
| Ethyl benzene | 84 | 1 | 0.5 | ug/L | 09/27/09 YL |
| Methyl-tert-butylether (MTBE) | 116 | 1 | 0.5 | ug/L | 09/27/09 YL |
| Toluene | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Xylenes, total | 52 | 1 | 0.5 | ug/L | 09/27/09 YL |

Surrogates**Units****Control Limits**

| Surrogate | Result | Units | Control Limits |
|-------------------------------|--------|-------|----------------|
| Surr1 - Dibromofluoromethane | 91 | % | 70 - 135 |
| Surr2 - 1,2-Dichloroethane-d4 | 107 | % | 70 - 135 |
| Surr3 - Toluene-d8 | 99 | % | 70 - 135 |
| Surr4 - p-Bromofluorobenzene | 86 | % | 70 - 135 |

8015B - Gasoline

| Analyte | Result | DF | DLR | Units | Date/Analyst |
|----------|--------|----|-------|-------|--------------|
| Gasoline | 1590 | 5 | 250.0 | ug/L | 09/28/09 LT |

Surrogates**Units****Control Limits**

| Surrogate | Result | Units | Control Limits |
|----------------------------|--------|-------|----------------|
| p-Bromofluorobenzene (Sur) | 117 | % | 60 - 140 |

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



Order #: 1024659

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-5

Date Sampled: 09/22/2009

Time Sampled: 12:30

Sampled By:

| Analyte | Result | DF | DLR | Units | Date/Analyst |
|---------|--------|----|-----|-------|--------------|
|---------|--------|----|-----|-------|--------------|

8260B VOC Oxygenates - Low DLR (0.5)

| | | | | | |
|-------------------------------|-----|---|-----|------|-------------|
| Di-isopropyl ether (DIPE) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Ethyl-tertbutylether (ETBE) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Tert-amylmethylether (TAME) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Tertiary butyl alcohol (TBA) | ND | 1 | 5.0 | ug/L | 09/27/09 YL |
| Benzene | 4.4 | 1 | 0.5 | ug/L | 09/27/09 YL |
| Ethyl benzene | 11 | 1 | 0.5 | ug/L | 09/27/09 YL |
| Methyl-tert-butylether (MTBE) | 88 | 1 | 0.5 | ug/L | 09/27/09 YL |
| Toluene | 1.1 | 1 | 0.5 | ug/L | 09/27/09 YL |
| Xylenes, total | 2.9 | 1 | 0.5 | ug/L | 09/27/09 YL |

Surrogates

| | | | | Units | Control Limits |
|-------------------------------|-----|--|--|-------|----------------|
| Surr1 - Dibromofluoromethane | 67* | | | % | 70 - 135 |
| Surr2 - 1,2-Dichloroethane-d4 | 85 | | | % | 70 - 135 |
| Surr3 - Toluene-d8 | 110 | | | % | 70 - 135 |
| Surr4 - p-Bromofluorobenzene | 85 | | | % | 70 - 135 |

8015B - Gasoline

| | | | | | |
|----------|------|----|-------|------|-------------|
| Gasoline | 2870 | 10 | 500.0 | ug/L | 09/26/09 LT |
|----------|------|----|-------|------|-------------|

Surrogates

| | | | | Units | Control Limits |
|----------------------------|-----|--|--|-------|----------------|
| p-Bromofluorobenzene (Sur) | 104 | | | % | 60 - 140 |

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



Order #: 1024660

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-7

Date Sampled: 09/22/2009

Time Sampled: 11:35

Sampled By:

| Analyte | Result | DF | DLR | Units | Date/Analyst |
|---------|--------|----|-----|-------|--------------|
|---------|--------|----|-----|-------|--------------|

8260B VOC Oxygenates - Low DLR (0.5)

| | | | | | |
|-------------------------------|----|---|-----|------|-------------|
| Di-isopropyl ether (DIPE) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Ethyl-tertbutylether (ETBE) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Tert-amylmethylether (TAME) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Tertiary butyl alcohol (TBA) | ND | 1 | 5.0 | ug/L | 09/27/09 YL |
| Benzene | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Ethyl benzene | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Methyl-tert-butylether (MTBE) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Toluene | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Xylenes, total | ND | 1 | 0.5 | ug/L | 09/27/09 YL |

Surrogates

| | | | | Units | Control Limits |
|-------------------------------|-----|--|--|-------|----------------|
| Surr1 - Dibromofluoromethane | 88 | | | % | 70 - 135 |
| Surr2 - 1,2-Dichloroethane-d4 | 113 | | | % | 70 - 135 |
| Surr3 - Toluene-d8 | 105 | | | % | 70 - 135 |
| Surr4 - p-Bromofluorobenzene | 101 | | | % | 70 - 135 |

8015B - Gasoline

| | | | | | |
|----------|-----|---|----|------|-------------|
| Gasoline | 216 | 1 | 50 | ug/L | 09/26/09 LT |
|----------|-----|---|----|------|-------------|

Surrogates

| | | | | Units | Control Limits |
|----------------------------|-----|--|--|-------|----------------|
| p-Bromofluorobenzene (Sur) | 112 | | | % | 60 - 140 |

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



Order #: 1024661

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-12

Date Sampled: 09/22/2009

Time Sampled: 11:15

Sampled By:

| Analyte | Result | DF | DLR | Units | Date/Analyst |
|---------|--------|----|-----|-------|--------------|
|---------|--------|----|-----|-------|--------------|

8260B VOC Oxygenates - Low DLR (0.5)

| | | | | | |
|-------------------------------|----|---|-----|------|-------------|
| Di-isopropyl ether (DIPE) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Ethyl-tertbutylether (ETBE) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Tert-amylmethylether (TAME) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Tertiary butyl alcohol (TBA) | ND | 1 | 5.0 | ug/L | 09/27/09 YL |
| Benzene | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Ethyl benzene | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Methyl-tert-butylether (MTBE) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Toluene | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Xylenes, total | ND | 1 | 0.5 | ug/L | 09/27/09 YL |

Surrogates

| | | | | Units | Control Limits |
|-------------------------------|-----|--|--|-------|----------------|
| Surr1 - Dibromofluoromethane | 100 | | | % | 70 - 135 |
| Surr2 - 1,2-Dichloroethane-d4 | 133 | | | % | 70 - 135 |
| Surr3 - Toluene-d8 | 101 | | | % | 70 - 135 |
| Surr4 - p-Bromofluorobenzene | 91 | | | % | 70 - 135 |

8015B - Gasoline

| | | | | | |
|----------|----|---|----|------|-------------|
| Gasoline | ND | 1 | 50 | ug/L | 09/26/09 LT |
|----------|----|---|----|------|-------------|

Surrogates

| | | | | Units | Control Limits |
|----------------------------|----|--|--|-------|----------------|
| p-Bromofluorobenzene (Sur) | 95 | | | % | 60 - 140 |

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



Order #: 1024662

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-14

Date Sampled: 09/22/2009

Time Sampled: 11:20

Sampled By:

| Analyte | Result | DF | DLR | Units | Date/Analyst |
|---------|--------|----|-----|-------|--------------|
|---------|--------|----|-----|-------|--------------|

8260B VOC Oxygenates - Low DLR (0.5)

| | | | | | |
|-------------------------------|----|---|-----|------|-------------|
| Di-isopropyl ether (DIPE) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Ethyl-tertbutylether (ETBE) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Tert-amylmethylether (TAME) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Tertiary butyl alcohol (TBA) | ND | 1 | 5.0 | ug/L | 09/27/09 YL |
| Benzene | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Ethyl benzene | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Methyl-tert-butylether (MTBE) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Toluene | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Xylenes, total | ND | 1 | 0.5 | ug/L | 09/27/09 YL |

Surrogates

| | | | | Units | Control Limits |
|-------------------------------|-----|--|--|-------|----------------|
| Surr1 - Dibromofluoromethane | 102 | | | % | 70 - 135 |
| Surr2 - 1,2-Dichloroethane-d4 | 135 | | | % | 70 - 135 |
| Surr3 - Toluene-d8 | 96 | | | % | 70 - 135 |
| Surr4 - p-Bromofluorobenzene | 91 | | | % | 70 - 135 |

8015B - Gasoline

| | | | | | |
|----------|----|---|----|------|-------------|
| Gasoline | ND | 1 | 50 | ug/L | 09/26/09 LT |
|----------|----|---|----|------|-------------|

Surrogates

| | | | | Units | Control Limits |
|----------------------------|----|--|--|-------|----------------|
| p-Bromofluorobenzene (Sur) | 94 | | | % | 60 - 140 |

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



Order #: 1024663

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: EX-1

Date Sampled: 09/22/2009

Time Sampled: 11:50

Sampled By:

| Analyte | Result | DF | DLR | Units | Date/Analyst |
|---------|--------|----|-----|-------|--------------|
|---------|--------|----|-----|-------|--------------|

8260B VOC Oxygenates - Low DLR (0.5)

| | | | | | |
|-------------------------------|----|---|-----|------|-------------|
| Di-isopropyl ether (DIPE) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Ethyl-tertbutylether (ETBE) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Tert-amylmethylether (TAME) | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Tertiary butyl alcohol (TBA) | ND | 1 | 5.0 | ug/L | 09/27/09 YL |
| Benzene | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Ethyl benzene | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Methyl-tert-butylether (MTBE) | 79 | 1 | 0.5 | ug/L | 09/27/09 YL |
| Toluene | ND | 1 | 0.5 | ug/L | 09/27/09 YL |
| Xylenes, total | ND | 1 | 0.5 | ug/L | 09/27/09 YL |

Surrogates

| | | | | Units | Control Limits |
|-------------------------------|-----|--|--|-------|----------------|
| Surr1 - Dibromofluoromethane | 98 | | | % | 70 - 135 |
| Surr2 - 1,2-Dichloroethane-d4 | 130 | | | % | 70 - 135 |
| Surr3 - Toluene-d8 | 99 | | | % | 70 - 135 |
| Surr4 - p-Bromofluorobenzene | 90 | | | % | 70 - 135 |

8015B - Gasoline

| | | | | | |
|----------|-----|---|----|------|-------------|
| Gasoline | 295 | 1 | 50 | ug/L | 10/01/09 LT |
|----------|-----|---|----|------|-------------|

Surrogates

| | | | | Units | Control Limits |
|----------------------------|-----|--|--|-------|----------------|
| p-Bromofluorobenzene (Sur) | 116 | | | % | 60 - 140 |

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



Order #: 1024664**Client:** GeoEnviro Services, Inc.**Matrix:** WATER**Client Sample ID:** Laboratory Method Blank**Date Sampled:****Time Sampled:****Sampled By:**

| Analyte | Result | DF | DLR | Units | Date/Analyst |
|---------|--------|----|-----|-------|--------------|
|---------|--------|----|-----|-------|--------------|

8260B VOC Oxygenates - Low DLR (0.5)

| | | | | | | |
|-------------------------------|----|---|-----|------|----------|----|
| Di-isopropyl ether (DIPE) | ND | 1 | 0.5 | ug/L | 09/27/09 | YL |
| Ethyl-tertbutylether (ETBE) | ND | 1 | 0.5 | ug/L | 09/27/09 | YL |
| Tert-amylmethylether (TAME) | ND | 1 | 0.5 | ug/L | 09/27/09 | YL |
| Tertiary butyl alcohol (TBA) | ND | 1 | 5.0 | ug/L | 09/27/09 | YL |
| Benzene | ND | 1 | 0.5 | ug/L | 09/27/09 | YL |
| Ethyl benzene | ND | 1 | 0.5 | ug/L | 09/27/09 | YL |
| Methyl-tert-butylether (MTBE) | ND | 1 | 0.5 | ug/L | 09/27/09 | YL |
| Toluene | ND | 1 | 0.5 | ug/L | 09/27/09 | YL |
| Xylenes, total | ND | 1 | 0.5 | ug/L | 09/27/09 | YL |

Surrogates

| | | | | Units | Control Limits |
|-------------------------------|-----|--|--|-------|----------------|
| Surr1 - Dibromofluoromethane | 97 | | | % | 70 - 135 |
| Surr2 - 1,2-Dichloroethane-d4 | 125 | | | % | 70 - 135 |
| Surr3 - Toluene-d8 | 98 | | | % | 70 - 135 |
| Surr4 - p-Bromofluorobenzene | 98 | | | % | 70 - 135 |

8015B - Gasoline

| | | | | | | |
|----------|----|---|----|------|----------|----|
| Gasoline | ND | 1 | 50 | ug/L | 09/25/09 | LT |
|----------|----|---|----|------|----------|----|

Surrogates

| | | | | Units | Control Limits |
|----------------------------|----|--|--|-------|----------------|
| p-Bromofluorobenzene (Sur) | 96 | | | % | 60 - 140 |

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



**ASSOCIATED LABORATORIES
LCS REPORT FORM**

QC Sample: G1-LCS&LCSD

Matrix: WATER

Prep. Date: September 28, 2009

Analysis Date 9/28/09/29/09

Lab ID#'s in Batch: 241513 , 241572 , 241684 , 241650 , 241651 , 241708 .

LAB CONTROLLED SPIKE / LAB CONTROLLED DUPLICATE RESULT

Reporting Units = µg/L

| Test | Method | Method Blank | Spike Added | LCS Spike | LCSD Spk. Dup | %Rec LCS | %Rec LCSD | RPD |
|------|---------|--------------|-------------|-----------|---------------|----------|-----------|-----|
| TPH | 8015M-G | ND | 500 | 446 | 452 | 89 | 90 | 1 |

ND = Not Detected

LCS Result = Lab Control Sample Result

%REC-LCS & LCSD = Percent Recovery of LCS Spike & LCS Spike Duplicate

RPD = Relative Percent Difference of LCS Spike and LCS Spike Duplicate

| |
|-------------------------------|
| <i>%REC LIMITS = 70 - 130</i> |
|-------------------------------|

| |
|------------------------|
| <i>RPD LIMITS = 30</i> |
|------------------------|

SURROGATE RECOVERY

| Sample No. | BFB |
|--------------|--------|
| QC Limit | 60-140 |
| Method Blank | 97 |
| LCS | 115 |
| LCSD | 112 |

BFB = p-Bromofluorobenzene

**ASSOCIATED LABORATORIES
LCS REPORT FORM**

QC Sample: G1-LCS&LCSD
 Matrix: WATER
 Prep. Date: September 25, 2009
 Analysis Date 9/25/09-9/26/09
 Lab ID#'s in Batch: 241513 , 241572 .

LAB CONTROLLED SPIKE / LAB CONTROLLED DUPLICATE RESULT

Reporting Units = µg/L

| Test | Method | Method Blank | Spike Added | LCS Spike | LCSD Spk. Dup | %Rec LCS | %Rec LCSD | RPD |
|------|---------|--------------|-------------|-----------|---------------|----------|-----------|-----|
| TPH | 8015M-G | ND | 500 | 457 | 462 | 91 | 92 | 1 |

ND = Not Detected

LCS Result = Lab Control Sample Result

%REC-LCS & LCSD = Percent Recovery of LCS Spike & LCS Spike Duplicate

RPD = Relative Percent Difference of LCS Spike and LCS Spike Duplicate

| |
|-------------------------------|
| <i>%REC LIMITS = 70 - 130</i> |
|-------------------------------|

| |
|------------------------|
| <i>RPD LIMITS = 30</i> |
|------------------------|

SURROGATE RECOVERY

| Sample No. | BFB |
|--------------|--------|
| QC Limit | 60-140 |
| Method Blank | 96 |
| LCS | 119 |
| LCSD | 122 |

BFB = p-Bromofluorobenzene

**ASSOCIATED LABORATORIES
LCS REPORT FORM**

QC Sample: G1-LCS&LCSD

Matrix: WATER

Prep. Date: October 1, 2009

Analysis Date 10/1/09-10/2/09

Lab ID#'s in Batch: 241867 , 241572 , 241684 , 241779 , 241880 , 241862 .

LAB CONTROLLED SPIKE / LAB CONTROLLED DUPLICATE RESULT

Reporting Units = µg/L

| Test | Method | Method Blank | Spike Added | LCS Spike | LCSD Spk. Dup | %Rec LCS | %Rec LCSD | RPD |
|------|---------|--------------|-------------|-----------|---------------|----------|-----------|-----|
| TPH | 8015M-G | ND | 500 | 441 | 429 | 88 | 86 | 3 |

ND = Not Detected

LCS Result = Lab Control Sample Result

%REC-LCS & LCSD = Percent Recovery of LCS Spike & LCS Spike Duplicate

RPD = Relative Percent Difference of LCS Spike and LCS Spike Duplicate

| |
|-------------------------------|
| <i>%REC LIMITS = 70 - 130</i> |
|-------------------------------|

| |
|------------------------|
| <i>RPD LIMITS = 30</i> |
|------------------------|

SURROGATE RECOVERY

| Sample No. | BFB |
|--------------|--------|
| QC Limit | 60-140 |
| Method Blank | 102 |
| LCS | 106 |
| LCSD | 108 |

BFB = p-Bromofluorobenzene

ASSOCIATED LABORATORIES

QA / QC EPA Methods 8260, & 524.2 GCMS # 6

Sample ID: *MS/MSD Water Sample* 241572-663
 Date Prepared: September 26, 2009
 Date Analyzed: September 27, 2009
 Sample Matrix: Water
 Units: µg/L

Lab ID#'s in Batch: 241571, 241572, 241603, 241685

| Compound | Sample Conc. | Spike Added | Spike Res | Dup Res | Spike % Rec | Dup % Rec | RPD | QC RPD | Limits % Rec |
|--------------------|--------------|-------------|-----------|---------|-------------|-----------|-----|--------|--------------|
| 1,1-Dichloroethene | 0.00 | 25.0 | 22.53 | 25.01 | 90 | 100 | 10 | 22 | 59 - 172 |
| MTBE | 78.71 | 25.0 | 107.39 | 97.25 | 115 | 74 | 10 | 24 | 62 - 137 |
| Benzene | 0.00 | 25.0 | 24.68 | 24.56 | 99 | 98 | 0 | 24 | 62 - 137 |
| Trichloroethene | 0.00 | 25.0 | 21.91 | 23.66 | 88 | 95 | 8 | 21 | 66 - 142 |
| Toluene | 0.00 | 25.0 | 22.94 | 23.66 | 92 | 95 | 3 | 21 | 59 - 139 |
| Chlorobenzene | 0.00 | 25.0 | 23.16 | 23.30 | 93 | 93 | 1 | 21 | 60 - 133 |

Sample ID: *LCS*
 September 27, 2009 3:22 AM

| Compound | Spike Added | Spike Res | Spike % Rec | Limits % Rec |
|--------------------|-------------|-----------|-------------|--------------|
| 1,1-Dichloroethene | 25.0 | 25.45 | 102 | 59 - 172 |
| MTBE | 25.0 | 22.81 | 91 | 62 - 137 |
| Benzene | 25.0 | 23.21 | 93 | 62 - 137 |
| Trichloroethene | 25.0 | 21.99 | 88 | 66 - 142 |
| Toluene | 25.0 | 22.55 | 90 | 59 - 139 |
| Chlorobenzene | 25.0 | 23.71 | 95 | 60 - 133 |

*=Outside QC limits due to matrix interference in sample
 If Sample Result > 4 times Spike Added, then "NC"

Surrogate Recovery

| Compound | MB 1 % Rec | MB 2 % Rec | MS % Rec | MSD % Rec | LCS % Rec | Limits % Rec |
|-----------------------|------------|------------|----------|-----------|-----------|--------------|
| Dibromofluoromethane | 97 | 100 | 98 | 96 | 104 | 70 - 145 |
| 1,2-Dichloroethane-d4 | 125 | 134 | 112 | 99 | 105 | 70 - 145 |
| Toluene-d8 | 98 | 100 | 97 | 102 | 100 | 70 - 145 |
| p-Bromofluorobenzene | 98 | 113 | 85 | 86 | 83 | 70 - 145 |

ASSOCIATED LABORATORIES

QA / QC EPA Methods 8260, & 524.2 GCMS # 8

Sample ID: *MS/MSD Water Sample* 241668-497

Date Prepared: September 29, 2009

Date Analyzed: September 29, 2009 September 30, 2009

Sample Matrix: Water

Units: µg/L

Lab ID#'s in Batch: 241677, 241572, 241580, 241571, 241668

| Compound | Sample Conc. | Spike Added | Spike Added | Dup Res | Spike % Rec | Dup % Rec | RPD | QC RPD | Limits % Rec |
|--------------------|--------------|-------------|-------------|---------|-------------|-----------|-----|--------|--------------|
| 1,1-Dichloroethene | 0.00 | 25.0 | 29.93 | 30.12 | 120 | 120 | 1 | 22 | 59 - 172 |
| MTBE | 0.00 | 25.0 | 25.37 | 25.46 | 101 | 102 | 0 | 24 | 62 - 137 |
| Benzene | 0.00 | 25.0 | 27.99 | 28.28 | 112 | 113 | 1 | 24 | 62 - 137 |
| Trichloroethene | 0.00 | 25.0 | 24.10 | 23.80 | 96 | 95 | 1 | 21 | 66 - 142 |
| Toluene | 0.00 | 25.0 | 24.58 | 24.10 | 98 | 96 | 2 | 21 | 59 - 139 |
| Chlorobenzene | 0.00 | 25.0 | 24.36 | 23.68 | 97 | 95 | 3 | 21 | 60 - 133 |

Sample ID: *LCS*

September 29, 2009 6:31 AM

| Compound | Spike Added | Spike Res | Spike % Rec | Limits % Rec |
|--------------------|-------------|-----------|-------------|--------------|
| 1,1-Dichloroethene | 25.0 | 29.58 | 118 | 59 - 172 |
| MTBE | 25.0 | 25.17 | 101 | 62 - 137 |
| Benzene | 25.0 | 28.29 | 113 | 62 - 137 |
| Trichloroethene | 25.0 | 24.50 | 98 | 66 - 142 |
| Toluene | 25.0 | 25.17 | 101 | 59 - 139 |
| Chlorobenzene | 25.0 | 24.54 | 98 | 60 - 133 |

*=Outside QC limits due to matrix interference in sample

If Sample Result > 4 times Spike Added, then "NC"

Surrogate Recovery

| Compound | MB 1 % Rec | MB 2 % Rec | MS % Rec | MSD % Rec | LCS % Rec | Limits % Rec |
|-----------------------|------------|------------|----------|-----------|-----------|--------------|
| Dibromofluoromethane | 103 | 103 | 116 | 120 | 112 | 70 - 145 |
| 1,2-Dichloroethane-d4 | 114 | 110 | 112 | 116 | 109 | 70 - 145 |
| Toluene-d8 | 94 | 94 | 94 | 92 | 95 | 70 - 145 |
| p-Bromofluorobenzene | 99 | 99 | 98 | 97 | 98 | 70 - 145 |




Chain of Custody Record

241572

| | | | |
|--|------------------------------|-------------------------------|--|
| Company GEOENVIRO SERVICES | Phone 805 642 1668 | A.L. Job No. 241572 | |
| Project Manager JOSEPH SCHAAF | Fax 805 642 9331 | Analysis Requested | |
| Project Name FORMALEZ SERVE 100877 | Project # 07-131 | | |
| Site Name and Address 525 West A Street, Hayward, CA 70600100483 | | | |

| Sample ID | Lab ID | Date | Time | Matrix | Container Number/Size | Pres. | | | | | Test Instructions & Comments | |
|-----------|--------|---------|-------|--------|-----------------------|---------|---|---|--|--|------------------------------|---------------------------------|
| 1 MW-1 | | 9/22/09 | 12:45 | H2O | ⑥ 40mL Vials | ICE/HCL | X | X | | | | WATER Detection levels 0.5 mg/L |
| 2 MW-3 | | ↓ | 12:00 | ↓ | ↓ | ↓ | | | | | | |
| 3 MW-4 | | ↓ | 12:10 | ↓ | ↓ | ↓ | | | | | | |
| 4 MW-5 | | ↓ | 12:30 | ↓ | ↓ | ↓ | | | | | | |
| 5 MW-7 | | ↓ | 11:35 | ↓ | ↓ | ↓ | | | | | NOED EDF (OCCUR) | |
| 6 MW-12 | | ↓ | 11:15 | ↓ | ↓ | ↓ | | | | | | |
| 7 MW-14 | | ↓ | 11:20 | ↓ | ↓ | ↓ | | | | | | |
| 8 EX-1 | | ↓ | 11:50 | ↓ | ↓ | ↓ | X | X | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |

| | | | | | | | | | |
|---|----------------------------|--|--|--------------------|---------------|--------------------|---------------|--------------------|--|
| Sample Receipt - To Be Filled By Laboratory | | | | Relinquished by 1. | | Relinquished by 2. | | Relinquished by 3. | |
| Total Number of Containers | Properly Cooled Y / N / NA | | | Signature: | Signature: | | Signature: | | |
| Custody Seals Y / N / NA | Samples Intact Y / N / NA | | | Printed Name: | Printed Name: | | Printed Name: | | |
| Received in Good Condition Y / N | Samples Accepted Y / N | | | Date: | Date: | | Date: | | |
| Turn Around Time | | | | Received By: 1. | | Received By: 2. | | Received By: 3. | |
| <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush <input type="checkbox"/> Same Day <input type="checkbox"/> 48 hrs. <input type="checkbox"/> 24 hrs. <input type="checkbox"/> 72 hrs. | | | | Signature: | Signature: | | Signature: | | |
| | | | | Printed Name: | Printed Name: | | Printed Name: | | |
| | | | | Date: | Date: | | Date: | | |



ASSOCIATED LABORATORIES

806 North Batavia – Orange, California 92868 – 714-771-6900

FAX 714-538-1209

SAMPLE ACCEPTANCE CHECKLIST

Section 1
 Client: GEO Enviro Project: _____
 Date Received: 9-24-09 Sampler's Name: Yes No
 Sample(s) received in cooler: Yes No (Skip Section 2)
 Shipping Information: _____

Section 2
 Was the cooler packed with: Ice _____ Ice Packs _____ Bubble Wrap _____ Styrofoam
 _____ Paper _____ None _____ Other _____
 Cooler or box temperature: 4
 (Acceptance range is 2 to 6 Deg. C.)

| Section 3 | YES | NO | N/A |
|--|-------------------------------------|-------------------------------------|-------------------------------------|
| Was a COC received? | <input checked="" type="checkbox"/> | | |
| Is it properly completed? (IDs, sampling date and time, signature, test) | <input checked="" type="checkbox"/> | | |
| Were custody seals present? | | | <input checked="" type="checkbox"/> |
| If Yes – were they intact? | | | <input checked="" type="checkbox"/> |
| Were all samples sealed in plastic bags? | <input checked="" type="checkbox"/> | | |
| Did all samples arrive intact? If no, indicate below. | <input checked="" type="checkbox"/> | | |
| Did all bottle labels agree with COC? (ID, dates and times) | <input checked="" type="checkbox"/> | | |
| Were correct containers used for the tests required? | <input checked="" type="checkbox"/> | | |
| Was a sufficient amount of sample sent for tests indicated? | <input checked="" type="checkbox"/> | | |
| Was there headspace in VOA vials? | | <input checked="" type="checkbox"/> | |
| Were the containers labeled with correct preservatives? | <input checked="" type="checkbox"/> | | |
| Was total residual chlorine measured (Fish Bioassay samples only)? * | | | <input checked="" type="checkbox"/> |

*: If the answer is no, please inform Fish Bioassay Dept. immediately.

Section 4
 Explanations/Comments

Section 5
 Was Project Manager notified of discrepancies: Y / N N/A

Completed By: M. Schubert Date: 9-24-09

ATTACHMENT D
GEOTRACKER CONFIRMATION RECEIPTS

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A EDF FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

| | |
|------------------------------------|--|
| <u>Submittal Type:</u> | EDF - Monitoring Report - Semi-Annually |
| <u>Submittal Title:</u> | 3Q09 GWM Report |
| <u>Facility Global ID:</u> | T0600100483 |
| <u>Facility Name:</u> | EZ SERVE #100877 |
| <u>File Name:</u> | 241572.zip |
| <u>Organization Name:</u> | Schaaf |
| <u>Username:</u> | SCHAAF |
| <u>IP Address:</u> | 76.201.20.92 |
| <u>Submittal Date/Time:</u> | 10/16/2009 3:07:26 PM |
| <u>Confirmation Number:</u> | 6042456388 |

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)

Copyright © 2008 State of California

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A GEO_WELL FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

| | |
|------------------------------------|------------------------------|
| <u>Submittal Type:</u> | GEO_WELL |
| <u>Submittal Title:</u> | 3Q09 GWM Report |
| <u>Facility Global ID:</u> | T0600100483 |
| <u>Facility Name:</u> | EZ SERVE #100877 |
| <u>File Name:</u> | geo_well.zip |
| <u>Organization Name:</u> | Schaaf |
| <u>Username:</u> | SCHAAF |
| <u>IP Address:</u> | 76.201.20.92 |
| <u>Submittal Date/Time:</u> | 10/16/2009 3:06:34 PM |
| <u>Confirmation Number:</u> | 6209448575 |

Copyright © 2008 State of California

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A GEO_REPORT FILE

SUCCESS

Your GEO_REPORT file has been successfully submitted!

| | |
|-----------------------------|--|
| Submittal Type: | GEO_REPORT |
| Report Title: | Third Quarter 2009 Semi-Annual Groundwater Monitoring Report |
| Report Type: | Monitoring Report - Semi-Annually |
| Report Date: | 10/28/2009 |
| Facility Global ID: | T0600100483 |
| Facility Name: | EZ SERVE #100877 |
| File Name: | FINAL 3Q09 Hayward Report Oct09.pdf |
| Username: | Schaaf |
| Username: | SCHAAF |
| IP Address: | 75.49.206.127 |
| Submittal Date/Time: | 10/30/2009 1:27:41 PM |
| Confirmation Number: | 7054650723 |

Copyright © 2008 State of California