

RECEIVED

3:11 pm, Nov 30, 2010

**Alameda County
Environmental Health**

November 22, 2010
Project No. 07-131

Alameda County Department of Environmental Health
1131 Harbor Bay Park Way
Alameda, California 94502

Attention: Mark Detterman, PG, CEG
Hazardous Materials Specialist

SITE: FORMER EZ-SERVE LOCATION 100877
525 WEST A STREET
HAYWARD, CALIFORNIA
FUEL LEAK CASE NO. RO0000023

RE: Semi-Annual Groundwater Monitoring and Sampling
Third Quarter 2010 (3Q10) October 27, 2010

Dear Mr. Detterman:

I declare under penalty of perjury that to the best of my knowledge, the information and/or recommendations contained in the attached report is/are true and correct.

Please contact us with questions at (813) 636-8111 #100 or jackc@edifl.com.

Sincerely,
Restructure Petroleum Marketing Services of California



Jack Ceccarelli
President

GEOENVIRO SERVICES, INC.

October 27, 2010
Project No. 07-131

Alameda County Department of Environmental Health
1131 Harbor Bay Park Way
Alameda, California 94502

Attention: Mark Detterman, PG, CEG
Hazardous Materials Specialist

SITE: FORMER EZ-SERVE LOCATION 100877
525 WEST A STREET
HAYWARD, CALIFORNIA
FUEL LEAK CASE NO. RO0000023

RE: SEMI-ANNUAL GROUNDWATER MONITORING AND SAMPLING
THIRD QUARTER 2010 (3Q10)

Dear Mr. Detterman:

GeoEnviro Services Inc. (GESI) has prepared this report on behalf of Restructure Petroleum Marketing Services (RPMS) to document semi-annual groundwater monitoring activities completed during the Third Quarter 2010 (3Q10) at the Former EZ-Serve No. 100877 located at 525 West A Street, Hayward, California. Groundwater monitoring and sampling for 3Q10 was completed on September 9, 2010. The results are summarized on the attached summary, tables, and figures.

General field procedures are included in Attachment A. Groundwater monitoring and sampling field documentation are included in Attachment B. Copies of the laboratory analytical reports along with chain-of-custody documentation are included in Attachment C. Geotracker submittal documentation is included in Attachment D.

Please contact us with questions or comments regarding this report at (805) 642-1668 or jschaaf@geoenviroservices.com.

Sincerely,
GEOENVIRO SERVICES, INC.

Joseph P. Schaaf, P.G., C.Hg.
Principal Geologist



cc: Mr. Jack Ceccarelli, Restructure Petroleum Marketing Services of CA
Mr. Aziz Kandahari, KB Chevron, Property Owner
State Water Resources Control Board, Geotracker Database

ATTACHMENTS

Project and Monitoring Data Summary

Table 1:	Fluid Level Monitoring Data
Table 2:	Results of Laboratory Analysis of Groundwater Samples
Figure 1:	Site Location Map
Figure 2:	Site Map with Contours of Groundwater Elevation, Third Quarter 2010
Figure 3:	Site Map with Contours of TPHg Concentrations in Groundwater, Third Quarter 2010
Figure 4:	Site Map with Contours of Benzene Concentrations in Groundwater, Third Quarter 2010
Figure 5:	Site Map with Contours of MTBE Concentrations in Groundwater, Third Quarter 2010
Attachment A:	General Field Procedures
Attachment B:	Groundwater Monitoring and Sampling Field Data Sheets
Attachment C:	Laboratory Analytical Reports and Chain of Custody Documentation
Attachment D:	Geotracker Submittal Documentation

LIMITATIONS

This letter-report has been prepared at the request of Restructure Petroleum Marketing Services of California for submittal to the Alameda County Department of Environmental Health. In performing our professional services, we have attempted to apply present engineering and scientific judgment and use a level of effort consistent with the standard of practice measured on the date of work and in locale of the project site for similar type studies. GeoEnviro Services, Inc. makes no warranty, express or implied.

Work on this project as described in this report was completed under the direct supervision of a California licensed Professional Geologist. The analyses and interpretations presented in this report have been developed based on the results from the review of existing information pertaining to the Project Site and the results from the laboratory analyses of the groundwater samples collected from discrete locations. It should be recognized that groundwater contamination can vary between sampling locations and between monitoring events.

FORMER EZ SERVE 100877, ACDEH CASE No. 3580
525 WEST A STREET, HAYWARD CALIFORNIA
SEMI-ANNUAL GROUNDWATER MONITORING AND SAMPLING, THIRD QUARTER 2010
 October 27, 2010

PROJECT AND GROUNDWATER MONITORING DATA SUMMARY

SITE INFORMATION

Location/Address:	Former EZ Serve 100877, 525 West A Street, Hayward, California
Owner/RP:	Restructure Petroleum Marketing Services (RPMS)
Address	1101 Marbella Plaza Drive #100, Tampa, Florida 33619
Consultant :	GeoEnviro Services, Inc. Joseph P. Schaaf, P.G., C.Hg.
Consultant Phone/Fax/email:	(805) 642-1668 / (805) 642-9331 / jschaaf@geoenviroservices.com

PROJECT INFORMATION

GW Monitoring Start Date:	1992
Nature of GW Impacts:	UST release of gasoline to soil and groundwater
Number of onsite wells:	7 GW Monitoring 3 Vapor Extraction 1 GW Extraction
Number of offsite wells:	5 GW Monitoring
Site Well Identification:	MW-1, MW-1A, MW-3 through MW-6, MW-8 through MW-10, MW-12, and MW-14. VEAS-1 through VEAS-3. EX-1
Current Remedial Phase:	Soil Excavation Activities were completed during Recent Station Rebuild in 2008
Current Assessment Phase:	Report of Site Assessment Activities and Work Plan for Well Installation prepared 10/29/09.
Remediation End Date:	To Be Evaluated
Site Access Information:	Operating Gasoline Service Station

MONITORING ACTIVITY, THIRD QUARTER 2010

Dates of 3Q10 Monitoring Activities:	September 9, 2010
Number of Wells Guaged:	6 total Wells MW-1, MW-3 through MW-5, MW-7, and EX-1
Wells Containing Free Product:	0 Maximum F.P. Thickness: NA
Wells Sampled:	6 Wells Total: MW-1, MW-3 through MW-5, MW-7, and EX-1
Chemical Analyses:	U.S. EPA 8015M: TPH-g U.S. EPA 8260B: BTEX, Fuel Oxygenates
Laboratory Used:	Associated Laboratories, Orange, CA
Purge Method / Total Volume:	Submersible pump / 103 Gallons
Sample Method:	Dedicated disposable polyethelene bailer
Storage / Disposal Method:	55-Gallon DOT Drums / pending laboratory analyses results

HYDROGEOLOGIC CONDITIONS, 3Q10

GW Depth Range (feet bgs):	14.96 (MW-1) to 16.39 (MW-3)
Average GW Depth (feet bgs):	15.89
GW Elevation Range (feet amsl):	26.47 (MW-7) to 27.50 (MW-3)
Average Groundwater El. (feet amsl):	26.85
Average Change in GW Elevation:	1.24 foot Decrease since First Quarter 2010
Groundwater Gradient / Direction	0.016 feet per foot to the southeast

CHEMICALS OF CONCERN AND CONCENTRATIONS, 3Q10 (micrograms per liter [ug/L])

TPH-g: No. of wells detected / Range	6 of 6 wells / 100 ug/l (MW-7) to 77,300 ug/l (MW-4)
TPH-D: No. of wells detected / Range	3 of 6 wells / 100 ug/l (MW-4) to 1,700 ug/l (MW-1)
Benzene: No. of wells detected / Range	4 of 6 wells / 2.1 ug/l (EX-1) to 15,800 ug/l (MW-4)
MTBE: No. of wells detected / Range	4 of 6 wells / 0.5 ug/l (MW-7) to 217 ug/l (EX-1)

QUARTERLY TREND ANALYSES / REMEDIAL PROGRESS

Large increases in TPHg, BTEX, and TBA concentrations were identified in the samples collected from wells MW-4 and MW-5. Wells MW-3 and MW-7 generally decreased in concentration as compared to 1Q10. The groundwater generally decreased in elevation since the First Quarter 2010. Reported large increases on hydrocarbon concentrations in wells MW-4 and MW-5 to Alameda County by email on September 29, 2010. Wells MW-4 and MW-5 to be resampled 4Q10.

PROPOSED FUTURE WORK / RECOMMENDATIONS

Continued groundwater monitoring on a semi-annual basis.
 Identify reason for elevated concentrations at MW-4 and MW-5. Check well boxes for evidence of surface spills or need for well repair.

TABLES

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through September 2010
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
MW-1	02/05/92	41.75	15-29	--	20.82	20.93
MW-1	09/11/92	41.75	15-29	--	20.08	21.67
MW-1	12/22/92	41.75	15-29	--	19.79	21.96
MW-1	03/03/93	41.75	15-29	--	16.23	25.52
MW-1	06/23/93	41.75	15-29	--	16.86	24.89
MW-1	09/30/93	41.75	15-29	--	18.04	23.71
MW-1	02/06/94	41.75	15-29	--	18.15	23.60
MW-1	05/02/94	41.75	15-29	--	17.26	24.49
MW-1	07/01/94	41.75	15-29	--	17.60	24.15
MW-1	09/20/94	41.75	15-29	--	20.59	21.16
MW-1	12/05/92	41.75	15-29	--	17.83	23.92
MW-1	03/10/95	41.75	15-29	--	14.67	27.08
MW-1	03/15/95	41.75	15-29	--	14.43	27.32
MW-1	09/23/96	41.75	15-29	--	14.92	26.83
MW-1	12/04/96	41.75	15-29	--	15.61	26.14
MW-1	04/08/97	41.75	15-29	--	13.25	28.50
MW-1	06/30/97	41.75	15-29	--	14.68	27.07
MW-1	11/25/97	41.75	15-29	--	15.99	25.76
MW-1	06/01/98	41.75	15-29	--	9.98	31.77
MW-1	06/14/01	41.75	15-29	--	15.05	26.70
MW-1	11/07/01	41.75	15-29	--	16.31	25.44
MW-1	01/30/02	41.75	15-29	--	14.15	27.60
MW-1	05/29/02	41.75	15-29	--	14.55	27.20
MW-1	08/14/02	41.75	15-29	--	15.56	26.19
MW-1	11/15/02	41.75	15-29	--	16.10	25.65
MW-1	10/25/04	41.75	15-29	--	15.99	25.76
MW-1	12/23/04	41.75	15-29	--	15.64	26.11
MW-1	02/25/05	41.75	15-29	--	12.79	28.96
MW-1	05/19/05	41.75	15-29	--	12.27	29.48
MW-1	09/15/05	41.75	15-29	--	14.30	27.45
MW-1	03/20/06	41.75	15-29	--	11.44	30.31
MW-1	05/25/06	41.75	15-29	--	11.05	30.70
MW-1	08/23/06	41.75	15-29	--	12.75	29.00
MW-1	03/14/07	41.75	15-29	--	13.12	28.63
MW-1	06/11/07	41.75	15-29	--	14.42	27.33
MW-1	08/01/07	41.75	15-29	--	14.97	26.78
MW-1	02/27/08	41.75	15-29	--	13.35	28.40
MW-1	05/13/08	41.75	15-29	--	14.51	27.24
MW-1	08/27/08	41.75	15-29	--	15.37	26.38
MW-1	11/18/08	41.75	15-29	--	15.88	25.87
MW-1	03/11/09	41.75	15-29	--	13.65	28.10
MW-1	09/22/09	41.75	15-29	--	16.41	25.34
MW-1	03/09/10	41.75	15-29	--	13.84	27.91
MW-1	09/09/10	41.75	15-29	--	14.96	26.79
MW-1A	06/23/93	43.40	--	0.21	17.80	25.75
MW-1A	09/30/93	43.40	--	--	--	--
MW-1A	02/06/94	43.40	--	--	18.89	24.51
MW-1A	05/02/94	43.40	--	0.09	18.35	38.40

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through September 2010
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
MW-1A	07/01/94	43.40	--	--	18.45	24.95
MW-1A	09/20/94	43.40	--	0.22	21.72	21.84
MW-1A	12/05/94	43.40	--	0.07	18.87	24.58
MW-1A	03/10/95	43.40	--	--	15.83	27.57
MW-1A	03/15/95	43.40	--	0.05	15.55	27.89
MW-1A	09/23/96	43.40	--	0.01	16.00	27.41
MW-1A	12/04/96	43.40	--	--	16.55	26.85
MW-1A	04/08/97	43.40	--	SHEEN	14.15	29.25
MW-1A	06/30/97	43.40	--	--	15.57	27.83
MW-1A	11/25/97	43.40	--	--	16.91	26.49
MW-1A	06/01/98	43.40	--	--	10.78	32.62
MW-1A	06/14/01	43.40	--	0.01	15.93	27.48
MW-1A	11/07/01	43.40	--	--	17.32	26.08
MW-1A	01/30/02	43.40	--	--	15.05	28.35
MW-1A	05/29/02	43.40	--	--	15.49	27.91
MW-1A	08/14/02	43.40	--	--	16.50	26.90
MW-1A	11/15/02	43.40	--	--	17.04	26.36
MW-1A	10/25/04	43.40	--	--	16.90	26.50
MW-1A	12/23/04	43.40	--	--	16.60	26.80
MW-1A	02/25/05	43.40	--	--	13.75	29.65
MW-1A	05/19/05	43.40	--	--	13.12	30.28
MW-1A	09/15/05	43.40	--	--	15.16	28.24
MW-1A	11/10/05	43.40	--	--	15.78	27.62
MW-1A	03/20/06	43.40	--	--	12.64	30.76
MW-1A	05/25/06	43.40	--	--	11.85	31.55
MW-1A	08/23/06	43.40	--	--	13.55	29.85
MW-1A	03/14/07	43.40	--	--	14.00	29.40
MW-1A	06/12/07	43.40	--	--	15.30	28.10
MW-1A	08/01/07	43.40	--	--	15.84	27.56
MW-1A	02/27/08	43.40	--	--	14.10	29.30
MW-1A	05/13/08	43.40	Well Not Accessable	--	--	--
MW-1A	08/27/08	43.40	Well Dry	--	--	--
MW-1A	11/18/08	43.40	Well Dry	--	--	--
MW-1A	03/11/09	43.40	Well Dry	--	--	--
MW-1A	09/22/09	43.40	Well Dry	--	--	--
MW-1A	03/09/10	43.40	Well Dry	--	--	--
MW-1A	09/09/10	43.40	Well Dry	--	--	--
MW-2	02/05/92	43.26	15-29	--	22.35	20.91
MW-2	09/11/92	43.26	15-29	--	21.67	21.59
MW-2	12/22/92	43.26	15-29	--	21.39	21.87
MW-2	03/03/93	43.26	15-29	--	17.75	25.51
MW-2	06/23/93	43.26	15-29	--	18.42	24.84
MW-2	09/30/93	43.26	15-29	--	19.63	23.63
MW-2	02/06/94	43.26	15-29	--	19.61	23.65
MW-2	05/02/94	43.26	15-29	--	19.84	23.42
MW-2	07/01/94	43.26	15-29	--	19.18	24.08
MW-2	09/20/94	43.26	15-29	--	22.17	21.09
MW-2	12/06/94	43.26	15-29	--	19.37	23.89

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through September 2010
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
MW-2	03/10/95	43.26	15-29	--	16.33	26.93
MW-2	03/15/95	43.26	15-29	--	16.89	26.37
MW-2	09/23/96	43.26	15-29	--	16.61	26.65
MW-2	12/04/96	43.26	15-29	--	17.19	26.07
MW-2	04/08/97	43.26	15-29	--	14.86	28.40
MW-2	06/30/97	43.26	15-29	--	16.28	26.98
MW-2	11/25/97	43.26	15-29	--	17.56	25.70
MW-2	06/01/98	43.26	15-29	--	11.58	31.68
MW-2	06/14/01	43.26	15-29	--	16.63	26.63
MW-2	11/07/01	43.26	15-29	--	17.85	25.41
MW-2	01/30/02	43.26	15-29	--	15.65	27.61
MW-2	05/29/02	43.26	15-29	--	16.12	27.14
MW-2	08/14/02	43.26	15-29	--	17.20	26.06
MW-2	11/15/02	43.26	15-29	--	17.63	25.63
MW-2	10/25/04	43.26	15-29	--	17.53	25.73
MW-2	12/23/04	43.26	15-29	--	17.15	26.11
MW-2	02/25/05	43.26	15-29	--	14.30	28.96
MW-2	05/19/05	43.26	15-29	--	13.81	29.45
MW-2	09/15/05	43.26	15-29	Inaccessible due to temporary habitat		
MW-2	11/10/05	43.26	15-29	--	16.39	26.87
MW-2	03/20/06	43.26	15-29	--	13.00	30.26
MW-2	05/25/06	43.26	15-29	Destroyed on March 2, 2006		
MW-3	02/05/92	43.89	15-29	--	21.85	22.04
MW-3	09/11/92	43.89	15-29	--	21.13	22.76
MW-3	12/22/92	43.89	15-29	--	20.88	23.01
MW-3	03/03/93	43.89	15-29	--	17.29	26.60
MW-3	06/23/93	43.89	15-29	--	17.88	26.01
MW-3	09/30/93	43.89	15-29	--	19.18	24.71
MW-3	02/06/94	43.89	15-29	--	19.21	24.68
MW-3	05/02/94	43.89	15-29	--	18.30	25.59
MW-3	07/01/94	43.89	15-29	--	18.63	25.26
MW-3	09/20/94	43.89	15-29	--	21.64	22.25
MW-3	12/06/94	43.89	15-29	--	19.15	24.74
MW-3	03/10/95	43.89	15-29	--	16.33	27.56
MW-3	03/15/95	43.89	15-29	--	16.89	27.00
MW-3	09/23/96	43.89	15-29	--	16.11	27.78
MW-3	12/04/96	43.89	15-29	--	16.63	27.26
MW-3	04/08/97	43.89	15-29	--	14.25	29.64
MW-3	06/30/97	43.89	15-29	--	15.70	28.19
MW-3	11/25/97	43.89	15-29	--	16.99	26.90
MW-3	06/01/98	43.89	15-29	--	--	--
MW-3	06/14/01	43.89	15-29	--	16.02	27.87
MW-3	11/07/01	43.89	15-29	--	17.33	26.56
MW-3	01/30/02	43.89	15-29	--	15.10	28.79
MW-3	05/29/02	43.89	15-29	--	15.63	28.26
MW-3	08/14/02	43.89	15-29	--	16.63	27.26
MW-3	11/15/02	43.89	15-29	--	17.10	26.79
MW-3	10/25/04	43.89	15-29	--	17.01	26.88

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through September 2010
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
MW-3	12/20/04	43.89	15-29	--	16.64	27.25
MW-3	02/25/05	43.89	15-29	Could not locate, VEAS-2 sampled instead		
MW-3	05/19/05	43.89	15-29	Could not locate, VEAS-2 sampled instead		
MW-3	09/15/05	43.89	15-29	--	Couldn't locate	--
MW-3	11/10/05	43.89	15-29	--	Couldn't locate	--
MW-3	03/20/06	43.89	15-29	--	12.44	31.45
MW-3	05/25/06	43.89	15-29	--	12.05	31.84
MW-3	08/23/06	43.89	15-29	--	13.75	30.14
MW-3	03/14/07	43.89	15-29	--	14.11	29.78
MW-3	06/12/07	43.89	15-29	--	15.43	28.46
MW-3	08/01/07	43.89	15-29	--	15.97	27.92
MW-3	02/27/08	43.89	15-29	--	14.40	29.49
MW-3	05/13/08	43.89	15-29	--	15.52	28.37
MW-3	08/27/08	43.89	15-29	--	16.79	27.10
MW-3	11/18/08	43.89	15-29	--	17.30	26.59
MW-3	03/11/09	43.89	15-29	--	15.37	28.52
MW-3	09/22/09	43.89	15-29	--	17.86	26.03
MW-3	03/09/10	43.89	15-29	--	15.11	28.78
MW-3	09/09/10	43.89	15-29	--	16.39	27.50
MW-4	02/05/92	42.76	15-29	--	21.31	21.45
MW-4	09/11/92	42.76	15-29	--	20.62	22.14
MW-4	12/22/92	42.76	15-29	--	20.37	22.39
MW-4	03/03/93	42.76	15-29	--	16.78	25.98
MW-4	06/23/93	42.76	15-29	--	17.45	25.31
MW-4	09/30/93	42.76	15-29	--	18.64	24.12
MW-4	02/06/94	42.76	15-29	--	18.59	24.17
MW-4	05/02/94	42.76	15-29	--	17.81	24.95
MW-4	07/01/94	42.76	15-29	--	18.13	24.63
MW-4	09/20/94	42.76	15-29	--	21.13	21.63
MW-4	12/06/94	42.76	15-29	--	18.36	24.40
MW-4	03/10/95	42.76	15-29	--	15.25	27.51
MW-4	03/15/95	42.76	15-29	--	14.89	27.87
MW-4	09/23/96	42.76	15-29	--	15.56	27.20
MW-4	12/04/96	42.76	15-29	--	16.11	26.65
MW-4	04/08/97	42.76	15-29	--	13.73	29.03
MW-4	06/30/97	42.76	15-29	--	15.19	27.57
MW-4	11/25/97	42.76	15-29	--	16.49	26.27
MW-4	06/01/98	42.76	15-29	--	10.42	32.34
MW-4	06/14/01	42.76	15-29	--	15.55	27.21
MW-4	11/07/01	42.76	15-29	--	16.81	25.95
MW-4	01/30/02	42.76	15-29	--	14.60	28.16
MW-4	05/29/02	42.76	15-29	--	15.14	27.62
MW-4	08/14/02	42.76	15-29	--	16.07	26.69
MW-4	11/15/02	42.76	15-29	--	16.61	26.15
MW-4	10/25/04	42.76	15-29	--	16.50	26.26
MW-4	12/23/04	42.76	15-29	--	16.20	26.56
MW-4	02/25/05	42.76	15-29	--	13.30	29.46
MW-4	05/19/05	42.76	15-29	--	12.74	30.02

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through September 2010
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
MW-4	09/15/05	42.76	15-29	--	14.80	27.96
MW-4	11/10/06	42.76	15-29	--	15.45	27.31
MW-4	03/20/06	42.76	15-29	--	11.93	30.83
MW-4	05/25/06	42.76	15-29	--	11.49	31.27
MW-4	08/23/06	42.76	15-29	--	13.23	29.53
MW-4	03/14/07	42.76	15-29	--	13.65	29.11
MW-4	06/12/07	42.76	15-29	--	14.92	27.84
MW-4	08/01/07	42.76	15-29	--	15.48	27.28
MW-4	02/27/08	42.76	15-29	--	Could not locate well	
MW-4	05/13/08	42.76	15-29	--	15.02	27.74
MW-4	08/27/08	42.76	15-29	--	16.28	26.48
MW-4	11/18/08	42.76	15-29	--	16.81	25.95
MW-4	03/11/09	42.76	15-29	--	14.87	27.89
MW-4	09/22/09	42.76	15-29	--	17.33	25.43
MW-4	03/09/10	42.76	15-29	--	14.60	28.16
MW-4	09/09/10	42.76	15-29	--	15.88	26.88
MW-5	02/05/92	42.10	15-29	--	20.93	21.17
MW-5	09/11/92	42.10	15-29	--	20.27	21.83
MW-5	12/22/92	42.10	15-29	--	19.99	22.11
MW-5	03/03/93	42.10	15-29	--	16.49	25.61
MW-5	06/23/93	42.10	15-29	--	17.02	25.08
MW-5	09/30/93	42.10	15-29	--	18.25	23.85
MW-5	02/06/94	42.10	15-29	--	18.26	23.84
MW-5	05/02/94	42.10	15-29	--	17.50	24.60
MW-5	07/01/94	42.10	15-29	--	17.79	24.31
MW-5	09/20/94	42.10	15-29	--	20.77	21.33
MW-5	15/5/92	42.10	15-29	--	18.02	24.08
MW-5	03/10/95	42.10	15-29	--	14.93	27.17
MW-5	03/15/95	42.10	15-29	--	14.70	27.40
MW-5	09/23/96	42.10	15-29	--	15.19	26.91
MW-5	12/04/96	42.10	15-29	--	15.78	26.32
MW-5	04/08/97	42.10	15-29	--	13.39	28.71
MW-5	06/30/97	42.10	15-29	--	14.83	27.27
MW-5	11/25/97	42.10	15-29	--	16.14	25.96
MW-5	06/01/98	42.10	15-29	--	10.10	32.00
MW-5	06/14/01	42.10	15-29	--	15.19	26.91
MW-5	11/07/01	42.10	15-29	--	16.47	25.63
MW-5	01/30/02	42.10	15-29	--	14.27	27.83
MW-5	05/29/02	42.10	15-29	--	14.73	27.37
MW-5	08/14/02	42.10	15-29	--	15.73	26.37
MW-5	11/15/02	42.10	15-29	--	16.27	25.83
MW-5	10/25/04	42.10	15-29	--	16.15	25.95
MW-5	12/23/04	42.10	15-29	--	15.88	26.22
MW-5	02/25/05	42.10	15-29	--	12.97	29.13
MW-5	05/19/05	42.10	15-29	--	12.48	29.62
MW-5	09/15/05	42.10	15-29	--	15.47	26.63
MW-5	11/10/08	42.10	15-29	--	15.03	27.07
MW-5	03/20/06	42.10	15-29	--	11.79	30.31

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through September 2010
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
MW-5	05/25/06	42.10	15-29	--	11.15	30.95
MW-5	08/23/06	42.10	15-29	--	12.88	29.22
MW-5	03/14/07	42.10	15-29	--	13.28	28.82
MW-5	06/11/07	42.10	15-29	--	14.56	27.54
MW-5	08/01/07	42.10	15-29	--	15.11	26.99
MW-5	02/27/08	42.10	15-29	--	13.49	28.61
MW-5	05/13/08	42.10	15-29	--	14.64	27.46
MW-5	08/27/08	42.10	15-29	--	15.93	26.17
MW-5	11/18/08	42.10	15-29	--	16.43	25.67
MW-5	03/11/09	42.10	15-29	--	14.53	27.57
MW-5	09/22/09	42.10	15-29	--	16.95	25.15
MW-5	03/09/10	42.10	15-29	--	14.25	27.85
MW-5	09/09/10	42.10	15-29	--	15.50	26.60
MW-6	02/05/92	42.33	15-29	--	21.29	21.04
MW-6	09/11/92	42.33	15-29	--	20.56	21.77
MW-6	12/22/92	42.33	15-29	--	20.31	22.02
MW-6	03/03/93	42.33	15-29	--	16.83	25.50
MW-6	06/23/93	42.33	15-29	--	17.30	25.03
MW-6	09/30/93	42.33	15-29	--	19.05	23.28
MW-6	02/06/94	42.33	15-29	--	18.55	23.78
MW-6	05/02/94	42.33	15-29	--	17.74	24.59
MW-6	07/01/94	42.33	15-29	--	18.09	24.24
MW-6	09/20/94	42.33	15-29	--	21.05	21.28
MW-6	12/06/94	42.33	15-29	--	18.33	24.00
MW-6	03/10/95	42.33	15-29	--	15.35	26.98
MW-6	03/15/95	42.33	15-29	--	14.91	27.42
MW-6	09/23/96	42.33	15-29	--	15.50	26.83
MW-6	12/04/96	42.33	15-29	--	16.06	26.27
MW-6	04/08/97	42.33	15-29	--	13.64	28.69
MW-6	06/30/97	42.33	15-29	--	15.08	27.25
MW-6	11/25/97	42.33	15-29	--	16.40	25.93
MW-6	06/01/98	42.33	15-29	--	10.31	32.02
MW-6	06/14/01	42.33	15-29	--	15.46	26.87
MW-6	11/07/01	42.33	15-29	--	16.71	25.62
MW-6	01/30/02	42.33	15-29	--	14.60	27.73
MW-6	05/29/02	42.33	15-29	--	14.99	27.34
MW-6	08/14/02	42.33	15-29	--	16.03	26.30
MW-6	11/15/02	42.33	15-29	--	16.53	25.80
MW-6	10/25/04	42.33	15-29	--	16.43	25.90
MW-6	12/23/04	42.33	15-29	--	16.12	26.21
MW-6	02/25/05	42.33	15-29	--	13.13	29.20
MW-6	05/19/05	42.33	15-29	--	12.61	29.72
MW-6	09/15/05	42.33	15-29	--	14.69	27.64
MW-6	11/10/05	42.33	15-29	--	15.30	27.03
MW-6	03/20/06	42.33	15-29	--	11.88	30.45
MW-6	05/25/06	42.33	15-29	--	11.38	30.95
MW-6	08/23/06	42.33	15-29	--	13.10	29.23
MW-6	03/14/07	42.33	15-29	--	13.52	28.81

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through September 2010
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
MW-6	06/12/07	42.33	15-29	--	14.80	27.53
MW-6	08/01/07	42.33	15-29	--	15.38	26.95
MW-6	02/27/08	42.33	15-29	--	13.79	28.54
MW-6	05/13/08	42.33	15-29	--	14.93	27.40
MW-6	08/27/08	42.33	15-29	--	Well Not Accessable	
MW-6	11/18/08	42.33	15-29	--	Well Not Accessable	
MW-6	03/11/09	42.33	15-29	--	Well Not Accessable	
MW-6	09/22/09	42.33	15-29	--	Well Not Accessable	
MW-6	03/09/10	42.33	15-29	--	Well Not Accessable	
MW-6	09/09/10	42.33	15-29	--	Well Not Accessable	
MW-7	06/23/93	42.70	10-29	--	17.87	24.83
MW-7	09/30/93	42.70	10-29	--	18.94	23.76
MW-7	02/06/94	42.70	10-29	0.06	19.11	23.63
MW-7	05/02/94	42.70	10-29	--	18.11	24.59
MW-7	07/01/94	42.70	10-29	--	18.72	23.98
MW-7	09/20/94	42.70	10-29	--	21.41	21.29
MW-7	12/05/94	42.70	10-29	--	18.66	24.04
MW-7	03/10/95	42.70	10-29	--	15.72	26.98
MW-7	03/14/95	42.70	10-29	--	15.23	27.47
MW-7	09/23/96	42.70	10-29	--	15.94	26.76
MW-7	12/04/96	42.70	10-29	--	16.43	26.27
MW-7	04/08/97	42.70	10-29	--	14.10	28.60
MW-7	06/30/97	42.70	10-29	--	15.51	27.19
MW-7	11/25/97	42.70	10-29	--	16.80	25.90
MW-7	06/01/98	42.70	10-29	--	10.31	32.39
MW-7	06/14/01	42.70	10-29	--	15.46	27.24
MW-7	11/07/01	42.70	10-29	--	--	--
MW-7	01/30/02	42.70	10-29	--	14.97	27.73
MW-7	05/29/02	42.70	10-29	--	15.49	27.21
MW-7	08/14/02	42.70	10-29	--	16.44	26.26
MW-7	11/15/02	42.70	10-29	--	16.91	25.79
MW-7	10/25/04	42.70	10-29		Could not locate	
MW-7	05/19/05	42.70	10-29	--	13.06	29.64
MW-7	09/15/05	42.70	10-29		Could not locate	
MW-7	11/10/05	42.70	10-29	--	15.78	26.92
MW-7	03/20/06	42.70	10-29		Could not locate	
MW-7	05/25/06	42.70	10-29		Well was blocked by debris	
MW-7	08/23/06	42.70	10-29	--	13.60	29.10
MW-7	03/14/07	42.70	10-29	--	14.00	28.70
MW-7	06/12/07	42.70	10-29		Well not safe to access due to dog	
MW-7	08/01/07	42.70	10-29	--	15.82	26.88
MW-7	02/27/08	42.70	10-29	--	14.24	28.46
MW-7	05/13/08	42.70	10-29	--	14.37	28.33
MW-7	08/27/08	42.70	10-29	--	16.62	26.08
MW-7	11/18/08	42.70	10-29	--	17.12	25.58
MW-7	03/11/09	42.70	10-29	--	15.28	27.42
MW-7	09/22/09	42.70	10-29	--	17.65	25.05
MW-7	03/09/10	42.70	10-29	--	14.95	27.75

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through September 2010
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
MW-7	09/09/10	42.70	10-29	--	16.23	26.47
MW-8	06/23/93	97.61	10-29	--	17.64	79.97
MW-8	09/30/93	97.61	10-29	--	18.85	78.76
MW-8	02/06/94	97.61	10-29	--	18.91	78.70
MW-8	05/02/94	97.61	10-29	--	18.11	79.50
MW-8	07/01/94	97.61	10-29	--	18.43	79.18
MW-8	09/20/94	97.61	10-29	--	21.43	76.18
MW-8	12/05/94	97.61	10-29	--	18.72	78.89
MW-8	03/10/95	97.61	10-29	--	18.69	78.92
MW-8	03/15/95	97.61	10-29	--	14.83	82.78
MW-8	09/23/96	97.61	10-29	--	15.83	81.78
Not sampled, well inaccessible since 4th quarter, 1996						
MW-9	06/23/93	95.41	10-29	--	15.94	79.47
MW-9	09/30/93	95.41	10-29	--	17.05	78.36
MW-9	02/06/94	95.41	10-29	--	17.07	78.34
MW-9	05/02/94	95.41	10-29	--	16.24	79.17
MW-9	07/01/94	95.41	10-29	--	15.59	79.82
MW-9	09/20/94	95.41	10-29	--	16.61	78.80
MW-9	12/05/94	95.41	10-29	--	16.58	78.83
MW-9	03/10/95	95.41	10-29	--	--	--
MW-9	03/15/95	95.41	10-29	--	14.18	81.23
Not sampled, well inaccessible since 1st quarter, 1995						
MW-10	06/23/93	97.11	10-29	--	17.39	79.72
MW-10	09/30/93	97.11	10-29	--	18.58	78.53
MW-10	02/06/94	97.11	10-29	--	18.61	78.50
MW-10	05/02/94	97.11	10-29	--	17.83	79.28
MW-10	07/01/94	97.11	10-29	--	18.17	78.94
MW-10	09/20/94	97.11	10-29	--	21.15	75.96
MW-10	12/05/94	97.11	10-29	--	18.43	78.68
MW-10	03/10/95	97.11	10-29	--	15.37	81.74
MW-10	03/15/95	97.11	10-29	--	15.97	81.14
MW-10	09/23/96	97.11	10-29	--	15.59	81.52
MW-10	12/04/96	97.11	10-29	--	16.15	80.96
Not sampled, well inaccessible since 4th quarter, 1996						
MW-11	02/10/95	92.68	5-29	--	11.80	80.88
MW-11	03/10/95	92.68	5-29	--	11.58	81.10
MW-11	03/15/95	92.68	5-29	--	13.96	78.72
MW-11	09/23/96	92.68	5-29	--	12.29	80.39
MW-11	12/04/96	92.68	5-29	--	--	--
MW-11	04/08/97	92.68	5-29	--	10.51	82.17
Not sampled, well inaccessible since 2nd quarter, 1997						
MW-12	02/10/95	43.25	10-30	--	16.30	26.95
MW-12	03/10/95	43.25	10-30	--	16.37	26.88
MW-12	03/14/95	43.25	10-30	--	15.69	27.56

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through September 2010
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
MW-12	09/23/96	43.25	10-30	--	16.67	26.58
MW-12	12/04/96	43.25	10-30	--	17.16	26.09
MW-12	04/08/97	43.25	10-30	--	14.88	28.37
MW-12	06/30/97	43.25	10-30	--	16.33	26.92
MW-12	11/25/97	43.25	10-30	--	17.61	25.64
MW-12	06/01/98	43.25	10-30	--	11.58	31.67
MW-12	06/14/01	43.25	10-30	--	16.62	26.63
MW-12	11/07/01	43.25	10-30	--	17.91	25.34
MW-12	01/30/02	43.25	10-30	--	15.60	27.65
MW-12	05/29/02	43.25	10-30	--	16.24	27.01
MW-12	08/14/02	43.25	10-30	--	17.20	26.05
MW-12	11/15/02	43.25	10-30	--	17.62	25.63
MW-12	10/25/04	43.25	10-30	Well not sampled, cars parked on well		
MW-12	02/25/05	43.25	10-30	--	14.72	28.53
MW-12	05/19/05	43.25	10-30	--	13.80	29.45
MW-12	09/15/05	43.25	10-30		15.94	27.31
MW-12	11/10/05	43.25	10-30		16.51	26.74
MW-12	03/20/06	43.25	10-30	--	13.04	30.21
MW-12	05/25/06	43.25	10-30	--	12.65	30.60
MW-12	08/23/06	43.25	10-30	--	14.44	28.81
MW-12	03/14/07	43.25	10-30	--	14.70	28.55
MW-12	06/11/07	43.25	10-30	--	16.02	27.23
MW-12	08/01/07	43.25	10-30	--	16.57	26.68
MW-12	02/27/08	43.25	10-30	--	14.99	28.26
MW-12	05/13/08	43.25	10-30	--	16.12	27.13
MW-12	08/27/08	43.25	10-30	--	17.37	25.88
MW-12	11/18/08	43.25	10-30	--	17.82	25.43
MW-12	03/11/09	43.25	10-30	--	15.88	27.37
MW-12	09/22/09	43.25	10-30	--	18.33	24.92
MW-12	03/09/10	43.25	10-30	--	15.61	27.64
MW-13	02/10/95	40.97	10-30	--	14.45	26.52
MW-13	03/10/95	40.97	10-30	--	14.30	26.67
MW-13	03/14/95	40.97	10-30	--	15.81	25.16
MW-13	09/23/96	40.97	10-30	--	14.60	26.37
MW-13	12/04/96	40.97	10-30	--	--	--
MW-13	04/08/97	40.97	10-30	--	12.75	28.22
MW-13	06/30/97	40.97	10-30	--	14.13	26.84
MW-13	11/25/97	40.97	10-30	--	15.48	25.49
MW-13	06/01/98	40.97	10-30	--	9.58	31.39
MW-13	06/14/01	40.97	10-30	--	14.51	26.46
MW-13	11/07/01	40.97	10-30	--	15.85	25.12
MW-13	01/30/02	40.97	10-30	--	13.65	27.32
MW-13	05/29/02	40.97	10-30	--	14.10	26.87
MW-13	08/14/02	40.97	10-30	--	15.13	25.84
MW-13	11/15/02	40.97	10-30	--	--	--
MW-13	10/25/04	40.97	Well not sampled. Unable to locate well since 10/25/04			
MW-14	02/10/95	43.19	10-30	--	16.28	26.91

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through September 2010
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
MW-14	03/10/95	43.19	10-30	--	16.33	26.86
MW-14	03/14/95	43.19	10-30	--	14.87	28.32
MW-14	09/23/96	43.19	10-30	--	16.67	26.52
MW-14	12/04/96	43.19	10-30	--	17.06	26.13
MW-14	04/08/97	43.19	10-30	--	14.77	28.42
MW-14	06/30/97	43.19	10-30	--	16.22	26.97
MW-14	11/25/97	43.19	10-30	--	17.52	25.67
MW-14	06/01/98	43.19	10-30	--	11.46	31.73
MW-14	06/14/01	43.19	10-30	--	16.53	26.66
MW-14	11/07/01	43.19	10-30	--	17.84	25.35
MW-14	01/30/02	43.19	10-30	--	15.55	27.64
MW-14	05/29/02	43.19	10-30	--	16.14	27.05
MW-14	08/14/02	43.19	10-30	--	17.12	26.07
MW-14	11/15/02	43.19	10-30	--	17.56	25.63
MW-14	10/25/04	43.19	Well not sampled. Unable to locate well due to parked cars			
MW-14	02/25/05	43.19	10-30	--	14.20	28.99
MW-14	05/19/05	43.19	10-30	--	13.71	29.48
MW-14	09/15/05	43.19	10-30	Well not sampled due to lack of traffic control		
MW-14	11/10/05	43.19	10-30	Well not sampled due to lack of traffic control		
MW-14	03/20/06	43.19	10-30	--	12.94	30.25
MW-14	05/25/06	43.19	10-30	--	12.68	30.51
MW-14	08/23/06	43.19	10-30	--	15.32	27.87
MW-14	03/14/07	43.19	10-30	--	14.58	28.61
MW-14	06/11/07	43.19	10-30	--	15.95	27.24
MW-14	08/01/07	43.19	10-30	--	16.47	26.72
MW-14	02/27/08	43.19	10-30	--	14.91	28.28
MW-14	05/13/08	43.19	10-30	--	16.03	27.16
MW-14	08/27/08	43.19	10-30	--	17.28	25.91
MW-14	11/18/08	43.19	10-30	--	17.75	25.44
MW-14	03/11/09	43.19	10-30	--	15.83	27.36
MW-14	09/22/09	43.19	10-30	--	18.28	24.91
MW-14	03/09/10	43.19	10-30	--	15.54	27.65
EX-1	08/14/02	--	10-35	--	16.58	--
EX-1	11/15/02	--	10-35	--	17.02	--
EX-1	10/25/04	--	10-35	--	16.91	--
EX-1	12/23/04	--	10-35	--	16.60	--
EX-1	02/25/05	--	10-35	--	13.72	--
EX-1	05/19/05	--	10-35	--	13.13	--
EX-1	09/15/05	--	10-35	--	15.20	--
EX-1	11/10/05	--	10-35	--	15.80	--
EX-1	03/20/06	--	10-35	--	12.35	--
EX-1	05/25/06	--	10-35	--	11.88	--
EX-1	08/23/06	--	10-35	--	13.62	--
EX-1	03/14/07	--	10-35	--	14.00	--
EX-1	06/11/07	--	10-35	--	15.34	--
EX-1	08/01/07	--	10-35	--	15.89	--
EX-1	02/27/08	--	10-35	--	Could not locate well	
EX-1	05/13/08	--	10-35	--	Could not locate well	

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through September 2010
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
EX-1	08/27/08	--	10-35	--	16.70	--
EX-1	11/18/08	--	10-35	--	17.20	--
EX-1	03/11/09	--	10-35	--	15.38	--
EX-1	09/22/09	--	10-35	--	17.71	--
EX-1	03/09/10	--	10-35	--	15.00	--
EX-1	09/09/10	--	10-35	--	16.38	--
VEAS-2	02/25/05	--	5-15/28-30	--	13.68	--
VEAS-2	05/19/05	--	5-15/28-30	--	13.11	--
VEAS-2	11/10/05	--	5-15/28-30	--	DRY	--

Elevations are in feet above mean sea level.

Groundwater elevation calculated as follows:
 surface elevation - depth to water

Notes: Free Product = liquid-phase hydrocarbons
 fbg = feet below grade
 -- = not encountered or no data available

Note: No known groundwater sampling was conducted between June 1, 1998 and June 14, 2001 or June 14, 2001 and November 7, 2001. Wellhead elevations resurveyed on January 30, 2002.

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through March 2010
EZ Serve 100877, 525 West A Street, Hayward, CA

Well Number	Date Sampled	TPH-G (ug/l)	TPH-D (mg/L)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)	1,2-DCA (ug/l)	EDB (ug/l)
MW-1	02/05/92	46,000	--	7,600	2,300	2,400	6,500	--	--	--	--	--	--	--
MW-1	09/11/92	48,000	--	9,000	1,200	1,800	4,600	--	--	--	--	--	--	--
MW-1	12/22/92	84,000	--	22,000	1,600	4,800	17,000	--	--	--	--	--	--	--
MW-1	03/03/93	54,000	--	16,000	1,600	1,900	4,300	--	--	--	--	--	--	--
MW-1	06/23/93	30,000	--	18,000	1,100	1,400	3,700	--	--	--	--	--	--	--
MW-1	09/30/93	33,000	--	10,000	440	940	1,700	--	--	--	--	--	--	--
MW-1	02/06/94	64,000	--	18,000	1,600	4,700	12,000	--	--	--	--	--	--	--
MW-1	05/02/94	7,200	--	2,100	29	490	520	--	--	--	--	--	--	--
MW-1	07/01/94	13,000	--	3,700	150	550	12,000	--	--	--	--	--	--	--
MW-1	09/20/94	10,000	--	3,100	75	440	870	--	--	--	--	--	--	--
MW-1	12/05/92	8,700	--	3,700	87	520	950	--	--	--	--	--	--	--
MW-1	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1	03/15/95	290	--	56	2	12	47	--	--	--	--	--	--	--
MW-1	09/23/96	20,000	--	5,200	860	700	1,100	--	--	270	--	--	--	--
MW-1	12/04/96	17,000	--	3,100	64	610	1,200	--	--	280	--	--	--	--
MW-1	04/08/97	2,100	--	430	15	52	85	--	--	100	--	--	--	--
MW-1	06/30/97	10,000	--	2,100	<	<	320	--	--	<	--	--	--	--
MW-1	11/25/97	16,000	--	2,100	23	76	240	--	--	<	--	--	--	--
MW-1	06/01/98	19,000	--	6,100	460	1,100	2,300	--	--	420	--	--	--	--
MW-1	06/14/01	6,000	--	380	8.4	260	180	--	--	<25	--	--	--	--
MW-1	11/07/01	12,000	--	1,000	30	1,000	740	<5.0	<5.0	11	<5.0	<50	--	--
MW-1	01/30/02	8,800	--	690	16	480	270	<5.0	<5.0	14	<5.0	<50	--	--
MW-1	05/29/02	6,400	--	330	13	250	260	2.5	<2.0	12	<2.0	<20	--	--
MW-1	08/14/02	5,500	--	470	14	360	160	<10	<10	10	<10	<100	--	--
MW-1	11/15/02	10,000	--	440	16	310	150	<10	<10	15	<10	<100	--	--
MW-1	10/25/04	4,300	--	260	3.3	150	32	<0.90	<0.90	14	<0.90	5.8	--	--
MW-1	12/23/04	11,000	--	860	6.1	880	280	<0.90	<0.90	16	<0.90	11	--	--
MW-1	02/25/05	11,000	--	710	6.7	720	330	<1.5	<1.5	24	<1.5	11	--	--
MW-1	05/19/05	7,500	--	610	12	370	140	<1.5	<1.5	20	<1.5	11	--	--
MW-1	09/15/05	6,100	--	300	3.5	280	71	<0.90	<0.90	12	<0.90	7.8	--	--
MW-1	03/20/06	6,400	--	290	3.2	330	61	<0.90	<0.90	8.8	<0.90	6	--	--
MW-1	05/25/06	4,200	--	300	6.4	100	40	<0.90	<0.90	11	<0.90	6.7	--	--
MW-1	08/23/06	3,400	--	140	1.9	92	9.2	<0.50	<0.50	4.2	<0.50	<5.0	--	--
MW-1	03/14/07	5,600	--	75	0.83	160	20	<0.50	<0.50	2.5	<0.50	<5.0	--	--
MW-1	06/11/07	5,400	--	90	<1.0	220	12	<1.0	<1.0	2.4	<1.0	<5.0	--	--
MW-1	08/01/07	5,300	--	130	<0.74	450	36	<0.60	<0.63	<0.77	<0.83	<35	--	--
MW-1	02/27/08	1,090	--	11	<0.24	40	9.1	<0.18	<0.23	<0.19	<0.19	<10	--	--
MW-1	05/13/08	4,530	--	77	<0.25	457	56	<2.5	<2.5	6.9	<2.5	<25.0	--	--
MW-1	08/27/08	3,350	--	45	1.1	261	16	<0.5	<0.5	12	<0.5	9.1	--	--
MW-1	11/18/08	4,680	--	42	0.7	266	6.9	<0.5	<0.5	15	<0.5	6.9	--	--
MW-1	03/11/09	5,180	--	69	2.0	440	10	<0.5	<0.5	20	<0.5	<5.0	--	--
MW-1	09/22/09	6,600	--	54	0.7	137	2.7	<0.5	<0.5	18	<0.5	<5.0	--	--
MW-1	03/09/10	4,670	--	70	<0.5	83	2.9	<0.5	<0.5	50	<0.5	<5.0	--	--
MW-1	09/09/10	4,750	1.7	39	0.7	46	2.4	<1.0	<1.0	85	<1.0	<10.0	<0.5	<0.5
MW-1A	06/23/93	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1A	09/30/93	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1A	02/06/94	8,900	--	1,700	42	1,000	400	--	--	--	--	--	--	--
MW-1A	05/02/94	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1A	07/01/94	12,000	--	1,100	<1	920	1,100	--	--	--	--	--	--	--
MW-1A	09/20/94	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1A	12/05/94	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1A	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1A	03/15/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1A	09/23/96	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1A	12/04/96	52,000	--	420	140	1,000	3,500	--	--	130	--	--	--	--
MW-1A	04/08/97	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1A	06/30/97	17,000	--	180	<	140	1,100	--	--	<	--	--	--	--

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through March 2010
EZ Serve 100877, 525 West A Street, Hayward, CA

Well Number	Date Sampled	TPH-G (ug/l)	TPH-D (mg/L)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)	1,2-DCA (ug/l)	EDB (ug/l)
MW-1A	11/25/97	19,000	--	110	37	290	910	--	--	<	--	--	--	--
MW-1A	06/01/98	18,000	--	200	17	230	820	--	--	91	--	--	--	--
MW-1A	06/14/01	27,000	--	29	<5.0	620	520	--	--	<50	--	--	--	--
MW-1A	11/07/01	21,000	--	51	<5.0	700	510	<5.0	<5.0	<5.0	<5.0	<50	--	--
MW-1A	01/30/02	24,000	--	22	<5.0	390	330	<5.0	<5.0	<5.0	<5.0	<50	--	--
MW-1A	05/29/02	12,000	--	32	<5.0	550	270	<5.0	<5.0	<5.0	<5.0	<50	--	--
MW-1A	08/14/02	14,000	--	22	<2.0	510	240	<2.0	<2.0	<2.0	<2.0	<20	--	--
MW-1A	11/15/02	17,000	--	59	2.4	630	250	<2.0	<2.0	<2.0	<2.0	<20	--	--
MW-1A	10/25/04	2,200	--	1.3	<0.50	58	3.7	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-1A	12/23/04	3,100	--	2.2	<0.50	96	5.4	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-1A	02/25/05	7,300	--	4.7	1.1	140	24	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-1A	05/19/05	13,000	--	3.1	1.7	190	50	<1.5	<1.5	<1.5	<1.5	<7.0	--	--
MW-1A	09/15/05	4,000	--	0.84	<0.50	52	2.5	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-1A	11/10/05	12,000	--	<2.0	0.76	130	3.6	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-1A	03/20/06	3,300	--	1.1	<0.50	17	1	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-1A	05/25/06	1,600	--	0.79	<0.50	22	0.94	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-1A	08/23/06	4,700	--	1.6	1.1	84	1.8	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-1A	03/14/07	610	--	<0.50	<0.50	12	<0.50	<0.50	<0.50	7.5	<0.50	<5.0	--	--
MW-1A	06/12/07	3,200	--	1.1	0.84	79	0.76	<0.50	<0.50	20	<0.50	<5.0	--	--
MW-1A	08/01/07	440	--	0.31	<0.15	6.2	<0.34	<0.12	<0.13	79	<0.17	<6.9	--	--
MW-1A	02/27/08	1,660	--	<0.18	<0.24	50	<0.45	<0.20	<0.23	21	<0.19	<10	--	--
MW-1A	11/18/08	Dry Well † Dry Well No Sample Collected												
MW-1A	03/11/09	Dry Well † Dry Well No Sample Collected												
MW-2	02/05/92	67,000	--	13,000	4,700	820	1,300	--	--	--	--	--	--	--
MW-2	09/11/92	57,000	--	9,000	1,400	1,200	8,400	--	--	--	--	--	--	--
MW-2	12/22/92	31,000	--	9,900	350	2,000	4,100	--	--	--	--	--	--	--
MW-2	03/03/93	17,000	--	5,100	1,300	720	1,900	--	--	--	--	--	--	--
MW-2	06/23/93	60,000	--	23,000	1,500	4,500	17,000	--	--	--	--	--	--	--
MW-2	09/30/93	38,000	--	12,000	780	1,500	6,500	--	--	--	--	--	--	--
MW-2	02/06/94	34,000	--	8,900	450	2,000	5,500	--	--	--	--	--	--	--
MW-2	05/02/94	18,000	--	3,800	260	1,100	3,500	--	--	--	--	--	--	--
MW-2	07/01/94	18,000	--	3,700	510	870	2,600	--	--	--	--	--	--	--
MW-2	09/20/94	19,000	--	4,500	300	1,200	4,000	--	--	--	--	--	--	--
MW-2	12/06/94	22,000	--	4,700	340	1,400	4,500	--	--	--	--	--	--	--
MW-2	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-2	03/15/95	29,000	--	5,600	350	1,900	6,300	--	--	--	--	--	--	--
MW-2	09/23/96	29,000	--	3,700	150	1,000	4,300	--	--	860	--	--	--	--
MW-2	12/04/96	31,000	--	3,800	140	2,000	5,100	--	--	690	--	--	--	--
MW-2	04/08/97	20,000	--	2,500	80	1,300	3,400	--	--	880	--	--	--	--
MW-2	06/30/97	41,000	--	2,700	130	1,200	4,000	--	--	890	--	--	--	--
MW-2	11/25/97	51,000	--	2,900	140	1,800	7,000	--	--	1,200	--	--	--	--
MW-2	06/01/98	33,000	--	2,700	130	1,800	5,700	--	--	610	--	--	--	--
MW-2	06/14/01	18,000	--	860	14	1,100	2,200	--	--	<100	--	--	--	--
MW-2	11/07/01	20,000	--	880	20	1,100	2,600	<5.0	<5.0	21	<5.0	<50	--	--
MW-2	01/30/02	19,000	--	880	19	1,100	2,400	<5.0	<5.0	56	<5.0	<50	--	--
MW-2	05/29/02	8,100	--	390	16	560	1,400	<5.0	<5.0	32	<5.0	<50	--	--
MW-2	08/14/02	19,000	--	820	21	1,200	2,600	<20	<20	29	<20	<200	--	--
MW-2	11/15/02	34,000	--	910	31	1,000	1,400	<20	<20	39	<20	<200	--	--
MW-2	10/25/04	9,300	--	280	3.8	500	980	<2.0	<2.0	8.2	<2.0	<9.0	--	--
MW-2	12/23/04	10,000	--	310	3.9	470	840	<2.0	<2.0	9.5	<2.0	<9.0	--	--
MW-2	02/25/05	15,000	--	320	4.8	860	1,600	<2.0	<2.0	7.7	<2.0	<9.0	--	--
MW-2	05/19/05	15,000	--	300	3.6	770	1,200	<2.5	<2.5	9.2	<2.5	<15	--	--
MW-2	09/15/05	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-2	11/10/05	14,000	--	230	2.6	530	1,000	<2.5	<2.5	6.2	<2.5	<15	--	--
MW-2	03/20/06	8,700	--	170	<1.5	360	530	<1.5	<1.5	3.8	<1.5	<7.0	--	--
MW-2	05/25/06	--	--	--	--	--	--	--	--	--	--	--	--	--

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through March 2010
EZ Serve 100877, 525 West A Street, Hayward, CA

Well Number	Date Sampled	TPH-G (ug/l)	TPH-D (mg/L)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)	1,2-DCA (ug/l)	EDB (ug/l)
MW-3	02/05/92	16,000	--	2,700	410	<1	3,400	--	--	--	--	--	--	--
MW-3	09/11/92	43,000	--	7,600	1,600	1,400	4,100	--	--	--	--	--	--	--
MW-3	12/22/92	29,000	--	8,800	1,200	1,500	3,700	--	--	--	--	--	--	--
MW-3	03/03/93	17,000	--	5,000	1,500	680	1,700	--	--	--	--	--	--	--
MW-3	06/23/93	5,700	--	3,000	120	560	790	--	--	--	--	--	--	--
MW-3	09/30/93	21,000	--	7,000	2,100	970	2,600	--	--	--	--	--	--	--
MW-3	02/06/94	24,000	--	7,200	1,600	990	3,200	--	--	--	--	--	--	--
MW-3	05/02/94	10,000	--	2,200	440	470	1,200	--	--	--	--	--	--	--
MW-3	07/01/94	8,200	--	2,000	370	350	930	--	--	--	--	--	--	--
MW-3	09/20/94	7,200	--	2,000	360	380	1,000	--	--	--	--	--	--	--
MW-3	12/06/94	9,000	--	2,300	400	440	1,100	--	--	--	--	--	--	--
MW-3	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-3	03/15/95	4,300	--	980	47	370	780	--	--	--	--	--	--	--
MW-3	09/23/96	10,000	--	950	20	700	780	--	--	80	--	--	--	--
MW-3	12/04/96	13,000	--	1,100	25	1,000	1,100	--	--	67	--	--	--	--
MW-3	04/08/97	3,800	--	210	4.6	270	280	--	--	56	--	--	--	--
MW-3	06/30/97	3,500	--	280	<	32	180	--	--	<	--	--	--	--
MW-3	11/25/97	6,800	--	230	<	370	290	--	--	130	--	--	--	--
MW-3	06/01/98	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-3	06/14/01	2,100	--	9	<0.5	78	43	--	--	<5.0	--	--	--	--
MW-3	11/07/01	7,700	--	75	<5.0	410	150	<5.0	<5.0	<5.0	<5.0	<5.0	--	--
MW-3	01/30/02	3,600	--	27	<5.0	120	34	<5.0	<5.0	<5.0	<5.0	<5.0	--	--
MW-3	05/29/02	2,000	--	18	<5.0	53	13	<5.0	<5.0	<5.0	<5.0	<5.0	--	--
MW-3	08/14/02	2,400	--	19	<0.5	50	6.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-3	11/15/02	4,300	--	7.5	<0.5	22	1.1	0.5	0.5	0.5	0.5	<5.0	--	--
MW-3	10/25/04	460	--	0.6	<0.50	9.6	1.7	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-3	12/20/04	5,400	--	9	<0.50	280	74	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-3	02/25/05	Could not locate, VEAS-2 sampled instead							--	--	--	--	--	--
MW-3	05/19/05	Could not locate, VEAS-2 sampled instead							--	--	--	--	--	--
MW-3	09/15/05	Could not locate well							--	--	--	--	--	--
MW-3	11/10/05	Could not locate well							--	--	--	--	--	--
MW-3	03/20/06	800	--	0.76	<0.50	19	3.7	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-3	05/25/06	500	--	0.59	<0.50	3.8	0.96	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-3	08/23/06	550	--	<0.50	<0.50	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-3	03/14/07	660	--	0.85	<0.50	22	3.7	<0.50	<0.50	1.3	<0.50	<5.0	--	--
MW-3	06/12/07	540	--	<0.50	<0.50	14	2.2	<0.50	<0.50	6.0	<0.50	<5.0	--	--
MW-3	08/01/07	2,300	--	2.3	<0.15	87	13	<0.12	<0.13	<0.15	<0.17	<6.9	--	--
MW-3	02/27/08	1,360	--	<0.18	<0.24	32	3	<0.20	<0.23	7.7	<0.19	<10	--	--
MW-3	05/13/08	1,160	--	1.2	0.6	28	2.2	<0.5	<0.5	31	<0.5	<5.0	--	--
MW-3	08/27/08	2,790	--	1.4	<0.5	56	4.0	<0.5	<0.5	40	<0.5	18	--	--
MW-3	11/18/08	1,800	--	0.8	<0.5	50	1.4	<0.5	<0.5	31	<0.5	13	--	--
MW-3	03/11/09	957	--	1.2	0.9	37	4.0	<0.5	<0.5	155	<0.5	<5.0	--	--
MW-3	09/22/09	533	--	1.6	<0.5	8.8	<0.5	<0.5	<0.5	238	<0.5	<5.0	--	--
MW-3	03/09/10	537	--	<0.5	<0.5	8.8	<0.5	<0.5	<0.5	114	<0.5	<5.0	--	--
MW-3	09/09/10	272	<0.1	<0.5	<0.5	1.5	<0.5	<1.0	<1.0	36	<1.0	<10	<0.5	<0.5
MW-4	02/05/92	16,000	--	2,700	410	<1	3,400	--	--	--	--	--	--	--
MW-4	09/11/92	43,000	--	7,600	1,600	1,400	4,100	--	--	--	--	--	--	--
MW-4	12/22/92	29,000	--	8,800	1,200	1,500	3,700	--	--	--	--	--	--	--
MW-4	03/03/93	17,000	--	5,000	1,500	680	1,700	--	--	--	--	--	--	--
MW-4	06/23/93	5,700	--	3,000	120	560	790	--	--	--	--	--	--	--
MW-4	09/30/93	21,000	--	7,000	2,100	970	2,600	--	--	--	--	--	--	--
MW-4	02/06/94	24,000	--	7,200	1,600	990	3,200	--	--	--	--	--	--	--
MW-4	05/02/94	10,000	--	2,200	440	470	1,200	--	--	--	--	--	--	--
MW-4	07/01/94	8,200	--	2,000	370	350	930	--	--	--	--	--	--	--
MW-4	09/20/94	7,200	--	2,000	360	380	1,000	--	--	--	--	--	--	--
MW-4	12/06/94	9,000	--	2,300	400	440	1,100	--	--	--	--	--	--	--
MW-4	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through March 2010
EZ Serve 100877, 525 West A Street, Hayward, CA

Well Number	Date Sampled	TPH-G (ug/l)	TPH-D (mg/L)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)	1,2-DCA (ug/l)	EDB (ug/l)
MW-4	03/15/95	15,000	--	4,400	600	770	2,660	--	--	--	--	--	--	--
MW-4	09/23/96	32,000	--	7,400	540	1,500	2,800	--	--	2,100	--	--	--	--
MW-4	12/04/96	23,000	--	7,800	140	1,200	1,200	--	--	1,900	--	--	--	--
MW-4	04/08/97	16,000	--	3,900	680	850	2,300	--	--	980	--	--	--	--
MW-4	06/30/97	63,000	--	7,000	430	1,400	4,400	--	--	1,700	--	--	--	--
MW-4	11/25/97	30,000	--	4,300	61	810	1,500	--	--	880	--	--	--	--
MW-4	06/01/98	33,000	--	5,700	710	1,700	2,900	--	--	720	--	--	--	--
MW-4	06/14/01	9,500	--	690	45	560	600	<5.0	<5.0	<50	<5.0	<50	--	--
MW-4	11/07/01	6,000	--	710	20	630	190	<5.0	<5.0	27	<5.0	<50	--	--
MW-4	01/30/02	4,800	--	830	16	600	61	<20	<20	42	<20	<200	--	--
MW-4	05/29/02	5,300	--	720	57	600	200	<2.0	<2.0	35	<2.0	<20	--	--
MW-4	08/14/02	5,000	--	640	15	550	35	<2.0	<2.0	28	<2.0	<20	--	--
MW-4	11/15/02	3,700	--	330	10	260	200	<0.50	<0.50	20	<0.50	<5.0	--	--
MW-4	10/25/04	4,000	--	180	15	200	190	<0.90	<0.90	4.1	<0.90	<5.0	--	--
MW-4	12/23/04	7,400	--	280	24	340	340	<0.90	<0.90	7.9	<0.90	<5.0	--	--
MW-4	02/25/05	4,200	--	160	15	280	420	<4.0	<4.0	6.2	<4.0	<20	--	--
MW-4	05/19/05	15,000	--	480	76	1,100	1,600	<0.90	<0.90	14	<0.90	5.4	--	--
MW-4	09/15/05	5,400	--	220	22	250	430	<0.50	<0.50	10	<0.50	<5.0	--	--
MW-4	11/10/06	8,000	--	320	37	530	670	<0.50	<0.50	9.3	<0.50	<5.0	--	--
MW-4	03/20/06	3,900	--	91	26	5.8	360.0	<0.50	<0.50	5.7	<0.50	<5.0	--	--
MW-4	05/25/06	8,300	--	300	77	570	730	<0.50	<0.50	5.4	<0.50	<5.0	--	--
MW-4	08/23/06	9,400	--	240	79	490	860	<0.50	<0.50	6.1	<0.50	<5.0	--	--
MW-4	03/14/07	4,600	--	100	20	350	570	<0.50	<0.50	2.3	<0.50	<5.0	--	--
MW-4	06/12/07	3,700	--	120	14	150	230	<0.50	<0.50	2.5	<0.50	<5.0	--	--
MW-4	08/01/07	3,700	--	120	15	280	310	<0.60	<0.63	<0.77	<0.83	<35	--	--
MW-4	02/27/08	Could not locate well				--	--	--	--	--	--	--	--	--
MW-4	05/13/08	2,800	--	102	18	329	343	<2.5	<2.5	8.0	<2.5	<25.0	--	--
MW-4	08/27/08	4,730	--	72	12	318	233	<0.5	<0.5	33	<0.5	18	--	--
MW-4	11/18/08	2,430	--	39	6.6	163	102	<0.5	<0.5	29	<0.5	8.1	--	--
MW-4	03/11/09	3,470	--	67	12	402	340	<0.5	<0.5	86	<0.5	<5.0	--	--
MW-4	09/22/09	1,590	--	25	<0.5	84	52	<0.5	<0.5	116	<0.5	<5.0	--	--
MW-4	03/09/10	1,790	--	21	4.3	94	65	<0.5	<0.5	220	<0.5	<5.0	--	--
MW-4	09/09/10	77,300	0.1	15,800	2,980	2,770	6,490	<10.0	<10.0	<5.0	<10.0	506	112	<5.0
MW-5	02/05/92	78,000	--	7,900	5,000	2,900	1,800	--	--	--	--	--	--	--
MW-5	09/11/92	49,000	--	4,700	400	1,400	4,100	--	--	--	--	--	--	--
MW-5	12/22/92	34,000	--	8,600	340	2,200	4,800	--	--	--	--	--	--	--
MW-5	03/03/93	22,000	--	7,500	640	1,300	3,400	--	--	--	--	--	--	--
MW-5	06/23/93	15,000	--	5,800	120	1,100	2,100	--	--	--	--	--	--	--
MW-5	09/30/93	25,000	--	7,600	410	1,000	4,400	--	--	--	--	--	--	--
MW-5	02/06/94	23,000	--	6,000	180	2,000	5,900	--	--	--	--	--	--	--
MW-5	05/02/94	8,000	--	1,300	29	440	770	--	--	--	--	--	--	--
MW-5	07/01/94	10,000	--	1,700	97	600	1,400	--	--	--	--	--	--	--
MW-5	09/20/94	8,400	--	1,600	54	650	1,400	--	--	--	--	--	--	--
MW-5	15/5/92	10,000	--	1,800	<50	620	1,400	--	--	--	--	--	--	--
MW-5	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-5	03/15/95	5,300	--	1,100	11	180	320	--	--	--	--	--	--	--
MW-5	09/23/96	9,800	--	1,800	11	470	510	--	--	100	--	--	--	--
MW-5	12/04/96	10,000	--	2,200	9	550	430	--	--	70	--	--	--	--
MW-5	04/08/97	11,000	--	1,300	15	450	720	--	--	180	--	--	--	--
MW-5	06/30/97	3,800	--	500	<	75	84	--	--	<	--	--	--	--
MW-5	11/25/97	8,200	--	1,300	14	310	220	--	--	<	--	--	--	--
MW-5	06/01/98	3,600	--	290	12	52	52	--	--	81	--	--	--	--
MW-5	06/14/01	5,100	--	44	0.71	110	23	--	--	<5.0	--	--	--	--
MW-5	11/07/01	7,600	--	220	<5.0	550	30	<5.0	<5.0	<5.0	<5.0	<50	--	--
MW-5	01/30/02	6,200	--	180	<20	310	130	<20	<20	<20	<20	<200	--	--
MW-5	05/29/02	3,900	--	66	0.8	110	7.4	2	<0.5	0.9	<0.5	<5.0	--	--
MW-5	08/14/02	4,300	--	80	0.9	150	12	<0.5	<0.5	1.1	<0.5	<5.0	--	--

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through March 2010
EZ Serve 100877, 525 West A Street, Hayward, CA

Well Number	Date Sampled	TPH-G (ug/l)	TPH-D (mg/L)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)	1,2-DCA (ug/l)	EDB (ug/l)
MW-5	11/15/02	7,000	--	99	<5.0	250	500	<5.0	<5.0	<5.0	<5.0	<5.0	--	--
MW-5	10/25/04	4,800	--	27	0.5	50	3.7	<0.50	<0.50	0.79	<0.50	<5.0	--	--
MW-5	12/23/04	6,300	--	55	<0.90	140	5.6	<0.90	<0.90	<0.90	<0.90	<5.0	--	--
MW-5	02/25/05	4,700	--	44	0.59	110	4.8	<0.50	<0.50	0.85	<0.50	<5.0	--	--
MW-5	05/19/05	3,800	--	32	0.61	66	4.4	<0.50	<0.50	1	<0.50	<5.0	--	--
MW-5	09/15/05	4,500	--	22	0.65	78	4	<0.50	<0.50	9.5	<0.50	<5.0	--	--
MW-5	11/10/08	4,000	--	19	0.52	77	4.3	<0.50	<0.50	0.8	<0.50	<5.0	--	--
MW-5	03/20/06	4,000	--	9.5	<0.50	4.9	4	<0.50	<0.50	1.5	<0.50	<5.0	--	--
MW-5	05/25/06	3,400	--	12	<0.50	46	3.8	<0.50	<0.50	1.6	<0.50	<5.0	--	--
MW-5	08/23/06	4,000	--	5.6	0.75	42	3.6	<0.50	<0.50	1.3	<0.50	<5.0	--	--
MW-5	03/14/07	3,500	--	3.1	1	31	1.6	<0.50	<0.50	1.8	<0.50	<5.0	--	--
MW-5	06/11/07	2,500	--	3.0	0.83	14	1.4	<0.50	<0.50	1.9	<0.50	<5.0	--	--
MW-5	08/01/07	2,700	--	3.6	1.1	21	1.1	<0.12	<0.12	<0.15	<0.12	<6.9	--	--
MW-5	02/27/08	628	--	1.5	<0.24	8.9	4.2	<0.20	<0.23	1.6	<0.19	<10	--	--
MW-5	05/13/08	752	--	1.3	1.1	1.9	1.8	<0.5	<0.5	7.9	<0.5	<5.0	--	--
MW-5	08/27/08	3,100	--	2.9	2.9	12	6.8	<0.5	<0.5	64	<0.5	30	--	--
MW-5	11/18/08	2,490	--	1.9	0.7	8.7	2.4	<0.5	<0.5	60	<0.5	27	--	--
MW-5	03/11/09	2,210	--	3.3	1.1	8.5	1.3	<0.5	<0.5	72	<0.5	<5.0	--	--
MW-5	09/22/09	2,870	--	4.4	1.1	11	2.9	<0.5	<0.5	88	<0.5	<5.0	--	--
MW-5	03/09/10	103	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	7.8	<0.5	<5.0	--	--
MW-5	09/09/10	31,700	0.2	9,730	333	905	848	<10.0	<10.0	<5.0	<10.0	199	91	<5.0
MW-6	02/05/92	51,000	--	5,400	3,500	3,600	10,000	--	--	--	--	--	--	--
MW-6	09/11/92	24,000	--	2,500	830	1,400	2,300	--	--	--	--	--	--	--
MW-6	12/22/92	23,000	--	5,100	630	2,000	3,100	--	--	--	--	--	--	--
MW-6	03/03/93	18,000	--	4,400	820	1,400	2,400	--	--	--	--	--	--	--
MW-6	06/23/93	18,000	--	4,600	850	2,700	3,400	--	--	--	--	--	--	--
MW-6	09/30/93	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-6	02/06/94	20,000	--	4,600	690	2,100	2,500	--	--	--	--	--	--	--
MW-6	05/02/94	5,300	--	930	54	610	240	--	--	--	--	--	--	--
MW-6	07/01/94	10,000	--	1,500	160	850	690	--	--	--	--	--	--	--
MW-6	09/20/94	11,000	--	2,000	140	1,200	760	--	--	--	--	--	--	--
MW-6	12/06/94	8,600	--	1,300	87	980	610	--	--	--	--	--	--	--
MW-6	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-6	03/15/95	9,800	--	1,600	110	1,000	1,000	--	--	--	--	--	--	--
MW-6	09/23/96	12,000	--	520	55	930	350	--	--	51	--	--	--	--
MW-6	12/04/96	11,000	--	390	25	680	170	--	--	130	--	--	--	--
MW-6	04/08/97	17,000	--	700	92	1,400	900	--	--	2,700	--	--	--	--
MW-6	06/30/97	11,000	--	270	37	590	450	--	--	<	--	--	--	--
MW-6	11/25/97	9,100	--	130	26	500	150	--	--	310	--	--	--	--
MW-6	06/01/98	14,000	--	190	50	680	400	--	--	160	--	--	--	--
MW-6	06/14/01	6,400	--	29	6.3	200	55	--	--	<20	--	--	--	--
MW-6	11/07/01	7,200	--	34	8.7	180	31	<5.0	<5.0	<5.0	<5.0	<50	--	--
MW-6	01/30/02	6,600	--	32	7.2	130	28	<5.0	<5.0	<5.0	<5.0	<50	--	--
MW-6	05/29/02	5,200	--	26	7	150	27	<0.5	<0.5	<5.0	<0.5	<50	--	--
MW-6	08/14/02	5,300	--	24	6.6	120	22	<2.0	<2.0	<2.0	<2.0	<20	--	--
MW-6	11/15/02	5,000	--	19	4.7	70	38	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-6	10/25/04	3,600	--	9.8	2.1	83	16	<0.50	<0.50	2.3	<0.50	<5.0	--	--
MW-6	12/23/04	2,100	--	8.2	1.3	10	2.4	<0.90	<0.90	1.5	<0.90	<5.0	--	--
MW-6	02/25/05	2,500	--	6.6	1.4	29	5.2	<0.50	<0.50	0.74	<0.50	<5.0	--	--
MW-6	05/19/05	3,800	--	7.5	2.2	54	12	<0.50	<0.50	3.1	<0.50	<5.0	--	--
MW-6	09/15/05	1,900	--	2.9	0.88	12	2.7	<0.50	<0.50	0.94	<0.50	<5.0	--	--
MW-6	11/10/05	1,700	--	2.1	0.6	5.4	1.7	<0.50	<0.50	0.81	<0.50	<5.0	--	--
MW-6	03/20/06	2,300	--	3.6	1.0	12	3.9	<0.50	<0.50	1.1	<0.50	<5.0	--	--
MW-6	05/25/06	2,400	--	5	1.8	31	14	<0.50	<0.50	3	<0.50	<5.0	--	--
MW-6	08/23/06	2,300	--	2.3	0.84	7.8	4.2	<0.50	<0.50	1.7	<0.50	<5.0	--	--
MW-6	03/14/07	3,300	--	2.8	0.7	49	6.5	<0.50	<0.50	10	<0.50	<5.0	--	--
MW-6	06/12/07	2,000	--	1.4	0.54	3.2	2.1	<0.50	<0.50	32	<0.50	<5.0	--	--

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through March 2010
EZ Serve 100877, 525 West A Street, Hayward, CA

Well Number	Date Sampled	TPH-G (ug/l)	TPH-D (mg/L)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)	1,2-DCA (ug/l)	EDB (ug/l)
MW-6	08/01/07	1,500	--	0.99	0.4	2.1	1.2	<0.12	<0.13	50	<0.17	<6.9	--	--
MW-6	02/27/08	1,520	--	<0.18	<0.24	2.4	1.3	<0.20	<0.23	140	<0.19	<10	--	--
MW-6	05/13/08	1,530	--	1.0	0.8	4.0	1.5	<0.5	<0.5	127	<0.5	<5.0	--	--
MW-6	08/27/08	Could not locate	--	--	--	--	--	--	--	--	--	--	--	--
MW-6	11/18/08	Could not locate	--	--	--	--	--	--	--	--	--	--	--	--
MW-6	03/11/09	Could not locate	--	--	--	--	--	--	--	--	--	--	--	--
MW-6	03/09/10	Could not locate	--	--	--	--	--	--	--	--	--	--	--	--
MW-7	06/23/93	29,000	--	4,200	71	4,400	5,600	--	--	--	--	--	--	--
MW-7	09/30/93	30,000	--	3,200	71	2,800	3,400	--	--	--	--	--	--	--
MW-7	02/06/94	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-7	05/02/94	5,700	--	630	13	660	400	--	--	--	--	--	--	--
MW-7	07/01/94	3,100	--	180	99	160	520	--	--	--	--	--	--	--
MW-7	09/20/94	6,100	--	540	6	750	730	--	--	--	--	--	--	--
MW-7	12/05/94	3,700	--	280	<10	430	350	--	--	--	--	--	--	--
MW-7	03/10/95	3,900	--	310	<10	540	540	--	--	--	--	--	--	--
MW-7	03/14/95	1,900	--	290	4	26	296	--	--	--	--	--	--	--
MW-7	09/23/96	6,300	--	76	<	420	270	--	--	15	--	--	--	--
MW-7	12/04/96	7,800	--	67	<	600	350	--	--	22	--	--	--	--
MW-7	04/08/97	5,600	--	42	<	240	96	--	--	<	--	--	--	--
MW-7	06/30/97	5,500	--	<	79	<	44	--	--	280	--	--	--	--
MW-7	11/25/97	2,400	--	23	5.4	<	54	--	--	120	--	--	--	--
MW-7	06/01/98	14,000	--	190	50	680	400	--	--	160	--	--	--	--
MW-7	06/14/01	6,400	--	29	6	200	55	--	--	<20	--	--	--	--
MW-7	11/07/01	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-7	01/30/02	6,200	--	1.5	<0.50	96	4.6	<0.5	<0.5	<0.5	<0.5	<50	--	--
MW-7	05/29/02	1,600	--	1	<0.50	3.4	1.9	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-7	08/14/02	4,100	--	1.3	<0.50	74	1.3	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-7	11/15/02	1,000	--	0.6	<0.50	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-7	10/25/04	Could not locate well	--	--	--	--	--	--	--	--	--	--	--	--
MW-7	05/19/05	660	--	<0.50	<0.50	1.8	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-7	09/15/05	Could not locate well	--	--	--	--	--	--	--	--	--	--	--	--
MW-7	11/10/05	340	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-7	03/20/06	Could not locate well	--	--	--	--	--	--	--	--	--	--	--	--
MW-7	05/25/06	Could not locate well	--	--	--	--	--	--	--	--	--	--	--	--
MW-7	08/23/06	380	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-7	03/14/07	170	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-7	06/12/07	Could not locate well	--	--	--	--	--	--	--	--	--	--	--	--
MW-7	08/01/07	470	--	<0.12	<0.15	1.7	0.5	<0.12	<0.13	<0.15	<0.17	<6.9	--	--
MW-7	02/27/08	257	--	<0.18	<0.24	<0.21	<0.45	<0.20	<0.23	<0.19	<0.19	<10	--	--
MW-7	05/13/08	241	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-7	08/27/08	514	--	<0.5	<0.5	0.9	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-7	11/18/08	281	--	<0.5	<0.5	0.7	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-7	03/11/09	327	--	<0.5	<0.5	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-7	09/22/09	216	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-7	03/09/10	143	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-7	09/09/10	100	<0.1	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	0.5	<1.0	<10	<0.5	<0.5
MW-8	06/23/93	350	--	43	9	35	67	--	--	--	--	--	--	--
MW-8	09/30/93	2,700	--	190	340	170	720	--	--	--	--	--	--	--
MW-8	02/06/94	<100	--	<1	1	1	2	--	--	--	--	--	--	--
MW-8	05/02/94	<100	--	<1	3	<1	7	--	--	--	--	--	--	--
MW-8	07/01/94	300	--	18	48	19	37	--	--	--	--	--	--	--
MW-8	09/20/94	<100	--	<1	<1	<1	<1	--	--	--	--	--	--	--
MW-8	12/05/94	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-8	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-8	03/15/95	<50	--	<0.5	<0.5	<0.5	1	--	--	--	--	--	--	--
MW-8	09/23/96	<	--	<	<	<	<	<	<	<	<	<	<	<

Not sampled, well inaccessible since 4th quarter, 1996

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through March 2010
EZ Serve 100877, 525 West A Street, Hayward, CA

Well Number	Date Sampled	TPH-G (ug/l)	TPH-D (mg/L)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)	1,2-DCA (ug/l)	EDB (ug/l)
MW-9	06/23/93	45,000	--	14,000	1,200	2,800	12,000	--	--	--	--	--	--	--
MW-9	09/30/93	86,000	--	22,000	1,100	3,300	15,000	--	--	--	--	--	--	--
MW-9	02/06/94	43,000	--	10,000	460	2,100	7,500	--	--	--	--	--	--	--
MW-9	05/02/94	17,000	--	5,400	270	1,300	4,700	--	--	--	--	--	--	--
MW-9	07/01/94	10,000	--	2,100	120	450	1,300	--	--	--	--	--	--	--
MW-9	09/20/94	7,500	--	2,200	97	400	1,200	--	--	--	--	--	--	--
MW-9	12/05/94	10,000	--	2,700	130	530	1,600	--	--	--	--	--	--	--
MW-9	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-9	03/15/95	18,000	--	5,900	270	1,200	3,680	--	--	--	--	--	--	--
Not sampled, well inaccessible since 1st quarter, 1995														
MW-10	06/23/93	35,000	--	980	640	3,500	12,000	--	--	--	--	--	--	--
MW-10	09/30/93	4,000	--	230	12	100	680	--	--	--	--	--	--	--
MW-10	02/06/94	2,000	--	69	12	220	120	--	--	--	--	--	--	--
MW-10	05/02/94	710	--	16	6	85	62	--	--	--	--	--	--	--
MW-10	07/01/94	2,000	--	52	43	120	210	--	--	--	--	--	--	--
MW-10	09/20/94	2,800	--	34	16	270	560	--	--	--	--	--	--	--
MW-10	12/05/94	2,700	--	30	13	260	430	--	--	--	--	--	--	--
MW-10	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-10	03/15/95	1,400	--	18	6	200	239	--	--	--	--	--	--	--
MW-10	09/23/96	3,800	--	4	2.9	220	170	--	--	397	--	--	--	--
MW-10	12/04/96	4,600	--	1.6	7.7	260	150	--	--	20	--	--	--	--
Not sampled, well inaccessible since 4th quarter, 1996														
MW-11	02/10/95	7,000	--	140	22	600	1,000	--	--	--	--	--	--	--
MW-11	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-11	03/15/95	6,000	--	200	17	750	1,276	--	--	--	--	--	--	--
MW-11	09/23/96	27,000	--	55	81	300	3,500	--	--	40	--	--	--	--
MW-11	12/04/96	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-11	04/08/97	24,000	--	280	130	3,000	3,700	--	--	<	--	--	--	--
Not sampled, well inaccessible since 2nd quarter, 1997														
MW-12	02/10/95	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-12	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	03/14/95	<50	--	<0.5	<0.5	<0.5	0.9	--	--	--	--	--	--	--
MW-12	09/23/96	<	--	<	1.6	<	<	--	--	--	--	--	--	--
MW-12	12/04/96	<	--	3.2	<	1.9	3.4	--	--	--	--	--	--	--
MW-12	04/08/97	<	--	<	<	<	<	--	--	--	--	--	--	--
MW-12	06/30/97	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	11/25/97	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	06/01/98	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	06/14/01	<50	--	<0.50	<0.50	<0.50	<0.50	--	--	<5.0	--	--	--	--
MW-12	11/07/01	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	01/30/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	05/29/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	08/14/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	11/15/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	10/25/04	Not Accessible												
MW-12	02/25/05	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	05/19/05	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	09/15/05	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	11/10/05	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-12	03/20/06	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-12	05/25/06	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-12	08/23/06	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-12	03/14/07	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-12	06/11/07	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-12	08/01/07	45	--	<0.12	<0.15	<0.17	<0.34	<0.12	<0.13	<0.15	<0.17	<6.9	--	--

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through March 2010
EZ Serve 100877, 525 West A Street, Hayward, CA

Well Number	Date Sampled	TPH-G (ug/l)	TPH-D (mg/L)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)	1,2-DCA (ug/l)	EDB (ug/l)
MW-12	02/27/08	<6.6	--	<0.18	<0.24	<0.21	<0.45	<0.20	<0.23	<0.19	<0.19	<10	--	--
MW-12	05/13/08	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	08/27/08	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	11/18/08	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	03/11/09	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	09/22/09	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	03/09/10	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-13	02/10/95	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-13	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	03/14/95	<50	--	<0.5	<0.5	<0.5	1	--	--	--	--	--	--	--
MW-13	09/23/96	<	--	<	0.8	1	<	--	--	<	--	--	--	--
MW-13	12/04/96	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	04/08/97	<	--	<	<	<	<	--	--	<	--	--	--	--
MW-13	06/30/97	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	11/25/97	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	06/01/98	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	06/14/01	<50	--	<0.50	<0.50	<0.50	<0.50	--	--	<5.0	--	--	--	--
MW-13	11/07/01	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-13	01/30/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-13	05/29/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-13	08/14/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-13	11/15/02	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	10/25/04	Not sampled, well inaccessible since 4th quarter, 2004						--	--	--	--	--	--	--
MW-14	02/10/95	12,000	--	42	8	740	2,100	--	--	--	--	--	--	--
MW-14	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-14	03/14/95	1,400	--	6	2	36	298	--	--	--	--	--	--	--
MW-14	09/23/96	6,400	--	2.8	<	690	96	--	--	9.6	--	--	--	--
MW-14	12/04/96	9,500	--	6.3	<	1,100	400	--	--	30	--	--	--	--
MW-14	04/08/97	2,900	--	<	2.7	220	21	--	--	<	--	--	--	--
MW-14	06/30/97	74	--	1.3	<	0.51	0.68	--	--	<	--	--	--	--
MW-14	11/25/97	<	--	<	<	<	<	--	--	<	--	--	--	--
MW-14	06/01/98	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	<5	--	--	--	--
MW-14	06/14/01	470	--	<0.5	<0.5	2.8	1	--	--	<5	--	--	--	--
MW-14	11/07/01	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-14	01/30/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-14	05/29/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-14	08/14/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-14	11/15/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-14	10/25/04	Not Accessible						--	--	--	--	--	--	--
MW-14	02/25/05	210	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-14	05/19/05	230	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-14	09/15/05	Not Accessible						--	--	--	--	--	--	--
MW-14	11/10/05	Not Accessible						--	--	--	--	--	--	--
MW-14	03/20/06	180	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-14	05/25/06	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-14	08/23/06	99	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-14	03/14/07	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-14	06/11/07	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-14	08/01/07	53	--	<0.12	<0.15	<0.17	<0.34	<0.12	<0.13	<0.15	<0.17	<6.9	--	--
MW-14	02/27/08	<6.6	--	<0.18	<0.24	<0.21	<0.45	<0.20	<0.23	<0.19	<0.19	<10	--	--
MW-14	05/13/08	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-14	08/27/08	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-14	11/18/08	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-14	03/11/09	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-14	09/22/09	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-14	03/09/10	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through March 2010
EZ Serve 100877, 525 West A Street, Hayward, CA

Well Number	Date Sampled	TPH-G (ug/l)	TPH-D (mg/L)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)	1,2-DCA (ug/l)	EDB (ug/l)
EX-1	08/14/02	250	--	31	<0.5	<0.5	4	<0.5	<0.5	1.4	<0.5	<5.0	--	--
EX-1	11/15/02	67	--	4.1	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	<5.0	--	--
EX-1	10/25/04	96	--	2.1	<0.50	4.9	1.8	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
EX-1	12/23/04	<50	--	<0.50	<0.50	0.87	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
EX-1	02/25/05	59	--	1.4	<0.50	2	0.87	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
EX-1	05/19/05	200	--	3.4	<0.50	3.7	1.8	<0.50	<0.50	1.3	<0.50	<5.0	--	--
EX-1	09/15/05	290	--	7.5	<0.50	2.8	0.66	<0.50	<0.50	1.2	<0.50	<5.0	--	--
EX-1	11/10/05	270	--	5.1	<0.50	9.2	1.5	<0.50	<0.50	0.94	<0.50	<5.0	--	--
EX-1	03/20/06	820	--	7.5	<0.50	15	7.2	<0.50	<0.50	0.94	<0.50	<5.0	--	--
EX-1	05/25/06	100	--	<0.50	<0.50	1	0.9	<0.50	<0.50	0.79	<0.50	<5.0	--	--
EX-1	08/23/06	440	--	7.3	<0.50	0.72	0.61	<0.50	<0.50	1.2	<0.50	<5.0	--	--
EX-1	03/14/07	360	--	1.6	<0.50	8.8	1.8	<0.50	<0.50	1.7	<0.50	<5.0	--	--
EX-1	06/11/07	240	--	1.1	<0.50	6.0	1.4	<0.50	<0.50	4.3	<0.50	<5.0	--	--
EX-1	08/01/07	410	--	2.5	<0.15	4.2	0.92	<0.12	<0.13	3.6	<0.17	<6.9	--	--
EX-1	02/27/08	Not Accessible		--	--	--	--	--	--	--	--	--	--	--
EX-1	08/27/08	348	--	0.9	<0.5	0.8	<0.5	<0.5	<0.5	94	<0.5	22	--	--
EX-1	11/18/08	459	--	0.8	<0.5	<0.5	<0.5	<0.5	<0.5	16	<0.5	7.9	--	--
EX-1	03/11/09	371	--	<0.5	<0.5	3.6	<0.5	<0.5	<0.5	151	<0.5	<5.0	--	--
EX-1	09/22/09	295	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	79	<0.5	<5.0	--	--
EX-1	03/09/10	344	--	0.5	<0.5	1.2	<0.5	<0.5	<0.5	239	<0.5	<5.0	--	--
EX-1	09/09/10	759	<0.1	2.1	<1.0	1.3	<1.0	<2.0	<2.0	217	<2.0	<20.0	<1.0	<1.0
VEAS-2	02/25/05	90	--	1.1	<0.50	0.7	1.3	<0.50	<0.50	1.4	<0.50	<5.0	--	--
VEAS-2	05/19/05	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
VEAS-2	11/10/05	--	--	--	--	--	--	--	--	--	--	--	--	--

Notes:

TPH-G = total petroleum hydrocarbons with gasoline distinction

MTBE = methyl tertiary butyl ether

DIPE = di-isopropyl ether

ETBE = ethyl-tert-butyl ether

TAME = tert-amyl methyl ether

TBA = tert butanol

1,2-DCA = 1,2-Dichloroethane

EDB = 1,2-Dibromoethane

ug/l = micrograms per liter

mg/L = milligrams per liter


-- = not analyzed, measured, or collected

< = Sample reported as "not detected", in previous tables, reporting limit not known (Delta Environmental)

Note: No known groundwater sampling was conducted between June 1, 1998 and June 14, 2001, June 14, 2001 and November 7, 2001

Wellhead elevations resurveyed on January 30, 2002.

FIGURES



0 1000 FEET 0 500 1000 METERS
 0 5 1 MILE
 Printed from TOPO! ©2001 National Geographic Holdings (www.topo.com)

GEOENVIRO SERVICES, INC.

SITE LOCATION MAP

FORMER EZ SERVE STATION NO. 100877
 525 WEST A STREET
 HAYWARD, CA


OCTOBER 2010

FIGURE 1


DRAWN BY: JPS

CLIENT: RPMS
 JOB No.: 07-131





SCALE 1" = 80'



DRAWN BY: GRS
 REVISION DATE: OCTOBER 14, 2010
 CLIENT: RPMS
 JOB No.: 07-131

LEGEND


- MW-1 26.79 GROUNDWATER MONITORING WELL WITH GROUNDWATER ELEVATION IN FEET AMSL AS MEASURED ON 09/09/2010
- EX-1 GROUNDWATER EXTRACTION WELL
- VEAS-2 REMEDIATION WELL NM NOT MEASURED
- MW-2 DESTROYED GROUNDWATER MONITORING WELL
- (26.50') GROUNDWATER ELEVATION CONTOUR IN FEET ABOVE MEAN SEA LEVEL AS MEASURED 09/09/2010

GEOENVIRO SERVICES, INC.

SITE MAP WITH CONTOURS OF
 GROUNDWATER ELEVATION
 THIRD QUARTER 2010

FORMER EZ SERVE STATION NO. 100877
 525 WEST A STREET
 HAYWARD, CA

OCTOBER 2010 FIGURE 2



SCALE 1" = 80'



DRAWN BY: GRS
 REVISION DATE: OCTOBER 14, 2010
 CLIENT: RPMS
 JOB No.: 07-131

LEGEND


- MW-1 4,750 GROUNDWATER MONITORING WELL WITH TPHg CONCENTRATIONS IN ug/L AS MEASURED ON 9/9/2010
- EX-1 NA GROUNDWATER EXTRACTION WELL
- VEAS-2 REMEDIATION WELL NA - NOT ANALYZED
- MW-2 DESTROYED GROUNDWATER MONITORING WELL
- 1,000 ug/L TPHg IN GROUNDWATER CONCENTRATION CONTOUR AS MEASURED ON 9/9/10

GEOENVIRO SERVICES, INC.

SITE MAP WITH CONTOURS OF THPg CONCENTRATIONS IN GROUNDWATER THIRD QUARTER 2010

FORMER EZ SERVE STATION NO. 100877
 525 WEST A STREET
 HAYWARD, CA

OCTOBER 2010 **FIGURE 3**



SCALE 1" = 80'



DRAWN BY: GRS
 REVISION DATE: OCTOBER 14, 2010
 CLIENT: RPMS
 JOB No.: 07-131

LEGEND


- MW-1 39 GROUNDWATER MONITORING WELL WITH BENZENE CONCENTRATIONS IN ug/L AS MEASURED ON 9/9/2010
- EX-1 2.1 GROUNDWATER EXTRACTION WELL
- VEAS-2 REMEDIATION WELL NA - NOT ANALYZED
- MW-2 DESTROYED GROUNDWATER MONITORING WELL
- 10 ug/L BENZENE IN GROUNDWATER CONCENTRATION CONTOUR AS MEASURED ON 9/9/10

GEOENVIRO SERVICES, INC.


SITE MAP WITH CONTOURS OF BENZENE CONCENTRATIONS IN GROUNDWATER THIRD QUARTER 2010

FORMER EZ SERVE STATION NO. 100877
 525 WEST A STREET
 HAYWARD, CA

OCTOBER 2010 **FIGURE 4**



SCALE 1" = 80'



DRAWN BY: GRS
 REVISION DATE: OCTOBER 14, 2010
 CLIENT: RPMS
 JOB No.: 07-131

LEGEND

- MW-1 85 GROUNDWATER MONITORING WELL WITH MTBE CONCENTRATIONS IN ug/L AS MEASURED ON 9/9/2010
- EX-1 217 GROUNDWATER EXTRACTION WELL
- VEAS-2 REMEDIATION WELL
- MW-2 DESTROYED GROUNDWATER MONITORING WELL
- 100 ug/L MTBE IN GROUNDWATER CONCENTRATION CONTOUR AS MEASURED ON 9/9/10
- NA - NOT ANALYZED

GEOENVIRO SERVICES, INC.

SITE MAP WITH CONTOURS OF MTBE CONCENTRATIONS IN GROUNDWATER THIRD QUARTER 2010

FORMER EZ SERVE STATION NO. 100877
 525 WEST A STREET
 HAYWARD, CA

OCTOBER 2010 **FIGURE 5**

ATTACHMENT A
GENERAL GROUNDWATER MONITORING FIELD PROCEDURES

Groundwater Sampling Protocol

Monitoring Wells

Prior to purging a monitoring well, groundwater levels are measured with a Solinst electric depth measurement device, or an interface probe, in all wells that are to be measured. At sites where petroleum hydrocarbons are possible contaminants, the well is checked for floating product using an interface probe. If floating product is measured during the initial sampling round or noted during subsequent sampling rounds, floating product measurements are continued.

After the water level and floating product measurements are complete, the monitoring well is purged until a minimum of three casing volumes of water are removed, water is relatively clear of sediment, and pH, conductivity, and temperature measurements of the water become relatively stable. If the well is purged dry, groundwater samples are collected after the water level in the well recovers to at least 80 percent of the original water column measured in the well prior to sampling, or following a maximum recovery period of two hours. The well is purged using a factory-sealed, disposable, polyethylene bailer, a submersible Grundfos pump, or a peristaltic pump. The purge water is stored on-site in clean, 55-gallon drums or aboveground tanks.

A groundwater sample is collected from each monitoring well following re-equilibration of the well after purging. The groundwater sample is collected using a factory-sealed disposable, polyethylene bailer with a sampling port, or a factory-sealed Teflon bailer. A factory provided attachment designed for use with volatile organic compounds (VOCs) is attached to the polyethylene bailer sampling port when collecting samples to be analyzed for VOCs. The groundwater sample is transferred from the bailer into sample container(s) that are obtained directly from the analytical laboratory.

The sample container(s) is labeled with a self-adhesive tag. The following information is included on the tag:

- Project number
- Sample number
- Date and time sample is collected
- Initials of sample collector(s).

Individual log sheets are maintained throughout the sampling operations. The following information is recorded:

- Sample number
- Date and time well sampled and purged
- Sampling location
- Types of sampling equipment used
- Name of sampler(s)
- Volume of water purged.

Following collection of the groundwater sample, the sample is immediately stored on blue ice in an appropriate container. A chain-of-custody form is completed with the following information:

- Date the sample was collected
- Sample number and the number of containers
- Analyses required
- Remarks including preservatives added and any special conditions.

The original copy of the chain-of-custody form accompanies the sample containers to a California-certified laboratory. A copy is retained by GeoEnviro Services and placed in company files.

Sampling equipment including thermometers, pH electrodes, and conductivity probes are cleaned both before and after their use at the site. The following cleaning procedures are used:

- Scrub with a potable water and detergent solution using a hard bristle brush
- Rinse with potable water
- Double-rinse with organic-free or deionized water
- Package and seal equipment in plastic bags or other appropriate containers to prevent contact with solvents, dust, or other contaminants.

In addition, the pumps are cleaned by pumping a potable water and detergent solution and deionized water through the system. Cleaning solutions are contained on-site in clean 55-gallon drums.

Domestic and Irrigation Wells

Groundwater samples collected from domestic or irrigation wells are collected from the spigot that is the closest to the well. Prior to collecting the sample, the spigot is allowed to flow for at least 5 minutes to purge the well. The sample is then collected directly into laboratory-supplied containers, sealed, labeled, and stored on blue ice in an appropriate container, as described above. A chain-of-custody form is completed and submitted with the samples to the analytical laboratory.

**ATTACHMENT B
GROUNDWATER MONITORING AND SAMPLING
FIELD DOCUMENTATION**

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-1
 Sampled By: J. Schaaf
 Date: 9/9/2010

Well Diameter:	4
Total Well Depth:	25
Depth to Water:	14.96
Water Column:	10.04
Calculated Purge:	20.08
Actual Purge:	17
Free Product?	No
Product Sheen?	No

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 11:25

Post Purge DTWs:

Time	DTW
11:25	16.42

Analyze for:	
TPH Diesel - TPH Motor Oil	x
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp. F	pH	Volume Purged (gal)	Comments
10:05	1332	20.8	6.09	5	
10:09	1326	20.4	6.11	10	
10:13	1321	20.4	6.11	15	
10:16	1317	20.4	6.11	17	

Additional Comments:

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-3
 Sampled By: J. Schaaf
 Date: 9/8/2010

Well Diameter:	4
Total Well Depth:	34
Depth to Water:	16.39
Water Column:	17.61
Calculated Purge:	35.22
Actual Purge:	20
Free Product?	No
Product Sheen?	No

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 10:50

Post Purge DTWs:

Time	DTW
10:50	16.39

Analyze for:	
TPH Diesel - TPH Motor Oil	x
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp. F	pH	Volume Purged (gal)	Comments
9:08	1312	19.2	6.40	5	
9:13	1340	19.4	6.20	10	
9:16	1361	19.4	6.23	15	
9:21	1362	19.4	6.22	20	Stabilized at 20 gallons

Additional Comments:

Physical parameters stable after 20 gallons - end purge.

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-4
 Sampled By: J. Schaaf
 Date: 9/9/2010

Well Diameter:	4
Total Well Depth:	30
Depth to Water:	15.88
Water Column:	14.12
Calculated Purge:	28.24
Actual Purge:	20
Free Product?	No
Product Sheen?	No

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 11:00

Post Purge DTWs:

Time	DTW
11:00	14.13

Analyze for:	
TPH Diesel - TPH Motor Oil	x
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp. F	pH	Volume Purged (gal)	Comments
9:28	1397	19.7	6.28	5	Gray color
9:32	1398	19.5	6.27	10	
9:35	1396	19.4	6.25	15	
9:39	1395	19.4	6.25	20	Stabilized at 20 gallons

Additional Comments:

Physical parameters stable after 20 gallons - end purge.

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-5
 Sampled By: J. Schaaf
 Date: 9/9/2010

Well Diameter:	4
Total Well Depth:	25
Depth to Water:	15.50
Water Column:	9.50
Calculated Purge:	19.00
Actual Purge:	19
Free Product?	No
Product Sheen?	No

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 11:10

Post Purge DTWs:

Time	DTW
11:10	15.58

Analyze for:	
TPH Diesel - TPH Motor Oil	x
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp. F	pH	Volume Purged (gal)	Comments
9:45	1360	20.7	6.14	5	HC odor, gray color
9:49	1453	20.7	6.09	10	
9:53	1486	20.8	6.11	15	
10:00	1488	20.8	6.10	19	

Additional Comments:

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D: MW-7
 Sampled By: J. Schaaf
 Date: 9/9/2010

Well Diameter:	2
Total Well Depth:	30
Depth to Water:	16.23
Water Column:	13.77
Calculated Purge:	6.89
Actual Purge:	7
Free Product?	NO
Product Sheen?	NO

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 10:30

Post Purge DTWs:

Time	DTW
10:30	16.23

Analyze for:	
TPH Diesel - TPH Motor Oil	x
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp. C	pH	Volume Purged (gal)	Comments
8:30	1154	18.1	6.17	2	Silty
8:33	1166	18.1	6.16	4	
8:38	1176	18.2	6.13	7	

Additional Comments:

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D.: EX-1
 Sampled By: J. Schaaf
 Date: 9/9/2010

Well Diameter:	6
Total Well Depth:	34
Depth to Water:	16.38
Water Column:	17.62
Calculated Purge:	77.53
Actual Purge:	20
Free Product?	NO
Product Sheen?	NO

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot
6-inch Diameter Well:	4.4 gallons/linear foot

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 10:40

Post Purge DTWs:

Time	DTW
10:40	16.38

Analyze for:	
TPH Diesel - TPH Motor Oil	x
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	


Laboratory: Associated Laboratories

Time	Conductivity	Temp.	pH	Volume Purged (gal)	Comments
8:50	1396	19.2	6.07	5	
8:54	1393	19.5	6.06	10	
8:58	1393	19.7	6.07	15	
9:04	1393	19.7	6.07	20	
					Stabilized at 20 gallons

Additional Comments:

Physical parameters stable after 20 gallons - end purge.

ATTACHMENT C
LABORATORY ANALYTICAL REPORTS
AND CHAIN OF CUSTODY DOCUMENTATION



ASSOCIATED LABORATORIES

806 North Batavia - Orange, California 92868 - 714/771-6900

FAX 714/538-1209

CLIENT GeoEnviro Services, Inc. (12421)
ATTN: Joe Schaaf
5529 Kailas St.
Ventura, CA 93003

LAB REQUEST 261437

REPORTED 09/27/2010

RECEIVED 09/15/2010

PROJECT #07-131
Former EZ Serve 100877
525 West A St., Hayward

SUBMITTER Client


COMMENTS Global ID: T0600100483

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

<u>Order No.</u>	<u>Client Sample Identification</u>
1110686	MW-1
1110687	MW-3
1110688	MW-4
1110689	MW-5
1110690	MW-7
1110691	EX-1
1110692	Laboratory Method Blank

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by,


Edward S. Behare, Ph.D.
Vice President

NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 30 days from date reported.

The reports of the Associated Laboratories are confidential property of our clients and may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING
Chemical
Microbiological
Environmental

Order #: 1110686

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-1

Date Sampled: 09/09/2010

Time Sampled: 11:25

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

8015 TEPH Diesel

TEPH Diesel	1.7	1	0.1	mg/L	09/21/10 AF
Surrogates				Units	Control Limits
Triacotane (Sur)	105			%	60 - 140

8260B VOC Oxygenates

Di-isopropyl ether (DIPE)	ND	1	1.0	ug/L	09/21/10 LZ
Ethyl-tertbutylether (ETBE)	ND	1	1.0	ug/L	09/21/10 LZ
Tert-amylmethylether (TAME)	ND	1	1.0	ug/L	09/21/10 LZ
Tertiary butyl alcohol (TBA)	ND	1	10	ug/L	09/21/10 LZ
1,2-Dibromoethane	ND	1	0.5	ug/L	09/21/10 LZ
1,2-Dichloroethane	ND	1	0.5	ug/L	09/21/10 LZ
Benzene	39	1	0.5	ug/L	09/21/10 LZ
Ethyl benzene	46	1	0.5	ug/L	09/21/10 LZ
Methyl-tert-butylether (MTBE)	85	1	0.5	ug/L	09/21/10 LZ
Toluene	0.7	1	0.5	ug/L	09/21/10 LZ
Xylenes, total	2.4	1	0.5	ug/L	09/21/10 LZ
Surrogates				Units	Control Limits
Surr1 - Dibromofluoromethane	114			%	70 - 145
Surr2 - 1,2-Dichloroethane-d4	118			%	70 - 145
Surr3 - Toluene-d8	93			%	70 - 145
Surr4 - p-Bromofluorobenzene	99			%	70 - 145

8015B - Gasoline

Gasoline	4750	1	50	ug/L	09/16/10 LT
Surrogates				Units	Control Limits
p-Bromofluorobenzene (Sur)	60			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report



Order #: 1110687

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-3

Date Sampled: 09/09/2010

Time Sampled: 10:50

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

8015 TEPH Diesel

TEPH Diesel	ND	1	0.1	mg/L	09/21/10 AF
Surrogates				Units	Control Limits
Triacotane (Sur)	114			%	60 - 140

8260B VOC Oxygenates

Di-isopropyl ether (DIPE)	ND	1	1.0	ug/L	09/17/10 LZ
Ethyl-tertbutylether (ETBE)	ND	1	1.0	ug/L	09/17/10 LZ
Tert-amylmethylether (TAME)	ND	1	1.0	ug/L	09/17/10 LZ
Tertiary butyl alcohol (TBA)	ND	1	10	ug/L	09/17/10 LZ
1,2-Dibromoethane	ND	1	0.5	ug/L	09/17/10 LZ
1,2-Dichloroethane	ND	1	0.5	ug/L	09/17/10 LZ
Benzene	ND	1	0.5	ug/L	09/17/10 LZ
Ethyl benzene	1.5	1	0.5	ug/L	09/17/10 LZ
Methyl-tert-butylether (MTBE)	36	1	0.5	ug/L	09/17/10 LZ
Toluene	ND	1	0.5	ug/L	09/17/10 LZ
Xylenes, total	ND	1	0.5	ug/L	09/17/10 LZ
Surrogates				Units	Control Limits
Surr1 - Dibromofluoromethane	100			%	70 - 145
Surr2 - 1,2-Dichloroethane-d4	105			%	70 - 145
Surr3 - Toluene-d8	98			%	70 - 145
Surr4 - p-Bromofluorobenzene	98			%	70 - 145

8015B - Gasoline

Gasoline	272	1	50	ug/L	09/16/10 LT
Surrogates				Units	Control Limits
p-Bromofluorobenzene (Sur)	90			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report



Order #: 1110688

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-4

Date Sampled: 09/09/2010

Time Sampled: 11:00

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

8015 TEPH Diesel

TEPH Diesel	0.1	1	0.1	mg/L	09/21/10 AF
-------------	-----	---	-----	------	-------------

Surrogates

				Units	Control Limits
Triacotane (Sur)	127			%	60 - 140

8260B VOC Oxygenates

Di-isopropyl ether (DIPE)	ND	10	10.0	ug/L	09/17/10 LZ
Ethyl-tertbutylether (ETBE)	ND	10	10.0	ug/L	09/17/10 LZ
Tert-amylmethylether (TAME)	ND	10	10.0	ug/L	09/17/10 LZ
Tertiary butyl alcohol (TBA)	506	10	100.0	ug/L	09/17/10 LZ
1,2-Dibromoethane	ND	10	5.0	ug/L	09/17/10 LZ
1,2-Dichloroethane	112	10	5.0	ug/L	09/17/10 LZ
Benzene	15800	400	200.0	ug/L	09/17/10 LZ
Ethyl benzene	2770	400	200.0	ug/L	09/17/10 LZ
Methyl-tert-butylether (MTBE)	ND	10	5.0	ug/L	09/17/10 LZ
Toluene	2980	400	200.0	ug/L	09/17/10 LZ
Xylenes, total	6490	400	200.0	ug/L	09/17/10 LZ

Surrogates

				Units	Control Limits
Surr1 - Dibromofluoromethane	105			%	70 - 145
Surr2 - 1,2-Dichloroethane-d4	104			%	70 - 145
Surr3 - Toluene-d8	96			%	70 - 145
Surr4 - p-Bromofluorobenzene	97			%	70 - 145

8015B - Gasoline

Gasoline	77300	100	5000.0	ug/L	09/16/10 LT
----------	-------	-----	--------	------	-------------

Surrogates

				Units	Control Limits
p-Bromofluorobenzene (Sur)	87			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report



Order #: 1110689

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-5

Date Sampled: 09/09/2010

Time Sampled: 11:10

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
8015 TEPH Diesel					
TEPH Diesel	0.2	1	0.1	mg/L	09/21/10 AF
Surrogates				Units	Control Limits
Triacontane (Sur)	105			%	60 - 140
8260B VOC Oxygenates					
Di-isopropyl ether (DIPE)	ND	10	10.0	ug/L	09/17/10 LZ
Ethyl-tertbutylether (ETBE)	ND	10	10.0	ug/L	09/17/10 LZ
Tert-amylmethylether (TAME)	ND	10	10.0	ug/L	09/17/10 LZ
Tertiary butyl alcohol (TBA)	199	10	100.0	ug/L	09/17/10 LZ
1,2-Dibromoethane	ND	10	5.0	ug/L	09/17/10 LZ
1,2-Dichloroethane	91	10	5.0	ug/L	09/17/10 LZ
Benzene	9730	200	100.0	ug/L	09/21/10 LZ
Ethyl benzene	905	10	5.0	ug/L	09/17/10 LZ
Methyl-tert-butylether (MTBE)	ND	10	5.0	ug/L	09/17/10 LZ
Toluene	333	10	5.0	ug/L	09/17/10 LZ
Xylenes, total	848	10	5.0	ug/L	09/17/10 LZ
Surrogates				Units	Control Limits
Surr1 - Dibromofluoromethane	104			%	70 - 145
Surr2 - 1,2-Dichloroethane-d4	67*			%	70 - 145
Surr3 - Toluene-d8	96			%	70 - 145
Surr4 - p-Bromofluorobenzene	97			%	70 - 145
8015B - Gasoline					
Gasoline	31700	10	500.0	ug/L	09/16/10 LT
Surrogates				Units	Control Limits
p-Bromofluorobenzene (Sur)	106			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



Order #: 1110690

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-7

Date Sampled: 09/09/2010

Time Sampled: 10:30

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

8015 TEPH Diesel

TEPH Diesel	ND	1	0.1	mg/L	09/21/10 AF
Surrogates				Units	Control Limits
Triacontane (Sur)	70			%	60 - 140

8260B VOC Oxygenates

Di-isopropyl ether (DIPE)	ND	1	1.0	ug/L	09/17/10 LZ
Ethyl-tertbutylether (ETBE)	ND	1	1.0	ug/L	09/17/10 LZ
Tert-amylmethylether (TAME)	ND	1	1.0	ug/L	09/17/10 LZ
Tertiary butyl alcohol (TBA)	ND	1	10	ug/L	09/17/10 LZ
1,2-Dibromoethane	ND	1	0.5	ug/L	09/17/10 LZ
1,2-Dichloroethane	ND	1	0.5	ug/L	09/17/10 LZ
Benzene	ND	1	0.5	ug/L	09/17/10 LZ
Ethyl benzene	ND	1	0.5	ug/L	09/17/10 LZ
Methyl-tert-butylether (MTBE)	0.5	1	0.5	ug/L	09/17/10 LZ
Toluene	ND	1	0.5	ug/L	09/17/10 LZ
Xylenes, total	ND	1	0.5	ug/L	09/17/10 LZ
Surrogates				Units	Control Limits
Surr1 - Dibromofluoromethane	102			%	70 - 145
Surr2 - 1,2-Dichloroethane-d4	107			%	70 - 145
Surr3 - Toluene-d8	96			%	70 - 145
Surr4 - p-Bromofluorobenzene	97			%	70 - 145

8015B - Gasoline

Gasoline	100	1	50	ug/L	09/16/10 LT
Surrogates				Units	Control Limits
p-Bromofluorobenzene (Sur)	99			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report



Order #: 1110691

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: EX-1

Date Sampled: 09/09/2010

Time Sampled: 10:40

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

8015 TEPH Diesel

TEPH Diesel	ND	1	0.1	mg/L	09/21/10 AF
Surrogates				Units	Control Limits
Triacotane (Sur)	135			%	60 - 140

8260B VOC Oxygenates

Di-isopropyl ether (DIPE)	ND	2	2.0	ug/L	09/21/10 LZ
Ethyl-tertbutylether (ETBE)	ND	2	2.0	ug/L	09/21/10 LZ
Tert-amylmethylether (TAME)	ND	2	2.0	ug/L	09/21/10 LZ
Tertiary butyl alcohol (TBA)	ND	2	20.0	ug/L	09/21/10 LZ
1,2-Dibromoethane	ND	2	1.0	ug/L	09/21/10 LZ
1,2-Dichloroethane	ND	2	1.0	ug/L	09/21/10 LZ
Benzene	2.1	2	1.0	ug/L	09/21/10 LZ
Ethyl benzene	1.3	2	1.0	ug/L	09/21/10 LZ
Methyl-tert-butylether (MTBE)	217	2	1.0	ug/L	09/21/10 LZ
Toluene	ND	2	1.0	ug/L	09/21/10 LZ
Xylenes, total	ND	2	1.0	ug/L	09/21/10 LZ
Surrogates				Units	Control Limits
Surr1 - Dibromofluoromethane	108			%	70 - 145
Surr2 - 1,2-Dichloroethane-d4	110			%	70 - 145
Surr3 - Toluene-d8	94			%	70 - 145
Surr4 - p-Bromofluorobenzene	99			%	70 - 145

8015B - Gasoline

Gasoline	759	1	50	ug/L	09/16/10 LT
Surrogates				Units	Control Limits
p-Bromofluorobenzene (Sur)	95			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report



Order #: 1110692

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: Laboratory Method Blank

Date Sampled:

Time Sampled:

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

8015 TEPH Diesel

TEPH Diesel	ND	1	0.1	mg/L	09/21/10 AF
-------------	----	---	-----	------	-------------

Surrogates

				Units	Control Limits
Triacotane (Sur)	90			%	60 - 140

8260B VOC Oxygenates

Di-isopropyl ether (DIPE)	ND	1	1.0	ug/L	09/17/10 LZ
Ethyl-tertbutylether (ETBE)	ND	1	1.0	ug/L	09/17/10 LZ
Tert-amylmethylether (TAME)	ND	1	1.0	ug/L	09/17/10 LZ
Tertiary butyl alcohol (TBA)	ND	1	10	ug/L	09/17/10 LZ
1,2-Dibromoethane	ND	1	0.5	ug/L	09/17/10 LZ
1,2-Dichloroethane	ND	1	0.5	ug/L	09/17/10 LZ
Benzene	ND	1	0.5	ug/L	09/17/10 LZ
Ethyl benzene	ND	1	0.5	ug/L	09/17/10 LZ
Methyl-tert-butylether (MTBE)	ND	1	0.5	ug/L	09/17/10 LZ
Toluene	ND	1	0.5	ug/L	09/17/10 LZ
Xylenes, total	ND	1	0.5	ug/L	09/17/10 LZ

Surrogates

				Units	Control Limits
Surr1 - Dibromofluoromethane	103			%	70 - 145
Surr2 - 1,2-Dichloroethane-d4	104			%	70 - 145
Surr3 - Toluene-d8	100			%	70 - 145
Surr4 - p-Bromofluorobenzene	99			%	70 - 145

8015B - Gasoline

Gasoline	ND	1	50	ug/L	09/16/10 LT
----------	----	---	----	------	-------------

Surrogates

				Units	Control Limits
p-Bromofluorobenzene (Sur)	79			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report



**ASSOCIATED LABORATORIES
LCS REPORT FORM**

QC Sample: LCS/LCSD

Matrix: WATER

Extraction Method : 3510C

Prep. Date: September 15, 2010

Analysis Date September 21, 2010

Lab ID#'s in Batch: LR261437

LAB CONTROLLED SPIKE / LAB CONTROLLED DUPLICATE RESULT

Reporting Units = mg/L

Test	Method	Method Blank	Spike Added	LCS Spike	LCSD Spk. Dup	%Rec LCS	%Rec LCSD	RPD
DIESEL	8015B	ND	1.0	0.92	0.80	88	77	14

ND = Not Detected

LCS Result = Lab Control Sample Result

%REC-LCS & LCSD = Percent Recovery of LCS Spike & LCS Spike Duplicate

RPD = Relative Percent Difference of LCS Spike and LCS Spike Duplicate

<i>%REC LIMITS = 60 - 140</i>
<i>RPD LIMITS = 30</i>

SURROGATE RECOVERY

Sample No.	n-triacontane-d62
QC Limit	60-140
Method Blank	90
LCS	94
LCSD	82

**ASSOCIATED LABORATORIES
LCS REPORT FORM**

QC Sample: G1-LCS&LCSD

Matrix: WATER

Prep. Date: September 16, 2010

Analysis Date 9/16/10-9/17/10

Lab ID#'s in Batch: 261407 , 261538 , 261530 , 261437 .

LAB CONTROLLED SPIKE / LAB CONTROLLED DUPLICATE RESULT

Reporting Units = µg/L

Test	Method	Method Blank	Spike Added	LCS Spike	LCSD Spk. Dup	%Rec LCS	%Rec LCSD	RPD
TPH	8015M-G	ND	500	454	450	91	90	1

ND = Not Detected

LCS Result = Lab Control Sample Result

%REC-LCS & LCSD = Percent Recovery of LCS Spike & LCS Spike Duplicate

RPD = Relative Percent Difference of LCS Spike and LCS Spike Duplicate

<i>%REC LIMITS = 70 - 130</i>

<i>RPD LIMITS = 30</i>

SURROGATE RECOVERY

Sample No.	BFB
QC Limit	60-140
Method Blank	79
LCS	97
LCSD	95

BFB = p-Bromofluorobenzene

ASSOCIATED LABORATORIES

QA / QC EPA Methods 8260, & 524.2 GCMS # 7

Sample ID: *MS/MSD Water Sample*

261523-079

Date Prepared: September 17, 2010

Date Analyzed: 9/17-9/18

Sample Matrix: Water

Units: µg/L

Lab ID#'s in Batch: LR261523, 261427, 261428, 261465, 261464, 261455, 261432, 261437, 261435

Compound	Sample Conc.	Spike Added	Spike Res	Dup Res	Spike % Rec	Dup % Rec	RPD	QC RPD	Limits % Rec
1,1-Dichloroethene	0.00	25.0	30.7	27.0	123	108	13	22	59 - 172
MTBE	0.00	25.0	30.4	30.2	122	121	1	24	62 - 137
Benzene	0.00	25.0	26.9	27.0	108	108	0	24	62 - 137
Trichloroethene	0.00	25.0	25.2	25.8	101	103	2	21	66 - 142
Toluene	0.00	25.0	24.2	25.1	97	100	4	21	59 - 139
Chlorobenzene	0.00	25.0	24.7	25.7	99	103	4	21	60 - 133

Sample ID: *LCS*

Compound	Spike Added	Spike Res	Spike % Rec	Limits % Rec
1,1-Dichloroethene	25.0	30.3	121	59 - 172
MTBE	25.0	30.2	121	62 - 137
Benzene	25.0	28.0	112	62 - 137
Trichloroethene	25.0	25.6	102	66 - 142
Toluene	25.0	24.9	100	59 - 139
Chlorobenzene	25.0	24.9	100	60 - 133

*=Outside QC limits due to matrix interference in sample
If Sample Result > 4 times Spike Added, then "NC"

Surrogate Recovery

Compound	MB 1 % Rec	MB 2 % Rec	MS % Rec	MSD % Rec	LCS % Rec	Limits % Rec
Dibromofluoromethane	103	99	105	102	104	70 - 145
1,2-Dichloroethane-d4	104	104	110	103	108	70 - 145
Toluene-d8	100	98	96	95	97	70 - 145
p-Bromofluorobenzene	99	97	102	98	101	70 - 145

ASSOCIATED LABORATORIES

QA / QC EPA Methods 8260, & 524.2 GCMS # 7

Sample ID: *MS/MSD Water Sample*

261683-544

Date Prepared: September 20, 2010

Date Analyzed: 9/20-9/21

Sample Matrix: Water

Units: µg/L

Lab ID#'s in Batch: LR261683, 261678, 261436, 261465, 261435, 261437

Compound	Sample Conc.	Spike Added	Spike Res	Dup Res	Spike % Rec	Dup % Rec	RPD	QC RPD	Limits % Rec
1,1-Dichloroethene	0.00	25.0	30.2	31.3	121	125	4	22	59 - 172
MTBE	0.00	25.0	30.0	30.9	120	124	3	24	62 - 137
Benzene	0.00	25.0	27.2	27.4	109	110	1	24	62 - 137
Trichloroethene	0.00	25.0	24.1	24.9	96	100	3	21	66 - 142
Toluene	0.00	25.0	23.6	24.2	94	97	3	21	59 - 139
Chlorobenzene	0.00	25.0	24.0	24.5	96	98	2	21	60 - 133

Sample ID: *LCS*

Compound	Spike Added	Spike Res	Spike % Rec	Limits % Rec
1,1-Dichloroethene	25.0	30.5	122	59 - 172
MTBE	25.0	30.5	122	62 - 137
Benzene	25.0	28.2	113	62 - 137
Trichloroethene	25.0	25.3	101	66 - 142
Toluene	25.0	25.4	102	59 - 139
Chlorobenzene	25.0	25.0	100	60 - 133

*=Outside QC limits due to matrix interference in sample

If Sample Result > 4 times Spike Added, then "NC"

Surrogate Recovery

Compound	MB 1 % Rec	MB 2 % Rec	MS % Rec	MSD % Rec	LCS % Rec	Limits % Rec
Dibromofluoromethane	106	107	106	107	104	70 - 145
1,2-Dichloroethane-d4	111	103	109	109	107	70 - 145
Toluene-d8	98	98	95	96	97	70 - 145
p-Bromofluorobenzene	100	94	97	102	97	70 - 145



ASSOCIATED LABORATORIES

806 N. Batavia • Orange, CA 92868
(714) 771-6900 • Fax: (714) 538-1209

261437

CHAIN OF CUSTODY RECORD

Date 9/9/10 Page 1 of 1

CLIENT: <u>GeoEnviro Services, Inc. (GESI)</u>	PROJECT MANAGER: <u>Joe Schaaf</u>	Lab Use Only: Samples Intact Yes <input type="checkbox"/> No <input type="checkbox"/>
ADDRESS: <u>5529 Kailas St., Ventura 93003</u>	PHONE NUMBER: <u>(805) 642-1668 258-9284</u>	County Seals Intact Yes <input type="checkbox"/> No <input type="checkbox"/>
Global ID: <u>TO600100483</u> PROJECT: <u>07-131</u>	SAMPLERS: (Signature)	Sample Ambient <input type="checkbox"/> Cooled <input type="checkbox"/> Frozen <input type="checkbox"/>
PROJECT NAME: <u>Former E2 Serve 100877</u>		Same Day <input type="checkbox"/> 24 Hr. <input type="checkbox"/>
<u>525 West A St., Hayward CA</u>		Regular <input type="checkbox"/> 48 Hr. <input type="checkbox"/>

SAMPLE NUMBER	LOCATION DESCRIPTION	DATE	TIME	SAMPLE TYPE			NO OF CNTNRS	SUSP. CONTAM.	TESTS REQUIRED
				WATER	AIR	SOLID			
MW-1		9/9/10	11:25	X			6 VIAL 1 liter		TPHG/TPHD 8015m BTEX/FOXY./EDB/EDC 8260B
MW-3		↓	10:50	X			↓		↓
MW-4		↓	11:00	X			↓		↓
MW-5		↓	11:10	X			↓		↓
MW-7		↓	10:30	X			↓		↓
EX-1		↓	10:40	X			↓		↓
									PRESERVATIVES: HCL/ICE
									WATER Detection levels:
									0.5 pg/L

Relinquished by: (Signature) <u>[Signature]</u>	Received by: (Signature) <u>[Signature]</u>	Date/Time 9/14/10 1750	I hereby authorize the performance of the above indicated work. <u>[Signature]</u>
Relinquished by: (Signature) <u>[Signature]</u>	Received by Laboratory for analysis: (Signature) <u>[Signature]</u>	Date/Time 9/15/10 0841	
Special Instructions:			

DISTRIBUTION: White with report. Yellow to AL, Pink to Courier



ASSOCIATED LABORATORIES

806 North Batavia - Orange, California 92868 - 714-771-6900

FAX 714-538-1209

SAMPLE ACCEPTANCE CHECKLIST

Section 1
 Client: Geo Enviro Services Project: 07-133
 Date Received: 9-15-00 Sampler's Name: Yes No
 Sample(s) received in cooler: Yes No (Skip Section 2)
 Shipping Information: _____

Section 2
 Was the cooler packed with: Ice Ice Packs Bubble Wrap Styrofoam
 Paper None Other _____
 Cooler or box temperature: 7-8C
 (Acceptance range is 2 to 6 Deg. C.)

Section 3	YES	NO	N/A
Was a COC received?	<input checked="" type="checkbox"/>		
Is it properly completed? (IDs, sampling date and time, signature, test)	<input checked="" type="checkbox"/>		
Were custody seals present?		<input checked="" type="checkbox"/>	
If Yes - were they intact?			<input checked="" type="checkbox"/>
Were all samples sealed in plastic bags?	<input checked="" type="checkbox"/>		
Did all samples arrive intact? If no, indicate below.	<input checked="" type="checkbox"/>		
Did all bottle labels agree with COC? (ID, dates and times)	<input checked="" type="checkbox"/>		
Were correct containers used for the tests required?	<input checked="" type="checkbox"/>		
Was a sufficient amount of sample sent for tests indicated?	<input checked="" type="checkbox"/>		
Was there headspace in VOA vials?		<input checked="" type="checkbox"/>	
Were the containers labeled with correct preservatives?	<input checked="" type="checkbox"/>		
Was total residual chlorine measured (Fish Bioassay samples only)? *			<input checked="" type="checkbox"/>

*: If the answer is no, please inform Fish Bioassay Dept. immediately.

Section 4
 Explanations/Comments

Section 5
 Was Project Manager notified of discrepancies: Y N/A

Completed By: [Signature] Date: 9-15-00

ATTACHMENT D
GEOTRACKER CONFIRMATION RECEIPTS

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A EDF FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	EDF - Monitoring Report - Semi-Annually
<u>Submittal Title:</u>	3Q10 GWM Report
<u>Facility Global ID:</u>	T0600100483
<u>Facility Name:</u>	EZ SERVE #100877
<u>File Name:</u>	261437.zip
<u>Organization Name:</u>	Schaaf
<u>Username:</u>	SCHAAF
<u>IP Address:</u>	75.62.205.224
<u>Submittal Date/Time:</u>	10/19/2010 3:54:43 PM
<u>Confirmation Number:</u>	7378259241

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)

Copyright © 2008 State of California

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A GEO_WELL FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	GEO_WELL
<u>Submittal Title:</u>	3Q10 GWM Report
<u>Facility Global ID:</u>	T0600100483
<u>Facility Name:</u>	EZ SERVE #100877
<u>File Name:</u>	geo_well.zip
<u>Organization Name:</u>	Schaaf
<u>Username:</u>	SCHAAF
<u>IP Address:</u>	75.62.205.224
<u>Submittal Date/Time:</u>	10/19/2010 3:53:45 PM
<u>Confirmation Number:</u>	3758606910

Copyright © 2008 State of California

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A GEO_REPORT FILE

SUCCESS

Your GEO_REPORT file has been successfully submitted!

<u>Submittal Type:</u>	GEO_REPORT
<u>Report Title:</u>	Semi-annual Groundwater Monitoring Report, Third Quarter 2010
<u>Report Type:</u>	Monitoring Report - Semi-Annually
<u>Report Date:</u>	10/27/2010
<u>Facility Global ID:</u>	T0600100483
<u>Facility Name:</u>	EZ SERVE #100877
<u>File Name:</u>	RO#000023_3Q10_GWM_2010_10_27.pdf
<u>Organization Name:</u>	Schaaf
<u>Username:</u>	SCHAAF
<u>IP Address:</u>	75.22.80.25
<u>Submittal Date/Time:</u>	10/27/2010 7:21:38 PM
<u>Confirmation Number:</u>	7294419288

Copyright © 2008 State of California