

RECEIVED

9:28 am, Apr 22, 2011

Alameda County
Environmental Health

April 8, 2011
Project No. 07-131

Alameda County Department of Environmental Health
1131 Harbor Bay Park Way
Alameda, California 94502

Attention: Mark Detterman, PG, CEG
Hazardous Materials Specialist

SITE: FORMER EZ-SERVE LOCATION 100877
525 WEST A STREET
HAYWARD, CALIFORNIA
FUEL LEAK CASE NO. RO0000023

RE: Semi-Annual Groundwater Monitoring Site Report, First Quarter 2011

Dear Mr. Detterman:

I declare under penalty of perjury that to the best of my knowledge, the information and/or recommendations contained in the attached report is/are true and correct.

Please contact us with questions at (813) 636-8111 #100 or jackc@edifl.com.

Sincerely,
Restructure Petroleum Marketing Services of California



Jack Ceccarelli
President

GEOENVIRO SERVICES, INC.

April 8, 2011
Project No. 07-131

Alameda County Department of Environmental Health
1131 Harbor Bay Park Way
Alameda, California 94502

Attention: Mark Detterman, PG, CEG
Hazardous Materials Specialist

SITE: FORMER EZ-SERVE LOCATION 100877
525 WEST A STREET
HAYWARD, CALIFORNIA
FUEL LEAK CASE NO. RO0000023

RE: SEMI-ANNUAL GROUNDWATER MONITORING AND SAMPLING
FIRST QUARTER 2011 (1Q11)

Dear Mr. Detterman:

GeoEnviro Services Inc. (GESI) has prepared this report on behalf of Restructure Petroleum Marketing Services (RPMS) to document semi-annual groundwater monitoring activities completed during the Fourth Quarter 2010 (4Q10) and First Quarter 2011 (1Q11) at the Former EZ-Serve No. 100877 located at 525 West A Street, Hayward, California. Groundwater monitoring and sampling for 4Q10 was completed on November 22, 2010 and included the resampling of wells MW-4 and MW-5. Groundwater monitoring and sampling for 1Q11 was completed January 25, 2011. The results are summarized on the attached summary, tables, figures, and groundwater hydrographs.

General field procedures are included in Attachment A. Groundwater monitoring and sampling field documentation are included in Attachment B. Copies of the laboratory analytical reports along with chain-of-custody documentation are included in Attachment C. Geotracker submittal documentation is included in Attachment D.

Please contact us with questions or comments regarding this report at (805) 642-1668 or jschaaf@geoenviroservices.com.

Sincerely,

GEOENVIRO SERVICES, INC.



Joseph P. Schaaf, P.G., C.Hg.
Principal Geologist



cc: Mr. Jack Ceccarelli, Restructure Petroleum Marketing Services of CA
Mr. Aziz Kandahari, KB Chevron, Property Owner
State Water Resources Control Board, Geotracker Database

ATTACHMENTS

Project and Monitoring Data Summary

Table 1:	Fluid Level Monitoring Data
Table 2:	Results of Laboratory Analysis of Groundwater Samples
Figure 1:	Site Location Map
Figure 2:	Site Map with Contours of Groundwater Elevation, First Quarter 2011
Figure 3:	Site Map with Contours of TPHg Concentrations in Groundwater, First Quarter 2011
Figure 4:	Site Map with Contours of Benzene Concentrations in Groundwater, First Quarter 2011
Figure 5:	Site Map with Contours of MTBE Concentrations in Groundwater, First Quarter 2011
Attachment A:	General Field Procedures
Attachment B:	Groundwater Monitoring and Sampling Field Data Sheets (4Q10 and 1Q11)
Attachment C:	Laboratory Analytical Reports and Chain of Custody Documentation (4Q10 and 1Q11)
Attachment D:	Geotracker Submittal Documentation

LIMITATIONS

This letter-report has been prepared at the request of Restructure Petroleum Marketing Services of California for submittal to the Alameda County Department of Environmental Health. In performing our professional services, we have attempted to apply present engineering and scientific judgment and use a level of effort consistent with the standard of practice measured on the date of work and in locale of the project site for similar type studies. GeoEnviro Services, Inc. makes no warranty, express or implied.

Work on this project as described in this report was completed by or under the direct supervision of a California licensed Professional Geologist. The analyses and interpretations presented in this report have been developed based on the results from the review of existing information pertaining to the Project Site and the results from the laboratory analyses of the groundwater samples collected from discrete locations. It should be recognized that groundwater contamination can vary between sampling locations and between monitoring events.

FORMER EZ SERVE 100877, ACDEH CASE No. 3580
525 WEST A STREET, HAYWARD CALIFORNIA
SEMI-ANNUAL GROUNDWATER MONITORING AND SAMPLING, FIRST QUARTER 2011
 April 8, 2011

PROJECT AND GROUNDWATER MONITORING DATA SUMMARY

SITE INFORMATION

Location/Address:	Former EZ Serve 100877, 525 West A Street, Hayward, California
Owner/RP:	Restructure Petroleum Marketing Services (RPMS)
Address	1101 Marbella Plaza Drive #100, Tampa, Florida 33619
Consultant :	GeoEnviro Services, Inc. Joseph P. Schaaf, P.G., C.Hg.
Consultant Phone/Fax/email:	(805) 642-1668 / (805) 642-9331 / jschaaf@geoenviroservices.com

PROJECT INFORMATION

GW Monitoring Start Date:	1992
Nature of GW Impacts:	UST release of gasoline to soil and groundwater
Number of onsite wells:	7 GW Monitoring 3 Vapor Extraction 1 GW Extraction
Number of offsite wells:	5 GW Monitoring
Site Well Identification:	MW-1, MW-1A, MW-3 through MW-6, MW-8 through MW-10, MW-12, and MW-14. VEAS-1 through VEAS-3. EX-1
Current Remedial Phase:	Soil Excavation Activities were completed during Station Rebuild in 2008
Current Assessment Phase:	Site Conceptual Model and Preferential Pathway Study prepared February 28, 2011
Remediation End Date:	To Be Evaluated
Site Access Information:	Operating Gasoline Service Station

MONITORING ACTIVITY, FIRST QUARTER 2011

Dates of 1Q11 Monitoring Activities:	1/25/2011 (Wells MW-4 and MW-5 additionally monitored and sampled on 11/22/10)	
Number of Wells Gauged:	10 total	Wells MW-1, MW-1A, MW-3 through MW-5, MW-7, MW-12 through MW-14, and EX-1
Wells Containing Free Product:	0	Maximum F.P. Thickness: NA
Wells Sampled:	7 Wells Total: MW-1, MW-3 through MW-5, MW-7, MW-12, and MW-14	
Chemical Analyses:	U.S. EPA 8015M: TPH-g U.S. EPA 8260B: BTEX, Fuel Oxygenates	
Laboratory Used:	Associated Laboratories, Orange, CA	
Purge Method / Total Volume:	Submersible pump / 104 Gallons	
Sample Method:	Dedicated disposable polyethelene bailer	
Storage / Disposal Method:	55-Gallon DOT Drums / pending laboratory analyses results	

HYDROGEOLOGIC CONDITIONS, 1Q11

GW Depth Range (feet bgs):	13.28 (MW-13) to 15.71 (MW-12)
Average GW Depth (feet bgs):	14.69
GW Elevation Range (feet amsl):	27.54 (MW-12) to 28.70 (MW-3)
Average Groundwater El. (feet amsl):	27.88
Average Change in GW Elevation:	0.83 foot Decrease since Third Quarter 2010
Groundwater Gradient / Direction	0.005 feet per foot to the southwest

CHEMICALS OF CONCERN AND CONCENTRATIONS, 1Q11 (micrograms per liter [ug/L])

TPH-g: No. of wells detected / Range	5 of 7 wells / 218 ug/l (MW-7) to 3,530 ug/l (MW-1)
Benzene: No. of wells detected / Range	3 of 7 wells / 1.8 ug/l (MW-5) to 30 ug/l (MW-1)
MTBE: No. of wells detected / Range	5 of 7 wells / 0.7 ug/l (MW-7) to 161 ug/l (MW-4)
TBA: No. of wells detected / Range	1 of 7 wells / 116 ug/l (MW-4)

QUARTERLY TREND ANALYSES / REMEDIAL PROGRESS

Concentrations of TPHg and BTEX generally decreased in well MW-1 since 3Q10. Concentrations of TPHg and BTEX generally increased in well MW-3 since 3Q10. Concentration of TPHg increased slightly in well MW-7 since 3Q10. Concentrations remained non-detect in wells MW-12 and MW-14. The groundwater generally decreased in elevation since 3Q10. High concentrations of hydrocarbons reported in wells MW-4 and MW-5 in 3Q10 were not present prior to 3Q10, or following 3Q10 sampling (4Q10 and 1Q11). The previous high concentrations reported in wells MW-4 and MW-5 in 3Q10 can only be attributed to field or laboratory error and are not believed to be accurate.

PROPOSED FUTURE WORK / RECOMMENDATIONS

Continued groundwater monitoring on a semi-annual basis.
 Implement approved work plan to locate missing wells.

TABLES

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through January 2011
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
MW-1	2/5/92	41.75	15-29	--	20.82	20.93
MW-1	9/11/92	41.75	15-29	--	20.08	21.67
MW-1	12/22/92	41.75	15-29	--	19.79	21.96
MW-1	3/3/93	41.75	15-29	--	16.23	25.52
MW-1	6/23/93	41.75	15-29	--	16.86	24.89
MW-1	9/30/93	41.75	15-29	--	18.04	23.71
MW-1	2/6/94	41.75	15-29	--	18.15	23.60
MW-1	5/2/94	41.75	15-29	--	17.26	24.49
MW-1	7/1/94	41.75	15-29	--	17.60	24.15
MW-1	9/20/94	41.75	15-29	--	20.59	21.16
MW-1	12/5/92	41.75	15-29	--	17.83	23.92
MW-1	3/10/95	41.75	15-29	--	14.67	27.08
MW-1	3/15/95	41.75	15-29	--	14.43	27.32
MW-1	9/23/96	41.75	15-29	--	14.92	26.83
MW-1	12/4/96	41.75	15-29	--	15.61	26.14
MW-1	4/8/97	41.75	15-29	--	13.25	28.50
MW-1	6/30/97	41.75	15-29	--	14.68	27.07
MW-1	11/25/97	41.75	15-29	--	15.99	25.76
MW-1	6/1/98	41.75	15-29	--	9.98	31.77
MW-1	6/14/01	41.75	15-29	--	15.05	26.70
MW-1	11/7/01	41.75	15-29	--	16.31	25.44
MW-1	1/30/02	41.75	15-29	--	14.15	27.60
MW-1	5/29/02	41.75	15-29	--	14.55	27.20
MW-1	8/14/02	41.75	15-29	--	15.56	26.19
MW-1	11/15/02	41.75	15-29	--	16.10	25.65
MW-1	10/25/04	41.75	15-29	--	15.99	25.76
MW-1	12/23/04	41.75	15-29	--	15.64	26.11
MW-1	2/25/05	41.75	15-29	--	12.79	28.96
MW-1	5/19/05	41.75	15-29	--	12.27	29.48
MW-1	9/15/05	41.75	15-29	--	14.30	27.45
MW-1	3/20/06	41.75	15-29	--	11.44	30.31
MW-1	5/25/06	41.75	15-29	--	11.05	30.70
MW-1	8/23/06	41.75	15-29	--	12.75	29.00
MW-1	3/14/07	41.75	15-29	--	13.12	28.63
MW-1	6/11/07	41.75	15-29	--	14.42	27.33
MW-1	8/1/07	41.75	15-29	--	14.97	26.78
MW-1	2/27/08	41.75	15-29	--	13.35	28.40
MW-1	5/13/08	41.75	15-29	--	14.51	27.24
MW-1	8/27/08	41.75	15-29	--	15.37	26.38
MW-1	11/18/08	41.75	15-29	--	15.88	25.87
MW-1	3/11/09	41.75	15-29	--	13.65	28.10
MW-1	9/22/09	41.75	15-29	--	16.41	25.34
MW-1	3/9/10	41.75	15-29	--	13.84	27.91
MW-1	9/9/10	41.75	15-29	--	14.96	26.79
MW-1	1/25/11	41.75	15-29	--	13.85	27.90

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through January 2011
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
MW-1A	06/23/93	43.40	--	0.21	17.80	25.75
MW-1A	09/30/93	43.40	--	--	--	--
MW-1A	02/06/94	43.40	--	--	18.89	24.51
MW-1A	05/02/94	43.40	--	0.09	18.35	38.40
MW-1A	07/01/94	43.40	--	--	18.45	24.95
MW-1A	09/20/94	43.40	--	0.22	21.72	21.84
MW-1A	12/05/94	43.40	--	0.07	18.87	24.58
MW-1A	03/10/95	43.40	--	--	15.83	27.57
MW-1A	03/15/95	43.40	--	0.05	15.55	27.89
MW-1A	09/23/96	43.40	--	0.01	16.00	27.41
MW-1A	12/04/96	43.40	--	--	16.55	26.85
MW-1A	04/08/97	43.40	--	SHEEN	14.15	29.25
MW-1A	06/30/97	43.40	--	--	15.57	27.83
MW-1A	11/25/97	43.40	--	--	16.91	26.49
MW-1A	06/01/98	43.40	--	--	10.78	32.62
MW-1A	06/14/01	43.40	--	0.01	15.93	27.48
MW-1A	11/07/01	43.40	--	--	17.32	26.08
MW-1A	01/30/02	43.40	--	--	15.05	28.35
MW-1A	05/29/02	43.40	--	--	15.49	27.91
MW-1A	08/14/02	43.40	--	--	16.50	26.90
MW-1A	11/15/02	43.40	--	--	17.04	26.36
MW-1A	10/25/04	43.40	--	--	16.90	26.50
MW-1A	12/23/04	43.40	--	--	16.60	26.80
MW-1A	02/25/05	43.40	--	--	13.75	29.65
MW-1A	05/19/05	43.40	--	--	13.12	30.28
MW-1A	09/15/05	43.40	--	--	15.16	28.24
MW-1A	11/10/05	43.40	--	--	15.78	27.62
MW-1A	03/20/06	43.40	--	--	12.64	30.76
MW-1A	05/25/06	43.40	--	--	11.85	31.55
MW-1A	08/23/06	43.40	--	--	13.55	29.85
MW-1A	03/14/07	43.40	--	--	14.00	29.40
MW-1A	06/12/07	43.40	--	--	15.30	28.10
MW-1A	08/01/07	43.40	--	--	15.84	27.56
MW-1A	02/27/08	43.40	--	--	14.10	29.30
MW-1A	05/13/08	43.40	Well Not Accessable	--	--	--
MW-1A	08/27/08	43.40	Well Dry	--	--	--
MW-1A	11/18/08	43.40	Well Dry	--	--	--
MW-1A	03/11/09	43.40	Well Dry	--	--	--
MW-1A	09/22/09	43.40	Well Dry	--	--	--
MW-1A	03/09/10	43.40	Well Dry	--	--	--
MW-1A	09/09/10	43.40	Well Dry	--	--	--
MW-1A	01/25/11	43.40	Well Dry	--	--	--
MW-2	02/05/92	43.26	15-29	--	22.35	20.91
MW-2	09/11/92	43.26	15-29	--	21.67	21.59
MW-2	12/22/92	43.26	15-29	--	21.39	21.87
MW-2	03/03/93	43.26	15-29	--	17.75	25.51

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through January 2011
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
MW-2	06/23/93	43.26	15-29	--	18.42	24.84
MW-2	09/30/93	43.26	15-29	--	19.63	23.63
MW-2	02/06/94	43.26	15-29	--	19.61	23.65
MW-2	05/02/94	43.26	15-29	--	19.84	23.42
MW-2	07/01/94	43.26	15-29	--	19.18	24.08
MW-2	09/20/94	43.26	15-29	--	22.17	21.09
MW-2	12/06/94	43.26	15-29	--	19.37	23.89
MW-2	03/10/95	43.26	15-29	--	16.33	26.93
MW-2	03/15/95	43.26	15-29	--	16.89	26.37
MW-2	09/23/96	43.26	15-29	--	16.61	26.65
MW-2	12/04/96	43.26	15-29	--	17.19	26.07
MW-2	04/08/97	43.26	15-29	--	14.86	28.40
MW-2	06/30/97	43.26	15-29	--	16.28	26.98
MW-2	11/25/97	43.26	15-29	--	17.56	25.70
MW-2	06/01/98	43.26	15-29	--	11.58	31.68
MW-2	06/14/01	43.26	15-29	--	16.63	26.63
MW-2	11/07/01	43.26	15-29	--	17.85	25.41
MW-2	01/30/02	43.26	15-29	--	15.65	27.61
MW-2	05/29/02	43.26	15-29	--	16.12	27.14
MW-2	08/14/02	43.26	15-29	--	17.20	26.06
MW-2	11/15/02	43.26	15-29	--	17.63	25.63
MW-2	10/25/04	43.26	15-29	--	17.53	25.73
MW-2	12/23/04	43.26	15-29	--	17.15	26.11
MW-2	02/25/05	43.26	15-29	--	14.30	28.96
MW-2	05/19/05	43.26	15-29	--	13.81	29.45
MW-2	09/15/05	43.26	15-29	Inaccessible due to temporary habitat		
MW-2	11/10/05	43.26	15-29	--	16.39	26.87
MW-2	03/20/06	43.26	15-29	--	13.00	30.26
MW-2	05/25/06	43.26	15-29	Destroyed on March 2, 2006		
MW-3	02/05/92	43.89	15-29	--	21.85	22.04
MW-3	09/11/92	43.89	15-29	--	21.13	22.76
MW-3	12/22/92	43.89	15-29	--	20.88	23.01
MW-3	03/03/93	43.89	15-29	--	17.29	26.60
MW-3	06/23/93	43.89	15-29	--	17.88	26.01
MW-3	09/30/93	43.89	15-29	--	19.18	24.71
MW-3	02/06/94	43.89	15-29	--	19.21	24.68
MW-3	05/02/94	43.89	15-29	--	18.30	25.59
MW-3	07/01/94	43.89	15-29	--	18.63	25.26
MW-3	09/20/94	43.89	15-29	--	21.64	22.25
MW-3	12/06/94	43.89	15-29	--	19.15	24.74
MW-3	03/10/95	43.89	15-29	--	16.33	27.56
MW-3	03/15/95	43.89	15-29	--	16.89	27.00
MW-3	09/23/96	43.89	15-29	--	16.11	27.78
MW-3	12/04/96	43.89	15-29	--	16.63	27.26
MW-3	04/08/97	43.89	15-29	--	14.25	29.64
MW-3	06/30/97	43.89	15-29	--	15.70	28.19

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through January 2011
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
MW-3	11/25/97	43.89	15-29	--	16.99	26.90
MW-3	06/01/98	43.89	15-29	--	--	--
MW-3	06/14/01	43.89	15-29	--	16.02	27.87
MW-3	11/07/01	43.89	15-29	--	17.33	26.56
MW-3	01/30/02	43.89	15-29	--	15.10	28.79
MW-3	05/29/02	43.89	15-29	--	15.63	28.26
MW-3	08/14/02	43.89	15-29	--	16.63	27.26
MW-3	11/15/02	43.89	15-29	--	17.10	26.79
MW-3	10/25/04	43.89	15-29	--	17.01	26.88
MW-3	12/20/04	43.89	15-29	--	16.64	27.25
MW-3	02/25/05	43.89	15-29	Could not locate, VEAS-2 sampled instead		
MW-3	05/19/05	43.89	15-29	Could not locate, VEAS-2 sampled instead		
MW-3	09/15/05	43.89	15-29	--	Couldn't locate	--
MW-3	11/10/05	43.89	15-29	--	Couldn't locate	--
MW-3	03/20/06	43.89	15-29	--	12.44	31.45
MW-3	05/25/06	43.89	15-29	--	12.05	31.84
MW-3	08/23/06	43.89	15-29	--	13.75	30.14
MW-3	03/14/07	43.89	15-29	--	14.11	29.78
MW-3	06/12/07	43.89	15-29	--	15.43	28.46
MW-3	08/01/07	43.89	15-29	--	15.97	27.92
MW-3	02/27/08	43.89	15-29	--	14.40	29.49
MW-3	05/13/08	43.89	15-29	--	15.52	28.37
MW-3	08/27/08	43.89	15-29	--	16.79	27.10
MW-3	11/18/08	43.89	15-29	--	17.30	26.59
MW-3	03/11/09	43.89	15-29	--	15.37	28.52
MW-3	09/22/09	43.89	15-29	--	17.86	26.03
MW-3	03/09/10	43.89	15-29	--	15.11	28.78
MW-3	09/09/10	43.89	15-29	--	16.39	27.50
MW-3	01/25/11	43.89	15-29	--	15.19	28.70
MW-4	2/5/92	42.76	15-29	--	21.31	21.45
MW-4	9/11/92	42.76	15-29	--	20.62	22.14
MW-4	12/22/92	42.76	15-29	--	20.37	22.39
MW-4	3/3/93	42.76	15-29	--	16.78	25.98
MW-4	6/23/93	42.76	15-29	--	17.45	25.31
MW-4	9/30/93	42.76	15-29	--	18.64	24.12
MW-4	2/6/94	42.76	15-29	--	18.59	24.17
MW-4	5/2/94	42.76	15-29	--	17.81	24.95
MW-4	7/1/94	42.76	15-29	--	18.13	24.63
MW-4	9/20/94	42.76	15-29	--	21.13	21.63
MW-4	12/6/94	42.76	15-29	--	18.36	24.40
MW-4	3/10/95	42.76	15-29	--	15.25	27.51
MW-4	3/15/95	42.76	15-29	--	14.89	27.87
MW-4	9/23/96	42.76	15-29	--	15.56	27.20
MW-4	12/4/96	42.76	15-29	--	16.11	26.65
MW-4	4/8/97	42.76	15-29	--	13.73	29.03
MW-4	6/30/97	42.76	15-29	--	15.19	27.57

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through January 2011
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
MW-4	11/25/97	42.76	15-29	--	16.49	26.27
MW-4	6/1/98	42.76	15-29	--	10.42	32.34
MW-4	6/14/01	42.76	15-29	--	15.55	27.21
MW-4	11/7/01	42.76	15-29	--	16.81	25.95
MW-4	1/30/02	42.76	15-29	--	14.60	28.16
MW-4	5/29/02	42.76	15-29	--	15.14	27.62
MW-4	8/14/02	42.76	15-29	--	16.07	26.69
MW-4	11/15/02	42.76	15-29	--	16.61	26.15
MW-4	10/25/04	42.76	15-29	--	16.50	26.26
MW-4	12/23/04	42.76	15-29	--	16.20	26.56
MW-4	2/25/05	42.76	15-29	--	13.30	29.46
MW-4	5/19/05	42.76	15-29	--	12.74	30.02
MW-4	9/15/05	42.76	15-29	--	14.80	27.96
MW-4	11/10/06	42.76	15-29	--	15.45	27.31
MW-4	3/20/06	42.76	15-29	--	11.93	30.83
MW-4	5/25/06	42.76	15-29	--	11.49	31.27
MW-4	8/23/06	42.76	15-29	--	13.23	29.53
MW-4	3/14/07	42.76	15-29	--	13.65	29.11
MW-4	6/12/07	42.76	15-29	--	14.92	27.84
MW-4	8/1/07	42.76	15-29	--	15.48	27.28
MW-4	2/27/08	42.76	15-29	--	Could not locate well	
MW-4	5/13/08	42.76	15-29	--	15.02	27.74
MW-4	8/27/08	42.76	15-29	--	16.28	26.48
MW-4	11/18/08	42.76	15-29	--	16.81	25.95
MW-4	3/11/09	42.76	15-29	--	14.87	27.89
MW-4	9/22/09	42.76	15-29	--	17.33	25.43
MW-4	3/9/10	42.76	15-29	--	14.60	28.16
MW-4	9/9/10	42.76	15-29	--	15.88	26.88
MW-4	11/22/10	42.76	15-29	--	17.15	25.61
MW-4	1/25/11	42.76	15-29	--	14.47	28.29
MW-5	2/5/92	42.10	15-29	--	20.93	21.17
MW-5	9/11/92	42.10	15-29	--	20.27	21.83
MW-5	12/22/92	42.10	15-29	--	19.99	22.11
MW-5	3/3/93	42.10	15-29	--	16.49	25.61
MW-5	6/23/93	42.10	15-29	--	17.02	25.08
MW-5	9/30/93	42.10	15-29	--	18.25	23.85
MW-5	2/6/94	42.10	15-29	--	18.26	23.84
MW-5	5/2/94	42.10	15-29	--	17.50	24.60
MW-5	7/1/94	42.10	15-29	--	17.79	24.31
MW-5	9/20/94	42.10	15-29	--	20.77	21.33
MW-5	15/5/92	42.10	15-29	--	18.02	24.08
MW-5	3/10/95	42.10	15-29	--	14.93	27.17
MW-5	3/15/95	42.10	15-29	--	14.70	27.40
MW-5	9/23/96	42.10	15-29	--	15.19	26.91
MW-5	12/4/96	42.10	15-29	--	15.78	26.32
MW-5	4/8/97	42.10	15-29	--	13.39	28.71

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through January 2011
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
MW-5	6/30/97	42.10	15-29	--	14.83	27.27
MW-5	11/25/97	42.10	15-29	--	16.14	25.96
MW-5	6/1/98	42.10	15-29	--	10.10	32.00
MW-5	6/14/01	42.10	15-29	--	15.19	26.91
MW-5	11/7/01	42.10	15-29	--	16.47	25.63
MW-5	1/30/02	42.10	15-29	--	14.27	27.83
MW-5	5/29/02	42.10	15-29	--	14.73	27.37
MW-5	8/14/02	42.10	15-29	--	15.73	26.37
MW-5	11/15/02	42.10	15-29	--	16.27	25.83
MW-5	10/25/04	42.10	15-29	--	16.15	25.95
MW-5	12/23/04	42.10	15-29	--	15.88	26.22
MW-5	2/25/05	42.10	15-29	--	12.97	29.13
MW-5	5/19/05	42.10	15-29	--	12.48	29.62
MW-5	9/15/05	42.10	15-29	--	15.47	26.63
MW-5	11/10/08	42.10	15-29	--	15.03	27.07
MW-5	3/20/06	42.10	15-29	--	11.79	30.31
MW-5	5/25/06	42.10	15-29	--	11.15	30.95
MW-5	8/23/06	42.10	15-29	--	12.88	29.22
MW-5	3/14/07	42.10	15-29	--	13.28	28.82
MW-5	6/11/07	42.10	15-29	--	14.56	27.54
MW-5	8/1/07	42.10	15-29	--	15.11	26.99
MW-5	2/27/08	42.10	15-29	--	13.49	28.61
MW-5	5/13/08	42.10	15-29	--	14.64	27.46
MW-5	8/27/08	42.10	15-29	--	15.93	26.17
MW-5	11/18/08	42.10	15-29	--	16.43	25.67
MW-5	3/11/09	42.10	15-29	--	14.53	27.57
MW-5	9/22/09	42.10	15-29	--	16.95	25.15
MW-5	3/9/10	42.10	15-29	--	14.25	27.85
MW-5	9/9/10	42.10	15-29	--	15.50	26.60
MW-5	11/22/10	42.10	15-29	--	16.78	25.32
MW-5	1/25/11	42.10	15-29	--	14.42	27.68
MW-6	02/05/92	42.33	15-29	--	21.29	21.04
MW-6	09/11/92	42.33	15-29	--	20.56	21.77
MW-6	12/22/92	42.33	15-29	--	20.31	22.02
MW-6	03/03/93	42.33	15-29	--	16.83	25.50
MW-6	06/23/93	42.33	15-29	--	17.30	25.03
MW-6	09/30/93	42.33	15-29	--	19.05	23.28
MW-6	02/06/94	42.33	15-29	--	18.55	23.78
MW-6	05/02/94	42.33	15-29	--	17.74	24.59
MW-6	07/01/94	42.33	15-29	--	18.09	24.24
MW-6	09/20/94	42.33	15-29	--	21.05	21.28
MW-6	12/06/94	42.33	15-29	--	18.33	24.00
MW-6	03/10/95	42.33	15-29	--	15.35	26.98
MW-6	03/15/95	42.33	15-29	--	14.91	27.42
MW-6	09/23/96	42.33	15-29	--	15.50	26.83
MW-6	12/04/96	42.33	15-29	--	16.06	26.27

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through January 2011
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
MW-6	04/08/97	42.33	15-29	--	13.64	28.69
MW-6	06/30/97	42.33	15-29	--	15.08	27.25
MW-6	11/25/97	42.33	15-29	--	16.40	25.93
MW-6	06/01/98	42.33	15-29	--	10.31	32.02
MW-6	06/14/01	42.33	15-29	--	15.46	26.87
MW-6	11/07/01	42.33	15-29	--	16.71	25.62
MW-6	01/30/02	42.33	15-29	--	14.60	27.73
MW-6	05/29/02	42.33	15-29	--	14.99	27.34
MW-6	08/14/02	42.33	15-29	--	16.03	26.30
MW-6	11/15/02	42.33	15-29	--	16.53	25.80
MW-6	10/25/04	42.33	15-29	--	16.43	25.90
MW-6	12/23/04	42.33	15-29	--	16.12	26.21
MW-6	02/25/05	42.33	15-29	--	13.13	29.20
MW-6	05/19/05	42.33	15-29	--	12.61	29.72
MW-6	09/15/05	42.33	15-29	--	14.69	27.64
MW-6	11/10/05	42.33	15-29	--	15.30	27.03
MW-6	03/20/06	42.33	15-29	--	11.88	30.45
MW-6	05/25/06	42.33	15-29	--	11.38	30.95
MW-6	08/23/06	42.33	15-29	--	13.10	29.23
MW-6	03/14/07	42.33	15-29	--	13.52	28.81
MW-6	06/12/07	42.33	15-29	--	14.80	27.53
MW-6	08/01/07	42.33	15-29	--	15.38	26.95
MW-6	02/27/08	42.33	15-29	--	13.79	28.54
MW-6	05/13/08	42.33	15-29	--	14.93	27.40
MW-6	08/27/08	42.33	15-29	--	Well Not Accessable	
MW-6	11/18/08	42.33	15-29	--	Well Not Accessable	
MW-6	03/11/09	42.33	15-29	--	Well Not Accessable	
MW-6	09/22/09	42.33	15-29	--	Well Not Accessable	
MW-6	03/09/10	42.33	15-29	--	Well Not Accessable	
MW-6	09/09/10	42.33	15-29	--	Well Not Accessable	
MW-6	01/25/11	42.33	15-29	--	Well Not Accessable	
MW-7	06/23/93	42.70	10-29	--	17.87	24.83
MW-7	09/30/93	42.70	10-29	--	18.94	23.76
MW-7	02/06/94	42.70	10-29	0.06	19.11	23.63
MW-7	05/02/94	42.70	10-29	--	18.11	24.59
MW-7	07/01/94	42.70	10-29	--	18.72	23.98
MW-7	09/20/94	42.70	10-29	--	21.41	21.29
MW-7	12/05/94	42.70	10-29	--	18.66	24.04
MW-7	03/10/95	42.70	10-29	--	15.72	26.98
MW-7	03/14/95	42.70	10-29	--	15.23	27.47
MW-7	09/23/96	42.70	10-29	--	15.94	26.76
MW-7	12/04/96	42.70	10-29	--	16.43	26.27
MW-7	04/08/97	42.70	10-29	--	14.10	28.60
MW-7	06/30/97	42.70	10-29	--	15.51	27.19
MW-7	11/25/97	42.70	10-29	--	16.80	25.90
MW-7	06/01/98	42.70	10-29	--	10.31	32.39

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through January 2011
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
MW-7	06/14/01	42.70	10-29	--	15.46	27.24
MW-7	11/07/01	42.70	10-29	--	--	--
MW-7	01/30/02	42.70	10-29	--	14.97	27.73
MW-7	05/29/02	42.70	10-29	--	15.49	27.21
MW-7	08/14/02	42.70	10-29	--	16.44	26.26
MW-7	11/15/02	42.70	10-29	--	16.91	25.79
MW-7	10/25/04	42.70	10-29		Could not locate	
MW-7	05/19/05	42.70	10-29	--	13.06	29.64
MW-7	09/15/05	42.70	10-29		Could not locate	
MW-7	11/10/05	42.70	10-29	--	15.78	26.92
MW-7	03/20/06	42.70	10-29		Could not locate	
MW-7	05/25/06	42.70	10-29		Well was blocked by debris	
MW-7	08/23/06	42.70	10-29	--	13.60	29.10
MW-7	03/14/07	42.70	10-29	--	14.00	28.70
MW-7	06/12/07	42.70	10-29		Well not safe to access due to dog	
MW-7	08/01/07	42.70	10-29	--	15.82	26.88
MW-7	02/27/08	42.70	10-29	--	14.24	28.46
MW-7	05/13/08	42.70	10-29	--	14.37	28.33
MW-7	08/27/08	42.70	10-29	--	16.62	26.08
MW-7	11/18/08	42.70	10-29	--	17.12	25.58
MW-7	03/11/09	42.70	10-29	--	15.28	27.42
MW-7	09/22/09	42.70	10-29	--	17.65	25.05
MW-7	03/09/10	42.70	10-29	--	14.95	27.75
MW-7	09/09/10	42.70	10-29	--	16.23	26.47
MW-7	01/25/11	42.70	10-29	--	15.02	27.68
MW-8	06/23/93	97.61	10-29	--	17.64	79.97
MW-8	09/30/93	97.61	10-29	--	18.85	78.76
MW-8	02/06/94	97.61	10-29	--	18.91	78.70
MW-8	05/02/94	97.61	10-29	--	18.11	79.50
MW-8	07/01/94	97.61	10-29	--	18.43	79.18
MW-8	09/20/94	97.61	10-29	--	21.43	76.18
MW-8	12/05/94	97.61	10-29	--	18.72	78.89
MW-8	03/10/95	97.61	10-29	--	18.69	78.92
MW-8	03/15/95	97.61	10-29	--	14.83	82.78
MW-8	09/23/96	97.61	10-29	--	15.83	81.78
	Not sampled, well inaccessible since 4th quarter, 1996					
MW-9	06/23/93	95.41	10-29	--	15.94	79.47
MW-9	09/30/93	95.41	10-29	--	17.05	78.36
MW-9	02/06/94	95.41	10-29	--	17.07	78.34
MW-9	05/02/94	95.41	10-29	--	16.24	79.17
MW-9	07/01/94	95.41	10-29	--	15.59	79.82
MW-9	09/20/94	95.41	10-29	--	16.61	78.80
MW-9	12/05/94	95.41	10-29	--	16.58	78.83
MW-9	03/10/95	95.41	10-29	--	--	--
MW-9	03/15/95	95.41	10-29	--	14.18	81.23

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through January 2011
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
Not sampled, well inaccessible since 1st quarter, 1995						
MW-10	06/23/93	97.11	10-29	--	17.39	79.72
MW-10	09/30/93	97.11	10-29	--	18.58	78.53
MW-10	02/06/94	97.11	10-29	--	18.61	78.50
MW-10	05/02/94	97.11	10-29	--	17.83	79.28
MW-10	07/01/94	97.11	10-29	--	18.17	78.94
MW-10	09/20/94	97.11	10-29	--	21.15	75.96
MW-10	12/05/94	97.11	10-29	--	18.43	78.68
MW-10	03/10/95	97.11	10-29	--	15.37	81.74
MW-10	03/15/95	97.11	10-29	--	15.97	81.14
MW-10	09/23/96	97.11	10-29	--	15.59	81.52
MW-10	12/04/96	97.11	10-29	--	16.15	80.96
Not sampled, well inaccessible since 4th quarter, 1996						
MW-11	02/10/95	92.68	5-29	--	11.80	80.88
MW-11	03/10/95	92.68	5-29	--	11.58	81.10
MW-11	03/15/95	92.68	5-29	--	13.96	78.72
MW-11	09/23/96	92.68	5-29	--	12.29	80.39
MW-11	12/04/96	92.68	5-29	--	--	--
MW-11	04/08/97	92.68	5-29	--	10.51	82.17
Not sampled, well inaccessible since 2nd quarter, 1997						
MW-12	02/10/95	43.25	10-30	--	16.30	26.95
MW-12	03/10/95	43.25	10-30	--	16.37	26.88
MW-12	03/14/95	43.25	10-30	--	15.69	27.56
MW-12	09/23/96	43.25	10-30	--	16.67	26.58
MW-12	12/04/96	43.25	10-30	--	17.16	26.09
MW-12	04/08/97	43.25	10-30	--	14.88	28.37
MW-12	06/30/97	43.25	10-30	--	16.33	26.92
MW-12	11/25/97	43.25	10-30	--	17.61	25.64
MW-12	06/01/98	43.25	10-30	--	11.58	31.67
MW-12	06/14/01	43.25	10-30	--	16.62	26.63
MW-12	11/07/01	43.25	10-30	--	17.91	25.34
MW-12	01/30/02	43.25	10-30	--	15.60	27.65
MW-12	05/29/02	43.25	10-30	--	16.24	27.01
MW-12	08/14/02	43.25	10-30	--	17.20	26.05
MW-12	11/15/02	43.25	10-30	--	17.62	25.63
MW-12	10/25/04	43.25	10-30			
MW-12	02/25/05	43.25	10-30	--	14.72	28.53
MW-12	05/19/05	43.25	10-30	--	13.80	29.45
MW-12	09/15/05	43.25	10-30		15.94	27.31
MW-12	11/10/05	43.25	10-30		16.51	26.74
MW-12	03/20/06	43.25	10-30	--	13.04	30.21
MW-12	05/25/06	43.25	10-30	--	12.65	30.60
MW-12	08/23/06	43.25	10-30	--	14.44	28.81
MW-12	03/14/07	43.25	10-30	--	14.70	28.55

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through January 2011
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
MW-12	06/11/07	43.25	10-30	--	16.02	27.23
MW-12	08/01/07	43.25	10-30	--	16.57	26.68
MW-12	02/27/08	43.25	10-30	--	14.99	28.26
MW-12	05/13/08	43.25	10-30	--	16.12	27.13
MW-12	08/27/08	43.25	10-30	--	17.37	25.88
MW-12	11/18/08	43.25	10-30	--	17.82	25.43
MW-12	03/11/09	43.25	10-30	--	15.88	27.37
MW-12	09/22/09	43.25	10-30	--	18.33	24.92
MW-12	03/09/10	43.25	10-30	--	15.61	27.64
MW-12	01/25/11	43.25	10-30	--	15.71	27.54
MW-13	02/10/95	40.97	10-30	--	14.45	26.52
MW-13	03/10/95	40.97	10-30	--	14.30	26.67
MW-13	03/14/95	40.97	10-30	--	15.81	25.16
MW-13	09/23/96	40.97	10-30	--	14.60	26.37
MW-13	12/04/96	40.97	10-30	--	--	--
MW-13	04/08/97	40.97	10-30	--	12.75	28.22
MW-13	06/30/97	40.97	10-30	--	14.13	26.84
MW-13	11/25/97	40.97	10-30	--	15.48	25.49
MW-13	06/01/98	40.97	10-30	--	9.58	31.39
MW-13	06/14/01	40.97	10-30	--	14.51	26.46
MW-13	11/07/01	40.97	10-30	--	15.85	25.12
MW-13	01/30/02	40.97	10-30	--	13.65	27.32
MW-13	05/29/02	40.97	10-30	--	14.10	26.87
MW-13	08/14/02	40.97	10-30	--	15.13	25.84
MW-13	11/15/02	40.97	10-30	--	--	--
MW-13	10/25/04	40.97	Well not sampled. Unable to locate well since		10/25/04	
MW-13	01/25/11	40.97	10-30	--	13.28	27.69
MW-14	02/10/95	43.19	10-30	--	16.28	26.91
MW-14	03/10/95	43.19	10-30	--	16.33	26.86
MW-14	03/14/95	43.19	10-30	--	14.87	28.32
MW-14	09/23/96	43.19	10-30	--	16.67	26.52
MW-14	12/04/96	43.19	10-30	--	17.06	26.13
MW-14	04/08/97	43.19	10-30	--	14.77	28.42
MW-14	06/30/97	43.19	10-30	--	16.22	26.97
MW-14	11/25/97	43.19	10-30	--	17.52	25.67
MW-14	06/01/98	43.19	10-30	--	11.46	31.73
MW-14	06/14/01	43.19	10-30	--	16.53	26.66
MW-14	11/07/01	43.19	10-30	--	17.84	25.35
MW-14	01/30/02	43.19	10-30	--	15.55	27.64
MW-14	05/29/02	43.19	10-30	--	16.14	27.05
MW-14	08/14/02	43.19	10-30	--	17.12	26.07
MW-14	11/15/02	43.19	10-30	--	17.56	25.63
MW-14	10/25/04	43.19	Well not sampled. Unable to locate well due to parked cars			
MW-14	02/25/05	43.19	10-30	--	14.20	28.99
MW-14	05/19/05	43.19	10-30	--	13.71	29.48

TABLE 1
FLUID LEVEL MONITORING DATA
February 1992 through January 2011
EZ Serve 100877, 525 West A Street, Hayward, CA

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
MW-14	09/15/05	43.19	10-30	Well not sampled due to lack of traffic control		
MW-14	11/10/05	43.19	10-30	Well not sampled due to lack of traffic control		
MW-14	03/20/06	43.19	10-30	--	12.94	30.25
MW-14	05/25/06	43.19	10-30	--	12.68	30.51
MW-14	08/23/06	43.19	10-30	--	15.32	27.87
MW-14	03/14/07	43.19	10-30	--	14.58	28.61
MW-14	06/11/07	43.19	10-30	--	15.95	27.24
MW-14	08/01/07	43.19	10-30	--	16.47	26.72
MW-14	02/27/08	43.19	10-30	--	14.91	28.28
MW-14	05/13/08	43.19	10-30	--	16.03	27.16
MW-14	08/27/08	43.19	10-30	--	17.28	25.91
MW-14	11/18/08	43.19	10-30	--	17.75	25.44
MW-14	03/11/09	43.19	10-30	--	15.83	27.36
MW-14	09/22/09	43.19	10-30	--	18.28	24.91
MW-14	03/09/10	43.19	10-30	--	15.54	27.65
MW-14	01/25/11	43.19	10-30	--	15.63	27.56
EX-1	08/14/02	--	10-35	--	16.58	--
EX-1	11/15/02	--	10-35	--	17.02	--
EX-1	10/25/04	--	10-35	--	16.91	--
EX-1	12/23/04	--	10-35	--	16.60	--
EX-1	02/25/05	--	10-35	--	13.72	--
EX-1	05/19/05	--	10-35	--	13.13	--
EX-1	09/15/05	--	10-35	--	15.20	--
EX-1	11/10/05	--	10-35	--	15.80	--
EX-1	03/20/06	--	10-35	--	12.35	--
EX-1	05/25/06	--	10-35	--	11.88	--
EX-1	08/23/06	--	10-35	--	13.62	--
EX-1	03/14/07	--	10-35	--	14.00	--
EX-1	06/11/07	--	10-35	--	15.34	--
EX-1	08/01/07	--	10-35	--	15.89	--
EX-1	02/27/08	--	10-35	--	Could not locate well	
EX-1	05/13/08	--	10-35	--	Could not locate well	
EX-1	08/27/08	--	10-35	--	16.70	--
EX-1	11/18/08	--	10-35	--	17.20	--
EX-1	03/11/09	--	10-35	--	15.38	--
EX-1	09/22/09	--	10-35	--	17.71	--
EX-1	03/09/10	--	10-35	--	15.00	--
EX-1	09/09/10	--	10-35	--	16.38	--
VEAS-2	02/25/05	--	5-15/28-30	--	13.68	--
VEAS-2	05/19/05	--	5-15/28-30	--	13.11	--
VEAS-2	11/10/05	--	5-15/28-30	--	DRY	--

Elevations are in feet above mean sea level. Free Product = liquid-phase hydrocarbons
-- = not encountered or no data av fbg = feet below grade

Note: No known groundwater sampling was conducted between June 1, 1998 and June 14, 2001 or June 14, 2001 and November 7, 2001. Wellhead elevations resurveyed on January 30, 2002.

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through January 2011
EZ Serve 100877, 525 West A Street, Hayward, CA

Well Number	Date Sampled	TPH-G (ug/l)	TPH-D (mg/L)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)	1,2-DCA (ug/l)	EDB (ug/l)
MW-1	02/05/92	46,000	--	7,600	2,300	2,400	6,500	--	--	--	--	--	--	--
MW-1	09/11/92	48,000	--	9,000	1,200	1,800	4,600	--	--	--	--	--	--	--
MW-1	12/22/92	84,000	--	22,000	1,600	4,800	17,000	--	--	--	--	--	--	--
MW-1	03/03/93	54,000	--	16,000	1,600	1,900	4,300	--	--	--	--	--	--	--
MW-1	06/23/93	30,000	--	18,000	1,100	1,400	3,700	--	--	--	--	--	--	--
MW-1	09/30/93	33,000	--	10,000	440	940	1,700	--	--	--	--	--	--	--
MW-1	02/06/94	64,000	--	18,000	1,600	4,700	12,000	--	--	--	--	--	--	--
MW-1	05/02/94	7,200	--	2,100	29	490	520	--	--	--	--	--	--	--
MW-1	07/01/94	13,000	--	3,700	150	550	12,000	--	--	--	--	--	--	--
MW-1	09/20/94	10,000	--	3,100	75	440	870	--	--	--	--	--	--	--
MW-1	12/05/92	8,700	--	3,700	87	520	950	--	--	--	--	--	--	--
MW-1	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1	03/15/95	290	--	56	2	12	47	--	--	--	--	--	--	--
MW-1	09/23/96	20,000	--	5,200	860	700	1,100	--	--	270	--	--	--	--
MW-1	12/04/96	17,000	--	3,100	64	610	1,200	--	--	280	--	--	--	--
MW-1	04/08/97	2,100	--	430	15	52	85	--	--	100	--	--	--	--
MW-1	06/30/97	10,000	--	2,100	<	<	320	--	--	<	--	--	--	--
MW-1	11/25/97	16,000	--	2,100	23	76	240	--	--	<	--	--	--	--
MW-1	06/01/98	19,000	--	6,100	460	1,100	2,300	--	--	420	--	--	--	--
MW-1	06/14/01	6,000	--	380	8.4	260	180	--	--	<25	--	--	--	--
MW-1	11/07/01	12,000	--	1,000	30	1,000	740	<5.0	<5.0	11	<5.0	<50	--	--
MW-1	01/30/02	8,800	--	690	16	480	270	<5.0	<5.0	14	<5.0	<50	--	--
MW-1	05/29/02	6,400	--	330	13	250	260	2.5	<2.0	12	<2.0	<20	--	--
MW-1	08/14/02	5,500	--	470	14	360	160	<10	<10	10	<10	<100	--	--
MW-1	11/15/02	10,000	--	440	16	310	150	<10	<10	15	<10	<100	--	--
MW-1	10/25/04	4,300	--	260	3.3	150	32	<0.90	<0.90	14	<0.90	5.8	--	--
MW-1	12/23/04	11,000	--	860	6.1	880	280	<0.90	<0.90	16	<0.90	11	--	--
MW-1	02/25/05	11,000	--	710	6.7	720	330	<1.5	<1.5	24	<1.5	11	--	--
MW-1	05/19/05	7,500	--	610	12	370	140	<1.5	<1.5	20	<1.5	11	--	--
MW-1	09/15/05	6,100	--	300	3.5	280	71	<0.90	<0.90	12	<0.90	7.8	--	--
MW-1	03/20/06	6,400	--	290	3.2	330	61	<0.90	<0.90	8.8	<0.90	6	--	--
MW-1	05/25/06	4,200	--	300	6.4	100	40	<0.90	<0.90	11	<0.90	6.7	--	--
MW-1	08/23/06	3,400	--	140	1.9	92	9.2	<0.50	<0.50	4.2	<0.50	<5.0	--	--
MW-1	03/14/07	5,600	--	75	0.83	160	20	<0.50	<0.50	2.5	<0.50	<5.0	--	--
MW-1	06/11/07	5,400	--	90	<1.0	220	12	<1.0	<1.0	2.4	<1.0	<5.0	--	--
MW-1	08/01/07	5,300	--	130	<0.74	450	36	<0.60	<0.63	<0.77	<0.83	<35	--	--
MW-1	02/27/08	1,090	--	11	<0.24	40	9.1	<0.18	<0.23	<0.19	<0.19	<10	--	--
MW-1	05/13/08	4,530	--	77	<0.25	457	56	<2.5	<2.5	6.9	<2.5	<25.0	--	--
MW-1	08/27/08	3,350	--	45	1.1	261	16	<0.5	<0.5	12	<0.5	9.1	--	--
MW-1	11/18/08	4,680	--	42	0.7	266	6.9	<0.5	<0.5	15	<0.5	6.9	--	--
MW-1	03/11/09	5,180	--	69	2.0	440	10	<0.5	<0.5	20	<0.5	<5.0	--	--
MW-1	09/22/09	6,600	--	54	0.7	137	2.7	<0.5	<0.5	18	<0.5	<5.0	--	--
MW-1	03/09/10	4,670	--	70	<0.5	83	2.9	<0.5	<0.5	50	<0.5	<5.0	--	--
MW-1	09/09/10	4,750	1.7	39	0.7	46	2.4	<1.0	<1.0	85	<1.0	<10.0	<0.5	<0.5
MW-1	01/25/11	3,530	--	30	<0.5	85	1.7	<0.5	<0.5	50	<0.5	<5.0	<0.5	<0.5
MW-1A	06/23/93	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1A	09/30/93	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1A	02/06/94	8,900	--	1,700	42	1,000	400	--	--	--	--	--	--	--
MW-1A	05/02/94	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1A	07/01/94	12,000	--	1,100	<1	920	1,100	--	--	--	--	--	--	--
MW-1A	09/20/94	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1A	12/05/94	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1A	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1A	03/15/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1A	09/23/96	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1A	12/04/96	52,000	--	420	140	1,000	3,500	--	--	130	--	--	--	--
MW-1A	04/08/97	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1A	06/30/97	17,000	--	180	<	140	1,100	--	--	<	--	--	--	--
MW-1A	11/25/97	19,000	--	110	37	290	910	--	--	<	--	--	--	--
MW-1A	06/01/98	18,000	--	200	17	230	820	--	--	91	--	--	--	--

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through January 2011
EZ Serve 100877, 525 West A Street, Hayward, CA

Well Number	Date Sampled	TPH-G (ug/l)	TPH-D (mg/L)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)	1,2-DCA (ug/l)	EDB (ug/l)
MW-1A	06/14/01	27,000	--	29	<5.0	620	520	--	--	<50	--	--	--	--
MW-1A	11/07/01	21,000	--	51	<5.0	700	510	<5.0	<5.0	<5.0	<5.0	<50	--	--
MW-1A	01/30/02	24,000	--	22	<5.0	390	330	<5.0	<5.0	<5.0	<5.0	<50	--	--
MW-1A	05/29/02	12,000	--	32	<5.0	550	270	<5.0	<5.0	<5.0	<5.0	<50	--	--
MW-1A	08/14/02	14,000	--	22	<2.0	510	240	<2.0	<2.0	<2.0	<2.0	<20	--	--
MW-1A	11/15/02	17,000	--	59	2.4	630	250	<2.0	<2.0	<2.0	<2.0	<20	--	--
MW-1A	10/25/04	2,200	--	1.3	<0.50	58	3.7	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-1A	12/23/04	3,100	--	2.2	<0.50	96	5.4	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-1A	02/25/05	7,300	--	4.7	1.1	140	24	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-1A	05/19/05	13,000	--	3.1	1.7	190	50	<1.5	<1.5	<1.5	<1.5	<7.0	--	--
MW-1A	09/15/05	4,000	--	0.84	<0.50	52	2.5	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-1A	11/10/05	12,000	--	<2.0	0.76	130	3.6	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-1A	03/20/06	3,300	--	1.1	<0.50	17	1	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-1A	05/25/06	1,600	--	0.79	<0.50	22	0.94	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-1A	08/23/06	4,700	--	1.6	1.1	84	1.8	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-1A	03/14/07	610	--	<0.50	<0.50	12	<0.50	<0.50	<0.50	7.5	<0.50	<5.0	--	--
MW-1A	06/12/07	3,200	--	1.1	0.84	79	0.76	<0.50	<0.50	20	<0.50	<5.0	--	--
MW-1A	08/01/07	440	--	0.31	<0.15	6.2	<0.34	<0.12	<0.13	79	<0.17	<6.9	--	--
MW-1A	02/27/08	1,660	--	<0.18	<0.24	50	<0.45	<0.20	<0.23	21	<0.19	<10	--	--
MW-1A	11/18/08	Dry Well	† Dry Well	No Sample	Collector	--	--	--	--	--	--	--	--	--
MW-1A	03/11/09	Dry Well	† Dry Well	No Sample	Collector	--	--	--	--	--	--	--	--	--
MW-2	02/05/92	67,000	--	13,000	4,700	820	1,300	--	--	--	--	--	--	--
MW-2	09/11/92	57,000	--	9,000	1,400	1,200	8,400	--	--	--	--	--	--	--
MW-2	12/22/92	31,000	--	9,900	350	2,000	4,100	--	--	--	--	--	--	--
MW-2	03/03/93	17,000	--	5,100	1,300	720	1,900	--	--	--	--	--	--	--
MW-2	06/23/93	60,000	--	23,000	1,500	4,500	17,000	--	--	--	--	--	--	--
MW-2	09/30/93	38,000	--	12,000	780	1,500	6,500	--	--	--	--	--	--	--
MW-2	02/06/94	34,000	--	8,900	450	2,000	5,500	--	--	--	--	--	--	--
MW-2	05/02/94	18,000	--	3,800	260	1,100	3,500	--	--	--	--	--	--	--
MW-2	07/01/94	18,000	--	3,700	510	870	2,600	--	--	--	--	--	--	--
MW-2	09/20/94	19,000	--	4,500	300	1,200	4,000	--	--	--	--	--	--	--
MW-2	12/06/94	22,000	--	4,700	340	1,400	4,500	--	--	--	--	--	--	--
MW-2	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-2	03/15/95	29,000	--	5,600	350	1,900	6,300	--	--	--	--	--	--	--
MW-2	09/23/96	29,000	--	3,700	150	1,000	4,300	--	--	860	--	--	--	--
MW-2	12/04/96	31,000	--	3,800	140	2,000	5,100	--	--	690	--	--	--	--
MW-2	04/08/97	20,000	--	2,500	80	1,300	3,400	--	--	880	--	--	--	--
MW-2	06/30/97	41,000	--	2,700	130	1,200	4,000	--	--	890	--	--	--	--
MW-2	11/25/97	51,000	--	2,900	140	1,800	7,000	--	--	1,200	--	--	--	--
MW-2	06/01/98	33,000	--	2,700	130	1,800	5,700	--	--	610	--	--	--	--
MW-2	06/14/01	18,000	--	860	14	1,100	2,200	--	--	<100	--	--	--	--
MW-2	11/07/01	20,000	--	880	20	1,100	2,600	<5.0	<5.0	21	<5.0	<50	--	--
MW-2	01/30/02	19,000	--	880	19	1,100	2,400	<5.0	<5.0	56	<5.0	<50	--	--
MW-2	05/29/02	8,100	--	390	16	560	1,400	<5.0	<5.0	32	<5.0	<50	--	--
MW-2	08/14/02	19,000	--	820	21	1,200	2,600	<20	<20	29	<20	<200	--	--
MW-2	11/15/02	34,000	--	910	31	1,000	1,400	<20	<20	39	<20	<200	--	--
MW-2	10/25/04	9,300	--	280	3.8	500	980	<2.0	<2.0	8.2	<2.0	<9.0	--	--
MW-2	12/23/04	10,000	--	310	3.9	470	840	<2.0	<2.0	9.5	<2.0	<9.0	--	--
MW-2	02/25/05	15,000	--	320	4.8	860	1,600	<2.0	<2.0	7.7	<2.0	<9.0	--	--
MW-2	05/19/05	15,000	--	300	3.6	770	1,200	<2.5	<2.5	9.2	<2.5	<15	--	--
MW-2	09/15/05	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-2	11/10/05	14,000	--	230	2.6	530	1,000	<2.5	<2.5	6.2	<2.5	<15	--	--
MW-2	03/20/06	8,700	--	170	<1.5	360	530	<1.5	<1.5	3.8	<1.5	<7.0	--	--
MW-2	05/25/06	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-3	02/05/92	16,000	--	2,700	410	<1	3,400	--	--	--	--	--	--	--
MW-3	09/11/92	43,000	--	7,600	1,600	1,400	4,100	--	--	--	--	--	--	--
MW-3	12/22/92	29,000	--	8,800	1,200	1,500	3,700	--	--	--	--	--	--	--
MW-3	03/03/93	17,000	--	5,000	1,500	680	1,700	--	--	--	--	--	--	--
MW-3	06/23/93	5,700	--	3,000	120	560	790	--	--	--	--	--	--	--

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through January 2011
EZ Serve 100877, 525 West A Street, Hayward, CA

Well Number	Date Sampled	TPH-G (ug/l)	TPH-D (mg/L)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)	1,2-DCA (ug/l)	EDB (ug/l)
MW-3	09/30/93	21,000	--	7,000	2,100	970	2,600	--	--	--	--	--	--	--
MW-3	02/06/94	24,000	--	7,200	1,600	990	3,200	--	--	--	--	--	--	--
MW-3	05/02/94	10,000	--	2,200	440	470	1,200	--	--	--	--	--	--	--
MW-3	07/01/94	8,200	--	2,000	370	350	930	--	--	--	--	--	--	--
MW-3	09/20/94	7,200	--	2,000	360	380	1,000	--	--	--	--	--	--	--
MW-3	12/06/94	9,000	--	2,300	400	440	1,100	--	--	--	--	--	--	--
MW-3	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-3	03/15/95	4,300	--	980	47	370	780	--	--	--	--	--	--	--
MW-3	09/23/96	10,000	--	950	20	700	780	--	--	80	--	--	--	--
MW-3	12/04/96	13,000	--	1,100	25	1,000	1,100	--	--	67	--	--	--	--
MW-3	04/08/97	3,800	--	210	4.6	270	280	--	--	56	--	--	--	--
MW-3	06/30/97	3,500	--	280	<	32	180	--	--	<	--	--	--	--
MW-3	11/25/97	6,800	--	230	<	370	290	--	--	130	--	--	--	--
MW-3	06/01/98	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-3	06/14/01	2,100	--	9	<0.5	78	43	--	--	<5.0	--	--	--	--
MW-3	11/07/01	7,700	--	75	<5.0	410	150	<5.0	<5.0	<5.0	<5.0	<5.0	--	--
MW-3	01/30/02	3,600	--	27	<5.0	120	34	<5.0	<5.0	<5.0	<5.0	<5.0	--	--
MW-3	05/29/02	2,000	--	18	<5.0	53	13	<5.0	<5.0	<5.0	<5.0	<5.0	--	--
MW-3	08/14/02	2,400	--	19	<0.5	50	6.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-3	11/15/02	4,300	--	7.5	<0.5	22	1.1	0.5	0.5	0.5	0.5	<5.0	--	--
MW-3	10/25/04	460	--	0.6	<0.50	9.6	1.7	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-3	12/20/04	5,400	--	9	<0.50	280	74	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-3	02/25/05	Could not locate, VEAS-2 sampled insteac						--	--	--	--	--	--	--
MW-3	05/19/05	Could not locate, VEAS-2 sampled insteac						--	--	--	--	--	--	--
MW-3	09/15/05	Could not locate well						--	--	--	--	--	--	--
MW-3	11/10/05	Could not locate well						--	--	--	--	--	--	--
MW-3	03/20/06	800	--	0.76	<0.50	19	3.7	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-3	05/25/06	500	--	0.59	<0.50	3.8	0.96	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-3	08/23/06	550	--	<0.50	<0.50	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-3	03/14/07	660	--	0.85	<0.50	22	3.7	<0.50	<0.50	1.3	<0.50	<5.0	--	--
MW-3	06/12/07	540	--	<0.50	<0.50	14	2.2	<0.50	<0.50	6.0	<0.50	<5.0	--	--
MW-3	08/01/07	2,300	--	2.3	<0.15	87	13	<0.12	<0.13	<0.15	<0.17	<6.9	--	--
MW-3	02/27/08	1,360	--	<0.18	<0.24	32	3	<0.20	<0.23	7.7	<0.19	<10	--	--
MW-3	05/13/08	1,160	--	1.2	0.6	28	2.2	<0.5	<0.5	31	<0.5	<5.0	--	--
MW-3	08/27/08	2,790	--	1.4	<0.5	56	4.0	<0.5	<0.5	40	<0.5	18	--	--
MW-3	11/18/08	1,800	--	0.8	<0.5	50	1.4	<0.5	<0.5	31	<0.5	13	--	--
MW-3	03/11/09	957	--	1.2	0.9	37	4.0	<0.5	<0.5	155	<0.5	<5.0	--	--
MW-3	09/22/09	533	--	1.6	<0.5	8.8	<0.5	<0.5	<0.5	238	<0.5	<5.0	--	--
MW-3	03/09/10	537	--	<0.5	<0.5	8.8	<0.5	<0.5	<0.5	114	<0.5	<5.0	--	--
MW-3	09/09/10	272	<0.1	<0.5	<0.5	1.5	<0.5	<1.0	<1.0	36	<1.0	<10	<0.5	<0.5
MW-3	01/25/11	377	--	<0.5	<0.5	8.5	<0.5	<0.5	<0.5	5.1	<0.5	<5.0	<0.5	<0.5
MW-4	02/05/92	16,000	--	2,700	410	<1	3,400	--	--	--	--	--	--	--
MW-4	09/11/92	43,000	--	7,600	1,600	1,400	4,100	--	--	--	--	--	--	--
MW-4	12/22/92	29,000	--	8,800	1,200	1,500	3,700	--	--	--	--	--	--	--
MW-4	03/03/93	17,000	--	5,000	1,500	680	1,700	--	--	--	--	--	--	--
MW-4	06/23/93	5,700	--	3,000	120	560	790	--	--	--	--	--	--	--
MW-4	09/30/93	21,000	--	7,000	2,100	970	2,600	--	--	--	--	--	--	--
MW-4	02/06/94	24,000	--	7,200	1,600	990	3,200	--	--	--	--	--	--	--
MW-4	05/02/94	10,000	--	2,200	440	470	1,200	--	--	--	--	--	--	--
MW-4	07/01/94	8,200	--	2,000	370	350	930	--	--	--	--	--	--	--
MW-4	09/20/94	7,200	--	2,000	360	380	1,000	--	--	--	--	--	--	--
MW-4	12/06/94	9,000	--	2,300	400	440	1,100	--	--	--	--	--	--	--
MW-4	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-4	03/15/95	15,000	--	4,400	600	770	2,660	--	--	--	--	--	--	--
MW-4	09/23/96	32,000	--	7,400	540	1,500	2,800	--	--	2,100	--	--	--	--
MW-4	12/04/96	23,000	--	7,800	140	1,200	1,200	--	--	1,900	--	--	--	--
MW-4	04/08/97	16,000	--	3,900	680	850	2,300	--	--	980	--	--	--	--
MW-4	06/30/97	63,000	--	7,000	430	1,400	4,400	--	--	1,700	--	--	--	--
MW-4	11/25/97	30,000	--	4,300	61	810	1,500	--	--	880	--	--	--	--
MW-4	06/01/98	33,000	--	5,700	710	1,700	2,900	--	--	720	--	--	--	--

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through January 2011
EZ Serve 100877, 525 West A Street, Hayward, CA

Well Number	Date Sampled	TPH-G (ug/l)	TPH-D (mg/L)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)	1,2-DCA (ug/l)	EDB (ug/l)
MW-4	06/14/01	9,500	--	690	45	560	600	<5.0	<5.0	<50	<5.0	<50	--	--
MW-4	11/07/01	6,000	--	710	20	630	190	<5.0	<5.0	27	<5.0	<50	--	--
MW-4	01/30/02	4,800	--	830	16	600	61	<20	<20	42	<20	<200	--	--
MW-4	05/29/02	5,300	--	720	57	600	200	<2.0	<2.0	35	<2.0	<20	--	--
MW-4	08/14/02	5,000	--	640	15	550	35	<2.0	<2.0	28	<2.0	<20	--	--
MW-4	11/15/02	3,700	--	330	10	260	200	<0.50	<0.50	20	<0.50	<5.0	--	--
MW-4	10/25/04	4,000	--	180	15	200	190	<0.90	<0.90	4.1	<0.90	<5.0	--	--
MW-4	12/23/04	7,400	--	280	24	340	340	<0.90	<0.90	7.9	<0.90	<5.0	--	--
MW-4	02/25/05	4,200	--	160	15	280	420	<4.0	<4.0	6.2	<4.0	<20	--	--
MW-4	05/19/05	15,000	--	480	76	1,100	1,600	<0.90	<0.90	14	<0.90	5.4	--	--
MW-4	09/15/05	5,400	--	220	22	250	430	<0.50	<0.50	10	<0.50	<5.0	--	--
MW-4	11/10/06	8,000	--	320	37	530	670	<0.50	<0.50	9.3	<0.50	<5.0	--	--
MW-4	03/20/06	3,900	--	91	26	5.8	360.0	<0.50	<0.50	5.7	<0.50	<5.0	--	--
MW-4	05/25/06	8,300	--	300	77	570	730	<0.50	<0.50	5.4	<0.50	<5.0	--	--
MW-4	08/23/06	9,400	--	240	79	490	860	<0.50	<0.50	6.1	<0.50	<5.0	--	--
MW-4	03/14/07	4,600	--	100	20	350	570	<0.50	<0.50	2.3	<0.50	<5.0	--	--
MW-4	06/12/07	3,700	--	120	14	150	230	<0.50	<0.50	2.5	<0.50	<5.0	--	--
MW-4	08/01/07	3,700	--	120	15	280	310	<0.60	<0.63	<0.77	<0.83	<35	--	--
MW-4	02/27/08	Could not locate well		--	--	--	--	--	--	--	--	--	--	--
MW-4	05/13/08	2,800	--	102	18	329	343	<2.5	<2.5	8.0	<2.5	<25.0	--	--
MW-4	08/27/08	4,730	--	72	12	318	233	<0.5	<0.5	33	<0.5	18	--	--
MW-4	11/18/08	2,430	--	39	6.6	163	102	<0.5	<0.5	29	<0.5	8.1	--	--
MW-4	03/11/09	3,470	--	67	12	402	340	<0.5	<0.5	86	<0.5	<5.0	--	--
MW-4	09/22/09	1,590	--	25	<0.5	84	52	<0.5	<0.5	116	<0.5	<5.0	--	--
MW-4	03/09/10	1,790	--	21	4.3	94	65	<0.5	<0.5	220	<0.5	<5.0	--	--
MW-4	09/09/10	77300*	0.1	15,800	2,980	2,770	6,490	<10.0	<10.0	<5.0	<10.0	506	112	<5.0
MW-4	11/22/10	2,160	--	27	5	82	57	<5.0	<5.0	384	<5.0	<50	<5.0	<5.0
MW-4	01/25/11	651	--	4.6	2.2	5.9	3.5	<1.0	<1.0	161	<1.0	116	<1.0	<1.0
MW-5	02/05/92	78,000	--	7,900	5,000	2,900	1,800	--	--	--	--	--	--	--
MW-5	09/11/92	49,000	--	4,700	400	1,400	4,100	--	--	--	--	--	--	--
MW-5	12/22/92	34,000	--	8,600	340	2,200	4,800	--	--	--	--	--	--	--
MW-5	03/03/93	22,000	--	7,500	640	1,300	3,400	--	--	--	--	--	--	--
MW-5	06/23/93	15,000	--	5,800	120	1,100	2,100	--	--	--	--	--	--	--
MW-5	09/30/93	25,000	--	7,600	410	1,000	4,400	--	--	--	--	--	--	--
MW-5	02/06/94	23,000	--	6,000	180	2,000	5,900	--	--	--	--	--	--	--
MW-5	05/02/94	8,000	--	1,300	29	440	770	--	--	--	--	--	--	--
MW-5	07/01/94	10,000	--	1,700	97	600	1,400	--	--	--	--	--	--	--
MW-5	09/20/94	8,400	--	1,600	54	650	1,400	--	--	--	--	--	--	--
MW-5	15/5/92	10,000	--	1,800	<50	620	1,400	--	--	--	--	--	--	--
MW-5	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-5	03/15/95	5,300	--	1,100	11	180	320	--	--	--	--	--	--	--
MW-5	09/23/96	9,800	--	1,800	11	470	510	--	--	100	--	--	--	--
MW-5	12/04/96	10,000	--	2,200	9	550	430	--	--	70	--	--	--	--
MW-5	04/08/97	11,000	--	1,300	15	450	720	--	--	180	--	--	--	--
MW-5	06/30/97	3,800	--	500	<	75	84	--	--	<	--	--	--	--
MW-5	11/25/97	8,200	--	1,300	14	310	220	--	--	<	--	--	--	--
MW-5	06/01/98	3,600	--	290	12	52	52	--	--	81	--	--	--	--
MW-5	06/14/01	5,100	--	44	0.71	110	23	--	--	<5.0	--	--	--	--
MW-5	11/07/01	7,600	--	220	<5.0	550	30	<5.0	<5.0	<5.0	<5.0	<50	--	--
MW-5	01/30/02	6,200	--	180	<20	310	130	<20	<20	<20	<20	<200	--	--
MW-5	05/29/02	3,900	--	66	0.8	110	7.4	2	<0.5	0.9	<0.5	<5.0	--	--
MW-5	08/14/02	4,300	--	80	0.9	150	12	<0.5	<0.5	1.1	<0.5	<5.0	--	--
MW-5	11/15/02	7,000	--	99	<5.0	250	500	<5.0	<5.0	<5.0	<5.0	<5.0	--	--
MW-5	10/25/04	4,800	--	27	0.5	50	3.7	<0.50	<0.50	0.79	<0.50	<5.0	--	--
MW-5	12/23/04	6,300	--	55	<0.90	140	5.6	<0.90	<0.90	<0.90	<0.90	<5.0	--	--
MW-5	02/25/05	4,700	--	44	0.59	110	4.8	<0.50	<0.50	0.85	<0.50	<5.0	--	--
MW-5	05/19/05	3,800	--	32	0.61	66	4.4	<0.50	<0.50	1	<0.50	<5.0	--	--
MW-5	09/15/05	4,500	--	22	0.65	78	4	<0.50	<0.50	9.5	<0.50	<5.0	--	--
MW-5	11/10/08	4,000	--	19	0.52	77	4.3	<0.50	<0.50	0.8	<0.50	<5.0	--	--
MW-5	03/20/06	4,000	--	9.5	<0.50	4.9	4	<0.50	<0.50	1.5	<0.50	<5.0	--	--

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through January 2011
EZ Serve 100877, 525 West A Street, Hayward, CA

Well Number	Date Sampled	TPH-G (ug/l)	TPH-D (mg/L)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)	1,2-DCA (ug/l)	EDB (ug/l)
MW-5	05/25/06	3,400	--	12	<0.50	46	3.8	<0.50	<0.50	1.6	<0.50	<5.0	--	--
MW-5	08/23/06	4,000	--	5.6	0.75	42	3.6	<0.50	<0.50	1.3	<0.50	<5.0	--	--
MW-5	03/14/07	3,500	--	3.1	1	31	1.6	<0.50	<0.50	1.8	<0.50	<5.0	--	--
MW-5	06/11/07	2,500	--	3.0	0.83	14	1.4	<0.50	<0.50	1.9	<0.50	<5.0	--	--
MW-5	08/01/07	2,700	--	3.6	1.1	21	1.1	<0.12	<0.12	<0.15	<0.12	<6.9	--	--
MW-5	02/27/08	628	--	1.5	<0.24	8.9	4.2	<0.20	<0.23	1.6	<0.19	<10	--	--
MW-5	05/13/08	752	--	1.3	1.1	1.9	1.8	<0.5	<0.5	7.9	<0.5	<5.0	--	--
MW-5	08/27/08	3,100	--	2.9	2.9	12	6.8	<0.5	<0.5	64	<0.5	30	--	--
MW-5	11/18/08	2,490	--	1.9	0.7	8.7	2.4	<0.5	<0.5	60	<0.5	27	--	--
MW-5	03/11/09	2,210	--	3.3	1.1	8.5	1.3	<0.5	<0.5	72	<0.5	<5.0	--	--
MW-5	09/22/09	2,870	--	4.4	1.1	11	2.9	<0.5	<0.5	88	<0.5	<5.0	--	--
MW-5	03/09/10	103	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	7.8	<0.5	<5.0	--	--
MW-5	09/09/10	31700*	0.2	9,730	333	905	848	<10.0	<10.0	<5.0	<10.0	199	91	<5.0
MW-5	11/22/10	3,500	--	2.7	<1.0	4.6	<1.0	<1.0	<1.0	136	<1.0	<10	<1.0	<1.0
MW-5	01/25/11	1,140	--	1.8	<0.5	2.9	<0.5	<0.5	<0.5	84	<0.5	<5.0	<0.5	<0.5
MW-6	02/05/92	51,000	--	5,400	3,500	3,600	10,000	--	--	--	--	--	--	--
MW-6	09/11/92	24,000	--	2,500	830	1,400	2,300	--	--	--	--	--	--	--
MW-6	12/22/92	23,000	--	5,100	630	2,000	3,100	--	--	--	--	--	--	--
MW-6	03/03/93	18,000	--	4,400	820	1,400	2,400	--	--	--	--	--	--	--
MW-6	06/23/93	18,000	--	4,600	850	2,700	3,400	--	--	--	--	--	--	--
MW-6	09/30/93	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-6	02/06/94	20,000	--	4,600	690	2,100	2,500	--	--	--	--	--	--	--
MW-6	05/02/94	5,300	--	930	54	610	240	--	--	--	--	--	--	--
MW-6	07/01/94	10,000	--	1,500	160	850	690	--	--	--	--	--	--	--
MW-6	09/20/94	11,000	--	2,000	140	1,200	760	--	--	--	--	--	--	--
MW-6	12/06/94	8,600	--	1,300	87	980	610	--	--	--	--	--	--	--
MW-6	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-6	03/15/95	9,800	--	1,600	110	1,000	1,000	--	--	--	--	--	--	--
MW-6	09/23/96	12,000	--	520	55	930	350	--	--	51	--	--	--	--
MW-6	12/04/96	11,000	--	390	25	680	170	--	--	130	--	--	--	--
MW-6	04/08/97	17,000	--	700	92	1,400	900	--	--	2,700	--	--	--	--
MW-6	06/30/97	11,000	--	270	37	590	450	--	--	<	--	--	--	--
MW-6	11/25/97	9,100	--	130	26	500	150	--	--	310	--	--	--	--
MW-6	06/01/98	14,000	--	190	50	680	400	--	--	160	--	--	--	--
MW-6	06/14/01	6,400	--	29	6.3	200	55	--	--	<20	--	--	--	--
MW-6	11/07/01	7,200	--	34	8.7	180	31	<5.0	<5.0	<5.0	<5.0	<50	--	--
MW-6	01/30/02	6,600	--	32	7.2	130	28	<5.0	<5.0	<5.0	<5.0	<50	--	--
MW-6	05/29/02	5,200	--	26	7	150	27	<0.5	<0.5	<5.0	<0.5	<50	--	--
MW-6	08/14/02	5,300	--	24	6.6	120	22	<2.0	<2.0	<2.0	<2.0	<20	--	--
MW-6	11/15/02	5,000	--	19	4.7	70	38	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-6	10/25/04	3,600	--	9.8	2.1	83	16	<0.50	<0.50	2.3	<0.50	<5.0	--	--
MW-6	12/23/04	2,100	--	8.2	1.3	10	2.4	<0.90	<0.90	1.5	<0.90	<5.0	--	--
MW-6	02/25/05	2,500	--	6.6	1.4	29	5.2	<0.50	<0.50	0.74	<0.50	<5.0	--	--
MW-6	05/19/05	3,800	--	7.5	2.2	54	12	<0.50	<0.50	3.1	<0.50	<5.0	--	--
MW-6	09/15/05	1,900	--	2.9	0.88	12	2.7	<0.50	<0.50	0.94	<0.50	<5.0	--	--
MW-6	11/10/05	1,700	--	2.1	0.6	5.4	1.7	<0.50	<0.50	0.81	<0.50	<5.0	--	--
MW-6	03/20/06	2,300	--	3.6	1.0	12	3.9	<0.50	<0.50	1.1	<0.50	<5.0	--	--
MW-6	05/25/06	2,400	--	5	1.8	31	14	<0.50	<0.50	3	<0.50	<5.0	--	--
MW-6	08/23/06	2,300	--	2.3	0.84	7.8	4.2	<0.50	<0.50	1.7	<0.50	<5.0	--	--
MW-6	03/14/07	3,300	--	2.8	0.7	49	6.5	<0.50	<0.50	10	<0.50	<5.0	--	--
MW-6	06/12/07	2,000	--	1.4	0.54	3.2	2.1	<0.50	<0.50	32	<0.50	<5.0	--	--
MW-6	08/01/07	1,500	--	0.99	0.4	2.1	1.2	<0.12	<0.13	50	<0.17	<6.9	--	--
MW-6	02/27/08	1,520	--	<0.18	<0.24	2.4	1.3	<0.20	<0.23	140	<0.19	<10	--	--
MW-6	05/13/08	1,530	--	1.0	0.8	4.0	1.5	<0.5	<0.5	127	<0.5	<5.0	--	--
MW-6	08/27/08	Could not locate	--	--	--	--	--	--	--	--	--	--	--	--
MW-6	11/18/08	Could not locate	--	--	--	--	--	--	--	--	--	--	--	--
MW-6	03/11/09	Could not locate	--	--	--	--	--	--	--	--	--	--	--	--
MW-6	03/09/10	Could not locate	--	--	--	--	--	--	--	--	--	--	--	--

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through January 2011
EZ Serve 100877, 525 West A Street, Hayward, CA

Well Number	Date Sampled	TPH-G (ug/l)	TPH-D (mg/L)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)	1,2-DCA (ug/l)	EDB (ug/l)
MW-7	06/23/93	29,000	--	4,200	71	4,400	5,600	--	--	--	--	--	--	--
MW-7	09/30/93	30,000	--	3,200	71	2,800	3,400	--	--	--	--	--	--	--
MW-7	02/06/94	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-7	05/02/94	5,700	--	630	13	660	400	--	--	--	--	--	--	--
MW-7	07/01/94	3,100	--	180	99	160	520	--	--	--	--	--	--	--
MW-7	09/20/94	6,100	--	540	6	750	730	--	--	--	--	--	--	--
MW-7	12/05/94	3,700	--	280	<10	430	350	--	--	--	--	--	--	--
MW-7	03/10/95	3,900	--	310	<10	540	540	--	--	--	--	--	--	--
MW-7	03/14/95	1,900	--	290	4	26	296	--	--	--	--	--	--	--
MW-7	09/23/96	6,300	--	76	<	420	270	--	--	15	--	--	--	--
MW-7	12/04/96	7,800	--	67	<	600	350	--	--	22	--	--	--	--
MW-7	04/08/97	5,600	--	42	<	240	96	--	--	<	--	--	--	--
MW-7	06/30/97	5,500	--	<	79	<	44	--	--	280	--	--	--	--
MW-7	11/25/97	2,400	--	23	5.4	<	54	--	--	120	--	--	--	--
MW-7	06/01/98	14,000	--	190	50	680	400	--	--	160	--	--	--	--
MW-7	06/14/01	6,400	--	29	6	200	55	--	--	<20	--	--	--	--
MW-7	11/07/01	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-7	01/30/02	6,200	--	1.5	<0.50	96	4.6	<0.5	<0.5	<0.5	<0.5	<50	--	--
MW-7	05/29/02	1,600	--	1	<0.50	3.4	1.9	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-7	08/14/02	4,100	--	1.3	<0.50	74	1.3	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-7	11/15/02	1,000	--	0.6	<0.50	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-7	10/25/04	Could not locate well	--	--	--	--	--	--	--	--	--	--	--	--
MW-7	05/19/05	660	--	<0.50	<0.50	1.8	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-7	09/15/05	Could not locate well	--	--	--	--	--	--	--	--	--	--	--	--
MW-7	11/10/05	340	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-7	03/20/06	Could not locate well	--	--	--	--	--	--	--	--	--	--	--	--
MW-7	05/25/06	Could not locate well	--	--	--	--	--	--	--	--	--	--	--	--
MW-7	08/23/06	380	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-7	03/14/07	170	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-7	06/12/07	Could not locate well	--	--	--	--	--	--	--	--	--	--	--	--
MW-7	08/01/07	470	--	<0.12	<0.15	1.7	0.5	<0.12	<0.13	<0.15	<0.17	<6.9	--	--
MW-7	02/27/08	257	--	<0.18	<0.24	<0.21	<0.45	<0.20	<0.23	<0.19	<0.19	<10	--	--
MW-7	05/13/08	241	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-7	08/27/08	514	--	<0.5	<0.5	0.9	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-7	11/18/08	281	--	<0.5	<0.5	0.7	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-7	03/11/09	327	--	<0.5	<0.5	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-7	09/22/09	216	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-7	03/09/10	143	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-7	09/09/10	100	<0.1	<0.5	<0.5	<0.5	<0.5	<1.0	<1.0	0.5	<1.0	<10	<0.5	<0.5
MW-7	01/25/11	218	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	<5.0	<0.5	<0.5
MW-8	06/23/93	350	--	43	9	35	67	--	--	--	--	--	--	--
MW-8	09/30/93	2,700	--	190	340	170	720	--	--	--	--	--	--	--
MW-8	02/06/94	<100	--	<1	1	1	2	--	--	--	--	--	--	--
MW-8	05/02/94	<100	--	<1	3	<1	7	--	--	--	--	--	--	--
MW-8	07/01/94	300	--	18	48	19	37	--	--	--	--	--	--	--
MW-8	09/20/94	<100	--	<1	<1	<1	<1	--	--	--	--	--	--	--
MW-8	12/05/94	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-8	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-8	03/15/95	<50	--	<0.5	<0.5	<0.5	1	--	--	--	--	--	--	--
MW-8	09/23/96	<	--	<	<	<	<	<	<	<	<	<	<	<
Not sampled, well inaccessible since 4th quarter, 1996														
MW-9	06/23/93	45,000	--	14,000	1,200	2,800	12,000	--	--	--	--	--	--	--
MW-9	09/30/93	86,000	--	22,000	1,100	3,300	15,000	--	--	--	--	--	--	--
MW-9	02/06/94	43,000	--	10,000	460	2,100	7,500	--	--	--	--	--	--	--
MW-9	05/02/94	17,000	--	5,400	270	1,300	4,700	--	--	--	--	--	--	--
MW-9	07/01/94	10,000	--	2,100	120	450	1,300	--	--	--	--	--	--	--
MW-9	09/20/94	7,500	--	2,200	97	400	1,200	--	--	--	--	--	--	--
MW-9	12/05/94	10,000	--	2,700	130	530	1,600	--	--	--	--	--	--	--
MW-9	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-9	03/15/95	18,000	--	5,900	270	1,200	3,680	--	--	--	--	--	--	--
Not sampled, well inaccessible since 1st quarter, 1995														

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through January 2011
EZ Serve 100877, 525 West A Street, Hayward, CA

Well Number	Date Sampled	TPH-G (ug/l)	TPH-D (mg/L)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)	1,2-DCA (ug/l)	EDB (ug/l)
MW-10	06/23/93	35,000	--	980	640	3,500	12,000	--	--	--	--	--	--	--
MW-10	09/30/93	4,000	--	230	12	100	680	--	--	--	--	--	--	--
MW-10	02/06/94	2,000	--	69	12	220	120	--	--	--	--	--	--	--
MW-10	05/02/94	710	--	16	6	85	62	--	--	--	--	--	--	--
MW-10	07/01/94	2,000	--	52	43	120	210	--	--	--	--	--	--	--
MW-10	09/20/94	2,800	--	34	16	270	560	--	--	--	--	--	--	--
MW-10	12/05/94	2,700	--	30	13	260	430	--	--	--	--	--	--	--
MW-10	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-10	03/15/95	1,400	--	18	6	200	239	--	--	--	--	--	--	--
MW-10	09/23/96	3,800	--	4	2.9	220	170	--	--	397	--	--	--	--
MW-10	12/04/96	4,600	--	1.6	7.7	260	150	--	--	20	--	--	--	--
Not sampled, well inaccessible since 4th quarter, 1996														
MW-11	02/10/95	7,000	--	140	22	600	1,000	--	--	--	--	--	--	--
MW-11	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-11	03/15/95	6,000	--	200	17	750	1,276	--	--	--	--	--	--	--
MW-11	09/23/96	27,000	--	55	81	300	3,500	--	--	40	--	--	--	--
MW-11	12/04/96	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-11	04/08/97	24,000	--	280	130	3,000	3,700	--	--	<	--	--	--	--
Not sampled, well inaccessible since 2nd quarter, 1997														
MW-12	02/10/95	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-12	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	03/14/95	<50	--	<0.5	<0.5	<0.5	0.9	--	--	--	--	--	--	--
MW-12	09/23/96	<	--	<	1.6	<	<	--	--	--	--	--	--	--
MW-12	12/04/96	<	--	3.2	<	1.9	3.4	--	--	--	--	--	--	--
MW-12	04/08/97	<	--	<	<	<	<	--	--	--	--	--	--	--
MW-12	06/30/97	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	11/25/97	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	06/01/98	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-12	06/14/01	<50	--	<0.50	<0.50	<0.50	<0.50	--	--	<5.0	--	--	--	--
MW-12	11/07/01	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	01/30/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	05/29/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	08/14/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	11/15/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	10/25/04	Not Accessible												
MW-12	02/25/05	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	05/19/05	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	09/15/05	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	11/10/05	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-12	03/20/06	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-12	05/25/06	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-12	08/23/06	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-12	03/14/07	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-12	06/11/07	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
MW-12	08/01/07	45	--	<0.12	<0.15	<0.17	<0.34	<0.12	<0.13	<0.15	<0.17	<6.9	--	--
MW-12	02/27/08	<6.6	--	<0.18	<0.24	<0.21	<0.45	<0.20	<0.23	<0.19	<0.19	<10	--	--
MW-12	05/13/08	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	08/27/08	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	11/18/08	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	03/11/09	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	09/22/09	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	03/09/10	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
MW-12	01/25/11	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5
MW-13	02/10/95	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-13	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-13	03/14/95	<50	--	<0.5	<0.5	<0.5	1	--	--	--	--	--	--	--
MW-13	09/23/96	<	--	<	0.8	1	<	--	--	<	--	--	--	--
MW-13	12/04/96	--	--	--	--	--	--	--	--	--	--	--	--	--

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through January 2011
EZ Serve 100877, 525 West A Street, Hayward, CA

Well Number	Date Sampled	TPH-G (ug/l)	TPH-D (mg/L)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)	1,2-DCA (ug/l)	EDB (ug/l)	
MW-13	04/08/97	<	--	<	<	<	<	--	--	<	--	--	--	--	
MW-13	06/30/97	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-13	11/25/97	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-13	06/01/98	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-13	06/14/01	<50	--	<0.50	<0.50	<0.50	<0.50	--	--	<5.0	--	--	--	--	
MW-13	11/07/01	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-13	01/30/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-13	05/29/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-13	08/14/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-13	11/15/02	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-13	10/25/04	Not sampled since 4th quarter, 2004						--	--	--	--	--	--	--	--
MW-14	02/10/95	12,000	--	42	8	740	2,100	--	--	--	--	--	--	--	
MW-14	03/10/95	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-14	03/14/95	1,400	--	6	2	36	298	--	--	--	--	--	--	--	
MW-14	09/23/96	6,400	--	2.8	<	690	96	--	--	9.6	--	--	--	--	
MW-14	12/04/96	9,500	--	6.3	<	1,100	400	--	--	30	--	--	--	--	
MW-14	04/08/97	2,900	--	<	2.7	220	21	--	--	<	--	--	--	--	
MW-14	06/30/97	74	--	1.3	<	0.51	0.68	--	--	<	--	--	--	--	
MW-14	11/25/97	<	--	<	<	<	<	--	--	<	--	--	--	--	
MW-14	06/01/98	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	<5	--	--	--	--	
MW-14	06/14/01	470	--	<0.5	<0.5	2.8	1	--	--	<5	--	--	--	--	
MW-14	11/07/01	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-14	01/30/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-14	05/29/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-14	08/14/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-14	11/15/02	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-14	10/25/04	Not Accessible			--	--	--	--	--	--	--	--	--	--	
MW-14	02/25/05	210	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-14	05/19/05	230	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-14	09/15/05	Not Accessible			--	--	--	--	--	--	--	--	--	--	
MW-14	11/10/05	Not Accessible			--	--	--	--	--	--	--	--	--	--	
MW-14	03/20/06	180	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-14	05/25/06	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-14	08/23/06	99	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-14	03/14/07	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-14	06/11/07	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-14	08/01/07	53	--	<0.12	<0.15	<0.17	<0.34	<0.12	<0.13	<0.15	<0.17	<6.9	--	--	
MW-14	02/27/08	<6.6	--	<0.18	<0.24	<0.21	<0.45	<0.20	<0.23	<0.19	<0.19	<10	--	--	
MW-14	05/13/08	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-14	08/27/08	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-14	11/18/08	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-14	03/11/09	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-14	09/22/09	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-14	03/09/10	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
MW-14	01/25/11	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<0.5	
EX-1	08/14/02	250	--	31	<0.5	<0.5	4	<0.5	<0.5	1.4	<0.5	<5.0	--	--	
EX-1	11/15/02	67	--	4.1	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	<5.0	--	--	
EX-1	10/25/04	96	--	2.1	<0.50	4.9	1.8	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
EX-1	12/23/04	<50	--	<0.50	<0.50	0.87	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--	
EX-1	02/25/05	59	--	1.4	<0.50	2	0.87	<0.50	<0.50	<0.50	<0.50	<5.0	--	--	
EX-1	05/19/05	200	--	3.4	<0.50	3.7	1.8	<0.50	<0.50	1.3	<0.50	<5.0	--	--	
EX-1	09/15/05	290	--	7.5	<0.50	2.8	0.66	<0.50	<0.50	1.2	<0.50	<5.0	--	--	
EX-1	11/10/05	270	--	5.1	<0.50	9.2	1.5	<0.50	<0.50	0.94	<0.50	<5.0	--	--	
EX-1	03/20/06	820	--	7.5	<0.50	15	7.2	<0.50	<0.50	0.94	<0.50	<5.0	--	--	
EX-1	05/25/06	100	--	<0.50	<0.50	1	0.9	<0.50	<0.50	0.79	<0.50	<5.0	--	--	
EX-1	08/23/06	440	--	7.3	<0.50	0.72	0.61	<0.50	<0.50	1.2	<0.50	<5.0	--	--	
EX-1	03/14/07	360	--	1.6	<0.50	8.8	1.8	<0.50	<0.50	1.7	<0.50	<5.0	--	--	
EX-1	06/11/07	240	--	1.1	<0.50	6.0	1.4	<0.50	<0.50	4.3	<0.50	<5.0	--	--	
EX-1	08/01/07	410	--	2.5	<0.15	4.2	0.92	<0.12	<0.13	3.6	<0.17	<6.9	--	--	

TABLE 2
RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES
October 1992 through January 2011
EZ Serve 100877, 525 West A Street, Hayward, CA

Well Number	Date Sampled	TPH-G (ug/l)	TPH-D (mg/L)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)	1,2-DCA (ug/l)	EDB (ug/l)
EX-1	02/27/08	Not Accessible			--	--	--	--	--	--	--	--	--	--
EX-1	08/27/08	348	--	0.9	<0.5	0.8	<0.5	<0.5	<0.5	94	<0.5	22	--	--
EX-1	11/18/08	459	--	0.8	<0.5	<0.5	<0.5	<0.5	<0.5	16	<0.5	7.9	--	--
EX-1	03/11/09	371	--	<0.5	<0.5	3.6	<0.5	<0.5	<0.5	151	<0.5	<5.0	--	--
EX-1	09/22/09	295	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	79	<0.5	<5.0	--	--
EX-1	03/09/10	344	--	0.5	<0.5	1.2	<0.5	<0.5	<0.5	239	<0.5	<5.0	--	--
EX-1	09/09/10	759	<0.1	2.1	<1.0	1.3	<1.0	<2.0	<2.0	217	<2.0	<20.0	<1.0	<1.0
EX-1	01/25/11	Not Sampled												
VEAS-2	02/25/05	90	--	1.1	<0.50	0.7	1.3	<0.50	<0.50	1.4	<0.50	<5.0	--	--
VEAS-2	05/19/05	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
VEAS-2	11/10/05	--	--	--	--	--	--	--	--	--	--	--	--	--

Notes:

TPH-G = total petroleum hydrocarbons with gasoline distinctic

MTBE = methyl tertiary butyl ethe

DIPE = di-isopropyl ethe

ETBE = ethyl-tert-butyl ethe

TAME = tert-amyl methyl ethe

TBA = tert butano

1,2-DCA = 1,2-Dichloroethane

EDB = 1,2-Dibromoethane

ug/l = micrograms per liter

mg/L = milligrams per liter

* = High concentrations of petroleum hydrocarbons and fuel oxygenates reported during the 3Q10 in wells MW-4 and MW- appears to be atributable to field or laboratory error.


-- = not analyzed, measured, or collecte

< = Sample reported as "not detected", in previous tables, reporting limit not known (Delta Environment

Note: No known groundwater sampling was conducted between June 1, 1998 and June 14, 2001, June 14, 2001 and Novemb 7, 2001

Wellhead elevations resurveyed on January 30, 2002.

FIGURES



0 1000 FEET 0 500 1000 METERS
 Printed from TOPO! ©2001 National Geographic Holdings (www.topo.com)

GEOENVIRO SERVICES, INC.

SITE LOCATION MAP

FORMER EZ SERVE STATION NO. 100877
 525 WEST A STREET
 HAYWARD, CA


APRIL 2011

FIGURE 1


DRAWN BY: JPS

CLIENT: RPMS
 JOB No.: 07-131





SCALE 1" = 80'



DRAWN BY: GRS
 REVISION DATE: FEBRUARY 25, 2011
 CLIENT: RPMS
 JOB No.: 07-131

LEGEND

- MW-1 27.90 GROUNDWATER MONITORING WELL WITH GROUNDWATER ELEVATION IN FEET AMSL AS MEASURED ON 01/25/2011
- EX-1 GROUNDWATER EXTRACTION WELL
- VEAS-2 REMEDIATION WELL NM NOT MEASURED
- MW-2 DESTROYED GROUNDWATER MONITORING WELL
- (28.00') GROUNDWATER ELEVATION CONTOUR IN FEET ABOVE MEAN SEA LEVEL AS MEASURED 01/25/2011


GEOENVIRO SERVICES, INC.

SITE MAP WITH CONTOURS OF GROUNDWATER ELEVATION FIRST QUARTER 2011


FORMER EZ SERVE STATION NO. 100877
 525 WEST A STREET
 HAYWARD, CA

APRIL 2011

FIGURE 2



SCALE 1" = 80'



DRAWN BY: JPS
 REVISION DATE: FEBRUARY 25, 2011
 CLIENT: RPMS
 JOB No.: 07-131

LEGEND

- MW-1 3,530 GROUNDWATER MONITORING WELL WITH TPHg CONCENTRATIONS IN ug/L AS MEASURED ON 1/25/2011
- EX-1 NA GROUNDWATER EXTRACTION WELL
- VEAS-2 REMEDIATION WELL NA - NOT ANALYZED
- MW-2 DESTROYED GROUNDWATER MONITORING WELL
- 1,000 ug/L TPHg IN GROUNDWATER CONCENTRATION CONTOUR AS MEASURED ON 1/25/11


GEOENVIRO SERVICES, INC.

SITE MAP WITH CONTOURS OF TPHg CONCENTRATIONS IN GROUNDWATER FIRST QUARTER 2011

FORMER EZ SERVE STATION NO. 100877
 525 WEST A STREET
 HAYWARD, CA

APRIL 2011

FIGURE 3



SCALE 1" = 80'



DRAWN BY: JPS
 REVISION DATE: FEBRUARY 25, 2011
 CLIENT: RPMS
 JOB No.: 07-131

LEGEND

- MW-1 30 GROUNDWATER MONITORING WELL WITH BENZENE CONCENTRATIONS IN ug/L AS MEASURED ON 1/25/2011
- EX-1 NA GROUNDWATER EXTRACTION WELL
- VEAS-2 NA - NOT ANALYZED
- MW-2 DESTROYED GROUNDWATER MONITORING WELL
- 10 ug/L BENZENE IN GROUNDWATER CONCENTRATION CONTOUR AS MEASURED ON 1/25/11


GEOENVIRO SERVICES, INC.

SITE MAP WITH CONTOURS OF BENZENE CONCENTRATIONS IN GROUNDWATER FIRST QUARTER 2011

FORMER EZ SERVE STATION NO. 100877
 525 WEST A STREET
 HAYWARD, CA

APRIL 2011

FIGURE 4



SCALE 1" = 80'



DRAWN BY: GRS
 REVISION DATE: FEBRUARY 25, 2011
 CLIENT: RPMS
 JOB No.: 07-131

LEGEND

- MW-1 50 GROUNDWATER MONITORING WELL WITH MTBE CONCENTRATIONS IN ug/L AS MEASURED ON 1/25/2011
- EX-1 NA GROUNDWATER EXTRACTION WELL
- VEAS-2 REMEDIATION WELL
- MW-2 DESTROYED GROUNDWATER MONITORING WELL
- 10 ug/L MTBE IN GROUNDWATER CONCENTRATION CONTOUR AS MEASURED ON 1/25/11
- NA - NOT ANALYZED

GEOENVIRO SERVICES, INC.

SITE MAP WITH CONTOURS OF MTBE CONCENTRATIONS IN GROUNDWATER FIRST QUARTER 2011


FORMER EZ SERVE STATION NO. 100877
 525 WEST A STREET
 HAYWARD, CA

APRIL 2011 **FIGURE 5**

**GROUNDWATER HYDROGRAPHS
FOR WELLS MW-1, MW-4, AND MW-5**


**GROUNDWATER HYDROGRAPH FOR MW-1
Former RPMS (E-Z Serve) Location 100877
525 W. A Street, Hayward, California**

◆ GW Elevation
 — Top of Screen Elevation
 ● Benzene Concentration



Note: Concentrations reported at or below the method detection limit are plotted at the laboratory reporting limit.


**GROUNDWATER HYDROGRAPH FOR MW-4
Former RPMS (E-Z Serve) Location 100877
525 West A Street, Hayward, California**



Note: Concentrations reported at or below the method detection limit are plotted at the laboratory reporting limit.

**GROUNDWATER HYDROGRAPH FOR MW-5
Former RPMS (E-Z Serve) Location 100877
525 West A Street, Hayward, California**

◆ GW Elevation
 — Top of Screen Elevation
 ● Benzene Concentration



Note: Concentrations reported at or below the method detection limit are plotted at the laboratory reporting limit.

ATTACHMENT A
GENERAL GROUNDWATER MONITORING FIELD PROCEDURES

Groundwater Sampling Protocol

Monitoring Wells

Prior to purging a monitoring well, groundwater levels are measured with a Solinst electric depth measurement device, or an interface probe, in all wells that are to be measured. At sites where petroleum hydrocarbons are possible contaminants, the well is checked for floating product using an interface probe. If floating product is measured during the initial sampling round or noted during subsequent sampling rounds, floating product measurements are continued.

After the water level and floating product measurements are complete, the monitoring well is purged until a minimum of three casing volumes of water are removed, water is relatively clear of sediment, and pH, conductivity, and temperature measurements of the water become relatively stable. If the well is purged dry, groundwater samples are collected after the water level in the well recovers to at least 80 percent of the original water column measured in the well prior to sampling, or following a maximum recovery period of two hours. The well is purged using a factory-sealed, disposable, polyethylene bailer, a submersible Grundfos pump, or a peristaltic pump. The purge water is stored on-site in clean, 55-gallon drums or aboveground tanks.

A groundwater sample is collected from each monitoring well following re-equilibration of the well after purging. The groundwater sample is collected using a factory-sealed disposable, polyethylene bailer with a sampling port, or a factory-sealed Teflon bailer. A factory provided attachment designed for use with volatile organic compounds (VOCs) is attached to the polyethylene bailer sampling port when collecting samples to be analyzed for VOCs. The groundwater sample is transferred from the bailer into sample container(s) that are obtained directly from the analytical laboratory.

The sample container(s) is labeled with a self-adhesive tag. The following information is included on the tag:

- Project number
- Sample number
- Date and time sample is collected
- Initials of sample collector(s).

Individual log sheets are maintained throughout the sampling operations. The following information is recorded:

- Sample number
- Date and time well sampled and purged
- Sampling location
- Types of sampling equipment used
- Name of sampler(s)
- Volume of water purged.

Following collection of the groundwater sample, the sample is immediately stored on blue ice in an appropriate container. A chain-of-custody form is completed with the following information:

- Date the sample was collected
- Sample number and the number of containers
- Analyses required
- Remarks including preservatives added and any special conditions.

The original copy of the chain-of-custody form accompanies the sample containers to a California-certified laboratory. A copy is retained by GeoEnviro Services and placed in company files.

Sampling equipment including thermometers, pH electrodes, and conductivity probes are cleaned both before and after their use at the site. The following cleaning procedures are used:

- Scrub with a potable water and detergent solution using a hard bristle brush
- Rinse with potable water
- Double-rinse with organic-free or deionized water
- Package and seal equipment in plastic bags or other appropriate containers to prevent contact with solvents, dust, or other contaminants.

In addition, the pumps are cleaned by pumping a potable water and detergent solution and deionized water through the system. Cleaning solutions are contained on-site in clean 55-gallon drums.

Domestic and Irrigation Wells

Groundwater samples collected from domestic or irrigation wells are collected from the spigot that is the closest to the well. Prior to collecting the sample, the spigot is allowed to flow for at least 5 minutes to purge the well. The sample is then collected directly into laboratory-supplied containers, sealed, labeled, and stored on blue ice in an appropriate container, as described above. A chain-of-custody form is completed and submitted with the samples to the analytical laboratory.

ATTACHMENT B
GROUNDWATER MONITORING AND SAMPLING
FIELD DOCUMENTATION

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-4
 Sampled By: J. Schaaf
 Date: 11/22/2010

Well Diameter:	4
Total Well Depth:	30.00
Depth to Water:	17.15
Water Column:	12.85
Calculated Purge:	25.70
Actual Purge:	8.00
Free Product?	No
Product Sheen?	No

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 13:15

Post Purge DTWs:

Time	DTW

Analyze for:	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp. F	pH	Volume Purged (gal)	Comments
12:35	1205	63.4	6.24	7	Grey color
12:40	1184	63.4	6.22	7.5	
12:45	1190	63.3	6.32	8.0	

Additional Comments:

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-5
 Sampled By: J. Schaaf
 Date: 11/22/2010

Well Diameter:	4
Total Well Depth:	25.00
Depth to Water:	16.78
Water Column:	8.22
Calculated Purge:	16.44
Actual Purge:	8.00
Free Product?	No
Product Sheen?	No

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 13:25

Post Purge DTWs:

Time	DTW

Analyze for:	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp. F	pH	Volume Purged (gal)	Comments
12:45	1290	65.3	6.08	7.0	HC odor, gray color
12:50	1330	67.2	6.03	7.5	
12:55	1326	67.7	6.08	8.0	

Additional Comments:

Strong gasoline odor

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-1
 Sampled By: H. Hernandez
 Date: 1/25/2011

Well Diameter:	4
Total Well Depth:	25.00
Depth to Water:	13.85
Water Column:	11.15
Calculated Purge:	22.30
Actual Purge:	20
Free Product?	No
Product Sheen?	No

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 12:25

Post Purge DTWs:

Time	DTW
12:22	13.92

Analyze for:	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp. C	pH	Volume Purged (gal)	Comments
12:11	1254	20.4	6.74	1	Dark grayish, strong HC odor, silty
12:14	1298	21.0	6.59	5	Clear, strong HC odor
12:16	1297	20.8	6.61	10	Clear, strong HC odor
12:18	1300	20.6	6.60	15	Clear, strong HC odor
12:20	1288	21.0	6.61	20	Clear, strong HC odor

Additional Comments:

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-3
 Sampled By: H. Hernandez
 Date: 1/25/2011

Well Diameter:	4
Total Well Depth:	34.00
Depth to Water:	15.19
Water Column:	18.81
Calculated Purge:	37.62
Actual Purge:	20
Free Product?	No
Product Sheen?	No

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 11:43

Post Purge DTWs:

Time	DTW
11:35	15.38

Analyze for:	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp. C	pH	Volume Purged (gal)	Comments
11:21	1281	18.5	6.75	1	Clear, moderate HC odor
11:23	1166	19.2	6.68	5	Clear, moderate HC odor
11:26	1219	19.6	6.67	10	Clear, moderate HC odor
11:29	1237	19.7	6.69	15	Clear, moderate HC odor
11:32	1222	19.7	6.69	20	Stabilized at 20 gallons

Additional Comments:

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-4
 Sampled By: H. Hernandez
 Date: 1/25/2011

Well Diameter:	4
Total Well Depth:	30.00
Depth to Water:	14.47
Water Column:	15.53
Calculated Purge:	31.06
Actual Purge:	20
Free Product?	No
Product Sheen?	No

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 13:20

Post Purge DTWs:

Time	DTW
13:15	14.75

Analyze for:	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp. C	pH	Volume Purged (gal)	Comments
13:03	1370	21.8	6.75	1	Slight HC odor
13:05	1323	20.8	6.71	5	
13:07	1320	20.7	6.70	10	
13:09	1327	20.5	6.71	15	Stabilized at 18 gallons
13:21	1325	20.3	6.71	20	

Additional Comments:

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-5
 Sampled By: H. Hernandez
 Date: 1/25/2011

Well Diameter:	4
Total Well Depth:	25.00
Depth to Water:	14.42
Water Column:	10.58
Calculated Purge:	21.16
Actual Purge:	20
Free Product?	No
Product Sheen?	No

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 12:49

Post Purge DTWs:

Time	DTW
12:45	14.47

Analyze for:	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	_____

Laboratory: Associated Laboratories

Time	Conductivity	Temp. C	pH	Volume Purged (gal)	Comments
12:38	1400	23.4	6.57	1	HC odor, gray color
12:40	1424	22.3	6.58	5	HC odor, gray color
12:42	1438	22.2	6.59	10	HC odor, gray color
12:45	1449	21.8	6.59	15	HC odor, gray color
12:47	1444	21.6	6.59	20	HC odor, gray color

Additional Comments:

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-7
 Sampled By: H. Hernandez
 Date: 1/25/2011

Well Diameter:	2
Total Well Depth:	30.00
Depth to Water:	15.02
Water Column:	14.98
Calculated Purge:	7.49
Actual Purge:	8
Free Product?	No
Product Sheen?	No

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 10:32

Post Purge DTWs:

Time	DTW
10:27	15.11

Analyze for:	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp. C	pH	Volume Purged (gal)	Comments
10:17	1148	17.3	6.82	1.0	Silty, light brown
10:18	1101	17.8	6.74	2.5	Slightly cloudy
10:19	1108	18	6.72	5.0	Slightly cloudy, moderate HC odor
10:21	1109	18.2	6.73	8.0	Slightly cloudy, moderate HC odor

Additional Comments:

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-12
 Sampled By: H. Hernandez
 Date: 1/25/2011

Well Diameter:	2
Total Well Depth:	30.00
Depth to Water:	15.71
Water Column:	14.29
Calculated Purge:	7.15
Actual Purge:	8
Free Product?	No
Product Sheen?	No

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 9:39

Post Purge DTWs:

Time	DTW
9:33	15.76

Analyze for:	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp. C	pH	Volume Purged (gal)	Comments
9:25	892	16.5	7.61	1.0	Silty
9:27	831	18	6.59	2.5	Clear
9:28	832	18.6	6.55	5.0	Clear
9:30	830	18.6	6.58	8.0	Clear

Additional Comments:

GROUNDWATER SAMPLING LOG

Project No: 07-131
 Project Name: Former EZ Serve No. 100877
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-14
 Sampled By: H. Hernandez
 Date: 1/25/2011

Well Diameter:	2
Total Well Depth:	30.00
Depth to Water:	15.63
Water Column:	14.37
Calculated Purge:	7.19
Actual Purge:	8
Free Product?	No
Product Sheen?	No

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump
 Did Well Go Dry? No

Sampling Method: Disposable Bailer
 Sample Time: 10:00

Post Purge DTWs:

Time	DTW
9:57	15.71


Analyze for:	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp. C	pH	Volume Purged (gal)	Comments
9:50	982	16.2	6.75	1.0	Light grayish, cloudy, silty
9:51	977	18	6.74	2.5	Slightly cloudy
9:52	969	18.3	6.73	5.0	Clear
9:54	974	18.4	6.71	8.0	Clear

Additional Comments:

**ATTACHMENT C
LABORATORY ANALYTICAL REPORTS
AND CHAIN OF CUSTODY DOCUMENTATION**



ASSOCIATED LABORATORIES

806 North Batavia - Orange, California 92868 - 714/771-6900

FAX 714/538-1209

CLIENT GeoEnviro Services, Inc. (12421)
ATTN: Joe Schaaf
5529 Kailas St.
Ventura, CA 93003

LAB REQUEST 265708

REPORTED 12/03/2010

RECEIVED 11/24/2010

PROJECT #07-131
Former EZ Serve 100877

SUBMITTER Client

COMMENTS

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

Order No.


1127695
1127696
1127697

Client Sample Identification

MW-4
MW-5
Laboratory Method Blank

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by,


Edward S. Behare, Ph.D.
Vice President

NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 30 days from date reported.

The reports of the Associated Laboratories are confidential property of our clients and may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING
Chemical
Microbiological
Environmental

Order #: 1127695

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-4

Date Sampled: 11/22/2010

Time Sampled: 13:15

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

8260B 0.5 DL Volatile Organic Compounds

1,2-Dibromoethane	ND	10	5.0	ug/L	12/02/10 LZ
1,2-Dichloroethane	ND	10	5.0	ug/L	12/02/10 LZ
Di-isopropyl ether (DIPE)	ND	10	5.0	ug/L	12/02/10 LZ
Ethyl-tertbutylether (ETBE)	ND	10	5.0	ug/L	12/02/10 LZ
Tert-amylmethylether (TAME)	ND	10	5.0	ug/L	12/02/10 LZ
Tertiary butyl alcohol (TBA)	ND	10	50.0	ug/L	12/02/10 LZ
Benzene	27	10	5.0	ug/L	12/02/10 LZ
Ethyl benzene	82	10	5.0	ug/L	12/02/10 LZ
Methyl-tert-butylether (MTBE)	384	10	5.0	ug/L	12/02/10 LZ
Toluene	5.2	10	5.0	ug/L	12/02/10 LZ
Xylenes, total	57	10	5.0	ug/L	12/02/10 LZ

Surrogates

				Units	Control Limits
Surr1 - Dibromofluoromethane	99			%	70 - 145
Surr2 - 1,2-Dichloroethane-d4	96			%	70 - 145
Surr3 - Toluene-d8	103			%	70 - 145
Surr4 - p-Bromofluorobenzene	108			%	70 - 145

8015B - Gasoline

Gasoline	2160	10	500.0	ug/L	11/26/10 LT
----------	------	----	-------	------	-------------

Surrogates

				Units	Control Limits
p-Bromofluorobenzene (Sur)	94			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



Order #: 1127696

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-5

Date Sampled: 11/22/2010

Time Sampled: 13:25

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

8260B 0.5 DL Volatile Organic Compounds

1,2-Dibromoethane	ND	2	1.0	ug/L	12/02/10 LZ
1,2-Dichloroethane	ND	2	1.0	ug/L	12/02/10 LZ
Di-isopropyl ether (DIPE)	ND	2	1.0	ug/L	12/02/10 LZ
Ethyl-tertbutylether (ETBE)	ND	2	1.0	ug/L	12/02/10 LZ
Tert-amylmethylether (TAME)	ND	2	1.0	ug/L	12/02/10 LZ
Tertiary butyl alcohol (TBA)	ND	2	10.0	ug/L	12/02/10 LZ
Benzene	2.7	2	1.0	ug/L	12/02/10 LZ
Ethyl benzene	4.6	2	1.0	ug/L	12/02/10 LZ
Methyl-tert-butylether (MTBE)	136	2	1.0	ug/L	12/02/10 LZ
Toluene	ND	2	1.0	ug/L	12/02/10 LZ
Xylenes, total	ND	2	1.0	ug/L	12/02/10 LZ

Surrogates

				Units	Control Limits
Surr1 - Dibromofluoromethane	102			%	70 - 145
Surr2 - 1,2-Dichloroethane-d4	104			%	70 - 145
Surr3 - Toluene-d8	103			%	70 - 145
Surr4 - p-Bromofluorobenzene	102			%	70 - 145

8015B - Gasoline

Gasoline	3500	10	500.0	ug/L	11/26/10 LT
----------	------	----	-------	------	-------------

Surrogates

				Units	Control Limits
p-Bromofluorobenzene (Sur)	100			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report



Order #: 1127697

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: Laboratory Method Blank

Date Sampled:

Time Sampled:

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

8260B 0.5 DL Volatile Organic Compounds

1,2-Dibromoethane	ND	1	0.5	ug/L	12/01/10 LZ
1,2-Dichloroethane	ND	1	0.5	ug/L	12/01/10 LZ
Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	12/01/10 LZ
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	12/01/10 LZ
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	12/01/10 LZ
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	12/01/10 LZ
Benzene	ND	1	0.5	ug/L	12/01/10 LZ
Ethyl benzene	ND	1	0.5	ug/L	12/01/10 LZ
Methyl-tert-butylether (MTBE)	ND	1	0.5	ug/L	12/01/10 LZ
Toluene	ND	1	0.5	ug/L	12/01/10 LZ
Xylenes, total	ND	1	0.5	ug/L	12/01/10 LZ

Surrogates

				Units	Control Limits
Surr1 - Dibromofluoromethane	101			%	70 - 145
Surr2 - 1,2-Dichloroethane-d4	99			%	70 - 145
Surr3 - Toluene-d8	100			%	70 - 145
Surr4 - p-Bromofluorobenzene	99			%	70 - 145

8015B - Gasoline

Gasoline	ND	1	50	ug/L	11/26/10 LT
----------	----	---	----	------	-------------

Surrogates

				Units	Control Limits
p-Bromofluorobenzene (Sur)	87			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report



**ASSOCIATED LABORATORIES
QA REPORT FORM**

QC Sample: 265741-784_10ml-MS

Matrix: WATER

Prep. Date: November 26, 2010

Analysis Date: 11/26/10-11/27/10

Lab ID#'s in Batch: 264045 , 265141 , 265677 , 265708 , 265720 , 265722 , 265723 , 265724 , 265741 .

Reporting Units = ug/L

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RESULT

Test	Method	Sample Result	Spike Added	Matrix Spike	Matrix Spike Dup	%Rec MS	%Rec MSD	RPD	QC Limits	
									RPD	%REC
TPH	8015M-G	ND	500	376	389	75	78	3	30	70-130

LAB CONTROLLED SPIKE

Test	Method	Method	Spike	LCS	%Rec	QC Limits
		Blank	Added	Spike	LCS	%REC
TPH	8015M-G	ND	500	507	101	80-120

SURROGATE RECOVERY

Sample No.	BFB
QC Limit	60-140
QA Sample	90
MS	107
MSD	105
Method Blank	87
LCS	103

BFB=p-Bromofluorobenzene

ASSOCIATED LABORATORIES

QA / QC EPA Methods 8260, & 524.2 GCMS # 7

Sample ID: *MS/MSD Water Sample*

265738-770

Date Prepared: December 1, 2010

Date Analyzed: 12/1-12/2

Sample Matrix: Water

Units: µg/L

Lab ID#'s in Batch: LR265432, 265926, 265738, 265708

Compound	Sample Conc.	Spike Added	Spike Res	Dup Res	Spike % Rec	Dup % Rec	RPD	QC RPD	Limits % Rec
1,1-Dichloroethene	0.00	25.0	25.5	26.7	102	107	5	22	59 - 172
MTBE	0.00	25.0	28.4	28.8	114	115	1	24	62 - 137
Benzene	0.00	25.0	24.6	25.1	98	100	2	24	62 - 137
Trichloroethene	0.00	25.0	22.3	23.6	89	94	6	21	66 - 142
Toluene	0.00	25.0	22.4	24.0	90	96	7	21	59 - 139
Chlorobenzene	0.00	25.0	22.7	23.6	91	94	4	21	60 - 133

Sample ID: *LCS*

Compound	Spike Added	Spike Res	Spike % Rec	Limits % Rec
1,1-Dichloroethene	25.0	26.7	107	59 - 172
MTBE	25.0	25.5	102	62 - 137
Benzene	25.0	25.4	102	62 - 137
Trichloroethene	25.0	23.7	95	66 - 142
Toluene	25.0	24.4	98	59 - 139
Chlorobenzene	25.0	23.9	96	60 - 133

*=Outside QC limits due to matrix interference in sample

If Sample Result > 4 times Spike Added, then "NC"

Surrogate Recovery

Compound	MB 1 % Rec	MB 2 % Rec	MS % Rec	MSD % Rec	LCS % Rec	Limits % Rec
Dibromofluoromethane	99	98	102	102	101	70 - 145
1,2-Dichloroethane-d4	97	100	105	103	99	70 - 145
Toluene-d8	102	99	95	100	100	70 - 145
p-Bromofluorobenzene	103	104	100	97	99	70 - 145

Chain of Custody Record

806 North Batavia • Orange, CA 92868
 Phone: (714) 771-6900 • Fax: (714) 538-1209



P. 1

7075372292

GALLARDOASSOCIATESINC

Nov 24 2010 12:21PM

Company Geoenviro Services, Inc.		Phone 805 642-1668		A.L. Job No.		Page 1 of 1				
Project Manager JOE SCHAAP		Fax 805 642-9331		Analysis Requested				Test Instructions & Comments		
Project Name FORMER EZ SERIE 100877		Project # 07-131		8015M TPH-G 8260B BTEX FUEL OXYS. EDE/EPG						
Site Name and Address 525 WEST A STREET HAYWARD, CA GLOBAL ID: T0600100483										
Sample ID	Lab ID	Date	Time	Matrix	Container Number/Size	Pres.				
1	MW-4	11-22-10	1:15 PM	H2O	(3) 40mL Vials	ICE/INCL	X	X	X	WATER DETECTION LEVELS
2	MW-5	11-22-10	1:25 PM	↓	↓	↓	X	X	X	0.5 µg/L
3										
4										
5										
6										
7										
8										
9										
10										
11										
12										
13										
14										
15										

Sample Receipt - To Be Filled By Laboratory				Relinquished by 1.		Relinquished by 2.		Relinquished by 3.	
Total Number of Containers	Properly Cooled Y/N/NA	Samples Intact Y/N/NA	Samples Accepted Y/N	Signature:	Signature:	Signature:	Signature:	Signature:	Signature:
Custody Seals Y/N/NA				Printed Name: Alex Gallardo	Printed Name:	Printed Name:	Printed Name:	Printed Name:	Printed Name:
Received in Good Condition Y/N				Date: 11-23-10	Time: 4:00 PM	Date:	Time:	Date:	Time:
Turn Around Time				Received By: 1.		Received By: 2.		Received By: 3.	
<input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush <input type="checkbox"/> Same Day <input type="checkbox"/> 48 hrs. <input type="checkbox"/> 24 hrs. <input type="checkbox"/> 72 hrs.				Signature:	Signature:	Signature:	Signature:	Signature:	Signature:
				Printed Name:	Printed Name:	Printed Name:	Printed Name:	Printed Name:	Printed Name:
				Date:	Time:	Date:	Time:	Date:	Time:

Distribution: White - Laboratory Canary - Laboratory Pink - Project/Account Manager Goldenrod - Sampler/Originator

PLEASE CALL JOE SCHAAF FOR CHAIN 805-692-1668

265708

GALLARDO & ASSOCIATES

9417 Kensington Court, Windsor, CA 95492.

Environmental and Geological Services

We Solve The Problem

CHAIN OF CUSTODY RECORD

Date _____ Sheet **1** of **1**

Project Name <u>Bodega Country Store</u>			Parameters										Lab Name _____						
Project Number <u>02198 07-131</u>			TPH as Gasoline 8015 M	TPH as Diesel 8015	TPH-G and BTEX 8015/8020	BTX & E 8020	Oil and Grease 5520	Volatile Organics (8010)	CAM Metals (17)	Pr. Pollutant Metals (13)	Base/Neu/Acids (Organic)	Pesticides 8140/8141	8260 B	Fuel Oxygenates (8260)	MTBE	Purgeable Halocarbons	TPH as Gasoline S015	Address _____	
Address <u>525 West A</u>																		Phone Number _____	
Street <u>Highway CA</u>																		Turnaround Time	
Sampler's Name: _____																		<input type="checkbox"/> Rush <input type="checkbox"/> 24 Hour <input type="checkbox"/> 48 Hour <input checked="" type="checkbox"/> 5-Day	
Sampler's Signature: _____			Repeat to: _____		Comments														
Sampler's Number	Location	Date	Time	TPH as Gasoline 8015 M	TPH as Diesel 8015	TPH-G and BTEX 8015/8020	BTX & E 8020	Oil and Grease 5520	Volatile Organics (8010)	CAM Metals (17)	Pr. Pollutant Metals (13)	Base/Neu/Acids (Organic)	Pesticides 8140/8141	8260 B	Fuel Oxygenates (8260)	MTBE	Purgeable Halocarbons	TPH as Gasoline S015	Comments
<u>MW-4</u>		<u>11-22-10</u>		X										X					Please Bill G&A, Inc.
<u>MW-5</u>		<u>"</u>		X										X					
Relinquished By <u>[Signature]</u>			Date <u>11-23-10</u>	Time _____	Received By <u>[Signature]</u>			Date <u>11-24-10</u>	Time <u>9:42</u>	Total Number of Containers This Sheet: _____ Method of Shipment: _____ Special Shipment/Handling or Storage Requirements: _____									
Dispatched By _____			Date _____	Time _____	Received in Lab By _____			Date _____	Time _____										

Danielle Roberts

From: Joe Schaaf [jschaaf@geoenviroservices.com]
Sent: Wednesday, November 24, 2010 11:25 AM
To: 'Danielle Roberts'
Subject: EZ 100877, Hayward Water Sample COC 11-22-2010
Attachments: EZ 100877, Hayward Water Sample COC 11-22-2010.pdf

Hi Danielle,

Water samples are being sent to you by Courier from Gallardo & Assoc. (picked up yesterday). These samples are for the EZ 100877 Hayward project and should be logged in under GeoEnviro Services, Inc.

Please use the attached COC for these samples.

Have a Happy Thanksgiving!

Joseph P. Schaaf, P.G., C.Hg.
GEOENVIRO SERVICES, INC.
P.O. Box 7330
Ventura, CA 93006-7330
P: 805-642-1668
F: 805-642-9331
C: 805-258-9284



ASSOCIATED LABORATORIES

806 North Batavia - Orange, California 92868 - 714-771-6900

FAX 714-538-1209

SAMPLE ACCEPTANCE CHECKLIST

Section 1
 Client: Gallardo & Associates Project: Former E2 Serve 100877
 Date Received: 11-24-10 Sampler's Name: Yes No N/A
 Sample(s) received in cooler: Yes No (Skip Section 2)
 Shipping Information: GSO TRK# 106724768

Section 2
 Was the cooler packed with: Ice Ice Packs Bubble Wrap Styrofoam
 Paper None Other _____
 Cooler or box temperature: 4.0°C
 (Acceptance range is 2 to 6 Deg. C.)

Section 3	YES	NO	N/A
Was a COC received?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Is it properly completed? (IDs, sampling date and time, signature, test)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Were custody seals present?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
If Yes - were they intact?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Were all samples sealed in plastic bags?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Did all samples arrive intact? If no, indicate below.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Did all bottle labels agree with COC? (ID, dates and times)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Were correct containers used for the tests required?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Was a sufficient amount of sample sent for tests indicated?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Was there headspace in VOA vials?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Were the containers labeled with correct preservatives?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Was total residual chlorine measured (Fish Bioassay samples only)? *	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

*: If the answer is no, please inform Fish Bioassay Dept. immediately.

Section 4
 Explanations/Comments

Section 5
 Was Project Manager notified of discrepancies: Y / N N/A

Completed By: [Signature] Date: 11-24-10



ASSOCIATED LABORATORIES

806 North Batavia - Orange, California 92868 - 714/771-6900

FAX 714/538-1209

CLIENT GeoEnviro Services, Inc. (12421)
ATTN: Joe Schaaf
5529 Kailas St.
Ventura, CA 93003

LAB REQUEST 269034

REPORTED 02/02/2011

RECEIVED 01/26/2011

PROJECT #07-131
Former EZ Serve 100877

SUBMITTER Client


COMMENTS Global ID: T0600100483

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

<u>Order No.</u>	<u>Client Sample Identification</u>
1141801	MW-1
1141802	MW-3
1141803	MW-4
1141804	MW-5
1141805	MW-7
1141806	MW-12
1141807	MW-14
1141808	Laboratory Method Blank

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by,


Edward S. Behare, Ph.D.
Vice President

NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 30 days from date reported.

The reports of the Associated Laboratories are confidential property of our clients and may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING
Chemical
Microbiological
Environmental

Order #: 1141801

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-1

Date Sampled: 01/25/2011

Time Sampled: 12:25

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

8260B 0.5 DL Volatile Organic Compounds

1,2-Dibromoethane	ND	1	0.5	ug/L	01/29/11 LZ
1,2-Dichloroethane	ND	1	0.5	ug/L	01/29/11 LZ
Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	01/29/11 LZ
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	01/29/11 LZ
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	01/29/11 LZ
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	01/29/11 LZ
Benzene	30	1	0.5	ug/L	01/29/11 LZ
Ethyl benzene	85	1	0.5	ug/L	01/29/11 LZ
Methyl-tert-butylether (MTBE)	50	1	0.5	ug/L	01/29/11 LZ
Toluene	ND	1	0.5	ug/L	01/29/11 LZ
Xylenes, total	1.7	1	0.5	ug/L	01/29/11 LZ

Surrogates

				Units	Control Limits
Surr1 - Dibromofluoromethane	117			%	70 - 145
Surr2 - 1,2-Dichloroethane-d4	82			%	70 - 145
Surr3 - Toluene-d8	104			%	70 - 145
Surr4 - p-Bromofluorobenzene	90			%	70 - 145

8015B - Gasoline

Gasoline	3530	1	50	ug/L	01/27/11 LT
----------	------	---	----	------	-------------

Surrogates

				Units	Control Limits
p-Bromofluorobenzene (Sur)	92			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



Order #: 1141802

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-3

Date Sampled: 01/25/2011

Time Sampled: 11:43

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

8260B 0.5 DL Volatile Organic Compounds

1,2-Dibromoethane	ND	1	0.5	ug/L	01/29/11 LZ
1,2-Dichloroethane	ND	1	0.5	ug/L	01/29/11 LZ
Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	01/29/11 LZ
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	01/29/11 LZ
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	01/29/11 LZ
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	01/29/11 LZ
Benzene	ND	1	0.5	ug/L	01/29/11 LZ
Ethyl benzene	8.5	1	0.5	ug/L	01/29/11 LZ
Methyl-tert-butylether (MTBE)	5.1	1	0.5	ug/L	01/29/11 LZ
Toluene	ND	1	0.5	ug/L	01/29/11 LZ
Xylenes, total	ND	1	0.5	ug/L	01/29/11 LZ

Surrogates

				Units	Control Limits
Surr1 - Dibromofluoromethane	89			%	70 - 145
Surr2 - 1,2-Dichloroethane-d4	111			%	70 - 145
Surr3 - Toluene-d8	109			%	70 - 145
Surr4 - p-Bromofluorobenzene	85			%	70 - 145

8015B - Gasoline

Gasoline	377	1	50	ug/L	01/27/11 LT
----------	-----	---	----	------	-------------

Surrogates

				Units	Control Limits
p-Bromofluorobenzene (Sur)	116			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



Order #: 1141803

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-4

Date Sampled: 01/25/2011

Time Sampled: 13:20

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

8260B 0.5 DL Volatile Organic Compounds

1,2-Dibromoethane	ND	2	1.0	ug/L	01/29/11 LZ
1,2-Dichloroethane	ND	2	1.0	ug/L	01/29/11 LZ
Di-isopropyl ether (DIPE)	ND	2	1.0	ug/L	01/29/11 LZ
Ethyl-tertbutylether (ETBE)	ND	2	1.0	ug/L	01/29/11 LZ
Tert-amylmethylether (TAME)	ND	2	1.0	ug/L	01/29/11 LZ
Tertiary butyl alcohol (TBA)	116	2	10.0	ug/L	01/29/11 LZ
Benzene	4.6	2	1.0	ug/L	01/29/11 LZ
Ethyl benzene	5.9	2	1.0	ug/L	01/29/11 LZ
Methyl-tert-butylether (MTBE)	161	2	1.0	ug/L	01/29/11 LZ
Toluene	2.2	2	1.0	ug/L	01/29/11 LZ
Xylenes, total	3.5	2	1.0	ug/L	01/29/11 LZ

Surrogates

				Units	Control Limits
Surr1 - Dibromofluoromethane	88			%	70 - 145
Surr2 - 1,2-Dichloroethane-d4	105			%	70 - 145
Surr3 - Toluene-d8	108			%	70 - 145
Surr4 - p-Bromofluorobenzene	86			%	70 - 145

8015B - Gasoline

Gasoline	651	1	50	ug/L	01/27/11 LT
----------	-----	---	----	------	-------------

Surrogates

				Units	Control Limits
p-Bromofluorobenzene (Sur)	101			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report



Order #: 1141804

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-5

Date Sampled: 01/25/2011

Time Sampled: 12:49

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

8260B 0.5 DL Volatile Organic Compounds

1,2-Dibromoethane	ND	1	0.5	ug/L	01/29/11 LZ
1,2-Dichloroethane	ND	1	0.5	ug/L	01/29/11 LZ
Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	01/29/11 LZ
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	01/29/11 LZ
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	01/29/11 LZ
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	01/29/11 LZ
Benzene	1.8	1	0.5	ug/L	01/29/11 LZ
Ethyl benzene	2.9	1	0.5	ug/L	01/29/11 LZ
Methyl-tert-butylether (MTBE)	84	1	0.5	ug/L	01/29/11 LZ
Toluene	ND	1	0.5	ug/L	01/29/11 LZ
Xylenes, total	ND	1	0.5	ug/L	01/29/11 LZ

Surrogates

				Units	Control Limits
Surr1 - Dibromofluoromethane	100			%	70 - 145
Surr2 - 1,2-Dichloroethane-d4	95			%	70 - 145
Surr3 - Toluene-d8	106			%	70 - 145
Surr4 - p-Bromofluorobenzene	84			%	70 - 145

8015B - Gasoline

Gasoline	1140	1	50	ug/L	01/27/11 LT
----------	------	---	----	------	-------------

Surrogates

				Units	Control Limits
p-Bromofluorobenzene (Sur)	100			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report



Order #: 1141805**Client:** GeoEnviro Services, Inc.**Matrix:** WATER**Client Sample ID:** MW-7**Date Sampled:** 01/25/2011**Time Sampled:** 10:32**Sampled By:**

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

8260B 0,5 DL Volatile Organic Compounds

1,2-Dibromoethane	ND	1	0.5	ug/L	01/29/11 LZ
1,2-Dichloroethane	ND	1	0.5	ug/L	01/29/11 LZ
Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	01/29/11 LZ
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	01/29/11 LZ
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	01/29/11 LZ
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	01/29/11 LZ
Benzene	ND	1	0.5	ug/L	01/29/11 LZ
Ethyl benzene	ND	1	0.5	ug/L	01/29/11 LZ
Methyl-tert-butylether (MTBE)	0.7	1	0.5	ug/L	01/29/11 LZ
Toluene	ND	1	0.5	ug/L	01/29/11 LZ
Xylenes, total	ND	1	0.5	ug/L	01/29/11 LZ

Surrogates

				Units	Control Limits
Surr1 - Dibromofluoromethane	89			%	70 - 145
Surr2 - 1,2-Dichloroethane-d4	121			%	70 - 145
Surr3 - Toluene-d8	109			%	70 - 145
Surr4 - p-Bromofluorobenzene	93			%	70 - 145

8015B - Gasoline

Gasoline	218	1	50	ug/L	01/27/11 LT
----------	-----	---	----	------	-------------

Surrogates

				Units	Control Limits
p-Bromofluorobenzene (Sur)	120			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report



Order #: 1141806

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-12

Date Sampled: 01/25/2011

Time Sampled: 09:32

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

8260B 0.5 DL Volatile Organic Compounds

1,2-Dibromoethane	ND	1	0.5	ug/L	01/29/11 LZ
1,2-Dichloroethane	ND	1	0.5	ug/L	01/29/11 LZ
Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	01/29/11 LZ
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	01/29/11 LZ
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	01/29/11 LZ
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	01/29/11 LZ
Benzene	ND	1	0.5	ug/L	01/29/11 LZ
Ethyl benzene	ND	1	0.5	ug/L	01/29/11 LZ
Methyl-tert-butylether (MTBE)	ND	1	0.5	ug/L	01/29/11 LZ
Toluene	ND	1	0.5	ug/L	01/29/11 LZ
Xylenes, total	ND	1	0.5	ug/L	01/29/11 LZ

Surrogates

				Units	Control Limits
Surr1 - Dibromofluoromethane	84			%	70 - 145
Surr2 - 1,2-Dichloroethane-d4	115			%	70 - 145
Surr3 - Toluene-d8	111			%	70 - 145
Surr4 - p-Bromofluorobenzene	91			%	70 - 145

8015B - Gasoline

Gasoline	ND	1	50	ug/L	01/27/11 LT
----------	----	---	----	------	-------------

Surrogates

				Units	Control Limits
p-Bromofluorobenzene (Sur)	104			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



Order #: 1141807**Client:** GeoEnviro Services, Inc.**Matrix:** WATER**Client Sample ID:** MW-14**Date Sampled:** 01/25/2011**Time Sampled:** 10:00**Sampled By:**

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

8260B 0.5 DL Volatile Organic Compounds

1,2-Dibromoethane	ND	1	0.5	ug/L	01/29/11 LZ
1,2-Dichloroethane	ND	1	0.5	ug/L	01/29/11 LZ
Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	01/29/11 LZ
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	01/29/11 LZ
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	01/29/11 LZ
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	01/29/11 LZ
Benzene	ND	1	0.5	ug/L	01/29/11 LZ
Ethyl benzene	ND	1	0.5	ug/L	01/29/11 LZ
Methyl-tert-butylether (MTBE)	ND	1	0.5	ug/L	01/29/11 LZ
Toluene	ND	1	0.5	ug/L	01/29/11 LZ
Xylenes, total	ND	1	0.5	ug/L	01/29/11 LZ

Surrogates

				Units	Control Limits
Surr1 - Dibromofluoromethane	89			%	70 - 145
Surr2 - 1,2-Dichloroethane-d4	118			%	70 - 145
Surr3 - Toluene-d8	111			%	70 - 145
Surr4 - p-Bromofluorobenzene	87			%	70 - 145

8015B - Gasoline

Gasoline	ND	1	50	ug/L	01/27/11 LT
----------	----	---	----	------	-------------

Surrogates

				Units	Control Limits
p-Bromofluorobenzene (Sur)	105			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report



Order #: 1141808

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: Laboratory Method Blank

Date Sampled:

Time Sampled:

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

8260B 0.5 DL Volatile Organic Compounds

1,2-Dibromoethane	ND	1	0.5	ug/L	01/28/11 LZ
1,2-Dichloroethane	ND	1	0.5	ug/L	01/28/11 LZ
Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	01/28/11 LZ
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	01/28/11 LZ
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	01/28/11 LZ
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	01/28/11 LZ
Benzene	ND	1	0.5	ug/L	01/28/11 LZ
Ethyl benzene	ND	1	0.5	ug/L	01/28/11 LZ
Methyl-tert-butylether (MTBE)	ND	1	0.5	ug/L	01/28/11 LZ
Toluene	ND	1	0.5	ug/L	01/28/11 LZ
Xylenes, total	ND	1	0.5	ug/L	01/28/11 LZ

Surrogates

			Units	Control Limits
Surr1 - Dibromofluoromethane	87		%	70 - 145
Surr2 - 1,2-Dichloroethane-d4	117		%	70 - 145
Surr3 - Toluene-d8	109		%	70 - 145
Surr4 - p-Bromofluorobenzene	95		%	70 - 145

8015B - Gasoline

Gasoline	ND	1	50	ug/L	01/27/11 LT
----------	----	---	----	------	-------------

Surrogates

			Units	Control Limits
p-Bromofluorobenzene (Sur)	105		%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



**ASSOCIATED LABORATORIES
QA REPORT FORM**

QC Sample: 269034-806_10ml-MS

Matrix: WATER

Prep. Date: January 27, 2011

Analysis Date: 1/27/11-1/28/11

Lab ID#'s in Batch: 269034 , 269035 .

Reporting Units = ug/L

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RESULT

Test	Method	Sample Result	Spike Added	Matrix Spike	Matrix Spike Dup	%Rec MS	%Rec MSD	RPD	QC Limits	
									RPD	%REC
TPH	8015M-G	ND	500	424	419	85	84	1	30	70-130

LAB CONTROLLED SPIKE

Test	Method	Method Blank	Spike Added	LCS Spike	%Rec LCS	QC Limits %REC
TPH	8015M-G	ND	500	445	89	70-130

SURROGATE RECOVERY

Sample No.	BFB
QC Limit	60-140
QA Sample	104
MS	104
MSD	105
Method Blank	105
LCS	107

BFB=p-Bromofluorobenzene

ASSOCIATED LABORATORIES

QA / QC EPA Methods 524.2 - GCMS # 5

Sample ID: *MS/MSD Water Sample*
 Date Prepared: January 28, 2011
 Date Analyzed: 1/28-1/29
 Sample Matrix: Water
 Units: µg/L

269034-807

Lab ID#'s in Batch: LR269112, 269113, 269114, 269118, 269119, 269153, 269034,

Compound	Sample Conc.	Spike Added	Spike Res	Dup Res	Spike % Rec	Dup % Rec	RPD	QC RPD	Limits % Rec
1,1-Dichloroethene	0.00	25.0	24.6	24.8	98	99	1	22	59 - 172
MTBE	0.00	25.0	25.4	25.2	102	101	1	24	62 - 137
Benzene	0.00	25.0	24.9	23.7	100	95	5	24	62 - 137
Trichloroethene	0.00	25.0	24.6	24.1	98	96	2	21	66 - 142
Toluene	0.00	25.0	27.2	26.7	109	107	2	21	59 - 139
Chlorobenzene	0.00	25.0	27.9	27.9	112	112	0	21	60 - 133

Sample ID: *LCS*

Compound	Spike Added	Spike Res	Spike % Rec	Limits % Rec
1,1-Dichloroethene	25.0	25.6	102	59 - 172
MTBE	25.0	27.7	111	62 - 137
Benzene	25.0	24.3	97	62 - 137
Trichloroethene	25.0	23.9	96	66 - 142
Toluene	25.0	26.4	106	59 - 139
Chlorobenzene	25.0	27.9	112	60 - 133

*=Outside QC limits due to high concentration in sample

If Sample Result > 4 times Spike Added, then "NC"

Surrogate Recovery

Compound	MB 1 % Rec	MB 2 % Rec	MS % Rec	MSD % Rec	LCS % Rec	Limits % Rec
Dibromofluoromethane	87	83	88	85	86	70 - 135
1,2-Dichloroethane-d4	117	117	99	97	95	70 - 135
Toluene-d8	109	111	104	105	102	70 - 135
p-Bromofluorobenzene	95	96	84	83	90	70 - 135



269034

Chain of Custody Record

Company GEO ENVICO SERVICES, INC. (GEST)		Phone (805) 642-1668		A.L. Job No.		Page 1 of 1								
Project Manager JOE SCHAAP		Fax (805) 642-9331		Analysis Requested				Test Instructions & Comments						
Project Name FORMER EZ SEWER 100877		Project # 07-131												
Site Name and Address 525 WEST A STREET HAYWARD, CA		GLOBAL ID # T0600100483		8015M TRAG 8260B P TEX 8260B P Oxy EDB/EDC										
Sample ID	Lab ID	Date	Time									Matrix	Container Number/Size	Pres.
1 MW-1		1/25/11	1225									Liquid	6-40ml VOA	ACI/ICE
2 MW-3		↓	1143									↓	↓	↓
3 MW-4			1320											
4 MW-5			1249											
5 MW-7			1032											
6 MW-12			0932											
7 MW-14			1000											
8														
9														
10														
11														
12														
13														
14														
15														

Sample Receipt - To Be Filled By Laboratory				Relinquished by 1.		Relinquished by 2.		Relinquished by 3.	
Total Number of Containers		Properly Cooled Y / N / NA		Signature: <i>[Signature]</i>		Signature:		Signature:	
Custody Seals Y / N / NA		Samples Intact Y / N / NA		Printed Name: Humberto P. Hernandez		Printed Name:		Printed Name:	
Received in Good Condition Y / N		Samples Accepted Y / N		Date: 1/26/11 Time: 1445		Date: Time:		Date: Time:	
Turn Around Time				Received By: 1.		Received By: 2.		Received By: 3.	
<input checked="" type="checkbox"/> Normal		<input type="checkbox"/> Rush		Signature: <i>[Signature]</i>		Signature:		Signature:	
<input type="checkbox"/> Same Day		<input type="checkbox"/> 48 hrs.		Printed Name: Juan Martinez		Printed Name:		Printed Name:	
<input type="checkbox"/> 24 hrs.		<input type="checkbox"/> 72 hrs.		Date: 1-26-11 Time: 1443		Date: Time:		Date: Time:	

ATTACHMENT D
GEOTRACKER CONFIRMATION RECEIPTS

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A EDF FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	EDF - Monitoring Report - Semi-Annually
<u>Submittal Title:</u>	4Q10 GWM REPORT
<u>Facility Global ID:</u>	T0600100483
<u>Facility Name:</u>	EZ SERVE #100877
<u>File Name:</u>	265708.zip
<u>Organization Name:</u>	Schaaf
<u>Username:</u>	SCHAAF
<u>IP Address:</u>	68.4.106.242
<u>Submittal Date/Time:</u>	4/20/2011 3:58:38 PM
<u>Confirmation Number:</u>	5811814308

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)

Copyright © 2008 State of California

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A GEO_WELL FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	GEO_WELL
<u>Submittal Title:</u>	4Q10 GWM Report
<u>Facility Global ID:</u>	T0600100483
<u>Facility Name:</u>	EZ SERVE #100877
<u>File Name:</u>	geo_well.zip
<u>Organization Name:</u>	Schaaf
<u>Username:</u>	SCHAAF
<u>IP Address:</u>	68.4.106.242
<u>Submittal Date/Time:</u>	4/20/2011 2:49:59 PM
<u>Confirmation Number:</u>	1874659240

Copyright © 2008 State of California

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A EDF FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	EDF - Monitoring Report - Semi-Annually
<u>Submittal Title:</u>	1Q11 GWM REPORT
<u>Facility Global ID:</u>	T0600100483
<u>Facility Name:</u>	EZ SERVE #100877
<u>File Name:</u>	269034.zip
<u>Organization Name:</u>	Schaaf
<u>Username:</u>	SCHAAF
<u>IP Address:</u>	68.4.106.242
<u>Submittal Date/Time:</u>	4/20/2011 4:04:55 PM
<u>Confirmation Number:</u>	7730023980

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)

Copyright © 2008 State of California

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A GEO_WELL FILE

SUCCESS

**Processing is complete. No errors were found!
Your file has been successfully submitted!**

<u>Submittal Type:</u>	GEO_WELL
<u>Submittal Title:</u>	1Q11 GWM Report
<u>Facility Global ID:</u>	T0600100483
<u>Facility Name:</u>	EZ SERVE #100877
<u>File Name:</u>	geo_well.zip
<u>Organization Name:</u>	Schaaf
<u>Username:</u>	SCHAAF
<u>IP Address:</u>	68.4.106.242
<u>Submittal Date/Time:</u>	4/20/2011 3:38:15 PM
<u>Confirmation Number:</u>	6496744811

Copyright © 2008 State of California

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A GEO_REPORT FILE

SUCCESS

Your GEO_REPORT file has been successfully submitted!

<u>Submittal Type:</u>	GEO_REPORT
<u>Report Title:</u>	Semi-annual Groundwater Monitoring, First Quarter 2011
<u>Report Type:</u>	Monitoring Report - Semi-Annually
<u>Report Date:</u>	4/8/2011
<u>Facility Global ID:</u>	T0600100483
<u>Facility Name:</u>	EZ SERVE #100877
<u>File Name:</u>	RO#000023_1Q11_GWM_2011_04_08.pdf
<u>Organization Name:</u>	Schaaf
<u>Username:</u>	SCHAAF
<u>IP Address:</u>	75.22.85.154
<u>Submittal Date/Time:</u>	4/21/2011 9:14:37 AM
<u>Confirmation Number:</u>	3600060999

Copyright © 2008 State of California