

From: [Detterman, Karel, Env. Health](#)
To: "Futnani, Kali"
Subject: RE: RO27 Grove Street Wash Rack Pending submittals - Fuel leak Case RO27 and GeoTracker Global ID Number T0600102106 - Grove Street Wash Rack, 3884 Martin Luther King Jr. Way, Oakland, CA
Date: Thursday, May 21, 2015 5:33:21 PM

Hello Kali:

The State of California *requires* the separate upload of monitoring well data, site figures, boring logs, and EDF laboratory data to Geotracker. Once you have uploaded the information, I will accept it. There is nothing further unless I find an incomplete document.

Thank you,

Karel Detterman, PG
Hazardous Materials Specialist
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502
Direct: 510.567.6708
Fax: 510.337.9335
Email: karel.detterman@acgov.org

PDF copies of case files can be downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>

From: Futnani, Kali [mailto:kali.futnani@aecom.com]
Sent: Thursday, May 21, 2015 1:44 PM
To: Detterman, Karel, Env. Health
Subject: RE: RO27 Grove Street Wash Rack Pending submittals - Fuel leak Case RO27 and GeoTracker Global ID Number T0600102106 - Grove Street Wash Rack, 3884 Martin Luther King Jr. Way, Oakland, CA

Hi,

Here is a summary of the documents in question

RO27 GMR R 2015 01 31 submitted to ACEH, pending upload at geotracker
RO27 GMR R 2015 05 06 submitted to ACEH, pending upload at geotracker

RO27 SWI R 2014 6 26 re-submitted to geotracker and ACEH on 5/5 with corrected lab data as per your email. The boring logs, lab data, and figures are all part of the document. Why do I need to submit each piece separately. The corrected document in full is on the geotracker site, although when I log into my upload page it is still shown as pending.

It was my understanding that approval to move the documents from pending to approved in geotracker came from you, so I was asking about the timeline for that process and if you needed anything from me to complete the process

Kali Futnani
Environmental Planner/Scientist and Sustainability Consultant
Direct: 415-243-3878 Cell: 415-860-8546

Note new email: kali.futnani@aecom.com

AECOM

One Montgomery Street, Suite 900, San Francisco, California 94104
T 1-415-896-5858 F 1-415-882-9261
www.aecom.com

Please consider the environment before printing this email.

From: Detterman, Karel, Env. Health [<mailto:Karel.Detterman@acgov.org>]
Sent: Thursday, May 21, 2015 12:45 PM
To: Futnani, Kali
Cc: 'Alexandra Foote'
Subject: RE: RO27 Grove Street Wash Rack Pending submittals - Fuel leak Case RO27 and GeoTracker Global ID Number T0600102106 - Grove Street Wash Rack, 3884 Martin Luther King Jr. Way, Oakland, CA

Hello Kali:

I'm not sure what you are asking – I see an e-mail from 5/7/2015 notifying you that the two docs were successfully uploaded to ACEH's ftp site; the SWI_R_2014-06-26 was uploaded to Geotracker but I don't see the GMR_R_2015-01-31 or any monitoring data, site figures, boring logs, or EDF data on Geotracker yet. All of that documentation needs to be uploaded to Geotracker for the case to be in compliance.

Thank you,

Karel Detterman, PG
Hazardous Materials Specialist
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502
Direct: 510.567.6708
Fax: 510.337.9335
Email: karel.detterman@acgov.org

PDF copies of case files can be downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>

From: Futnani, Kali [<mailto:kali.futnani@aecom.com>]
Sent: Thursday, May 21, 2015 10:12 AM
To: Detterman, Karel, Env. Health
Cc: 'Alexandra Foote'
Subject: RO27 Grove Street Wash Rack Pending submittals

Hi,

I resubmitted the report RO27 GMR R 2015 01 31 on 5/5 and recently submitted RO27 SWI R 2015 05 06 and RO27 SWI R 2014 6 26. Do you need to approve these reports to finalize the upload process?

For the UST fund reimbursement the reports need to be on geotracker as well as the ACEH site (<http://www.acgov.org/MAPS/deh/InspectionResults/?SITE=LOP>)

Let me know if there is any way to speed the upload process along.

Thanks,
Kali

Kali Futnani
Environmental Planner/Scientist and Sustainability Consultant
Direct: 415-243-3878 Cell: 415-860-8546
Note new email: kali.futnani@aecom.com

AECOM
One Montgomery Street, Suite 900, San Francisco, California 94104
T 1-415-896-5858 F 1-415-882-9261
www.aecom.com

Please consider the environment before printing this email.

This e-mail and any attachments contain AECOM confidential information that may be proprietary or privileged. If you receive this message in error or are not the intended recipient, you should not retain, distribute, disclose or use any of this information and you should destroy the e-mail and any attachments or copies.