

Neil and Mary Cotter
John and Antoinette Coyle
2847 Arguello Drive
Burlingame, CA94010



24 April 2017

Karel Detterman, PG
Hazardous Materials Specialist
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502

**Re: Additional Investigation Report
Fuel leak Case RO000027 and GeoTracker Global ID Number T0600102106
Grove Street Wash Rack, 3884 Martin Luther King Jr. Way, Oakland, California**

Dear Ms. Detterman:

As requested in your February 7, 2017, directive letter, please find attached for your review a copy of the Additional Investigation Report for the Grove Street Wash Rack, 3884 Martin Luther King Jr. Way, Oakland, California. This report has been prepared by ERM West Inc. (ERM).

I certify under penalty of perjury that to the best of my knowledge this report is true, complete and correct.

Sincerely

Mary Cotter:


_____ date 4/24/17

Neil Cotter:


_____ date 4/24/17


Antoinette Coyle:


_____ date 4/24/2017

John Coyle:


_____ date 4-24-17

cc: Alexandra Foote, Law Offices of Alexandra Foote
Giorgio Molinario, ERM



Neil and Mary Cotter and John and Antoinette
Coyle

Additional Investigation Report

Former Grove Street Wash Rack Site
Global Identification: T0600102106
3884 Martin Luther King Jr. Way
Oakland, California

19 April 2017

www.erm.com

Neil and Mary Cotter and John and Antoinette Coyle

Additional Investigation Report

Former Grove Street Wash Rack Site
Global Identification: T0600102106
3884 Martin Luther King Jr. Way
Oakland, California

19 April 2017

Project No. 0307273



*Shannon Martin, P.G.
Senior Project Geologist*

A handwritten signature in blue ink, appearing to read "Giorgio Molinario".

*Giorgio Molinario
Senior Project Manager*

A handwritten signature in black ink, appearing to read "Belinda Butler-Veytia".

*Belinda Butler-Veytia
Partner, Remediation Engineer*

Environmental Resources Management
114 Sansome Street, Suite 750
San Francisco, California 94104
T: 628-221-7800

TABLE OF CONTENTS

	<i>LIST OF FIGURES</i>	<i>II</i>
	<i>LIST OF TABLES</i>	<i>II</i>
	<i>LIST OF APPENDICES</i>	<i>III</i>
	<i>LIST OF ACRONYMS</i>	<i>IV</i>
1.0	<i>INTRODUCTION</i>	<i>1</i>
1.1	<i>REGULATORY FRAMEWORK</i>	<i>1</i>
1.2	<i>SITE LOCATION</i>	<i>1</i>
1.3	<i>SITE HISTORY</i>	<i>2</i>
1.4	<i>PROPOSED SITE DEVELOPMENT</i>	<i>2</i>
2.0	<i>SITE SETTING</i>	<i>3</i>
2.1	<i>REGIONAL GEOLOGY AND HYDROGEOLOGY</i>	<i>3</i>
2.2	<i>SITE GEOLOGY AND HYDROGEOLOGY</i>	<i>3</i>
3.0	<i>SCOPE OF WORK</i>	<i>5</i>
3.1	<i>PRE-FIELD ACTIVITIES</i>	<i>5</i>
3.2	<i>FIELD INVESTIGATION</i>	<i>5</i>
3.3	<i>SOIL VAPOR SAMPLING</i>	<i>7</i>
3.4	<i>WASTE DISPOSAL</i>	<i>8</i>
4.0	<i>INVESTIGATION RESULTS</i>	<i>9</i>
4.1	<i>NEW BORING GEOLOGY AND HYDROGEOLOGY</i>	<i>9</i>
4.2	<i>SOIL RESULTS</i>	<i>9</i>
4.2.2	<i>Volatile Organic Compound in Site Soils</i>	<i>9</i>
4.2.1	<i>Petroleum Hydrocarbons in Site Soils</i>	<i>10</i>

4.3	GRAB GROUNDWATER RESULTS	10
4.3.1	<i>Volatile Organic Compound in Site Groundwater</i>	10
4.3.2	<i>Petroleum Hydrocarbons in Site Groundwater</i>	11
4.4	SOIL VAPOR RESULTS	11
4.4.1	<i>Volatile Organic Compound in Site Soil Vapor</i>	11
4.4	QUALITY ASSURANCE/QUALITY CONTROL	12
5.0	SUMMARY AND CONCLUSIONS	14
5.1	SUMMARY OF SITE SOIL FINDINGS	14
5.2	SUMMARY OF SITE GROUNDWATER FINDINGS	15
5.3	SUMMARY OF SITE SOIL VAPOR	15
5.4	SUMMARY OF SITE FINDINGS	16
6.0	REFERENCES	17
7.0	LIMITATIONS	18

LIST OF FIGURES

<i>Figure 1</i>	<i>Site Location Map</i>
<i>Figure 2</i>	<i>Previous Sampling Locations</i>
<i>Figure 3</i>	<i>Soil Sampling Locations and Results</i>
<i>Figure 4</i>	<i>Groundwater Sampling Locations and Results</i>
<i>Figure 5</i>	<i>Soil Vapor Sampling Locations and Results</i>

LIST OF TABLES

<i>Table 1-</i>	<i>Samples Collected</i>
<i>Table 2-</i>	<i>Water Result Summary</i>
<i>Table 3-</i>	<i>Soil Result Summary</i>
<i>Table 4-</i>	<i>Soil Vapor Result Summary</i>

LIST OF APPENDICES

A Boring Logs

B Laboratory Reports and QA/QC Memo

C Waste Disposal Records

LIST OF ACRONYMS

AMSL	Above mean sea level
bgs	below ground surface
CAM 17	California Assessment Manual methodology for list of 17 metals, Title 22, California Code of Regulations
ERM	ERM-West, Inc.
ESA	Environmental Site Assessment
ESL	Environmental Screening Level (RWQCB San Francisco Bay Region)
FEMA	Federal Emergency Management Agency
HASP	Health and safety plan
mg/kg	milligram per kilogram
PID	Photoionization detector
ppm	parts per million
QA/QC	quality assurance/quality control
RWQCB	Regional Water Quality Control Board, San Francisco Bay Region
TPH	Total petroleum hydrocarbon
TPH-d	Total petroleum hydrocarbon as diesel
GRO	Total petroleum hydrocarbon as gasoline
TPH-mo	Total petroleum hydrocarbon as motor oil
USEPA	United States Environmental Protection Agency
USGS	United States Geological Survey
VOC	Volatile organic compound

1.0

INTRODUCTION

On behalf of Neal and Mary Cotter and John and Antoinette Coyle, ERM-West, Inc. (ERM) has prepared this Additional Investigation Report (AIR) for the former Grove Street Wash Rack site located at 3884 Martin Luther King Jr. Way in Oakland, California (site; Figure 1). The scope of work completed included the collection of soil and groundwater samples from five locations and soil vapor samples from five locations throughout the Site. The AIR was performed by ERM at the Client's request to fill data gaps that will assist in the evaluation of Site impacts and the development of a revised remedial or closure strategy.

The following sections describe the Site conditions, summarize the sampling and analysis activities conducted, and present the analytical results for the samples collected. Figures and summary tables are provided as attachments following the main text. Boring logs and laboratory analytical reports are provided in the Appendices.

1.1

REGULATORY FRAMEWORK

The ACDEH Local Oversight Program administers the case (Case No. RO0000027) on behalf of the San Francisco Bay Regional Water Quality Control Board (RWQCB) (Case No. 01-2290). The site is within the SWRCB USTCF Program (Claim No. 13712).

The site was investigated under the Department of Toxic Substances Control Brownfields Program in 2004 to assist with the redevelopment of the property; however, the DTSC does not have an open case for the site.

1.2

SITE LOCATION

The site is located at 3884 Martin Luther King Jr. Way in Oakland, Alameda County, California (Figure 1) and is identified by the Alameda County Assessor's Office Assessor's Parcel Number 012-0968-31. The site is currently zoned S-15 - Transit Oriented and is located in a mixed commercial and residential zoned area adjacent to Highway 24. The site occupies approximately 10,250 square feet. The adjoining properties and nearby land use include the following:

- North: 39th Street, followed by a commercial property;

- East: the Highway 24 right-of-way, followed by the Bay Area Rapid Transit MacArthur station;
- South: a multi-story residential and commercial building constructed in 2006; and
- West: Martin Luther King Jr. Way, followed by residential and vacant properties.

The surface water body nearest to the site is the San Francisco Bay, located approximately 1.4 miles west of the site. Groundwater beneath the site is interpreted to generally flow to the west, towards the San Francisco Bay subject to periodic and localized fluctuation.

1.3 *SITE HISTORY*

The site is the location of the former Grove Street Wash Rack and Lucky's Auto. Historical site use consisted of a gas station, which operated in the 1950s and 1960s, and an auto body shop, which operated on the eastern portion of the site until 2004. Three underground storage tanks (USTs) were removed from the site on 5 January 1995. The locations of the former USTs in relation to the Site are shown on Figure 2.

No operations currently are conducted at the site. The former site buildings were removed and only concrete pads, and paved and unpaved areas remain on the site. An advertising billboard is located on the southwestern corner of the site. The site is surrounded by a chain-link fence.

Additional site history, including previous environmental investigations, can be found in the 2013 Feasibility Study / Corrective Action Plan (FS/CAP) (URS, 2013).

1.4 *PROPOSED SITE DEVELOPMENT*

The current Site development plan consists of mixed-use residential/commercial six-story structure encompassing the majority of the property footprint. The foundation will be constructed as slab on grade with no below-grade floors. The excavation plan includes excavation to 3 feet below ground surface (bgs) within the building footprint, except the area beneath one elevator shaft located on the northern side of the property, which will be excavated to 6 feet bgs. The proposed elevator shaft is located near the footprint of former UST #3.

2.0 *SITE SETTING*

This section describes the general Subject Property location, the Site topography and hydrology, and the local geology and hydrogeology.

2.1 *REGIONAL GEOLOGY AND HYDROGEOLOGY*

According to the geologic map, *Areal and Engineering Geology of the Oakland West Quadrangle* (Radbruch, 1957), the mapped surficial geologic unit in the vicinity of the site is the upper Pleistocene-age Temescal Formation. This Formation consists of alluvial fan deposits comprising interfingering lenses of clayey gravel, sandy silty clay, and sand-silt-clay mixtures. The thickness of the Temescal Formation in the vicinity of the site is unknown but is reported to be approximately 5 feet near the San Francisco Bay, thickening to the east to a maximum reported thickness of 60 feet in the Oakland/Berkeley hills. The Temescal Formation reportedly overlies the Pleistocene-age Alameda Formation, which has a maximum reported thickness of 1,050 feet. The upper part of the Alameda Formation is described as sandy, silty clay containing a few pebbles and the lower part consists of continental and marine sand clay and gravel.

Regionally, groundwater flows in a general east to west direction as a function of the west-sloping topography between the Oakland hills (situated east of the site) and the San Francisco Bay (situated west of the site). Groundwater recharge in the hills is derived from precipitation and streamflow, then infiltrates into the ground and flows downgradient to the west. The groundwater system has been documented to produce confined or semi-confined conditions.

2.2 *SITE GEOLOGY AND HYDROGEOLOGY*

Shallow soil from ground surface to 10 to 15 feet bgs generally consists of stiff clay, with minor interlayered fine sand and silty sand lenses. From 10 to 20 feet bgs (total depth explored), soils consist of interfingering, heterogeneous layers of gravelly clay, sandy clay and silty sand with additional minor lithologic units. Overall, soils beneath approximately 15 feet bgs are predominantly sandy.

Based on a review of historical site boring logs, depth to saturated soil during drilling ranged from 13.5 to 16 feet bgs. Final stabilized depth to groundwater in completed wells ranged from 13.5 to 17 feet bgs. During this investigation the depth to saturated soil was between 15 and 16 feet

bgs. Depth to groundwater measurements in boreholes during grab groundwater sample collection ranged from 9 to 17 feet bgs.

Groundwater generally flows in a west-southwesterly direction, consistent with the regional groundwater flow patterns, although calculated groundwater flow directions have occasionally ranged from northwest to southwest. Site groundwater elevations appear to vary seasonally between monitoring events, with up to 3 to 4 feet of variation between dry and wet seasons.

3.0 SCOPE OF WORK

The scope of this work of the AIR was to further evaluate environmental conditions at the Site and address data gaps remaining from past investigations. The Constituents of Potential Concern (COPCs) targeted for this investigation from previous investigations and historical Site uses are: total petroleum hydrocarbons as gasoline range organics (GRO) and benzene, ethylbenzene, xylenes, and toluene (BTEX).

ERM's scope included a detailed review of previous investigation data, obtaining boring permits, subsurface utility location, and preparation of a health and safety plan. The fieldwork scope included advancement of soil borings to collect soil and grab groundwater samples and soil vapor sampling. ERM prepared this report summarizing the findings of the investigation.

3.1 PRE-FIELD ACTIVITIES

A project-specific Health and Safety Plan (HASP) was prepared prior to implementing the field investigation. ERM obtained a drilling permit from Alameda County to conduct the field activities. ERM marked proposed boring locations in the field and contacted Underground Services Alert prior to initiating the field work. As a further precaution, ERM also contracted GPRS Inc., a private utility locator, to mark subsurface utilities and structures potentially in conflict with the proposed boring locations.

3.2 FIELD INVESTIGATION

Penecore, a California-licensed drilling company, advanced borings for soil, groundwater, and soil vapor sampling on 23 February 2017 using hand auger and direct-push techniques. All drilling activities were overseen by an ERM field geologist.

ERM advanced five soil borings (SB-1 through SB-5) during the investigation. Soil borings were hand-cleared using a hand auger to a minimum of 5 feet below ground surface (bgs), as required by ERM's internal subsurface utility clearance protocol. At the completion of hand augering, soil borings were continuously cored to total depths of 20 feet bgs using direct-push drilling techniques. The boring locations are shown on Figure 3.

During drilling activities, an ERM field geologist logged the soils in accordance with the Unified Soil Classification System guidelines. Soil cores were screened in the field for the presence of volatile organic compounds (VOCs) using an organic vapor analyzer with a photoionization detector, and the results were noted on the boring logs. Hydrocarbon-like odor and visual impacts (greenish-gray colored soil commonly associated with hydrocarbon degradation) were observed at SB-1 from 5 to 15 feet bgs. The maximum PID reading observed during the field activities was 1742 ppm at a depth of 10 feet bgs at SB-1. Slight hydrocarbon-like odor and greenish-gray colored soil were also observed at SB-2, SB-4, and SB-5 at depths ranging from 5 to 10 feet bgs. The boring logs are included in Appendix A.

Soil samples were collected using Terracore® sampling kits. Sample depths were designed to characterize soil conditions at 5' bgs, 10 feet bgs, and at the groundwater interface.

Groundwater was encountered in all five borings. A temporary groundwater monitoring point consisting of dedicated polyvinyl chloride (PVC) casing with a slotted-screen was installed, and a grab groundwater sample was collected from each temporary groundwater monitoring point. Temporary PVC casing was placed at the bottom of the borehole with a screened interval from 15 to 20 feet bgs and samples were collected.

Samples were collected using dedicated polyethylene tubing and a peristaltic pump using a low-flow rate. Grab groundwater samples were collected in laboratory-provided sample containers as specified below.

In addition, a field duplicate groundwater sample, an equipment rinsate blank, and a trip blank were collected for QA/QC purposes.

Following sample collection, soil and groundwater sample containers were labeled, placed in zip-top-style plastic bags, packed in an ice-filled cooler, and transported under standard chain-of-custody documentation to TestAmerica Laboratories, Inc. (TestAmerica), a California-certified laboratory in Pleasanton, California. The laboratory analyzed the soil samples for the following analytes based on the sampling rationale presented on Table 1:

- GRO, BTEX, and naphthalene by U.S. Environmental Protection Agency (USEPA) Method 8260B.

Upon completion of soil and groundwater sampling, each borehole was backfilled with neat cement grout. For boring locations on concrete or asphalt, boreholes were patched using like material at the surface.

Analytical results are discussed in Section 4 below.

3.3 SOIL VAPOR SAMPLING

Five five-foot- deep soil vapor probes were installed in boreholes as temporary soil vapor sampling points.

The vapor probe installation and sampling procedures were consistent with the California Environmental Protection Agency (Cal-EPA) guidance entitled, *Advisory – Active Soil Gas Investigations* (Cal-EPA, 2015).

Each soil vapor probe location was manually cleared with a hand auger to an approximate depth of 5 feet bgs. Soil was screened for odors, visual staining, and vapors using an organic vapor meter equipped with a photoionization detector (PID) using a 10.7-electron-volt lamp. Soil descriptions and PID measurements are included on the boring logs in Appendix A.

Following advancement to 5 feet bgs, a 6-inch-long, 0.375-inch outer diameter, stainless steel soil vapor screen was vertically centered in a 1-foot interval of standard sand pack. Teflon tubing (or equivalent) was connected to the soil vapor screen and capped with a vapor-tight 2-way valve at the surface, eliminating the potential for barometric pressure fluctuations to induce vapor transport between the subsurface and the atmosphere. The 2-way valve was installed in the closed position, allowing equilibration of soil vapor concentrations to commence immediately after installation.

A 1-foot interval of dry granular bentonite was placed above the sand pack followed by hydrated granular bentonite to the depth of the next sample probe. Dry granular bentonite was used to ensure that the hydrated bentonite does not seal the vapor probe screen and inhibit the collection of soil vapor.

The soil vapor monitoring points were sampled following installation, after a minimum 48-hour stabilization and equilibration period.

The pre-sample vacuum readings were recorded for each SUMMA canister sample. A flow regulator with a built-in vacuum gauge was used

to control the soil gas extraction rate from the formation. A leak-detection method consistent with the Cal-EPA guidance was employed to test for leaks in the sample train.

Three purge volumes were removed from each soil vapor probe prior to sample collection. After the appropriate volume was purged, the vapor-tight valve to the 1-liter SUMMA sample canister was opened to collect the sample.

All soil vapor samples were analyzed for VOCs and naphthalene by USEPA Method TO-15. SUMMA canisters were transported to the laboratory under chain-of-custody documentation and within prescribed field holding times. All samples were analyzed by Eurofins of Garden Grove, California, a California Environmental Laboratory Accreditation Program-certified laboratory.

3.4 *WASTE DISPOSAL*

All investigation-derived waste generated during the field activities was placed in DOT-approved 55-gallon drums pending analysis prior to disposal. One composite sample of the waste was collected and analyzed for waste management purposes and was used in conjunction with investigation data to profile the waste. The IDW was characterized as non-hazardous waste based on the analytical results and the drums were removed by a licensed transporter for treatment and disposal. The waste disposal records are provided in Appendix C.

4.0 INVESTIGATION RESULTS

The geology and groundwater conditions observed by ERM during this investigation are summarized in Section 4.1.

Soil, grab groundwater, and soil gas results are described in Sections 4.2, 4.3, and 4.4, respectively. Soil analytical results are summarized in Table 2, grab groundwater results are summarized in Table 3, and soil vapor results are summarized in Table 4 .

The results provided in the tables are compared to applicable human health risk-based Environmental Screening Levels (ESLs) set by the San Francisco Bay Regional Water Quality Control Board (RWQCB) in their ESL Workbook (February 2016, Revision 3). The ESLs provided in the tables are both the Commercial Industrial ESLs and the residential ESLs. In addition, the Low Threat Closure Policy (LTCP) criteria are provided in the tables, where applicable (State Water Resources Control Board, Resolution No. 2012-0062).

4.1 NEW BORING GEOLOGY AND HYDROGEOLOGY

During ERM's investigation, site soils were observed to be similar to previously encountered lithology consisting of as interbedded clays, fine sands, silty sands, and clayey sands/sandy clays. Saturated soil was encountered in Site borings between 15 and 16 feet bgs. Depth to groundwater measurements in boreholes during grab groundwater sample collection ranged from 9 to 17 feet bgs.

4.2 SOIL RESULTS

4.2.2 *Volatile Organic Compound in Site Soils*

Benzene was detected in soil from three borings (SB-1, SB-2, and SB-3), at concentrations ranging from 570 µg/kg (SB-1-10 and SB-1-15.5) to 1,700 µg/kg (SB-3-10). The concentrations of benzene in soil were above the ESL of 44 µg/kg at all three locations. The concentrations of benzene in soil were below the LTCP criteria.

Toluene was detected in soil from boring SB-1 only; however, reporting limits were elevated for several samples due to the presence of other

target compounds. The concentrations of toluene in soil were below the ESL of 2,900 µg/kg.

Ethylbenzene was detected in soil from four borings (SB-1, SB-2, SB-3, and SB-4), at concentrations from 490 µg/kg (SB-1-15.5) to 3,700 (SB-1-10). The SB-1-10 concentration of ethylbenzene in soil was above the ESL of 1,400 µg/kg and the other results were below this screening level.

Xylene was detected in soil from boring SB-1 and SB-2 only; however, reporting limits were elevated for several samples due to the presence of other target compounds. Xylene concentrations were 17,000 µg/kg (SB-1-10) and 2,200 µg/kg (SB-2-10). The concentration of xylene at SB-1 was above the ESL of 2,300 µg/kg.

Naphthalene was detected in soil from boring SB-1 and SB-4 only; however, reporting limits were elevated for several samples due to the presence of other target compounds. Naphthalene concentrations were 1,300 µg/kg (SB-1-10) and 2,400 µg/kg (SB-4-10). Both concentrations were above the naphthalene ESL of 33 µg/kg, but were below the LTCP criteria for naphthalene.

4.2.1 *Petroleum Hydrocarbons in Site Soils*

GRO were detected in soil from four borings (SB-1, SB-3, SB-4, and SB-5), at concentrations ranging from 240 µg/kg (SB-3-5) to 490,000 µg/kg (SB-4-10) which are both above the residential ESL of 100,000 µg/kg, but are below the commercial/industrial ESL of 500,000 µg/kg. GRO was detected in soil samples generally at the same locations as the BTEX compounds, with the exception of SB-3-5 and SB-5-10.

4.3 *GRAB GROUNDWATER RESULTS*

4.3.1 *Volatile Organic Compound in Site Groundwater*

Grab groundwater samples were collected between 15 and 20 feet bgs in each of the soil borings advanced during this investigation. As shown in Table 3 and Figure 4, BTEX and naphthalene were detected in grab groundwater samples collected from the borings advanced.

Benzene was detected in grab groundwater from all five borings, at concentrations ranging from 0.98 µg/L (SB-5) to 590 µg/L (SB-1). The concentrations of benzene in groundwater were above the residential ESL of 1 µg/L at four locations and above the commercial/industrial ESL at

three locations. The concentrations of benzene in grab groundwater were below the 1,000 µg/L LTCP criteria.

Toluene was detected in grab groundwater from borings SB-1 and SB-2 only. The concentrations of toluene in grab groundwater ranged from 15 µg/L (SB-1) to 23 µg/L (SB-2) and were below the residential ESL (40 µg/L).

Ethylbenzene was detected in grab groundwater from four borings (SB-1, SB-2, SB-3, and SB-4), at concentrations from 15 µg/L (SB-4) to 250 µg/L (SB-2). All ethylbenzene concentrations measured in grab groundwater were above the residential ESL of 13 µg/L and the concentrations at SB-1 and SB-2 also exceeded the commercial/industrial ESL (110 µg/L).

Xylene was detected in grab groundwater from four borings (SB-1, SB-2, SB-3, and SB-4), at concentrations from 3.1 µg/L (SB-3) to 460 µg/L (SB-2). Xylene concentrations were above the residential ESL of 20 µg/L at locations SB-1, SB-2, and SB-4, but were below the commercial/industrial ESL (11,000 µg/L) at all locations.

Naphthalene was detected in grab groundwater from four borings (SB-1, SB-2, SB-3, and SB-4), at concentrations from 3.7 µg/L (SB-3) to 42 µg/L (SB-2). All concentrations measured were above the residential ESL of 0.17 µg/L, but were below the commercial/industrial ESL (170 µg/L) at all locations.

4.3.2 *Petroleum Hydrocarbons in Site Groundwater*

GRO was detected in grab groundwater samples from four borings (SB-1, SB-2, SB-3, and SB-4), at concentrations from 130 µg/L (SB-3) to 4,500 µg/L (SB-1). All concentrations measured were above the GRO residential ESL of 100 µg/L. No commercial/industrial ESL or LTCP criteria are established for GRO in groundwater.

4.4 *SOIL VAPOR RESULTS*

4.4.1 *Volatile Organic Compound in Site Soil Vapor*

BTEX compounds were detected in soil vapor monitoring points SV-1, SV-2, SV-3, SV-4, and SV-5 below their respective residential and commercial industrial ESLs as shown in Table 4. Naphthalene was not detected in any of the soil vapor monitoring points.

Eighteen additional compounds were detected in soil vapor below their respective residential and commercial industrial ESLs, where available, as shown in Table 4. The VOCs detected included the following: aromatic compounds associated with petroleum fuels and fuel additives, chlorofluorocarbons, and chlorinated compounds.

4.4 *QUALITY ASSURANCE/QUALITY CONTROL*

ERM performed a laboratory data QA/QC review of the analytical results in accordance with the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, October 1999, and USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review, July 2004. The data quality review evaluated holding times, preservation methods, method blank sample results, laboratory control sample recoveries, and matrix and surrogate spike recoveries. Based on ERM's data quality review, the quality of the data generated during this investigation is acceptable for the preparation of technically defensible documents. The laboratory data packages are provided in Appendix B.

Field quality assurance/quality control (QA/QC) samples, including trip blanks, equipment rinsate blanks, and field duplicates, were submitted to the analytical laboratory to assess the quality of the monitoring data. Rinsate and trip blanks were collected and analyzed to check for potential contamination associated with sampling procedures, ambient conditions at the Site, and/or sample packaging and transport. Field duplicate samples were collected to assess the reproducibility of analytical results for individual samples.

All samples were received within temperature limits at the laboratory and were analyzed within the prescribed holding times.

One trip blank sample, supplied by the analytical laboratory, was analyzed for VOCs for each shipment to the laboratory. The trip blank was prepared by the laboratory using reagent (contaminant-free) water. The trip blank was sent to the field in a cooler with new sample containers. After sampling, the sample containers were placed in the cooler with the trip blank and returned to the laboratory. The trip blank was analyzed for VOCs, similar to the associated project samples. Analysis of the trip blank provides information on sample handling procedures in the field and the cleanliness of the cooler and packaging. No analytes were detected in the trip blank sample.

New disposable equipment (tubing) was used to collect soil vapor and groundwater samples. An equipment rinsate blank was prepared and collected during the sampling event by slowly pouring purified water over decontaminated sampling equipment and into appropriate sample containers. The rinsate blanks was analyzed for the same analytes as the associated project samples. No analytes were detected in the rinsate blank sample.

Field duplicate samples were collected at a minimum frequency of one duplicate sample per 10 primary groundwater and soil vapor samples. The duplicate samples were analyzed for the same parameters as the associated primary samples. The groundwater field duplicate sample (SB-1-GW-DUP) was collected sequentially after SB-1-GW. The benzene, ethylbenzene, toluene, xylene, and naphthalene results were within 25 percent of the primary sample results; therefore, no precision issues were identified.

One soil vapor field duplicate was collected from location SV-2 following collection of the primary sample. ERM field staff observed water in the sample tubing and stopped collection of the duplicate sample prior to reaching the target volume (pressure). This sample was submitted to the laboratory as a potentially compromised sample and the results from this sample were rejected.

The laboratory analyzed method blank samples for the target analytes and no analytes were detected. The laboratory created and analyzed Laboratory Control Samples and Laboratory Control Sample Duplicates (LCD/LCSD) for the target analytes. All recoveries and RPDs for these QC samples were within acceptance criteria.

Thee laboratory spiked project samples with surrogate compounds for evaluation of recoveries as a measure of accuracy. All recoveries were within acceptance criteria with one exception: soil vapor sample SV-1 toluene-d8. The toluene-d8 spike recovery was 69 percent, below the 70 percent acceptance criteria; however, the associated method blank surrogate spike compound was in control, therefore, this is considered a sample matrix issue rather than a laboratory issue. The analyte results associated with this surrogate (including BTEX and naphthalene) for sample SV-1 were J-qualified.

Based on a review of quality control samples above all analytical data are considered usable for their intended purpose.

5.0 *SUMMARY AND CONCLUSIONS*

The scope of the AIR included sampling at locations targeted where limited data were available for these areas from previous soil and groundwater investigations. The sampling locations were selected based on proximity to features of interest, as summarized in Table 1, and the objective of the assessment was to identify significant environmental impacts from Site or off-Site sources.

Soil and groundwater results were compared to LTCP criteria that are applicable for Site closure and to RWQCB ESLs that are widely accepted human health risk screening levels.

The results of the investigation are summarized below.

5.1 *SUMMARY OF SITE SOIL FINDINGS*

The analytical results from the soil samples collected from the five borings advanced are summarized as follows:

- GRO was primarily detected in SB-1, SB-4 and SB-5 at a depth of 10 feet bgs that is considered the groundwater capillary fringe. One exception to this was a result well below screening levels at SB-3 at a depth of 5 feet bgs.
- The GRO concentrations at the 10-foot depth at SB-1 and SB-4 suggest that these locations do not have a 10-foot bioattenuation zone below ground level according to the LTCP.
- Benzene was detected in SB-1, SB-2, and SB-3 at a depth of 10 feet bgs or greater at concentrations above the ESLs, but below the LTCP criteria.
- Toluene, ethylbenzene, xylenes, and naphthalene were generally detected at SB-1, SB-2, SB-3 and SB-4 at concentrations below their respective screening levels with the exception of SB-1 and SB-4 at the 10-foot depth.

Overall GRO, BTEX, and naphthalene detected in the soil samples analyzed appear to be associated with areas of impacted groundwater and no new soil source areas were identified. The 10-foot depth samples from the SB-1 and SB-4 areas had soil impacts, but these were below the LTCP criteria.

5.2

SUMMARY OF SITE GROUNDWATER FINDINGS

The analytical results from the grab groundwater samples collected from the five borings advanced are summarized as follows:

- Grab groundwater samples were collected between 15 and 20 feet bgs in each of the soil borings advanced.
- GRO was primarily detected in groundwater SB-1 and SB-2 with lower concentrations at SB-3 and SB-4. The GRO concentrations measured were above the residential ESL at all four locations (no commercial industrial ESL or LTCP criteria are available for GRO in groundwater).
- Benzene was detected in all soil boring grab groundwater samples below the LTCP criteria. The grab groundwater concentrations were generally similar to the groundwater concentrations measured during the December 2016 groundwater monitoring event. The benzene concentrations were above the Residential ESL at four locations and above the commercial/industrial ESL at three locations.
- Toluene, ethylbenzene, xylenes, and naphthalene were generally detected at SB-1, SB-2, SB-3 and SB-4. Concentrations of these compounds were generally above their respective residential ESL screening levels and generally below their commercial/industrial ESL screening levels as described in Section 4.

Overall GRO, BTEX, and naphthalene in the grab groundwater samples analyzed appear to be consistent with the extent of groundwater impacts inferred from the eight groundwater monitoring wells at the Site. The grab groundwater samples were below the LTCP criteria for all analytes.

5.3

SUMMARY OF SITE SOIL VAPOR

The analytical results from the soil vapor samples collected from the five soil vapor monitoring points are summarized as follows:

- The distribution and magnitude of soil vapor concentrations were generally consistent with the impacted groundwater areas. The lowest concentrations were measured in locations SV-4 and SV-5 adjacent to the residential building south of the property line. The highest

concentrations were at SV-2 and SV-3, in the center of the groundwater plume.

- BTEX were detected in all soil vapor samples and were below the ESL and LTCP criteria.
- Naphthalene was not detected in soil vapor samples collected.
- Eighteen additional compounds were detected across the 5 sample locations in soil vapor below their respective residential and commercial industrial ESLs, where available, as shown in Table 4.

Overall the distribution of BTEX and naphthalene in soil vapor appear to be consistent with the extent of groundwater impacts. The soil vapor concentrations were below the LTCP and ESL criteria.

5.4 *SUMMARY OF SITE FINDINGS*

Overall, the objectives of the investigation were met and the following data gaps were addressed:

- No new soil source areas were identified near MW-4, MW-2, or the former fueling island.
- Two hotspots of GRO, BTEX, and naphthalene in soil were found at 10 feet bgs or deeper and thus appear to be related to past groundwater transport.
- The horizontal extent of GRO and BTEX in groundwater was further refined and was generally consistent with the anticipated horizontal extent.
- Soil vapor concentrations were below screening levels across the Site including in areas of known groundwater impacts. Specifically, the highest benzene soil vapor concentration was 6.5 times below the residential LTCP and over 21 times below the commercial LTCP.
- Soil vapor concentrations between the southernmost monitoring wells (MW-2 and MW-3) and the residential building to the south were below ESL screening levels.

California-EPA, Department of Toxic Substances Control (DTSC)/Los Angeles Regional Water Quality Control Board (RWQCB)/ San Francisco RWQCB. 2012. Advisory - Active Soil Gas Investigations. April.

Earth Mechanics Consulting Engineers, 2006. Geotechnical Investigation, Planned Mixed-Use Development at 3860 & 3884 Martin Luther King, Jr. Way, Oakland, California. October.

ERM-West, Inc. (ERM), 2016. Draft Corrective Action Plan Amendment. 3884 Martin Luther King Jr. Way, Oakland, California. August.

Regional Water Quality Control Board, San Francisco Bay Region (RWQCB), 2016. Environmental Screening Levels, Tables T2-1. February.

State Water Resources Control Board, 2012. Low-Threat Underground Storage Tank Case Closure Policy. August.

URS Corporation (URS), 2013a. Site Investigation Workplan, Former Grove Street Wash Rack Site, 3884 Martin Luther King Junior Way, Oakland, CA 94609. July.

URS, 2013b. Feasibility Study/Corrective Action Plan, Former Grove Street Wash Rack Site, 3884 Martin Luther King Junior Way. October

LIMITATIONS

ERM conducted this work in accordance with industry standards. Those standards require the application of scientific principles and professional judgment to certain facts with resultant subjective interpretations and exercise of discretion. Professional judgments were based on the facts available within the limits of the existing data, and data gaps identified, scope of work, budget, and schedule. ERM makes no warranties, expressed or implied, including, without limitation, warranties as to merchantability or fitness for a particular purpose.

All conclusions and recommendations represent the professional opinions of the ERM personnel involved with the project, and ERM's report shall not be considered a legal interpretation of existing environmental regulations.

Deliverables were prepared for the sole and exclusive benefit and use of "client". Notwithstanding delivery of this report by ERM or client to any third party, any copy of this report provided to a third party is provided for informational purposes only without the right to rely. Reliance on ERM's report by any other person(s) or entity(ies) is strictly at their own risk, and ERM makes no warranties to person(s) or entity(ies), other than client who use the information provided in this report. If other person(s) or entity(ies) wish to rely upon this report (i.e., lenders, mortgagers, insurance companies, or other parties to a transaction), ERM will require that such parties sign ERM's standard reliance letter.

In the course of performing its work on behalf of client, ERM may have detected types and concentrations of chemicals in soil, soil vapor, air, and/or groundwater that could trigger reporting and notification requirements, as well as other time-sensitive obligations, imposed by various federal, state, and local laws and regulations. Client and any third-party recipients of this report should be aware that many of these laws and regulations, including reporting and notification requirements, may impose criminal and/or civil liability for noncompliance. However, this report is not intended to be and does not constitute legal advice on reporting obligations or any other matters. Client and any third-party recipients of this report promptly should consult counsel regarding their respective legal obligations, if any, including but not limited to the obligation to report or make notifications, related to chemicals detected in soil, soil vapor, air, and/or groundwater.

Figures

2/09/2017. 0307273.05 G:\DWGS\0307273 Martin Luther King Jr Way\05\030727305-02.dwg




Figure 1
 Site Location Map
 3884 Martin Luther King Jr. Way
 Oakland, California

References:
 U.S.G.S. 7.5 Minute Series (Topographic) Quadrangle,
 Oakland West, California, 1993




Figure 2
Previous Sample Locations
 3884 Martin Luther King Jr. Way
 Oakland, California




Figure 3
 Soil Sample Locations and Results
 3884 Martin Luther King Jr. Way
 Oakland, California

MARTIN LUTHER KING JR WAY

39TH STREET

BZ	460/590 (dup)
EB	140/170 (dup)
TOL	15/16 (dup)
Total XYL	80/87 (dup)
NAP	7.1/7.6 (dup)
GRO	3900/4500 (dup)

Approximate Location of Former UST #2 (650 gallon/gasoline)

GRO	<50
BZ	<0.5
TOL	<0.5
EB	<0.5
Total XYL	<1
NAP	<1

Approximate Location of Former UST #1 (650 gallon/gasoline)

GRO	59
BZ	4.7
TOL	<0.5
EB	<0.5
Total XYL	<1
NAP	<1

BZ	8.9
EB	15
TOL	<0.50
Total XYL	26
NAP	9
GRO	490

BZ	0.98
EB	<0.50
TOL	<0.50
Total XYL	<1.0
NAP	<1.0
GRO	<50

GRO	<50
BZ	<0.5
TOL	<0.5
EB	<0.5
Total XYL	<1
NAP	<1

GRO	<50
BZ	<0.5
TOL	<0.5
EB	<0.5
Total XYL	<1
NAP	<1

DRIVEWAY

SIDEWALK

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

DRIVEWAY

Approximate Location of Former UST #3 (500 gallon/gasoline)

GRO	3600
BZ	360
TOL	33
EB	280
Total XYL	560
NAP	36

BZ	38
EB	22
TOL	<0.50
Total XYL	3.1
NAP	3.7
GRO	130

BZ	68
EB	250
TOL	23
Total XYL	460
NAP	42
GRO	3700

GRO	170
BZ	26
TOL	0.59
EB	1.1
Total XYL	<1
NAP	<1

GRO	<50
BZ	<0.5
TOL	<0.5
EB	<0.5
Total XYL	<1
NAP	<1

GRO	<50
BZ	<0.5
TOL	<0.5
EB	<0.5
Total XYL	<1
NAP	<1

LEGEND

- Property Boundary
- Monitoring Well
- Soil and Grab Groundwater Sample Location (approximate locations, not surveyed)
- BZ 0.98 VOCs in Grab Groundwater Sample Concentrations in $\mu\text{g/L}$ Analyte
- BZ <0.5 Groundwater Sample (October 2016) Concentrations in $\mu\text{g/L}$ Analyte
- Exceeds ESL Screening Levels

BZ = Benzene
 EB = Ethylbenzene
 TOL = Toluene
 Total XYL = Total Xylenes
 NAP = Naphthalene
 GRO = Gasoline Range Organics-C5-C12
 RWQCB = San Francisco Regional Water Quality Control Board
 ESL = Environmental Screening Level
 $\mu\text{g/l}$ = microgram per liter

Environmental Screening Levels (ESL) for Residential Land Use ($\mu\text{g/L}$):
 Benzene - 1
 Ethylbenzene - 13
 Toluene - 40
 Total Xylenes - 20
 Naphthalene - 0.17
 Gasoline Range Organics-C5-C12 - 100

Vapor Intrusion ESL for Commercial/Industrial ($\mu\text{g/l}$):
 Benzene - 9.7
 Ethylbenzene - 110
 Toluene - 3,600
 Total Xylenes - 11,000
 Naphthalene - 170
 Gasoline Range Organics-C5-C12 - 100 - Not established

ESL Residential - Tier 1 Environmental Screening Levels- for Residential Land Use (Tier 1 Table)

ESL Commercial - Tier 2 Environmental Screening Levels- for Commercial Land Use (Tier 2-1 Table assuming non-drinking water resource, sandy soil, and contamination <10 feet)

Note: Values for MW-6 are from the blind duplicate sample MW-60.

Figure 4
 Groundwater Sample Locations and Results
 3884 Martin Luther King Jr. Way
 Oakland, California






Figure 5
Soil Vapor Sampling Locations and Results
3884 Martin Luther King Jr. Way
Oakland, California

Tables

Table 1
Sample Locations and Rationale
Grove Street Wash Rack
3884 Martin Luther King Jr Way
Oakland, California

Boring	Rationale	Soil			GW	SG
		5 feet	10 feet	Capillary Fringe	Grab Groundwater	Soil Gas (TO-15)
SB-1	Evaluate soil and groundwater impacts on the northern portion of the former fuel pump island.	X	X	X	X	
SB-2	Evaluate soil and groundwater on the southern portion of the former fuel pump island.	X	X	X	X	
SB-3	Potential soil impacts north of MW-2 and refine groundwater isoconcentrations north of MW-2	X	X	X	X	
SB-4	Potential soil impacts northeast of MW-2 and refine groundwater isoconcentrations northeast of MW-2	X	X	X	X	
SB-5	Potential soil impacts east of MW-2 and refine groundwater isoconcentrations east of MW-2	X	X	X	X	
SV-1	Evaluate soil vapor concentrations near MW-4 where there are known groundwater impacts.					X
SV-2	Evaluate soil vapor concentrations near the anticipated western edge of the groundwater benzene plume.					X
SV-3	Evaluate soil vapor concentrations near the anticipated center of the groundwater benzene plume.					X
SV-4	Evaluate soil vapor concentrations southeast of MW-2 between the MW-2 groundwater impacts and the residential building to the south.					X
SV-5	Evaluate soil vapor concentrations southeast of MW-2 between the MW-2, MW-3, and the residential building to the south.					X

Notes: GW = groundwater
SG = soil gas

*Table 2
Soil Analytical Results
Grove Street Wash Rack
3884 Martin Luther King Jr Way
Oakland, California*

Analyte	ESL Commercial/ Industrial	ESL Residential	LTCP Residential	LTCP Commercial/ Industrial	SB-1-5	SB-1-10	SB-1-15.5	SB-2-5	SB-2-10	SB-2-15	SB-3-5	SB-3-10	SB-3-17	SB-4-5	SB-4-10	SB-4-15	SB-5-5	SB-5-10	SB-5-15
Depth (feet bgs)					5	10	15.5	5	10	15	5	10	17	5	10	15	5	10	15
Benzene	44	44	1,900/2,800	28,000/810,000	<4.0	570	570	<3.7	1,700	<3.7	<2.0	610	<4.1	<4.1	<380	<3.7	<3.4	<4.0	<4.4
Ethylbenzene	1,400	1,400	21,000/32,000	250,000/9,400,000	<4.0	3,700	490	<3.7	740	<3.7	<2.0	1,100	<4.1	<4.1	1,100	<3.7	<3.4	<4.0	<4.4
Toluene	2,900	2,900	NE	NE	<4.0	890	<380	<3.7	<370	<3.7	<2.0	<400	<4.1	<4.1	<380	<3.7	<3.4	<4.0	<4.4
Xylenes, Total	2,300	2,300	NE	NE	<8.0	17,000	<760	<7.5	2,200	<7.4	<4.0	<810	<8.1	<8.2	<770	<7.4	<6.8	<8.0	<8.8
Naphthalene	33	33	9,700/9,700	310,000/160,000,000	<8.0	1,300	<760	<7.5	<740	<7.4	<4.0	<810	<8.1	<8.2	2,400	<7.8	<6.8	<8.0	<8.8
Gasoline Range Organics (GRO)-C5-C12	500,000	100,000	NE*	NE*	<200	140,000	91,000	<190	<19,000	<180	240	<20,000	<200	<210	490,000	<200	<170	370	<220

Notes: All results in ug/Kg

ESL Residential - Tier 1 Environmental Screening Levels- for Residential Land Use (Tier 1 Table)

ESL Commercial - Tier 2 Environmental Screening Levels- for Commercial Land Use (Tier 2-1 Table assuming drinking water resource)

LTCP Residential - Low Threat Closure Policy screening level (Table 1 - Soil 0 to 5' bgs / 5 to 10' bgs)

LTCP Commercial - Low Threat Closure Policy screening level (Table 1 - Soil 0 to 5' bgs / 5 to 10' bgs)

*LTCP criteria for 10-foot bioattenuation zone is 100 mg/kg.

Yellow highlighted values exceed ESL criteria

NE = Not Established

Table 3
Groundwater Analytical Results
Grove Street Wash Rack
3884 Martin Luther King Jr Way
Oakland, California

Analyte	Vapor Intrusion ESL - Commercial/Industrial	ESL Residential	LTCP	SB-1-GW	SB-1-GW (DUP)	SB-2-GW	SB-3-GW	SB-4-GW	SB-5-GW
Approximate depth to water (feet bgs)				9	9	9.5	16.5	17	16.5
Screened Interval (feet bgs)				15-20	15-20	15-20	15-20	15-20	15-20
Benzene	9.7	1	1,000	460 J	590 J	68 J	38 J	8.9 J	0.98 J
Ethylbenzene	110	13	NE	140	170	250	22	15	<0.50
Toluene	3,600	40	NE	15	16	23	<0.50	<0.50	<0.50
Xylenes, Total	11,000	20	NE	80	87	460	3.1	26	<1.0
Naphthalene	170	0.17	NE	7.1	7.6	42	3.7	9.0	<1.0
Gasoline Range Organics (GRO)-C5-C12	NE	100	NE	3,900	4,500	3,700	130	490	<50

Notes: All results in µg/L

ESL Residential - Tier 1 Environmental Screening Levels- for Residential Land Use (Tier 1 Table)

ESL Commercial - Tier 2 Environmental Screening Levels- for Commercial Land Use (Tier 2-1 Table assuming non-drinking water resource, sandy soil, and contamination <10 feet)

LTCP - Low Threat Closure Policy screening levels

Yellow highlighted values exceed the residential ESL screening levels.

NE = Not Established

Depth to water is an approximate measurement in direct push boreholes.

J = benzene results were qualified as estimated due to field duplicate Relative Percent Difference (RPD) of 25%.

Table 4
Soil Gas Analytical Results
Grove Street Wash Rack
3884 Martin Luther King Jr Way
Oakland, California

Analyte	ESL Commercial/ Industrial	ESL Residential	Residential LCTP	Commercial LCTP	SV-1	SV-2	SV-3	SV-4	SV-5
Benzene	420	48	85	280	3.8 J	12	13	3.7	3
Toluene	1,300,000	160,000	NE	NE	3.8J	6.4	9.5	4	3.3
Ethylbenzene	4,900	560	1100	3600	4.2 J	24	24	<2.2	<2.3
p/m-Xylene	440,000	52,000	NE	NE	16 J	26	76	<8.9	<9.1
o-Xylene	440,000	52,000	NE	NE	7.1 J	23	22	2.6	<2.3
Napthalene	360	41	93	310	<28 UJ	<32	<28	<27	<27
Dichlorodifluoromethane	NE	NE	NE	NE	<2.6	<3	<2.6	2.8	<2.6
Chloromethane	390,000	47,000	NE	NE	<1.1	2.3	<1.1	<1.1	<1.1
Bromodichloromethane	330	38	NE	NE	<3.5	<4.1	<3.6	3.6	5
tert-Butylbenzene	NE	NE	NE	NE	<2.9 UJ	<3.4	5	<2.8	<2.9
2-Hexanone	NE	NE	NE	NE	<6.5	<7.5	<6.5	6.6	6.8
sec-Butylbenzene	NE	NE	NE	NE	<2.9	4.2	7.2	<2.8	<2.9
1,3-Dichlorobenzene	NE	NE	NE	NE	7.1 J	10	5.6	5.4	<3.1
Acetone	140,000,000	15,000,000	NE	NE	<5	<5.8	<5.1	25	21
Carbon Disulfide	NE	NE	NE	NE	<6.6	15	32	<6.4	<6.5
Isopropanol*	NE	NE	NE	NE	33	<15	14	25	18
Chloroform	530	61	NE	NE	52	20	31	32	40
Trichloroethene	3,000	240	NE	NE	<2.8	<3.3	<2.9	<2.8	<2.8
1,4-Dichlorobenzene	1,000	130	NE	NE	<3.2	<3.7	<3.2	<3.1	<3.1
4-Ethyltoluene	NE	NE	NE	NE	<2.6	<3	<2.6	<2.5	<2.6
2-Butanone	NE	NE	NE	NE	41	100	24	56	57
1,3,5-Trimethylbenzene	NE	NE	NE	NE	<2.6	3.5	<2.6	<2.5	<2.6
Tetrachloroethene	2,100	240	NE	NE	25	<4.1	19	<3.5	<3.6
1,2,4-Trimethylbenzene	NE	NE	NE	NE	<7.8	11	<7.8	<7.6	<7.7

Notes All results in µg/m³

ESL Residential - Tier 1 Environmental Screening Levels- for Residential Land Use (Tier 1 Table)

ESL Commercial - Tier 2 Environmental Screening Levels- for Commercial Land Use (Tier 2-1

Table assuming sandy soil and contamination <10 feet)

LTCF - Low Threat Closure Policy screening levels assuming no bioattenuation zone.

NE = Not Established

* Isopropanol was used as a leak check compound. Results were within 10X the reporting limit, therefore, sample leakage was not a significant issue.

J = result is estimated (see report narrative)

Appendix A
Boring Logs



ERM
 1277 Treat Blvd., Suite 500
 Walnut Creek, CA 94597
 Phone: (925) 946-0455
 Fax: (925) 946-9968

LOG OF BOREHOLE: SB-1

Project Number: 0307273
 Project Name: Former Grove Street Wash Rack Site
 Client Name: Cotter & Coyle
 Location: Oakland, California
 Contractor: Penecore
 Drilling Method: Direct Push
 Logged By: S. Martin

Date Started: 2/23/2017
 Date Completed: 2/23/2017
 Total Depth: 20 feet
 Borehole Diameter: 2"
 Initial Water Level: 9.2'

Notes: Hand augered to 5' bgs. Installed temporary PVC casing at bottom of borehole screened 15-20' bgs and collected grab groundwater sample.

Depth (ft)	Sample Interval	Blow Count	PID (ppm)	USCS Code	GRAPHIC LOG	Soil Descriptions and Observations
						Concrete slab.
						Gravel fill.
			0.9	CL		CLAY (CL): dark brown with some light brown mottling, trace fine gravel, high plasticity, stiff, moist.
			0.4	ML		SILT (ML): light brown, 10% clay, trace fine sand, cohesive, soft, moist.
5			1.3	SM		AS ABOVE EXCEPT: 10% clay, 10% fine sand, trace fine gravel. SILTY SAND (SM): light brown, fine sand, trace clay, loose, moist, slight hydrocarbon-like odor, grades to greenish gray at 5' bgs. SB-1-5
			712.4	ML		SILT WITH SAND AND CLAY (ML): greenish gray, 15% fine to coarse sand, 15% clay, trace fine gravel, stiff, moist, hydrocarbon-like odor.
			861			
			156.6			AS ABOVE EXCEPT: 10% fine gravel.
10			1742	CL		SB-1-10 CLAY WITH GRAVEL (CL): reddish brown, 20% fine gravel, stiff, moist.
			115.1	CL		AS ABOVE EXCEPT: 30% fine gravel, some wet pockets. CLAY WITH SAND (CL): reddish brown, 20% fine sand, very soft, moist-increase in moisture from above, slight hydrocarbon-like odor.
15			46.2	SP-SM		SAND WITH SILT (SP-SM): brown with greenish gray mottling, fine sand, 30-40% fines, interbedded sand with silt lenses, medium dense, wet. SB-1-15.5
			7.8			
			15.3			
			4.3			
20			4.5			Total Depth - 20 feet bgs

BOREHOLE- TO 25 FT WC - - 2/28/17 12:28 - \\NWDWALFS01\CAD\GINT BORING LOGS\MLK - 0307273\AIR LIQUIDE GINT LOGS.GPJ



ERM
 1277 Treat Blvd., Suite 500
 Walnut Creek, CA 94597
 Phone: (925) 946-0455
 Fax: (925) 946-9968

LOG OF BOREHOLE: SB-2

Project Number: 0307273
 Project Name: Former Grove Street Wash Rack Site
 Client Name: Cotter & Coyle
 Location: Oakland, California
 Contractor: Penecore
 Drilling Method: Direct Push
 Logged By: S. Martin

Date Started: 2/23/2017
 Date Completed: 2/23/2017
 Total Depth: 20 feet
 Borehole Diameter: 2"
 Initial Water Level: 9.45'

Notes: Hand augered to 5' bgs. Installed temporary PVC casing at bottom of borehole screened 15-20' bgs and collected grab groundwater sample.

Depth (ft)	Sample Interval	Blow Count	PID (ppm)	USCS Code	GRAPHIC LOG	Soil Descriptions and Observations
					[Cross-hatched pattern]	Fill.
1.7				CL	[Diagonal lines pattern]	CLAY (CL): dark brown, 10-15% fine sand, medium stiff, high plasticity, moist.
0.4					[Diagonal lines pattern]	AS ABOVE EXCEPT: grades to light brown.
0.4				ML	[Vertical lines pattern]	SANDY SILT WITH CLAY (ML): light brown, 15% plastic fines, soft, moist.
5					[Diagonal lines pattern]	SB-2-5 CLAY WITH GRAVEL AND SAND (CL): brown with greenish gray, 20% fine gravel, fine sand lenses from 5 to 10' bgs, stiff, dry.
0.6					[Diagonal lines pattern]	
14.6					[Diagonal lines pattern]	
43					[Diagonal lines pattern]	
10				CL	[Diagonal lines pattern]	AS ABOVE EXCEPT: very stiff. SB-2-10 CLAY (CL): reddish brown, stiff, high plasticity, moist, slight hydrocarbon-like odor.
39					[Diagonal lines pattern]	
3					[Diagonal lines pattern]	AS ABOVE EXCEPT: trace fine sand, very soft.
15					[Diagonal lines pattern]	
0.5					[Diagonal lines pattern]	SB-2-15 AS ABOVE EXCEPT: 10-15% fine sand, 5% fine gravel, increase in moisture.
0.4				SP-SC	[Dotted pattern]	SAND WITH CLAY (SP-SC): reddish brown, fine sand, 30% plastic fines, cohesive, wet, no dor.
0.3					[Dotted pattern]	
0.3				SM	[Dotted pattern]	SILTY SAND (SM): brown with some gray mottling, fine sand, 20-30% fines, slow dilatancy, medium dense, wet.
20					[Dotted pattern]	
Total Depth - 20 feet bgs						

BOREHOLE- TO 25 FT WC - - 2/28/17 12:28 - \\NWDWALFS01\CAD\GINT BORING LOGS\MLK - 0307273\AIR LIQUIDE GINT LOGS.GPJ



ERM
 1277 Treat Blvd., Suite 500
 Walnut Creek, CA 94597
 Phone: (925) 946-0455
 Fax: (925) 946-9968

LOG OF BOREHOLE: SB-3

Project Number: 0307273
 Project Name: Former Grove Street Wash Rack Site
 Client Name: Cotter & Coyle
 Location: Oakland, California
 Contractor: Penecore
 Drilling Method: Direct Push
 Logged By: S. Martin

Date Started: 2/23/2017
 Date Completed: 2/23/2017
 Total Depth: 20 feet
 Borehole Diameter: 2"
 Initial Water Level: 16.45'

Notes: Hand augered to 5' bgs. Installed temporary PVC casing at bottom of borehole screened 15-20' bgs and collected grab groundwater sample.

Depth (ft)	Sample Interval	Blow Count	PID (ppm)	USCS Code	GRAPHIC LOG	Soil Descriptions and Observations
						Fill.
			0.5	CL		CLAY (CL): dark brown, very stiff, medium plasticity, moist.
			1.0	CL		AS ABOVE EXCEPT: grades to brown, high plasticity.
5			0.2	CL-ML		SILTY CLAY (CL-ML): light brown, some fine sand, medium stiff, medium plasticity. SB-3-5
			0.3	CL-ML		
			44.1	SM		SANDY SILT (SM): greenish gray, 5-10% fine gravel, stiff, low plasticity.
10			2.5	CL		SB-3-10 CLAY (CL): brown, high plasticity, stiff, moist.
			10.5	CL		
15			5.2	CL		CLAY WITH GRAVEL (CL): brown, 25% fine gravel, medium stiff, medium plasticity, some mottling, moist.
			1.6	CL		
			0.6	GC		CLAYEY GRAVEL (GC): black, 30% fine gravel, 25% fine sand and silt, stiff, low plasticity, moist. SB-3-17
						No recovery.
20						Total Depth - 20 feet bgs

BOREHOLE- TO 25 FT WC - - 2/28/17 12:28 - \\NWDWALFS01\CAD\GINT BORING LOGS\MLK - 0307273\AIR LIQUIDE GINT LOGS.GPJ



ERM
 1277 Treat Blvd., Suite 500
 Walnut Creek, CA 94597
 Phone: (925) 946-0455
 Fax: (925) 946-9968

LOG OF BOREHOLE: SB-4

Project Number: 0307273
 Project Name: Former Grove Street Wash Rack Site
 Client Name: Cotter & Coyle
 Location: Oakland, California
 Contractor: Penecore
 Drilling Method: Direct Push
 Logged By: S. Martin

Date Started: 2/23/2017
 Date Completed: 2/23/2017
 Total Depth: 20 feet
 Borehole Diameter: 2"
 Initial Water Level: 16.95'

Notes: Hand augered to 5' bgs. Installed temporary PVC casing at bottom of borehole screened 15-20' bgs and collected grab groundwater sample.

Depth (ft)	Sample Interval	Blow Count	PID (ppm)	USCS Code	GRAPHIC LOG	Soil Descriptions and Observations
						Fill.
			0.8			CLAY (CL): dark brown, medium stiff, medium plasticity, moist.
			0.1	CL		AS ABOVE EXCEPT: brown, stiff, high plasticity.
5			0.3	CL-ML		SILTY CLAY (CL-ML): light brown, medium plasticity, medium stiff, moist.
			0.0	CL		SB-4-5 CLAY (CL): brown with gray mottling, 5% coarse sand, trace fine gravel, stiff, hard, dry, slight hydrocarbon-like odor.
10			7.3	SM		SILTY SAND (SM): greenish gray, fine sand, moist, hydrocarbon-like odor.
			14.1			SILTY CLAY (CL): brown, 30% silt, trace fine sand, medium stiff, high plasticity, moist. SB-4-10
			19.5	CL		
15			0.5	CL		CLAY WITH GRAVEL (CL): brown with gray gravel, 20% fine gravel, trace fine sand, stiff, low plasticity, moist.
			0.0			SB-4-15 GRAVELLY SAND WITH CLAY (SP): dark brown, coarse sand, 25% angular fine gravel, 15% plastic fines, dense, wet at 15.5' bgs.
			0.1	SP		AS ABOVE EXCEPT: grades to reddish brown.
20						Total Depth - 20 feet bgs

BOREHOLE- TO 25 FT WC - - 2/28/17 12:28 - \\NWDWALFS01\CAD\GINT BORING LOGS\MLK - 0307273\AIR LIQUIDE GINT LOGS.GPJ



ERM
 1277 Treat Blvd., Suite 500
 Walnut Creek, CA 94597
 Phone: (925) 946-0455
 Fax: (925) 946-9968

LOG OF BOREHOLE: SB-5

Project Number: 0307273
 Project Name: Former Grove Street Wash Rack Site
 Client Name: Cotter & Coyle
 Location: Oakland, California
 Contractor: Penecore
 Drilling Method: Direct Push
 Logged By: S. Martin

Date Started: 2/23/2017
 Date Completed: 2/23/2017
 Total Depth: 20 feet
 Borehole Diameter: 2"
 Initial Water Level: 16.42'

Notes: Hand augered to 5' bgs. Installed temporary PVC casing at bottom of borehole screened 15-20' bgs and collected grab groundwater sample.

Depth (ft)	Sample Interval	Blow Count	PID (ppm)	USCS Code	GRAPHIC LOG	Soil Descriptions and Observations
0.0 - 0.3				CL		CLAY (CL): dark brown, 30% gray gravel fill material, medium stiff, medium plasticity, moist. AS ABOVE EXCEPT: no fill material, stiff, high plasticity. AS ABOVE EXCEPT: brown, very stiff.
0.3 - 0.5				CL-ML		CLAY (CL-ML): light brown low plasticity, soft, moist.
0.5 - 0.8				CL		SB-5-5 CLAY (CL): brown, stiff, high plasticity, moist.
0.8 - 1.0				CL		GRAVELLY CLAY (CL): greenish gray, 20-30% fine gravel, 5% fine sand, stiff, moist, hydrocarbon-like odor. SB-5-10
1.0 - 1.5				CL		CLAY (CL): brown, stiff, high plasticity, moist, no odor. AS ABOVE EXCEPT: trace fine gravel, increase in moisture.
1.5 - 1.8				CL		GRAVELLY CLAY (CL): brown, 30% fine gravel, 5-10% coarse sand, stiff, low plasticity, moist. SB-5-15
1.8 - 2.0				SP		GRAVELLY SAND WITH CLAY (SP): brown to reddish brown, coarse sand, 30% angular fine gravel, 20% fines, dense, wet.
2.0 - 2.2				CL		GRAVELLY CLAY (CL): brown, 30% fine subrounded gravel, stiff, hard, moist.
Total Depth - 20 feet bgs						

BOREHOLE- TO 25 FT WC - - 2/28/17 12:28 - \\NWDWALFS01\CAD\GINT BORING LOGS\MLK - 0307273\AIR LIQUIDE GINT LOGS.GPJ



ERM
 1277 Treat Blvd, Suite 500
 Walnut Creek, CA 94597
 Phone: (925) 946-0455
 Fax: (925) 946-9968

LOG OF BOREHOLE: SV-1

Project Number: 0307273	Date Started: 2/23/2017
Project Name: Former Grove Street Wash Rack Site	Date Completed: 2/23/2017
Client Name: Cotter & Coyle	Total Depth: 4 feet
Location: Oakland, California	Borehole Diameter: 3.25"
Contractor: Penecore	Initial Water Level: No groundwater encountered
Drilling Method: Hand Auger	Notes: Completed as soil vapor probe. Probe inlet set at 2.5' bgs.
Logged By: K. Almestead	

Depth (ft)	Sample Interval	PID (ppm)	USCS Code	GRAPHIC LOG	Soil Descriptions and Observations
					Concrete slab.
					Fill.
		0.4			SANDY CLAY (CL): light brown, high plasticity, stiff, moist.
		0.3	CL		AS ABOVE EXCEPT: brown, medium stiff.
		0.0	CL-ML		SILTY CLAY (CL-ML): light brown, 30% fine sand, soft, moist.
		0.1			Wet at 4' bgs, possibly perched groundwater, set soil vapor probe inlet above saturated zone at 2.5' bgs.
5					Total Depth - 4 feet bgs
10					

BOREHOLE TO 15 WC NO GW - - 2/28/17 12:28 - \\NWDWALF501\CAD\GINT BORING LOGS\MLK -0307273\AIR LIQUIDE GINT LOGS.GPJ



ERM
 1277 Treat Blvd, Suite 500
 Walnut Creek, CA 94597
 Phone: (925) 946-0455
 Fax: (925) 946-9968

LOG OF BOREHOLE: SV-2

Project Number: 0307273	Date Started: 2/23/2017
Project Name: Former Grove Street Wash Rack Site	Date Completed: 2/23/2017
Client Name: Cotter & Coyle	Total Depth: 5.5 feet
Location: Oakland, California	Borehole Diameter: 3.25"
Contractor: Penecore	Initial Water Level: No groundwater encountered
Drilling Method: Hand Auger	Notes: Completed as soil vapor probe. Probe inlet set at 5'
Logged By: S. Martin	bgs.

Depth (ft)	Sample Interval	PID (ppm)	USCS Code	GRAPHIC LOG	Soil Descriptions and Observations
					Asphalt.
		0.7	CL		CLAY (CL): dark brown, high plasticity, medium stiff, moist.
		0.5			AS ABOVE EXCEPT: 30% silt, grades to light brown.
		0.5	ML		SILT (ML): light brown, 15-20% clay, trace fine sand, soft, moist.
5					Total Depth - 5.5 feet bgs
10					

BOREHOLE TO 15 WC NO GW - - 2/28/17 12:28 - \\NWDWALF501\CAD\GINT BORING LOGS\MLK -0307273\AIR LIQUIDE GINT LOGS.GPJ



ERM
 1277 Treat Blvd, Suite 500
 Walnut Creek, CA 94597
 Phone: (925) 946-0455
 Fax: (925) 946-9968

LOG OF BOREHOLE: SV-3

Project Number: 0307273	Date Started: 2/23/2017
Project Name: Former Grove Street Wash Rack Site	Date Completed: 2/23/2017
Client Name: Cotter & Coyle	Total Depth: 5.5 feet
Location: Oakland, California	Borehole Diameter: 3.25"
Contractor: Penecore	Initial Water Level: No groundwater encountered
Drilling Method: Hand Auger	Notes: Completed as soil vapor probe. Probe inlet set at 5' bgs.
Logged By: S. Martin	

Depth (ft)	Sample Interval	PID (ppm)	USCS Code	GRAPHIC LOG	Soil Descriptions and Observations
					Fill.
		0.6	CL		CLAY (CL): dark brown, medium stiff, high plasticity, moist.
		0.1			SANDY CLAY (CL): light brown, 30% fine sand, trace fine gravel, soft, moist.
		0.0	ML		SANDY SILT (ML): light brown, 30% fine sand, trace clay, soft, moist.
		0.1			
5		0.3			AS ABOVE EXCEPT: grades to greenish gray, 10% clay, slight hydrocarbon-like odor.
					Total Depth - 5.5 feet bgs

BOREHOLE TO 15 WC NO GW - - 2/28/17 12:28 - \\NWDWALF501\CAD\GINT BORING LOGS\MLK -0307273\AIR LIQUIDE GINT LOGS.GPJ



ERM
 1277 Treat Blvd, Suite 500
 Walnut Creek, CA 94597
 Phone: (925) 946-0455
 Fax: (925) 946-9968

LOG OF BOREHOLE: SV-4

Project Number: 0307273	Date Started: 2/23/2017
Project Name: Former Grove Street Wash Rack Site	Date Completed: 2/23/2017
Client Name: Cotter & Coyle	Total Depth: 5.5 feet
Location: Oakland, California	Borehole Diameter: 3.25"
Contractor: Penecore	Initial Water Level: No groundwater encountered
Drilling Method: Hand Auger	Notes: Completed as soil vapor probe. Probe inlet set at 5'
Logged By: S. Martin	

Depth (ft)	Sample Interval	PID (ppm)	USCS Code	GRAPHIC LOG	Soil Descriptions and Observations
			CL		CLAY (CL): dark brown, stiff, high plasticity, moist, contains roots and organic matter.
			SC		CLAYEY SAND (SC): light brown, loose, moist.
		0.0			CLAY (CL): black, stiff, high plasticity, moist.
		0.0			
		0.0	CL		
		0.0			AS ABOVE EXCEPT: dark brown.
5		0.0			
Total Depth - 5.5 feet bgs					
10					

BOREHOLE TO 15 WC NO GW - - 2/28/17 12:28 - \\NWDWALF501\CAD\GINT BORING LOGS\MLK - 0307273\AIR LIQUIDE GINT LOGS.GPJ



ERM
 1277 Treat Blvd, Suite 500
 Walnut Creek, CA 94597
 Phone: (925) 946-0455
 Fax: (925) 946-9968

LOG OF BOREHOLE: SV-5

Project Number: 0307273	Date Started: 2/23/2017
Project Name: Former Grove Street Wash Rack Site	Date Completed: 2/23/2017
Client Name: Cotter & Coyle	Total Depth: 5.5 feet
Location: Oakland, California	Borehole Diameter: 3.25"
Contractor: Penecore	Initial Water Level: No groundwater encountered
Drilling Method: Hand Auger	Notes: Completed as soil vapor probe. Probe inlet set at 5' bgs.
Logged By: S. Martin	

Depth (ft)	Sample Interval	PID (ppm)	USCS Code	GRAPHIC LOG	Soil Descriptions and Observations
		0.1			Fill with coarse gravel and sand.
		0.2	ML		SILT WITH GRAVEL (ML): light brown, 20% fine gravel, soft, moist.
		0.5	CL		CLAY (CL): brown, high plasticity, medium stiff, moist.
5					AS ABOVE EXCEPT: trace fine sand and gravel.
					Total Depth - 5.5 feet bgs
10					

BOREHOLE TO 15 WC NO GW - - 2/28/17 12:28 - \\NWDWALF501\CAD\GINT BORING LOGS\MLK -0307273\AIR LIQUIDE GINT LOGS.GPJ

Appendix B
Laboratory Reports and QA/QC
Memo

Data Review

PROJECT: Grove Street Wash Rack, 3884 Martin Luther King Jr Way, Oakland, CA

LABORATORY: TestAmerica, Pleasanton, California

SAMPLES: SB-1-5, SB-1-10, SB-1-15.5, SB-2-5, SB-2-10, SB-2-15, SB-3-5, SB-3-10, SB-3-17, SB-4-5, SB-4-10, SB-4-15, SB-5-5, SB-5-10, SB-5-15, Trip Blank, and Rinsate Blank.

MATRIX: SOIL

Analysis	VOCs (Short List*) 8260B
Holding Time	Note 2
Surrogate Recovery	✓
MS/MSD	No site-specific MS/MSD
LCS (Blank Spike)	✓
Method Blanks	✓
Duplicates	No soil duplicates collected.
Trip/Field/Equipment Blanks	✓
Reporting Limits	✓

* TPH-g, benzene, toluene, ethylbenzene, xylenes, and naphthalene

✓ – QC criteria were met.

- Notes:
1. The samples were received in good condition, properly preserved and, on ice. The temperature of the cooler at receipt was 3.9° C.
 2. Reanalysis of gasoline range organics and naphthalene in sample SB-4-15 (720-77861-12) was past the holding time due to carryover in the original run.
 3. The surrogate recoveries were within acceptance criteria.
 4. The Laboratory Control Sample (LCS) spikes for this method included all target analytes except for TPH-g and were within acceptance criteria.

5. No analytes were detected in the Method Blank, Rinsate Blank, and Trip Blank samples.
6. In order to quantitate target compounds, the following dilutions were required.

Sample	Compound	Dilution Factor
SB-1-10	Xylene	200
SB-1-10	GRO, benzene, ethylbenzene, toluene, naphthalene	100/
SB-1-15.5	GRO, benzene, ethylbenzene	100
SB-2-10	benzene, ethylbenzene, xylenes	100/200
SB-3-10	benzene, ethylbenzene	100/200
SB-4-10	GRO, ethylbenzene, naphthalene	100/200

Reporting limits were increased in proportion to the dilution factor. Generally, reported analyte concentrations exceeded the elevated reporting limits.

Data Review

PROJECT: Grove Street Wash Rack, 3884 Martin Luther King Jr Way, Oakland, CA

LABORATORY: TestAmerica, Pleasanton, California

SAMPLES: SB-1-GW, SB-1-GW (DUP), SB-2-GW, SB-3-GW, SB-4-GW, SB-5-GW, Trip Blank, and Rinsate Blank.

MATRIX: GROUNDWATER

Analysis	VOCs (Short List*) 8260B
Holding Time	✓
Surrogate Recovery	✓
MS/MSD	No site-specific MS/MSD
LCS (Blank Spike)	✓
Method Blanks	✓
Duplicates [SB-1-GW, SB-1-GW (DUP)]	Note 6
Trip/Field/Equipment Blanks	✓
Reporting Limits	✓

* TPH-g, benzene, toluene, ethylbenzene, xylenes, and naphthalene

✓ – QC criteria were met.

- Notes:
1. The samples were received in good condition, properly preserved and, on ice. The temperature of the cooler at receipt was 3.9° C.
 2. The surrogate recoveries were within acceptance criteria.
 3. The Laboratory Control Sample (LCS) spikes for this method included all target analytes except for TPH-g and were within acceptance criteria.
 4. No analytes were detected in the Method Blank and Trip Blank samples.
 5. The results of the parent sample and field duplicate sample were within 20 percent Relative Percent Difference (RPD) with the exception of benzene that was 25%. Since there were no project-specific QAPP criteria

for field duplicates the associated benzene results were J-qualified as estimated.

6. In order to quantitate target compounds, the following dilutions were required.

Sample	Compound	Dilution Factor
SB-1-GW	GRO	10
SB-1-GW (DUP)	GRO, benzene, ethylbenzene	10
SB-2-GW	GRO, ethylbenzene, xylenes	10

Reporting limits were increased in proportion to the dilution factor. Generally, reported analyte concentrations exceeded the elevated reporting limits.

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Pleasanton
1220 Quarry Lane
Pleasanton, CA 94566
Tel: (925)484-1919

TestAmerica Job ID: 720-77861-1
Client Project/Site: MLK Jr. Oakland

For:
ERM-West
1277 Treat Blvd., Suite 500
Walnut Creek, California 94597

Attn: Giorgio Molinaro



Authorized for release by:
3/9/2017 4:11:03 PM

Afsaneh Salimpour, Senior Project Manager
(925)484-1919
afsaneh.salimpour@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	9
Surrogate Summary	32
QC Sample Results	35
QC Association Summary	50
Lab Chronicle	54
Certification Summary	59
Method Summary	60
Sample Summary	61
Chain of Custody	62
Receipt Checklists	65

Definitions/Glossary

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
H	Sample was prepped or analyzed beyond the specified holding time

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Job ID: 720-77861-1

Laboratory: TestAmerica Pleasanton

Narrative

**Job Narrative
720-77861-1**

Comments

No additional comments.

Receipt

The samples were received on 2/23/2017 5:00 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.9° C.

GC/MS VOA

Method(s) 8260B: Reanalysis of the following sample was performed outside of the analytical holding time due to carryover contamination in the original run : SB-4-15 (720-77861-12).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Detection Summary

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-1-5

Lab Sample ID: 720-77861-1

No Detections.

Client Sample ID: SB-1-10

Lab Sample ID: 720-77861-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	570		370		ug/Kg	100		8260B/CA_LUFT MS	Total/NA
Gasoline Range Organics (GRO) -C5-C12	140000		18000		ug/Kg	100		8260B/CA_LUFT MS	Total/NA
Ethylbenzene	3700		370		ug/Kg	100		8260B/CA_LUFT MS	Total/NA
Toluene	890		370		ug/Kg	100		8260B/CA_LUFT MS	Total/NA
Xylenes, Total	17000		1500		ug/Kg	200		8260B/CA_LUFT MS	Total/NA
Naphthalene	1300		740		ug/Kg	100		8260B/CA_LUFT MS	Total/NA

Client Sample ID: SB-1-15.5

Lab Sample ID: 720-77861-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	570		380		ug/Kg	100		8260B/CA_LUFT MS	Total/NA
Gasoline Range Organics (GRO) -C5-C12	91000		19000		ug/Kg	100		8260B/CA_LUFT MS	Total/NA
Ethylbenzene	490		380		ug/Kg	100		8260B/CA_LUFT MS	Total/NA

Client Sample ID: SB-2-5

Lab Sample ID: 720-77861-4

No Detections.

Client Sample ID: SB-2-10

Lab Sample ID: 720-77861-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	1700		370		ug/Kg	100		8260B/CA_LUFT MS	Total/NA
Ethylbenzene	740		370		ug/Kg	100		8260B/CA_LUFT MS	Total/NA
Xylenes, Total	2200		740		ug/Kg	100		8260B/CA_LUFT MS	Total/NA

Client Sample ID: SB-2-15

Lab Sample ID: 720-77861-6

No Detections.

Client Sample ID: SB-3-5

Lab Sample ID: 720-77861-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Gasoline Range Organics (GRO) -C5-C12	240		100		ug/Kg	1		8260B	Total/NA

Client Sample ID: SB-3-10

Lab Sample ID: 720-77861-8

This Detection Summary does not include radiochemical test results.

TestAmerica Pleasanton

Detection Summary

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-3-10 (Continued)

Lab Sample ID: 720-77861-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	610		400		ug/Kg	100		8260B/CA_LUFT MS	Total/NA
Ethylbenzene	1100		400		ug/Kg	100		8260B/CA_LUFT MS	Total/NA

Client Sample ID: SB-3-17

Lab Sample ID: 720-77861-9

No Detections.

Client Sample ID: SB-4-5

Lab Sample ID: 720-77861-10

No Detections.

Client Sample ID: SB-4-10

Lab Sample ID: 720-77861-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Gasoline Range Organics (GRO) -C5-C12	490000		19000		ug/Kg	100		8260B/CA_LUFT MS	Total/NA
Ethylbenzene	1100		380		ug/Kg	100		8260B/CA_LUFT MS	Total/NA
Naphthalene	2400		770		ug/Kg	100		8260B/CA_LUFT MS	Total/NA

Client Sample ID: SB-4-15

Lab Sample ID: 720-77861-12

No Detections.

Client Sample ID: SB-5-5

Lab Sample ID: 720-77861-13

No Detections.

Client Sample ID: SB-5-10

Lab Sample ID: 720-77861-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Gasoline Range Organics (GRO) -C5-C12	370		200		ug/Kg	1		8260B	Total/NA

Client Sample ID: SB-5-15

Lab Sample ID: 720-77861-15

No Detections.

Client Sample ID: SB-1-GW

Lab Sample ID: 720-77861-16

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	460		5.0		ug/L	10		8260B/CA_LUFT MS	Total/NA
Ethylbenzene	140		5.0		ug/L	10		8260B/CA_LUFT MS	Total/NA
Naphthalene	7.1		1.0		ug/L	1		8260B/CA_LUFT MS	Total/NA
Toluene	15		0.50		ug/L	1		8260B/CA_LUFT MS	Total/NA
Xylenes, Total	80		1.0		ug/L	1		8260B/CA_LUFT MS	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pleasanton

Detection Summary

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-1-GW (Continued)

Lab Sample ID: 720-77861-16

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Gasoline Range Organics (GRO) -C5-C12	3900		500		ug/L	10		8260B/CA_LUFT MS	Total/NA

Client Sample ID: SB-1-GW-DUP

Lab Sample ID: 720-77861-17

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	590		5.0		ug/L	10		8260B/CA_LUFT MS	Total/NA
Ethylbenzene	170		5.0		ug/L	10		8260B/CA_LUFT MS	Total/NA
Naphthalene	7.6		1.0		ug/L	1		8260B/CA_LUFT MS	Total/NA
Toluene	16		0.50		ug/L	1		8260B/CA_LUFT MS	Total/NA
Xylenes, Total	87		1.0		ug/L	1		8260B/CA_LUFT MS	Total/NA
Gasoline Range Organics (GRO) -C5-C12	4500		500		ug/L	10		8260B/CA_LUFT MS	Total/NA

Client Sample ID: SB-2-GW

Lab Sample ID: 720-77861-18

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	68		0.50		ug/L	1		8260B/CA_LUFT MS	Total/NA
Ethylbenzene	250		5.0		ug/L	10		8260B/CA_LUFT MS	Total/NA
Naphthalene	42		1.0		ug/L	1		8260B/CA_LUFT MS	Total/NA
Toluene	23		0.50		ug/L	1		8260B/CA_LUFT MS	Total/NA
Xylenes, Total	460		10		ug/L	10		8260B/CA_LUFT MS	Total/NA
Gasoline Range Organics (GRO) -C5-C12	3700		500		ug/L	10		8260B/CA_LUFT MS	Total/NA

Client Sample ID: SB-3-GW

Lab Sample ID: 720-77861-19

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	38		0.50		ug/L	1		8260B/CA_LUFT MS	Total/NA
Ethylbenzene	22		0.50		ug/L	1		8260B/CA_LUFT MS	Total/NA
Naphthalene	3.7		1.0		ug/L	1		8260B/CA_LUFT MS	Total/NA
Xylenes, Total	3.1		1.0		ug/L	1		8260B/CA_LUFT MS	Total/NA
Gasoline Range Organics (GRO) -C5-C12	130		50		ug/L	1		8260B/CA_LUFT MS	Total/NA

Client Sample ID: SB-4-GW

Lab Sample ID: 720-77861-20

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	8.9		0.50		ug/L	1		8260B/CA_LUFT MS	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pleasanton

Detection Summary

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-4-GW (Continued)

Lab Sample ID: 720-77861-20

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Ethylbenzene	15		0.50		ug/L	1		8260B/CA_LUFT MS	Total/NA
Naphthalene	9.0		1.0		ug/L	1		8260B/CA_LUFT MS	Total/NA
Xylenes, Total	26		1.0		ug/L	1		8260B/CA_LUFT MS	Total/NA
Gasoline Range Organics (GRO) -C5-C12	490		50		ug/L	1		8260B/CA_LUFT MS	Total/NA

Client Sample ID: SB-5-GW

Lab Sample ID: 720-77861-21

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	0.98		0.50		ug/L	1		8260B/CA_LUFT MS	Total/NA

Client Sample ID: TRIP BLANK

Lab Sample ID: 720-77861-22

No Detections.

Client Sample ID: RINSATE BLANK

Lab Sample ID: 720-77861-23

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Pleasanton

Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-1-5
Date Collected: 02/23/17 10:15
Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-1
Matrix: Solid

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		4.0		ug/Kg		02/23/17 21:00	02/27/17 12:59	1
Ethylbenzene	ND		4.0		ug/Kg		02/23/17 21:00	02/27/17 12:59	1
Toluene	ND		4.0		ug/Kg		02/23/17 21:00	02/27/17 12:59	1
Xylenes, Total	ND		8.0		ug/Kg		02/23/17 21:00	02/27/17 12:59	1
Gasoline Range Organics (GRO) -C5-C12	ND		200		ug/Kg		02/23/17 21:00	02/27/17 12:59	1
Naphthalene	ND		8.0		ug/Kg		02/23/17 21:00	02/27/17 12:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	98		45 - 131				02/23/17 21:00	02/27/17 12:59	1
1,2-Dichloroethane-d4 (Surr)	116		60 - 140				02/23/17 21:00	02/27/17 12:59	1
Toluene-d8 (Surr)	100		58 - 140				02/23/17 21:00	02/27/17 12:59	1



Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-1-10

Date Collected: 02/23/17 10:20

Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-2

Matrix: Solid

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	570		370		ug/Kg		02/23/17 21:00	03/03/17 15:44	100
Gasoline Range Organics (GRO) -C5-C12	140000		18000		ug/Kg		02/23/17 21:00	03/03/17 15:44	100
Ethylbenzene	3700		370		ug/Kg		02/23/17 21:00	03/03/17 15:44	100
MTBE	ND		370		ug/Kg		02/23/17 21:00	03/03/17 15:44	100
Toluene	890		370		ug/Kg		02/23/17 21:00	03/03/17 15:44	100
Xylenes, Total	17000		1500		ug/Kg		02/23/17 21:00	03/07/17 21:15	200
Naphthalene	1300		740		ug/Kg		02/23/17 21:00	03/03/17 15:44	100
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	97		66 - 148				02/23/17 21:00	03/03/17 15:44	100
4-Bromofluorobenzene	105		66 - 148				02/23/17 21:00	03/07/17 21:15	200
1,2-Dichloroethane-d4 (Surr)	100		62 - 137				02/23/17 21:00	03/03/17 15:44	100
1,2-Dichloroethane-d4 (Surr)	100		62 - 137				02/23/17 21:00	03/07/17 21:15	200
Toluene-d8 (Surr)	101		65 - 141				02/23/17 21:00	03/03/17 15:44	100
Toluene-d8 (Surr)	109		65 - 141				02/23/17 21:00	03/07/17 21:15	200

Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-1-15.5

Lab Sample ID: 720-77861-3

Date Collected: 02/23/17 10:25

Matrix: Solid

Date Received: 02/23/17 17:00

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	570		380		ug/Kg		02/23/17 21:00	03/03/17 16:13	100
Gasoline Range Organics (GRO) -C5-C12	91000		19000		ug/Kg		02/23/17 21:00	03/03/17 16:13	100
Ethylbenzene	490		380		ug/Kg		02/23/17 21:00	03/03/17 16:13	100
MTBE	ND		380		ug/Kg		02/23/17 21:00	03/03/17 16:13	100
Toluene	ND		380		ug/Kg		02/23/17 21:00	03/03/17 16:13	100
Xylenes, Total	ND		760		ug/Kg		02/23/17 21:00	03/03/17 16:13	100
Naphthalene	ND		760		ug/Kg		02/23/17 21:00	03/03/17 16:13	100
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	94		66 - 148				02/23/17 21:00	03/03/17 16:13	100
1,2-Dichloroethane-d4 (Surr)	100		62 - 137				02/23/17 21:00	03/03/17 16:13	100
Toluene-d8 (Surr)	100		65 - 141				02/23/17 21:00	03/03/17 16:13	100

Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-2-5

Date Collected: 02/23/17 10:40

Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-4

Matrix: Solid

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		3.7		ug/Kg		02/23/17 21:00	02/28/17 21:44	1
Ethylbenzene	ND		3.7		ug/Kg		02/23/17 21:00	02/28/17 21:44	1
Toluene	ND		3.7		ug/Kg		02/23/17 21:00	02/28/17 21:44	1
Xylenes, Total	ND		7.5		ug/Kg		02/23/17 21:00	02/28/17 21:44	1
Gasoline Range Organics (GRO)	ND		190		ug/Kg		02/23/17 21:00	02/28/17 21:44	1
-C5-C12									
Naphthalene	ND		7.5		ug/Kg		02/23/17 21:00	02/28/17 21:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	94		45 - 131				02/23/17 21:00	02/28/17 21:44	1
1,2-Dichloroethane-d4 (Surr)	108		60 - 140				02/23/17 21:00	02/28/17 21:44	1
Toluene-d8 (Surr)	98		58 - 140				02/23/17 21:00	02/28/17 21:44	1

Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-2-10
Date Collected: 02/23/17 10:45
Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-5
Matrix: Solid

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1700		370		ug/Kg		02/23/17 21:00	03/03/17 16:42	100
Gasoline Range Organics (GRO) -C5-C12	ND		19000		ug/Kg		02/23/17 21:00	03/03/17 16:42	100
Ethylbenzene	740		370		ug/Kg		02/23/17 21:00	03/03/17 16:42	100
MTBE	ND		370		ug/Kg		02/23/17 21:00	03/03/17 16:42	100
Toluene	ND		370		ug/Kg		02/23/17 21:00	03/03/17 16:42	100
Xylenes, Total	2200		740		ug/Kg		02/23/17 21:00	03/03/17 16:42	100
Naphthalene	ND		740		ug/Kg		02/23/17 21:00	03/03/17 16:42	100
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	93		66 - 148				02/23/17 21:00	03/03/17 16:42	100
1,2-Dichloroethane-d4 (Surr)	100		62 - 137				02/23/17 21:00	03/03/17 16:42	100
Toluene-d8 (Surr)	99		65 - 141				02/23/17 21:00	03/03/17 16:42	100

Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-2-15

Lab Sample ID: 720-77861-6

Date Collected: 02/23/17 10:50

Matrix: Solid

Date Received: 02/23/17 17:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		3.7		ug/Kg		02/23/17 21:00	02/27/17 15:22	1
Ethylbenzene	ND		3.7		ug/Kg		02/23/17 21:00	02/27/17 15:22	1
Toluene	ND		3.7		ug/Kg		02/23/17 21:00	02/27/17 15:22	1
Xylenes, Total	ND		7.4		ug/Kg		02/23/17 21:00	02/27/17 15:22	1
Gasoline Range Organics (GRO) -C5-C12	ND		180		ug/Kg		02/23/17 21:00	02/27/17 15:22	1
Naphthalene	ND		7.4		ug/Kg		02/23/17 21:00	02/27/17 15:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	97		45 - 131				02/23/17 21:00	02/27/17 15:22	1
1,2-Dichloroethane-d4 (Surr)	115		60 - 140				02/23/17 21:00	02/27/17 15:22	1
Toluene-d8 (Surr)	98		58 - 140				02/23/17 21:00	02/27/17 15:22	1

Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-3-5
Date Collected: 02/23/17 11:05
Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-7
Matrix: Solid

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		2.0		ug/Kg		02/23/17 21:00	02/27/17 15:50	1
Ethylbenzene	ND		2.0		ug/Kg		02/23/17 21:00	02/27/17 15:50	1
Toluene	ND		2.0		ug/Kg		02/23/17 21:00	02/27/17 15:50	1
Xylenes, Total	ND		4.0		ug/Kg		02/23/17 21:00	02/27/17 15:50	1
Gasoline Range Organics (GRO)	240		100		ug/Kg		02/23/17 21:00	02/27/17 15:50	1
-C5-C12									
Naphthalene	ND		4.0		ug/Kg		02/23/17 21:00	02/27/17 15:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	104		45 - 131				02/23/17 21:00	02/27/17 15:50	1
1,2-Dichloroethane-d4 (Surr)	123		60 - 140				02/23/17 21:00	02/27/17 15:50	1
Toluene-d8 (Surr)	94		58 - 140				02/23/17 21:00	02/27/17 15:50	1

Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-3-10
Date Collected: 02/23/17 11:10
Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-8
Matrix: Solid

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	610		400		ug/Kg		02/23/17 21:00	03/06/17 23:12	100
Gasoline Range Organics (GRO) -C5-C12	ND		20000		ug/Kg		02/23/17 21:00	03/06/17 23:12	100
Ethylbenzene	1100		400		ug/Kg		02/23/17 21:00	03/06/17 23:12	100
MTBE	ND		400		ug/Kg		02/23/17 21:00	03/06/17 23:12	100
Toluene	ND		400		ug/Kg		02/23/17 21:00	03/06/17 23:12	100
Xylenes, Total	ND		810		ug/Kg		02/23/17 21:00	03/06/17 23:12	100
Naphthalene	ND		810		ug/Kg		02/23/17 21:00	03/06/17 23:12	100
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	103		66 - 148				02/23/17 21:00	03/06/17 23:12	100
1,2-Dichloroethane-d4 (Surr)	89		62 - 137				02/23/17 21:00	03/06/17 23:12	100
Toluene-d8 (Surr)	108		65 - 141				02/23/17 21:00	03/06/17 23:12	100

Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-3-17

Date Collected: 02/23/17 11:20

Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-9

Matrix: Solid

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		4.1		ug/Kg		02/23/17 21:00	02/27/17 16:47	1
Ethylbenzene	ND		4.1		ug/Kg		02/23/17 21:00	02/27/17 16:47	1
Toluene	ND		4.1		ug/Kg		02/23/17 21:00	02/27/17 16:47	1
Xylenes, Total	ND		8.1		ug/Kg		02/23/17 21:00	02/27/17 16:47	1
Gasoline Range Organics (GRO) -C5-C12	ND		200		ug/Kg		02/23/17 21:00	02/27/17 16:47	1
Naphthalene	ND		8.1		ug/Kg		02/23/17 21:00	02/27/17 16:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	93		45 - 131				02/23/17 21:00	02/27/17 16:47	1
1,2-Dichloroethane-d4 (Surr)	119		60 - 140				02/23/17 21:00	02/27/17 16:47	1
Toluene-d8 (Surr)	96		58 - 140				02/23/17 21:00	02/27/17 16:47	1

Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-4-5
Date Collected: 02/23/17 11:40
Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-10
Matrix: Solid

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		4.1		ug/Kg		02/23/17 21:00	02/27/17 17:15	1
Ethylbenzene	ND		4.1		ug/Kg		02/23/17 21:00	02/27/17 17:15	1
Toluene	ND		4.1		ug/Kg		02/23/17 21:00	02/27/17 17:15	1
Xylenes, Total	ND		8.2		ug/Kg		02/23/17 21:00	02/27/17 17:15	1
Gasoline Range Organics (GRO) -C5-C12	ND		210		ug/Kg		02/23/17 21:00	02/27/17 17:15	1
Naphthalene	ND		8.2		ug/Kg		02/23/17 21:00	02/27/17 17:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	97		45 - 131				02/23/17 21:00	02/27/17 17:15	1
1,2-Dichloroethane-d4 (Surr)	130		60 - 140				02/23/17 21:00	02/27/17 17:15	1
Toluene-d8 (Surr)	95		58 - 140				02/23/17 21:00	02/27/17 17:15	1



Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-4-10
Date Collected: 02/23/17 11:45
Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-11
Matrix: Solid

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		380		ug/Kg		02/23/17 21:00	03/03/17 17:39	100
Gasoline Range Organics (GRO)	490000		19000		ug/Kg		02/23/17 21:00	03/03/17 17:39	100
-C5-C12									
Ethylbenzene	1100		380		ug/Kg		02/23/17 21:00	03/03/17 17:39	100
MTBE	ND		380		ug/Kg		02/23/17 21:00	03/03/17 17:39	100
Toluene	ND		380		ug/Kg		02/23/17 21:00	03/03/17 17:39	100
Xylenes, Total	ND		770		ug/Kg		02/23/17 21:00	03/03/17 17:39	100
Naphthalene	2400		770		ug/Kg		02/23/17 21:00	03/03/17 17:39	100
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	135		66 - 148				02/23/17 21:00	03/03/17 17:39	100
1,2-Dichloroethane-d4 (Surr)	99		62 - 137				02/23/17 21:00	03/03/17 17:39	100
Toluene-d8 (Surr)	104		65 - 141				02/23/17 21:00	03/03/17 17:39	100

Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-4-15

Lab Sample ID: 720-77861-12

Date Collected: 02/23/17 11:55

Matrix: Solid

Date Received: 02/23/17 17:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		3.7		ug/Kg		02/23/17 21:00	02/28/17 19:16	1
Ethylbenzene	ND		3.7		ug/Kg		02/23/17 21:00	02/28/17 19:16	1
Toluene	ND		3.7		ug/Kg		02/23/17 21:00	02/28/17 19:16	1
Xylenes, Total	ND		7.4		ug/Kg		02/23/17 21:00	02/28/17 19:16	1
Gasoline Range Organics (GRO) -C5-C12	ND	H	200		ug/Kg		03/01/17 16:53	03/01/17 19:49	1
Naphthalene	ND	H	7.8		ug/Kg		03/01/17 16:53	03/01/17 19:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	105		45 - 131				02/23/17 21:00	02/28/17 19:16	1
4-Bromofluorobenzene	101		45 - 131				03/01/17 16:53	03/01/17 19:49	1
1,2-Dichloroethane-d4 (Surr)	105		60 - 140				02/23/17 21:00	02/28/17 19:16	1
1,2-Dichloroethane-d4 (Surr)	100		60 - 140				03/01/17 16:53	03/01/17 19:49	1
Toluene-d8 (Surr)	105		58 - 140				02/23/17 21:00	02/28/17 19:16	1
Toluene-d8 (Surr)	108		58 - 140				03/01/17 16:53	03/01/17 19:49	1

Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-5-5

Lab Sample ID: 720-77861-13

Date Collected: 02/23/17 12:25

Matrix: Solid

Date Received: 02/23/17 17:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		3.4		ug/Kg		02/23/17 21:00	02/28/17 19:45	1
Ethylbenzene	ND		3.4		ug/Kg		02/23/17 21:00	02/28/17 19:45	1
Toluene	ND		3.4		ug/Kg		02/23/17 21:00	02/28/17 19:45	1
Xylenes, Total	ND		6.8		ug/Kg		02/23/17 21:00	02/28/17 19:45	1
Gasoline Range Organics (GRO) -C5-C12	ND		170		ug/Kg		02/23/17 21:00	02/28/17 19:45	1
Naphthalene	ND		6.8		ug/Kg		02/23/17 21:00	02/28/17 19:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	102		45 - 131				02/23/17 21:00	02/28/17 19:45	1
1,2-Dichloroethane-d4 (Surr)	97		60 - 140				02/23/17 21:00	02/28/17 19:45	1
Toluene-d8 (Surr)	106		58 - 140				02/23/17 21:00	02/28/17 19:45	1

Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-5-10

Date Collected: 02/23/17 12:30

Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-14

Matrix: Solid

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		4.0		ug/Kg		02/23/17 21:00	02/28/17 20:15	1
Ethylbenzene	ND		4.0		ug/Kg		02/23/17 21:00	02/28/17 20:15	1
Toluene	ND		4.0		ug/Kg		02/23/17 21:00	02/28/17 20:15	1
Xylenes, Total	ND		8.0		ug/Kg		02/23/17 21:00	02/28/17 20:15	1
Gasoline Range Organics (GRO)	370		200		ug/Kg		02/23/17 21:00	02/28/17 20:15	1
-C5-C12									
Naphthalene	ND		8.0		ug/Kg		02/23/17 21:00	02/28/17 20:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	108		45 - 131				02/23/17 21:00	02/28/17 20:15	1
1,2-Dichloroethane-d4 (Surr)	104		60 - 140				02/23/17 21:00	02/28/17 20:15	1
Toluene-d8 (Surr)	107		58 - 140				02/23/17 21:00	02/28/17 20:15	1

Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-5-15

Date Collected: 02/23/17 12:40

Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-15

Matrix: Solid

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		4.4		ug/Kg		02/23/17 21:00	02/28/17 20:45	1
Ethylbenzene	ND		4.4		ug/Kg		02/23/17 21:00	02/28/17 20:45	1
Toluene	ND		4.4		ug/Kg		02/23/17 21:00	02/28/17 20:45	1
Xylenes, Total	ND		8.8		ug/Kg		02/23/17 21:00	02/28/17 20:45	1
Gasoline Range Organics (GRO) -C5-C12	ND		220		ug/Kg		02/23/17 21:00	02/28/17 20:45	1
Naphthalene	ND		8.8		ug/Kg		02/23/17 21:00	02/28/17 20:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	96		45 - 131				02/23/17 21:00	02/28/17 20:45	1
1,2-Dichloroethane-d4 (Surr)	95		60 - 140				02/23/17 21:00	02/28/17 20:45	1
Toluene-d8 (Surr)	105		58 - 140				02/23/17 21:00	02/28/17 20:45	1

Client Sample Results

Client: ERM-West
 Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-1-GW

Lab Sample ID: 720-77861-16

Date Collected: 02/23/17 12:52

Matrix: Water

Date Received: 02/23/17 17:00

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	460		5.0		ug/L			03/02/17 21:59	10
Ethylbenzene	140		5.0		ug/L			03/02/17 21:59	10
Naphthalene	7.1		1.0		ug/L			03/02/17 04:15	1
Toluene	15		0.50		ug/L			03/02/17 04:15	1
Xylenes, Total	80		1.0		ug/L			03/02/17 04:15	1
Gasoline Range Organics (GRO) -C5-C12	3900		500		ug/L			03/02/17 21:59	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	100		67 - 130		03/02/17 04:15	1
4-Bromofluorobenzene	94		67 - 130		03/02/17 21:59	10
1,2-Dichloroethane-d4 (Surr)	100		72 - 130		03/02/17 04:15	1
1,2-Dichloroethane-d4 (Surr)	100		72 - 130		03/02/17 21:59	10
Toluene-d8 (Surr)	106		70 - 130		03/02/17 04:15	1
Toluene-d8 (Surr)	99		70 - 130		03/02/17 21:59	10

Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-1-GW-DUP

Lab Sample ID: 720-77861-17

Date Collected: 02/23/17 12:55

Matrix: Water

Date Received: 02/23/17 17:00

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	590		5.0		ug/L			03/02/17 22:28	10
Ethylbenzene	170		5.0		ug/L			03/02/17 22:28	10
Naphthalene	7.6		1.0		ug/L			03/02/17 04:43	1
Toluene	16		0.50		ug/L			03/02/17 04:43	1
Xylenes, Total	87		1.0		ug/L			03/02/17 04:43	1
Gasoline Range Organics (GRO) -C5-C12	4500		500		ug/L			03/02/17 22:28	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		67 - 130		03/02/17 04:43	1
4-Bromofluorobenzene	95		67 - 130		03/02/17 22:28	10
1,2-Dichloroethane-d4 (Surr)	96		72 - 130		03/02/17 04:43	1
1,2-Dichloroethane-d4 (Surr)	102		72 - 130		03/02/17 22:28	10
Toluene-d8 (Surr)	105		70 - 130		03/02/17 04:43	1
Toluene-d8 (Surr)	98		70 - 130		03/02/17 22:28	10

Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-2-GW

Lab Sample ID: 720-77861-18

Date Collected: 02/23/17 13:00

Matrix: Water

Date Received: 02/23/17 17:00

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	68		0.50		ug/L			03/02/17 05:11	1
Ethylbenzene	250		5.0		ug/L			03/02/17 22:56	10
Naphthalene	42		1.0		ug/L			03/02/17 05:11	1
Toluene	23		0.50		ug/L			03/02/17 05:11	1
Xylenes, Total	460		10		ug/L			03/02/17 22:56	10
Gasoline Range Organics (GRO) -C5-C12	3700		500		ug/L			03/02/17 22:56	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		67 - 130		03/02/17 05:11	1
4-Bromofluorobenzene	95		67 - 130		03/02/17 22:56	10
1,2-Dichloroethane-d4 (Surr)	100		72 - 130		03/02/17 05:11	1
1,2-Dichloroethane-d4 (Surr)	102		72 - 130		03/02/17 22:56	10
Toluene-d8 (Surr)	103		70 - 130		03/02/17 05:11	1
Toluene-d8 (Surr)	100		70 - 130		03/02/17 22:56	10

Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-3-GW

Lab Sample ID: 720-77861-19

Date Collected: 02/23/17 13:10

Matrix: Water

Date Received: 02/23/17 17:00

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	38		0.50		ug/L			03/02/17 18:08	1
Ethylbenzene	22		0.50		ug/L			03/02/17 18:08	1
Naphthalene	3.7		1.0		ug/L			03/02/17 18:08	1
Toluene	ND		0.50		ug/L			03/02/17 18:08	1
Xylenes, Total	3.1		1.0		ug/L			03/02/17 18:08	1
Gasoline Range Organics (GRO) -C5-C12	130		50		ug/L			03/02/17 18:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	103		67 - 130		03/02/17 18:08	1
1,2-Dichloroethane-d4 (Surr)	101		72 - 130		03/02/17 18:08	1
Toluene-d8 (Surr)	103		70 - 130		03/02/17 18:08	1

Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-4-GW

Lab Sample ID: 720-77861-20

Date Collected: 02/23/17 13:10

Matrix: Water

Date Received: 02/23/17 17:00

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	8.9		0.50		ug/L			03/02/17 18:36	1
Ethylbenzene	15		0.50		ug/L			03/02/17 18:36	1
Naphthalene	9.0		1.0		ug/L			03/02/17 18:36	1
Toluene	ND		0.50		ug/L			03/02/17 18:36	1
Xylenes, Total	26		1.0		ug/L			03/02/17 18:36	1
Gasoline Range Organics (GRO) -C5-C12	490		50		ug/L			03/02/17 18:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	103		67 - 130		03/02/17 18:36	1
1,2-Dichloroethane-d4 (Surr)	101		72 - 130		03/02/17 18:36	1
Toluene-d8 (Surr)	103		70 - 130		03/02/17 18:36	1

Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-5-GW

Lab Sample ID: 720-77861-21

Date Collected: 02/23/17 13:15

Matrix: Water

Date Received: 02/23/17 17:00

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.98		0.50		ug/L			03/02/17 19:04	1
Ethylbenzene	ND		0.50		ug/L			03/02/17 19:04	1
Naphthalene	ND		1.0		ug/L			03/02/17 19:04	1
Toluene	ND		0.50		ug/L			03/02/17 19:04	1
Xylenes, Total	ND		1.0		ug/L			03/02/17 19:04	1
Gasoline Range Organics (GRO) -C5-C12	ND		50		ug/L			03/02/17 19:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	101		67 - 130		03/02/17 19:04	1
1,2-Dichloroethane-d4 (Surr)	96		72 - 130		03/02/17 19:04	1
Toluene-d8 (Surr)	103		70 - 130		03/02/17 19:04	1

Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 720-77861-22

Date Collected: 02/23/17 10:00

Matrix: Water

Date Received: 02/23/17 17:00

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.50		ug/L			03/02/17 19:32	1
Ethylbenzene	ND		0.50		ug/L			03/02/17 19:32	1
Naphthalene	ND		1.0		ug/L			03/02/17 19:32	1
Toluene	ND		0.50		ug/L			03/02/17 19:32	1
Xylenes, Total	ND		1.0		ug/L			03/02/17 19:32	1
Gasoline Range Organics (GRO) -C5-C12	ND		50		ug/L			03/02/17 19:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	102		67 - 130		03/02/17 19:32	1
1,2-Dichloroethane-d4 (Surr)	100		72 - 130		03/02/17 19:32	1
Toluene-d8 (Surr)	102		70 - 130		03/02/17 19:32	1

Client Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: RINSATE BLANK

Lab Sample ID: 720-77861-23

Date Collected: 02/23/17 13:30

Matrix: Water

Date Received: 02/23/17 17:00

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.50		ug/L			03/02/17 20:00	1
Ethylbenzene	ND		0.50		ug/L			03/02/17 20:00	1
Naphthalene	ND		1.0		ug/L			03/02/17 20:00	1
Toluene	ND		0.50		ug/L			03/02/17 20:00	1
Xylenes, Total	ND		1.0		ug/L			03/02/17 20:00	1
Gasoline Range Organics (GRO) -C5-C12	ND		50		ug/L			03/02/17 20:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	101		67 - 130		03/02/17 20:00	1
1,2-Dichloroethane-d4 (Surr)	101		72 - 130		03/02/17 20:00	1
Toluene-d8 (Surr)	102		70 - 130		03/02/17 20:00	1



Surrogate Summary

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		BFB (45-131)	12DCE (60-140)	TOL (58-140)
720-77861-1	SB-1-5	98	116	100
720-77861-4	SB-2-5	94	108	98
720-77861-6	SB-2-15	97	115	98
720-77861-7	SB-3-5	104	123	94
720-77861-9	SB-3-17	93	119	96
720-77861-10	SB-4-5	97	130	95
720-77861-12	SB-4-15	105	105	105
720-77861-12	SB-4-15	101	100	108
720-77861-13	SB-5-5	102	97	106
720-77861-14	SB-5-10	108	104	107
720-77861-15	SB-5-15	96	95	105
LCS 720-218439/7	Lab Control Sample	93	103	99
LCS 720-218439/9	Lab Control Sample	96	105	101
LCS 720-218523/10	Lab Control Sample	103	97	108
LCS 720-218523/8	Lab Control Sample	103	102	109
LCS 720-218549/5	Lab Control Sample	95	101	98
LCS 720-218549/7	Lab Control Sample	98	105	101
LCS 720-218572/5	Lab Control Sample	101	92	109
LCS 720-218572/7	Lab Control Sample	103	93	108
LCSD 720-218439/10	Lab Control Sample Dup	96	105	100
LCSD 720-218439/8	Lab Control Sample Dup	95	101	99
LCSD 720-218523/11	Lab Control Sample Dup	103	95	109
LCSD 720-218523/9	Lab Control Sample Dup	104	97	110
LCSD 720-218549/6	Lab Control Sample Dup	93	100	98
LCSD 720-218549/8	Lab Control Sample Dup	98	105	100
LCSD 720-218572/16	Lab Control Sample Dup	103	95	109
LCSD 720-218572/8	Lab Control Sample Dup	103	95	108
MB 720-218439/6	Method Blank	94	105	99
MB 720-218523/7	Method Blank	100	96	107
MB 720-218549/9	Method Blank	94	105	99
MB 720-218572/4	Method Blank	99	92	107

Surrogate Legend

- BFB = 4-Bromofluorobenzene
- 12DCE = 1,2-Dichloroethane-d4 (Surr)
- TOL = Toluene-d8 (Surr)

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		BFB (66-148)	12DCE (62-137)	TOL (65-141)
720-77861-2	SB-1-10	97	100	101
720-77861-2	SB-1-10	105	100	109
720-77861-3	SB-1-15.5	94	100	100
720-77861-5	SB-2-10	93	100	99
720-77861-8	SB-3-10	103	89	108
720-77861-11	SB-4-10	135	99	104

TestAmerica Pleasanton

Surrogate Summary

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		BFB (66-148)	12DCE (62-137)	TOL (65-141)
LCS 720-218713/5	Lab Control Sample	94	97	98
LCS 720-218713/7	Lab Control Sample	95	101	100
LCS 720-218836/7	Lab Control Sample	100	89	109
LCS 720-218836/9	Lab Control Sample	102	89	108
LCSD 720-218713/6	Lab Control Sample Dup	96	100	98
LCSD 720-218713/8	Lab Control Sample Dup	96	102	99
LCSD 720-218836/10	Lab Control Sample Dup	102	86	108
LCSD 720-218836/8	Lab Control Sample Dup	99	85	109
MB 720-218713/4	Method Blank	91	102	99
MB 720-218836/5	Method Blank	102	89	108
MB 720-218861/10	Method Blank	101	97	106

Surrogate Legend

BFB = 4-Bromofluorobenzene
12DCE = 1,2-Dichloroethane-d4 (Surr)
TOL = Toluene-d8 (Surr)

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		BFB (67-130)	12DCE (72-130)	TOL (70-130)
720-77861-16	SB-1-GW	100	100	106
720-77861-16	SB-1-GW	94	100	99
720-77861-17	SB-1-GW-DUP	99	96	105
720-77861-17	SB-1-GW-DUP	95	102	98
720-77861-18	SB-2-GW	99	100	103
720-77861-18	SB-2-GW	95	102	100
720-77861-19	SB-3-GW	103	101	103
720-77861-20	SB-4-GW	103	101	103
720-77861-21	SB-5-GW	101	96	103
720-77861-22	TRIP BLANK	102	100	102
720-77861-23	RINSATE BLANK	101	101	102
LCS 720-218620/5	Lab Control Sample	96	98	103
LCS 720-218620/7	Lab Control Sample	97	96	102
LCS 720-218645/5	Lab Control Sample	98	96	103
LCS 720-218645/7	Lab Control Sample	98	98	102
LCS 720-218689/5	Lab Control Sample	94	96	99
LCS 720-218689/7	Lab Control Sample	95	101	101
LCSD 720-218620/6	Lab Control Sample Dup	96	95	103
LCSD 720-218620/8	Lab Control Sample Dup	97	98	102
LCSD 720-218645/6	Lab Control Sample Dup	99	97	103
LCSD 720-218645/8	Lab Control Sample Dup	99	100	103
LCSD 720-218689/6	Lab Control Sample Dup	93	97	98
LCSD 720-218689/8	Lab Control Sample Dup	94	104	101
MB 720-218620/4	Method Blank	96	100	102
MB 720-218645/4	Method Blank	99	98	102
MB 720-218689/4	Method Blank	91	100	99

TestAmerica Pleasanton

Surrogate Summary

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Surrogate Legend

BFB = 4-Bromofluorobenzene

12DCE = 1,2-Dichloroethane-d4 (Surr)

TOL = Toluene-d8 (Surr)

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

QC Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 720-218439/6
Matrix: Solid
Analysis Batch: 218439

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		5.0		ug/Kg			02/27/17 10:35	1
Ethylbenzene	ND		5.0		ug/Kg			02/27/17 10:35	1
Toluene	ND		5.0		ug/Kg			02/27/17 10:35	1
Xylenes, Total	ND		10		ug/Kg			02/27/17 10:35	1
Naphthalene	ND		10		ug/Kg			02/27/17 10:35	1
Gasoline Range Organics (GRO) -C5-C12	ND		250		ug/Kg			02/27/17 10:35	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	94		45 - 131		02/27/17 10:35	1
1,2-Dichloroethane-d4 (Surr)	105		60 - 140		02/27/17 10:35	1
Toluene-d8 (Surr)	99		58 - 140		02/27/17 10:35	1

Lab Sample ID: LCS 720-218439/7
Matrix: Solid
Analysis Batch: 218439

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	50.0	51.2		ug/Kg		102	70 - 130
Ethylbenzene	50.0	49.0		ug/Kg		98	80 - 137
Toluene	50.0	48.7		ug/Kg		97	75 - 120
m-Xylene & p-Xylene	50.0	49.1		ug/Kg		98	70 - 146
o-Xylene	50.0	50.2		ug/Kg		100	70 - 140
Naphthalene	50.0	50.3		ug/Kg		101	60 - 147

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	93		45 - 131
1,2-Dichloroethane-d4 (Surr)	103		60 - 140
Toluene-d8 (Surr)	99		58 - 140

Lab Sample ID: LCS 720-218439/9
Matrix: Solid
Analysis Batch: 218439

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (GRO) -C5-C12	1000	945		ug/Kg		95	61 - 128

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	96		45 - 131
1,2-Dichloroethane-d4 (Surr)	105		60 - 140
Toluene-d8 (Surr)	101		58 - 140

TestAmerica Pleasanton

QC Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 720-218439/10

Matrix: Solid

Analysis Batch: 218439

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO) -C5-C12	1000	955		ug/Kg		95	61 - 128	1	20
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene	96		45 - 131						
1,2-Dichloroethane-d4 (Surr)	105		60 - 140						
Toluene-d8 (Surr)	100		58 - 140						

Lab Sample ID: LCSD 720-218439/8

Matrix: Solid

Analysis Batch: 218439

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	50.0	51.6		ug/Kg		103	70 - 130	1	20
Ethylbenzene	50.0	49.5		ug/Kg		99	80 - 137	1	20
Toluene	50.0	49.8		ug/Kg		100	75 - 120	2	20
m-Xylene & p-Xylene	50.0	50.0		ug/Kg		100	70 - 146	2	20
o-Xylene	50.0	50.3		ug/Kg		101	70 - 140	0	20
Naphthalene	50.0	49.3		ug/Kg		99	60 - 147	2	20
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene	95		45 - 131						
1,2-Dichloroethane-d4 (Surr)	101		60 - 140						
Toluene-d8 (Surr)	99		58 - 140						

Lab Sample ID: MB 720-218523/7

Matrix: Solid

Analysis Batch: 218523

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		5.0		ug/Kg			02/28/17 12:17	1
Ethylbenzene	ND		5.0		ug/Kg			02/28/17 12:17	1
Toluene	ND		5.0		ug/Kg			02/28/17 12:17	1
Xylenes, Total	ND		10		ug/Kg			02/28/17 12:17	1
Naphthalene	ND		10		ug/Kg			02/28/17 12:17	1
Gasoline Range Organics (GRO) -C5-C12	ND		250		ug/Kg			02/28/17 12:17	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	100		45 - 131					02/28/17 12:17	1
1,2-Dichloroethane-d4 (Surr)	96		60 - 140					02/28/17 12:17	1
Toluene-d8 (Surr)	107		58 - 140					02/28/17 12:17	1

TestAmerica Pleasanton

QC Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 720-218523/10
Matrix: Solid
Analysis Batch: 218523

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (GRO) -C5-C12	1000	839		ug/Kg		84	61 - 128
Surrogate	%Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene	103		45 - 131				
1,2-Dichloroethane-d4 (Surr)	97		60 - 140				
Toluene-d8 (Surr)	108		58 - 140				

Lab Sample ID: LCS 720-218523/8
Matrix: Solid
Analysis Batch: 218523

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	50.0	47.7		ug/Kg		95	70 - 130
Ethylbenzene	50.0	44.0		ug/Kg		88	80 - 137
Toluene	50.0	44.6		ug/Kg		89	75 - 120
m-Xylene & p-Xylene	50.0	43.8		ug/Kg		88	70 - 146
o-Xylene	50.0	45.0		ug/Kg		90	70 - 140
Naphthalene	50.0	54.3		ug/Kg		109	60 - 147
Surrogate	%Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene	103		45 - 131				
1,2-Dichloroethane-d4 (Surr)	102		60 - 140				
Toluene-d8 (Surr)	109		58 - 140				

Lab Sample ID: LCSD 720-218523/11
Matrix: Solid
Analysis Batch: 218523

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO) -C5-C12	1000	883		ug/Kg		88	61 - 128	5	20
Surrogate	%Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene	103		45 - 131						
1,2-Dichloroethane-d4 (Surr)	95		60 - 140						
Toluene-d8 (Surr)	109		58 - 140						

Lab Sample ID: LCSD 720-218523/9
Matrix: Solid
Analysis Batch: 218523

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	50.0	51.1		ug/Kg		102	70 - 130	7	20
Ethylbenzene	50.0	48.1		ug/Kg		96	80 - 137	9	20
Toluene	50.0	50.0		ug/Kg		100	75 - 120	11	20
m-Xylene & p-Xylene	50.0	48.9		ug/Kg		98	70 - 146	11	20
o-Xylene	50.0	49.2		ug/Kg		98	70 - 140	9	20

TestAmerica Pleasanton

QC Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 720-218523/9
Matrix: Solid
Analysis Batch: 218523

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Naphthalene	50.0	56.3		ug/Kg		113	60 - 147	4	20
Surrogate	%Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene	104		45 - 131						
1,2-Dichloroethane-d4 (Surr)	97		60 - 140						
Toluene-d8 (Surr)	110		58 - 140						

Lab Sample ID: MB 720-218549/9
Matrix: Solid
Analysis Batch: 218549

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		5.0		ug/Kg			02/28/17 21:16	1
Ethylbenzene	ND		5.0		ug/Kg			02/28/17 21:16	1
Toluene	ND		5.0		ug/Kg			02/28/17 21:16	1
Xylenes, Total	ND		10		ug/Kg			02/28/17 21:16	1
Naphthalene	ND		10		ug/Kg			02/28/17 21:16	1
Gasoline Range Organics (GRO) -C5-C12	ND		250		ug/Kg			02/28/17 21:16	1
Surrogate	%Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	94		45 - 131					02/28/17 21:16	1
1,2-Dichloroethane-d4 (Surr)	105		60 - 140					02/28/17 21:16	1
Toluene-d8 (Surr)	99		58 - 140					02/28/17 21:16	1

Lab Sample ID: LCS 720-218549/5
Matrix: Solid
Analysis Batch: 218549

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	50.0	53.5		ug/Kg		107	70 - 130
Ethylbenzene	50.0	52.9		ug/Kg		106	80 - 137
Toluene	50.0	51.7		ug/Kg		103	75 - 120
m-Xylene & p-Xylene	50.0	53.4		ug/Kg		107	70 - 146
o-Xylene	50.0	52.9		ug/Kg		106	70 - 140
Naphthalene	50.0	49.3		ug/Kg		99	60 - 147
Surrogate	%Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene	95		45 - 131				
1,2-Dichloroethane-d4 (Surr)	101		60 - 140				
Toluene-d8 (Surr)	98		58 - 140				

TestAmerica Pleasanton

QC Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 720-218549/7
Matrix: Solid
Analysis Batch: 218549

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (GRO) -C5-C12	1000	1020		ug/Kg		102	61 - 128
Surrogate	%Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene	98		45 - 131				
1,2-Dichloroethane-d4 (Surr)	105		60 - 140				
Toluene-d8 (Surr)	101		58 - 140				

Lab Sample ID: LCSD 720-218549/6
Matrix: Solid
Analysis Batch: 218549

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	50.0	53.2		ug/Kg		106	70 - 130	1	20
Ethylbenzene	50.0	52.3		ug/Kg		105	80 - 137	1	20
Toluene	50.0	51.7		ug/Kg		103	75 - 120	0	20
m-Xylene & p-Xylene	50.0	53.1		ug/Kg		106	70 - 146	0	20
o-Xylene	50.0	52.1		ug/Kg		104	70 - 140	2	20
Naphthalene	50.0	50.1		ug/Kg		100	60 - 147	2	20
Surrogate	%Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene	93		45 - 131						
1,2-Dichloroethane-d4 (Surr)	100		60 - 140						
Toluene-d8 (Surr)	98		58 - 140						

Lab Sample ID: LCSD 720-218549/8
Matrix: Solid
Analysis Batch: 218549

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO) -C5-C12	1000	1000		ug/Kg		100	61 - 128	2	20
Surrogate	%Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene	98		45 - 131						
1,2-Dichloroethane-d4 (Surr)	105		60 - 140						
Toluene-d8 (Surr)	100		58 - 140						

Lab Sample ID: MB 720-218572/4
Matrix: Solid
Analysis Batch: 218572

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		5.0		ug/Kg			03/01/17 11:08	1
Ethylbenzene	ND		5.0		ug/Kg			03/01/17 11:08	1
Toluene	ND		5.0		ug/Kg			03/01/17 11:08	1
Xylenes, Total	ND		10		ug/Kg			03/01/17 11:08	1
Naphthalene	ND		10		ug/Kg			03/01/17 11:08	1

TestAmerica Pleasanton

QC Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 720-218572/4
Matrix: Solid
Analysis Batch: 218572

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO) -C5-C12	ND		250		ug/Kg			03/01/17 11:08	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		45 - 131		03/01/17 11:08	1
1,2-Dichloroethane-d4 (Surr)	92		60 - 140		03/01/17 11:08	1
Toluene-d8 (Surr)	107		58 - 140		03/01/17 11:08	1

Lab Sample ID: LCS 720-218572/5
Matrix: Solid
Analysis Batch: 218572

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	50.0	48.4		ug/Kg		97	70 - 130
Ethylbenzene	50.0	45.4		ug/Kg		91	80 - 137
Toluene	50.0	47.1		ug/Kg		94	75 - 120
m-Xylene & p-Xylene	50.0	46.1		ug/Kg		92	70 - 146
o-Xylene	50.0	45.9		ug/Kg		92	70 - 140
Naphthalene	50.0	56.9		ug/Kg		114	60 - 147

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	101		45 - 131
1,2-Dichloroethane-d4 (Surr)	92		60 - 140
Toluene-d8 (Surr)	109		58 - 140

Lab Sample ID: LCS 720-218572/7
Matrix: Solid
Analysis Batch: 218572

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (GRO) -C5-C12	1000	873		ug/Kg		87	61 - 128

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	103		45 - 131
1,2-Dichloroethane-d4 (Surr)	93		60 - 140
Toluene-d8 (Surr)	108		58 - 140

Lab Sample ID: LCSD 720-218572/16
Matrix: Solid
Analysis Batch: 218572

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	50.0	49.4		ug/Kg		99	70 - 130	2	20
Ethylbenzene	50.0	47.0		ug/Kg		94	80 - 137	4	20
Toluene	50.0	47.7		ug/Kg		95	75 - 120	1	20
m-Xylene & p-Xylene	50.0	47.5		ug/Kg		95	70 - 146	3	20
o-Xylene	50.0	47.6		ug/Kg		95	70 - 140	4	20

TestAmerica Pleasanton

QC Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 720-218572/16

Client Sample ID: Lab Control Sample Dup

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 218572

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Naphthalene	50.0	54.8		ug/Kg		110	60 - 147	4	20
Surrogate	%Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene	103		45 - 131						
1,2-Dichloroethane-d4 (Surr)	95		60 - 140						
Toluene-d8 (Surr)	109		58 - 140						

Lab Sample ID: LCSD 720-218572/8

Client Sample ID: Lab Control Sample Dup

Matrix: Solid

Prep Type: Total/NA

Analysis Batch: 218572

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO) -C5-C12	1000	857		ug/Kg		86	61 - 128	2	20
Surrogate	%Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene	103		45 - 131						
1,2-Dichloroethane-d4 (Surr)	95		60 - 140						
Toluene-d8 (Surr)	108		58 - 140						

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Lab Sample ID: MB 720-218620/4

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 218620

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.50		ug/L			03/01/17 18:52	1
Ethylbenzene	ND		0.50		ug/L			03/01/17 18:52	1
Toluene	ND		0.50		ug/L			03/01/17 18:52	1
Xylenes, Total	ND		1.0		ug/L			03/01/17 18:52	1
Naphthalene	ND		1.0		ug/L			03/01/17 18:52	1
Gasoline Range Organics (GRO) -C5-C12	ND		50		ug/L			03/01/17 18:52	1
Surrogate	%Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	96		67 - 130					03/01/17 18:52	1
1,2-Dichloroethane-d4 (Surr)	100		72 - 130					03/01/17 18:52	1
Toluene-d8 (Surr)	102		70 - 130					03/01/17 18:52	1

Lab Sample ID: LCS 720-218620/5

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 218620

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	25.0	23.6		ug/L		95	79 - 130
Ethylbenzene	25.0	23.1		ug/L		92	80 - 120
Toluene	25.0	23.5		ug/L		94	78 - 120

TestAmerica Pleasanton

QC Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: LCS 720-218620/5
Matrix: Water
Analysis Batch: 218620

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
m-Xylene & p-Xylene	25.0	23.7		ug/L		95	70 - 142
o-Xylene	25.0	23.7		ug/L		95	70 - 130
Naphthalene	25.0	24.8		ug/L		99	50 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	96		67 - 130
1,2-Dichloroethane-d4 (Surr)	98		72 - 130
Toluene-d8 (Surr)	103		70 - 130

Lab Sample ID: LCS 720-218620/7
Matrix: Water
Analysis Batch: 218620

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (GRO) -C5-C12	500	431		ug/L		86	71 - 125

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	97		67 - 130
1,2-Dichloroethane-d4 (Surr)	96		72 - 130
Toluene-d8 (Surr)	102		70 - 130

Lab Sample ID: LCSD 720-218620/6
Matrix: Water
Analysis Batch: 218620

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	25.0	23.5		ug/L		94	79 - 130	1	20
Ethylbenzene	25.0	23.0		ug/L		92	80 - 120	0	20
Toluene	25.0	23.4		ug/L		93	78 - 120	1	20
m-Xylene & p-Xylene	25.0	23.6		ug/L		94	70 - 142	0	20
o-Xylene	25.0	23.5		ug/L		94	70 - 130	1	20
Naphthalene	25.0	25.2		ug/L		101	50 - 130	1	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene	96		67 - 130
1,2-Dichloroethane-d4 (Surr)	95		72 - 130
Toluene-d8 (Surr)	103		70 - 130

Lab Sample ID: LCSD 720-218620/8
Matrix: Water
Analysis Batch: 218620

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO) -C5-C12	500	433		ug/L		87	71 - 125	0	20

TestAmerica Pleasanton

QC Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: LCSD 720-218620/8
Matrix: Water
Analysis Batch: 218620

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	97		67 - 130
1,2-Dichloroethane-d4 (Surr)	98		72 - 130
Toluene-d8 (Surr)	102		70 - 130

Lab Sample ID: MB 720-218645/4
Matrix: Water
Analysis Batch: 218645

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	ND		0.50		ug/L			03/02/17 11:07	1
Ethylbenzene	ND		0.50		ug/L			03/02/17 11:07	1
Toluene	ND		0.50		ug/L			03/02/17 11:07	1
Xylenes, Total	ND		1.0		ug/L			03/02/17 11:07	1
Naphthalene	ND		1.0		ug/L			03/02/17 11:07	1
Gasoline Range Organics (GRO) -C5-C12	ND		50		ug/L			03/02/17 11:07	1

Surrogate	MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene	99		67 - 130		03/02/17 11:07	1
1,2-Dichloroethane-d4 (Surr)	98		72 - 130		03/02/17 11:07	1
Toluene-d8 (Surr)	102		70 - 130		03/02/17 11:07	1

Lab Sample ID: LCS 720-218645/5
Matrix: Water
Analysis Batch: 218645

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Benzene	25.0	23.9		ug/L		96	79 - 130
Ethylbenzene	25.0	23.4		ug/L		94	80 - 120
Toluene	25.0	23.9		ug/L		96	78 - 120
m-Xylene & p-Xylene	25.0	24.0		ug/L		96	70 - 142
o-Xylene	25.0	24.1		ug/L		96	70 - 130
Naphthalene	25.0	26.8		ug/L		107	50 - 130

Surrogate	LCS		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	98		67 - 130
1,2-Dichloroethane-d4 (Surr)	96		72 - 130
Toluene-d8 (Surr)	103		70 - 130

Lab Sample ID: LCS 720-218645/7
Matrix: Water
Analysis Batch: 218645

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Gasoline Range Organics (GRO) -C5-C12	500	454		ug/L		91	71 - 125

TestAmerica Pleasanton

QC Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: LCS 720-218645/7
Matrix: Water
Analysis Batch: 218645

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	98		67 - 130
1,2-Dichloroethane-d4 (Surr)	98		72 - 130
Toluene-d8 (Surr)	102		70 - 130

Lab Sample ID: LCSD 720-218645/6
Matrix: Water
Analysis Batch: 218645

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	25.0	24.3		ug/L		97	79 - 130	2	20
Ethylbenzene	25.0	24.0		ug/L		96	80 - 120	2	20
Toluene	25.0	24.5		ug/L		98	78 - 120	3	20
m-Xylene & p-Xylene	25.0	24.5		ug/L		98	70 - 142	2	20
o-Xylene	25.0	24.6		ug/L		98	70 - 130	2	20
Naphthalene	25.0	28.2		ug/L		113	50 - 130	5	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene	99		67 - 130
1,2-Dichloroethane-d4 (Surr)	97		72 - 130
Toluene-d8 (Surr)	103		70 - 130

Lab Sample ID: LCSD 720-218645/8
Matrix: Water
Analysis Batch: 218645

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO) -C5-C12	500	452		ug/L		90	71 - 125	0	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene	99		67 - 130
1,2-Dichloroethane-d4 (Surr)	100		72 - 130
Toluene-d8 (Surr)	103		70 - 130

Lab Sample ID: MB 720-218689/4
Matrix: Water
Analysis Batch: 218689

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.50		ug/L			03/02/17 19:36	1
Ethylbenzene	ND		0.50		ug/L			03/02/17 19:36	1
Toluene	ND		0.50		ug/L			03/02/17 19:36	1
Xylenes, Total	ND		1.0		ug/L			03/02/17 19:36	1
Naphthalene	ND		1.0		ug/L			03/02/17 19:36	1
Gasoline Range Organics (GRO) -C5-C12	ND		50		ug/L			03/02/17 19:36	1

TestAmerica Pleasanton

QC Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: MB 720-218689/4
Matrix: Water
Analysis Batch: 218689

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene	91		67 - 130		03/02/17 19:36	1
1,2-Dichloroethane-d4 (Surr)	100		72 - 130		03/02/17 19:36	1
Toluene-d8 (Surr)	99		70 - 130		03/02/17 19:36	1

Lab Sample ID: LCS 720-218689/5
Matrix: Water
Analysis Batch: 218689

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	25.0	26.3		ug/L		105	79 - 130
Ethylbenzene	25.0	26.0		ug/L		104	80 - 120
Toluene	25.0	25.6		ug/L		102	78 - 120
m-Xylene & p-Xylene	25.0	26.2		ug/L		105	70 - 142
o-Xylene	25.0	26.0		ug/L		104	70 - 130
Naphthalene	25.0	23.3		ug/L		93	50 - 130

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	94		67 - 130
1,2-Dichloroethane-d4 (Surr)	96		72 - 130
Toluene-d8 (Surr)	99		70 - 130

Lab Sample ID: LCS 720-218689/7
Matrix: Water
Analysis Batch: 218689

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (GRO) -C5-C12	500	470		ug/L		94	71 - 125

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	95		67 - 130
1,2-Dichloroethane-d4 (Surr)	101		72 - 130
Toluene-d8 (Surr)	101		70 - 130

Lab Sample ID: LCSD 720-218689/6
Matrix: Water
Analysis Batch: 218689

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	
								RPD	Limit
Benzene	25.0	26.1		ug/L		104	79 - 130	1	20
Ethylbenzene	25.0	25.8		ug/L		103	80 - 120	1	20
Toluene	25.0	25.3		ug/L		101	78 - 120	1	20
m-Xylene & p-Xylene	25.0	26.0		ug/L		104	70 - 142	1	20
o-Xylene	25.0	25.8		ug/L		103	70 - 130	1	20
Naphthalene	25.0	24.2		ug/L		97	50 - 130	4	20

TestAmerica Pleasanton

QC Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: LCSD 720-218689/6
Matrix: Water
Analysis Batch: 218689

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	93		67 - 130
1,2-Dichloroethane-d4 (Surr)	97		72 - 130
Toluene-d8 (Surr)	98		70 - 130

Lab Sample ID: LCSD 720-218689/8
Matrix: Water
Analysis Batch: 218689

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD		Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
		Result	Qualifier						
Gasoline Range Organics (GRO) -C5-C12	500	469		ug/L		94	71 - 125	0	20

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	94		67 - 130
1,2-Dichloroethane-d4 (Surr)	104		72 - 130
Toluene-d8 (Surr)	101		70 - 130

Lab Sample ID: MB 720-218713/4
Matrix: Solid
Analysis Batch: 218713

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	ND		500		ug/Kg			03/03/17 09:32	100
Ethylbenzene	ND		500		ug/Kg			03/03/17 09:32	100
MTBE	ND		500		ug/Kg			03/03/17 09:32	100
Toluene	ND		500		ug/Kg			03/03/17 09:32	100
Xylenes, Total	ND		1000		ug/Kg			03/03/17 09:32	100
Naphthalene	ND		1000		ug/Kg			03/03/17 09:32	100
Gasoline Range Organics (GRO) -C5-C12	ND		25000		ug/Kg			03/03/17 09:32	100

Surrogate	MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene	91		66 - 148		03/03/17 09:32	100
1,2-Dichloroethane-d4 (Surr)	102		62 - 137		03/03/17 09:32	100
Toluene-d8 (Surr)	99		65 - 141		03/03/17 09:32	100

Lab Sample ID: LCS 720-218713/5
Matrix: Solid
Analysis Batch: 218713

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Benzene	5000	5180		ug/Kg		104	76 - 122
Ethylbenzene	5000	5110		ug/Kg		102	76 - 137
MTBE	5000	5590		ug/Kg		112	71 - 146
Toluene	5000	5000		ug/Kg		100	77 - 120
m-Xylene & p-Xylene	5000	5150		ug/Kg		103	71 - 142
o-Xylene	5000	5100		ug/Kg		102	71 - 142
Naphthalene	5000	4760		ug/Kg		95	62 - 151

TestAmerica Pleasanton

QC Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	94		66 - 148
1,2-Dichloroethane-d4 (Surr)	97		62 - 137
Toluene-d8 (Surr)	98		65 - 141

Lab Sample ID: LCS 720-218713/7
Matrix: Solid
Analysis Batch: 218713

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (GRO) -C5-C12	100000	92100		ug/Kg		92	71 - 134

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	95		66 - 148
1,2-Dichloroethane-d4 (Surr)	101		62 - 137
Toluene-d8 (Surr)	100		65 - 141

Lab Sample ID: LCSD 720-218713/6
Matrix: Solid
Analysis Batch: 218713

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	5000	5220		ug/Kg		104	76 - 122	1	20
Ethylbenzene	5000	5140		ug/Kg		103	76 - 137	1	20
MTBE	5000	5790		ug/Kg		116	71 - 146	3	20
Toluene	5000	5030		ug/Kg		101	77 - 120	0	20
m-Xylene & p-Xylene	5000	5190		ug/Kg		104	71 - 142	1	20
o-Xylene	5000	5130		ug/Kg		103	71 - 142	1	20
Naphthalene	5000	4840		ug/Kg		97	62 - 151	2	20

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	96		66 - 148
1,2-Dichloroethane-d4 (Surr)	100		62 - 137
Toluene-d8 (Surr)	98		65 - 141

Lab Sample ID: LCSD 720-218713/8
Matrix: Solid
Analysis Batch: 218713

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO) -C5-C12	100000	92400		ug/Kg		92	71 - 134	0	20

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	96		66 - 148
1,2-Dichloroethane-d4 (Surr)	102		62 - 137
Toluene-d8 (Surr)	99		65 - 141

QC Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: MB 720-218836/5
Matrix: Solid
Analysis Batch: 218836

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		500		ug/Kg			03/06/17 19:42	100
Ethylbenzene	ND		500		ug/Kg			03/06/17 19:42	100
MTBE	ND		500		ug/Kg			03/06/17 19:42	100
Toluene	ND		500		ug/Kg			03/06/17 19:42	100
Xylenes, Total	ND		1000		ug/Kg			03/06/17 19:42	100
Naphthalene	ND		1000		ug/Kg			03/06/17 19:42	100
Gasoline Range Organics (GRO) -C5-C12	ND		25000		ug/Kg			03/06/17 19:42	100

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	102		66 - 148		03/06/17 19:42	100
1,2-Dichloroethane-d4 (Surr)	89		62 - 137		03/06/17 19:42	100
Toluene-d8 (Surr)	108		65 - 141		03/06/17 19:42	100

Lab Sample ID: LCS 720-218836/7
Matrix: Solid
Analysis Batch: 218836

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	5000	5120		ug/Kg		102	76 - 122
Ethylbenzene	5000	4710		ug/Kg		94	76 - 137
MTBE	5000	4090		ug/Kg		82	71 - 146
Toluene	5000	4900		ug/Kg		98	77 - 120
m-Xylene & p-Xylene	5000	4770		ug/Kg		95	71 - 142
o-Xylene	5000	4730		ug/Kg		95	71 - 142
Naphthalene	5000	5300		ug/Kg		106	62 - 151

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	100		66 - 148
1,2-Dichloroethane-d4 (Surr)	89		62 - 137
Toluene-d8 (Surr)	109		65 - 141

Lab Sample ID: LCS 720-218836/9
Matrix: Solid
Analysis Batch: 218836

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (GRO) -C5-C12	100000	91000		ug/Kg		91	71 - 134

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	102		66 - 148
1,2-Dichloroethane-d4 (Surr)	89		62 - 137
Toluene-d8 (Surr)	108		65 - 141

QC Sample Results

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: LCSD 720-218836/10
Matrix: Solid
Analysis Batch: 218836

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO) -C5-C12	100000	91500		ug/Kg		92	71 - 134	1	20
Surrogate	%Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene	102		66 - 148						
1,2-Dichloroethane-d4 (Surr)	86		62 - 137						
Toluene-d8 (Surr)	108		65 - 141						

Lab Sample ID: LCSD 720-218836/8
Matrix: Solid
Analysis Batch: 218836

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	5000	5060		ug/Kg		101	76 - 122	1	20
Ethylbenzene	5000	4800		ug/Kg		96	76 - 137	2	20
MTBE	5000	3840		ug/Kg		77	71 - 146	6	20
Toluene	5000	5010		ug/Kg		100	77 - 120	2	20
m-Xylene & p-Xylene	5000	4860		ug/Kg		97	71 - 142	2	20
o-Xylene	5000	4800		ug/Kg		96	71 - 142	2	20
Naphthalene	5000	5320		ug/Kg		106	62 - 151	0	20
Surrogate	%Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene	99		66 - 148						
1,2-Dichloroethane-d4 (Surr)	85		62 - 137						
Toluene-d8 (Surr)	109		65 - 141						

Lab Sample ID: MB 720-218861/10
Matrix: Solid
Analysis Batch: 218861

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		500		ug/Kg			03/07/17 20:45	100
Ethylbenzene	ND		500		ug/Kg			03/07/17 20:45	100
MTBE	ND		500		ug/Kg			03/07/17 20:45	100
Toluene	ND		500		ug/Kg			03/07/17 20:45	100
Xylenes, Total	ND		1000		ug/Kg			03/07/17 20:45	100
Naphthalene	ND		1000		ug/Kg			03/07/17 20:45	100
Gasoline Range Organics (GRO) -C5-C12	ND		25000		ug/Kg			03/07/17 20:45	100
Surrogate	%Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	101		66 - 148					03/07/17 20:45	100
1,2-Dichloroethane-d4 (Surr)	97		62 - 137					03/07/17 20:45	100
Toluene-d8 (Surr)	106		65 - 141					03/07/17 20:45	100

TestAmerica Pleasanton

QC Association Summary

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

GC/MS VOA

Analysis Batch: 218439

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-77861-1	SB-1-5	Total/NA	Solid	8260B	218460
720-77861-6	SB-2-15	Total/NA	Solid	8260B	218460
720-77861-7	SB-3-5	Total/NA	Solid	8260B	218460
720-77861-9	SB-3-17	Total/NA	Solid	8260B	218460
720-77861-10	SB-4-5	Total/NA	Solid	8260B	218460
MB 720-218439/6	Method Blank	Total/NA	Solid	8260B	
LCS 720-218439/7	Lab Control Sample	Total/NA	Solid	8260B	
LCS 720-218439/9	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 720-218439/10	Lab Control Sample Dup	Total/NA	Solid	8260B	
LCSD 720-218439/8	Lab Control Sample Dup	Total/NA	Solid	8260B	

Prep Batch: 218460

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-77861-1	SB-1-5	Total/NA	Solid	5035	
720-77861-6	SB-2-15	Total/NA	Solid	5035	
720-77861-7	SB-3-5	Total/NA	Solid	5035	
720-77861-9	SB-3-17	Total/NA	Solid	5035	
720-77861-10	SB-4-5	Total/NA	Solid	5035	

Analysis Batch: 218523

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-77861-12	SB-4-15	Total/NA	Solid	8260B	218544
720-77861-13	SB-5-5	Total/NA	Solid	8260B	218544
720-77861-14	SB-5-10	Total/NA	Solid	8260B	218544
720-77861-15	SB-5-15	Total/NA	Solid	8260B	218544
MB 720-218523/7	Method Blank	Total/NA	Solid	8260B	
LCS 720-218523/10	Lab Control Sample	Total/NA	Solid	8260B	
LCS 720-218523/8	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 720-218523/11	Lab Control Sample Dup	Total/NA	Solid	8260B	
LCSD 720-218523/9	Lab Control Sample Dup	Total/NA	Solid	8260B	

Prep Batch: 218544

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-77861-12	SB-4-15	Total/NA	Solid	5035	
720-77861-13	SB-5-5	Total/NA	Solid	5035	
720-77861-14	SB-5-10	Total/NA	Solid	5035	
720-77861-15	SB-5-15	Total/NA	Solid	5035	

Analysis Batch: 218549

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-77861-4	SB-2-5	Total/NA	Solid	8260B	218557
MB 720-218549/9	Method Blank	Total/NA	Solid	8260B	
LCS 720-218549/5	Lab Control Sample	Total/NA	Solid	8260B	
LCS 720-218549/7	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 720-218549/6	Lab Control Sample Dup	Total/NA	Solid	8260B	
LCSD 720-218549/8	Lab Control Sample Dup	Total/NA	Solid	8260B	

Prep Batch: 218557

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-77861-4	SB-2-5	Total/NA	Solid	5035	

TestAmerica Pleasanton

QC Association Summary

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

GC/MS VOA (Continued)

Analysis Batch: 218572

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-77861-12	SB-4-15	Total/NA	Solid	8260B	218579
MB 720-218572/4	Method Blank	Total/NA	Solid	8260B	
LCS 720-218572/5	Lab Control Sample	Total/NA	Solid	8260B	
LCS 720-218572/7	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 720-218572/16	Lab Control Sample Dup	Total/NA	Solid	8260B	
LCSD 720-218572/8	Lab Control Sample Dup	Total/NA	Solid	8260B	

Prep Batch: 218579

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-77861-12	SB-4-15	Total/NA	Solid	5035	

Analysis Batch: 218620

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-77861-16	SB-1-GW	Total/NA	Water	8260B/CA_LUFT MS	
720-77861-17	SB-1-GW-DUP	Total/NA	Water	8260B/CA_LUFT MS	
720-77861-18	SB-2-GW	Total/NA	Water	8260B/CA_LUFT MS	
MB 720-218620/4	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	
LCS 720-218620/5	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
LCS 720-218620/7	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
LCSD 720-218620/6	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	
LCSD 720-218620/8	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	

Analysis Batch: 218645

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-77861-19	SB-3-GW	Total/NA	Water	8260B/CA_LUFT MS	
720-77861-20	SB-4-GW	Total/NA	Water	8260B/CA_LUFT MS	
720-77861-21	SB-5-GW	Total/NA	Water	8260B/CA_LUFT MS	
720-77861-22	TRIP BLANK	Total/NA	Water	8260B/CA_LUFT MS	
720-77861-23	RINSATE BLANK	Total/NA	Water	8260B/CA_LUFT MS	
MB 720-218645/4	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	
LCS 720-218645/5	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
LCS 720-218645/7	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
LCSD 720-218645/6	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	
LCSD 720-218645/8	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	

TestAmerica Pleasanton

QC Association Summary

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

GC/MS VOA (Continued)

Analysis Batch: 218689

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-77861-16	SB-1-GW	Total/NA	Water	8260B/CA_LUFT MS	
720-77861-17	SB-1-GW-DUP	Total/NA	Water	8260B/CA_LUFT MS	
720-77861-18	SB-2-GW	Total/NA	Water	8260B/CA_LUFT MS	
MB 720-218689/4	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	
LCS 720-218689/5	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
LCS 720-218689/7	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
LCSD 720-218689/6	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	
LCSD 720-218689/8	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	

Analysis Batch: 218713

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-77861-2	SB-1-10	Total/NA	Solid	8260B/CA_LUFT MS	218732
720-77861-3	SB-1-15.5	Total/NA	Solid	8260B/CA_LUFT MS	218732
720-77861-5	SB-2-10	Total/NA	Solid	8260B/CA_LUFT MS	218732
720-77861-11	SB-4-10	Total/NA	Solid	8260B/CA_LUFT MS	218732
MB 720-218713/4	Method Blank	Total/NA	Solid	8260B/CA_LUFT MS	
LCS 720-218713/5	Lab Control Sample	Total/NA	Solid	8260B/CA_LUFT MS	
LCS 720-218713/7	Lab Control Sample	Total/NA	Solid	8260B/CA_LUFT MS	
LCSD 720-218713/6	Lab Control Sample Dup	Total/NA	Solid	8260B/CA_LUFT MS	
LCSD 720-218713/8	Lab Control Sample Dup	Total/NA	Solid	8260B/CA_LUFT MS	

Prep Batch: 218732

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-77861-2	SB-1-10	Total/NA	Solid	5035	
720-77861-3	SB-1-15.5	Total/NA	Solid	5035	
720-77861-5	SB-2-10	Total/NA	Solid	5035	
720-77861-11	SB-4-10	Total/NA	Solid	5035	

Analysis Batch: 218836

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-77861-8	SB-3-10	Total/NA	Solid	8260B/CA_LUFT MS	218843
MB 720-218836/5	Method Blank	Total/NA	Solid	8260B/CA_LUFT MS	
LCS 720-218836/7	Lab Control Sample	Total/NA	Solid	8260B/CA_LUFT MS	
LCS 720-218836/9	Lab Control Sample	Total/NA	Solid	8260B/CA_LUFT MS	

TestAmerica Pleasanton

QC Association Summary

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

GC/MS VOA (Continued)

Analysis Batch: 218836 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCSD 720-218836/10	Lab Control Sample Dup	Total/NA	Solid	8260B/CA_LUFT MS	
LCSD 720-218836/8	Lab Control Sample Dup	Total/NA	Solid	8260B/CA_LUFT MS	

Prep Batch: 218843

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-77861-8	SB-3-10	Total/NA	Solid	5035	

Analysis Batch: 218861

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-77861-2	SB-1-10	Total/NA	Solid	8260B/CA_LUFT MS	218732
MB 720-218861/10	Method Blank	Total/NA	Solid	8260B/CA_LUFT MS	

Lab Chronicle

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-1-5

Date Collected: 02/23/17 10:15

Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-1

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			218460	02/23/17 21:00	JRM	TAL PLS
Total/NA	Analysis	8260B		1	218439	02/27/17 12:59	JRM	TAL PLS

Client Sample ID: SB-1-10

Date Collected: 02/23/17 10:20

Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-2

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			218732	02/23/17 21:00	JRM	TAL PLS
Total/NA	Analysis	8260B/CA_LUFTMS		100	218713	03/03/17 15:44	JRM	TAL PLS
Total/NA	Prep	5035			218732	02/23/17 21:00	JRM	TAL PLS
Total/NA	Analysis	8260B/CA_LUFTMS		200	218861	03/07/17 21:15	MJK	TAL PLS

Client Sample ID: SB-1-15.5

Date Collected: 02/23/17 10:25

Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-3

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			218732	02/23/17 21:00	JRM	TAL PLS
Total/NA	Analysis	8260B/CA_LUFTMS		100	218713	03/03/17 16:13	JRM	TAL PLS

Client Sample ID: SB-2-5

Date Collected: 02/23/17 10:40

Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-4

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			218557	02/23/17 21:00	MJK	TAL PLS
Total/NA	Analysis	8260B		1	218549	02/28/17 21:44	JRM	TAL PLS

Client Sample ID: SB-2-10

Date Collected: 02/23/17 10:45

Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-5

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			218732	02/23/17 21:00	JRM	TAL PLS
Total/NA	Analysis	8260B/CA_LUFTMS		100	218713	03/03/17 16:42	JRM	TAL PLS

Lab Chronicle

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-2-15

Date Collected: 02/23/17 10:50

Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-6

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			218460	02/23/17 21:00	JRM	TAL PLS
Total/NA	Analysis	8260B		1	218439	02/27/17 15:22	JRM	TAL PLS

Client Sample ID: SB-3-5

Date Collected: 02/23/17 11:05

Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-7

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			218460	02/23/17 21:00	JRM	TAL PLS
Total/NA	Analysis	8260B		1	218439	02/27/17 15:50	JRM	TAL PLS

Client Sample ID: SB-3-10

Date Collected: 02/23/17 11:10

Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-8

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			218843	02/23/17 21:00	MJK	TAL PLS
Total/NA	Analysis	8260B/CA_LUFTMS		100	218836	03/06/17 23:12	JRM	TAL PLS

Client Sample ID: SB-3-17

Date Collected: 02/23/17 11:20

Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-9

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			218460	02/23/17 21:00	JRM	TAL PLS
Total/NA	Analysis	8260B		1	218439	02/27/17 16:47	JRM	TAL PLS

Client Sample ID: SB-4-5

Date Collected: 02/23/17 11:40

Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-10

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			218460	02/23/17 21:00	JRM	TAL PLS
Total/NA	Analysis	8260B		1	218439	02/27/17 17:15	JRM	TAL PLS

Client Sample ID: SB-4-10

Date Collected: 02/23/17 11:45

Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-11

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			218732	02/23/17 21:00	JRM	TAL PLS
Total/NA	Analysis	8260B/CA_LUFTMS		100	218713	03/03/17 17:39	JRM	TAL PLS

TestAmerica Pleasanton

Lab Chronicle

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-4-15

Date Collected: 02/23/17 11:55

Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-12

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			218544	02/23/17 21:00	CAM	TAL PLS
Total/NA	Analysis	8260B		1	218523	02/28/17 19:16	JRM	TAL PLS
Total/NA	Prep	5035			218579	03/01/17 16:53	JRM	TAL PLS
Total/NA	Analysis	8260B		1	218572	03/01/17 19:49	CAM	TAL PLS

Client Sample ID: SB-5-5

Date Collected: 02/23/17 12:25

Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-13

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			218544	02/23/17 21:00	CAM	TAL PLS
Total/NA	Analysis	8260B		1	218523	02/28/17 19:45	JRM	TAL PLS

Client Sample ID: SB-5-10

Date Collected: 02/23/17 12:30

Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-14

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			218544	02/23/17 21:00	CAM	TAL PLS
Total/NA	Analysis	8260B		1	218523	02/28/17 20:15	JRM	TAL PLS

Client Sample ID: SB-5-15

Date Collected: 02/23/17 12:40

Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-15

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			218544	02/23/17 21:00	CAM	TAL PLS
Total/NA	Analysis	8260B		1	218523	02/28/17 20:45	JRM	TAL PLS

Client Sample ID: SB-1-GW

Date Collected: 02/23/17 12:52

Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-16

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		10	218689	03/02/17 21:59	MJK	TAL PLS
Total/NA	Analysis	8260B/CA_LUFTMS		1	218620	03/02/17 04:15	MJK	TAL PLS

TestAmerica Pleasanton

Lab Chronicle

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: SB-1-GW-DUP

Date Collected: 02/23/17 12:55
Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-17

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		10	218689	03/02/17 22:28	MJK	TAL PLS
Total/NA	Analysis	8260B/CA_LUFTMS		1	218620	03/02/17 04:43	MJK	TAL PLS

Client Sample ID: SB-2-GW

Date Collected: 02/23/17 13:00
Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-18

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		10	218689	03/02/17 22:56	MJK	TAL PLS
Total/NA	Analysis	8260B/CA_LUFTMS		1	218620	03/02/17 05:11	MJK	TAL PLS

Client Sample ID: SB-3-GW

Date Collected: 02/23/17 13:10
Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-19

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	218645	03/02/17 18:08	MJK	TAL PLS

Client Sample ID: SB-4-GW

Date Collected: 02/23/17 13:10
Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-20

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	218645	03/02/17 18:36	MJK	TAL PLS

Client Sample ID: SB-5-GW

Date Collected: 02/23/17 13:15
Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-21

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	218645	03/02/17 19:04	MJK	TAL PLS

Client Sample ID: TRIP BLANK

Date Collected: 02/23/17 10:00
Date Received: 02/23/17 17:00

Lab Sample ID: 720-77861-22

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	218645	03/02/17 19:32	MJK	TAL PLS

TestAmerica Pleasanton

Lab Chronicle

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Client Sample ID: RINSATE BLANK

Lab Sample ID: 720-77861-23

Date Collected: 02/23/17 13:30

Matrix: Water

Date Received: 02/23/17 17:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	218645	03/02/17 20:00	MJK	TAL PLS

Laboratory References:

TAL PLS = TestAmerica Pleasanton, 1220 Quarry Lane, Pleasanton, CA 94566, TEL (925)484-1919

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Certification Summary

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Laboratory: TestAmerica Pleasanton

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

Authority	Program	EPA Region	Certification ID	Expiration Date
California	State Program	9	2496	01-31-18

Analysis Method	Prep Method	Matrix	Analyte
-----------------	-------------	--------	---------

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Method Summary

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL PLS
8260B/CA_LUFTM S	8260B / CA LUFT MS	SW846	TAL PLS

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL PLS = TestAmerica Pleasanton, 1220 Quarry Lane, Pleasanton, CA 94566, TEL (925)484-1919



Sample Summary

Client: ERM-West
Project/Site: MLK Jr. Oakland

TestAmerica Job ID: 720-77861-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
720-77861-1	SB-1-5	Solid	02/23/17 10:15	02/23/17 17:00
720-77861-2	SB-1-10	Solid	02/23/17 10:20	02/23/17 17:00
720-77861-3	SB-1-15.5	Solid	02/23/17 10:25	02/23/17 17:00
720-77861-4	SB-2-5	Solid	02/23/17 10:40	02/23/17 17:00
720-77861-5	SB-2-10	Solid	02/23/17 10:45	02/23/17 17:00
720-77861-6	SB-2-15	Solid	02/23/17 10:50	02/23/17 17:00
720-77861-7	SB-3-5	Solid	02/23/17 11:05	02/23/17 17:00
720-77861-8	SB-3-10	Solid	02/23/17 11:10	02/23/17 17:00
720-77861-9	SB-3-17	Solid	02/23/17 11:20	02/23/17 17:00
720-77861-10	SB-4-5	Solid	02/23/17 11:40	02/23/17 17:00
720-77861-11	SB-4-10	Solid	02/23/17 11:45	02/23/17 17:00
720-77861-12	SB-4-15	Solid	02/23/17 11:55	02/23/17 17:00
720-77861-13	SB-5-5	Solid	02/23/17 12:25	02/23/17 17:00
720-77861-14	SB-5-10	Solid	02/23/17 12:30	02/23/17 17:00
720-77861-15	SB-5-15	Solid	02/23/17 12:40	02/23/17 17:00
720-77861-16	SB-1-GW	Water	02/23/17 12:52	02/23/17 17:00
720-77861-17	SB-1-GW-DUP	Water	02/23/17 12:55	02/23/17 17:00
720-77861-18	SB-2-GW	Water	02/23/17 13:00	02/23/17 17:00
720-77861-19	SB-3-GW	Water	02/23/17 13:10	02/23/17 17:00
720-77861-20	SB-4-GW	Water	02/23/17 13:10	02/23/17 17:00
720-77861-21	SB-5-GW	Water	02/23/17 13:15	02/23/17 17:00
720-77861-22	TRIP BLANK	Water	02/23/17 10:00	02/23/17 17:00
720-77861-23	RINSATE BLANK	Water	02/23/17 13:30	02/23/17 17:00

174288

NO: 08146

1277 Treat Boulevard, Suite 500 • Walnut Creek, CA • 94597 • (925) 946-0455 • FAX (925) 946-9968


Page 1 of 3

PROJECT # 0307273 PROJECT NAME MLK Oakland
 SAMPLET (PRINT NAME) S. Martin RECEIVING LABORATORY Test America
 (SIGNATURE) *[Signature]*

SAMPLE ID	DATE	TIME	PTS	PTS	SAMPLING METHOD	PTS	PTS	SAMPLING VOLUME
SB-1-5	2/23/17	1615	X		Directon			3
SB-1-10		1620						
SB-1-15,5		1625						
SB-2-5		1640						
SB-2-10		1645						
SB-2-15		1650						
SB-3-5		1105						
SB-3-10		1116						
SB-3-17		1120						
SB-4-5		1140						

OF CONTAINERS
 WATERS
 GASES

TPH-g, BTEX, naphthalene 8260



RELINQUISHED BY (SIGNATURE) *[Signature]* DATE 2/23/17 TIME 1448
 RELINQUISHED BY (SIGNATURE) *[Signature]* DATE 2/23/17 TIME 1700
 RELINQUISHED BY (SIGNATURE) *[Signature]* DATE DATE TIME

RECEIVED BY *[Signature]* DATE 2/23/17 TIME 1448
 RECEIVED BY *[Signature]* DATE 2/23/17 TIME 1700
 RECEIVED BY DATE DATE TIME

FIELD REMARKS: Standard ITT
 3 pc

REMARKS ON SAMPLE RECEIPT
 BOTTLE INTACT CUSTODY SEALS CHILLED
 PRESERVED SEALS INTACT SEE REMARKS

SEND REPORT TO: giorgio.Malvarica@erm.com

PROJECT # 0307273 PROJECT NAME Milk Oakland

SAMPLER (PRINT NAME) S. Nestin RECEIVING LABORATORY Test America

SAMPLE ID	DATE	TIME	LAB	GRAV	SAMPLING METHOD	ANALYSIS	REMARKS
SB-5-GW	2/23/13	1315	X	Pen	ACI	Y	3 years
SB-5-Tp Bank	1500	X	—	↓	↓	↓	3
Rimsate Bank	1330	X	—	↓	↓	↓	3

OF CONTAINERS
WATER
GAS

Testing, BTEX
Napthalene 8260

REINQUISHED BY (SIGNATURE)	DATE	TIME	RECEIVED BY (SIGNATURE)	DATE	TIME	FIELD REMARKS
[Signature]	2/23/13	1448	[Signature]	2/23/13	1448	See page 1
[Signature]	2/23/13	1700	[Signature]	2/23/13	1700	

REMARKS ON SAMPLE RECEIPT

BOTTLE INTACT CUSTODY SEALS CHILLED
 PRESERVED SEALS INTACT SEE REMARKS

SEND REPORT TO: See page 1

Login Sample Receipt Checklist

Client: ERM-West

Job Number: 720-77861-1

Login Number: 77861
List Number: 1
Creator: Arauz, Dennis

List Source: TestAmerica Pleasanton

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Data Review

PROJECT: Grove Street Wash Rack, 3884 Martin Luther King Jr Way, Oakland, CA

LABORATORY: Eurofins Calscience, Garden Grove, California

SAMPLES: SV-1, SV-2, SV-3, SV-4, SV-5, and DUP-001.

MATRIX: SOIL VAPOR

Analysis	VOCs (Standard List*) TO-15
Holding Time	✓
Surrogate Recovery	Note 2
MS/MSD	No site-specific MS/MSD
LCS (Blank Spike)	✓
Method Blanks	✓
Duplicates [SB-1-GW, SB-1-GW (DUP)]	Note 6
Trip/Field/Equipment Blanks	✓
Reporting Limits	✓

* Standard TO-15 list plus naphthalene

✓ - QC criteria were met.

- Notes:
1. The samples were received in good condition at the laboratory minus sample DUP-001 that had a container residual pressure of 17.60 inches of mercury indicating a partial sample.
 2. The surrogate recoveries were within acceptance criteria with the exception of toluene-d8 for sample SV-2 that was 69% vs the 70% acceptance criteria. The benzene, toluene, ethylbenzene, xylenes, and 1,3-dichlorobenzene results for this sample were J-flagged as estimated. The naphthalene and tert-butylbenzene results were flagged UJ because these analytes were not detected.
 3. The Laboratory Control Sample (LCS) spikes for this method included all target analytes and were within acceptance criteria.

4. No analytes were detected in the Method Blank samples.
5. The field duplicate sample was observed to have included entrained water during sample collection via clear tubing; therefore, collection of this sample was stopped. As shown in Note 1 this sample was only partially collected based on the sample volume. The laboratory was asked to analyze the sample in the event that the results could be used. Based on the high RPDs between the parent sample and the field duplicate it is evident that the field duplicate sample was compromised by the entrained water and the field duplicate results are considered rejected.
6. In order to quantitate target compounds, the following dilutions were required.

Sample	Compound	Dilution Factor
SV-1	All analytes	1.05
SV-2	All analytes	1.22
SV-3	All analytes	1.06
SV-4	All analytes	1.03
SV-5	All analytes	1.05


Reporting limits were increased in proportion to the dilution factor. Generally, reported analyte concentrations exceeded the elevated reporting limits.



Environmental
Calscience

Supplemental Report 1

Additional requested analyses are reported as a stand-alone report.



WORK ORDER NUMBER: 17-03-0359

The difference is service



AIR | SOIL | WATER | MARINE CHEMISTRY

Analytical Report For

Client: ERM-WEST

Client Project Name: Grove Street Wash Rack / 0307273

Attention: Giorgio Molinario
114 Sansome Street, Suite 750
San Francisco, CA 94104-3805

Approved for release on 03/20/2017 by:
Virendra Patel
Project Manager

ResultLink ▶

Email your PM ▶

Eurofins Calscience, Inc. (Calscience) certifies that the test results provided in this report meet all NELAC requirements for parameters for which accreditation is required or available. Any exceptions to NELAC requirements are noted in the case narrative. The original report of subcontracted analyses, if any, is attached to this report. The results in this report are limited to the sample(s) tested and any reproduction thereof must be made in its entirety. The client or recipient of this report is specifically prohibited from making material changes to said report and, to the extent that such changes are made, Calscience is not responsible, legally or otherwise. The client or recipient agrees to indemnify Calscience for any defense to any litigation which may arise.



Calscience

Contents

Client Project Name: Grove Street Wash Rack / 0307273
Work Order Number: 17-03-0359

1	Work Order Narrative.	3
2	Sample Summary.	4
3	Client Sample Data.	5
	3.1 EPA TO-15 Full List + Oxygenates (Air).	5
4	Quality Control Sample Data.	7
	4.1 LCS/LCSD.	7
5	Summa Canister Vacuum Summary.	8
6	Glossary of Terms and Qualifiers.	9
7	Chain-of-Custody/Sample Receipt Form.	10

Condition Upon Receipt:

Samples were received under Chain-of-Custody (COC) on 03/04/17. They were assigned to Work Order 17-03-0359.

Unless otherwise noted on the Sample Receiving forms all samples were received in good condition and within the recommended EPA temperature criteria for the methods noted on the COC. The COC and Sample Receiving Documents are integral elements of the analytical report and are presented at the back of the report.

Holding Times:

All samples were analyzed within prescribed holding times (HT) and/or in accordance with the Calscience Sample Acceptance Policy unless otherwise noted in the analytical report and/or comprehensive case narrative, if required.

Any parameter identified in 40CFR Part 136.3 Table II that is designated as "analyze immediately" with a holding time of ≤ 15 minutes (40CFR-136.3 Table II, footnote 4), is considered a "field" test and the reported results will be qualified as being received outside of the stated holding time unless received at the laboratory within 15 minutes of the collection time.

Quality Control:

All quality control parameters (QC) were within established control limits except where noted in the QC summary forms or described further within this report.

Subcontractor Information:

Unless otherwise noted below (or on the subcontract form), no samples were subcontracted.

Additional Comments:

Air - Sorbent-extracted air methods (EPA TO-4A, EPA TO-10, EPA TO-13A, EPA TO-17): Analytical results are converted from mass/sample basis to mass/volume basis using client-supplied air volumes.

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are always reported on a wet weight basis.



Calscience

Sample Summary

Client: ERM-WEST	Work Order: 17-03-0359
114 Sansome Street, Suite 750	Project Name: Grove Street Wash Rack / 0307273
San Francisco, CA 94104-3805	PO Number: 0307273
	Date/Time Received: 03/04/17 11:40
	Number of Containers: 6

Attn: Giorgio Molinario

Sample Identification	Lab Number	Collection Date and Time	Number of Containers	Matrix
SV-1	17-03-0359-1	03/03/17 10:11	1	Air
SV-2	17-03-0359-2	03/03/17 11:46	1	Air
SV-3	17-03-0359-3	03/03/17 10:43	1	Air
SV-4	17-03-0359-4	03/03/17 10:56	1	Air
SV-5	17-03-0359-5	03/03/17 11:10	1	Air
DUP-001	17-03-0359-6	03/03/17 11:46	1	Air



Return to Contents

Analytical Report

ERM-WEST
114 Sansome Street, Suite 750
San Francisco, CA 94104-3805

Date Received: 03/04/17
Work Order: 17-03-0359
Preparation: N/A
Method: EPA TO-15
Units: ug/m3

Project: Grove Street Wash Rack / 0307273

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
SV-1	17-03-0359-1-A	03/03/17 10:11	Air	GC/MS II	N/A	03/06/17 15:04	170306L01

Parameter	Result	RL	DF	Qualifiers
Naphthalene	ND	28	1.05	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	103	68-134	
1,2-Dichloroethane-d4	102	67-133	
Toluene-d8	69	70-130	2,6

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
SV-2	17-03-0359-2-A	03/03/17 11:46	Air	GC/MS II	N/A	03/06/17 15:59	170306L01

Parameter	Result	RL	DF	Qualifiers
Naphthalene	ND	32	1.22	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	118	68-134	
1,2-Dichloroethane-d4	93	67-133	
Toluene-d8	71	70-130	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
SV-3	17-03-0359-3-A	03/03/17 10:43	Air	GC/MS II	N/A	03/06/17 16:57	170306L01

Parameter	Result	RL	DF	Qualifiers
Naphthalene	ND	28	1.06	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	111	68-134	
1,2-Dichloroethane-d4	96	67-133	
Toluene-d8	76	70-130	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
SV-4	17-03-0359-4-A	03/03/17 10:56	Air	GC/MS II	N/A	03/06/17 17:53	170306L01

Parameter	Result	RL	DF	Qualifiers
Naphthalene	ND	27	1.03	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	102	68-134	
1,2-Dichloroethane-d4	95	67-133	
Toluene-d8	97	70-130	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.

Analytical Report

ERM-WEST
114 Sansome Street, Suite 750
San Francisco, CA 94104-3805

Date Received: 03/04/17
Work Order: 17-03-0359
Preparation: N/A
Method: EPA TO-15
Units: ug/m3

Project: Grove Street Wash Rack / 0307273

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
SV-5	17-03-0359-5-A	03/03/17 11:10	Air	GC/MS II	N/A	03/06/17 18:49	170306L01

Parameter	Result	RL	DF	Qualifiers
Naphthalene	ND	27	1.05	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	104	68-134	
1,2-Dichloroethane-d4	94	67-133	
Toluene-d8	98	70-130	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
DUP-001	17-03-0359-6-A	03/03/17 11:46	Air	GC/MS II	N/A	03/06/17 19:39	170306L01

Parameter	Result	RL	DF	Qualifiers
Naphthalene	ND	88	3.34	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	111	68-134	
1,2-Dichloroethane-d4	94	67-133	
Toluene-d8	80	70-130	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	095-01-021-18210	N/A	Air	GC/MS II	N/A	03/06/17 14:10	170306L01

Parameter	Result	RL	DF	Qualifiers
Naphthalene	ND	26	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	98	68-134	
1,2-Dichloroethane-d4	97	67-133	
Toluene-d8	98	70-130	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Quality Control - LCS/LCSD

ERM-WEST
114 Sansome Street, Suite 750
San Francisco, CA 94104-3805

Date Received: 03/04/17
Work Order: 17-03-0359
Preparation: N/A
Method: EPA TO-15

Project: Grove Street Wash Rack / 0307273

Page 1 of 1

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number			
095-01-021-18210	LCS	Air	GC/MS II	N/A	03/06/17 11:31	170306L01			
095-01-021-18210	LCSD	Air	GC/MS II	N/A	03/06/17 12:22	170306L01			
Parameter	Spike Added	LCS Conc.	LCS %Rec.	LCSD Conc.	LCSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
Naphthalene	131.1	119.2	91	118.8	91	24-144	0	0-30	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits

Summa Canister Vacuum Summary

Work Order: 17-03-0359

Page 1 of 1

Sample Name	Vacuum Out	Vacuum In	Equipment	Description
SV-1	-29.50 in Hg	-3.00 in Hg	LC994	Summa Canister 1L
SV-2	-29.50 in Hg	-4.80 in Hg	LC903	Summa Canister 1L
SV-3	-29.50 in Hg	-1.80 in Hg	LC944	Summa Canister 1L
SV-4	-29.50 in Hg	-2.00 in Hg	LC188	Summa Canister 1L
SV-5	-29.50 in Hg	-2.00 in Hg	LC613	Summa Canister 1L
DUP-001	-29.50 in Hg	-17.60 in Hg	SLC113	Summa Canister 1L

Glossary of Terms and Qualifiers

Work Order: 17-03-0359

Page 1 of 1

<u>Qualifiers</u>	<u>Definition</u>
*	See applicable analysis comment.
<	Less than the indicated value.
>	Greater than the indicated value.
1	Surrogate compound recovery was out of control due to a required sample dilution. Therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to suspected matrix interference. The associated LCS recovery was in control.
4	The MS/MSD RPD was out of control due to suspected matrix interference.
5	The PDS/PDSD or PES/PESD associated with this batch of samples was out of control due to suspected matrix interference.
6	Surrogate recovery below the acceptance limit.
7	Surrogate recovery above the acceptance limit.
B	Analyte was present in the associated method blank.
BU	Sample analyzed after holding time expired.
BV	Sample received after holding time expired.
CI	See case narrative.
E	Concentration exceeds the calibration range.
ET	Sample was extracted past end of recommended max. holding time.
HD	The chromatographic pattern was inconsistent with the profile of the reference fuel standard.
HDH	The sample chromatographic pattern for TPH matches the chromatographic pattern of the specified standard but heavier hydrocarbons were also present (or detected).
HDL	The sample chromatographic pattern for TPH matches the chromatographic pattern of the specified standard but lighter hydrocarbons were also present (or detected).
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
JA	Analyte positively identified but quantitation is an estimate.
ME	LCS Recovery Percentage is within Marginal Exceedance (ME) Control Limit range (+/- 4 SD from the mean).
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
SG	The sample extract was subjected to Silica Gel treatment prior to analysis.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.
	Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are reported on a wet weight basis.
	Any parameter identified in 40CFR Part 136.3 Table II that is designated as "analyze immediately" with a holding time of <= 15 minutes (40CFR-136.3 Table II, footnote 4), is considered a "field" test and the reported results will be qualified as being received outside of the stated holding time unless received at the laboratory within 15 minutes of the collection time.
	A calculated total result (Example: Total Pesticides) is the summation of each component concentration and/or, if "J" flags are reported, estimated concentration. Component concentrations showing not detected (ND) are summed into the calculated total result as zero concentrations.

Virendra Patel

From: Giorgio Molinario <Giorgio.Molinario@erm.com>
Sent: Thursday, March 16, 2017 7:08 PM
To: Virendra Patel
Cc: Erick Ovalle
Subject: RE: Grove Street Wash Rack / 0307273 / CEL 17-03-0359 - Final PDF and EDD Files.

Yes please

Thanks,

-Giorgio

From: Virendra Patel [mailto:VirendraPatel@eurofinsUS.com]
Sent: Thursday, March 16, 2017 5:14 PM
To: Giorgio Molinario
Cc: Erick Ovalle
Subject: RE: Grove Street Wash Rack / 0307273 / CEL 17-03-0359 - Final PDF and EDD Files.

Giorgio,

Hi. No, it is not part of the standard TO-15 screen. If this is a target analyte of interest, we need to know up front and also called out on the COC. We can check to see if we can take the existing data and re-load to report Naphthalene, however, this would require passing QC data in order to do so.

Would you like the data for ECI 17-03-0359 – reloaded for Naphthalene? Please advise. Thanks!

Best Regards,

Virendra Patel
Project Manager

Eurofins Calscience, Inc.
7440 Lincoln Way
Garden Grove, CA 92841
USA
P: +1 714 895 5494
F: +1 714 894 7501

Email: virendrapatel@eurofinsUS.com
Website: www.eurofinsUS.com/Calscience

The information transmitted is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you receive this in error, please contact the sender and delete the material from any computer. Email transmission cannot be guaranteed to be secure or error free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete. The sender therefore is in no way liable for any errors or omissions in the content of this message which may arise as a result of email transmission. If verification is required, please request a hard copy. We take reasonable precautions to ensure our emails are free from viruses. You need, however, to verify that this email and any attachments are free of viruses, as we can take no responsibility for any computer viruses, which might be transferred by way of this email. We may monitor all email communication through our networks. If you contact us by email, we may store your name and address to facilitate communication.

From: Giorgio Molinario [mailto:Giorgio.Molinario@erm.com]
Sent: Thursday, March 16, 2017 5:06 PM

To: Virendra Patel
Subject: RE: Grove Street Wash Rack / 0307273 / CEL 17-03-0359 - Final PDF and EDD Files.

Virendra:

I don't see naphthalene results – is that not one of your target TO15 compounds?

Thanks,

-Giorgio

From: Virendra Patel [<mailto:VirendraPatel@eurofinsUS.com>]
Sent: Friday, March 10, 2017 4:36 PM
Cc: Erick Ovalle; Giorgio Molinario; Kevin Almestad
Subject: Grove Street Wash Rack / 0307273 / CEL 17-03-0359 - Final PDF and EDD Files.

The file(s) were saved to

<C:\Users\giorgio.molinario\Documents\OLAttachments\17030359.xls>
C:\Users\giorgio.molinario\Documents\OLAttachments\17030359_EDF.zip
<C:\Users\giorgio.molinario\Documents\OLAttachments\17-03-0359.pdf>
[C:\Users\giorgio.molinario\Documents\OLAttachments\Picture \(Device Independent Bitmap\) 2.jpg](C:\Users\giorgio.molinario\Documents\OLAttachments\Picture (Device Independent Bitmap) 2.jpg)
[C:\Users\giorgio.molinario\Documents\OLAttachments\Picture \(Device Independent Bitmap\) 1.jpg](C:\Users\giorgio.molinario\Documents\OLAttachments\Picture (Device Independent Bitmap) 1.jpg)

Final PDF and EDD files attached for the subject project samples collected on 03/03/17. **Note, final hard copies of the report will not be mailed to your attention, therefore, we ask that you print the attached files and accept them as final.**

Please note the DUP-001 sample results are not very close to the primary sample. This sample had a higher pressure reading (-19") compared to the other samples (all around -6") – this could be the reason why there is a disparity in the results.

Please call with any questions or concerns.

Best Regards,

Virendra Patel
Project Manager

Eurofins Calscience, Inc.
7440 Lincoln Way
Garden Grove, CA 92841
USA
P: +1 714 895 5494
F: +1 714 894 7501

Email: virendrapatel@eurofinsUS.com
Website: www.eurofinsUS.com/Calscience

The information transmitted is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you receive this in error, please contact the sender and delete the material from any computer. Email transmission cannot be guaranteed to be secure or error free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete. The sender therefore is in no way liable for any errors or omissions in the content of this message which may arise as a result of email transmission. If verification is required, please request a hard copy. We take reasonable precautions to ensure our emails are

free from viruses. You need, however, to verify that this email and any attachments are free of viruses, as we can take no responsibility for any computer viruses, which might be transferred by way of this email. We may monitor all email communication through our networks. If you contact us by email, we may store your name and address to facilitate communication.

This message contains information which may be confidential, proprietary, privileged, or otherwise protected by law from disclosure or use by a third party. If you have received this message in error, please contact us immediately at (925) 946-0455 and take the steps necessary to delete the message completely from your computer system. Thank you.

Please visit ERM's web site: <http://www.erm.com>

Notify us [here](#) to report this email as spam.

This message contains information which may be confidential, proprietary, privileged, or otherwise protected by law from disclosure or use by a third party. If you have received this message in error, please contact us immediately at (925) 946-0455 and take the steps necessary to delete the message completely from your computer system. Thank you.

Please visit ERM's web site: <http://www.erm.com>

Virendra Patel

From: Kevin Almestad <Kevin.Almestad@erm.com>
Sent: Wednesday, March 08, 2017 3:21 PM
To: Virendra Patel; Giorgio Molinaro
Cc: Erick Ovalle
Subject: RE: Sampling Equipment Order for Oakland Site

Virendra,

That makes sense. The field point ID will be SV-2 for the duplicate (Dup-001).

We haven't uploaded the field ID points yet (that will be done in the next day or so), but they will follow that nomenclature.

All the best,

Kevin Almestad
 Staff Scientist

ERM
 114 Sansome Street, Suite 750 | San Francisco | CA 94104
T +1 628 221 7802 | **M** +1 925 330 9267
E Kevin.Almestad@erm.com | **W** www.erm.com



From: Virendra Patel [mailto:VirendraPatel@eurofinsUS.com]
Sent: Wednesday, March 08, 2017 3:13 PM
To: Kevin Almestad; Giorgio Molinaro
Cc: Erick Ovalle
Subject: RE: Sampling Equipment Order for Oakland Site

Kevin,

Thanks, however, no attachment? We have the sample ID as Dup-001 (as listed on the COC), we can either use the same ID for the field point if that is what you have on GeoTracker or use the same field point as the primary sample.

You will have to let us know what you have entered for the field point name on GeoTracker. The field point for the duplicate should match what GeoTracker is expecting. Hope that makes sense?

Best Regards,

Virendra Patel
 Project Manager

Eurofins Calscience, Inc.



Calscience

7440 Lincoln Way, Garden Grove, CA 92841-1427 • (714) 896-5494
 For courier service / sample drop off information, contact us26_sales@eurofinsus.com or call us.

LABORATORY CLIENT:

ERM

ADDRESS: 114 Sansome St.

CITY: San Francisco STATE: CA ZIP: 94104

TEL: 415-774-7502

EMAIL: Kevin.Almestad@erm.com

TURNAROUND TIME (rush surcharges may apply to any TAT not "STANDARD")

SAME DAY 24 HR 48 HR 72 HR 5 DAYS STANDARD

UNITS:

COELT EDF OTHER

SPECIAL INSTRUCTIONS:

Provide EDF files:
 Global ID: T0600102106
 Log Code: ERMW

WA

Field point IDs will be the same as sample IDs.

Revised COC received from Kevin Almestad (ERM) on 03/08/17 15:13pm.
 -Virendra (ECI)

AIR CHAIN-OF-CUSTODY RECORD

WO NO. / LAB USE ONLY
17-03-0359

DATE: 3/3/17
 PAGE: 4 OF 1

CLIENT PROJECT NAME / NO.: Grove Street Wash Rack
 P.O. NO.: 0307273
 PROJECT CONTACT: ~~Loher & Coyne LLC~~

PROJECT CONTACT: Giorgio Molnario

PROJECT ADDRESS: 2554 MLK Jr. Way
 CITY: Oakland STATE: CA ZIP: 94609

SAMPLER(S) (PRINT): Kevin Almestad
 Tyler Callahan

REQUESTED ANALYSES

LAB USE ONLY	SAMPLE ID	FIELD ID / POINT OF COLLECTION	MATRIX	SAMPLING EQUIPMENT			START SAMPLING INFORMATION			STOP SAMPLING INFORMATION			REQUESTED ANALYSES
				Media ID	Canister Size	Flow Controller ID	Date	Time (24 hr clock)	Canister Pressure (in Hg)	Date	Time (24 hr clock)	Canister Pressure (in Hg)	
1	SV-1		SV	LC994	1L	SGM236	3/3/17	1006	>30	3/3/17	1011	4	X VOCs T0-15
2	SV-2		SV	LC903	1L	SGM111	3/3/17	1117	>30	3/3/17	1146	6	X Z-PROPANOL
3	SV-3		SV	LC944	1L	SGM382	3/3/17	1036	>30	3/3/17	1043	4	
4	SV-4		SV	LC188	1L	SGM174	3/3/17	1050	>30	3/3/17	1056	4	
5	SV-5		SV	LC613	1L	SGM350	3/3/17	1104	>30	3/3/17	1110	4	
6	DUP-001		SV	1360	1L	SGM111	3/3/17	1117	>30	3/3/17	1146	19	↓

Relinquished by: (Signature) _____ Date: _____
 Relinquished by: (Signature) *ERM* Date: 3/4/17 Time: 1140
 Relinquished by: (Signature) _____ Date: _____ Time: _____

SAMPLE RECEIPT CHECKLIST

COOLER 0 OF 0

CLIENT: ERM

DATE: 03/04/2017

TEMPERATURE: (Criteria: 0.0°C – 6.0°C, not frozen except sediment/tissue)

Thermometer ID: SC3B (CF: 0.0°C); Temperature (w/o CF): _____°C (w/ CF): _____°C; Blank Sample

Sample(s) outside temperature criteria (PM/APM contacted by: _____)

Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling

Sample(s) received at ambient temperature; placed on ice for transport by courier

Ambient Temperature: Air Filter

Checked by: [Signature]

CUSTODY SEAL:

Cooler Present and Intact Present but Not Intact Not Present N/A

Checked by: [Signature]

Sample(s) Present and Intact Present but Not Intact Not Present N/A

Checked by: [Signature]

SAMPLE CONDITION:

Chain-of-Custody (COC) document(s) received with samples Yes No N/A

COC document(s) received complete Yes No N/A

Sampling date Sampling time Matrix Number of containers

No analysis requested Not relinquished No relinquished date No relinquished time

Sampler's name indicated on COC Yes No N/A

Sample container label(s) consistent with COC Yes No N/A

Sample container(s) intact and in good condition Yes No N/A

Proper containers for analyses requested Yes No N/A

Sufficient volume/mass for analyses requested Yes No N/A

Samples received within holding time Yes No N/A

Aqueous samples for certain analyses received within 15-minute holding time

pH Residual Chlorine Dissolved Sulfide Dissolved Oxygen Yes No N/A

Proper preservation chemical(s) noted on COC and/or sample container Yes No N/A

Unpreserved aqueous sample(s) received for certain analyses

Volatile Organics Total Metals Dissolved Metals

Container(s) for certain analysis free of headspace Yes No N/A

Volatile Organics Dissolved Gases (RSK-175) Dissolved Oxygen (SM 4500)

Carbon Dioxide (SM 4500) Ferrous Iron (SM 3500) Hydrogen Sulfide (Hach)

Tedlar™ bag(s) free of condensation Yes No N/A

CONTAINER TYPE:

(Trip Blank Lot Number: _____)

Aqueous: VOA VOAh VOAna₂ 100PJ 100PJna₂ 125AGB 125AGBh 125AGBp 125PB

125PBz_{na} 250AGB 250CGB 250CGBs 250PB 250PBn 500AGB 500AGJ 500AGJs

500PB 1AGB 1AGBna₂ 1AGBs 1PB 1PBna _____ _____ _____

Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve (_____) EnCores® (_____) TerraCores® (_____) _____

Air: Tedlar™ Canister Sorbent Tube PUF _____ Other Matrix (____): _____ _____

Container: A = Amber, B = Bottle, C = Clear, E = Envelope, G = Glass, J = Jar, P = Plastic, and Z = Ziploc/Resealable Bag

Preservative: b = buffered, f = filtered, h = HCl, n = HNO₃, na = NaOH, na₂ = Na₂S₂O₃, p = H₃PO₄, Labeled/Checked by: [Signature]

s = H₂SO₄, u = ultra-pure, x = Na₂SO₃+NaHSO₄.H₂O, z_{na} = Zn (CH₃CO₂)₂ + NaOH Reviewed by: [Signature]



Calscience



WORK ORDER NUMBER: 17-03-0359

The difference is service



AIR | SOIL | WATER | MARINE CHEMISTRY

Analytical Report For

Client: ERM-WEST

Client Project Name: Grove Street Wash Rack / 0307273

Attention: Giorgio Molinario
114 Sansome Street, Suite 750
San Francisco, CA 94104-3805

Approved for release on 03/10/2017 by:
Virendra Patel
Project Manager

ResultLink ▶

Email your PM ▶

Eurofins Calscience, Inc. (Calscience) certifies that the test results provided in this report meet all NELAC requirements for parameters for which accreditation is required or available. Any exceptions to NELAC requirements are noted in the case narrative. The original report of subcontracted analyses, if any, is attached to this report. The results in this report are limited to the sample(s) tested and any reproduction thereof must be made in its entirety. The client or recipient of this report is specifically prohibited from making material changes to said report and, to the extent that such changes are made, Calscience is not responsible, legally or otherwise. The client or recipient agrees to indemnify Calscience for any defense to any litigation which may arise.



Contents

Client Project Name: Grove Street Wash Rack / 0307273
Work Order Number: 17-03-0359

1	Work Order Narrative.	3
2	Sample Summary.	4
3	Detections Summary.	5
4	Client Sample Data.	8
	4.1 EPA TO-15 Full List (Air).	8
5	Quality Control Sample Data.	22
	5.1 LCS/LCSD.	22
6	Summa Canister Vacuum Summary.	24
7	Sample Analysis Summary.	25
8	Glossary of Terms and Qualifiers.	26
9	Chain-of-Custody/Sample Receipt Form.	27

Condition Upon Receipt:

Samples were received under Chain-of-Custody (COC) on 03/04/17. They were assigned to Work Order 17-03-0359.

Unless otherwise noted on the Sample Receiving forms all samples were received in good condition and within the recommended EPA temperature criteria for the methods noted on the COC. The COC and Sample Receiving Documents are integral elements of the analytical report and are presented at the back of the report.

Holding Times:

All samples were analyzed within prescribed holding times (HT) and/or in accordance with the Calscience Sample Acceptance Policy unless otherwise noted in the analytical report and/or comprehensive case narrative, if required.

Any parameter identified in 40CFR Part 136.3 Table II that is designated as "analyze immediately" with a holding time of ≤ 15 minutes (40CFR-136.3 Table II, footnote 4), is considered a "field" test and the reported results will be qualified as being received outside of the stated holding time unless received at the laboratory within 15 minutes of the collection time.

Quality Control:

All quality control parameters (QC) were within established control limits except where noted in the QC summary forms or described further within this report.

Subcontractor Information:

Unless otherwise noted below (or on the subcontract form), no samples were subcontracted.

Additional Comments:

Air - Sorbent-extracted air methods (EPA TO-4A, EPA TO-10, EPA TO-13A, EPA TO-17): Analytical results are converted from mass/sample basis to mass/volume basis using client-supplied air volumes.

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are always reported on a wet weight basis.



Calscience

Sample Summary

Client: ERM-WEST	Work Order: 17-03-0359
114 Sansome Street, Suite 750	Project Name: Grove Street Wash Rack / 0307273
San Francisco, CA 94104-3805	PO Number: 0307273
	Date/Time Received: 03/04/17 11:40
	Number of Containers: 6

Attn: Giorgio Molinario

Sample Identification	Lab Number	Collection Date and Time	Number of Containers	Matrix
SV-1	17-03-0359-1	03/03/17 10:11	1	Air
SV-2	17-03-0359-2	03/03/17 11:46	1	Air
SV-3	17-03-0359-3	03/03/17 10:43	1	Air
SV-4	17-03-0359-4	03/03/17 10:56	1	Air
SV-5	17-03-0359-5	03/03/17 11:10	1	Air
DUP-001	17-03-0359-6	03/03/17 11:46	1	Air



Return to Contents



Calscience

Detections Summary

Client: ERM-WEST
114 Sansome Street, Suite 750
San Francisco, CA 94104-3805

Work Order: 17-03-0359
Project Name: Grove Street Wash Rack / 0307273
Received: 03/04/17

Attn: Giorgio Molinario

Page 1 of 3

Client SampleID

Analyte	Result	Qualifiers	RL	Units	Method	Extraction
SV-1 (17-03-0359-1)						
Benzene	3.8		1.7	ug/m3	EPA TO-15	N/A
2-Butanone	41		4.7	ug/m3	EPA TO-15	N/A
Chloroform	52		2.6	ug/m3	EPA TO-15	N/A
1,3-Dichlorobenzene	7.1		3.2	ug/m3	EPA TO-15	N/A
Ethylbenzene	4.2		2.3	ug/m3	EPA TO-15	N/A
Isopropanol	33		13	ug/m3	EPA TO-15	N/A
Tetrachloroethene	25		3.6	ug/m3	EPA TO-15	N/A
Toluene	3.8		2.0	ug/m3	EPA TO-15	N/A
o-Xylene	7.1		2.3	ug/m3	EPA TO-15	N/A
p/m-Xylene	16		9.1	ug/m3	EPA TO-15	N/A
SV-2 (17-03-0359-2)						
Benzene	12		2.0	ug/m3	EPA TO-15	N/A
2-Butanone	100		5.4	ug/m3	EPA TO-15	N/A
sec-Butylbenzene	4.2		3.4	ug/m3	EPA TO-15	N/A
Carbon Disulfide	15		7.6	ug/m3	EPA TO-15	N/A
Chloroform	20		3.0	ug/m3	EPA TO-15	N/A
Chloromethane	2.3		1.3	ug/m3	EPA TO-15	N/A
1,3-Dichlorobenzene	10		3.7	ug/m3	EPA TO-15	N/A
Ethylbenzene	24		2.7	ug/m3	EPA TO-15	N/A
Toluene	6.4		2.3	ug/m3	EPA TO-15	N/A
1,2,4-Trimethylbenzene	11		9.0	ug/m3	EPA TO-15	N/A
1,3,5-Trimethylbenzene	3.5		3.0	ug/m3	EPA TO-15	N/A
o-Xylene	23		2.7	ug/m3	EPA TO-15	N/A
p/m-Xylene	26		11	ug/m3	EPA TO-15	N/A
SV-3 (17-03-0359-3)						
Benzene	13		1.7	ug/m3	EPA TO-15	N/A
2-Butanone	24		4.7	ug/m3	EPA TO-15	N/A
sec-Butylbenzene	7.2		2.9	ug/m3	EPA TO-15	N/A
tert-Butylbenzene	5.0		2.9	ug/m3	EPA TO-15	N/A
Carbon Disulfide	32		6.6	ug/m3	EPA TO-15	N/A
Chloroform	31		2.6	ug/m3	EPA TO-15	N/A
1,3-Dichlorobenzene	5.6		3.2	ug/m3	EPA TO-15	N/A
Ethylbenzene	24		2.3	ug/m3	EPA TO-15	N/A
Isopropanol	14		13	ug/m3	EPA TO-15	N/A
Tetrachloroethene	19		3.6	ug/m3	EPA TO-15	N/A
Toluene	9.5		2.0	ug/m3	EPA TO-15	N/A
o-Xylene	22		2.3	ug/m3	EPA TO-15	N/A
p/m-Xylene	76		9.2	ug/m3	EPA TO-15	N/A

* MDL is shown



Calscience

Detections Summary

Client: ERM-WEST
114 Sansome Street, Suite 750
San Francisco, CA 94104-3805

Work Order: 17-03-0359
Project Name: Grove Street Wash Rack / 0307273
Received: 03/04/17

Attn: Giorgio Molinario

Page 2 of 3

Client SampleID

Analyte	Result	Qualifiers	RL	Units	Method	Extraction
SV-4 (17-03-0359-4)						
Acetone	25		4.9	ug/m3	EPA TO-15	N/A
Benzene	3.7		1.6	ug/m3	EPA TO-15	N/A
Bromodichloromethane	3.6		3.4	ug/m3	EPA TO-15	N/A
2-Butanone	56		4.5	ug/m3	EPA TO-15	N/A
Chloroform	32		2.5	ug/m3	EPA TO-15	N/A
1,3-Dichlorobenzene	5.4		3.1	ug/m3	EPA TO-15	N/A
Dichlorodifluoromethane	2.8		2.5	ug/m3	EPA TO-15	N/A
2-Hexanone	6.6		6.3	ug/m3	EPA TO-15	N/A
Isopropanol	25		13	ug/m3	EPA TO-15	N/A
Toluene	4.0		1.9	ug/m3	EPA TO-15	N/A
o-Xylene	2.6		2.2	ug/m3	EPA TO-15	N/A
SV-5 (17-03-0359-5)						
Acetone	21		5.0	ug/m3	EPA TO-15	N/A
Benzene	3.0		1.7	ug/m3	EPA TO-15	N/A
Bromodichloromethane	5.0		3.5	ug/m3	EPA TO-15	N/A
2-Butanone	57		4.6	ug/m3	EPA TO-15	N/A
Chloroform	40		2.6	ug/m3	EPA TO-15	N/A
2-Hexanone	6.8		6.4	ug/m3	EPA TO-15	N/A
Isopropanol	18		13	ug/m3	EPA TO-15	N/A
Toluene	3.3		2.0	ug/m3	EPA TO-15	N/A
DUP-001 (17-03-0359-6)						
Benzene	13		5.3	ug/m3	EPA TO-15	N/A
2-Butanone	320		15	ug/m3	EPA TO-15	N/A
Chloroform	23		8.2	ug/m3	EPA TO-15	N/A
Chloromethane	3.5		3.4	ug/m3	EPA TO-15	N/A
1,3-Dichlorobenzene	24		10	ug/m3	EPA TO-15	N/A
1,4-Dichlorobenzene	74		10	ug/m3	EPA TO-15	N/A
Ethylbenzene	34		7.3	ug/m3	EPA TO-15	N/A
4-Ethyltoluene	220		8.2	ug/m3	EPA TO-15	N/A
Tetrachloroethene	850		11	ug/m3	EPA TO-15	N/A
Toluene	26		6.3	ug/m3	EPA TO-15	N/A
Trichloroethene	58		9.0	ug/m3	EPA TO-15	N/A
1,2,4-Trimethylbenzene	1100		25	ug/m3	EPA TO-15	N/A
1,3,5-Trimethylbenzene	340		8.2	ug/m3	EPA TO-15	N/A
o-Xylene	72		7.3	ug/m3	EPA TO-15	N/A
p/m-Xylene	52		29	ug/m3	EPA TO-15	N/A

* MDL is shown



Calscience

Detections Summary

Client: ERM-WEST
 114 Sansome Street, Suite 750
 San Francisco, CA 94104-3805

Work Order: 17-03-0359
 Project Name: Grove Street Wash Rack / 0307273
 Received: 03/04/17

Attn: Giorgio Molinario

Page 3 of 3

Client SampleID

<u>Analyte</u>	<u>Result</u>	<u>Qualifiers</u>	<u>RL</u>	<u>Units</u>	<u>Method</u>	<u>Extraction</u>
----------------	---------------	-------------------	-----------	--------------	---------------	-------------------

Subcontracted analyses, if any, are not included in this summary.


 Return to Contents

* MDL is shown

Analytical Report

ERM-WEST
114 Sansome Street, Suite 750
San Francisco, CA 94104-3805

Date Received: 03/04/17
Work Order: 17-03-0359
Preparation: N/A
Method: EPA TO-15
Units: ug/m3

Project: Grove Street Wash Rack / 0307273

Page 1 of 14

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
SV-1	17-03-0359-1-A	03/03/17 10:11	Air	GC/MS II	N/A	03/06/17 15:04	170306L01

Parameter	Result	RL	DF	Qualifiers
1,2,4-Trichlorobenzene	ND	16	1.05	
Acetone	ND	5.0	1.05	
Benzene	3.8	1.7	1.05	
Benzyl Chloride	ND	8.2	1.05	
Bromodichloromethane	ND	3.5	1.05	
Bromoform	ND	5.4	1.05	
Bromomethane	ND	2.0	1.05	
2-Butanone	41	4.7	1.05	
n-Butylbenzene	ND	2.9	1.05	
sec-Butylbenzene	ND	2.9	1.05	
tert-Butylbenzene	ND	2.9	1.05	
Carbon Disulfide	ND	6.6	1.05	
Carbon Tetrachloride	ND	3.3	1.05	
Chlorobenzene	ND	2.4	1.05	
Chloroethane	ND	1.4	1.05	
Chloroform	52	2.6	1.05	
Chloromethane	ND	1.1	1.05	
Dibromochloromethane	ND	4.5	1.05	
1,2-Dibromoethane	ND	4.0	1.05	
1,2-Dichlorobenzene	ND	3.2	1.05	
1,3-Dichlorobenzene	7.1	3.2	1.05	
1,4-Dichlorobenzene	ND	3.2	1.05	
Dichlorodifluoromethane	ND	2.6	1.05	
1,1-Dichloroethane	ND	2.1	1.05	
1,2-Dichloroethane	ND	2.1	1.05	
1,1-Dichloroethene	ND	2.1	1.05	
c-1,2-Dichloroethene	ND	2.1	1.05	
t-1,2-Dichloroethene	ND	2.1	1.05	
1,2-Dichloropropane	ND	2.4	1.05	
c-1,3-Dichloropropene	ND	2.4	1.05	
t-1,3-Dichloropropene	ND	4.8	1.05	
Dichlorotetrafluoroethane	ND	15	1.05	
1,1-Difluoroethane	ND	5.7	1.05	
Ethylbenzene	4.2	2.3	1.05	
4-Ethyltoluene	ND	2.6	1.05	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.

Analytical Report

ERM-WEST
114 Sansome Street, Suite 750
San Francisco, CA 94104-3805

Date Received: 03/04/17
Work Order: 17-03-0359
Preparation: N/A
Method: EPA TO-15
Units: ug/m3

Project: Grove Street Wash Rack / 0307273

Page 2 of 14

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>
Hexachloro-1,3-Butadiene	ND	17	1.05	
2-Hexanone	ND	6.5	1.05	
Isopropanol	33	13	1.05	
Methyl-t-Butyl Ether (MTBE)	ND	7.6	1.05	
Methylene Chloride	ND	18	1.05	
4-Methyl-2-Pentanone	ND	6.5	1.05	
Styrene	ND	6.7	1.05	
1,1,2,2-Tetrachloroethane	ND	7.2	1.05	
Tetrachloroethene	25	3.6	1.05	
Toluene	3.8	2.0	1.05	
1,1,1-Trichloroethane	ND	2.9	1.05	
1,1,2-Trichloroethane	ND	2.9	1.05	
Trichloroethene	ND	2.8	1.05	
Trichlorofluoromethane	ND	5.9	1.05	
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	12	1.05	
1,2,4-Trimethylbenzene	ND	7.8	1.05	
1,3,5-Trimethylbenzene	ND	2.6	1.05	
Vinyl Acetate	ND	7.4	1.05	
Vinyl Chloride	ND	1.3	1.05	
o-Xylene	7.1	2.3	1.05	
p/m-Xylene	16	9.1	1.05	
<u>Surrogate</u>	<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>	
1,4-Bromofluorobenzene	103	68-134		
1,2-Dichloroethane-d4	102	67-133		
Toluene-d8	69	70-130	2,6	

Analytical Report

ERM-WEST
114 Sansome Street, Suite 750
San Francisco, CA 94104-3805

Date Received: 03/04/17
Work Order: 17-03-0359
Preparation: N/A
Method: EPA TO-15
Units: ug/m3

Project: Grove Street Wash Rack / 0307273

Page 3 of 14

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
SV-2	17-03-0359-2-A	03/03/17 11:46	Air	GC/MS II	N/A	03/06/17 15:59	170306L01

Parameter	Result	RL	DF	Qualifiers
1,2,4-Trichlorobenzene	ND	18	1.22	
Acetone	ND	5.8	1.22	
Benzene	12	2.0	1.22	
Benzyl Chloride	ND	9.5	1.22	
Bromodichloromethane	ND	4.1	1.22	
Bromoform	ND	6.3	1.22	
Bromomethane	ND	2.4	1.22	
2-Butanone	100	5.4	1.22	
n-Butylbenzene	ND	3.4	1.22	
sec-Butylbenzene	4.2	3.4	1.22	
tert-Butylbenzene	ND	3.4	1.22	
Carbon Disulfide	15	7.6	1.22	
Carbon Tetrachloride	ND	3.8	1.22	
Chlorobenzene	ND	2.8	1.22	
Chloroethane	ND	1.6	1.22	
Chloroform	20	3.0	1.22	
Chloromethane	2.3	1.3	1.22	
Dibromochloromethane	ND	5.2	1.22	
1,2-Dibromoethane	ND	4.7	1.22	
1,2-Dichlorobenzene	ND	3.7	1.22	
1,3-Dichlorobenzene	10	3.7	1.22	
1,4-Dichlorobenzene	ND	3.7	1.22	
Dichlorodifluoromethane	ND	3.0	1.22	
1,1-Dichloroethane	ND	2.5	1.22	
1,2-Dichloroethane	ND	2.5	1.22	
1,1-Dichloroethene	ND	2.4	1.22	
c-1,2-Dichloroethene	ND	2.4	1.22	
t-1,2-Dichloroethene	ND	2.4	1.22	
1,2-Dichloropropane	ND	2.8	1.22	
c-1,3-Dichloropropene	ND	2.8	1.22	
t-1,3-Dichloropropene	ND	5.6	1.22	
Dichlorotetrafluoroethane	ND	17	1.22	
1,1-Difluoroethane	ND	6.6	1.22	
Ethylbenzene	24	2.7	1.22	
4-Ethyltoluene	ND	3.0	1.22	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.

Analytical Report

ERM-WEST
 114 Sansome Street, Suite 750
 San Francisco, CA 94104-3805

Date Received: 03/04/17
 Work Order: 17-03-0359
 Preparation: N/A
 Method: EPA TO-15
 Units: ug/m3

Project: Grove Street Wash Rack / 0307273

Page 4 of 14

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>
Hexachloro-1,3-Butadiene	ND	20	1.22	
2-Hexanone	ND	7.5	1.22	
Isopropanol	ND	15	1.22	
Methyl-t-Butyl Ether (MTBE)	ND	8.8	1.22	
Methylene Chloride	ND	21	1.22	
4-Methyl-2-Pentanone	ND	7.5	1.22	
Styrene	ND	7.8	1.22	
1,1,2,2-Tetrachloroethane	ND	8.4	1.22	
Tetrachloroethene	ND	4.1	1.22	
Toluene	6.4	2.3	1.22	
1,1,1-Trichloroethane	ND	3.3	1.22	
1,1,2-Trichloroethane	ND	3.3	1.22	
Trichloroethene	ND	3.3	1.22	
Trichlorofluoromethane	ND	6.9	1.22	
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	14	1.22	
1,2,4-Trimethylbenzene	11	9.0	1.22	
1,3,5-Trimethylbenzene	3.5	3.0	1.22	
Vinyl Acetate	ND	8.6	1.22	
Vinyl Chloride	ND	1.6	1.22	
o-Xylene	23	2.7	1.22	
p/m-Xylene	26	11	1.22	
<u>Surrogate</u>	<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>	
1,4-Bromofluorobenzene	118	68-134		
1,2-Dichloroethane-d4	93	67-133		
Toluene-d8	71	70-130		

Analytical Report

ERM-WEST
114 Sansome Street, Suite 750
San Francisco, CA 94104-3805

Date Received: 03/04/17
Work Order: 17-03-0359
Preparation: N/A
Method: EPA TO-15
Units: ug/m3

Project: Grove Street Wash Rack / 0307273

Page 5 of 14

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
SV-3	17-03-0359-3-A	03/03/17 10:43	Air	GC/MS II	N/A	03/06/17 16:57	170306L01

Parameter	Result	RL	DF	Qualifiers
1,2,4-Trichlorobenzene	ND	16	1.06	
Acetone	ND	5.1	1.06	
Benzene	13	1.7	1.06	
Benzyl Chloride	ND	8.3	1.06	
Bromodichloromethane	ND	3.6	1.06	
Bromoform	ND	5.5	1.06	
Bromomethane	ND	2.1	1.06	
2-Butanone	24	4.7	1.06	
n-Butylbenzene	ND	2.9	1.06	
sec-Butylbenzene	7.2	2.9	1.06	
tert-Butylbenzene	5.0	2.9	1.06	
Carbon Disulfide	32	6.6	1.06	
Carbon Tetrachloride	ND	3.3	1.06	
Chlorobenzene	ND	2.4	1.06	
Chloroethane	ND	1.4	1.06	
Chloroform	31	2.6	1.06	
Chloromethane	ND	1.1	1.06	
Dibromochloromethane	ND	4.5	1.06	
1,2-Dibromoethane	ND	4.1	1.06	
1,2-Dichlorobenzene	ND	3.2	1.06	
1,3-Dichlorobenzene	5.6	3.2	1.06	
1,4-Dichlorobenzene	ND	3.2	1.06	
Dichlorodifluoromethane	ND	2.6	1.06	
1,1-Dichloroethane	ND	2.2	1.06	
1,2-Dichloroethane	ND	2.2	1.06	
1,1-Dichloroethene	ND	2.1	1.06	
c-1,2-Dichloroethene	ND	2.1	1.06	
t-1,2-Dichloroethene	ND	2.1	1.06	
1,2-Dichloropropane	ND	2.5	1.06	
c-1,3-Dichloropropene	ND	2.4	1.06	
t-1,3-Dichloropropene	ND	4.8	1.06	
Dichlorotetrafluoroethane	ND	15	1.06	
1,1-Difluoroethane	ND	5.7	1.06	
Ethylbenzene	24	2.3	1.06	
4-Ethyltoluene	ND	2.6	1.06	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.

Analytical Report

ERM-WEST
114 Sansome Street, Suite 750
San Francisco, CA 94104-3805

Date Received: 03/04/17
Work Order: 17-03-0359
Preparation: N/A
Method: EPA TO-15
Units: ug/m3

Project: Grove Street Wash Rack / 0307273

Page 6 of 14

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>
Hexachloro-1,3-Butadiene	ND	17	1.06	
2-Hexanone	ND	6.5	1.06	
Isopropanol	14	13	1.06	
Methyl-t-Butyl Ether (MTBE)	ND	7.7	1.06	
Methylene Chloride	ND	18	1.06	
4-Methyl-2-Pentanone	ND	6.5	1.06	
Styrene	ND	6.8	1.06	
1,1,2,2-Tetrachloroethane	ND	7.3	1.06	
Tetrachloroethene	19	3.6	1.06	
Toluene	9.5	2.0	1.06	
1,1,1-Trichloroethane	ND	2.9	1.06	
1,1,2-Trichloroethane	ND	2.9	1.06	
Trichloroethene	ND	2.9	1.06	
Trichlorofluoromethane	ND	6.0	1.06	
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	12	1.06	
1,2,4-Trimethylbenzene	ND	7.8	1.06	
1,3,5-Trimethylbenzene	ND	2.6	1.06	
Vinyl Acetate	ND	7.5	1.06	
Vinyl Chloride	ND	1.4	1.06	
o-Xylene	22	2.3	1.06	
p/m-Xylene	76	9.2	1.06	
<u>Surrogate</u>	<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>	
1,4-Bromofluorobenzene	111	68-134		
1,2-Dichloroethane-d4	96	67-133		
Toluene-d8	76	70-130		

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.

Analytical Report

ERM-WEST
114 Sansome Street, Suite 750
San Francisco, CA 94104-3805

Date Received: 03/04/17
Work Order: 17-03-0359
Preparation: N/A
Method: EPA TO-15
Units: ug/m3

Project: Grove Street Wash Rack / 0307273

Page 7 of 14

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
SV-4	17-03-0359-4-A	03/03/17 10:56	Air	GC/MS II	N/A	03/06/17 17:53	170306L01

Parameter	Result	RL	DF	Qualifiers
1,2,4-Trichlorobenzene	ND	15	1.03	
Acetone	25	4.9	1.03	
Benzene	3.7	1.6	1.03	
Benzyl Chloride	ND	8.0	1.03	
Bromodichloromethane	3.6	3.4	1.03	
Bromoform	ND	5.3	1.03	
Bromomethane	ND	2.0	1.03	
2-Butanone	56	4.5	1.03	
n-Butylbenzene	ND	2.8	1.03	
sec-Butylbenzene	ND	2.8	1.03	
tert-Butylbenzene	ND	2.8	1.03	
Carbon Disulfide	ND	6.4	1.03	
Carbon Tetrachloride	ND	3.2	1.03	
Chlorobenzene	ND	2.4	1.03	
Chloroethane	ND	1.4	1.03	
Chloroform	32	2.5	1.03	
Chloromethane	ND	1.1	1.03	
Dibromochloromethane	ND	4.4	1.03	
1,2-Dibromoethane	ND	3.9	1.03	
1,2-Dichlorobenzene	ND	3.1	1.03	
1,3-Dichlorobenzene	5.4	3.1	1.03	
1,4-Dichlorobenzene	ND	3.1	1.03	
Dichlorodifluoromethane	2.8	2.5	1.03	
1,1-Dichloroethane	ND	2.1	1.03	
1,2-Dichloroethane	ND	2.1	1.03	
1,1-Dichloroethene	ND	2.0	1.03	
c-1,2-Dichloroethene	ND	2.0	1.03	
t-1,2-Dichloroethene	ND	2.0	1.03	
1,2-Dichloropropane	ND	2.4	1.03	
c-1,3-Dichloropropene	ND	2.3	1.03	
t-1,3-Dichloropropene	ND	4.7	1.03	
Dichlorotetrafluoroethane	ND	14	1.03	
1,1-Difluoroethane	ND	5.6	1.03	
Ethylbenzene	ND	2.2	1.03	
4-Ethyltoluene	ND	2.5	1.03	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.

Analytical Report

ERM-WEST	Date Received:	03/04/17
114 Sansome Street, Suite 750	Work Order:	17-03-0359
San Francisco, CA 94104-3805	Preparation:	N/A
	Method:	EPA TO-15
	Units:	ug/m3
Project: Grove Street Wash Rack / 0307273		Page 8 of 14

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>
Hexachloro-1,3-Butadiene	ND	16	1.03	
2-Hexanone	6.6	6.3	1.03	
Isopropanol	25	13	1.03	
Methyl-t-Butyl Ether (MTBE)	ND	7.4	1.03	
Methylene Chloride	ND	18	1.03	
4-Methyl-2-Pentanone	ND	6.3	1.03	
Styrene	ND	6.6	1.03	
1,1,2,2-Tetrachloroethane	ND	7.1	1.03	
Tetrachloroethene	ND	3.5	1.03	
Toluene	4.0	1.9	1.03	
1,1,1-Trichloroethane	ND	2.8	1.03	
1,1,2-Trichloroethane	ND	2.8	1.03	
Trichloroethene	ND	2.8	1.03	
Trichlorofluoromethane	ND	5.8	1.03	
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	12	1.03	
1,2,4-Trimethylbenzene	ND	7.6	1.03	
1,3,5-Trimethylbenzene	ND	2.5	1.03	
Vinyl Acetate	ND	7.2	1.03	
Vinyl Chloride	ND	1.3	1.03	
o-Xylene	2.6	2.2	1.03	
p/m-Xylene	ND	8.9	1.03	
<u>Surrogate</u>	<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>	
1,4-Bromofluorobenzene	102	68-134		
1,2-Dichloroethane-d4	95	67-133		
Toluene-d8	97	70-130		

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.

Analytical Report

ERM-WEST
114 Sansome Street, Suite 750
San Francisco, CA 94104-3805

Date Received: 03/04/17
Work Order: 17-03-0359
Preparation: N/A
Method: EPA TO-15
Units: ug/m3

Project: Grove Street Wash Rack / 0307273

Page 9 of 14

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
SV-5	17-03-0359-5-A	03/03/17 11:10	Air	GC/MS II	N/A	03/06/17 18:49	170306L01

Parameter	Result	RL	DF	Qualifiers
1,2,4-Trichlorobenzene	ND	16	1.05	
Acetone	21	5.0	1.05	
Benzene	3.0	1.7	1.05	
Benzyl Chloride	ND	8.1	1.05	
Bromodichloromethane	5.0	3.5	1.05	
Bromoform	ND	5.4	1.05	
Bromomethane	ND	2.0	1.05	
2-Butanone	57	4.6	1.05	
n-Butylbenzene	ND	2.9	1.05	
sec-Butylbenzene	ND	2.9	1.05	
tert-Butylbenzene	ND	2.9	1.05	
Carbon Disulfide	ND	6.5	1.05	
Carbon Tetrachloride	ND	3.3	1.05	
Chlorobenzene	ND	2.4	1.05	
Chloroethane	ND	1.4	1.05	
Chloroform	40	2.6	1.05	
Chloromethane	ND	1.1	1.05	
Dibromochloromethane	ND	4.5	1.05	
1,2-Dibromoethane	ND	4.0	1.05	
1,2-Dichlorobenzene	ND	3.1	1.05	
1,3-Dichlorobenzene	ND	3.1	1.05	
1,4-Dichlorobenzene	ND	3.1	1.05	
Dichlorodifluoromethane	ND	2.6	1.05	
1,1-Dichloroethane	ND	2.1	1.05	
1,2-Dichloroethane	ND	2.1	1.05	
1,1-Dichloroethene	ND	2.1	1.05	
c-1,2-Dichloroethene	ND	2.1	1.05	
t-1,2-Dichloroethene	ND	2.1	1.05	
1,2-Dichloropropane	ND	2.4	1.05	
c-1,3-Dichloropropene	ND	2.4	1.05	
t-1,3-Dichloropropene	ND	4.8	1.05	
Dichlorotetrafluoroethane	ND	15	1.05	
1,1-Difluoroethane	ND	5.7	1.05	
Ethylbenzene	ND	2.3	1.05	
4-Ethyltoluene	ND	2.6	1.05	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.

Analytical Report

ERM-WEST
114 Sansome Street, Suite 750
San Francisco, CA 94104-3805

Date Received: 03/04/17
Work Order: 17-03-0359
Preparation: N/A
Method: EPA TO-15
Units: ug/m3

Project: Grove Street Wash Rack / 0307273

Page 10 of 14

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>
Hexachloro-1,3-Butadiene	ND	17	1.05	
2-Hexanone	6.8	6.4	1.05	
Isopropanol	18	13	1.05	
Methyl-t-Butyl Ether (MTBE)	ND	7.5	1.05	
Methylene Chloride	ND	18	1.05	
4-Methyl-2-Pentanone	ND	6.4	1.05	
Styrene	ND	6.7	1.05	
1,1,2,2-Tetrachloroethane	ND	7.2	1.05	
Tetrachloroethene	ND	3.6	1.05	
Toluene	3.3	2.0	1.05	
1,1,1-Trichloroethane	ND	2.9	1.05	
1,1,2-Trichloroethane	ND	2.9	1.05	
Trichloroethene	ND	2.8	1.05	
Trichlorofluoromethane	ND	5.9	1.05	
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	12	1.05	
1,2,4-Trimethylbenzene	ND	7.7	1.05	
1,3,5-Trimethylbenzene	ND	2.6	1.05	
Vinyl Acetate	ND	7.4	1.05	
Vinyl Chloride	ND	1.3	1.05	
o-Xylene	ND	2.3	1.05	
p/m-Xylene	ND	9.1	1.05	
<u>Surrogate</u>	<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>	
1,4-Bromofluorobenzene	104	68-134		
1,2-Dichloroethane-d4	94	67-133		
Toluene-d8	98	70-130		

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

ERM-WEST
114 Sansome Street, Suite 750
San Francisco, CA 94104-3805

Date Received: 03/04/17
Work Order: 17-03-0359
Preparation: N/A
Method: EPA TO-15
Units: ug/m3

Project: Grove Street Wash Rack / 0307273

Page 11 of 14

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
DUP-001	17-03-0359-6-A	03/03/17 11:46	Air	GC/MS II	N/A	03/06/17 19:39	170306L01

Parameter	Result	RL	DF	Qualifiers
1,2,4-Trichlorobenzene	ND	50	3.34	
Acetone	ND	16	3.34	
Benzene	13	5.3	3.34	
Benzyl Chloride	ND	26	3.34	
Bromodichloromethane	ND	11	3.34	
Bromoform	ND	17	3.34	
Bromomethane	ND	6.5	3.34	
2-Butanone	320	15	3.34	
n-Butylbenzene	ND	9.2	3.34	
sec-Butylbenzene	ND	9.2	3.34	
tert-Butylbenzene	ND	9.2	3.34	
Carbon Disulfide	ND	21	3.34	
Carbon Tetrachloride	ND	11	3.34	
Chlorobenzene	ND	7.7	3.34	
Chloroethane	ND	4.4	3.34	
Chloroform	23	8.2	3.34	
Chloromethane	3.5	3.4	3.34	
Dibromochloromethane	ND	14	3.34	
1,2-Dibromoethane	ND	13	3.34	
1,2-Dichlorobenzene	ND	10	3.34	
1,3-Dichlorobenzene	24	10	3.34	
1,4-Dichlorobenzene	74	10	3.34	
Dichlorodifluoromethane	ND	8.3	3.34	
1,1-Dichloroethane	ND	6.8	3.34	
1,2-Dichloroethane	ND	6.8	3.34	
1,1-Dichloroethene	ND	6.6	3.34	
c-1,2-Dichloroethene	ND	6.6	3.34	
t-1,2-Dichloroethene	ND	6.6	3.34	
1,2-Dichloropropane	ND	7.7	3.34	
c-1,3-Dichloropropene	ND	7.6	3.34	
t-1,3-Dichloropropene	ND	15	3.34	
Dichlorotetrafluoroethane	ND	47	3.34	
1,1-Difluoroethane	ND	18	3.34	
Ethylbenzene	34	7.3	3.34	
4-Ethyltoluene	220	8.2	3.34	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.

Analytical Report

ERM-WEST	Date Received:	03/04/17
114 Sansome Street, Suite 750	Work Order:	17-03-0359
San Francisco, CA 94104-3805	Preparation:	N/A
	Method:	EPA TO-15
	Units:	ug/m3
Project: Grove Street Wash Rack / 0307273		Page 12 of 14

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>
Hexachloro-1,3-Butadiene	ND	53	3.34	
2-Hexanone	ND	21	3.34	
Isopropanol	ND	41	3.34	
Methyl-t-Butyl Ether (MTBE)	ND	24	3.34	
Methylene Chloride	ND	58	3.34	
4-Methyl-2-Pentanone	ND	21	3.34	
Styrene	ND	21	3.34	
1,1,2,2-Tetrachloroethane	ND	23	3.34	
Tetrachloroethene	850	11	3.34	
Toluene	26	6.3	3.34	
1,1,1-Trichloroethane	ND	9.1	3.34	
1,1,2-Trichloroethane	ND	9.1	3.34	
Trichloroethene	58	9.0	3.34	
Trichlorofluoromethane	ND	19	3.34	
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	38	3.34	
1,2,4-Trimethylbenzene	1100	25	3.34	
1,3,5-Trimethylbenzene	340	8.2	3.34	
Vinyl Acetate	ND	24	3.34	
Vinyl Chloride	ND	4.3	3.34	
o-Xylene	72	7.3	3.34	
p/m-Xylene	52	29	3.34	
<u>Surrogate</u>	<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>	
1,4-Bromofluorobenzene	111	68-134		
1,2-Dichloroethane-d4	94	67-133		
Toluene-d8	80	70-130		

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

ERM-WEST
114 Sansome Street, Suite 750
San Francisco, CA 94104-3805

Date Received: 03/04/17
Work Order: 17-03-0359
Preparation: N/A
Method: EPA TO-15
Units: ug/m3

Project: Grove Street Wash Rack / 0307273

Page 13 of 14

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	095-01-021-18210	N/A	Air	GC/MS II	N/A	03/06/17 14:10	170306L01

Parameter	Result	RL	DF	Qualifiers
1,2,4-Trichlorobenzene	ND	15	1.00	
Acetone	ND	4.8	1.00	
Benzene	ND	1.6	1.00	
Benzyl Chloride	ND	7.8	1.00	
Bromodichloromethane	ND	3.4	1.00	
Bromoform	ND	5.2	1.00	
Bromomethane	ND	1.9	1.00	
2-Butanone	ND	4.4	1.00	
n-Butylbenzene	ND	2.7	1.00	
sec-Butylbenzene	ND	2.7	1.00	
tert-Butylbenzene	ND	2.7	1.00	
Carbon Disulfide	ND	6.2	1.00	
Carbon Tetrachloride	ND	3.1	1.00	
Chlorobenzene	ND	2.3	1.00	
Chloroethane	ND	1.3	1.00	
Chloroform	ND	2.4	1.00	
Chloromethane	ND	1.0	1.00	
Dibromochloromethane	ND	4.3	1.00	
1,2-Dibromoethane	ND	3.8	1.00	
1,2-Dichlorobenzene	ND	3.0	1.00	
1,3-Dichlorobenzene	ND	3.0	1.00	
1,4-Dichlorobenzene	ND	3.0	1.00	
Dichlorodifluoromethane	ND	2.5	1.00	
1,1-Dichloroethane	ND	2.0	1.00	
1,2-Dichloroethane	ND	2.0	1.00	
1,1-Dichloroethene	ND	2.0	1.00	
c-1,2-Dichloroethene	ND	2.0	1.00	
t-1,2-Dichloroethene	ND	2.0	1.00	
1,2-Dichloropropane	ND	2.3	1.00	
c-1,3-Dichloropropene	ND	2.3	1.00	
t-1,3-Dichloropropene	ND	4.5	1.00	
Dichlorotetrafluoroethane	ND	14	1.00	
1,1-Difluoroethane	ND	5.4	1.00	
Ethylbenzene	ND	2.2	1.00	
4-Ethyltoluene	ND	2.5	1.00	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.

Analytical Report

ERM-WEST
114 Sansome Street, Suite 750
San Francisco, CA 94104-3805

Date Received: 03/04/17
Work Order: 17-03-0359
Preparation: N/A
Method: EPA TO-15
Units: ug/m3

Project: Grove Street Wash Rack / 0307273

Page 14 of 14

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>
Hexachloro-1,3-Butadiene	ND	16	1.00	
2-Hexanone	ND	6.1	1.00	
Isopropanol	ND	12	1.00	
Methyl-t-Butyl Ether (MTBE)	ND	7.2	1.00	
Methylene Chloride	ND	17	1.00	
4-Methyl-2-Pentanone	ND	6.1	1.00	
Styrene	ND	6.4	1.00	
1,1,2,2-Tetrachloroethane	ND	6.9	1.00	
Tetrachloroethene	ND	3.4	1.00	
Toluene	ND	1.9	1.00	
1,1,1-Trichloroethane	ND	2.7	1.00	
1,1,2-Trichloroethane	ND	2.7	1.00	
Trichloroethene	ND	2.7	1.00	
Trichlorofluoromethane	ND	5.6	1.00	
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	11	1.00	
1,2,4-Trimethylbenzene	ND	7.4	1.00	
1,3,5-Trimethylbenzene	ND	2.5	1.00	
Vinyl Acetate	ND	7.0	1.00	
Vinyl Chloride	ND	1.3	1.00	
o-Xylene	ND	2.2	1.00	
p/m-Xylene	ND	8.7	1.00	
<u>Surrogate</u>	<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>	
1,4-Bromofluorobenzene	98	68-134		
1,2-Dichloroethane-d4	97	67-133		
Toluene-d8	98	70-130		

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Quality Control - LCS/LCSD

ERM-WEST
114 Sansome Street, Suite 750
San Francisco, CA 94104-3805

Date Received: 03/04/17
Work Order: 17-03-0359
Preparation: N/A
Method: EPA TO-15

Project: Grove Street Wash Rack / 0307273

Page 1 of 2

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number				
095-01-021-18210	LCS	Air	GC/MS II	N/A	03/06/17 11:31	170306L01				
095-01-021-18210	LCSD	Air	GC/MS II	N/A	03/06/17 12:22	170306L01				
Parameter	Spike Added	LCS Conc.	LCS %Rec.	LCSD Conc.	LCSD %Rec.	%Rec. CL	ME CL	RPD	RPD CL	Qualifiers
1,2,4-Trichlorobenzene	185.5	183.7	99	180.4	97	31-151	11-171	2	0-30	
Acetone	59.39	55.15	93	56.67	95	67-133	56-144	3	0-30	
Benzene	79.87	73.39	92	74.67	93	70-130	60-140	2	0-30	
Benzyl Chloride	129.4	124.2	96	121.4	94	38-158	18-178	2	0-30	
Bromodichloromethane	167.5	164.1	98	168.1	100	70-130	60-140	2	0-30	
Bromoform	258.4	265.0	103	268.5	104	63-147	49-161	1	0-30	
Bromomethane	97.08	93.96	97	96.05	99	70-139	58-150	2	0-30	
2-Butanone	73.73	64.96	88	67.91	92	66-132	55-143	4	0-30	
n-Butylbenzene	137.2	132.2	96	129.5	94	50-150	33-167	2	0-30	
sec-Butylbenzene	137.2	130.4	95	132.4	96	50-150	33-167	1	0-30	
tert-Butylbenzene	137.2	134.9	98	137.4	100	50-150	33-167	2	0-30	
Carbon Disulfide	77.85	65.63	84	66.70	86	68-146	55-159	2	0-30	
Carbon Tetrachloride	157.3	162.0	103	165.8	105	70-136	59-147	2	0-30	
Chlorobenzene	115.1	115.2	100	116.7	101	70-130	60-140	1	0-30	
Chloroethane	65.96	60.28	91	61.84	94	65-149	51-163	3	0-30	
Chloroform	122.1	113.2	93	116.5	95	70-130	60-140	3	0-30	
Chloromethane	51.63	46.02	89	47.40	92	69-141	57-153	3	0-30	
Dibromochloromethane	213.0	211.6	99	215.6	101	70-138	59-149	2	0-30	
1,2-Dibromoethane	192.1	193.9	101	196.8	102	70-133	60-144	1	0-30	
1,2-Dichlorobenzene	150.3	147.0	98	148.5	99	48-138	33-153	1	0-30	
1,3-Dichlorobenzene	150.3	150.3	100	152.8	102	56-134	43-147	2	0-30	
1,4-Dichlorobenzene	150.3	149.0	99	150.1	100	52-136	38-150	1	0-30	
Dichlorodifluoromethane	123.6	122.4	99	125.8	102	67-139	55-151	3	0-30	
1,1-Dichloroethane	101.2	91.83	91	94.32	93	70-130	60-140	3	0-30	
1,2-Dichloroethane	101.2	96.21	95	99.12	98	70-132	60-142	3	0-30	
1,1-Dichloroethene	99.12	98.14	99	100.4	101	70-135	59-146	2	0-30	
c-1,2-Dichloroethene	99.12	93.19	94	95.55	96	70-130	60-140	3	0-30	
t-1,2-Dichloroethene	99.12	93.54	94	94.93	96	70-130	60-140	1	0-30	
1,2-Dichloropropane	115.5	108.1	94	110.8	96	70-130	60-140	2	0-30	
c-1,3-Dichloropropene	113.5	114.5	101	116.7	103	70-130	60-140	2	0-30	
t-1,3-Dichloropropene	113.5	117.8	104	121.4	107	70-147	57-160	3	0-30	
Dichlorotetrafluoroethane	174.8	173.7	99	178.8	102	51-135	37-149	3	0-30	
1,1-Difluoroethane	67.54	61.92	92	64.18	95	70-131	60-141	4	0-30	
Ethylbenzene	108.6	105.2	97	106.1	98	70-130	60-140	1	0-30	
4-Ethyltoluene	122.9	117.8	96	119.9	98	68-130	58-140	2	0-30	
Hexachloro-1,3-Butadiene	266.6	267.3	100	270.2	101	44-146	27-163	1	0-30	

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - LCS/LCSD

ERM-WEST
114 Sansome Street, Suite 750
San Francisco, CA 94104-3805

Date Received: 03/04/17
Work Order: 17-03-0359
Preparation: N/A
Method: EPA TO-15

Project: Grove Street Wash Rack / 0307273

Page 2 of 2

Parameter	Spike Added	LCS Conc.	LCS %Rec.	LCSD Conc.	LCSD %Rec.	%Rec. CL	ME CL	RPD	RPD CL	Qualifiers
2-Hexanone	102.4	97.73	95	99.40	97	70-136	59-147	2	0-30	
Isopropanol	61.45	52.83	86	54.62	89	57-135	44-148	3	0-30	
Methyl-t-Butyl Ether (MTBE)	90.13	80.26	89	81.93	91	68-130	58-140	2	0-30	
Methylene Chloride	86.84	84.55	97	86.65	100	69-130	59-140	2	0-30	
4-Methyl-2-Pentanone	102.4	98.38	96	101.1	99	70-130	60-140	3	0-30	
Styrene	106.5	102.7	96	104.5	98	65-131	54-142	2	0-30	
1,1,2,2-Tetrachloroethane	171.6	165.4	96	169.0	98	63-130	52-141	2	0-30	
Tetrachloroethene	169.6	171.0	101	171.8	101	70-130	60-140	0	0-30	
Toluene	94.21	85.16	90	86.63	92	70-130	60-140	2	0-30	
1,1,1-Trichloroethane	136.4	132.6	97	135.3	99	70-130	60-140	2	0-30	
1,1,2-Trichloroethane	136.4	136.3	100	139.3	102	70-130	60-140	2	0-30	
Trichloroethene	134.3	132.0	98	135.2	101	70-130	60-140	2	0-30	
Trichlorofluoromethane	140.5	152.2	108	156.7	112	63-141	50-154	3	0-30	
1,1,2-Trichloro-1,2,2-Trifluoroethane	191.6	186.9	98	189.8	99	70-136	59-147	2	0-30	
1,2,4-Trimethylbenzene	122.9	119.9	98	122.3	99	60-132	48-144	2	0-30	
1,3,5-Trimethylbenzene	122.9	117.4	96	119.6	97	62-130	51-141	2	0-30	
Vinyl Acetate	88.03	73.33	83	75.50	86	58-130	46-142	3	0-30	
Vinyl Chloride	63.91	59.65	93	60.90	95	70-134	59-145	2	0-30	
o-Xylene	108.6	100.6	93	102.4	94	69-130	59-140	2	0-30	
p/m-Xylene	217.1	204.7	94	208.7	96	70-132	60-142	2	0-30	

Total number of LCS compounds: 56

Total number of ME compounds: 0

Total number of ME compounds allowed: 3

LCS ME CL validation result: Pass

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits

Summa Canister Vacuum Summary

Work Order: 17-03-0359

Page 1 of 1

Sample Name	Vacuum Out	Vacuum In	Equipment	Description
SV-1	-29.50 in Hg	-3.00 in Hg	LC994	Summa Canister 1L
SV-2	-29.50 in Hg	-4.80 in Hg	LC903	Summa Canister 1L
SV-3	-29.50 in Hg	-1.80 in Hg	LC944	Summa Canister 1L
SV-4	-29.50 in Hg	-2.00 in Hg	LC188	Summa Canister 1L
SV-5	-29.50 in Hg	-2.00 in Hg	LC613	Summa Canister 1L
DUP-001	-29.50 in Hg	-17.60 in Hg	SLC113	Summa Canister 1L



Calscience

Sample Analysis Summary Report

Work Order: 17-03-0359

Page 1 of 1

<u>Method</u>	<u>Extraction</u>	<u>Chemist ID</u>	<u>Instrument</u>	<u>Analytical Location</u>
EPA TO-15	N/A	866	GC/MS II	2


Return to Contents

Location 2: 7445 Lampson Avenue, Garden Grove, CA 92841

Glossary of Terms and Qualifiers

Work Order: 17-03-0359

Page 1 of 1

<u>Qualifiers</u>	<u>Definition</u>
*	See applicable analysis comment.
<	Less than the indicated value.
>	Greater than the indicated value.
1	Surrogate compound recovery was out of control due to a required sample dilution. Therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to suspected matrix interference. The associated LCS recovery was in control.
4	The MS/MSD RPD was out of control due to suspected matrix interference.
5	The PDS/PDSD or PES/PESD associated with this batch of samples was out of control due to suspected matrix interference.
6	Surrogate recovery below the acceptance limit.
7	Surrogate recovery above the acceptance limit.
B	Analyte was present in the associated method blank.
BU	Sample analyzed after holding time expired.
BV	Sample received after holding time expired.
CI	See case narrative.
E	Concentration exceeds the calibration range.
ET	Sample was extracted past end of recommended max. holding time.
HD	The chromatographic pattern was inconsistent with the profile of the reference fuel standard.
HDH	The sample chromatographic pattern for TPH matches the chromatographic pattern of the specified standard but heavier hydrocarbons were also present (or detected).
HDL	The sample chromatographic pattern for TPH matches the chromatographic pattern of the specified standard but lighter hydrocarbons were also present (or detected).
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
JA	Analyte positively identified but quantitation is an estimate.
ME	LCS Recovery Percentage is within Marginal Exceedance (ME) Control Limit range (+/- 4 SD from the mean).
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
SG	The sample extract was subjected to Silica Gel treatment prior to analysis.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.
	Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are reported on a wet weight basis.
	Any parameter identified in 40CFR Part 136.3 Table II that is designated as "analyze immediately" with a holding time of <= 15 minutes (40CFR-136.3 Table II, footnote 4), is considered a "field" test and the reported results will be qualified as being received outside of the stated holding time unless received at the laboratory within 15 minutes of the collection time.
	A calculated total result (Example: Total Pesticides) is the summation of each component concentration and/or, if "J" flags are reported, estimated concentration. Component concentrations showing not detected (ND) are summed into the calculated total result as zero concentrations.

Virendra Patel

From: Kevin Almestad <Kevin.Almestad@erm.com>
Sent: Wednesday, March 08, 2017 3:21 PM
To: Virendra Patel; Giorgio Molinario
Cc: Erick Ovalle
Subject: RE: Sampling Equipment Order for Oakland Site

Virendra,

That makes sense. The field point ID will be SV-2 for the duplicate (Dup-001).

We haven't uploaded the field ID points yet (that will be done in the next day or so), but they will follow that nomenclature.

All the best,

Kevin Almestad
Staff Scientist

ERM
114 Sansome Street, Suite 750 | San Francisco | CA 94104
T +1 628 221 7802 | **M** +1 925 330 9267
E Kevin.Almestad@erm.com | **W** www.erm.com



From: Virendra Patel [mailto:VirendraPatel@eurofinsUS.com]
Sent: Wednesday, March 08, 2017 3:13 PM
To: Kevin Almestad; Giorgio Molinario
Cc: Erick Ovalle
Subject: RE: Sampling Equipment Order for Oakland Site

Kevin,

Thanks, however, no attachment? We have the sample ID as Dup-001 (as listed on the COC), we can either use the same ID for the field point if that is what you have on GeoTracker or use the same field point as the primary sample.

You will have to let us know what you have entered for the field point name on GeoTracker. The field point for the duplicate should match what GeoTracker is expecting. Hope that makes sense?

Best Regards,

Virendra Patel
Project Manager

Eurofins Calscience, Inc.



Calscience

7440 Lincoln Way, Garden Grove, CA 92841-1427 • (714) 896-5494
 For courier service / sample drop off information, contact us26_sales@eurofinsus.com or call us.

AIR CHAIN-OF-CUSTODY RECORD

DATE: 3/3/17
 PAGE: 4 OF 1

WO NO. / LAB USE ONLY
17-03-0359

LABORATORY CLIENT: ERM

ADDRESS: 114 Sansome St. CITY: San Francisco STATE: CA ZIP: 94104

TEL: 628-221-7502 EMAIL: Kevin.Almestad@erm.com

TURNAROUND TIME (rush surcharges may apply to any TAT not "STANDARD")
 SAME DAY 24 HR 48 HR 72 HR 5 DAYS STANDARD

EDD: COELT EDF OTHER

SPECIAL INSTRUCTIONS:
 Provide EDF files;
 Global ID: T0600102106
 Log Code: ERMW

CLIENT PROJECT NAME (NO. / P.O. NO.):
1600 Groves Street Wash Rack P.O. NO.: 0307273
Loher & Coyte LLC

PROJECT CONTACT:
Giorgio Molnario

PROJECT ADDRESS:
2554 MLK Jr. Way STATE: CA ZIP: 94609
Oakland

SAMPLER(S) (PRINT):
Kevin Almestad
Tyler Callahan

LAB USE ONLY	SAMPLE ID	FIELD ID / POINT OF COLLECTION	MATRIX Indoor (I) Soil Vap. (SV) Ambient (A)	SAMPLING EQUIPMENT			START SAMPLING INFORMATION			STOP SAMPLING INFORMATION			REQUESTED ANALYSES
				Media ID	Canister Size 6L or 1L	Flow Controller ID	Date	Time (24 hr clock)	Canister Pressure (in Hg)	Date	Time (24 hr clock)	Canister Pressure (in Hg)	
1	SV-1		SV	LC994	1L	SGM236	3/3/17	1006	>30	3/3/17	1011	4	X VOCs T0-15
2	SV-2		SV	LC903	1L	SGM111	3/3/17	1117	>30	3/3/17	1146	6	X Z-PROPANOL
3	SV-3		SV	LC944	1L	SGM382	3/3/17	1036	>30	3/3/17	1043	4	
4	SV-4		SV	LC188	1L	SGM174	3/3/17	1050	>30	3/3/17	1056	4	
5	SV-5		SV	LC613	1L	SGM350	3/3/17	1104	>30	3/3/17	1110	4	
6	DUP-001		SV	1360	1L	SGM111	3/3/17	1117	>30	3/3/17	1146	19	↓

Revised COC received from Kevin Almestad (ERM) on 03/08/17 15:13pm.
 -Virendra (ECI)

Relinquished by: (Signature) _____ Date: _____

Relinquished by: (Signature) _____ Date: 3/4/17 Time: 1140

Relinquished by: (Signature) _____ Date: _____ Time: _____





Calscience

7440 Lincoln Way, Garden Grove, CA 92841-1427 • (714) 895-5494
For courier service / sample drop off information, contact us26_sales@eurofins.com or call us.

AIR CHAIN-OF-CUSTODY RECORD

WO NO. / LAB USE ONLY

17-03-0359

DATE: 3/3/17

PAGE: 4 OF 1

LABORATORY CLIENT: **ERM**

ADDRESS: 114 Sansome St, San Francisco, CA 94104

CITY: San Francisco STATE: CA ZIP: 94104

TEL: 415-774-7502 EMAIL: Kevin.Almestad@erm.com

TURNAROUND TIME (Rush surcharges may apply to any TAT not STANDARD) SAME DAY 24 HR 48 HR 72 HR 5 DAYS STANDARD

UNITS: COELT EDF OTHER

SPECIAL INSTRUCTIONS: Provide EDF files

CLIENT PROJECT NAME / NO.: Co Her & Coyle MLK

PROJECT CONTACT: Giorgio Molnario

P.O. NO.: 0307273

LAB CONTACT OR QUOTE NO.:

SAMPLER(S): (PRINT) Kevin Almestad
Tyler Callahan

CITY: Oakland STATE: CA ZIP: 94609

REQUESTED ANALYSES: VOCs T-15
2-PROPANOL

LAB USE ONLY	SAMPLE ID	FIELD ID / POINT OF COLLECTION	MATRIX		SAMPLING EQUIPMENT			START SAMPLING INFORMATION			STOP SAMPLING INFORMATION		
			Indoor (I)	Soil Vap. (SV)	Media ID	Canister Size 6L or 1L	Flow Controller ID	Date	Time (24 hr clock)	Canister Pressure (in Hg)	Date	Time (24 hr clock)	Canister Pressure (in Hg)
1	SV-1		SV	SV	LC994	SGM236	3/3/17	1006	>30	3/3/17	1011	4	
2	SV-2		SV	SV	LC903	SGM111	3/3/17	1117	>30	3/3/17	1146	6	
3	SV-3		SV	SV	LC944	SGM382	3/3/17	1036	>30	3/3/17	1043	4	
4	SV-4		SV	SV	LC188	SGM174	3/3/17	1050	>30	3/3/17	1056	4	
5	SV-5		SV	SV	LC613	SGM350	3/3/17	1104	730	3/3/17	1110	4	
6	SUP-001		SV	SV	1360	SGM111	3/3/17	1117	>30	3/3/17	1146	19	

Relinquished by: (Signature)

Relinquished by: (Signature)

Relinquished by: (Signature)

Received by: (Signature/Affiliation)

Received by: (Signature/Affiliation)

Received by: (Signature/Affiliation)

Date: 3/4/17 Time: 1140

SAMPLE RECEIPT CHECKLIST

COOLER 0 OF 0

CLIENT: ERM

DATE: 03/04/2017

TEMPERATURE: (Criteria: 0.0°C – 6.0°C, not frozen except sediment/tissue)

Thermometer ID: SC3B (CF: 0.0°C); Temperature (w/o CF): _____ °C (w/ CF): _____ °C; Blank Sample

Sample(s) outside temperature criteria (PM/APM contacted by: _____)

Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling

Sample(s) received at ambient temperature; placed on ice for transport by courier

Ambient Temperature: Air Filter

Checked by: SR

CUSTODY SEAL:

Cooler Present and Intact Present but Not Intact Not Present N/A

Checked by: SR

Sample(s) Present and Intact Present but Not Intact Not Present N/A

Checked by: TR

SAMPLE CONDITION:

Chain-of-Custody (COC) document(s) received with samples Yes No N/A

COC document(s) received complete Yes No N/A

Sampling date Sampling time Matrix Number of containers

No analysis requested Not relinquished No relinquished date No relinquished time

Sampler's name indicated on COC Yes No N/A

Sample container label(s) consistent with COC Yes No N/A

Sample container(s) intact and in good condition Yes No N/A

Proper containers for analyses requested Yes No N/A

Sufficient volume/mass for analyses requested Yes No N/A

Samples received within holding time Yes No N/A

Aqueous samples for certain analyses received within 15-minute holding time

pH Residual Chlorine Dissolved Sulfide Dissolved Oxygen Yes No N/A

Proper preservation chemical(s) noted on COC and/or sample container Yes No N/A

Unpreserved aqueous sample(s) received for certain analyses

Volatile Organics Total Metals Dissolved Metals

Container(s) for certain analysis free of headspace Yes No N/A

Volatile Organics Dissolved Gases (RSK-175) Dissolved Oxygen (SM 4500)

Carbon Dioxide (SM 4500) Ferrous Iron (SM 3500) Hydrogen Sulfide (Hach)

Tedlar™ bag(s) free of condensation Yes No N/A

CONTAINER TYPE:

(Trip Blank Lot Number: _____)

Aqueous: VOA VOAh VOAna₂ 100PJ 100PJna₂ 125AGB 125AGBh 125AGBp 125PB

125PBz_{na} 250AGB 250CGB 250CGBs 250PB 250PBn 500AGB 500AGJ 500AGJs

500PB 1AGB 1AGBna₂ 1AGBs 1PB 1PBna _____ _____ _____ _____

Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve (_____) EnCores® (_____) TerraCores® (_____) _____

Air: Tedlar™ Canister Sorbent Tube PUF _____ Other Matrix (____): _____ _____

Container: A = Amber, B = Bottle, C = Clear, E = Envelope, G = Glass, J = Jar, P = Plastic, and Z = Ziploc/Resealable Bag

Preservative: b = buffered, f = filtered, h = HCl, n = HNO₃, na = NaOH, na₂ = Na₂S₂O₃, p = H₃PO₄, Labeled/Checked by: TR

s = H₂SO₄, u = ultra-pure, x = Na₂SO₃+NaHSO₄.H₂O, z_{na} = Zn (CH₃CO₂)₂ + NaOH

Reviewed by: SR

Appendix C
Waste Disposal Records

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator ID Number
NOT REQUIRED

2. Page 1 of
1

3. Emergency Response Phone
888-423-6060

4. Waste Tracking Number
7010648

5. Generator's Name and Mailing Address
**Cotter & Coyle
2847 Arguello Drive, Burlingame CA 94010**
Generator's Phone: **4152155805**

Generator's Site Address (if different than mailing address)
**3884 Martin Luther King Jr. Way
Oakland, CA 94607**

6. Transporter 1 Company Name
American Integrated Services, Inc.

U.S. EPA ID Number
CAR000148338

7. Transporter 2 Company Name

U.S. EPA ID Number

8. Designated Facility Name and Site Address

**Potrero Hills Landfill
3675 Potrero Hills Lane**

Facility's Phone: **Suisun, CA 94585**

U.S. EPA ID Number

9. Waste Shipping Name and Description

10. Containers

11. Total Quantity

12. Unit Wt./Vol.

No.

Type

1. **Non-Hazardous Waste Solid (Soil)**

01

DM

500

P

2.

3.

4.

13. Special Handling Instructions and Additional Information

Wear protective equipment while handling. Weights or volumes are approximate. 24 hour emergency number (888) 423-6060

Profile#: **PHLF15339**
Project #: **77006-5-8**

1x55

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offorer's Printed/Typed Name
NEIL COTTER

Signature
Neil Cotter

Month Day Year
4 7 201

15. International Shipments Import to U.S. Export from U.S.

Transporter Signature (for exports only):

Port of entry/exit:

Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name

Signature

Month Day Year

MARCO MARTINEZ

Marco Martinez

4 24 17

Transporter 2 Printed/Typed Name

Signature

Month Day Year

17. Discrepancy

17a. Discrepancy Indication Space Quantity Type Residue Partial Rejection Full Rejection

Manifest Reference Number:

17b. Alternate Facility (or Generator)

U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator)

Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name

Signature

Month Day Year

GENERATOR

INT'L

TRANSPORTER

DESIGNATED FACILITY

NON-HAZARDOUS WASTE MANIFEST

1. Generator ID Number **NOT REQUIRED**

2. Page 1 of 1

3. Emergency Response Phone
888-423-6060

4. Waste Tracking Number **7010671**

5. Generator's Name and Mailing Address
Cotter & Coyle
2847 Arguello Drive, Burlingame CA 94010

Generator's Site Address (if different than mailing address)
3884 Martin Luther King Jr. Way
Oakland, CA 94607

Generator's Phone: **4152155805**

6. Transporter 1 Company Name
American Integrated Services, Inc.

U.S. EPA ID Number
CAR000148338

7. Transporter 2 Company Name

U.S. EPA ID Number

8. Designated Facility Name and Site Address
Crosby & Overton, Inc.
1630 W. 16th Street

U.S. EPA ID Number
CAD028409019

Facility's Phone: **Long Beach, CA. 90813 562-432-5445**

9. Waste Shipping Name and Description	10. Containers		11. Total Quantity	12. Unit Wt./Vol.
	No.	Type		
1. Non-Hazardous Waste Liquid (Groundwater)	01	DM	SS	G
2.				
3.				
4.				

13. Special Handling Instructions and Additional Information
Wear protective equipment while handling. Weights or volumes are approximate. 24 hour emergency number (888) 423-6060.

Profile#: 27578
Project #: 77006-5-8
LXSS

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offoror's Printed/Typed Name: **NEIL COTTER**
Signature: *Neil Cotter*
Month: **4** Day: **7** Year: **2017**

15. International Shipments Import to U.S. Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____

16. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: **MARCO MARTINEZ** Signature: *Marco Martinez* Month: **4** Day: **24** Year: **17**
Transporter 2 Printed/Typed Name: _____ Signature: _____ Month: _____ Day: _____ Year: _____

17. Discrepancy
17a. Discrepancy Indication Space Quantity Type Residue Partial Rejection Full Rejection

17b. Alternate Facility (or Generator) Manifest Reference Number: _____ U.S. EPA ID Number: _____

Facility's Phone: _____
17c. Signature of Alternate Facility (or Generator) _____ Month: _____ Day: _____ Year: _____

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a
Printed/Typed Name: _____ Signature: _____ Month: _____ Day: _____ Year: _____

GENERATOR

INT'L

TRANSPORTER

DESIGNATED FACILITY