



Chevron

ENVIRONMENTAL
PROTECTION
97 JUL 14 AM 8:54

January 9, 1997

Ms. Jennifer Eberle
Alameda County Health Care Services
Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Chevron Products Company
6001 Bollinger Canyon Road
Building L
San Ramon, CA 94583
P.O. Box 6004
San Ramon, CA 94583-0904

Marketing - Sales West
Phone 510 842-9500

Re: **Former Chevron Service Station # 9-4587**
609 Oak Street
Oakland, California

Dear Ms. Eberle:


Enclosed is a copy of the Third Quarter Groundwater Monitoring Report for 1996, prepared by our consultant Blaine Tech Services, Inc. for the above noted site. Ground water samples were collected and analyzed for TPH-g, BTEX and MTBE constituents.

According to Terra Vac's Management Plan, monitoring wells C-1, C-2, CR-1 and C-5 will continued to be sampled quarterly until the end of 1997, after which monitoring will be reduced to an annual event for two more years. Monitoring wells C-3, C-4, C-6 and C-7 will be sampled annually (as per your concurrence) and for the next three years (per the Management Plan). If at the end of that time, petroleum hydrocarbons show a decreasing pattern, a request will be made to abandon the wells and close the site.

This Groundwater Monitoring Report covers the period that the sparging system was in operation. The consultant was able to sample monitoring wells C-1 and C-2 this quarter, as both wells were purged of silt buildup that prevented sampling from the previous report. The concentration of benzene decreased to 1.1 ppb in CR-1, and the concentration of benzene in C-1 was 0.85ppb. Monitoring wells C-2 and C-5 were non detect for benzene. Depth to ground water varied from 8.40 feet to 9.52 feet below grade with a direction of flow to the Southeast.

From the results of this sampling, it appears that the DVE system has been effective in removing significant levels of petroleum hydrocarbons constituents from the site. The sparging system appears to be positively effecting the remediation of the site and these results should be taken in account on the request from Terra Vac/ Chevron , to receive a No Further Action for remediation at this site. Chevron will continue to monitor the site in accordance to the schedule outlined above. If you have any questions or comments, call me at (510) 842-9136.

Sincerely,
CHEVRON PRODUCTS COMPANY


Philip R. Briggs
Site Assessment and Remediation Project Manager

Enclosure

Ms. Jennifer Eberle
January 9, 1997
Former Chevron Service Station # 9-4587
Page 2

cc. Ms. Bette Owen, Chevron

Mr. J. N. Robbins, Chevron

Ms. Beth D. Castleberry
Gray, Cary, ware & Freidenrich
400 Hamilton Avenue
Palo Alto, CA 94301-1825

October 22, 1996

Phil Briggs
Chevron U.S.A. Products Company
P.O. Box 5004
San Ramon, CA 94583-0804

3rd Quarter 1996 Monitoring at 9-4587

Third Quarter 1996 Groundwater Monitoring at
Chevron Service Station Number 9-4587
609 Oak Street
Oakland, CA

Monitoring Performed on September 13, 1996

Groundwater Sampling Report 960913-D-2

This report covers the routine quarterly monitoring of groundwater wells at this Chevron facility. Blaine Tech Services, Inc.'s work at the site includes inspection, gauging, evacuation, purgewater containment, sample collection and sample handling in accordance with standard procedures that conform to Regional Water Quality Control Board requirements.

Routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated volume of a three-case volume purge, elapsed evacuation time, total volume of water removed, and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater is, likewise, collected and transported to McKittrick Waste Treatment Site for disposal.


Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL DATA AND ANALYTICAL RESULTS**. The full analytical report for the most recent samples is located in the **Analytical Appendix**. The table also contains new groundwater elevation calculations taken from the computer plotted gradient map which is located in the **Professional Engineering Appendix**.

At a minimum, Blaine Tech Services, Inc. field personnel are certified upon completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.

Please call if you have any questions.

Yours truly,



James Keller
Vice President

JPK/cg

attachments: Professional Engineering Appendix
Cumulative Table of Well Data and Analytical Results
Analytical Appendix
Field Data Sheets

Professional Engineering Appendix




Table of Well Data and Analytical Results

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.				Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)						
DATE	Well	Ground	Depth	Total				TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	
	Head Elev.	Water Elev.	To Water	SPH Thickness	SPH Removed	SPH Removed	Notes							
C-A														
12/06/89	--	--	--	--	--	--	--	44,000	20,000	66	1600	2220	--	
10/30/90	--	--	11.20	--	--	--	Sheen	31,000	23,000	110	1100	160	--	
10/30/90	--	--	11.20	--	--	--	Sheen	30,000	23,000	150	1000	180	--	
01/14/91	--	--	11.25	--	--	--	--	12,000	30,000	540	1400	560	--	
04/03/91	--	--	9.82	--	--	--	--	59,000	33,000	2400	2200	3100	--	
07/17/91	--	--	10.93	--	--	--	--	52,000	38,000	380	1300	500	--	
10/07/91	--	--	--	--	--	--	--	--	--	--	--	--	--	
06/25/92	--	--	--	--	--	--	--	--	--	--	--	--	--	
09/17/92	--	--	--	--	--	--	--	--	--	--	--	--	--	
12/16/92	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/18/93	--	--	--	--	--	--	--	--	--	--	--	--	--	
06/11/93	--	--	--	--	--	--	--	--	--	--	--	--	--	
09/08/93	--	--	--	--	--	--	--	--	--	--	--	--	--	
09/17/93	--	--	10.02	--	--	--	--	--	--	--	--	--	--	
12/23/93	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/07/94	--	--	--	--	--	--	--	--	--	--	--	--	--	
06/17/94	--	--	10.05	--	--	--	--	77,000	32,000	3600	3200	14,000	--	
09/12/94	--	--	11.75	--	--	--	--	270	170	1.0	13	24	--	
06/29/95	--	--	--	--	--	--	Destroyed	--	--	--	--	--	--	

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total				TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
	Head Elev.	Water Elev.	To Water	SPH Thickness	SPH Removed	SPH Removed	Notes						
C-B													
12/06/89	--	--	--	0.01	--	--	--	--	--	--	--	--	--
10/30/90	--	--	11.19	0.01	--	--	--	--	--	--	--	--	--
01/14/91	--	--	11.40	0.01	--	--	--	--	--	--	--	--	--
04/03/91	--	--	9.55	1.00	--	--	--	--	--	--	--	--	--
04/04/91	--	--	10.54	1.06	--	--	--	--	--	--	--	--	--
07/17/91	--	--	10.84	0.03	--	--	--	--	--	--	--	--	--
10/07/91	--	--	11.10	0.04	--	--	--	--	--	--	--	--	--
02/04/92	--	--	10.78	0.01	--	--	--	--	--	--	--	--	--
03/06/92	--	--	--	--	--	--	--	--	--	--	--	--	--
04/01/92	--	--	10.33	1.02	--	--	--	--	--	--	--	--	--
06/25/92	--	--	11.20	0.68	--	--	--	--	--	--	--	--	--
09/17/92	--	--	11.07	0.13	--	--	--	--	--	--	--	--	--
12/16/92	--	--	10.41	0.38	--	--	--	--	--	--	--	--	--
03/18/93	--	--	9.19	0.05	--	--	--	--	--	--	--	--	--
06/11/93	--	--	9.54	0.70	--	--	--	--	--	--	--	--	--
09/08/93	--	--	--	--	--	--	--	--	--	--	--	--	--
09/17/93	--	--	9.85	0.52	--	--	--	--	--	--	--	--	--
12/23/93	--	--	9.37	0.20	--	--	--	--	--	--	--	--	--
03/07/94	--	--	9.24	0.85	--	--	--	--	--	--	--	--	--
06/17/94	--	--	9.38	0.02	--	--	--	--	--	--	--	--	--
09/12/94	--	--	11.13	0.49	--	--	--	--	--	--	--	--	--
06/29/95	--	--	--	--	--	--	Destroyed	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total			Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
	Head Elev.	Water Elev.	To Water	SPH Thickness	SPH Removed	SPH Removed							
C-C													
12/06/89	--	--	--	0.15	--	--	--	--	--	--	--	--	--
10/30/90	--	--	10.84	0.03	--	--	--	--	--	--	--	--	--
01/14/91	--	--	11.01	0.11	--	--	--	--	--	--	--	--	--
04/03/91	--	--	9.19	0.02	--	--	--	--	--	--	--	--	--
07/17/91	--	--	10.53	0.03	--	--	--	--	--	--	--	--	--
10/07/91	--	--	10.98	0.08	--	--	--	--	--	--	--	--	--
02/04/92	--	--	10.45	0.09	--	--	--	--	--	--	--	--	--
03/06/92	--	--	8.83	0.09	--	--	--	--	--	--	--	--	--
04/01/92	--	--	9.23	0.16	--	--	--	--	--	--	--	--	--
06/25/92	--	--	10.40	0.12	--	--	--	--	--	--	--	--	--
09/17/92	--	--	10.84	0.12	--	--	--	--	--	--	--	--	--
12/16/92	--	--	10.02	0.12	--	--	--	--	--	--	--	--	--
03/18/93	--	--	8.70	0.15	--	--	--	--	--	--	--	--	--
06/11/93	--	--	9.25	0.13	--	--	--	--	--	--	--	--	--
09/08/93	--	--	--	--	--	--	--	--	--	--	--	--	--
09/17/93	--	--	9.83	--	--	--	Sheen	--	--	--	--	--	--
12/23/93	--	--	9.66	0.07	--	--	--	--	--	--	--	--	--
03/07/94	--	--	8.93	0.28	--	--	--	--	--	--	--	--	--
06/17/94	--	--	10.13	0.03	--	--	--	--	--	--	--	--	--
09/12/94	--	--	11.20	0.13	--	--	--	--	--	--	--	--	--
06/29/95	--	--	--	--	--	--	Destroyed	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.				Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)					
DATE	Well	Ground	Depth	Total				TPH-Gasoline	Benzene	Toluene	Ethyl-Benzeno	Xylene	MTBE
	Head	Water	To Water	SPH	SPH	Thickness Removed	SPH Removed						
C-1													
12/06/89	16.07	--	--	0.20	--	--	--	--	--	--	--	--	--
10/30/90	16.07	5.30	10.79	0.02	--	--	--	--	--	--	--	--	--
01/14/91	16.07	4.70	11.39	0.02	--	--	--	--	--	--	--	--	--
04/03/91	16.07	6.66	9.43	0.02	--	--	--	--	--	--	--	--	--
07/17/91	16.07	5.64	10.46	0.04	--	--	--	--	--	--	--	--	--
10/07/91	16.07	5.36	10.74	0.04	--	--	--	--	--	--	--	--	--
02/04/92	16.07	5.71	10.37	0.01	--	--	--	--	--	--	--	--	--
03/06/92	16.07	6.87	9.20	--	--	--	--	--	--	--	--	--	--
04/01/92	16.07	6.79	9.28	--	--	--	--	--	--	--	--	--	--
06/25/92	16.07	6.10	9.98	0.01	--	--	--	100,000	8800	7000	2800	19,000	--
09/17/92	16.07	5.56	10.51	--	--	--	Sheen	--	--	--	--	--	--
12/16/92	16.07	6.26	9.81	--	--	--	Sheen	--	--	--	--	--	--
03/18/93	16.07	7.19	8.88	--	--	--	Sheen	--	--	--	--	--	--
06/11/93	16.07	6.78	9.31	0.02	--	--	--	--	--	--	--	--	--
09/08/93	16.07	--	--	--	--	--	--	--	--	--	--	--	--
09/17/93	16.07	6.37	9.72	0.02	--	--	--	--	--	--	--	--	--
12/23/93	16.07	6.58	9.49	--	--	--	--	41,000	5400	590	710	5600	--
03/07/94	16.07	7.32	8.96	0.26	--	--	--	--	--	--	--	--	--
06/17/94	16.07	6.39	9.70	0.02	--	--	--	--	--	--	--	--	--
09/12/94	16.07	3.66	12.42	0.01	--	--	--	--	--	--	--	--	--
06/29/95	16.07	7.29	8.78	--	--	--	--	220,000	11,000	3600	3500	19,000	--
09/13/95	16.07	6.54	9.56	0.04	0.21	0.21	--	--	--	--	--	--	--
12/19/95	16.07	6.76	9.31	0.00	0.00	0.21	--	14,000	180	81	240	2200	440
03/26/96	16.07	7.14	8.93	0.00	0.00	0.21	--	790	22	5.3	21	96	<12
06/10/96	16.07	7.84	8.23	0.00	0.00	0.21	Insufficient water	--	--	--	--	--	--
09/13/96	16.07	6.55	9.52	0.00	0.00	0.21	--	110	0.85	<0.5	0.95	1.9	3.6

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

DATE	Well	Ground	Depth	Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)							
				Head Elev.	Water Elev.	To Water	SPH Thickness Removed	Total SPH Removed	Notes	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylene	MTBE
C-2															
12/06/89	16.84	--	--	--	--	--	--	--		16,000	250	1200	550	1400	--
10/30/90	16.84	5.68	11.16	--	--	--	--	--		28,000	3700	1900	1200	4300	--
01/14/91	16.84	5.73	11.11	--	--	--	--	--		24,000	3300	1200	1100	4100	--
01/14/91	16.84	5.73	11.11	--	--	--	--	--		30,000	3900	1500	1500	5000	--
04/03/91	16.84	7.31	9.53	--	--	--	--	--		12,000	1100	840	650	1800	--
04/03/91	16.84	7.31	9.53	--	--	--	--	--		14,000	1100	990	680	1800	--
07/17/91	16.84	6.16	10.68	--	--	--	--	--		13,000	1700	560	650	1700	--
07/17/91	16.84	6.16	10.68	--	--	--	--	--		14,000	1700	640	720	1900	--
10/07/91	16.84	5.82	11.02	--	--	--	--	--		25,000	3700	1300	1400	3800	--
02/04/92	16.84	6.24	10.60	--	--	--	--	--		16,000	2600	300	880	1900	--
04/01/92	16.84	7.54	9.30	--	--	--	--	--		15,000	1900	300	700	1500	--
06/25/92	16.84	6.39	10.45	--	--	--	--	--		23,000	3400	740	1300	3400	--
09/17/92	16.84	6.06	10.78	--	--	--	--	--		18,000	3500	550	1400	3900	--
12/16/92	16.84	6.90	9.94	--	--	--	--	--		12,000	1200	120	460	1100	--
03/18/93	16.84	8.04	8.80	--	--	--	--	--		5200	990	130	290	430	--
06/11/93	16.84	7.41	9.43	--	--	--	--	--		34,000	8200	910	2400	6600	--
09/08/93	16.84	--	--	--	--	--	--	--		3400	690	26	190	330	--
09/17/93	16.84	6.93	9.91	--	--	--	--	--		--	--	--	--	--	--
12/23/93	16.84	7.15	9.69	--	--	--	--	--		2500	830	26	130	260	--
03/07/94	16.84	7.87	8.97	--	--	--	--	--		1100	420	6.5	110	69	--
06/17/94	16.84	6.98	9.86	--	--	--	--	--		1400	290	8.6	60	63	--
09/12/94	16.84	5.74	11.10	--	--	--	--	--		370	96	1.3	9.4	16	--
06/29/95	16.84	7.84	9.00	--	--	--	--	--		4100	400	96	250	500	--
09/13/95	16.84	7.10	9.74	--	--	--	--	--		3500	200	50	57	290	--
12/19/95	16.84	7.74	9.10	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/26/96	16.84	9.46	7.38	--	--	--	--	Insufficient water		--	--	--	--	--	--
06/10/96	16.84	9.00	7.84	--	--	--	--	Insufficient water		--	--	--	--	--	--
09/13/96	16.84	8.44	8.40	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	<2.5

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total				TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
	Head Elev.	Water Elev.	To Water	SPH Thickness	SPH Removed	SPH Removed	Notes						
C-3													
12/06/89	16.48	--	--	--	--	--	--	<500	<0.5	<0.5	<0.5	0.74	--
10/30/90	16.48	6.04	10.44	--	--	--	--	410	4.0	4.0	2.0	9.0	--
01/14/91	16.48	6.14	10.34	--	--	--	--	80	<0.5	<0.5	<0.5	1.0	--
04/03/91	16.48	7.47	9.01	--	--	--	--	53	<0.5	<0.5	<0.5	2.0	--
07/17/91	16.48	6.48	10.00	--	--	--	--	<50	5.9	<0.5	<0.5	<0.5	--
10/07/91	16.48	6.10	10.38	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
02/04/92	16.48	6.48	10.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/01/92	16.48	7.65	8.83	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/25/92	16.48	6.63	9.85	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/17/92	16.48	6.28	10.20	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/16/92	16.48	7.08	9.40	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/18/93	16.48	8.36	8.12	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
06/11/93	16.48	7.89	8.59	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/08/93	16.48	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/17/93	16.48	7.48	9.00	--	--	--	--	--	--	--	--	--	--
12/23/93	16.48	7.65	8.83	--	--	--	--	<50	<0.5	0.8	<0.5	2.9	--
03/07/94	16.48	8.29	8.19	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/17/94	16.48	7.43	9.05	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/12/94	16.48	--	--	--	--	--	Inaccessible	--	--	--	--	--	--
06/29/95	16.48	8.18	8.30	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/13/95	16.48	7.64	8.84	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/19/95	16.48	8.02	8.46	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/26/96	16.48	9.01	7.47	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/10/96	16.48	8.23	8.25	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/13/96	16.48	7.46	9.02	--	--	--	Sampled annually	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total			Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzeno	Xylene	MTBE
	Head Elev.	Water Elev.	To Water	SPH Thickness	SPH Removed	SPH Removed							
C-4													
12/06/89	16.53	--	--	--	--	--	--	--	--	--	--	--	--
10/30/90	16.53	4.97	11.56	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/14/91	16.53	5.09	11.44	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/03/91	16.53	6.53	10.00	--	--	--	--	150	3.0	<0.5	12	9.0	--
07/17/91	16.53	5.37	11.16	--	--	--	--	290	2.3	0.4	52	0.4	--
10/07/91	16.53	5.14	11.39	--	--	--	--	<50	<0.5	<0.5	4.6	<0.5	--
02/04/92	16.53	5.51	11.02	--	--	--	--	<50	<0.5	<0.5	2.8	<0.5	--
02/04/92	16.53	5.51	11.02	--	--	--	--	<50	<0.5	<0.5	2.5	0.5	--
04/01/92	16.53	6.70	9.83	--	--	--	--	480	4.9	<0.5	64	4.3	--
06/25/92	16.53	5.65	10.88	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/17/92	16.53	5.29	11.24	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/16/92	16.53	6.13	10.40	--	--	--	--	56	<0.5	<0.5	1.0	<0.5	--
03/18/93	16.53	7.05	9.48	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
06/11/93	16.53	6.92	9.61	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
09/08/93	16.53	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
09/17/93	16.53	6.46	10.07	--	--	--	--	--	--	--	--	--	--
12/23/93	16.53	6.70	9.83	--	--	--	--	<50	1.2	1.5	<0.5	3.2	--
03/07/94	16.53	7.33	9.20	--	--	--	--	60	0.7	1.1	6.7	1.8	--
06/17/94	16.53	6.56	9.97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/12/94	16.53	5.32	11.21	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/29/95	16.53	7.18	9.35	--	--	--	--	<50	<0.5	<0.5	1.4	<0.5	--
09/13/95	16.53	6.60	9.93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/19/95	16.53	6.98	9.55	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/26/96	16.53	7.99	8.54	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/10/96	16.53	7.23	9.30	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	4.1
09/13/96	16.53	6.71	9.82	--	--	--	Sampled annually	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total			Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
	Head	Water	To Water	SPH	SPH Thickness	SPH Removed							
C-5													
12/06/89	14.70	4.73	9.97	--	--	--	--	--	--	--	--	--	--
10/30/90	14.70	--	--	--	--	--	--	<50	0.8	<0.5	<0.5	0.5	--
01/14/91	14.70	4.83	9.87	--	--	--	--	54	<0.5	<0.5	<0.5	<0.5	--
04/03/91	14.70	5.98	8.72	--	--	--	--	1800	330	200	52	170	--
07/17/91	14.70	5.07	9.63	--	--	--	--	170	120	5.3	12	20	--
10/07/91	14.70	4.87	9.83	--	--	--	--	<50	1.1	<0.5	<0.5	<0.5	--
02/04/92	14.70	5.17	9.53	--	--	--	--	91	16	<0.5	2.4	2.0	--
04/01/92	14.70	6.13	8.57	--	--	--	--	960	200	5.4	21	33	--
06/25/92	14.70	5.26	9.44	--	--	--	--	800	2.5	<0.5	1.3	7.3	--
09/17/92	14.70	4.98	9.72	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/16/92	14.70	5.63	9.07	--	--	--	--	81	5.4	1.2	1.5	4.3	--
03/18/93	14.70	6.26	8.44	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
06/11/93	14.70	6.17	8.53	--	--	--	--	<50	1.6	<0.5	<0.5	<1.5	--
09/08/93	14.70	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
09/17/93	14.70	5.81	8.89	--	--	--	--	--	--	--	--	--	--
12/23/93	14.70	6.02	8.68	--	--	--	--	<50	5.5	1.3	0.7	4.0	--
03/07/94	14.70	6.52	8.18	--	--	--	--	460	180	21	27	70	--
06/17/94	14.70	5.89	8.81	--	--	--	--	<50	10	0.5	1.4	3.3	--
09/12/94	14.70	4.83	9.87	--	--	--	--	<50	6.4	<0.5	<0.5	<0.5	--
06/29/95	14.70	6.33	8.37	--	--	--	--	65	10	<0.5	2.3	9.1	--
09/13/95	14.70	5.90	8.80	--	--	--	--	370	41	0.76	17	50	--
12/19/95	14.70	6.22	8.48	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/26/96	14.70	6.97	7.73	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/10/96	14.70	6.40	8.30	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	3.9
09/13/96	14.70	5.95	8.75	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total				TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
	Head Elev.	Water Elev.	To Water	SPH Thickness	SPH Removed	SPH Removed	Notes						
C-6													
12/06/89	13.87	--	--	--	--	--	--	--	--	--	--	--	--
10/30/90	13.87	4.44	9.43	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/14/91	13.87	4.46	9.41	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	--
04/03/91	13.87	5.21	8.66	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	--
07/17/91	13.87	4.62	9.25	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	--
10/07/91	13.87	4.53	9.34	--	--	--	--	67	<0.5	0.6	<0.5	0.6	--
02/04/92	13.87	4.71	9.16	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/01/92	13.87	5.28	8.59	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/25/92	13.87	4.76	9.11	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/17/92	13.87	4.59	9.28	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/16/92	13.87	4.99	8.88	--	--	--	--	120	9.3	1.9	2.7	7.4	--
03/18/93	13.87	5.52	8.35	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
06/11/93	13.87	5.66	8.21	--	--	--	--	<50	<0.5	0.7	<0.5	<1.5	--
09/08/93	13.87	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
09/17/93	13.87	5.50	8.37	--	--	--	--	--	--	--	--	--	--
12/23/93	13.87	5.58	8.29	--	--	--	--	<50	1.4	1.0	<0.5	3.5	--
03/07/94	13.87	5.87	8.00	--	--	--	--	<50	0.8	<0.5	<0.5	<0.5	--
06/17/94	13.87	5.46	8.41	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/12/94	13.87	4.99	8.88	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/29/95	13.87	5.79	8.08	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/13/95	13.87	5.56	8.31	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/19/95	13.87	5.75	8.12	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/26/96	13.87	6.19	7.68	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/10/96	13.87	5.69	8.18	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/13/96	13.87	5.01	8.86	--	--	--	Sampled annually	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total				TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
	Head Elev.	Water Elev.	To Water	SPH Thickness	SPH Removed	SPH Removed	Notes						
C-7													
02/07/91	15.78	5.90	9.88	--	--	--	--	<50	<0.5	0.8	<0.5	<0.5	--
04/03/91	15.78	6.74	9.04	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/17/91	15.78	5.92	9.86	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/07/91	15.78	5.68	10.10	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
02/04/92	15.78	6.04	9.74	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/01/92	15.78	6.82	8.96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/25/92	15.78	6.16	9.62	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/17/92	15.78	6.03	9.75	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/16/92	15.78	6.37	9.41	--	--	--	--	--	--	--	--	--	--
03/18/93	15.78	7.33	8.45	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
06/11/93	15.78	7.07	8.71	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
09/08/93	15.78	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
09/17/93	15.78	6.73	9.05	--	--	--	--	--	--	--	--	--	--
12/23/93	15.78	6.93	8.85	--	--	--	--	<50	1.9	1.4	<0.5	3.6	--
03/07/94	15.78	7.35	8.43	--	--	--	--	<50	2.4	1.3	<0.5	0.6	--
06/17/94	15.78	6.71	9.07	--	--	--	--	<50	<0.5	<0.5	<0.5	1.2	--
09/12/94	15.78	5.98	9.80	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/29/95	15.78	7.14	8.64	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/13/95	15.78	6.86	8.92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/19/95	15.78	7.06	8.72	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/26/96	15.78	7.86	7.92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/10/96	15.78	7.26	8.52	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/13/96	15.78	6.66	9.12	--	--	--	Sampled annually	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total				TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
	Head Elev.	Water Elev.	To Water	SPH Thickness	SPH Removed	SPH Removed	Notes						
CR-1													
10/30/90	--	--	10.51	--	--	--	--	9600	7100	65	610	190	--
01/14/91	--	--	10.29	--	--	--	--	1500	3200	52	190	77	--
07/17/91	--	--	10.19	--	--	--	--	15,000	9300	220	680	530	--
10/07/91	--	--	10.46	--	--	--	--	17,000	7600	50	440	68	--
10/07/91	--	--	10.46	--	--	--	--	14,000	9400	52	430	110	--
02/04/92	--	--	10.12	--	--	--	--	19,000	6100	32	350	100	--
04/01/92	--	--	9.24	--	--	--	--	29,000	5300	820	380	1200	--
06/25/92	--	--	10.03	--	--	--	--	12,000	3300	280	210	460	--
09/17/92	--	--	10.30	--	--	--	--	--	--	--	--	--	--
12/16/92	--	--	9.59	--	--	--	Sheen	--	--	--	--	--	--
03/18/93	--	--	8.82	0.05	--	--	--	--	--	--	--	--	--
06/11/93	--	--	9.58	0.87	--	--	--	--	--	--	--	--	--
09/08/93	--	--	--	--	--	--	--	--	--	--	--	--	--
09/17/93	--	--	--	--	--	--	--	--	--	--	--	--	--
12/23/93	--	--	9.02	0.02	--	--	--	--	--	--	--	--	--
03/07/94	--	--	8.41	0.04	--	--	--	--	--	--	--	--	--
06/17/94	--	--	--	--	--	--	--	--	--	--	--	--	--
09/12/94	--	--	15.32	0.02	--	--	--	--	--	--	--	--	--
06/29/95	--	--	8.67	--	--	--	--	49,000	9400	310	2400	7200	--
09/13/95	--	--	9.93	0.03	0.13	0.13	--	--	--	--	--	--	--
12/19/95	--	--	8.75	0.00	0.00	0.13	--	19,000	880	48	1600	3100	4000
03/26/96	--	--	7.50	0.00	0.00	0.13	--	--	60	2.6	<0.5	0.86	6.3
06/10/96	--	--	8.15	0.00	0.00	0.13	--	1100	38	30	9.7	190	54
09/13/96	--	--	9.27	0.00	0.00	0.13	--	--	77	1.1	<0.5	<0.5	33

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.				Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)					
DATE	Well	Ground	Depth	Total			Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
	Head Elev.	Water Elev.	To Water	SPH Thickness	SPH Removed	SPH Removed							
TRIP BLANK													
10/30/90	--	--	--	--	--	--	--	--	--	--	--	--	--
01/14/91	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
02/07/91	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/03/91	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/17/91	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/07/91	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
02/04/92	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/01/92	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/25/92	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/17/92	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/16/92	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/18/93	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/11/93	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
09/08/93	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/17/93	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
12/23/93	--	--	--	--	--	--	--	--	--	--	--	--	--
03/07/94	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/17/94	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/12/94	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/29/95	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/13/95	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/19/95	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/26/96	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/10/96	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/13/96	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Note: Blaine Tech Services, Inc. began routine monitoring of the groundwater wells at this site on June 29, 1995.

Earlier field data and analytical results are drawn from the October 14, 1994 Groundwater Technology, Inc. report.

ABBREVIATIONS:

TPH = Total Petroleum Hydrocarbons

SPH = Separate Phase Hydrocarbons

MTBE = Methyl t-Butyl Ether

Analytical Appendix



**Sequoia
Analytical**

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Technical Services
985 Timothy Drive
San Jose, CA 95133

Attention: Jim Keller

Client Proj. ID: Chevron 9-4587/960913-D2
Sample Descript: C-1
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9609811-01

Sampled: 09/13/96
Received: 09/16/96
Analyzed: 09/25/96
Reported: 09/27/96

QC Batch Number: GC092596BTEX03A
Instrument ID: GCHP03

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	110
Methyl t-Butyl Ether	2.5	3.6
Benzene	0.50	0.85
Toluene	0.50	N.D.
Ethyl Benzene	0.50	0.95
Xylenes (Total)	0.50	1.9
Chromatogram Pattern:	Gas
Surrogates		Control Limits %
Trifluorotoluene	70	130
		% Recovery
		86

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager

Page: 1



Sequoia
Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Technical Services
985 Timothy Drive
San Jose, CA 95133
Attention: Jim Keller

Client Proj. ID: Chevron 9-4587/960913-D2
Sample Descript: C-2
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9609811-02

Sampled: 09/13/96
Received: 09/16/96
Analyzed: 09/24/96
Reported: 09/27/96

QC Batch Number: GC092496BTEX21A
Instrument ID: GCHP21

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates		
Trifluorotoluene	70 130	% Recovery 97

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager



**Sequoia
Analytical**

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Technical Services
985 Timothy Drive
San Jose, CA 95133

Attention: Jim Keller

Client Proj. ID: Chevron 9-4587/960913-D2
Sample Descript: C-5
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9609811-03

Sampled: 09/13/96
Received: 09/16/96
Analyzed: 09/24/96
Reported: 09/27/96

QC Batch Number: GC092496BTEX21A
Instrument ID: GCHP21

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates		
Trifluorotoluene	Control Limits % 70	% Recovery 130

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager

Page:

3





**Sequoia
Analytical**

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Technical Services
985 Timothy Drive
San Jose, CA 95133

Attention: Jim Keller

Client Proj. ID: Chevron 9-4587/960913-D2
Sample Descript: CR-1
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9609811-04

Sampled: 09/13/96
Received: 09/16/96
Analyzed: 09/25/96
Reported: 09/27/96


QC Batch Number: GC092596BTEX03A
Instrument ID: GCHP03

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	77
Methyl t-Butyl Ether	2.5	33
Benzene	0.50	1.1
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern: Weathered Gas	C6-C12
Surrogates	Control Limits %	
Trifluorotoluene	70	130
	% Recovery	
		94

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210



Peggy Penner
Project Manager



**Sequoia
Analytical**

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Technical Services
985 Timothy Drive
San Jose, CA 95133

Attention: Jim Keller

Client Proj. ID: Chevron 9-4587/960913-D2
Sample Descript: TB
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9609811-05

Sampled: 09/13/96
Received: 09/16/96
Analyzed: 09/24/96
Reported: 09/27/96

QC Batch Number: GC092496BTEX21A
Instrument ID: GCHP21

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates		
Trifluorotoluene	70 130	% Recovery 93

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager

Page:

5



**Sequoia
Analytical**

680 Chesapeake Drive Redwood City, CA 94063 (415) 364-9600 FAX (415) 364-9233
 404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673
 819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

Blalne Tech Services, Inc.
 985 Timothy Drive
 San Jose, CA 95133
 Attention: Jim Keller

Client Project ID: Chevron 9-4587 / 960913-D2
 Matrix: Liquid

Work Order #: 9609811 -01, 04

Reported: Oct 1, 1996

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes
QC Batch#:	GC092596BTEX03A	GC092596BTEX03A	GC092596BTEX03A	GC092596BTEX03A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030


Analyst:	R. Burton	R. Burton	R. Burton	R. Burton
MS/MSD #:	960996908	960996908	960996908	960996908
Sample Conc.:	N.D.	N.D.	N.D.	N.D.
Prepared Date:	9/25/96	9/25/96	9/25/96	9/25/96
Analyzed Date:	9/25/96	9/25/96	9/25/96	9/25/96
Instrument I.D. #:	GCHP3	GCHP3	GCHP3	GCHP3
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
Result:	9.7	8.0	7.5	23
MS % Recovery:	97	80	75	77
Dup. Result:	10	8.4	7.9	25
MSD % Recov.:	100	84	79	83
RPD:	3.0	4.9	5.2	8.3
RPD Limit:	0-25	0-25	0-25	0-25

LCS #:	BLK092596	BLK092596	BLK092596	BLK092596
Prepared Date:	9/25/96	9/25/96	9/25/96	9/25/96
Analyzed Date:	9/25/96	9/25/96	9/25/96	9/25/96
Instrument I.D. #:	GCHP3	GCHP3	GCHP3	GCHP3
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
LCS Result:	10	9.0	8.4	26
LCS % Recov.:	100	90	84	87

MS/MSD	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.


SEQUOIA ANALYTICAL

Peggy Penner
Project Manager

** MS = Matrix Spike, MSD = MS Duplicate, RPD = Relative % Difference

9609811.BLA <1>



**Sequoia
Analytical**

680 Chesapeake Drive 404 N. Wiget Lane 819 Striker Avenue, Suite 8	Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834	(415) 364-9600 (510) 988-9600 (916) 921-9600	FAX (415) 364-9233 FAX (510) 988-9673 FAX (916) 921-0100
--	--	--	--

Blaine Tech Services, Inc.
985 Timothy Drive
San Jose, CA 95133
Attention: Jim Keller

Client Project ID: Chevron 9-4587 / 960913-D2
Matrix: Liquid

Work Order #: 9609811-02-03

Reported: Oct 1, 1996

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes
QC Batch#:	GC092496BTEX21A	GC092496BTEX21A	GC092496BTEX21A	GC092496BTEX21A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	G. Fish	G. Fish	G. Fish	G. Fish
MS/MSD #:	960978414	960978414	960978414	960978414
Sample Conc.:	N.D.	N.D.	N.D.	N.D.
Prepared Date:	9/24/96	9/24/96	9/24/96	9/24/96
Analyzed Date:	9/24/96	9/24/96	9/24/96	9/24/96
Instrument I.D. #:	GCHP21	GCHP21	GCHP21	GCHP21
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
Result:	11	10	10	31
MS % Recovery:	110	100	100	103
Dup. Result:	11	11	11	32
MSD % Recov.:	110	110	110	107
RPD:	0.0	9.5	9.5	3.2
RPD Limit:	0.25	0.25	0.25	0.25

LCS #:	BLK092496	BLK092496	BLK092496	BLK092496
Prepared Date:	9/24/96	9/24/96	9/24/96	9/24/96
Analyzed Date:	9/24/96	9/24/96	9/24/96	9/24/96
Instrument I.D. #:	GCHP21	GCHP21	GCHP21	GCHP21
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
LCS Result:	11	9.7	10	31
LCS % Recov.:	110	97	100	103

MS/MSD	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130
Control Limits				

SEQUOIA ANALYTICAL
Peggy Penner
Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

Fax copy of Lab Report and COC to Chevron Contact: No

Chain-of-Custody-Record

Chevron U.S.A. Inc.
P.O. BOX 5004
San Ramon, CA 94583
FAX (415)842-9591

Chevron Facility Number 9-4587
Facility Address 609 Oak St., Oakland, CA
Consultant Project Number 960913-D2
Consultant Name Blaine Tech Services, Inc.
Address 985 Timothy Dr., San Jose, CA 95133
Project Contact (Name) Jim Keller
(Phone) 408 995-5535 (Fax Number) 408 293-8773

Chevron Contact (Name) Phil Briggs
(Phone) (510) 842-9136

Laboratory Name SBERGOLTA
Laboratory Release Number 2172490

Samples Collected by (Name) DIKE D
Collection Date 9-13-96

Signature M. Keller

DO NOT BILL
FOR TB-LB

Remarks

Sample Number	Lab Sample Number	Number of Containers	Matrix S = Soil W = Water	A = Air C = Charcoal	Type G = Grab C = Composite D = Discrete	Time	Sample Preservation	Iced (Yes or No)	Analyses To Be Performed							
									ETEX + TPH QCS (8020 + 8015)	TPH Diesel (8015)	Oil and Grease (8520)	Purgeable Volatiles (8010)	Purgeable Aromatics (8020)	Purgeable Organics (8240)	Extractable Organics (8270)	Metals Cd, Cr, Pb, Zn, Ni (ICP or AA)
C-1	1	3	W	D	1130	HCL	Y	X								
C-2	2	3			1105			X								
C-5	3	3			1030			X								
CR-1	4	3			1200			X								
TB	5	2	W	D				X								

Released By (Signature) 	Organization <u>BJS</u>	Date/Time <u>4-16-96</u> <u>0930</u>	Received By (Signature) 	Organization <u>Sbergolta</u>	Date/Time <u>9-16-96</u> <u>0930</u>	Turn Around Time (Circle Choice)
Released By (Signature) 	Organization	Date/Time	Received By (Signature) 	Organization	Date/Time	24 Hrs. 48 Hrs. 5 Days 10 Days As Contracted
By (Signature) 	Organization	Date/Time	Received For Laboratory By (Signature) 	Organization	Date/Time <u>9/16/96</u> <u>12:10</u>	

Field Data Sheets

WELL GAUGING DATA

Project # 960913-D2 Date 9-13-96 Client CHEV

Site 609 OAK ST., OAKLAND, C.A.

CHEVRON WELL MONITORING DATA SHEET

Project #:	860913-D2			Station #:	9-4587	
Sampler:	✓2D			Start Date:	9-13-96	
Well I.D.:	C-1			Well Diameter:	(circle one) 2 3 4 6	
Total Well Depth:				Depth to Water:		
Before	17.22	After		Before	9.52	After
Depth to Free Product:				Thickness of Free Product (feet):		
Measurements referenced to:	PVC		Grade	Other:		

Well Diameter	VCF	Well Diameter	VCF
1"	0.04	6"	1.47
2"	0.16	8"	2.61
3"	0.37	10"	4.08
4"	0.65	12"	5.87
5"	1.02	16"	10.43

2.8 X 3 = 8.5
 1 Case Volume Specified Volumes = gallons

Purging: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other _____

Sampling: Bailer
 Disposable Bailer
 Extraction Port
 Other _____

TIME	TEMP. (F)	pH	COND.	TURBIDITY:	VOLUME REMOVED:	OBSERVATIONS:
1120	69.4	7.6	500	—	3	SILTY
1122	69.0	7.4	450	—	6	
1124	69.0	7.4	400	—	8.5	

Did Well Dewater? If yes, gals. Gallons Actually Evacuated: 8.5

Sampling Time: 1130 Sampling Date: 9-13

Sample I.D.: C-1 Laboratory: SEQ

Analyzed for: TPH-G BTEX TPH-D OTHER: MTBE

Duplicate I.D.: Cleaning Blank I.D.:

Analyzed for: TPH-G BTEX TPH-D OTHER: ---

CHEVRON WELL MONITORING DATA SHEET

Project #:	960913-DZ	Station #:	9-4587
Sampler:	MD	Start Date:	9-13-86
Well I.D.:	C-2	Well Diameter: (circle one)	2 3 4 6
Total Well Depth:		Depth to Water:	
Before	15.85	After	8.40
Depth to Free Product:		Thickness of Free Product (feet):	
Measurements referenced to:	EVC	Grade	Other:

Well Diameter	VCF	Well Diameter	VCF
1"	0.04	6"	1.47
2"	0.16	8"	2.61
3"	0.37	10"	4.08
4"	0.65	12"	5.87
5"	1.02	16"	10.43

$$\frac{2.8}{\text{1 Case Volume}} \times \frac{3}{\text{Specified Volumes}} = \frac{8.3}{\text{gallons}}$$

Purging: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other _____

Sampling: Bailer
 Disposable Bailer
 Extraction Port
 Other _____

TIME	TEMP. (F)	pH	COND.	TURBIDITY:	VOLUME REMOVED:	OBSERVATIONS:
1050	69.6	7.6	450	—	3	SILTY
1052	69.2	7.4	300	—	6	
1054	68.6	7.2	280	—	8.5	

Did Well Dewater? If yes, gals. Gallons Actually Evacuated: 8.5

Sampling Time: 1105 Sampling Date: 9-13
 Sample I.D.: C-2 Laboratory: SEQ
 Analyzed for: TPH-G BTEX TPH-D OTHER: MTBE

Duplicate I.D.: Cleaning Blank I.D.:
 Analyzed for: TPH-G BTEX TPH-D OTHER: (Circle)

CHEVRON WELL MONITORING DATA SHEET

Project #:	960913-DZ	Station #:	9-4582
Sampler:	ND	Start Date:	9-13-96
Well I.D.:	C-5	Well Diameter: (circle one)	2 3 4 6
Total Well Depth:		Depth to Water:	
Before	28.74	After	8.75
Depth to Free Product:		Thickness of Free Product (feet):	
Measurements referenced to:	PVC	Grade	Other:

Well Diameter	VCF	Well Diameter	VCF
1"	0.04	6"	1.47
2"	0.16	8"	2.61
3"	0.37	10"	4.08
4"	0.65	12"	5.87
5"	1.02	16"	10.43

$$\frac{3.2}{\text{1 Case Volume}} \times \frac{3}{\text{Specified Volumes}} = \frac{9.6}{\text{gallons}}$$

Purging: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other _____

Sampling: Bailer
 Disposable Bailer
 Extraction Port
 Other _____

TIME	TEMP. (F)	pH	COND.	TURBIDITY:	VOLUME REMOVED:	OBSERVATIONS:
1015	68.4	7.2	820	—	3	
1018	68.6	7.2	780	—	6	
1022	68.6	7.0	750	—	10	

Did Well Dewater? If yes, gals. Gallons Actually Evacuated: 10.0

Sampling Time: 1030 Sampling Date: 9-13-96
 Sample I.D.: C-5 Laboratory: SEQ
 Analyzed for: TPH-G BTEX TPH-D OTHER: MTBE

Duplicate I.D.: Cleaning Blank I.D.:
 Analyzed for: TPH-G BTEX TPH-D OTHER:
 (Circle)

CHEVRON WELL MONITORING DATA SHEET

Project #:	960913-D2	Station #:	9-4587
Sampler:	CD	Start Date:	9-13-86
Well I.D.:	CR-1	Well Diameter: (circle one)	2 3 4 6
Total Well Depth:		Depth to Water:	
Before 27.22 After		Before 9.27 After	
Depth to Free Product:		Thickness of Free Product (feet):	
Measurements referenced to:	VFC	Grade	Other:

Well Diameter	VCF	Well Diameter	VCF
1"	0.04	6"	1.47
2"	0.16	8"	2.61
3"	0.37	10"	4.08
4"	0.65	12"	5.87
5"	1.02	16"	10.43

$$\underline{26.4} \times \underline{3} = \underline{79.0}$$

1 Case Volume Specified Volumes = gallons

Purging: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible X
 Extraction Pump
 Other _____

Sampling: Bailer
 Disposable Bailer X
 Extraction Port
 Other _____

TIME	TEMP. (F)	pH	COND.	TURBIDITY:	VOLUME REMOVED:	OBSERVATIONS:
1140	70.8	7.4	500	—	22	ODOR
1144	69.8	7.2	450	—	49	
1148	70.0	7.2	450	—	79	

Did Well Dewater? If yes, gals. Gallons Actually Evacuated: 79.0

Sampling Time: 1200 Sampling Date: 9-13-86
 Sample I.D.: CR-1 Laboratory: SEQ

Analyzed for: TPH-G BTEX TPH-D OTHER: MTBE
 (Circle)

Duplicate I.D.: Cleaning Blank I.D.:

Analyzed for: TPH-G BTEX TPH-D OTHER:
 (Circle)

WELL DEVELOPMENT DATA SHEET

Project #:	960911-L2	Client:	9-4587
Developer:	LAD	Date Developed:	9-11-96
Well I.D.:	C-1	Well Diameter: (circle one)	2 <input checked="" type="radio"/> 4 <input type="radio"/> 6
Total Well Depth:	Depth to Water:		
Before 9.00	After 18.14	Before DRY	After 9.05
Reason not developed:	If Free Product, thickness:		
Additional Notations:			

Volume Conversion Factor (VCF):

$$(12 = (d^2/4) \times \pi)/231$$

Where

$$12 = \text{in}/\text{foot}$$

$$d = \text{diameter (in)}$$

$$\pi = 3.1416$$

$$231 = \text{in}^3/\text{gal}$$

Well dia.	VCF
2"	0.14
3"	0.37
4"	0.45
5"	1.17
6"	1.47
10"	4.08
12"	5.17

3.4

1 Case Volume

Specified Volumes

= gallons

Purging Device: Bailer DED,
Middleburg

Electric Submersible
Suction Pump

Type of Installed Pump

Other equipment used 2" AUGER / 3" SURGE BLOCK

TIME	TEMP. (F)	PH	COND.	TURBID- ITY	VOLUME REMOVED:	NOTATIONS:
1250	TD = 9.00, NO			WATER ONLY MUD/SAND		
1327	USED AUGER TO REMOVE ≈ 7.0 OF SAND					
	TD = 16.00, NO WATER ONLY MUD					
1330	USED BA LER TO REMOVE MUD + SAND					
	AT WELL BOTTOM, UNTIL WELL DEWATERED					
1354	TD = 18.13, DTW = 11.98			ODOR/LIGHT SHEEN		
1420	DTW = 9.05, SURGED WELL FOR 15 MIN.					
1510	64.8	6.8	580	>200	4	RESUME BAILING
1514	65.6	6.8	600	>200	8	
1522	64.4	7.1	540	>200	12	
1529	64.8	7.0	510	>200	16	
1534	64.0	7.0	500	>200	20	BOTTOM OF WELL
1535	TD = 18.14 / DEWATERED					IS HARD/CLEAN

Did Well Dewater? If yes, note above.

Gallons Actually Evacuated: 20

WELL DEVELOPMENT DATA SHEET

Project #:	960911-L2			Client:	CHEV # 9-4587		
Developer:	LAD			Date Developed:	9-11-96		
Well I.D.:	C-2			Well Diameter:	(circle one) 2 <input checked="" type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 6		
Total Well Depth:				Depth to Water:			
Before 8.34	After 19.44	Before DRY		After 9.75			
Reason not developed:				If Free Product, thickness:			
Additional Notations:							

Volume Conversion Factor (VCF):

$$(32 = (\pi^2/4) \times n)/231.$$

where

32 = in/foot

d = diameter (in.)

n = 3.1416

231 = in³/gal

Well dia.	VCF
2"	0.16
3"	0.37
4"	0.46
5"	0.47
6"	0.66
10"	1.00
12"	1.67

3.

1 Case Volume

Specified Volumes = gallons

Purging Device: Bailer DED, Middleburg Electric Submersible Suction Pump

Type of Installed Pump

Other equipment used 2" AUGER / 3" SURGE BLOCK

TIME	TEMP. (F)	pH	COND.	TURBID- ITY	VOLUME REMOVED:	NOTATIONS:
1130	TD = 8.34		NO WATER	, ONLY	MUD + SAND	
1230	USED D AUGER, REMOVED			10.0	OF SAND	
	TD = 18.24		DTW = 9.75			
1240	USED BAILER TO REMOVE			MUD + SAND		
	AT THE BOTTOM.					
12:57	61.6	7.6	340	>200.	4.0	
13:14	61.4	7.0	300	>200.	8.0	DEWATERED
1320	TD = 19.30		DTW = 15.20			
1359	DTW = 9.55		SURGED	WELL	FOR 15 MIN.	
1423	62.4	7.3	290.	>200.	11.0	RESUME BAILING
1426	62.4	7.2	280.	>200.	13.0	WELL BOTTOM IS
1440	PLACED SUB IN WELL					HARD / CLEAR

Did Well Dewater? YES If yes, note above. Gallons Actually Evacuated:

CHEVRON WELL MONITORING DATA SHEET

DEVELOPMENT

Project #: 960911-L2

Station #: 9-4587

Sampler: LAD

Start Date: 9-11-96

Well I.D.: C-2

Well Diameter: (circle one) 2 3 4 6

Total Well Depth:

Depth to Water:

Before 8.34 After 19.44

Before After

Depth to Free Product:

Thickness of Free Product (feet):

Measurements referenced to: PVC

Grade

Other:

Well Diameter	VCF	Well Diameter	VCF
1"	0.04	6"	1.47
2"	0.16	8"	2.61
3"	0.37	10"	4.08
4"	0.65	12"	5.87
5"	1.02	16"	10.43

3.

1 Case Volume

Specified Volumes

= gallons

Purging: Bailer

Sampling: Bailer

Disposable Bailer

Disposable Bailer

Middleburg

Extraction Port

Electric Submersible

Other

Extraction Pump

Other

TIME	TEMP. (F)	pH	COND.	TURBIDITY:	VOLUME REMOVED:	OBSERVATIONS:
1444	62.6	7.1	280.	>200.	16.	
1446	62.8	7.1	290.	>200.	20.	
1448	62.8	7.0	290.	>200.	24.	Dewatered
			TD = 19.44			

Did Well Dewater? YES If yes, gals.

Gallons Actually Evacuated: 24.

Sampling Time:

Sampling Date:

Sample I.D.:

Laboratory:

Analyzed for: TPH-G BTEX TPH-D OTHER:
(Circle)

Duplicate I.D.:

Cleaning Blank I.D.:

Analyzed for: TPH-G BTEX TPH-D OTHER:
(Circle)