

THE CLEAR SOLV

ABBREVIATIONS

A	And	DET.	Detail	GA.	Gauge	N.	North
∠	Angle	DIA.	Diameter	GALV.	Galvanized	N.I.C.	Not In Contract
C	Centerline	DIM.	Dimension	G.B.	Grab Bar	NO. or #	Number
∅	Diameter or Round	DISP.	Dispenser	GL.	Glass	NOM.	Nominal
⊥	Perpendicular	DN.	Down	GND.	Ground	N.T.S.	Not To Scale
#	Pound or Number	D.O.	Door Opening	GR.	Grade		
(E)	Existing	DR.	Door	GYP.	Gypsum		
		DWR.	Drawer			O.A.	Overall
ACOUS.	Acoustical	DS.	Downspout			Obs.	Obscure
A.D.	Area Drain	D.S.P.	Dry Standpipe	H.B.	Hose Bibb	O.C.	On Center
ADJ.	Adjustable	DWG.	Drawing	H.C.	Hollow Core	O.D.	Outside Diameter (Dim.)
AGGR.	Aggregate			HDWD.	Hardwood	OFF.	Office
AL.	Aluminum	E.	East	HWDE.	Hardware	(PNG.)	Opening
APPROX.	Approximate	EA.	Each	H.M.	Hollow Metal	OPP.	Opposite
ARCH.	Architectural	E.J.	Expansion Joint	HORIZ.	Horizontal		
ASB.	Asbestos	EL.	Elevation	HR.	Hour	PRCST.	Pre-cast
ASPH.	Asphalt	ELEC.	Electrical	HGT.	Height	PL.	Plate
		ELEV.	Elevator			P.LAM.	Plastic Laminate
BD.	Board	EMER.	Emergency	I.D.	Inside Diameter (Dim.)	PLAS.	Plaster
BITUM.	Bituminous	ENCL.	Enclosure	INSUL.	Insulation	PLYWD.	Plywood
BLDG.	Building	E.P.	Electrical Panelboard	INT.	Interior	PA.	Pair
BLK.	Block	EQ.	Equal			PT.	Point
BLKG.	Blocking	EQPT.	Equipment	JAN.	Janitor	P.T.D.	Paper Towel Dispenser
BM.	Beam	E.W.C.	Electric Water Cooler	JT.	Joint	P.T.D/R	Combination Paper Towel Dispenser & Receptacle
BOT.	Bottom	EXST.	Existing			PTN.	Partition
		EXPD.	Exposed	KIT.	Kitchen	P.T.R.	Paper Towel Receptacle
		EXP.	Expansion				
CAB.	Cabinet	EXT.	Exterior	LAB.	Laboratory	Q.T.	Quarry Tile
C.B.	Catch Basin			LAM.	Laminate		
CEM.	Cement	F.A.	Fire Alarm	LAV.	Lavatory	R.	Riser
CER.	Ceramic	F.B.	Flat Bar	LKR.	Locker	RAD.	Radius
C.I.	Cast Iron	F.D.	Floor Drain	LT.	Light	R.D.	Roof Drain
CLG.	Ceiling	FDN.	Foundation			REF.	Reference
CLKG.	Calking	F.E.	Fire Extinguisher	MAX.	Maximum	REFR.	Refrigerator
CLO.	Closet	F.E.C.	Fire Extinguisher Cab.	M.C.	Medicine Cabinet	RGTR.	Register
CLR.	Clear	F.H.C.	Fire Hose Cabinet	MECH.	Mechanical	REINF.	Reinforced
COL.	Column	FIN.	Finish	MEMB.	Membrane	REI.	Required
CONC.	Concrete	FL.	Floor	MET.	Metal	RESIL.	Resilient
CONN.	Connection	FLASH.	Flashing	MFR.	Manufacturer	RM.	Room
CONSTR.	Construction	FLUOR.	Fluorescent	MH.	Manhole	R.O.	Rough Opening
CONT.	Continuous	F.O.C.	Face of Concrete	MIN.	Minimum	RWD.	Redwood
CORR.	Corridor	F.O.F.	Face of Finish	MIR.	Mirror	R.W.L.	Rain Water Leader
CTSK.	Countersunk	F.O.S.	Face of Studs	MISC.	Miscellaneous		
CNTR.	Counter	FPRF.	Fireproof	M.O.	Masonry Opening	S.	South
CTR.	Center	F.S.	Full Size	MTD.	Mounted	S.C.	Solid Core
		FT.	Foot or Feet	MUL.	Mullion	S.C.D.	Seat Cover Dispenser
DBL.	Double	FTG.	Footing			SCHED.	Schedule
DEPT.	Department	FURR.	Furring				
D.F.	Drinking Fountain	FUT.	Future				

APPRIINT PA

VENT RECOVER

STRU MECHANICAL &

S.D.	Soap Dispenser
SECT.	Section
SH.	Shelf
SHR.	Shower
SHT.	Sheet
SIM.	Similar
S.N.D.	Sanitary Napkin Dispenser
S.N.R.	Sanitary Napkin Receptacle
SPEC.	Specification
SD.	Square
SST.	Stainless Steel
S.S.K.	Service Sink
STA.	Station
STD.	Standard
STL.	Steel
STOR.	Storage
STR.	Structural
SUSP.	Suspended
SYM.	Symmetrical

TRD.	Tread
T.B.	Towel-Bar
T.C.	Top of Curb
TEL.	Telephone
TER.	Terrazzo
T.&G.	Tongue and Groove
THK.	Thick
T.P.	Top of Pavement
T.P.D.	Toilet Paper Dispenser
T.V.	Television
T.W.	Top of Wall
TYP.	Typical

UNF.	Unfinished
U.O.N.	Unless Otherwise Noted
UR.	Urinal
VERT.	Vertical
VEST.	Vestibule

W.	West
W/	With
W.C.	Water Closet
WD.	Wood
W/O	Without
WP.	Waterproof
WSCT.	Wainscot
WT.	Weight

LOCATION

SAN FRANCISCO BAY




MAPPER COMPANY

RY SYSTEM

CONSULTANTS:
STRUCTURAL HAMILTON
& ELECTRICAL SYSKA

MAP



ARCHITECTURAL
A1 FIRST FLOOR
A2 MEZZANINE,
A3 SECTIONS A
A4 SPECIFICATI
AB1 EXISTING ME
AB2 EXISTING ME

STRUCTURAL
S1 FIRST FLOOR
S2 MEZZANINE
S3 SECTIONS A
S4 DETAILS
S5 REVISIONS T

MECHANICAL
M1 SCHEMATIC
M2 PLANS
M3 CONTROL P.

PANY

MILTON & WILLIGES SKA & HENNESSY

INDEX OF DRAWINGS

ARCHITECTURAL

- A1 FIRST FLOOR PLAN
- A2 MEZZANINE, ROOF, AND EQUIPMENT PLATFORM
- A3 SECTIONS AND DETAILS
- A4 SPECIFICATIONS (FOR REFERENCE ONLY)
- AB1 EXISTING MECHANICAL
- AB2 EXISTING MECHANICAL



STRUCTURAL

- S1 FIRST FLOOR PLAN AND FOUNDATION
- S2 MEZZANINE AND PLATFORM FRAMING PLANS
- S3 SECTIONS AND DETAILS
- S4 DETAILS
- S5 REVISIONS TO EXISTING BUILDING TRUSSES







MECHANICAL

- M1 SCHEMATIC FLOW DIAGRAM
- M2 PLANS
- M3 CONTROL PANEL SCHEMATIC AND SPECIFICATIONS





















SYMBOLS




EXISTING GRADE
SHOWN HORIZONTALLY




MATERIALS INDICATION

	EARTH
	ROCK FILL
	SAND/MORTAR/PLASTER
	CONCRETE CAST IN PLACE OR PRECAST
	BRICK
	CONCRETE BLOCK
	STONE INCLUDES MARBLE
	METAL OMIT INDICATION IN THIN MATERIAL
	METAL LATH
	WOOD, FINISH
	WOOD, FRAMING THROUGH MEMBER
	WOOD, FRAMING INTERRUPTED MEMBER
	PLYWOOD
	GLASS OMIT INDICATION IN THIN MATERIAL
	ACOUSTIC TILE OR BOARD
	GYPSUM BOARD OMIT DOUBLE LINES AT SMALL SCALE
	INSULATION, BATT
	INSULATION, RIGID
	CERAMIC TILE
	TERRAZZO/BITUMINOUS CONCRETE





SITE PLAN



1" = 30' 0"

ELECTRICAL
E1 SINGLE LINE AND RISER DIAGRAM
E2 PLANS


RECEIVED
NOV 06 1989
KINNE & PETERSON

H+K HERTZKA & KNOWLES
ARCHITECTS A.I.A.

William F. ... C-973


GENERAL NOTES

1. ALL WORK TO BE DONE IN ACCORDANCE WITH THE LATEST EDITION OF THE U.B.C. AND ALL OTHER APPLICABLE CODES, LAWS, AND REGULATIONS, INCLUDING ALL APPLICABLE SAFETY PROVISIONS.
2. CONTRACTOR SHALL OBTAIN ALL PERMITS & PAY ALL FEES, EXCLUSIVE OF THOSE REQUIRED BY THE BAY AREA AIR POLLUTION DISTRICT.
3. THE CONTRACTOR SHALL VERIFY AND CHECK ALL LOCATIONS, LEVELS, DISTANCES, DIMENSIONS AND FEATURES OF THE SITE AND RELATED IMPROVEMENTS THAT MAY AFFECT THE WORK. CONTRACTOR SHALL NOTIFY THE ARCHITECT OF DISCREPANCIES WITH THE DRAWINGS.
4. CONTRACTOR TO PROVIDE SAFEGUARD BARRICADES AND OTHER BARRIERS AS NECESSARY TO EXERCISE ABSOLUTE CONTROL TO PROTECT THE OWNER'S OPERATIONS AGAINST DUST & OTHER FOREIGN MATERIALS.
5. PERFORM ALL DEMOLITION, CUTTING & PATCHING AT SUCH TIME AS NOT TO INTERFERE WITH THE OWNER'S OPERATIONS AND PROMPTLY REMOVE ALL SUCH DEMOLISHED MATERIALS IMMEDIATELY. DO NOT ALLOW WASTE MATERIALS TO ACCUMULATE.
6. CONDUCT OF WORK: SCHEDULE AND PERFORM ALL WORK IN SUCH A MANNER THAT INTERFERENCE WITH THE MANUFACTURING OPERATIONS OF THE OWNER IS KEPT TO A MINIMUM. CONTRACTOR SHALL PROVIDE THE ARCHITECT WITH A PROJECT CONSTRUCTION SCHEDULE WITHIN SEVEN (7) DAYS OF THE NOTICE TO PROCEED.
7. THE CONTRACTOR SHALL DETERMINE, REMOVE & DISCARD ALL INACTIVE PIPING, PLUMBING, ELECTRICAL CONDUITS & MECHANICAL DUCTS & EQUIPMENT IN THE AREAS OF WORK.
8. REMOVE &/OR RELOCATE ALL OBSTRUCTIONS WHERE THEY INTERFERE WITH THE INSTALLATION OF NEW WORK.



10-521

0-01



90'-0"

(2) COATING ROOM

- LOCATION OF (E) COATING EQUIPMENT


VERIFY THAT COLUMNS AS LOCATED
WILL CLEAR FIRST FLOOR EQUIPMENT
& EXISTING ROOF PURLINS BEFORE
PROCEEDING WITH WORK


REVERSE (E) DOOR
REWORK JAMB &
REINSTALL PANIC
HARDWARE

CONSTRUCTION DUST
BARRICADE FLOOR
TO CEILING SEE NOTE 4


CLOSE (E) DOOR & CUT
(N) DOOR 3'-4" x 6'-8"
SEE DETAIL 10/AS & 11/AS

49'-0 5/16"








PATCH OF WATERPROOF MEMBRANE



(N) 7/8" CEMENT PLASTER ON SELF FERRING LATH FINISH TO MATCH EXISTING.

2
—

NEW WALL @ ROLL-UP DOOR JAMB



See C-9735

NOTES

REPRESENTATIVE AND CONTRACTOR. THEY DO NOT GUARANTEE THE ACCURACY OF ALL ATTACHMENTS. TO BE PROPERLY SET IN PRACTICE, AND THE CONTRACTOR PROVIDING AND INSTALLING THE SAME.


THIS IS TO INCLUDE ALL NECESSARY FOR THE WORK DESCRIBED OR REFERRED TO THAT EXPLICITLY NOTED IN THESE NOTES.

EXISTING CONDITIONS SHALL BE SHOWN AS SUCH. REFER TO THE DRAWINGS FOR DIMENSIONS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE WORK OF ALL


REVISIONS		
NO.	DATE	REVISIONS INDICATED THUS
△	9-7-79	

SOLVENT CLEARPRINT
1482 67TH STREET
HERTZKA & KNOWLES ARCHITECTS, A.I.A.
25 MAIN ST., SAN FRANCISCO, CALIF.

3
 WALLS OF ELECTRIC ROOM
 2x4 STUDS WITH 1/2" BOARD EA. SIDE.
 NET TO BE 2 LAYERS 5/8" 1x' GYP. BOARD ON UNDER-
 OF (E) FLOOR JOISTS.



@ CURB



SOLVENT RECOVERY SYSTEM
EARPRINT PAPER COMPANY
 182 67TH STREET EMERYVILLE, CALIFORNIA

KNOWLES
 , A.I.A.
 SAN FRANCISCO, CALIF.

DRAWN
 CHECKED

1ST FLOOR PLAN.
 SIDEWALK DETAIL.

CONTRACT
 DRAWING No.

A-1

JOB No. 12-016-001
 DATE 5.30.79