Nowell, Keith, Env. Health

From: Nowell, Keith, Env. Health

Sent: Wednesday, September 09, 2015 11:05 AM

To: 'Harms, James'

Cc: Roe, Dilan, Env. Health; Arceneaux, Nicole Marie; Roper, Chad

Subject: RE: RO058, Unocal #6129 (351639) 3420 35th Ave, Oakland CA - Groundwater Plume

Evaluation - due date extension

Jim,

Your extension request for submittal of the Groundwater Plume Evaluation Report for the subject fuel leak case to September 30, 2015 has been approved.

Regards, Keith Nowell

From: Harms, James [mailto:James.Harms@aecom.com]

Sent: Friday, August 21, 2015 12:06 PM

To: Nowell, Keith, Env. Health < Keith. Nowell@acgov.org>

Cc: Roe, Dilan, Env. Health < Dilan.Roe@acgov.org>; Arceneaux, Nicole Marie < Nicole.Arceneaux@chevron.com>; Roper,

Chad <Chad.Roper@aecom.com>

Subject: RO058, Unocal #6129 (351639) 3420 35th Ave, Oakland CA - Groundwater Plume Evaluation - due date

extension

Dear Mr. Nowell,

Following our August 13, 2015 meeting we are requesting an extension to the Groundwater Plume Evaluation due date noted in the June 25, 2015 ACEH directive letter. Item #1 in the directive was to make a third attempt to contact the irrigation well owner on Arkansas Street. A third request was sent on July 29 and we have record of the acceptance signature on July 30, 2015. We are requesting an extension to **September 30, 2015** to give time for the well owner to respond and also to produce some additional graphics to support our potential case closure as discussed in the August 13, 2015 meeting.

Thank you

Jim Harms

Project Manager Environment D +1 916.414.5863 M +1 916.919.9210 James.Harms@aecom.com

AECOM

2020 L Street, Suite 400, Sacramento, CA 95811 USA T +1 916.414.5800 F +1 916.414.5850 www.aecom.com

This e-mail and any attachments contain AECOM confidential information that may be proprietary or privileged. If you receive this message in error or are not the intended recipient, you should not retain, distribute, disclose or use any of this information and you should destroy the e-mail and any attachments or copies.