

BC: 94502654031 2358N210152-00558

RETURN TO SENDER
NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD

NIXIE 957 4E 1 0207/29/18

ALAME
HEALTH
DEPAR
LOP Pr

1131 Habor Bay Parkway
Alameda, CA 94502-6577



UNITED WE STAND



02 1P
0003192449
MAILED FROM ZIP CODE 94502
\$ 006.70⁰
JUL 02 2018

WTF

Tosco
2000 Crow Canyon Plance, #400
San Ramon, CA 94583

000058

[Barcode]

ALAMEDA COUNTY
HEALTH CARE SERVICES
AGENCY

COLLEEN CHAWA, Agency Director



DEPARTMENT OF ENVIRONMENTAL HEALTH
LOCAL OVERSIGHT PROGRAM (LOP)
For Hazardous Materials Releases
1131 HARBOR BAY PARKWAY
ALAMEDA, CA 94502
(510) 567-6700
FAX (510) 337-9335

June 22, 2018

James Kiernan
Chevron Environmental Management Company
6001 Bollinger Canyon Road
San Ramon, CA 94583
(jkiernan@chevron.com)

Clover Trust 1997-1
c/o Tosco Corp
P.O. Box 52085
Phoenix, AZ 85072

Son T. Nguyen
5022 Crystal Ridge Court
Oakland, CA 94605-3873

Son T. Nguyen & Le Pham Family Trust
5022 Crystal Ridge Court
Oakland, CA 94605-3873

Terry Grayson
ConocoPhillips
76 Broadway
Sacramento, CA 95818

Unocal
M, E, & E Department
P.O. Box 2390
Brea, CA 92622-2390

Redwood and 35th Avenue Gas Station Inc.
5022 Crystal Ridge Court
Oakland, CA 94605
(amylepham@yahoo.com)

Son T. Nguyen et al
5022 Crystal Ridge Court
Oakland, CA 94605-3873

Keith Marks
Suncor Holdings COP II
11601 Wilshire Blvd., Suite 700
Los Angeles, CA 90025

Tosco
2000 Crow Canyon Place, #400
San Ramon, CA 94583

Subject: Case Closure for Leaking Underground Storage Tank Cleanup Site Case No RO000058 and GeoTracker Global ID #T0600101465, Unocal #6129, 3420 35th Avenue, Oakland, CA 94619

Dear Responsible Parties:

This letter transmits the enclosed Remedial Action Completion Certificate and Case Closure Summary Form for the subject Leaking Underground Storage Tank Cleanup Site (LUST) case. These documents confirm the completion of the investigation and cleanup of the unauthorized release at the subject site.

ACDEH has evaluated this case for closure in accordance with the State Water Resources Control Board's Low-Threat Underground Storage Tank Closure Policy (LTCP) for petroleum related contaminants and has determined that the site qualifies for closure as a low risk site. ACDEH's closure determination was based on an analysis of risk to human health and the environment under the current land use scenario and was limited to:

- Exposure to releases of petroleum related contamination from underground storage system, and