

Detterman, Mark, Env. Health

From: Detterman, Mark, Env. Health
Sent: Thursday, November 08, 2018 3:36 PM
To: 'Tom Fojut'
Cc: Joyce Adams
Subject: RE: Request to Extend Deadline - 6655 Hollis Street

Tom,
Thanks for the update. I've extended the date to Nov. 16th per your request.

Mark Detterman
Senior Geologist, PG, CEG
Senior Hazardous Materials Specialist
Alameda County Department of Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502
Direct: 510.567.6876
Fax: 510.337.9335
Email: mark.detterman@acgov.org

PDF Copies of case files can be downloaded at:
<http://www.acgov.org/aceh/lop/ust.htm>

From: Tom Fojut [mailto:tjf@weiss.com]
Sent: Thursday, November 08, 2018 3:18 PM
To: Detterman, Mark, Env. Health <Mark.Detterman@acgov.org>
Cc: Joyce Adams <JEA@weiss.com>
Subject: Request to Extend Deadline - 6655 Hollis Street

Fuel Leak Case No. RO0000063
GeoTracker Global ID No. T0600102099

Hi Mark,

We respectfully request an additional week to submit the Site Conceptual Model (SCM) Report for the former McGrath Steel property at 6655 Hollis Street, Emeryville, California. Your letter dated October 31, 2018 requested the submittal of the report by November 9, 2018. We have been busy this week with the installation of the 4 extraction wells and 2 monitoring points as proposed in Weiss's Interim Remedial Action Plan and addendum. The last well was installed this afternoon. Now that we have that task complete, we would like to complete the SCM and submit it to you by November 16, 2018.

Please let me know if you have any questions or comments.

Have a good afternoon,

Tom

Thomas Fojut, PE, PG, CHg

Principal Engineer, Weiss Associates

510 450-6143 Emeryville
650 968-7000 Mountain View
510 809-6274 cell
www.weiss.com

This transmittal contains information that is confidential, may be protected by applicable privileges, and may constitute non-public information. It is intended to be conveyed only to the designated recipient(s). If you are not an intended recipient of this message, please notify the sender at (510) 450-6143. Unauthorized use, dissemination, distribution, or reproduction of this message is strictly prohibited and may be unlawful.