



March 25, 2013

Roya C. Kambin
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6101 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 790-6270
RKLG@chevron.com

Mr. Mark Detterman
Alameda County Health Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502

RECEIVED

By Alameda County Environmental Health at 8:46 am, Mar 26, 2013

RE: First Quarter 2013 Groundwater Monitoring Report

1400 Powell Street, Emeryville, California
Fuel Leak Case No.: RO0000067

Dear Mr. Detterman,

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please contact me at (925) 790-6270.

Sincerely,

A handwritten signature in black ink, appearing to read "Roya Kambin", with a large, stylized loop at the end.

Roya Kambin
Union Oil of California – Project Manager

Attachment
First Quarter 2013 Monitoring Report



Mr. Mark Detterman
Alameda County Environmental Health
1131 Harbor Bay Parkway
Suite 250
Alameda, California 94502-6577

ARCADIS U.S., Inc.
100 Montgomery Street
Suite 300
San Francisco
California 94104
Tel 415.374.2744
Fax 415.374.2745
www.arcadis-us.com

Subject:
First Quarter 2013 Groundwater Monitoring Report

ENVIRONMENT

Dear Mr. Detterman:

Date:
March 25, 2013

On behalf of Chevron Environmental Management Company, for itself and as Attorney-in-Fact for Union Oil Company of California (hereinafter "EMC"), ARCADIS U.S., Inc (ARCADIS) is pleased to submit the enclosed Quarterly Groundwater Monitoring Report for the following facility:

Contact:
Leah M. Ackerman

Phone:
415.432.6912

Email:
Leah.Ackerman@arcadis-us.com

<u>Facility No.</u>	<u>Case No.</u>	<u>Location</u>
3737	RO0000067	1400 Powell Street Emeryville, California

If you have any questions, please contact Leah Ackerman at 415.432.6912.

Our ref:
B0047937.0001

Sincerely,

ARCADIS

Leah Ackerman, P.E.
Project Engineer



Copies:

Ms. Roya Kambin, EMC (electronic copy)
Mr. Najmeddin Revan, Property Owner

Imagine the result

**UNION OIL OF CALIFORNIA
QUARTERLY MONITORING REPORT
FIRST QUARTER 2013
MARCH 25, 2013**

Facility No.: 3737 Address: 1400 Powell Street, Emeryville, California

Consulting Company/Contact Person/Phone No.: ARCADIS / Leah Ackerman/ 415.432.6912

Primary Agency/Contact Person/Regulatory ID No.: Alameda County Environmental Health / Mr. Mark Detterman / Case No. RO 0000067

WORK PERFORMED DURING THIS REPORTING PERIOD (First Quarter – 2013) :

1. TRC Solutions (TRC) conducted groundwater monitoring and sampling on January 16, 2013. Field data sheets and general procedures are included as **Attachment A**. Six (6) monitoring wells (MW-1A through MW-3A in the shallow zone and MW-1B through MW-3B in the deep zone) were gauged, purged, and sampled during this monitoring event.

All collected groundwater samples were analyzed for total petroleum hydrocarbons as gasoline (TPH-g) by Environmental Protection Agency (EPA) Method 8260B and EPA Method 8015; benzene, toluene, ethylbenzene, and total xylenes (BTEX, collectively), full scan of volatile organic compounds (VOCs) including oxygenates (methyl tertiary butyl ether [MTBE] and tertiary butyl alcohol [TBA]); 1,2-dibromoethane (EDB) and 1,2-dichloroethane (EDC), diisopropyl ether (DIPE), tert-butyl ethyl ether (ETBE), tert-amyl methyl ether (TAME), and ethanol by EPA Method 8260B; total petroleum hydrocarbons as diesel (TPH-d) and total petroleum hydrocarbons as motor oil (TPH-mo) by EPA Method 8015B with silica gel clean-up.

As part of a natural attenuation evaluation, groundwater samples collected from wells MW-1A, MW-2A, MW-3A, and MW-3B were also analyzed for dissolved iron, dissolved manganese by EPA Method 200.7; nitrate and sulfate by EPA Method 300.0, nitrite by EPA Method 353.2.

The site location map, the site plan, and the groundwater contour and hydrocarbon concentration maps are presented on **Figures 1** through **4**. Current Groundwater Gauging and Analytical Results are summarized in **Table 1**, Historical Groundwater Gauging and Analytical Results are summarized in **Table 2**, and Historical Groundwater Results from Antea are included as **Attachment B**. A copy of the laboratory analytical report and chain-of-custody documentation is included as **Attachment C**.

WORK PROPOSED FOR THE NEXT REPORTING PERIOD (Second Quarter – 2013):

1. Perform groundwater monitoring and related reporting during second quarter 2013.

Current Phase of Project:	<u>Groundwater Monitoring</u>
Site Use:	<u>Active Service Station</u>
Frequency of Sampling:	<u>Groundwater – Quarterly (MW-1A through MW-3A), Semiannually (All monitoring wells; 1Q and 3Q)</u>
Frequency of Monitoring:	<u>Groundwater – Quarterly (MW-1A through MW-3A), Semiannually (All monitoring wells; 1Q and 3Q)</u>
Measurable Separate-Phase Hydrocarbons (SPH) this quarter:	<u>None</u>
Cumulative SPH Recovered to Date:	<u>None</u>
SPH Recovered This Quarter:	<u>None</u>
Bulk Soil Removed to Date:	<u>Six cubic yards</u>
Bulk Soil Removed this Quarter:	<u>None</u>
Water Wells or Surface Waters within a 2000'	<u>None</u>

**UNION OIL OF CALIFORNIA
QUARTERLY MONITORING REPORT
FIRST QUARTER 2013
MARCH 25, 2013**

Facility No.: 3737 Address: 1400 Powell Street, Emeryville, California

Radius and Their Respective Directions:

Groundwater Use Designation: Non-drinking water
Current Remediation Techniques: None
Permits for Discharge (No.): None

Approximate Depth to Groundwater: Shallow Zone: 4.21 (MW-3A) – 5.32 (MW-2A) feet below top of casing
Deep Zone: 4.16 (MW-3B) – 6.62 (MW-1B) feet below top of casing
Approximate Groundwater Elevation: Shallow Zone: 13.45 (MW-1A) – 14.41 (MW-3A) feet above mean sea level
Deep Zone: 12.26 (MW-1B) – 14.41 (MW-3B) feet above mean sea level
Measured X Estimated
Groundwater Gradient (Shallow Zone): 0.01 ft/ft (Magnitude) West (Direction)
Groundwater Gradient (Deep Zone): 0.01 ft/ft (Magnitude) Southeast (Direction)

DISCUSSION:

Groundwater conditions at the six (6) monitoring wells sampled during the first quarter 2013 remained generally consistent with previous quarters. The maximum concentration of TPH-d (710 micrograms per liter [$\mu\text{g/L}$]), TPH-g (1,700 $\mu\text{g/L}$ analyzed by Method 8260B and 2,800 $\mu\text{g/L}$ analyzed by Method 8015), TPH-MO (340 $\mu\text{g/L}$), benzene (310 $\mu\text{g/L}$), toluene (7.0 $\mu\text{g/L}$), ethylbenzene (14 $\mu\text{g/L}$), total xylenes (5.2 $\mu\text{g/L}$), MTBE (140 $\mu\text{g/L}$), and TBA (3,400 $\mu\text{g/L}$) were detected in the samples collected from MW-2A. TPH-g was analyzed using two different analytical methods including use of two separate vials by the laboratory for analysis. Sample homogeneity and method difference are attributed to the slight difference in analytical results for TPH-g. The maximum concentration of EDC (15 $\mu\text{g/L}$) was detected in the samples collected from MW-1B. EDB, DIPE, ETBE, TAME, and ethanol were not detected in any of the monitoring wells.

Groundwater elevations across the site in the shallow water-bearing zone vary by approximately one foot and create a hydraulic gradient of 0.01 foot per foot in the west direction. Groundwater elevations across the site in the deeper water-bearing zone vary by approximately one foot and create a hydraulic gradient of 0.01 foot per foot in the southeastern direction.

CONCLUSIONS AND RECOMMENDATIONS:

Dissolved hydrocarbon constituent concentrations are generally decreasing and are expected to continue to decrease over time. A Conceptual Site Model and Request for Low-Threat Closure (CSM) was submitted on March 21, 2013. As presented in the CSM, ARCADIS recommends this site for low threat closure.

**UNION OIL OF CALIFORNIA
QUARTERLY MONITORING REPORT
FIRST QUARTER 2013
MARCH 25, 2013**

Facility No.: 3737 Address: 1400 Powell Street, Emeryville, California

ATTACHMENTS:


Figure 1: Site Location Map
Figure 2: Site Plan
Figure 3: Groundwater Elevation Contour and Hydrocarbon Concentration Map (Shallow Zone)
Figure 4: Groundwater Elevation Contour and Hydrocarbon Concentration Map (Deep Zone)

Table 1: Current Groundwater Gauging and Analytical Results
Table 2: Historical Groundwater Gauging and Analytical Results

Attachment A: Field Data Sheets and General Procedures
Attachment B: Historical Groundwater Results from Antea
Attachment C: Laboratory Report and Chain-of-Custody Documentation



REFERENCE: BASE MAP USGS 7.5. MIN. TOPO. QUAD., OAKLAND WEST, CALIFORNIA, 1993.



UNION OIL
 FORMER 76 SERVICE STATION 3737
 1400 POWELL STREET
 EMERYVILLE, CALIFORNIA

SITE LOCATION MAP



FIGURE


1



- LEGEND**
- PROPERTY BOUNDARY
 - LOT LINE
 - MW-1A MONITORING WELL LOCATION (SHALLOW ZONE)
 - MW-1B MONITORING WELL LOCATION (DEEP ZONE)
 - TCW-1 TANK CAVITY WELL
 - OW-11 DEWATERING WELL (OFFSITE)
 - TR-12/TRCPT-8 APPROXIMATE BORING LOCATION BY TREADWELL AND ROLLO (OFFSITE), 2000-2010
 - D-1 HISTORICAL BORING LOCATION (ONSITE)
 - CPT-1 CPT BORING LOCATION, 2009
 - MWT-1 TEMPORARY MONITORING WELL LOCATION
 - APPROXIMATE LOCATION OF SITE FEATURES ON 1951 SANBORN MAP

NOTE:

1. TEMPORARY MONITORING WELL LOCATIONS, BUILDING, CURB, PLANTER, AND PARKING AREAS SURVEYED PROVIDED BY MUIR CONSULTING, INC. 8/1/12. HORIZONTAL DATUM NAD83, VERTICAL DATUM NAVD88. ALL OTHER FEATURES AND LOCATIONS ARE APPROXIMATE AND WERE PROVIDED BY CRA, DATED 1/27/2011, AT A SCALE OF 1"=20'.




UNION OIL
FORMER 76 SERVICE STATION 35-1780
1400 POWELL STREET
EMERYVILLE, CALIFORNIA

SITE PLAN


ARCADIS

FIGURE
2



- LEGEND**
- PROPERTY BOUNDARY
 - LOT LINE
 - MW-1A MONITORING WELL LOCATION (SHALLOW ZONE)
 - MW-1B MONITORING WELL LOCATION (DEEP ZONE)
 - TCW-1 TANK CAVITY WELL
 - OW-11 DEWATERING WELL (OFFSITE)
 - TR-12/TRCPT-8 APPROXIMATE BORING LOCATION BY TREADWELL AND ROLLO (OFFSITE), 2000-2010
 - D-1 HISTORICAL BORING LOCATION (ONSITE)
 - CPT-1 CPT BORING LOCATION, 2009
 - MWT-1 TEMPORARY MONITORING WELL LOCATION
 - APPROXIMATE LOCATION OF SITE FEATURES ON 1951 SANBORN MAP
 - GROUNDWATER ELEVATION CONTOUR (FT MSL; DASHED WHERE INFERRED)
 - (14.41) GROUNDWATER ELEVATION IN FEET RELATIVE TO MEAN SEA LEVEL (MSL)
 - 0.10 FT/FT APPROXIMATE GROUNDWATER FLOW DIRECTION AND GRADIENT MEASURED IN FOOT PER FOOT (FT/FT)


- NOTE:**
- TEMPORARY MONITORING WELL LOCATIONS, BUILDING, CURB, PLANTER, AND PARKING AREAS SURVEYED PROVIDED BY MUIR CONSULTING, INC. 8/1/12. HORIZONTAL DATUM NAD83, VERTICAL DATUM NAVD88. ALL OTHER FEATURES AND LOCATIONS ARE APPROXIMATE AND WERE PROVIDED BY CRA, DATED 1/27/2011, AT A SCALE OF 1"=20'.



UNION OIL
FORMER 76 SERVICE STATION 35-1780
1400 POWELL STREET
EMERYVILLE, CALIFORNIA

**GROUNDWATER ELEVATION CONTOUR AND
HYDROCARBON CONCENTRATION MAP
(SHALLOW ZONE) JANUARY 16, 2013**






LEGEND

- PROPERTY BOUNDARY
- LOT LINE
- MW-1A MONITORING WELL LOCATION (SHALLOW ONE)
- MW-1B MONITORING WELL LOCATION (DEEP ONE)
- TCW-1 TANK CAVITY WELL
- OW-11 DEWATERING WELL (OFFSITE)
- TR-12/TRCPT-8 APPROXIMATE BORING LOCATION BY TREADWELL AND ROLLO (OFFSITE), 2000-2010
- D-1 HISTORICAL BORING LOCATION (ONSITE)
- CPT-1 CPT BORING LOCATION, 2009
- MWT-1 TEMPORARY MONITORING WELL LOCATION
- APPROXIMATE LOCATION OF SITE FEATURES ON 1951 SANBORN MAP
- GROUNDWATER ELEVATION CONTOUR (FT MSL DASHED WHERE INFERRED)
- (14.41) GROUNDWATER ELEVATION IN FEET RELATIVE TO MEAN SEA LEVEL (MSL)
- 0.010 FT/FT APPROXIMATE GROUNDWATER FLOW DIRECTION AND GRADIENT MEASURED IN FOOT PER FOOT (FT/FT)

NOTE:

1. TEMPORARY MONITORING WELL LOCATIONS, BUILDING, CURB, PLANTER, AND PARKING AREAS SURVEYED PROVIDED BY MUIR CONSULTING, INC. 8/1/12. HORIZONTAL DATUM NAD83, VERTICAL DATUM NAVD88. ALL OTHER FEATURES AND LOCATIONS ARE APPROXIMATE AND WERE PROVIDED BY CRA, DATED 1/27/2011, AT A SCALE OF 1"=20'.



UNION OIL
FORMER 76 SERVICE STATION 35-1780
1400 POWELL STREET
EMERYVILLE, CALIFORNIA

**GROUNDWATER ELEVATION CONTOUR AND
HYDROCARBON CONCENTRATION MAP
(DEEP ZONE) JANUARY 16, 2013**

ARCADIS

FIGURE
4

Table 1
Current Groundwater Gauging and Analytical Results
76 Station 3737
1400 Powell Street, Emeryville, California

Well ID	Date Sampled	TOC (feet AMSL)	DTW (feet bgs)	LPH Thickness (feet)	GW Elevation (feet AMSL)	Previous Quarter GWE (feet AMSL)	Change in Elevation (feet)	TPH-Motor Oil (8015B/FFP)	TPH-d (8015B/FFP)	TPH-g (8015B)	TPH-g (Luft-GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	TBA	EDB	EDC	DIPE	ETBE	TAME	Ethanol	Comments
MW-1A	1/16/2013	18.74	5.29	0.00	13.45	13.42	-0.03	230	260	1,000	1,300	9.0	<0.50	2.1	1.7	24	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A01, A52, A57
MW-1B	1/16/2013	18.88	6.62	0.00	12.26	13.44	1.18	100	<40	<50	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<10	<0.50	15	<0.50	<0.50	<0.50	<250	A52, A57
MW-2A	1/16/2013	18.93	5.32	0.00	13.61	13.25	-0.36	340	710	2,800	1,700	310	7.0	14	5.2	140	3,400	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A01, A52, A57
MW-2B	1/16/2013	19.10	4.92	0.00	14.18	13.88	-0.30	<100	<40	<50	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A52, A57
MW-3A	1/16/2013	18.62	4.21	0.00	14.41	14.25	-0.16	210	170	1,600	1,400	19	1.0	3.3	<1.0	<0.50	<10	<0.50	1.0	<0.50	<0.50	<0.50	<250	A01, A52, A57
MW-3B	1/16/2013	18.57	4.16	0.00	14.41	14.47	0.06	<100	<40	<50	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A52, A57, SO5

Note

Analytical results given in micrograms per liter (µg/l)

Standard Abbreviations

--	not analyzed, measured, or collected
<	not detected at or above laboratory detection limit
bgs	below ground surface
AMSL	above mean sealevel
DTW	depth to water
GW	groundwater
LPH	liquid-phase hydrocarbons
TOC	top of casing (surveyed reference elevation)

Analytes

MTBE	methyl tertiary butyl ether
TBA	tertiary butyl alcohol
EDB	1,2-dibromoethane
EDC	1,2-dichloroethane (same as ethylene dichloride)
ETBE	ethyl tertiary butyl ether
TAME	tertiary amyl methyl ether
DIPE	di-isopropyl ether
TPH-g	total purgable petroleum hydrocarbons
TPH-d	total petroleum hydrocarbons as diesel
TPH-Motor Oil	total petroleum hydrocarbons as motor oil
8260B	EPA Method 8260B for TPH-g and Volatile Organic Compounds
8015B/FFP	EPA Method 8015B with silica gel clean-up for TPH-d and TPH-motor oil
A01	PQL's and MDL's are raised due to sample dilution.
PQL	practical quantitation limit
MDL	method detection limit
A52	Chromatogram not typical of diesel
A57	Chromatogram not typical of motor oil
SO5	The sample holding time was exceeded

Table 1
Current Groundwater Gauging and Analytical Results
76 Station 3737
1400 Powell Street, Emeryville, California

Well ID	Date Sampled	Dissolved Iron	Dissolved Manganese	Nitrate as NO3 (mg/L)	Nitrite as NO2 (mg/L)	Sulfate (mg/L)	Post-purge DO	Pre-purge DO	Comments
MW-1A	1/16/2013	69	5,300	<0.44	<0.17	1.1	1.0	1.2	
MW-1B	1/16/2013	--	--	--	--	--	--	--	
MW-2A	1/16/2013	1,400	13,000	<0.88	<0.17	5.6	1.0	1.0	
MW-2B	1/16/2013	--	--	--	--	--	--	--	
MW-3A	1/16/2013	<50	5,200	<0.44	<0.17	6.3	0.9	1.1	
MW-3B	1/16/2013	<50	45	<0.44	<0.17	6.3	1.0	1.2	

Note

Analytical results given in micrograms per liter (µg/L), unless otherwise stated

Standard Abbreviations

mg/l milligrams per liter (approx. equivalent to parts per million, ppm)
µg/l micrograms per liter (approx. equivalent to parts per billion, ppb)

Analytes

DO dissolved oxygen

Lab Qualifiers

A01 PQL's and MDL's are raised due to sample dilution.
MDL method detection limit
A52 Chromatogram not typical of diesel
A57 Chromatogram not typical of motor oil
SO5 The sample holding time was exceeded

Table 2
Historical Groundwater Gauging and Analytical Results
76 Station 3737
1400 Powell Street, Emeryville, California

Well ID	Date Sampled	TOC (feet AMSL)	DTW (feet bgs)	LPH Thickness (feet)	GW Elevation (feet AMSL)	Previous Quarter GWE (feet AMSL)	Change in Elevation (feet)	TPH-Motor Oil (8015B/FFP)	TPH-d (FFP) (8015B/FFP)	TPH-g (8015B)	TPH-g (Luft-GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	TBA	EDB	EDC	DIPE	ETBE	TAME	Ethanol	Comments
MW-1A	05/01/2011	18.74	5.68	0.00	13.06	--	--	<200	450	--	1,100	36	0.86	5.9	1.9	31	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
	08/28/2011		5.72	0.00	13.02	13.06	0.04	170	540	--	840	21	0.68	3.8	1.8	55	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
	11/20/2011		5.58	0.00	13.16	13.02	-0.14	<100	460	--	1,300	20	0.74	6.4	<1.0	40	79	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
	02/19/2012		5.67	0.00	13.07	13.16	0.09	<100	610	--	1,300	20	0.91	6.8	2.5	59	80	<0.50	<0.50	<0.50	<0.50	2.0	<250	
	05/20/2012		5.50	0.00	13.24	13.07	-0.17	<100	380	--	1,600	18	0.81	5.1	2.7	26	39	<0.50	<0.50	<0.50	<0.50	0.76	<250	A52
	7/29/2012		5.57	0.00	13.17	13.24	0.07	<100	220	--	1,400	10	<0.50	0.8	1.9	35	80	<0.50	<0.50	<0.50	<0.50	1.2	<250	
	10/28/2012		5.32	0.00	13.42	13.17	-0.25	<100	180	--	1,500	13	0.72	2.8	1.7	52	120	<0.50	<0.50	<0.50	<0.50	1.9	<250	A52
	1/16/2013		5.29	0.00	-5.29	13.42	18.71	230	260	1,000	1,300	9.0	<0.50	2.1	1.7	24	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A01, A52, A57
MW-1B	05/01/2011	18.88	8.51	0.00	10.37	--	--	<200	82	--	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<10	<0.50	19	<0.50	<0.50	<0.50	<250	
	08/28/2011		8.27	0.00	10.61	10.37	-0.24	<100	59	--	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<10	<0.50	18	<0.50	<0.50	<0.50	<250	
	11/20/2011		7.88	0.00	11.00	10.61	-0.39	<100	69	--	<50	<0.50	<0.50	<0.50	<1.0	0.55	<10	<0.50	16	<0.50	<0.50	<0.50	<250	
	02/19/2012		7.59	0.00	11.29	11.00	-0.29	<100	<40	--	<50	<0.50	<0.50	<0.50	<1.0	0.87	<10	<0.50	26	<0.50	<0.50	<0.50	<250	
	05/20/2012		7.33	0.00	11.55	11.29	-0.26	<100	<40	--	<50	<0.50	<0.50	<0.50	<1.0	0.75	<10	<0.50	24	<0.50	<0.50	<0.50	<250	
	7/29/2012		6.90	0.00	11.98	11.55	-0.43	<100	<40	--	<50	<0.50	<0.50	<0.50	<1.0	0.72	<10	<0.50	27	<0.50	<0.50	<0.50	<250	
	10/28/2012		5.44	0.00	13.44	11.98	-1.46	<100	<40	--	<50	<0.50	<0.50	<0.50	<1.0	0.63	<10	<0.50	23	<0.50	<0.50	<0.50	<250	
	1/16/2013		6.62	0.00	-6.62	13.44	20.06	100	<40	<50	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<10	<0.50	15	<0.50	<0.50	<0.50	<250	A52, A57
MW-2A	05/01/2011	18.93	6.40	0.00	12.53	--	--	<1000	1,500	--	2,800	860	4.6	<0.50	12	220	2,500	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A01
	08/28/2011		5.93	0.00	13.00	12.53	-0.47	<1000	1,600	--	2,300	690	<5.0	<5.0	<10	320	2,100	<5.0	<5.0	<5.0	<5.0	<5.0	<2,500	A01
	11/20/2011		5.73	0.00	13.20	13.00	-0.20	<500	1,200	--	1,800	440	<5.0	<5.0	<10	160	2,200	<5.0	<5.0	<5.0	<5.0	<5.0	<2,500	A01
	02/19/2012		7.25	0.00	11.68	13.20	1.52	<100	450	--	2,000	460	5.1	<0.50	5.8	280	3,200	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
	05/20/2012		7.77	0.00	11.16	11.68	0.52	<100	470	--	2,100	250	3.2	<0.50	3.1	290	2,400	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A01, A52
	7/29/2012		7.33	0.00	11.60	11.16	-0.44	<100	310	--	1,900	120	1.9	12	1.4	280	2,300	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
	10/28/2012		5.68	0.00	13.25	11.60	-1.65	<100	91	--	1,300	150	<2.5	14	5.4	270	2,100	<2.5	<2.5	<2.5	<2.5	<2.5	<1,200	A01
	1/16/2013		5.32	0.00	-5.32	13.25	18.57	340	710	2,800	1,700	310	7.0	14	5.2	140	3,400	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A01, A52, A57
MW-2B	05/01/2011	19.10	7.57	0.00	11.53	--	--	<200	<50	--	<50	1.2	<0.50	<0.50	<1.0	3.4	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
	08/28/2011		5.82	0.00	13.28	11.53	-1.75	<100	<40	--	<50	<0.50	<0.50	<0.50	<1.0	2.3	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
	11/20/2011		5.73	0.00	13.37	13.28	-0.09	<100	56	--	<50	<0.50	<0.50	<0.50	<1.0	2.0	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
	02/19/2012		5.46	0.00	13.64	13.37	-0.27	<100	<40	--	<50	<0.50	<0.50	<0.50	<1.0	3.1	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
	05/20/2012		5.18	0.00	13.92	13.64	-0.28	<100	<40	--	<50	<0.50	<0.50	<0.50	<1.0	3.0	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
	7/29/2012		5.28	0.00	13.82	13.92	0.10	<100	<40	--	<50	<0.50	<0.50	<0.50	<1.0	2.1	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
	10/28/2012		5.22	0.00	13.88	13.82	-0.06	<100	<40	--	<50	<0.50	<0.50	<0.50	<1.0	1.7	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
	1/16/2013		4.92	0.00	-4.92	13.88	18.80	<100	<40	<50	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A52, A57
MW-3A	05/01/2011	18.62	4.68	0.00	13.94	--	--	<200	460	--	2,700	130	2.7	98	3.6	<0.50	<10	<0.50	1.2	<0.50	<0.50	<0.50	<250	A01
	08/28/2011		4.92	0.00	13.70	13.94	0.24	130	440	--	1,700	39	0.51	28	1.6	<0.50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
	11/20/2011		4.97	0.00	13.65	13.70	0.05	<100	330	--	1,200	25	0.83	17	<1.0	<0.50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
	02/19/2012		4.72	0.00	13.90	13.65	-0.25	<1000	1400	--	1,900	60	2.1	41	2.1	0.71	30	<0.50	0.80	<0.50	<0.50	<0.50	<250	A01
	05/20/2012		4.40	0.00	14.22	13.90	-0.32	<100	340	--	2,200	45	2.2	30	2.5	0.54	25	<0.50	0.85	<0.50	<0.50	<0.50	<250	A52
	7/29/2012		4.50	0.00	14.12	14.22	0.10	<100	160	--	1,900	77	2.1	14	2.2	<0.50	<10	<0.50	0.94	<0.50	<0.50	<0.50	<250	
	10/28/2012		4.37	0.00	14.25	14.12	-0.13	<100	130	--	1,600	54	3.9	27	4.4	2.8	<20	<1.0	<1.0	<1.0	<1.0	<1.0	<500	A01
	1/16/2013		4.21	0.00	-4.21	14.25	18.46	210	170	1,600	1,400	19	1.0	3.3	<1.0	<0.50	<10	<0.50	1.0	<0.50	<0.50	<0.50	<250	A01, A52, A57

Table 2
Historical Groundwater Gauging and Analytical Results
76 Station 3737
1400 Powell Street, Emeryville, California

Well ID	Date Sampled	TOC (feet AMSL)	DTW (feet bgs)	LPH Thickness (feet)	GW Elevation (feet AMSL)	Previous Quarter GWE (feet AMSL)	Change in Elevation (feet)	TPH-Motor Oil (8015B/FFP)	TPH-d (FFP) (8015B/FFP)	TPH-g (8015B)	TPH-g (Luft-GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	TBA	EDB	EDC	DIPE	ETBE	TAME	Ethanol	Comments
MW-3B	05/01/2011	18.57	6.68	0.00	11.89	--	--	<200	<50	--	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
	08/28/2011		7.29	0.00	11.28	11.89	0.61	<100	<40	--	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
	11/20/2011		6.33	0.00	12.24	11.28	-0.96	<100	45	--	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
	02/19/2012		4.62	0.00	13.95	12.24	-1.71	<100	<40	--	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
	05/20/2012		4.52	0.00	14.05	13.95	-0.10	<100	<40	--	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
	7/29/2012		4.36	0.00	14.21	14.05	-0.16	<100	<40	--	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
	10/28/2012		4.10	0.00	14.47	14.21	-0.26	<100	<40	--	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	
	1/16/2013		4.16	0.00	-4.16	14.47	18.63	<100	<40	<50	<50	<0.50	<0.50	<0.50	<1.0	<0.50	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<250	A52, A57, SO5

Note

Analytical results given in micrograms per liter (µg/l)

Standard Abbreviations

--	not analyzed, measured, or collected
<	not detected at or above laboratory detection limit
bgs	below ground surface
AMSL	above mean sealevel
DTW	depth to water
GW	groundwater
LPH	liquid-phase hydrocarbons
TOC	top of casing (surveyed reference elevation)

Analvtes

MTBE	methyl tertiary butyl ether
TBA	tertiary butyl alcohol
EDB	1,2-dibromoethane
EDC	1,2-dichloroethane (same as ethylene dichloride)
ETBE	ethyl tertiary butyl ether
TAME	tertiary amyl methyl ether
DIPE	di-isopropyl ether
TPH-g	total purgable petroleum hydrocarbons
TPH-d	total petroleum hydrocarbons as diesel
TPH-Motor Oil	total petroleum hydrocarbons as motor oil
8260B	EPA Method 8260B for TPH-g and Volatile Organic Compounds
8015B/FFP	EPA Method 8015B with silica gel clean-up for TPH-d and TPH-motor oil
A01	PQL's and MDL's are raised due to sample dilution.
PQL	practical quantitation limit
MDL	method detection limit
A52	Chromatogram not typical of diesel
A57	Chromatogram not typical of motor oil
SO5	The sample holding time was exceeded

Attachment A

Field Data Sheets and General Procedures



GETTLER-RYAN Inc.



TRANSMITTAL

January 10, 2013

G-R #385707

TO: Ms. Leah Ackerman
Arcadis
100 Montgomery Street Suite 300
San Francisco, CA 94104

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Facility**
#351780/3737
1400 Powell
Emeryville, California

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DESCRIPTION
VIA PDF	Groundwater Monitoring and Sampling Data Package First Quarter Event of January 6, 2013

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced data for your use.

Please provide us the updated historical data prior to the next monitoring and sampling event for our field use.

Please feel free to contact me if you have any comments/questions.

trans/351780/3737

WELL CONDITION STATUS SHEET

Client/
Facility #: **Chevron #351780 / 3737**

Site Address: **1400 Powell**

City: **Emeryville, CA**

Job #: **385707**
Event Date: 1/6/13
Sampler: Gm

[illegible]

Comments _____

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. (GR) field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. All work is performed in accordance with the GR Health & Safety Plan and all client-specific programs. The scope of work and type of analysis to be performed is determined prior to commencing field work.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, peristaltic or Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging (additional parameters such as dissolved oxygen, oxidation reduction potential, turbidity may also be measured, depending on specific scope of work.). Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards, as directed by the scope of work. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by Clean Harbors Environmental Services to Evergreen Oil located in Newark, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #351780 / 3737**
 Site Address: **1400 Powell**
 City: **Emeryville, CA**

Job Number: **385707**
 Event Date: **1/6/13** (inclusive)
 Sampler: **GM**

Well ID: **MW-1A**
 Well Diameter: **2** in.
 Total Depth: **9.72** ft.
 Depth to Water: **5.29** ft.
4.43 xVF **0.17** = **0.75**

Date Monitored: **1/6/13**

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **6.17**
 x3 case volume = Estimated Purge Volume: **2.5** gal.

Purge Equipment:

Disposable Bailer ☒
 Stainless Steel Bailer ☐
 Stack Pump ☐
 Suction Pump ☐
 Grundfos ☐
 Peristaltic Pump ☐
 QED Bladder Pump ☐
 Other: ☐

Sampling Equipment:

Disposable Bailer ☒
 Pressure Bailer ☐
 Metal Filters ☐
 Peristaltic Pump ☐
 QED Bladder Pump ☐
 Other: ☐

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): **0605**
 Sample Time/Date: **0935 1/6/13**
 Approx. Flow Rate: **—** gpm.
 Did well de-water? **Yes** If yes, Time: **0618**

Weather Conditions: **CLOUDY**
 Water Color: **CLOUDY** Odor: **(Y) N** **MODERATE**
 Sediment Description: **SILT**
 Volume: **2** gal. DTW @ Sampling: **5.40**

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm (µS))	Temperature (°C / °F)	D.O. (mg/L)	ORP (mV)	TURBIDITY
—	PRE	7.54	663	16.2	PRE: 1.2	PRE: 134	PRE: 15.42
0609	0.75	6.94	704	16.9			
0612	1.5	6.91	711	17.0			
					POST: 1.0	POST: 28	POST: 90.63

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-1A	6 x voa vial	YES	HCL	BC LABS	TPH-GRO(8015)/TPH-GRO(8260)/BTX+MTBE(8260)/8 OXYS(8260)
	2 x 1 liter ambers	YES	NP	BC LABS	TPH-MO w/sgc/TPH-DRO w/sgc (8015)
	1 x 1 liter poly	YES	NP	BC LABS	DISSOLVED IRON/DISSOLVED MANGANESE/NITRATE/NITRITE/SULFATE
	2 x voa vial	YES	TSP	MICROSEEPS	METHANE (RSK-175/AM20 GAX)

COMMENTS:

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #351780 / 3737**
 Site Address: **1400 Powell**
 City: **Emeryville, CA**

Job Number: **385707**
 Event Date: **1/6/13** (inclusive)
 Sampler: **GM**

Well ID: **MW-1B**
 Well Diameter: **2** in.
 Total Depth: **21.71** ft.
 Depth to Water: **6.62** ft.
15.09 xVF **0.17** = **2.57**

Date Monitored: **1/6/13**

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

☐ Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: **8** gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **9.63**

Purge Equipment:

Disposable Bailer ☒
 Stainless Steel Bailer ☐
 Stack Pump ☐
 Suction Pump ☐
 Grundfos ☐
 Peristaltic Pump ☐
 QED Bladder Pump ☐
 Other: ☐

Sampling Equipment:

Disposable Bailer ☒
 Pressure Bailer ☐
 Metal Filters ☐
 Peristaltic Pump ☐
 QED Bladder Pump ☐
 Other: ☐

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): **0622**
 Sample Time/Date: **0945 / 1/6/13**
 Approx. Flow Rate: **—** gpm.
 Did well de-water? **YES** If yes, Time: **0635**

Weather Conditions: **CLOUDY**
 Water Color: **CLEAR** Odor: **Y (N)**
 Sediment Description: **NONE**
 Volume: **4.5** gal. DTW @ Sampling: **9.15**

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - 15)	Temperature (° F)	D.O. (mg/L)	ORP (mV)	TURBIDITY
PRE	3	7.10	1170	17.6	PRE: 1.3	PRE: 116	PRE: 3.15
0627	3	6.96	1206	18.7			
					POST: 1.3	POST: 148	POST: 65.16

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-1B	2 voa vial	YES	HCL	BC LABS	TPH-GRO(8015)/TPH-GRO(8260)/BTX+MTBE(8260)/8 OXYS(8260)
	2 x 1 liter ambers	YES	NP	BC LABS	TPH-MO w/sgc/TPH-DRO w/sgc (8015)
	x 1 liter poly	YES	NP	BC LABS	DISSOLVED IRON/DISSOLVED MANGANESE/NITRATE/NITRITE/SULFATE
	x voa vial	YES	TSP	MICROSEEPS	METHANE (RSK-175/AM20 GAX)

COMMENTS: **UNDER PRESSURE**

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN Inc.

WELL MONITORING/SAMPLING LOW FLOW FIELD DATA SHEET

Client/Facility#: **Chevron #351780 / 3737** Job Number: **385707**
 Site Address: **1400 Powell** Event Date: **1/6/13** (inclusive)
 City: **Emeryville, CA** Sampler: **Gm**

Well ID: **MW-2A**
 Well Diameter: **2** in.
 Total Depth: **10.14** ft.
 Depth to Water: **5.32** ft.
4.82 xVF = **2.8** gal.

Date Monitored: **1/6/13**

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **6.28**

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump ☒
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump ☒
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): **0828** Weather Conditions: **CLOUDY**
 Sample Time/Date: **0910 1/6/13** Water Color: **CLOUDY** Odor: **Y/N MODERATE**
 Approx. Flow Rate: **200** mlpm. Sediment Description: **SILT**
 Did well de-water? **N2** If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: **6.19**

Time (2400 hr.)	Volume (Liters)	pH	Conductivity (µmhos/cm - 65)	Temperature (°C / °F)	D.O. (mg/L)	ORP (mV)	Gauge DTW as parameters are recorded	TURBIDITY
	PRE	6.41	2441	18.2	PRE: 1.0	PRE: 122	5.88	PRE: 14.22
0846	3.6	6.43	2436	18.0			5.89	
0849	4.2	6.47	2434	17.9			5.90	
0852	4.8	6.49	2432	17.8	POST: 1.0	POST: 101	5.90	POST: 299

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-2A	6x voa vial	YES	HCL	BC LABS	TPH-GRO(8015)/TPH-GRO(8260B)/ BTX+MTBE(8260)/8 OXYS(8260)
	2x 1 liter ambers	YES	NP	BC LABS	TPH-MO w/sgc/TPH-DRO w/sgc (8015)
	1x 1 liter poly	YES	NP	BC LABS	DISSOLVED IRON/DISSOLVED MANGANESE/NITRATE/NITRITE/SULFATE
	2x voa vial	YES	TSP	MICROSEEPS	METHANE (RSK-175/AM20 GAX)

COMMENTS: **DEPTH PUMP SET AT: 7.5**

GRAB SAMPLE TAKEN @ 0825 DISPOSED OF TOOL AFTER PURGE SAMPLE

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: **1** Add/Replaced Plug: **1**



GETTLER-RYAN Inc.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #351780 / 3737**
 Site Address: **1400 Powell**
 City: **Emeryville, CA**

Job Number: **385707**
 Event Date: **1/6/13** (inclusive)
 Sampler: **GWR**

Well ID: **MW-2B**
 Well Diameter: **2** in.
 Total Depth: **23.60** ft.
 Depth to Water: **4.92** ft.

Date Monitored: **1/6/13**

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water: **18.68** xVF **0.17** = **3.18** x3 case volume = Estimated Purge Volume: **10** gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **8.65**

Purge Equipment:

Disposable Bailer ☒
 Stainless Steel Bailer ☐
 Stack Pump ☐
 Suction Pump ☐
 Grundfos ☐
 Peristaltic Pump ☐
 QED Bladder Pump ☐
 Other: ☐

Sampling Equipment:

Disposable Bailer ☒
 Pressure Bailer ☐
 Metal Filters ☐
 Peristaltic Pump ☐
 QED Bladder Pump ☐
 Other: ☐

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): **0742**
 Sample Time/Date: **1035 1/6/13**
 Approx. Flow Rate: **-** gpm.
 Did well de-water? **YES** If yes, Time: **0754** Volume: **5** gal.

Weather Conditions: **CLOUDY**
 Water Color: **CLEAR** Odor: **Y/N**
 Sediment Description: **SL GILT**
 DTW @ Sampling: **7.98**

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm @ 25°C)	Temperature (°C / °F)	D.O. (mg/L)	ORP (mV)	TURBIDITY
0747	PRE 3.5	8.54	979	18.6	PRE: 1.0	PRE: 103	PRE: *
		8.46	1012	19.3			
					POST: 1.2	POST: 115	POST: *

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-2B	6 x voa vial	YES	HCL	BC LABS	TPH-GRO(8015)/TPH-GRO(8260)/BTX+MTBE(8260)/8 OXYS(8260)
	2x 1 liter ambers	YES	NP	BC LABS	TPH-MO w/sgc/TPH-DRO w/sgc (8015)
	x 1 liter poly	YES	NP	BC LABS	DISSOLVED IRON/DISSOLVED MANGANESE/NITRATE/NITRITE/SULFATE
	x voa vial	YES	TSP	MICROSEEPS	METHANE (RSK-175/AM20 GAX)

COMMENTS: *** TURBIDITY WOULD NOT READ THIS WELL ACCURATE**
KEPT READING 0.00

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: **1** Add/Replaced Plug: **1**



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #351780 / 3737**
 Site Address: **1400 Powell**
 City: **Emeryville, CA**

Job Number: **385707**
 Event Date: **1/6/13** (inclusive)
 Sampler: **Gm**

Well ID: **MW-3A**
 Well Diameter: **2** in.
 Total Depth: **9.22** ft.
 Depth to Water: **4.21** ft.

Date Monitored: **1/6/13**

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

☐ Check if water column is less than 0.50 ft.

Depth to Water: **5.01** xVF **0.17** = **0.85** x3 case volume = Estimated Purge Volume: **3** gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **5.21**

Purge Equipment:

Disposable Bailer ☒
 Stainless Steel Bailer ☐
 Stack Pump ☐
 Suction Pump ☐
 Grundfos ☐
 Peristaltic Pump ☐
 QED Bladder Pump ☐
 Other: ☐

Sampling Equipment:

Disposable Bailer ☒
 Pressure Bailer ☐
 Metal Filters ☐
 Peristaltic Pump ☐
 QED Bladder Pump ☐
 Other: ☐

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): **0720**
 Sample Time/Date: **1015 1/6/13**
 Approx. Flow Rate: **-** gpm.
 Did well de-water? **Yes** If yes, Time: **0727**

Weather Conditions: **CLOUDY**
 Water Color: **CLOUDY** Odor: **01N** **MODERATE**
 Sediment Description: **SILT**
 Volume: **1.75** gal. DTW @ Sampling: **4.99**

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - US)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)	TURBIDITY
-	PRE	7.20	928	19.0	PRE: 1.1	PRE: 32	PRE: 18.00
0722	1	6.84	962	14.4			
					POST: 0.9	POST: 63	POST: 72.32

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-3A	6 x vov vial	YES	HCL	BC LABS	TPH-GRO(8015)/TPH-GRO(8260)/BTEX+MTBE(8260)/ 8 OXYS(8260)
	2 x 1 liter ambers	YES	NP	BC LABS	TPH-MO w/sgc/TPH-DRO w/sgc (8015)
	1 x 1 liter poly	YES	NP	BC LABS	DISSOLVED IRON/DISSOLVED MANGANESE/NITRATE/ NITRITE/SULFATE
	2 x vov vial	YES	TSP	MICROSEEPS	METHANE (RSK-175/AM20 GAX)

COMMENTS:

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Chevron #351780 / 3737** Job Number: **385707**
 Site Address: **1400 Powell** Event Date: **1/6/13** (inclusive)
 City: **Emeryville, CA** Sampler: **GM**

Well ID: **MW-3B** Date Monitored: **1/6/13**
 Well Diameter: **2** in.
 Total Depth: **23.80** ft.
 Depth to Water: **4.16** ft. ☐ Check if water column is less than 0.50 ft.
19.64 xVF **0.17** = **3.34** x3 case volume = Estimated Purge Volume: **10** gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **8.03**

Purge Equipment:

Disposable Bailer ☒
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer ☒
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): **0650** Weather Conditions: **Cloudy**
 Sample Time/Date: **1005 / 1/6/13** Water Color: **clear** Odor: **Y1(N)**
 Approx. Flow Rate: **-** gpm. Sediment Description: **SL SILT**
 Did well de-water? **YES** If yes, Time: **0703** Volume: **6** gal. DTW @ Sampling: **6.32**

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm - US)	Temperature (C F)	D.O. (mg/L)	ORP (mV)	TURBIDITY
-	PRE	7.01	1243	20.1	PRE: 1.2	PRE: 74	PRE: 4.29
0655	3.5	7.06	1243	20.5			
					POST: 1.0	POST: 96	POST: 52.67

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-3B	6 x voa vial	YES	HCL	BC LABS	TPH-GRO(8015)/TPH-GRO(8260)/BTX+MTBE(8260)/8 OXYS(8260)
	2 x 1 liter ambers	YES	NP	BC LABS	TPH-MO w/sgc/TPH-DRO w/sgc (8015)
	x 1 liter poly	YES	NP	BC LABS	DISSOLVED IRON/DISSOLVED MANGANESE/NITRATE/NITRITE/SULFATE
	x voa vial	YES	TSP	MICROSEEPS	METHANE (RSK-175/AM20 GAX)

COMMENTS:

Add/Replaced Gasket: _____ Add/Replaced Bolt: _____ Add/Replaced Lock: _____ Add/Replaced Plug: _____

☐ Yes
☐ No

Leah Ackerman Arcadis 100 Montgomery Street Suite 300 San Francisco, CA 94104 Leah.Ackerman@arcadis-us.com	Chevron Facility #: 351780 / 3737		Global ID#: T6019745736		Chevron Contact: (Name) Roya Kambin	
	Facility Address: 1400 Powell, Emeryville				(Phone) (925) 790-6270	
	Consultant Project #: 385707				Laboratory Name: BC Labs	
	Consultant Name: GETTLER-RYAN INC.				Laboratory Service Order: _____	
	Address: 6747 SIERRA COURT, SUITE J, DUBLIN, CA 94568				Laboratory Service Code: _____	
	Project Contact: (Name) DEANNA L. HARDING (deanna@grinc.com)				Samples Collected by: (Name) GILBERT MEDINA	
	(Phone) 925-551-7555		(Fax) 925-551-7899		Signature: _____	


[illegible]

☐ Yes
☐ No

[illegible]

Chain-of-Custody-Record

Chevron Facility #: **351780 / 3737** Global ID #: **T6019745736**
Facility Address: **1400 Powell, Emeryville**
Consultant Project #: **385707**
Consultant Name: **GETTLER-RYAN INC.**
Address: **6747 SIERRA COURT, SUITE J, DUBLIN, CA 94568**
Project Contact: (Name) **DEANNA L. HARDING (deanna@grinc.com)**
(Phone) **925-551-7555** (Fax) **925-551-7899**

Chevron Contact: (Name) Roya Kambin
(Phone) 925-790-6270
Laboratory Name: Microseeps Inc.
Laboratory Service Order: _____
Laboratory Service Code: _____
Samples Collected by: (Name) GILBERT MEDINA
Signature: 

[illegible]

Attachment B

Historical Groundwater Results from Antea

Table 2
Summary of Current Groundwater Analytical Data
Chevron Branded Service Station No. 3737
1400 Powell Street
Emeryville, California

Sample ID	Date	Time	Depth to Water	TOC Elevation	Groundwater Elevation	TPH-G (µg/L)	TPH-D (µg/L)	TPH-MO (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	TAME (µg/L)	TBA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)	ETBE (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	n-Butyl-benzene (µg/L)	sec-Butyl-benzene (µg/L)	Chloroform (µg/L)	Isopropyl-benzene (µg/L)	p-Isopropyl-toluene (µg/L)	Napthalene (µg/L)	n-Propyl-benzene (µg/L)	1,2,4-Trimethyl-benzene (µg/L)	1,3,5-Trimethyl-benzene (µg/L)
MW-1A	1/26/2011	2:20	5.8	18.743	12.94	960	450	A52	8.4	<0.50	1.9	1.6	50	1.4	62	<0.50	<250	<0.50	<0.50	<0.50	2.2	1.2	<0.50	4.2	1.8	1.8	7.3	1.0	1.2
MW-1B	1/26/2011	1:20	9.46	18.884	9.42	<50	<50		<0.50	<0.50	<0.50	<1.0	0.66	<0.50	<10	<0.50	<250	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW-2A	1/26/2011	10:33	8.02	18.925	10.91	2,500	1,200		100	2.2	28	9.0	140	<0.50	1,300	<0.50	<250	<0.50	<0.50	<0.50	6.6	3.9	2.5	14	7.6	17	23	2.5	2.4
MW-2B	1/26/2011	2:10	5.51	19.099	13.59	<50	<50		0.55	<0.50	<0.50	<1.0	3.4	<0.50	<10	<0.50	<250	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
MW-3A	1/26/2011	2:30	4.75	18.616	13.87	3,100	830		160	<5.0	96	<10	<5.0	<5.0	<100	<5.0	<2500	<5.0	<5.0	<5.0	<5.0	6.2	40	9.2	<5.0	54	<5.0	<5.0	<5.0
MW-3B	1/26/2011	1:35	7.33	18.571	11.24	<50	57		<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	<10	<0.50	<250	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
COMP	1/26/2011	1:15	NA	NA	NA	1,200	350		13	0.57	5.4	1.5	6.0	<0.50	92	<0.50	15,000	<0.50	<0.50	3.6	5.3	2.3	<0.50	4.0	2.9	5.6	8.4	0.60	0.52
ESL	--	--	--	--	--	100	100		1	40	30	20	5	NA	12	NA	NA	NA	0.05	0.5	NA	NA	70	NA	NA	17	NA	NA	NA

Notes:

Depth to water measured in feet below top of casing
Groundwtaer elevation measured in feet above mean sea level
Bold concentrations indicate detection above laboratory reporting limit
(µg/L) micrograms per liter
TPH-D Total Petroleum Hydrocarbons as Diesel
TPH-MO Total Petroleum Hydrocarbons as Motor Oil
TPH-G Total Petroleum Hydrocarbons as Gasoline
MTBE methyl tertiary butyl ether
TBA tertiary buty alcohol
ETBE ethyl tertiary butyl ether
DIPE di-isopropyl ether
TAME tertiary amyl ethyl ether
EDB ethylene dibromide
1,2-DCA 1,2-dichloroethane
ESL Regional Water Quality Control Board - San Francisco Region Environmental Screening Level
A52 Data Qualifier: Chromatogram not typical of diesel
ESL based on residential land use, shallow soil, and groundwater as a potential drinking resource.
TPH-D and TPH-MO analysis by Environmental Protection Agency (EPA) Test Method 8015 with Silica Gel Cleanup
All other analyses by EPA Method 8260B.
Samples were analyzed for a full VOC Scan by EPA Method 8260B with oxygenates and lead scavengers. All Oxygenates and lead scavenger data are summarized, only VOCs with detections are presented in table.
Data qualifiers regarding sample dilution, surrogate recovery, or quality control are not presented in table. Please refer to laboratory reports for full explanation of qualifiers.

Attachment C

Laboratory Report and Chain-of-Custody Documentation

Date of Report: 01/17/2013

Leah Ackerman

Arcadis

2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Project: 3737
BC Work Order: 1300412
Invoice ID: B138201

Enclosed are the results of analyses for samples received by the laboratory on 1/7/2013. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Contact Person: Molly Meyers
Client Service Rep



Authorized Signature

Certifications: CA ELAP #1186; NV #CA00014

Table of Contents

Sample Information

Chain of Custody and Cooler Receipt form.....	4
Laboratory / Client Sample Cross Reference.....	8

Sample Results

1300412-01 - MW-1A-W-130106	
Volatile Organic Analysis (EPA Method 8260).....	11
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	12
Purgeable Aromatics and Total Petroleum Hydrocarbons (Silica Gel Treated).....	13
Water Analysis (General Chemistry).....	14
Metals Analysis.....	15
1300412-02 - MW-1B-W-130106	
Volatile Organic Analysis (EPA Method 8260).....	16
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	17
Purgeable Aromatics and Total Petroleum Hydrocarbons (Silica Gel Treated).....	18
1300412-03 - MW-2A-W-130106	
Volatile Organic Analysis (EPA Method 8260).....	19
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	20
Purgeable Aromatics and Total Petroleum Hydrocarbons (Silica Gel Treated).....	21
Water Analysis (General Chemistry).....	22
Metals Analysis.....	23
1300412-04 - MW-2B-W-130106	
Volatile Organic Analysis (EPA Method 8260).....	24
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	25
Purgeable Aromatics and Total Petroleum Hydrocarbons (Silica Gel Treated).....	26
1300412-05 - MW-3A-W-130106	
Volatile Organic Analysis (EPA Method 8260).....	27
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	28
Purgeable Aromatics and Total Petroleum Hydrocarbons (Silica Gel Treated).....	29
Water Analysis (General Chemistry).....	30
Metals Analysis.....	31
1300412-06 - MW-3B-W-130106	
Volatile Organic Analysis (EPA Method 8260).....	32
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	33
Purgeable Aromatics and Total Petroleum Hydrocarbons (Silica Gel Treated).....	34
Water Analysis (General Chemistry).....	35
Metals Analysis.....	36
1300412-07 - QA-W-130106	
Volatile Organic Analysis (EPA Method 8260).....	37
Purgeable Aromatics and Total Petroleum Hydrocarbons.....	38

Quality Control Reports

Volatile Organic Analysis (EPA Method 8260)	
Method Blank Analysis.....	39
Laboratory Control Sample.....	40
Precision and Accuracy.....	41
Purgeable Aromatics and Total Petroleum Hydrocarbons	
Method Blank Analysis.....	42
Laboratory Control Sample.....	43
Precision and Accuracy.....	44
Purgeable Aromatics and Total Petroleum Hydrocarbons (Silica Gel Treated)	
Method Blank Analysis.....	45
Laboratory Control Sample.....	46
Precision and Accuracy.....	47
Water Analysis (General Chemistry)	
Method Blank Analysis.....	48



Table of Contents

Laboratory Control Sample.....	49
Precision and Accuracy.....	50
Metals Analysis	
Method Blank Analysis.....	51
Laboratory Control Sample.....	52
Precision and Accuracy.....	53
Notes	
Notes and Definitions.....	54

Chain-of-Custody-Record

#13-00412

☐ Yes
☐ No

Leah Ackerman
Arcadis
100 Montgomery Street
Suite 300
San Francisco, CA
94104
Leah.Ackerman@arcadis-us.com

Chevron Facility #: **351780 / 3737** Global ID #: **T6019745736**
Facility Address: **1400 Powell, Emeryville**
Consultant Project #: **385707**
Consultant Name: **GETTLER-RYAN INC.**
Address: **6747 SIERRA COURT, SUITE J, DUBLIN, CA 94568**
Project Contact: (Name) **DEANNA L. HARDING (deanna@grinc.com)**
(Phone) **925-551-7555** (Fax) **925-551-7899**

Chevron Contact: (Name) **Roya Kambin**
(Phone) **(925) 790-6270**
Laboratory Name: **BC Labs**
Laboratory Service Order:
Laboratory Service Code:
Samples Collected by: (Name) **CARL BERT MEDINA**
Signature: *[Signature]*

Sample Number	Number of Containers	Matrix S= Soil A=Air W=Water C=Charcoal	Date/Time	TPH-GRO(8015)/ TPH-GRO(8260)/ BTX+MTBE(8260) (HCL PRESERVED)	8 OXYS (8260) (HCL PRESERVED)	TPH-MO w/sgc (8015) (NON-PRESERVED)	TPH-DRO w/sgc (8015) (NON-PRESERVED)	<input checked="" type="checkbox"/> CA <input type="checkbox"/> OR <input type="checkbox"/> WA <input type="checkbox"/> NW	Series	<input type="checkbox"/> CO <input type="checkbox"/> UT <input type="checkbox"/> ID	Remarks
MW-1A ¹	8	W	11/6/13 0935	X	X	X	X				Lab Sample No.
MW-1B ²	8	W	0945	X	X	X	X				
MW-2A ³	8	W	0910	X	X	X	X				
MW-2B ⁴	8	W	1035	X	X	X	X				
MW-3A ⁵	8	W	1015	X	X	X	X				
MW-3B ⁶	8	W	1005	X	X	X	X				
QA ⁷	2	W		X	X	X	X				
				X	X	X	X				

SHORT HOLDING TIME

☒ G⁺ ☒ NO₂ ☒ NO₃ ☐ OP ☐ SS

☐ DO ☐ Cl₂ ☐ BOD ☐ MBAS ☐ COT

CHK BY

DISTRIBUTION

SUB OUT ☐

Relinquished By (Signature) <i>[Signature]</i>	Organization Gettler-Ryan Inc.	Date/Time 11/6/13 1330	Received By (Signature) <i>[Signature]</i>	Organization Gettler-Ryan Inc.	Date/Time 11/6/13 1330	Iced (Y/N)	Turn Around Time (Circle Choice) 24 Hrs. 48 Hrs. 5 Days 10 Days As Contracted
Relinquished By (Signature) <i>[Signature]</i>	Organization G-R INC	Date/Time 11-07-13 1445	Received By (Signature) <i>[Signature]</i>	Organization BC Lab	Date/Time 1-7-13 1445	Iced (Y/N)	
Relinquished By (Signature) <i>[Signature]</i>	Organization BC Lab	Date/Time 1-7-13	Received For Laboratory By (Signature) <i>[Signature]</i>		Date/Time 1-7-13 17:50	Iced (Y/N)	

REL. *[Signature]* 1-7-13 21:30 *[Signature]* 1-7-13 21:30

[illegible]



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

Chain of Custody and Cooler Receipt Form for 1300412 Page 3 of 4

BC LABORATORIES INC.		COOLER RECEIPT FORM		Rev. No. 13	08/17/12	Page 1 Of 2					
Submission #: <u>13-00412</u>											
SHIPPING INFORMATION Federal-Express <input type="checkbox"/> UPS <input type="checkbox"/> Hand Delivery <input type="checkbox"/> BC Lab Field Service <input checked="" type="checkbox"/> Other <input type="checkbox"/> (Specify) _____				SHIPPING CONTAINER Ice Chest <input checked="" type="checkbox"/> None <input type="checkbox"/> Box <input type="checkbox"/> Other <input type="checkbox"/> (Specify) _____							
Refrigerant: Ice <input checked="" type="checkbox"/> Blue Ice <input type="checkbox"/> None <input type="checkbox"/> Other <input type="checkbox"/> Comments: _____											
Custody Seals Ice Chest <input type="checkbox"/> Containers <input type="checkbox"/> None <input checked="" type="checkbox"/> Comments: _____ Intact? Yes <input type="checkbox"/> No <input type="checkbox"/> Intact? Yes <input type="checkbox"/> No <input type="checkbox"/>											
All samples received? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> All samples containers intact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Description(s) match COC? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>											
COC Received <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		Emissivity: <u>0.95</u> Container: <u>QPR</u> Thermometer ID: <u>207</u>		Date/Time <u>1-7-13</u>		Analyst Init <u>JPW</u> <u>2130</u>					
Temperature: (A) <u>3.1</u> °C / (C) <u>3.4</u> °C											
SAMPLE CONTAINERS		SAMPLE NUMBERS									
		1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL		D		D		D					
PT PE UNPRESERVED											
QT INORGANIC CHEMICAL METALS											
PT INORGANIC CHEMICAL METALS											
PT CYANIDE											
PT NITROGEN FORMS											
PT TOTAL SULFIDE											
2oz. NITRATE / NITRITE											
PT TOTAL ORGANIC CARBON											
PT TOX											
PT CHEMICAL OXYGEN DEMAND											
PIA PHENOLICS											
40ml VOA VIAL TRAVEL BLANK								A (2)			
40ml VOA VIAL		A (6)	A (6)	A (6)	A (6)	A (6)	A (6)				
QT EPA 413.1, 413.2, 418.1											
PT ODOR											
RADIOLOGICAL											
BACTERIOLOGICAL											
40 ml VOA VIAL- 504											
QT EPA 508/608/8080											
QT EPA 515.1/8150											
QT EPA 525											
QT EPA 525 TRAVEL BLANK											
100ml EPA 547											
100ml EPA 531.1											
QT EPA 548											
QT EPA 549											
QT EPA 632											
QT EPA 8015M											
QT AMBER		BC									
8 OZ. JAR											
32 OZ. JAR											
SOIL SLEEVE											
PCB VIAL											
PLASTIC BAG											
FERROUS IRON											
ENCORE											
SMART KIT											
Comments: _____											
Sample Numbering Completed By: <u>BLT</u> Date/Time: <u>1-8-13 @ 0730</u>											
A = Actual / C = Corrected											

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

Chain of Custody and Cooler Receipt Form for 1300412 Page 4 of 4

BC LABORATORIES INC.		COOLER RECEIPT FORM		Rev. No. 13	08/17/12	Page 2 of 2					
Submission #: <u>13-00412</u>											
SHIPPING INFORMATION Federal-Express <input type="checkbox"/> UPS <input type="checkbox"/> Hand Delivery <input type="checkbox"/> BC Lab Field Service <input checked="" type="checkbox"/> Other <input type="checkbox"/> (Specify) _____				SHIPPING CONTAINER Ice Chest <input checked="" type="checkbox"/> None <input type="checkbox"/> Box <input type="checkbox"/> Other <input type="checkbox"/> (Specify) _____							
Refrigerant: Ice <input checked="" type="checkbox"/> Blue Ice <input type="checkbox"/> None <input type="checkbox"/> Other <input type="checkbox"/> Comments: _____											
Custody Seals Ice Chest <input type="checkbox"/> Containers <input type="checkbox"/> None <input checked="" type="checkbox"/> Comments: _____ Intact? Yes <input type="checkbox"/> No <input type="checkbox"/> Intact? Yes <input type="checkbox"/> No <input type="checkbox"/>											
All samples received? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> All samples containers intact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Description(s) match COC? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>											
COC Received <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		Emissivity: <u>0.957</u> Container: <u>Q+A</u> Thermometer ID: <u>207</u> <u>JDW 1-7-13</u> Temperature: (A) <u>2.3</u> °C / (C) <u>2.4</u> °C		Date/Time <u>1-7-13</u> Analyst Init <u>JDW 2130</u>							
SAMPLE CONTAINERS		SAMPLE NUMBERS									
		1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL											
PT PE UNPRESERVED											
QT INORGANIC CHEMICAL METALS											
PT INORGANIC CHEMICAL METALS											
PT CYANIDE											
PT NITROGEN FORMS											
PT TOTAL SULFIDE											
2oz. NITRATE / NITRITE											
PT TOTAL ORGANIC CARBON											
PT TOX											
PT CHEMICAL OXYGEN DEMAND											
PLA PHENOLICS											
40ml VOA VIAL TRAVEL BLANK											
40ml VOA VIAL											
QT EPA 413.1, 413.2, 418.1											
PT ODOR											
RADIOLOGICAL											
BACTERIOLOGICAL											
40 ml VOA VIAL- 504											
QT EPA 508/608/8080											
QT EPA 515.1/8150											
QT EPA 525											
QT EPA 525 TRAVEL BLANK											
100ml EPA 547											
100ml EPA 531.1											
QT EPA 548											
QT EPA 549											
QT EPA 632											
QT EPA 8015M											
QT AMBER			BC	BC	BC	BC	BC				
8 OZ. JAR											
32 OZ. JAR											
SOIL SLEEVE											
PCB VIAL											
PLASTIC BAG											
FERROUS IRON											
ENCORE											
SMART KIT											
Comments: _____											
Sample Numbering Completed By: <u>BLT</u> Date/Time: <u>1-8-13 @ 0730</u>											
A = Actual / C = Corrected											

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information		
1300412-01	COC Number:	---	Receive Date: 01/07/2013 21:30
	Project Number:	3737	Sampling Date: 01/06/2013 09:35
1300412-01	Sampling Location:	---	Sample Depth: ---
	Sampling Point:	MW-1A-W-130106	Lab Matrix: Water
1300412-01	Sampled By:	GRD	Sample Type: Water
			Metal Analysis: 2-Lab Filtered and Acidified
			Delivery Work Order:
			Global ID: T06019745736
			Location ID (FieldPoint): MW-1A
			Matrix: W
			Sample QC Type (SACode): CS
			Cooler ID:
1300412-02	COC Number:	---	Receive Date: 01/07/2013 21:30
	Project Number:	3737	Sampling Date: 01/06/2013 09:45
1300412-02	Sampling Location:	---	Sample Depth: ---
	Sampling Point:	MW-1B-W-130106	Lab Matrix: Water
1300412-02	Sampled By:	GRD	Sample Type: Water
			Delivery Work Order:
			Global ID: T06019745736
			Location ID (FieldPoint): MW-1B
			Matrix: W
			Sample QC Type (SACode): CS
			Cooler ID:
1300412-03	COC Number:	---	Receive Date: 01/07/2013 21:30
	Project Number:	3737	Sampling Date: 01/06/2013 09:10
1300412-03	Sampling Location:	---	Sample Depth: ---
	Sampling Point:	MW-2A-W-130106	Lab Matrix: Water
1300412-03	Sampled By:	GRD	Sample Type: Water
			Metal Analysis: 2-Lab Filtered and Acidified
			Delivery Work Order:
			Global ID: T06019745736
			Location ID (FieldPoint): MW-2A
			Matrix: W
			Sample QC Type (SACode): CS
			Cooler ID:

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information		
1300412-04	COC Number:	---	Receive Date: 01/07/2013 21:30
	Project Number:	3737	Sampling Date: 01/06/2013 10:35
1300412-04	Sampling Location:	---	Sample Depth: ---
	Sampling Point:	MW-2B-W-130106	Lab Matrix: Water
1300412-04	Sampled By:	GRD	Sample Type: Water
			Delivery Work Order: Global ID: T06019745736 Location ID (FieldPoint): MW-2B Matrix: W Sample QC Type (SACode): CS Cooler ID:
1300412-05	COC Number:	---	Receive Date: 01/07/2013 21:30
	Project Number:	3737	Sampling Date: 01/06/2013 10:15
1300412-05	Sampling Location:	---	Sample Depth: ---
	Sampling Point:	MW-3A-W-130106	Lab Matrix: Water
1300412-05	Sampled By:	GRD	Sample Type: Water
			Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T06019745736 Location ID (FieldPoint): MW-3A Matrix: W Sample QC Type (SACode): CS Cooler ID:
1300412-06	COC Number:	---	Receive Date: 01/07/2013 21:30
	Project Number:	3737	Sampling Date: 01/06/2013 10:05
1300412-06	Sampling Location:	---	Sample Depth: ---
	Sampling Point:	MW-3B-W-130106	Lab Matrix: Water
1300412-06	Sampled By:	GRD	Sample Type: Water
			Metal Analysis: 2-Lab Filtered and Acidified Delivery Work Order: Global ID: T06019745736 Location ID (FieldPoint): MW-3B Matrix: W Sample QC Type (SACode): CS Cooler ID:

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			
1300412-07	COC Number:	---	Receive Date:	01/07/2013 21:30
	Project Number:	3737	Sampling Date:	01/06/2013 00:00
	Sampling Location:	---	Sample Depth:	---
	Sampling Point:	QA-W-130106	Lab Matrix:	Water
	Sampled By:	GRD	Sample Type:	Trip Blank
			Delivery Work Order:	
			Global ID: T06019745736	
			Location ID (FieldPoint): QC	
			Matrix: W	
			Sample QC Type (SACode): CS	
			Cooler ID:	

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 1300412-01		Client Sample Name: 3737, MW-1A-W-130106, 1/6/2013 9:35:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	9.0	ug/L	0.50	EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260B	ND		1
Ethylbenzene	2.1	ug/L	0.50	EPA-8260B	ND		1
Methyl t-butyl ether	24	ug/L	0.50	EPA-8260B	ND		1
Toluene	ND	ug/L	0.50	EPA-8260B	ND		1
Total Xylenes	1.7	ug/L	1.0	EPA-8260B	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
t-Butyl alcohol	ND	ug/L	10	EPA-8260B	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Ethanol	ND	ug/L	250	EPA-8260B	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Total Purgeable Petroleum Hydrocarbons (C6-C12)	1300	ug/L	50	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (Surrogate)	108	%	75 - 125 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate)	98.2	%	80 - 120 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	106	%	80 - 120 (LCL - UCL)	EPA-8260B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	01/08/13	01/08/13 13:32	EAR	MS-V12	1	BWA0261

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID:	1300412-01	Client Sample Name:	3737, MW-1A-W-130106, 1/6/2013 9:35:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	1000	ug/L	250	EPA-8015B	ND	A01	1
a,a,a-Trifluorotoluene (FID Surrogate)	109	%	70 - 130 (LCL - UCL)	EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	01/08/13	01/09/13 11:16	jjh	GC-V4	5	BWA0374

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Purgeable Aromatics and Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID:	1300412-01	Client Sample Name:	3737, MW-1A-W-130106, 1/6/2013 9:35:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
TPH - Diesel (FFP)	260	ug/L	40	EPA-8015B/FFP	ND	A52	1
TPH - Motor Oil	230	ug/L	100	EPA-8015B/FFP	ND	A57	1
Tetracosane (Surrogate)	80.4	%	37 - 134 (LCL - UCL)	EPA-8015B/FFP			1
Capric acid (Reverse Surrogate)	0	%	0 - 2 (LCL - UCL)	EPA-8015B/FFP			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B/FFP	01/09/13	01/16/13 10:26	MWB	GC-13	1	BWA0914

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Water Analysis (General Chemistry)

BCL Sample ID:	1300412-01	Client Sample Name:	3737, MW-1A-W-130106, 1/6/2013 9:35:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Nitrate as NO3	ND	mg/L	0.44	EPA-300.0	ND		1
Sulfate	1.1	mg/L	1.0	EPA-300.0	ND		1
Nitrite as NO2	ND	mg/L	0.17	EPA-353.2	ND		2

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-300.0	01/08/13	01/08/13 07:54	LD1	IC1	1	BWA0448
2	EPA-353.2	01/08/13	01/08/13 08:40	TDC	KONE-1	1	BWA0361

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Metals Analysis

BCL Sample ID:	1300412-01	Client Sample Name:	3737, MW-1A-W-130106, 1/6/2013 9:35:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Dissolved Iron	69	ug/L	50	EPA-200.7	ND		1
Dissolved Manganese	5300	ug/L	10	EPA-200.7	ND		1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-200.7	01/08/13	01/11/13 11:09	JRG	PE-OP2	1	BWA0484

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 1300412-02		Client Sample Name: 3737, MW-1B-W-130106, 1/6/2013 9:45:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane	15	ug/L	0.50	EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260B	ND		1
Methyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Toluene	ND	ug/L	0.50	EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260B	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
t-Butyl alcohol	ND	ug/L	10	EPA-8260B	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Ethanol	ND	ug/L	250	EPA-8260B	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Total Purgeable Petroleum Hydrocarbons (C6-C12)	ND	ug/L	50	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (Surrogate)	101	%	75 - 125 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate)	96.8	%	80 - 120 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	96.1	%	80 - 120 (LCL - UCL)	EPA-8260B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	01/08/13	01/08/13 13:50	EAR	MS-V12	1	BWA0261

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID:	1300412-02	Client Sample Name:	3737, MW-1B-W-130106, 1/6/2013 9:45:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50	EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	96.6	%	70 - 130 (LCL - UCL)	EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	01/08/13	01/08/13 17:52	jjh	GC-V4	1	BWA0374

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Purgeable Aromatics and Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID:	1300412-02	Client Sample Name:	3737, MW-1B-W-130106, 1/6/2013 9:45:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
TPH - Diesel (FFP)	ND	ug/L	40	EPA-8015B/FFP	ND	A52	1
TPH - Motor Oil	100	ug/L	100	EPA-8015B/FFP	ND	A57	1
Tetracosane (Surrogate)	71.9	%	37 - 134 (LCL - UCL)	EPA-8015B/FFP			1
Capric acid (Reverse Surrogate)	0	%	0 - 2 (LCL - UCL)	EPA-8015B/FFP			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B/FFP	01/09/13	01/16/13 10:49	MWB	GC-13	1	BWA0914

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 1300412-03		Client Sample Name: 3737, MW-2A-W-130106, 1/6/2013 9:10:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	310	ug/L	2.5	EPA-8260B	ND	A01	1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260B	ND		2
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260B	ND		2
Ethylbenzene	56	ug/L	0.50	EPA-8260B	ND		2
Methyl t-butyl ether	140	ug/L	2.5	EPA-8260B	ND	A01	1
Toluene	7.0	ug/L	0.50	EPA-8260B	ND		2
Total Xylenes	5.2	ug/L	1.0	EPA-8260B	ND		2
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260B	ND		2
t-Butyl alcohol	3400	ug/L	10	EPA-8260B	ND		2
Diisopropyl ether	ND	ug/L	0.50	EPA-8260B	ND		2
Ethanol	ND	ug/L	250	EPA-8260B	ND		2
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		2
Total Purgeable Petroleum Hydrocarbons (C6-C12)	1700	ug/L	250	Luft-GC/MS	ND	A01	1
1,2-Dichloroethane-d4 (Surrogate)	108	%	75 - 125 (LCL - UCL)	EPA-8260B			1
1,2-Dichloroethane-d4 (Surrogate)	103	%	75 - 125 (LCL - UCL)	EPA-8260B			2
Toluene-d8 (Surrogate)	98.3	%	80 - 120 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate)	98.7	%	80 - 120 (LCL - UCL)	EPA-8260B			2
4-Bromofluorobenzene (Surrogate)	96.9	%	80 - 120 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	107	%	80 - 120 (LCL - UCL)	EPA-8260B			2

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	01/08/13	01/08/13 17:20	EAR	MS-V12	5	BWA0261
2	EPA-8260B	01/08/13	01/08/13 14:07	EAR	MS-V12	1	BWA0261

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID:	1300412-03	Client Sample Name:	3737, MW-2A-W-130106, 1/6/2013 9:10:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	2800	ug/L	500	EPA-8015B	ND	A01	1
a,a,a-Trifluorotoluene (FID Surrogate)	117	%	70 - 130 (LCL - UCL)	EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	01/08/13	01/09/13 11:38	jjh	GC-V4	10	BWA0374

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Purgeable Aromatics and Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID:	1300412-03	Client Sample Name:	3737, MW-2A-W-130106, 1/6/2013 9:10:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
TPH - Diesel (FFP)	710	ug/L	40	EPA-8015B/FFP	ND	A52	1
TPH - Motor Oil	340	ug/L	100	EPA-8015B/FFP	ND	A57	1
Tetracosane (Surrogate)	121	%	37 - 134 (LCL - UCL)	EPA-8015B/FFP			1
Capric acid (Reverse Surrogate)	0	%	0 - 2 (LCL - UCL)	EPA-8015B/FFP			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B/FFP	01/09/13	01/16/13 11:11	MWB	GC-13	1	BWA0914

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Water Analysis (General Chemistry)

BCL Sample ID:	1300412-03	Client Sample Name:	3737, MW-2A-W-130106, 1/6/2013 9:10:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Nitrate as NO3	ND	mg/L	0.88	EPA-300.0	ND	A01	1
Sulfate	5.6	mg/L	2.0	EPA-300.0	ND	A01	1
Nitrite as NO2	ND	mg/L	0.17	EPA-353.2	ND		2

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-300.0	01/08/13	01/08/13 08:07	LD1	IC1	2	BWA0448
2	EPA-353.2	01/08/13	01/08/13 08:40	TDC	KONE-1	1	BWA0361

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Metals Analysis

BCL Sample ID:	1300412-03	Client Sample Name:	3737, MW-2A-W-130106, 1/6/2013 9:10:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Dissolved Iron	1400	ug/L	50	EPA-200.7	ND		1
Dissolved Manganese	13000	ug/L	10	EPA-200.7	ND		1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-200.7	01/08/13	01/11/13 11:12	JRG	PE-OP2	1	BWA0484

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 1300412-04		Client Sample Name: 3737, MW-2B-W-130106, 1/6/2013 10:35:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260B	ND		1
Methyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Toluene	ND	ug/L	0.50	EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260B	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
t-Butyl alcohol	ND	ug/L	10	EPA-8260B	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Ethanol	ND	ug/L	250	EPA-8260B	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Total Purgeable Petroleum Hydrocarbons (C6-C12)	ND	ug/L	50	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (Surrogate)	104	%	75 - 125 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate)	99.3	%	80 - 120 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	95.7	%	80 - 120 (LCL - UCL)	EPA-8260B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	01/08/13	01/08/13 14:25	EAR	MS-V12	1	BWA0261

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID:	1300412-04	Client Sample Name:	3737, MW-2B-W-130106, 1/6/2013 10:35:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50	EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	95.1	%	70 - 130 (LCL - UCL)	EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	01/08/13	01/08/13 18:38	jjh	GC-V4	1	BWA0374

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Purgeable Aromatics and Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID:	1300412-04	Client Sample Name:	3737, MW-2B-W-130106, 1/6/2013 10:35:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
TPH - Diesel (FFP)	ND	ug/L	40	EPA-8015B/FFP	ND	A52	1
TPH - Motor Oil	ND	ug/L	100	EPA-8015B/FFP	ND	A57	1
Tetracosane (Surrogate)	78.7	%	37 - 134 (LCL - UCL)	EPA-8015B/FFP			1
Capric acid (Reverse Surrogate)	0	%	0 - 2 (LCL - UCL)	EPA-8015B/FFP			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B/FFP	01/09/13	01/16/13 11:33	MWB	GC-13	1	BWA0914

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	1300412-05	Client Sample Name:	3737, MW-3A-W-130106, 1/6/2013 10:15:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	19	ug/L	0.50	EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane	1.0	ug/L	0.50	EPA-8260B	ND		1
Ethylbenzene	3.3	ug/L	0.50	EPA-8260B	ND		1
Methyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Toluene	1.0	ug/L	0.50	EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260B	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
t-Butyl alcohol	ND	ug/L	10	EPA-8260B	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Ethanol	ND	ug/L	250	EPA-8260B	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Total Purgeable Petroleum Hydrocarbons (C6-C12)	1400	ug/L	50	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (Surrogate)	110	%	75 - 125 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate)	98.0	%	80 - 120 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	108	%	80 - 120 (LCL - UCL)	EPA-8260B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	01/08/13	01/08/13 14:42	EAR	MS-V12	1	BWA0261

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID:	1300412-05	Client Sample Name:	3737, MW-3A-W-130106, 1/6/2013 10:15:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	1600	ug/L	250	EPA-8015B	ND	A01	1
a,a,a-Trifluorotoluene (FID Surrogate)	103	%	70 - 130 (LCL - UCL)	EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	01/08/13	01/09/13 12:03	jjh	GC-V4	5	BWA0374

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Purgeable Aromatics and Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID:	1300412-05	Client Sample Name:	3737, MW-3A-W-130106, 1/6/2013 10:15:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
TPH - Diesel (FFP)	170	ug/L	40	EPA-8015B/FFP	ND	A52	1
TPH - Motor Oil	210	ug/L	100	EPA-8015B/FFP	ND	A57	1
Tetracosane (Surrogate)	73.8	%	37 - 134 (LCL - UCL)	EPA-8015B/FFP			1
Capric acid (Reverse Surrogate)	0	%	0 - 2 (LCL - UCL)	EPA-8015B/FFP			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B/FFP	01/09/13	01/16/13 11:56	MWB	GC-13	1	BWA0914

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Water Analysis (General Chemistry)

BCL Sample ID:	1300412-05	Client Sample Name:	3737, MW-3A-W-130106, 1/6/2013 10:15:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Nitrate as NO3	ND	mg/L	0.44	EPA-300.0	ND		1
Sulfate	6.3	mg/L	1.0	EPA-300.0	ND		1
Nitrite as NO2	ND	mg/L	0.17	EPA-353.2	ND		2

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-300.0	01/08/13	01/08/13 08:21	LD1	IC1	1	BWA0448
2	EPA-353.2	01/08/13	01/08/13 08:42	TDC	KONE-1	1	BWA0361

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Metals Analysis

BCL Sample ID:	1300412-05	Client Sample Name:	3737, MW-3A-W-130106, 1/6/2013 10:15:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Dissolved Iron	ND	ug/L	50	EPA-200.7	ND		1
Dissolved Manganese	5200	ug/L	10	EPA-200.7	ND		1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-200.7	01/08/13	01/11/13 11:26	JRG	PE-OP2	1	BWA0484

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 1300412-06		Client Sample Name: 3737, MW-3B-W-130106, 1/6/2013 10:05:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260B	ND		1
Methyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Toluene	ND	ug/L	0.50	EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260B	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
t-Butyl alcohol	ND	ug/L	10	EPA-8260B	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Ethanol	ND	ug/L	250	EPA-8260B	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Total Purgeable Petroleum Hydrocarbons (C6-C12)	ND	ug/L	50	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (Surrogate)	109	%	75 - 125 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate)	97.7	%	80 - 120 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	98.3	%	80 - 120 (LCL - UCL)	EPA-8260B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	01/08/13	01/08/13 15:00	EAR	MS-V12	1	BWA0261

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID:	1300412-06	Client Sample Name:	3737, MW-3B-W-130106, 1/6/2013 10:05:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50	EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	90.9	%	70 - 130 (LCL - UCL)	EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	01/08/13	01/08/13 20:57	jjh	GC-V4	1	BWA0374

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Purgeable Aromatics and Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID:	1300412-06	Client Sample Name:	3737, MW-3B-W-130106, 1/6/2013 10:05:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
TPH - Diesel (FFP)	ND	ug/L	40	EPA-8015B/FFP	ND	A52	1
TPH - Motor Oil	ND	ug/L	100	EPA-8015B/FFP	ND	A57	1
Tetracosane (Surrogate)	44.6	%	37 - 134 (LCL - UCL)	EPA-8015B/FFP			1
Capric acid (Reverse Surrogate)	0	%	0 - 2 (LCL - UCL)	EPA-8015B/FFP			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B/FFP	01/09/13	01/16/13 12:19	MWB	GC-13	1	BWA0914

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Water Analysis (General Chemistry)

BCL Sample ID:	1300412-06	Client Sample Name:	3737, MW-3B-W-130106, 1/6/2013 10:05:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Nitrate as NO3	ND	mg/L	0.44	EPA-300.0	ND	S05	1
Sulfate	6.3	mg/L	1.0	EPA-300.0	ND		1
Nitrite as NO2	ND	mg/L	0.17	EPA-353.2	ND	S05	2

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-300.0	01/08/13	01/08/13 11:21	LD1	IC1	1	BWA0448
2	EPA-353.2	01/08/13	01/08/13 11:23	TDC	KONE-1	1	BWA0361

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Metals Analysis

BCL Sample ID:	1300412-06	Client Sample Name:	3737, MW-3B-W-130106, 1/6/2013 10:05:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Dissolved Iron	ND	ug/L	50	EPA-200.7	ND		1
Dissolved Manganese	45	ug/L	10	EPA-200.7	ND		1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-200.7	01/08/13	01/11/13 11:28	JRG	PE-OP2	1	BWA0484

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 1300412-07		Client Sample Name: 3737, QA-W-130106, 1/6/2013 12:00:00AM					
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260B	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260B	ND		1
Methyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Toluene	ND	ug/L	0.50	EPA-8260B	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260B	ND		1
t-Amyl Methyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
t-Butyl alcohol	ND	ug/L	10	EPA-8260B	ND		1
Diisopropyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Ethanol	ND	ug/L	250	EPA-8260B	ND		1
Ethyl t-butyl ether	ND	ug/L	0.50	EPA-8260B	ND		1
Total Purgeable Petroleum Hydrocarbons (C6-C12)	ND	ug/L	50	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (Surrogate)	110	%	75 - 125 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate)	96.5	%	80 - 120 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene (Surrogate)	98.4	%	80 - 120 (LCL - UCL)	EPA-8260B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260B	01/08/13	01/08/13 13:15	EAR	MS-V12	1	BWA0261

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Purgeable Aromatics and Total Petroleum Hydrocarbons

BCL Sample ID:	1300412-07	Client Sample Name:	3737, QA-W-130106, 1/6/2013 12:00:00AM				
Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Gasoline Range Organics (C6 - C12)	ND	ug/L	50	EPA-8015B	ND		1
a,a,a-Trifluorotoluene (FID Surrogate)	96.5	%	70 - 130 (LCL - UCL)	EPA-8015B			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8015B	01/08/13	01/08/13 20:11	jjh	GC-V4	1	BWA0374

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BWA0261						
Benzene	BWA0261-BLK1	ND	ug/L	0.50		
1,2-Dibromoethane	BWA0261-BLK1	ND	ug/L	0.50		
1,2-Dichloroethane	BWA0261-BLK1	ND	ug/L	0.50		
Ethylbenzene	BWA0261-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BWA0261-BLK1	ND	ug/L	0.50		
Toluene	BWA0261-BLK1	ND	ug/L	0.50		
Total Xylenes	BWA0261-BLK1	ND	ug/L	1.0		
t-Amyl Methyl ether	BWA0261-BLK1	ND	ug/L	0.50		
t-Butyl alcohol	BWA0261-BLK1	ND	ug/L	10		
Diisopropyl ether	BWA0261-BLK1	ND	ug/L	0.50		
Ethanol	BWA0261-BLK1	ND	ug/L	250		
Ethyl t-butyl ether	BWA0261-BLK1	ND	ug/L	0.50		
Total Purgeable Petroleum Hydrocarbons (C6-i	BWA0261-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BWA0261-BLK1	104	%	75 - 125 (LCL - UCL)		
Toluene-d8 (Surrogate)	BWA0261-BLK1	101	%	80 - 120 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BWA0261-BLK1	94.1	%	80 - 120 (LCL - UCL)		

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Laboratory Control Sample

Constituent	QC Sample ID	Type	Result	Spike Level	Units	Percent Recovery	RPD	Control Limits		Lab
								Percent Recovery	RPD	
QC Batch ID: BWA0261										
Benzene	BWA0261-BS1	LCS	27.790	25.000	ug/L	111		70 - 130		
Toluene	BWA0261-BS1	LCS	23.970	25.000	ug/L	95.9		70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BWA0261-BS1	LCS	10.380	10.000	ug/L	104		75 - 125		
Toluene-d8 (Surrogate)	BWA0261-BS1	LCS	9.9200	10.000	ug/L	99.2		80 - 120		
4-Bromofluorobenzene (Surrogate)	BWA0261-BS1	LCS	9.7800	10.000	ug/L	97.8		80 - 120		

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Precision & Accuracy

									Control Limits		
Constituent	Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	RPD	Percent Recovery	Lab Quals
QC Batch ID: BWA0261		Used client sample: N									
Benzene	MS	1225032-26	ND	28.540	25.000	ug/L		114		70 - 130	
	MSD	1225032-26	ND	25.850	25.000	ug/L	9.9	103	20	70 - 130	
Toluene	MS	1225032-26	ND	24.500	25.000	ug/L		98.0		70 - 130	
	MSD	1225032-26	ND	21.490	25.000	ug/L	13.1	86.0	20	70 - 130	
1,2-Dichloroethane-d4 (Surrogate)	MS	1225032-26	ND	11.150	10.000	ug/L		112		75 - 125	
	MSD	1225032-26	ND	10.610	10.000	ug/L	5.0	106		75 - 125	
Toluene-d8 (Surrogate)	MS	1225032-26	ND	10.160	10.000	ug/L		102		80 - 120	
	MSD	1225032-26	ND	9.7500	10.000	ug/L	4.1	97.5		80 - 120	
4-Bromofluorobenzene (Surrogate)	MS	1225032-26	ND	9.7500	10.000	ug/L		97.5		80 - 120	
	MSD	1225032-26	ND	9.7700	10.000	ug/L	0.2	97.7		80 - 120	

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Purgeable Aromatics and Total Petroleum Hydrocarbons

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BWA0374						
Gasoline Range Organics (C6 - C12)	BWA0374-BLK1	ND	ug/L	50		
a,a,a-Trifluorotoluene (FID Surrogate)	BWA0374-BLK1	97.2	%	70 - 130 (LCL - UCL)		

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Purgeable Aromatics and Total Petroleum Hydrocarbons

Quality Control Report - Laboratory Control Sample

								Control Limits		
Constituent	QC Sample ID	Type	Result	Spike Level	Units	Percent Recovery	RPD	Percent	RPD	Lab
								Recovery		Quals
QC Batch ID: BWA0374										
Gasoline Range Organics (C6 - C12)	BWA0374-BS1	LCS	976.82		ug/L			85 - 115		
a,a,a-Trifluorotoluene (FID Surrogate)	BWA0374-BS1	LCS	40.956	40.000	ug/L	102		70 - 130		

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Purgeable Aromatics and Total Petroleum Hydrocarbons

Quality Control Report - Precision & Accuracy

									Control Limits		
Constituent	Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	RPD	Percent Recovery	Lab Quals
QC Batch ID: BWA0374		Used client sample: N									
Gasoline Range Organics (C6 - C12)	MS	1225032-21	ND	949.44		ug/L				70 - 130	
	MSD	1225032-21	ND	973.86		ug/L	2.5		20	70 - 130	
a,a,a-Trifluorotoluene (FID Surrogate)	MS	1225032-21	ND	39.517	40.000	ug/L		98.8		70 - 130	
	MSD	1225032-21	ND	40.155	40.000	ug/L	1.6	100		70 - 130	

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Purgeable Aromatics and Total Petroleum Hydrocarbons (Silica Gel Treated)

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BWA0914						
TPH - Diesel (FFP)	BWA0914-BLK1	ND	ug/L	40		
TPH - Motor Oil	BWA0914-BLK1	ND	ug/L	100		
Tetracosane (Surrogate)	BWA0914-BLK1	69.2	%	37 - 134 (LCL - UCL)		
Capric acid (Reverse Surrogate)	BWA0914-BLK1		%	0 - 2 (LCL - UCL)		

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Purgeable Aromatics and Total Petroleum Hydrocarbons (Silica Gel Treated)

Quality Control Report - Laboratory Control Sample

Constituent	QC Sample ID	Type	Result	Spike Level	Units	Percent Recovery	RPD	Control Limits		Lab
								Percent Recovery	RPD	
QC Batch ID: BWA0914										
TPH - Diesel (FFP)	BWA0914-BS1	LCS	261.57	500.00	ug/L	52.3		52 - 128		
Tetracosane (Surrogate)	BWA0914-BS1	LCS	12.084	20.000	ug/L	60.4		37 - 134		
Capric acid (Reverse Surrogate)	BWA0914-BS1	LCS	ND	100.00	ug/L			0 - 2		

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Purgeable Aromatics and Total Petroleum Hydrocarbons (Silica Gel Treated)

Quality Control Report - Precision & Accuracy

									Control Limits		
Constituent	Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	RPD	Percent Recovery	Lab Quals
QC Batch ID: BWA0914		Used client sample: N									
TPH - Diesel (FFP)	MS	1225032-42	ND	184.51	500.00	ug/L		36.9		50 - 127	Q03
	MSD	1225032-42	ND	245.81	500.00	ug/L	28.5	49.2	24	50 - 127	Q03
Tetracosane (Surrogate)	MS	1225032-42	ND	8.7350	20.000	ug/L		43.7		37 - 134	
	MSD	1225032-42	ND	11.583	20.000	ug/L	28.0	57.9		37 - 134	
Capric acid (Reverse Surrogate)	MS	1225032-42	ND	ND	100.00	ug/L				0 - 2	
	MSD	1225032-42	ND	ND	100.00	ug/L				0 - 2	

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Water Analysis (General Chemistry)

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BWA0361						
Nitrite as NO ₂	BWA0361-BLK1	ND	mg/L	0.17		
QC Batch ID: BWA0448						
Nitrate as NO ₃	BWA0448-BLK1	ND	mg/L	0.44		
Sulfate	BWA0448-BLK1	ND	mg/L	1.0		

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Water Analysis (General Chemistry)

Quality Control Report - Laboratory Control Sample

Constituent	QC Sample ID	Type	Result	Spike Level	Units	Percent Recovery	RPD	Control Limits		Lab
								Percent Recovery	RPD	
QC Batch ID: BWA0361										
Nitrite as NO2	BWA0361-BS1	LCS	1.7448	1.6425	mg/L	106		90 - 110		
QC Batch ID: BWA0448										
Nitrate as NO3	BWA0448-BS1	LCS	22.563	22.134	mg/L	102		90 - 110		
Sulfate	BWA0448-BS1	LCS	102.72	100.00	mg/L	103		90 - 110		

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Water Analysis (General Chemistry)

Quality Control Report - Precision & Accuracy

									Control Limits		
Constituent	Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	RPD	Percent Recovery	Lab Quals
QC Batch ID: BWA0361		Used client sample: N									
Nitrite as NO2	DUP	1300398-02	ND	ND		mg/L			10		
	MS	1300398-02	ND	1.5814	1.7289	mg/L		91.5		90 - 110	
	MSD	1300398-02	ND	1.5948	1.7289	mg/L	0.8	92.2	10	90 - 110	
QC Batch ID: BWA0448		Used client sample: Y - Description: MW-2A-W-130106, 01/06/2013 09:10									
Nitrate as NO3	DUP	300412-03REˆ	ND	ND		mg/L			10		
	MS	300412-03REˆ	ND	115.01	111.79	mg/L		103		80 - 120	
	MSD	300412-03REˆ	ND	114.31	111.79	mg/L	0.6	102	10	80 - 120	
Sulfate	DUP	300412-03REˆ	2.2100	ND		mg/L			10		
	MS	300412-03REˆ	2.2100	522.75	505.05	mg/L		103		80 - 120	
	MSD	300412-03REˆ	2.2100	524.10	505.05	mg/L	0.3	103	10	80 - 120	

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Metals Analysis

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BWA0484						
Dissolved Iron	BWA0484-BLK1	ND	ug/L	50		
Dissolved Manganese	BWA0484-BLK1	ND	ug/L	10		

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Metals Analysis

Quality Control Report - Laboratory Control Sample

Constituent	QC Sample ID	Type	Result	Spike Level	Units	Percent Recovery	RPD	Control Limits		Lab
								Percent Recovery	RPD	
QC Batch ID: BWA0484										
Dissolved Iron	BWA0484-BS1	LCS	1047.3	1000.0	ug/L	105		85 - 115		
Dissolved Manganese	BWA0484-BS1	LCS	516.17	500.00	ug/L	103		85 - 115		

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Metals Analysis

Quality Control Report - Precision & Accuracy

									Control Limits		
Constituent	Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	RPD	Percent Recovery	Lab Quals
QC Batch ID: BWA0484		Used client sample: N									
Dissolved Iron	DUP	1300518-02	20.866	ND		ug/L			20		
	MS	1300518-02	20.866	1100.1	1020.4	ug/L		106		85 - 115	
	MSD	1300518-02	20.866	1103.0	1020.4	ug/L	0.3	106	20	85 - 115	
Dissolved Manganese	DUP	1300518-02	6.6365	ND		ug/L			20		
	MS	1300518-02	6.6365	535.96	510.20	ug/L		104		85 - 115	
	MSD	1300518-02	6.6365	538.31	510.20	ug/L	0.4	104	20	85 - 115	

Arcadis
2999 Oak Rd, Suite 300
Walnut Creek, CA 94597

Reported: 01/17/2013 17:01
Project: 3737
Project Number: 351780
Project Manager: Leah Ackerman

Notes And Definitions

MDL	Method Detection Limit
ND	Analyte Not Detected at or above the reporting limit
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference
A01	PQL's and MDL's are raised due to sample dilution.
A52	Chromatogram not typical of diesel.
A57	Chromatogram not typical of motor oil.
Q03	Matrix spike recovery(s) is(are) not within the control limits.
S05	The sample holding time was exceeded.