



3164 Gold Camp Drive  
Suite 200  
Rancho Cordova, CA 95670-6021  
U.S.A.  
916/638-2085  
FAX: 916/638-8385

March 22, 2001

RO72

MAR 30 2001

Mr. Paul Supple  
ARCO Products Company  
P.O. Box 6549  
Moraga, CA 94570

Subject: *Quarterly Groundwater Monitoring and Remediation System Status Report,  
Fourth Quarter 2000*  
ARCO Station No. 2169  
889 West Grand Avenue  
Oakland, California  
Delta Project No. D000-311

Dear Mr. Supple:


Delta Environmental Consultants, Inc. is submitting the attached report that presents the results of the fourth quarter 2000 groundwater monitoring program at ARCO Products Company Service Station No. 2169, located at 889 West Grand Avenue, Oakland, California. The monitoring program complies with the Alameda County Health Care Services Agency requirements regarding underground tank investigations.


The interpretations contained in this report represent our professional opinions and are based, in part, on information supplied by the client. These opinions are based on currently available information and are arrived at in accordance with currently accepted hydrogeological and engineering practices at this time and location. Other than this, no warranty is implied or intended.

If you have any questions concerning this project, please contact Steven W. Meeks at (916) 536-2613.

Sincerely,

**DELTA ENVIRONMENTAL CONSULTANTS, INC.**

  
Trevor L. Atkinson  
Project Engineer

  
Steven W. Meeks, P.E.  
Project Manager  
California Registered Civil Engineer No. C057461



3/26/01

TLA (Lrp003.311.doc)  
Enclosures

cc: Ms. Susan Hugo – Alameda County Health Care Services Agency

Date: March 28, 2001

### ARCO QUARTERLY GROUNDWATER MONITORING REPORT

Station No.: 2169 Address: 889 West Grand Avenue, Oakland, California  
ARCO Environmental Engineer/Phone No.: Paul Supple 925-299-8891  
Consulting Co./Contact Person Delta Environmental Consultants, Inc.  
Steven W. Meeks, P.E.  
Consultant Project No.: D000-311  
Primary Agency/Regulatory ID No. Alameda County Health Care Services Agency

#### WORK PERFORMED THIS QUARTER

1. Quarterly monitoring and sampling for fourth quarter 2000
2. Conducted O & M site visits on October 23, November 7 and December 26, 2000.

#### WORK PROPOSED FOR NEXT QUARTER

1. Prepare quarterly monitoring and sampling report for fourth quarter 2000
2. Conduct quarterly monitoring and sampling for first quarter 2001
3. Conduct monthly O & M site visits for remediation system.
4. Perform oversight of UST/line/dispenser upgrade activities in first quarter 2001.

#### QUARTERLY MONITORING:

Current Phase of Project	<u>Quarterly Groundwater Monitoring and Operation and Maintenance of Remediation Systems</u>
Frequency of Groundwater Sampling:	<u>Annual (1<sup>st</sup> Quarter): A-3, A-4</u> <u>Semi-annual (1<sup>st</sup>/2<sup>nd</sup> Quarter): A-2, AR-1, AR-2</u> <u>Quarterly: A-1, A-5, A-6, ADR-1, ADR-2</u>
Frequency of Groundwater Monitoring:	<u>Quarterly (groundwater, Monthly SVE and Biosparging)</u>
Is Free Product (FP) Present On-Site:	<u>No</u>
FP Recovered this Quarter:	<u>None</u>
Cumulative FP Recovered to Date:	<u>4.8 gallons, wells ADR-1 and ADR-2</u>
Bulk Soil Removed This Quarter:	<u>None</u>
Bulk Soil Removed to Date:	<u>2,196 cubic yards of TPH impacted soil</u>
Current Remediation Techniques:	<u>SVE and Biosparging systems</u>
Approximate Depth to Groundwater:	<u>11.31 ft.</u>
Groundwater Gradient:	<u>0.004 Northwest</u>

**SVE QUARTERLY OPERATION & PERFORMANCE:**

Equipment Inventory:	Therm Tech Model VAC-25, 250 cfm, Thermal/Catalytic Oxidizer
Operating Mode:	Catalytic Oxidation
BAAQMD Permit No.:	12119
TPH Conc. at End of Period (lab):	27.7 ppmv
Benzene Conc. at End of Period (lab):	<0.016 ppmv
Flow Rate at End of Period:	62 scfm
Hydrocarbons Destroyed This Period:	12.2 pounds
Hydrocarbons Destroyed to Date:	9,104 pounds
Utility Usage Electric (kWh):	Not Available
Operating Hours This Period:	358 hours
Percent Operational:	16.6%
Operating Hours To Date:	11,420 hours
Unit Maintenance:	Not applicable
Number of Auto Shut Downs:	0
Destruction of Efficiency Permit Requirements:	98.5% (POC >2,000 ppmv); 97% (POC >200 ppmv); 90% (POC <200 ppmv); waived if outlet POC <1.0 lb/day and benzene <0.02 lb/day
Average Percent TPH Conversion:	>99%
Average Stack Temperature	700° F
Average Source Flow:	76 scfm
Average Process Flow:	76 scfm
Average Source Vacuum:	10" H <sub>2</sub> O

(SVE data recreated from data provided by IT Corporation.)

**DISCUSSION:**

- Benzene and total petroleum hydrocarbons as gasoline were found in samples collected from A-1, A-5, A-6, ADR-1 and ADR-2 ranging from 1.29 µg/L (ADR-1) to 465 µg/L (A-5) and 56.2 µg/L (A-6) to 8,120 µg/L (A-5), respectively.
- Methyl tertiary butyl ether was found in samples collected from A-1, A-6, ADR-1 and ADR-2 ranging from 8.17 µg/L (A-6) to 32.8µg/L (ADR-2).
- The remediation system ran for 358 hour. The system was shutdown due to low concentrations and high ground water levels.

**ATTACHMENTS:**

- Table 1 Groundwater Elevation and Analytical Data
- Table 2 Groundwater Flow Direction and Gradient
- Table 3 SVE System Analytical Results
- Table 4 SVE System Monitoring Table
- Figure 1 Groundwater Analytical Summary Map
- Figure 2 Groundwater Elevation Contour Map
- Appendix A Sampling and Analysis Procedures
- Appendix B Historical Data Tables (IT Corporation)
- Appendix C Certified Analytical Reports with Chain-of-Custody Documentation
- Appendix D Field Data Sheet
- Appendix E Soil Vapor Extraction System Laboratory Analytical Results

TABLE 1

## GROUNDWATER ANALYTICAL DATA

ARCO Service Station No. 2169  
889 West Grand Avenue  
Oakland, California

Well Number	Date Sampled	Top of Riser Elevation (ft)	Depth to Groundwater (ft)	Groundwater Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TPH as Gasoline (µg/L)	MTBE (µg/L)
AR-1	06/26/00	15.61	11.59	4.02	NA	NA	NA	NA	NA	NA
	07/20/00		12.06	3.55	<0.5	<0.5	<0.5	<1.0	<50	6
	09/19/00		11.89	3.72	<0.5	<0.5	<0.5	<1.0	<50	<3
	12/26/00		11.95	3.66	<0.5	<0.5	<0.5	<0.5	<50	<2.5
AR-2	06/26/00	15.28	11.79	3.49	NA	NA	NA	NA	NA	NA
	07/20/00		12.07	3.21	<0.5	<0.5	<0.5	<1.0	<50	<3
	09/19/00		12.08	3.20	<0.5	<0.5	<0.5	<1.0	<50	<3
	12/26/00		11.95	3.33	<0.5	<0.5	<0.5	<0.5	<50	<2.5
ADR-1	06/26/00	13.95	10.55	3.40	NA	NA	NA	NA	NA	NA
	07/20/00		10.85	3.10	29	<0.5	0.8	<1.0	180	22
	09/19/00		11.08	2.87	7.4	<0.5	1.2	<1.0	120	22
	12/26/00		10.93	3.02	1.29	<0.5	<0.5	<0.5	<50	14.7
ADR-2	06/26/00	14.64	11.22	3.42	NA	NA	NA	NA	NA	NA
	07/20/00		11.60	3.04	410	2.5	540	720	12,000	23
	09/19/00		11.81	2.83	530	5	680	740	1,400	34
	12/26/00		11.52	3.12	26.6	<5.0	21.4	32.5	901	32.8
A-1	06/26/00	14.16	10.75	3.41	NA	NA	NA	NA	NA	NA
	07/20/00		11.01	3.15	1,100	28	12	46	3,900	25
	09/19/00		11.26	2.90	2,400	27	20	57	4,800	32
	12/26/00		10.96	3.2	104	2.85	12.2	9.91	429	18.7
A-2	06/26/00	14.55	11.27	3.28	NA	NA	NA	NA	NA	NA
	07/20/00		11.52	3.03	<0.5	<0.5	<0.5	<1.0	<50	<3
	09/19/00		11.63	2.92	NS	NS	NS	NS	NS	NS
	12/26/00		11.44	3.11	<0.5	<0.5	<0.5	<0.5	<50	<2.5

TABLE 1

## GROUNDWATER ANALYTICAL DATA

ARCO Service Station No. 2169  
889 West Grand Avenue  
Oakland, California

Well Number	Date Sampled	Top of Riser Elevation (ft)	Depth to Groundwater (ft)	Groundwater Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as Gasoline (µg/L)	MTBE (µg/L)
A-3	06/26/00	15.75	11.98	3.77	NS	NS	NS	NS	NS	NS
	07/20/00		12.21	3.54	NS	NS	NS	NS	NS	NS
	09/19/00		12.50	3.25	NS	NS	NS	NS	NS	NS
	12/26/00		12.17	3.58	<0.5	<0.5	<0.5	<0.5	<50	<2.5
A-4	06/26/00	15.25	10.99	4.26	NS	NS	NS	NS	NS	NS
	07/20/00		11.16	4.09	NS	NS	NS	NS	NS	NS
	09/19/00		11.97	3.28	NS	NS	NS	NS	NS	NS
	12/26/00		11.19	4.06	<0.5	<0.5	<0.5	<0.5	<50	<2.5
A-5	06/26/00	13.51	10.04	3.47	NA	NA	NA	NA	NA	NA
	07/20/00		10.31	3.20	140	11	<0.5	8.9	730	3
	09/19/00		10.55	2.96	13	<0.5	2.8	1.9	160	<3
	12/26/00		10.37	3.14	465	108	659	1,450	8,120	<250
A-6	06/26/00	13.51	10.09	3.42	NA	NA	NA	NA	NA	NA
	07/20/00		10.91	2.60	<0.5	<0.5	0.6	2.0	170	6
	09/19/00		11.27	2.24	<0.5	<0.5	<0.5	<1.0	<50	6
	12/26/00		10.65	2.86	<0.5	<0.5	<0.5	<0.5	56.2	8.17

TPH = Total Petroleum Hydrocarbons

MTBE = Methyl tertiary butyl ether analyzed by EPA Method 8021B unless otherwise noted

µg/L = Micrograms per liter

NM = Not measured

NC = Not calculated

Note: Please refer to Appendix B for Historical Groundwater Elevation and Analytical Data Tables developed by IT Corporation

**TABLE 2**

**GROUNDWATER FLOW DIRECTION AND GRADIENT**

ARCO Service Station No. 2169  
889 West Grand Avenue  
Oakland, California

<u>Date Measured</u>	<u>Average Flow Direction</u>	<u>Average Hydraulic Gradient</u>
07/20/00	Northwest	0.004
09/19/00	West-Northwest	0.003
12/26/00	Northwest	0.004

Note: Please refer to Appendix B for Historical Groundwater Elevation and Analytical Data Tables developed by IT Corporation

TABLE 3

SVE SYSTEM ANALYTICAL RESULTS

ARCO Service Station No. 2169  
 889 West Grand Avenue  
 Oakland, California

Sample I.D.	Date	Benzene (ppmv)	Toluene (ppmv)	Ethyl-benzene (ppmv)	Total Xylenes (ppmv)	Purgeable Hydrocarbons (ppmv)	Methane (ppmv)
Influent	09/20/00	5.56	1.0	<0.12	0.88	246	47,000
Effluent	09/20/00	<0.016	<0.013	<0.012	<0.012	<2.4	5,700
Influent	10/23/00	<0.016	<0.013	<0.012	0.104	27.7	NA
Effluent	10/23/00	<0.016	<0.013	<0.012	<0.012	<2.4	NA

ppmv = parts per million by volume

NS = Not sampled

NA = Not analyzed

TABLE 4

## SVE SYSTEM MONITORING TABLE

Arco Service Station No.2169  
889 West Grand Avenue  
Oakland, California

Date Sampled	Inlet Flow Rate (ft <sup>3</sup> /min)	Hour Meter Reading	Change in Hours of Operation	TPHg Influent (ppmv)	TPHg Effluent (ppmv)	Benzene Influent (ppmv)	Benzene Effluent (ppmv)	TPHg Extraction Rate (lbs/day)	TPHg Mass Emission (lbs/day)	Benzene Extraction Rate (lbs/day)	Benzene Emission Rate (lbs/day)	Cumulative Volume of Processed Air (cubic feet)	Period TPHg Extraction (lbs)	Cumulative TPHg Extraction (lbs)
12/01/99	43	10,700	673	180	<5.0	0.2	<0.1	2.48	< 0.07	0.003	< 0.0012	0.00 E+00	NC	9,010
09/20/00	108	11,062	362	246	<2.4	5.56	<0.016	8.45	< 0.08	0.191	< 0.0005	1.64 E+06	82.4	9,092
10/23/00	92	11,062	0	27.7	<2.4	<0.016	<0.016	0.82	<0.007	0	<0.0004	1.64 E+06	0	9,092
11/07/00	62	11,420	358	NS	NS	NS	NS	NC	NC	NC	NC	3.31 E+06	12.2	9,104


TPHg = Total petroleum hydrocarbons as gasoline.

ppmv = Parts per million by volume.

NS = Not Sampled

NC= Not Calculated





**LEGEND:**

- ⊕ A-1 MONITORING WELL LOCATION
- ⊙ AV-1 VAPOR EXTRACTION WELL LOCATION
- ⊕ ADR-1 GROUND WATER MONITORING/VAPOR EXTRACTION WELL
- AS-1 AIR SPARGING WELL LOCATION

<50	TPH AS GASOLINE IN MICROGRAMS PER LITER
<0.5	BENZENE IN MICROGRAMS PER LITER
<2.5	MTBE IN MICROGRAMS PER LITER

NS NOT SAMPLED

8,120
465
<250

⊕ A-5

56.2
<0.5
8.17

⊕ A-6

901
26.6
32.8

⊕ ADR-2

<50
<0.5
<2.5

⊕ AR-2

<50
1.29
14.7

⊕ ADR-1

429
104
18.7

⊕ A-1

AV-5

● AS-3

● AS-2

⊙ AV-4

<50
<0.5
<2.5

⊕ A-3

⊙ AV-6

⊙ AV-1

● AS-1

⊕ AR-1

● AS-4

⊙ AV-7

<50
<0.5
<2.5


⊕ AV-3

<50
<0.5
<2.5

⊕ A-4

I:\Sacramento\CAD Files\Sacramento\ARCO\2169\2169-1.dwg

WEST GRAND AVENUE



LEGEND:

- A-1 MONITORING WELL LOCATION
- ⊙ AV-1 VAPOR EXTRACTION WELL LOCATION
- ⊕ ADR-1 GROUND WATER MONITORING/VAPOR EXTRACTION WELL
- AS-1 AIR SPARGING WELL LOCATION
- (3.66) GROUND WATER ELEVATION IN FEET ABOVE MEAN SEA LEVEL (MSL)
- 3.4 - WATER TABLE CONTOUR IN FEET ABOVE MSL
- GROUND WATER FLOW DIRECTION
- 0.004 APPROXIMATE GROUND WATER FLOW GRADIENT
- \* MONITORING WELL(S) NOT USED IN GROUND WATER CONTOUR MAP CONSTRUCTION



FIGURE 2  
 GROUND WATER ELEVATION CONTOUR MAP  
 FOURTH QUARTER 2000 (12/26/00)  
 ARCO SERVICE STATION NO. 2169  
 889 WEST GRAND AVENUE  
 OAKLAND, CALIFORNIA

PROJECT NO. D000-311	DRAWN BY TLA 3/9/01
FILE NO. 2169-1	PREPARED BY TLA
REVISION NO. 1	REVIEWED BY



22nd STREET

LAUNDRY FACILITY

WEST GRAND SHOPPING CENTER

MARKET STREET

PLANTER

PLANTER

PLANTER


PLANTER

SERVICE ISLANDS

SERVICE ISLANDS

FORMER  
UST

FORMER W.O.  
TANK SITE



ARCO  
AM/PM MARKET  
BUILDING

TREATMENT  
COMPOUND

(3.12)

(3.02)

(3.20)

(3.14)

AV-5

AS-3

AS-2

AV-4

A-3  
(3.58)

AV-6

AV-1

AS-1

AR-1  
(3.66)

AS-4

AV-7

(4.06)  
A-4

A-6  
(2.86)

A-2  
(3.11)

AR-2  
(3.33)

ADR-2

AS-5

ADR-1

AV-2

T1

T3

T4

AV-3

**APPENDIX A**

Sampling and Analysis Procedures

## **FIELD METHODS AND PROCEDURES**

### **1.0 GROUND WATER AND LIQUID-PHASE HYDROCARBON DEPTH ASSESSMENT**

A water/liquid-phase hydrocarbon (LPH) interface probe was used to assess the thickness of LPH, if present, and a water level indicator was used to measure ground water depth in monitoring wells that did not contain LPH. Depth to ground water was measured from the top of each monitoring well casing. The tip of the water level indicator was subjectively analyzed for LPH sheen. All measurements and physical observations were recorded in the field.

### **2.0 SUBJECTIVE ANALYSIS OF GROUND WATER**

Prior to purging, a water sample was collected from the monitoring well for subjective analysis. The sample was retrieved by gently lowering a clean, disposable bailer to approximately one-half the bailer length past the air/liquid interface. The bailer was then retrieved and the sample contained within the bailer was examined for LPH and the appearance of a LPH sheen.

### **3.0 MONITORING WELL PURGING AND SAMPLING**

Monitoring wells were purged using a centrifugal pump or disposable bailers until pH, temperature, and conductivity of the purge water had stabilized and a minimum of three to four well volumes of water had been removed. Ground water removed from the wells was stored in 55-gallon barrels at the site. The barrels were labeled with corresponding monitoring well numbers and the date of purging. After purging, ground water levels were allowed to stabilize. A ground water sample was then removed from each of the wells using a dedicated disposable bailer. If the well was purged dry, it was allowed to sufficiently recharge and a sample was collected. Samples were collected in air-tight vials, appropriately labeled, and stored on ice from the time of collection through the time of delivery to the laboratory. A chain-of-custody form was completed to document possession of the samples. Ground water samples were transported to the laboratory and analyzed within the EPA-specified holding times for the requested analyses. Purge water will be collected from the storage barrels in a vacuum truck and transported to an appropriate facility for treatment and/or disposal.

If the depth to groundwater was above the top of screens of the monitoring wells, then the wells were purged. Before sampling occurred, a polyvinyl chloride (PVC) bailer, centrifugal pump, low-flow submersible pump, or Teflon bailer was used to purge standing water in the casing and gravel pack from the monitoring well. Monitoring wells were purged according to the protocol previously stated in the first paragraph of this sub-section. In most monitoring wells, the amount of water purged before sampling was greater than or equal to three casing volumes. Some monitoring wells were expected to be evacuated to dryness after removing fewer than three casing volumes. These low-yield monitoring wells were allowed to recharge for up to 24 hours. Samples were obtained as soon as the monitoring wells recharged to a level sufficient for sample collection. If insufficient water recharged after 24 hours, the monitoring well was recorded as dry for the sampling event.

**APPENDIX B**

Historical Data Tables  
IT Corporation

**Table 1**  
**Historical Groundwater Elevation and Analytical Data**  
**Petroleum Hydrocarbons and Their Constituents**  
**1995 - Present\*\*\***

**ARCO Service Station 2169**  
**889 West Grand Avenue, Oakland, California**

Well Number	Date Gauged	TOC Elevation (ft-MSL)	Depth to Water (feet)	FP Thickness (feet)	Groundwater Elevation (ft-MSL)	Date Sampled	TPH Gasoline (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE 8021B* (µg/L)	MTBE 8260 (µg/L)	TPH Diesel (µg/L)	Dissolved Oxygen (mg/L)	Purged/Not Purged (P/NP)
A-1	03-24-95	14.16	8.10	ND	6.06	03-24-95	1,200	230	39	34	66	--	--	160		
A-1	06-05-95	14.16	11.13	ND	3.03	06-05-95	1,500	310	27	36	76	--	--	710		
A-1	08-17-95	14.16	11.71	ND	2.45	08-18-95	1,600	470	35	48	110	120	--	240		
A-1	12-04-95	14.16	12.28	ND	1.88	12-04-95	1,200	240	17	25	56	--	120	--		
A-1	03-01-96	14.16	8.78	ND	5.38	02-13-96	1,300	300	74	29	73	100	--	--		
A-1	05-29-96	14.16	9.85	ND	4.31	05-29-96	Not sampled: well sampled semi-annually, during the first and third quarters									
A-1	08-29-96	14.16	11.08	ND	3.08	08-29-96	1,200	320	5.9	25	27	110	--	--		
A-1	11-21-96	14.16	10.54	ND	3.62	11-21-96	Not sampled: well sampled semi-annually, during the first and third quarters									
A-1	03-26-97	14.16	10.55	ND	3.61	03-26-97	<50	0.8	<0.5	<0.5	<0.5	64	--	--		
A-1	05-21-97	14.16	11.10	ND	3.06	05-21-97	Not sampled: well sampled semi-annually, during the first and third quarters									
A-1	08-08-97	14.16	11.32	ND	2.84	08-08-97	91	7	<0.5	0.5	3.9	<60	--	--		
A-1	11-18-97	14.16	3.46	ND	10.70	11-18-97	54	<0.5	<0.5	<0.5	0.6	27	--	--		
A-1	02-20-98	14.16	7.10	ND	7.06	02-23-98	590	160	22	15	28	70	--	--		
A-1	05-11-98	14.16	9.87	ND	4.29	05-11-98	280	26	<0.5	0.8	2.3	6	--	--		
A-1	07-30-98	14.16	10.73	ND	3.43	07-30-98	1,000	210	5	<5	38	<30	--	--		
A-1	10-08-98	14.16	11.15	ND	3.01	10-08-98	3,100	740	11	<10	24	<60	--	--		
A-1	02-18-99	14.16	8.00	ND	6.16	02-18-99	510	87	7.1	6.4	13	52	--	--		
A-1	05-26-99	14.16	10.60	ND	3.56	05-26-99	240	26	<0.5	1.2	6.2	34	--	--		
A-1	08-23-99	14.16	11.22	ND	2.94	08-23-99	79	3.9	0.6	<0.5	1.7	38	--	--	0.68	NP
A-1	10-27-99	14.16	11.37	ND	2.79	10-27-99	110	2.2	<0.5	<0.5	<1	25	--	--	0.80	NP
A-1	01-31-00	14.16	9.44	ND	4.72	01-31-00	<50	<0.5	<0.5	<0.5	<1	<3	--	--	1.0	NP
A-2	03-24-95	14.55	8.64	ND	5.91	03-24-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--		
A-2	06-05-95	14.55	11.72	ND	2.83	06-05-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--		
A-2	08-17-95	14.55	12.35	ND	2.20	08-17-95	<50	<0.5	<0.5	<0.5	<0.5	12	--	--		
A-2	12-04-95	14.55	12.74	ND	1.81	12-04-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--		
A-2	03-01-96	14.55	9.34	ND	5.21	03-13-96	<50	<0.5	0.6	<0.5	1.3	<9	--	--		

**Table 1**  
**Historical Groundwater Elevation and Analytical Data**  
**Petroleum Hydrocarbons and Their Constituents**  
**1995 - Present\*\*\***

**ARCO Service Station 2169**  
**889 West Grand Avenue, Oakland, California**

Well Number	Date Gauged	TOC Elevation (ft-MSL)	Depth to Water (feet)	FP Thickness (feet)	Groundwater Elevation (ft-MSL)	Date Sampled	TPH Gasoline (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE 8021B* (µg/L)	MTBE 8260 (µg/L)	TPH Diesel (µg/L)	Dissolved Oxygen (mg/L)	Purged/ Not Purged (P/NP)
A-2	05-29-96	14.55	10.40	ND	4.15	05-29-96	<50	<0.5	<0.5	<0.5	<0.5	<20	--	--		
A-2	08-29-96	14.55	11.50	ND	3.05	08-29-96	<50	<0.5	<0.5	<0.5	<0.5	<39	--	--		
A-2	11-21-96	14.55	11.06	ND	3.49	11-21-96	<50	<0.5	<0.5	<0.5	<0.5	<30	--	--		
A-2	03-26-97	14.55	11.12	ND	3.43	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<20	--	--		
A-2	05-21-97	14.55	11.58	ND	2.97	05-21-97	Not sampled: well sampled semi-annually, during the first and third quarters									
A-2	08-08-97	14.55	11.82	ND	2.73	08-08-97	<50	<0.5	<0.5	<0.5	<0.5	<20	--	--		
A-2	11-18-97	14.55	3.33	ND	11.22	11-18-97	Not sampled: well sampled semi-annually, during the first and third quarters									
A-2	02-20-98	14.55	7.68	ND	6.87	02-20-98	<50	<0.5	<0.5	<0.5	<0.5	17	--	--		
A-2	05-11-98	14.55	10.45	ND	4.10	05-11-98	Not sampled									
A-2	07-30-98	14.55	11.23	ND	3.32	07-30-98	Not sampled: well sampled semi-annually, during the first and second quarters									
A-2	10-08-98	14.55	11.62	ND	2.93	10-08-98	Not sampled: well sampled semi-annually, during the first and second quarters									
A-2	02-18-99	14.55	8.62	ND	5.93	02-18-99	93	<0.5	<0.5	<0.5	<1	26	--	--		
A-2	05-26-99	14.55	11.16	ND	3.39	05-26-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--		
A-2	08-23-99	14.55	11.69	ND	2.86	08-23-99	Not sampled: well sampled semi-annually, during the first and second quarters									
A-2	10-27-99	14.55	11.88	ND	2.67	10-27-99	Not sampled: well sampled semi-annually, during the first and second quarters									
A-2	01-31-00	14.55	10.17	ND	4.38	01-31-00	<50	<0.5	<0.5	<0.5	<1	<3	--	--	1.0	NP
A-3	03-24-95	15.75	8.83	ND	6.92	03-24-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--		
A-3	06-05-95	15.75	12.44	ND	3.31	06-05-95	Not sampled: well sampled annually									
A-3	08-17-95	15.75	13.04	ND	2.71	08-17-95	Not sampled: well sampled annually									
A-3	12-04-95	15.75	13.57	ND	2.18	12-04-95	Not sampled: well sampled annually									
A-3	03-01-96	15.75	9.90	ND	5.85	03-13-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--		
A-3	05-29-96	15.75	11.08	ND	4.67	05-29-96	Not sampled: well sampled annually									
A-3	08-29-96	15.75	12.38	ND	3.37	08-29-96	Not sampled: well sampled annually									
A-3	11-21-96	15.75	11.86	ND	3.89	11-21-96	Not sampled: well sampled annually									
A-3	03-26-97	15.75	11.81	ND	3.94	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--		
A-3	05-21-97	15.75	12.35	ND	3.40	05-21-97	Not sampled: well sampled annually									

**Table 1  
Historical Groundwater Elevation and Analytical Data  
Petroleum Hydrocarbons and Their Constituents  
1995 - Present\*\*\***

**ARCO Service Station 2169  
889 West Grand Avenue, Oakland, California**

Well Number	Date Gauged	TOC Elevation (ft-MSL)	Depth to Water (feet)	FP Thickness (feet)	Groundwater Elevation (ft-MSL)	Date Sampled	TPH Gasoline (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE 8021B* (µg/L)	MTBE 8260 (µg/L)	TPH Diesel (µg/L)	Dissolved Oxygen (mg/L)	Purged/Not Purged (P/NP)
A-3	08-08-97	15.75	12.62	ND	3.13	08-08-97	Not sampled: well sampled annually									
A-3	11-18-97	15.75	3.75	ND	12.00	11-18-97	Not sampled: well sampled annually									
A-3	02-20-98	15.75	8.06	ND	7.69	02-20-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--		
A-3	05-11-98	15.75	11.19	ND	4.56	05-11-98	Not sampled: well sampled annually									
A-3	07-30-98	15.75	12.05	ND	3.70	07-30-98	Not sampled: well sampled annually									
A-3	10-08-98	15.75	12.43	ND	3.32	10-08-98	Not sampled: well sampled annually									
A-3	02-18-99	15.75	9.05	ND	6.70	02-18-99	Not sampled: well sampled annually									
A-3	05-26-99	15.75	11.93	ND	3.82	05-26-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--		
A-3	08-23-99	15.75	12.57	ND	3.18	08-23-99	Not sampled: well sampled annually									
A-3	10-27-99	15.75	12.65	ND	3.10	10-27-99	Not sampled: well sampled annually									
A-3	01-31-00	15.75	9.55	ND	6.20	01-31-00	<50	<0.5	<0.5	<0.5	<1	9	--	--	1.0	NP
A-4	03-24-95	15.25	7.20	ND	8.05	03-24-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--		
A-4	06-05-95	15.25	11.70	ND	3.55	06-05-95	Not sampled: well sampled annually									
A-4	08-17-95	15.25	12.28	ND	2.97	08-17-95	Not sampled: well sampled annually									
A-4	12-04-95	15.25	12.63	ND	2.62	12-04-95	Not sampled: well sampled annually									
A-4	03-01-96	15.25	8.55	ND	6.70	03-13-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--		
A-4	05-29-96	15.25	10.32	ND	4.93	05-29-96	Not sampled: well sampled annually									
A-4	08-29-96	15.25	11.55	ND	3.70	08-29-96	Not sampled: well sampled annually									
A-4	11-21-96	15.25	10.83	ND	4.42	11-21-96	Not sampled: well sampled annually									
A-4	03-26-97	15.25	10.97	ND	4.28	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--		
A-4	05-21-97	15.25	11.51	ND	3.74	05-21-97	Not sampled: well sampled annually									
A-4	08-08-97	15.25	11.73	ND	3.52	08-08-97	Not sampled: well sampled annually									
A-4	11-18-97	15.25	4.37	ND	10.88	11-18-97	Not sampled: well sampled annually									
A-4	02-20-98	15.25	6.25	ND	9.00	02-20-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--		
A-4	05-11-98	15.25	10.33	ND	4.92	05-11-98	Not sampled: well sampled annually									
A-4	07-30-98	15.25	11.25	ND	4.00	07-30-98	Not sampled: well sampled annually									



**Table 1**  
**Historical Groundwater Elevation and Analytical Data**  
**Petroleum Hydrocarbons and Their Constituents**  
**1995 - Present\*\*\***

**ARCO Service Station 2169**  
**889 West Grand Avenue, Oakland, California**

Well Number	Date Gauged	TOC Elevation (ft-MSL)	Depth to Water (feet)	FP Thickness (feet)	Groundwater Elevation (ft-MSL)	Date Sampled	TPH Gasoline (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE 8021B* (µg/L)	MTBE 8260 (µg/L)	TPH Diesel (µg/L)	Dissolved Oxygen (mg/L)	Purged/ Not Purged (P/NP)	
A-4	10-08-98	15.25	11.62	ND	3.63	10-08-98	Not sampled: well sampled annually										
A-4	02-18-99	15.25	7.12	ND	8.13	02-18-99	Not sampled: well sampled annually										
A-4	05-26-99	15.25	11.12	ND	4.13	05-26-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--			
A-4	08-23-99	15.25	11.62	ND	3.63	08-23-99	Not sampled: well sampled annually										
A-4	10-27-99	15.25	11.74	ND	3.51	10-27-99	Not sampled: well sampled annually										
A-4	01-31-00	15.25	9.45	ND	5.80	01-31-00	<50	<0.5	<0.5	<0.5	<1	4	--	--	1.0	NP	
A-5	03-24-95	13.51	7.40	ND	6.11	03-24-95	3,300	200	310	130	460	--	--	--			
A-5	06-05-95	13.51	10.43	ND	3.08	06-05-95	57,000	2,700	4,600	1,500	6,800	--	--	--			
A-5	08-17-95	13.51	11.15	ND	2.36	08-18-95	34,000	1,600	2,700	1,100	5,100	<28	--	--			
A-5	12-04-95	13.51	11.42	ND	2.09	12-04-95	61	<0.5	<0.5	<0.5	<0.5	--	--	--			
A-5	03-01-96	13.51	8.11	ND	5.40	03-13-96	11,000	860	960	380	1,600	<100	--	--			
A-5	05-29-96	13.51	9.30	ND	4.21	05-29-96	19,000	1,600	1,900	880	3,300	<100	--	--			
A-5	08-29-96	13.51	10.60	ND	2.91	08-29-96	7,700	490	450	260	990	<30	--	--			
A-5	11-21-96	13.51	10.05	ND	3.46	11-21-96	8,000	450	550	340	1,100	<30	--	--			
A-5	03-26-97	13.51	9.87	ND	3.64	03-26-97	3,100	190	140	130	340	<30	--	--			
A-5	05-21-97	13.51	10.25	ND	3.26	05-21-97	16,000	1,500	900	700	2,700	<120	--	--			
A-5	08-08-97	13.51	10.42	ND	3.09	08-08-97	9,000	690	240	440	1,300	<30	--	--			
A-5	11-18-97	13.51	Not surveyed: well inaccessible														
A-5	02-20-98	13.51	Not surveyed: well inaccessible														
A-5	05-11-98	13.51	Not surveyed: well inaccessible														
A-5	07-30-98	13.51	Not surveyed: well inaccessible														
A-5	10-08-98	13.51	Not surveyed: well inaccessible														
A-5	02-18-99	13.51	7.63	ND	5.88	02-18-99	<50	0.8	<0.5	<0.5	1.5	<10	--	--			
A-5	05-26-99	13.51	9.85	ND	3.66	05-26-99	1,700	240	41	110	330	<12	--	--			
A-5	08-23-99	13.51	10.60	ND	2.91	08-23-99	560	65	3	30	52	<6	--	--	0.73	NP	
A-5	10-27-99	13.51	10.72	ND	2.79	10-27-99	480	93	1.0	16	19	<3	--	--	0.65	NP	

**Table 1**  
**Historical Groundwater Elevation and Analytical Data**  
**Petroleum Hydrocarbons and Their Constituents**  
**1995 - Present\*\*\***

**ARCO Service Station 2169**  
**889 West Grand Avenue, Oakland, California**

Well Number	Date Gauged	TOC Elevation (ft-MSL)	Depth to Water (feet)	FP Thickness (feet)	Groundwater Elevation (ft-MSL)	Date Sampled	TPH				Total Xylenes (µg/L)	MTBE 8021B* (µg/L)	MTBE 8260 (µg/L)	TPH Diesel (µg/L)	Dissolved Oxygen (mg/L)	Purged/ Not Purged (P/NP)	
							Gasoline (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)							
A-5	01-31-00	13.51	9.37	ND	4.14	01-31-00	Not sampled: well was inaccessible										
A-6	03-24-95	13.51	7.89	ND	5.62	03-24-95	120	<0.5	<1	<0.5	<1.5	--	--	--			
A-6	06-05-95	13.51	10.06	ND	3.45	06-05-95	160	<0.5	<0.6	<0.5	<0.5	--	--	--			
A-6	08-17-95	13.51	11.10	ND	2.41	08-18-95	530	<0.5	<0.5	<2.4	<4.2	6	--	--			
A-6	12-04-95	13.51	11.52	ND	1.99	12-04-95	28,000	1,600	1,800	880	3,600	--	--	--			
A-6	03-01-96	13.51	8.21	ND	5.30	03-13-96	1,400	<3	<15	<7	<10	<20	--	--			
A-6	05-29-96	13.51	9.25	ND	4.26	05-29-96	410	<2	<2	<2	<2	3	--	--			
A-6	08-29-96	13.51	10.52	ND	2.99	08-29-96	80	<0.5	<0.5	<0.5	<0.5	6	--	--			
A-6	11-21-96	13.51	10.54	ND	2.97	11-21-96	62	<0.5	<0.5	<0.5	<0.5	12	--	--			
A-6	03-26-97	13.51	9.93	ND	3.58	03-26-97	110	<0.5	0.8	1	1.4	15	--	--			
A-6	05-21-97	13.51	10.54	ND	2.97	05-21-97	600	0.6	0.6	<2	2.7	<3	--	--			
A-6	08-08-97	13.51	10.77	ND	2.74	08-08-97	850	<0.5	<0.5	6.1	<0.5	<4	--	--			
A-6	11-18-97	13.51	3.41	ND	10.10	11-18-97	690	<1	<1	3	2	7	--	--			
A-6	02-20-98	13.51	6.73	ND	6.78	02-20-98	60	<0.5	0.6	1.3	0.5	4	--	--			
A-6	05-11-98	13.51	9.26	ND	4.25	05-11-98	140	<0.5	0.7	0.6	<0.5	6	--	--			
A-6	07-30-98	13.51	10.12	ND	3.39	07-30-98	910	<2	<2	3	7	34	--	--			
A-6	10-08-98	13.51	10.53	ND	2.98	10-08-98	1,300	<2	4	3	4	21	--	--			
A-6	02-18-99	13.51	7.50	ND	6.01	02-18-99	150	<0.5	<0.5	1.4	1.7	35	--	--			
A-6	05-26-99	13.51	10.00	ND	3.51	05-26-99	100	<0.5	<0.5	<0.5	<0.5	17	--	--			
A-6	08-23-99	13.51	10.70	ND	2.81	08-23-99	98	0.6	<0.5	1.1	4.3	13	--	--	2.42	NP	
A-6	10-27-99	13.51	11.00	ND	2.51	10-27-99	<50	<0.5	<0.5	<0.5	<1	7	--	--	13.23	NP	
A-6	01-31-00	13.51	9.31	ND	4.20	01-31-00	<50	<0.5	<0.5	<0.5	<1	9	--	--	1.0	NP	
AR-1	03-24-95	15.61	7.25	ND	8.36	03-24-95	270	14	0.6	2.5	2.1	--	--	130			
AR-1	06-05-95	15.61	11.37	ND	4.24	06-05-95	190	10	<0.5	0.8	0.5	--	--	580			
AR-1	08-17-95	15.61	12.40	ND	3.21	08-17-95	960	110	12	4.5	150	14	--	<50			

**Table 1**  
**Historical Groundwater Elevation and Analytical Data**  
**Petroleum Hydrocarbons and Their Constituents**  
**1995 - Present\*\*\***

**ARCO Service Station 2169**  
**889 West Grand Avenue, Oakland, California**

Well Number	Date Gauged	TOC Elevation (ft-MSL)	Depth to Water (feet)	FP Thickness (feet)	Groundwater Elevation (ft-MSL)	Date Sampled	TPH				Total Xylenes (µg/L)	MTBE 8021B* (µg/L)	MTBE 8260 (µg/L)	TPH Diesel (µg/L)	Dissolved Oxygen (mg/L)	Purged/ Not Purged (P/NP)
							Gasoline (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)						
AR-1	12-04-95	15.61	12.90	ND	2.71	12-04-95	<50	1.5	<0.5	<0.5	0.8	--	--	--		
AR-1	03-01-96	15.61	8.19	ND	7.42	03-13-96	150	3.8	0.5	1.4	1.3	<3	--	--		
AR-1	05-29-96	15.61	10.41	ND	5.20	05-29-96	Not sampled: well sampled semi-annually, during the first and third quarters									
AR-1	08-29-96	15.61	12.12	ND	3.49	08-29-96	<50	<0.5	<0.5	<0.5	0.8	<3	--	--		
AR-1	11-21-96	15.61	11.52	ND	4.09	11-21-96	Not sampled: well sampled semi-annually, during the first and third quarters									
AR-1	03-26-97	15.61	11.33	ND	4.28	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--		
AR-1	05-21-97	15.61	12.02	ND	3.59	05-21-97	Not sampled: well sampled semi-annually, during the first and third quarters									
AR-1	08-08-97	15.61	12.31	ND	3.30	08-08-97	<50	0.7	<0.5	1	<0.5	<3	--	--		
AR-1	11-18-97	15.61	3.97	ND	11.64	11-18-97	Not sampled: well sampled semi-annually, during the first and third quarters									
AR-1	02-20-98	15.61	6.42	ND	9.19	02-23-98	<200	<2	<2	<2	<2	160	--	--		
AR-1	05-11-98	15.61	10.93	ND	4.68	05-11-98	<50	<0.5	<0.5	<0.5	<0.5	4	--	--		
AR-1	07-30-98	15.61	11.82	ND	3.79	07-30-98	<50	<0.5	<0.5	<0.5	<0.5	6	--	--		
AR-1	10-08-98	15.61	12.24	ND	3.37	10-08-98	<50	<0.5	<0.5	<0.5	<0.5	6	--	--		
AR-1	02-18-99	15.61	7.75	ND	7.86	02-18-99	<50	<0.5	<0.5	<0.5	<1.0	<10	--	--		
AR-1	05-26-99	15.61	11.62	ND	3.99	05-26-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--		
AR-1	08-23-99	15.61	9.32	ND	6.29	08-23-99	Not sampled: well sampled semi-annually, during the first and second quarters									
AR-1	10-27-99	15.61	12.14	ND	3.47	10-27-99	Not sampled: well sampled semi-annually, during the first and second quarters									
AR-1	01-31-00	15.61	Not surveyed: well inaccessible													
AR-2	03-24-95	15.28	9.13	ND	6.15	03-24-95	<50	6.2	<0.5	<0.5	0.6	--	--	<50		
AR-2	06-05-95	15.28	12.09	ND	3.19	06-05-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	<50		
AR-2	08-17-95	15.28	12.78	ND	2.50	08-18-95	<50	<0.5	<0.5	<0.5	<0.5	4	--	<50		
AR-2	12-04-95	15.28	11.44	ND	3.84	12-13-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--		
AR-2	03-01-96	15.28	9.83	ND	5.45	03-13-96	190	26	2.6	3.3	13	200	--	--		
AR-2	05-29-96	15.28	10.97	ND	4.31	05-29-96	Not sampled: well sampled semi-annually, during the first and third quarters									
AR-2	08-29-96	15.28	12.20	ND	3.08	08-29-96	<50	<0.5	<0.5	<0.5	<0.5	95	--	--		
AR-2	11-21-96	15.28	11.57	ND	3.71	11-21-96	Not sampled: well sampled semi-annually, during the first and third quarters									

**Table 1**  
**Historical Groundwater Elevation and Analytical Data**  
**Petroleum Hydrocarbons and Their Constituents**  
**1995 - Present\*\*\***

**ARCO Service Station 2169**  
**889 West Grand Avenue, Oakland, California**

Well Number	Date Gauged	TOC Elevation (ft-MSL)	Depth to Water (feet)	FP Thickness (feet)	Groundwater Elevation (ft-MSL)	Date Sampled	TPH				Total Xylenes (µg/L)	MTBE 8021B* (µg/L)	MTBE 8260 (µg/L)	TPH Diesel (µg/L)	Dissolved Oxygen (mg/L)	Purged/ Not Purged (P/NP)	
							Gasoline (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)							
AR-2	03-26-97	15.28	11.60	ND	3.68	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	9	--	--			
AR-2	05-21-97	15.28	12.12	ND	3.16	05-21-97	Not sampled: well sampled semi-annually, during the first and third quarters										
AR-2	08-08-97	15.28	12.35	ND	2.93	08-08-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--			
AR-2	11-18-97	15.28	3.48	ND	11.80	11-18-97	Not sampled: well sampled semi-annually, during the first and third quarters										
AR-2	02-20-98	15.28	8.00	ND	7.28	02-20-98	<50	<0.5	<0.5	<0.5	<0.5	43	--	--			
AR-2	05-11-98	15.28	10.97	ND	4.31	05-11-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--			
AR-2	07-30-98	15.28	11.76	ND	3.52	07-30-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--			
AR-2	10-08-98	15.28	12.17	ND	3.11	10-08-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--			
AR-2	02-18-99	15.28	9.17	ND	6.11	02-18-99	<50	<0.5	<0.5	<0.5	<1.0	<10	--	--			
AR-2	05-26-99	15.28	11.72	ND	3.56	05-26-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--			
AR-2	08-23-99	15.28	12.31	ND	2.97	08-23-99	Not sampled: well sampled semi-annually, during the first and second quarters									0.61	
AR-2	10-27-99	15.28	12.42	ND	2.86	10-27-99	Not sampled: well sampled semi-annually, during the first and second quarters										
AR-2	01-31-00	15.28	10.31	ND	4.97	01-31-00	Not sampled										
ADR-1	03-24-95	13.95	8.04	0.01	** 5.92	03-24-95	Not sampled: well contained floating product										
ADR-1	06-05-95	13.95	11.02	ND	2.93	06-05-95	23,000	310	420	300	1,900	--	--	13,000			
ADR-1	08-17-95	13.95	11.86	ND	2.09	08-18-95	4,400	150	120	95	620	120	--	4,500			
ADR-1	12-04-95	13.95	10.05	ND	3.90	12-13-95	8,800	100	130	120	990	--	--	--			
ADR-1	03-01-96	13.95	8.76	ND	5.19	03-13-96	89,000	370	1,000	840	8,100	<500	--	--			
ADR-1	05-29-96	13.95	9.74	ND	4.21	05-30-96	27,000	230	380	370	2,700	<100	--	--			
ADR-1	08-29-96	13.95	10.77	ND	3.18	08-29-96	5,300	190	58	76	470	85	--	--			
ADR-1	11-21-96	13.95	10.49	ND	3.46	11-21-96	1,900	82	21	32	270	110	--	--			
ADR-1	03-26-97	13.95	10.37	ND	3.58	03-26-97	1,300	260	6	39	27	95	--	--			
ADR-1	05-21-97	13.95	10.90	ND	3.05	05-21-97	2,100	300	18	37	200	79	--	--			
ADR-1	08-08-97	13.95	11.12	ND	2.83	08-08-97	3,900	620	49	110	470	<200	--	--			
ADR-1	11-18-97	13.95	3.47	ND	10.48	11-18-97	18,000	900	140	360	2,700	<60	--	--			
ADR-1	02-20-98	13.95	Not surveyed: well inaccessible														

**Table 1  
Historical Groundwater Elevation and Analytical Data  
Petroleum Hydrocarbons and Their Constituents  
1995 - Present\*\*\***

**ARCO Service Station 2169  
889 West Grand Avenue, Oakland, California**

Well Number	Date Gauged	TOC Elevation (ft-MSL)	Depth to Water (feet)	FP Thickness (feet)	Groundwater Elevation (ft-MSL)	Date Sampled	TPH Gasoline (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE 8021B* (µg/L)	MTBE 8260 (µg/L)	TPH Diesel (µg/L)	Dissolved Oxygen (mg/L)	Purged/ Not Purged (P/NP)	
ADR-1	05-11-98	13.95	Not surveyed: well inaccessible														
ADR-1	07-30-98	13.95	Not surveyed: well inaccessible														
ADR-1	10-08-98	13.95	Not surveyed: well inaccessible														
ADR-1	02-18-99	13.95	7.80	ND	6.15	02-18-99	200	4.4	<0.5	1.3	1.3	43	--	--			
ADR-1	05-26-99	13.95	10.40	ND	3.55	05-26-99	160	10	<0.5	1.7	1.8	43	--	--			
ADR-1	08-23-99	13.95	10.70	ND	3.25	08-23-99	7,400	310	16	210	970	18	--	--	0.37	NP	
ADR-1	10-27-99	13.95	10.82	ND	3.13	10-27-99	5,000	210	6.3	180	490	5	--	--	0.73	NP	
ADR-1	01-31-00	13.95	9.21	ND	4.74	01-31-00	290	3.6	<0.5	1.1	<1	26	--	--	1.0	NP	
ADR-2	03-24-95	14.64	8.41	>3.00	NR[1]	03-24-95	Not sampled: well contained floating product										
ADR-2	06-05-95	14.64	11.45	>3.00	NR[1]	06-05-95	Not sampled: well contained floating product										
ADR-2	08-17-95	14.64	12.10	0.03	** 2.56	08-17-95	Not sampled: well contained floating product										
ADR-2	12-04-95	14.64	10.93	0.03	** 3.73	12-13-95	Not sampled: well contained floating product										
ADR-2	03-01-96	14.64	8.74	ND	5.90	03-13-96	29,000	1,100	1,200	710	3,800	<500	--	--			
ADR-2	05-29-96	14.64	10.43	ND	4.21	05-29-96	33,000	510	500	470	2,300	120	--	--			
ADR-2	08-29-96	14.64	11.64	ND	3.00	08-29-96	8,000	230	180	150	730	53	--	--			
ADR-2	11-21-96	14.64	11.23	ND	3.41	11-21-96	15,000	630	440	390	2,100	75	--	--			
ADR-2	03-26-97	14.64	11.13	ND	3.51	03-26-97	6,100	320	23	180	400	32	--	--			
ADR-2	05-21-97	14.64	11.64	ND	3.00	05-21-97	6,100	380	22	210	320	<30	--	--			
ADR-2	08-08-97	14.64	11.85	ND	2.79	08-08-97	8,400	380	35	230	910	<30	--	--			
ADR-2	11-18-97	14.64	3.33	ND	11.31	11-18-97	11,000	230	29	300	1,200	<60	--	--			
ADR-2	02-20-98	14.64	7.67	ND	6.97	02-20-98	4,700	320	30	130	360	20	--	--			
ADR-2	05-11-98	14.64	10.47	ND	4.17	05-11-98	Not sampled										
ADR-2	07-30-98	14.64	Not surveyed: well inaccessible														
ADR-2	10-08-98	14.64	11.67	ND	2.97	10-08-98	Not sampled										
ADR-2	02-18-99	14.64	Not surveyed: well inaccessible														
ADR-2	05-26-99	14.64	11.02	ND	3.62	05-26-99	5,900	670	5	340	104	16	--	--			

**Table 1**  
**Historical Groundwater Elevation and Analytical Data**  
**Petroleum Hydrocarbons and Their Constituents**  
**1995 - Present\*\*\***

**ARCO Service Station 2169**  
**889 West Grand Avenue, Oakland, California**

Well Number	Date Gauged	TOC Elevation (ft-MSL)	Depth to Water (feet)	FP Thickness (feet)	Groundwater Elevation (ft-MSL)	Date Sampled	TPH Gasoline ( $\mu\text{g/L}$ )	Benzene ( $\mu\text{g/L}$ )	Toluene ( $\mu\text{g/L}$ )	Ethyl-benzene ( $\mu\text{g/L}$ )	Total Xylenes ( $\mu\text{g/L}$ )	MTBE 8021B* ( $\mu\text{g/L}$ )	MTBE 8260 ( $\mu\text{g/L}$ )	TPH Diesel ( $\mu\text{g/L}$ )	Dissolved Oxygen (mg/L)	Purged/Not Purged (P/NP)
ADR-2	08-23-99	14.64	9.82	ND	4.82	08-23-99	9,100	570	12	410	1,000	28	--	--	0.50	NP
ADR-2	10-27-99	14.64	9.85	Sheen	4.79	10-27-99	Not sampled: sheen present								0.65	NP
ADR-2	01-31-00	14.64	10.15	ND	4.49	01-31-00	7,700	280	3.4	370	390	23	--	--	2.0	NP

TOC: top of casing

ft-MSL: elevation in feet, relative to mean sea level

TPH: total petroleum hydrocarbons, California DHS LUFT Method

BTEX: benzene, toluene, ethylbenzene, total xylenes by EPA method 8021B. (EPA method 8020 prior to 10/27/99).

MTBE: Methyl tert-butyl ether

$\mu\text{g/L}$ : micrograms per liter

$\text{mg/L}$ : milligrams per liter

ND: none detected

NR: not reported; data not available or not measurable

--: not analyzed or not applicable

<: denotes concentration not present at or above laboratory detection limit stated to the right.

[1]: well contained more than 3 feet of floating product; exact product thickness and groundwater elevation could not be measured

\*: EPA method 8020 prior to 10/27/99

\*\* : [corrected elevation (Z)] = Z + (h \* 0.73) where: Z = measured elevation, h = floating product thickness, 0.73 = density ratio of oil to water

\*\*\*: For previous historical groundwater elevation data please refer to *Fourth Quarter 1995 Groundwater Monitoring Program Results and Remediation System Performance Evaluation Report, ARCO Service Station 2169, 889 West Grand Avenue, Oakland, California, (EMCON, March 4, 1996).*

**Table 2  
Groundwater Flow Direction and Gradient**

**ARCO Service Station 2169  
889 West Grand Avenue, Oakland, California**

<b>Date Measured</b>	<b>Average Flow Direction</b>	<b>Average Hydraulic Gradient</b>
03-24-95	Northwest	0.009
06-05-95	Northwest	0.002
08-17-95	West	0.001
12-04-95	North-Northwest	0.002
03-01-96	Northwest	0.003
05-29-96	Northwest	0.002
08-29-96	West	0.002
11-21-96	West-Northwest	0.002
03-26-97	Northwest	0.002
05-21-97	North-Northwest	0.002
08-08-97	North-Northwest	0.002
11-18-97	North-Northwest	0.003
02-20-98	North	0.013
05-11-98	North	0.03
07-30-98	North	0.002
10-08-98	North-Northwest	0.002
02-18-99	Northwest	0.008
05-26-99	North-Northwest	0.003
08-23-99	Variable	Variable
10-27-99	Variable	Variable
<b>01-31-00</b>	<b>West-Northwest</b>	<b>0.006</b>

**Table 3**  
**Soil Vapor Extraction System**  
**Operational Uptime Information (1998 - present)**  
**Arco Service Station No. 2169**  
**889 West Grand Avenue, Oakland, California**

Date	Meter (hrs.)	Operation (hrs.)	Period Operation				Cumulative Operation			
			Total (days)	Uptime (days)	Downtime (days)	Uptime (%)	Total (days)	Uptime (days)	Downtime (days)	Uptime (%)
04/01/98 <sup>†</sup>	7365.55	6909.60					1399	287.9	1111.1	21%
04/15/98	7365.55	6909.60								
06/22/98	7365.78	6909.83	68	0.0	68.0	0%	1467	287.9	1179.1	20%
08/20/98	7365.78	6909.83	59	0.0	59.0	0%	1526	287.9	1238.1	19%
10/07/98	7366.69	6910.74	48	0.0	48.0	0%	1574	287.9	1286.1	18%
10/08/98	7392.07	6936.12	1	1	0	100%	1575	289.0	1286.0	18%
10/30/98	7752.82	7296.87	22	15.0	7.0	68%	1597	304.0	1293.0	19%
11/18/98	7755.18	7299.23	19	0.1	18.9	1%	1616	304.1	1311.9	19%
11/25/98	7869.69	7413.74	7	4.8	2.2	68%	1623	308.9	1314.1	19%
12/08/98	8182.76	7726.81	13	13.0	0.0	100%	1636	322.0	1314.0	20%
02/05/99	8183.26	7727.31	59	0.0	59.0	0%	1695	322.0	1373.0	19%
03/19/99	8183.56	7727.61	42	0.0	42.0	0%	1737	322.0	1415.0	19%
04/27/99	8183.56	7727.61	39	0.0	39.0	0%	1776	322.0	1454.0	18%
06/21/99	8183.88	7727.93	55	0.0	55.0	0%	1831	322.0	1509.0	18%
06/24/99	8260.48	7804.53	3	3	0	106%	1834	325.2	1508.8	18%
08/19/99	8260.48	7804.53	56	0	56	0%	1890	325.2	1564.8	17%
08/25/99	8360.47	7904.52	6	4	2	69%	1896	329.4	1566.6	17%
09/08/99	8695.25	8239.3	14	14	0	100%	1910	343.3	1566.7	18%
09/09/99	8706.53	8250.58	1	0	1	47%	1911	343.8	1567.2	18%
09/21/99	8994.92	8538.97	12	12	0	100%	1923	355.8	1567.2	19%
10/05/99	9331.19	8875.24	14	14	0	100%	1937	369.8	1567.2	19%
10/19/99	9667.61	9211.66	14	14	0	100%	1951	383.8	1567.2	20%
11/03/99	10026.92	9570.97	15	15	0	100%	1966	398.8	1567.2	20%
11/17/99	10364.01	9908.06	14	14	0	100%	1980	412.8	1567.2	21%
12/01/99	10699.82	10243.87	14	14	0	100%	1994	426.8	1567.2	21%
12/16/99	11059.81	10603.86	15	15	0	100%	2009	441.8	1567.2	22%
01/05/00	11060.05	10604.1	20	0	20	0%	2029	441.8	1587.2	22%

<sup>†</sup> Operational data through 04/01/98 from First Quarter 1998 Quarterly Monitoring Report



**Table 4**  
**Soil Vapor Extraction System**  
**Flow Rates and Analytical Results of Air Samples (1998 - present)**

**Arco Service Station No. 2169**  
**889 West Grand Avenue, Oakland, California**

Date	Sample Location	Vacuum (in. H2O)	Velocity (fpm)	Flowrate <sup>1</sup> (scfm)	Analyses (ppmv)					
					TPHG	Benzene	Toulene	Ethylbenzene	Xylene	MTBE
10/08/98	Influent	21.2	750	35	190	<0.1	<0.1	<0.1	0.2	
	Effluent <sup>2</sup>		3600	274.2	<5	<0.1	<0.1	<0.1	<0.2	
11/18/98	Influent	21	900	42	83	<0.1	0.4	0.4	0.9	
	Effluent		3300	253.4	<5	<0.1	<0.1	<0.1	<0.2	
12/08/98	Influent	25	1100	51	12	<0.1	0.3	<0.1	0.2	<0.8
	Effluent		3100	238.0	6	<0.1	0.3	<0.1	0.2	<0.8
06/21/99	Influent	40	1000	44	20	0.1	0.1	<0.1	<0.2	<0.8
	Effluent		2500	192.0	<5	<0.1	<0.1	<0.1	<0.2	<0.8
08/19/99	Influent	39.2	800	35	180	6.9	0.9	0.15	0.32	5.5
	Effluent		2800	215.0	<2.4	0.05	<0.013	<0.012	0.03	0.13
09/08/99	Influent	50.2	1500	65	71	0.2	0.2	0.2	0.9	1.1
	Effluent		2300	176.6	<5	<0.1	<0.1	<0.1	<0.2	<0.8
10/05/99	Influent	59	1700	71	42	0.3	<0.1	<0.1	0.3	<0.8
	Effluent		2300	176.6	<5	<0.1	0.1	<0.1	<0.2	<0.8
11/03/99	Influent	50	1700	73	240	<0.1	0.2	0.2	3.9	1.3
	Effluent		2200	168.9	<5	<0.1	<0.1	<0.1	<0.2	<0.8
12/01/99	Influent	50.1	1000	43	180	0.2	0.1	<0.1	2.3	<0.8
	Effluent		1250	96.0	<5	<0.1	0.2	<0.1	<0.2	<0.8

<sup>1</sup> Influent Flow Rate, cfm = (Velocity, fpm)(Influent Pipe Area, sq. ft.)(406.8 in.H2O - Vacuum, in.H2O) / (406.8 in.H2O)  
where Influent Pipe Diameter = 3"  
Effluent Flow Rate, cfm = (Velocity, fpm)(Effluent Pipe Area, sq.ft.){(460° R + 77° F)/(460° R + Vapor Temp F)}  
where Effluent (after blower) Pipe Diameter = 4"

<sup>2</sup> Dilution air only

**Table 5**  
**Soil Vapor Extraction System**  
**Extraction Rates, Emission Rates, Destruction Efficiency, and Mass Removed**  
**(1998 - present)**

**Arco Service Station No. 2169**  
**889 West Grand Avenue, Oakland, California**

Date End	Extraction Rate from Wellfield <sup>1</sup>		Emission Rate to Atmosphere <sup>2</sup>		Destruction Efficiency <sup>3</sup>		Period Removal <sup>4</sup>		Cumulative Removal	
	TPHG (lbs/day)	Benzene (lbs/day)	TPHG (lbs/day)	Benzene (lbs/day)	TPHG (%)	Benzene (%)	TPHG (lbs)	Benzene (lbs)	TPHG (lbs)	Benzene (lbs)
04/01/98 <sup>5</sup>									8582.1	0
10/08/98	2.4351	0.0	<0.5037	<0.0079	Waived		39.5329	0	8621.6	0
11/18/98	1.2772	0.0	<0.4655	<0.0073	Waived		22.7538	0	8644.4	0
12/08/98	0.2233	0.0	0.5248	<0.0068	Waived		0.0104	0	8644.4	0
06/21/99	0.3251	0.0013	<0.3527	<0.0055	Waived		1.0376	0.0041	8645.4	0.0041
08/19/99	2.3459	0.0702	<0.1896	<0.0031	Waived		42.4964	1.2723	8687.9	1.2763
09/08/99	1.6830	0.0037	<0.3245	<0.0051	Waived		21.0150	0.0462	8708.9	1.3226
10/05/99	1.1005	0.0061	<0.3245	<0.0051	Waived		30.8459	0.1721	8739.8	1.4946
11/03/99	6.4514	0.0021	<0.3104	<0.0048	Waived		187.1967	0.0609	8927.0	1.5555
12/01/99	2.8454	0.0025	<0.1763	<0.0028	Waived		82.5210	0.0716	9009.5	1.6272

<sup>1</sup> Extraction Rate, lbs/day = (Influent Flow, cfm)(Influent conc., ppmv)(g/mole)(60 min/hr)(24 hr/day)(28.3 L/cf) / (10<sup>6</sup>)(24.45 moles/L)(453.6 g/lb)  
where TPHG = 100 g/mole and Benzene = 78.1 g/mole; Influent conc. = 0, if reported as non-detect

<sup>2</sup> Emission Rate, lbs/day = (Effluent Flow, cfm)(Effluent conc., ppmv)(g/mole)(60 min/hr)(24 hr/day)(28.3 L/cf) / (10<sup>6</sup>)(24.45 moles/L)(453.6 g/lb)  
where TPHG = 100 g/mole and Benzene = 78.1 g/mole; Effluent conc. = Method Reporting Limit, if reported as non-detect

<sup>3</sup> Destruction Efficiency, % = (Extraction Rate - Emission Rate)(100) / (Extraction Rate), "Waived" = if TPHG emissions <1.0 lbs/day and Benzene emissions <0.02 lbs/day

<sup>4</sup> Period Removal, lbs = (Extraction Rate)(Uptime)

<sup>5</sup> Operational data through 4/1/98 from First Quarter 1998 Quarterly Monitoring Report


**APPENDIX C**

Certified Analytical Reports  
And  
Chain-of-Custody Documentation



January 09 , 2001

Steven Meeks  
Delta Environmental Consultants(Rancho Cordova  
3164 Gold Camp Drive Ste. 200  
Rancho Cordova, CA 95670  
RE: ARCO 2169, Oakland, CA / S012384



Enclosed are the results of analyses for samples received by the laboratory on 12/27/00. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

*Sandra R Hanson*

Sandra R. Hanson  
Client Services Representative

Lito Diaz  
Laboratory Director

CA ELAP Certificate Number 1624





Delta Environmental Consultants(Rancho Cordova  
3164 Gold Camp Drive Ste. 200  
Rancho Cordova CA, 95670

Project: ARCO 2169, Oakland, CA  
Project Number: N/A  
Project Manager: Steven Meeks

Reported:  
01/09/01 16:13

**ANALYTICAL REPORT FOR SAMPLES**

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
A-1-10	S012384-01	Water	12/26/00 07:40	12/27/00 15:40
A-2-11	S012384-02	Water	12/26/00 06:11	12/27/00 15:40
A-3-12	S012384-03	Water	12/26/00 06:40	12/27/00 15:40
A-4-11	S012384-04	Water	12/26/00 07:05	12/27/00 15:40
A-5-10	S012384-05	Water	12/26/00 07:23	12/27/00 15:40
A-6-10	S012384-06	Water	12/26/00 06:32	12/27/00 15:40
AR-1-11	S012384-07	Water	12/26/00 06:22	12/27/00 15:40
AR-2-11	S012384-08	Water	12/26/00 06:52	12/27/00 15:40
ADR-1-10	S012384-09	Water	12/26/00 07:53	12/27/00 15:40
ADR-2-11	S012384-10	Water	12/26/00 08:06	12/27/00 15:40





Delta Environmental Consultants(Rancho Cordova  
3164 Gold Camp Drive Ste. 200  
Rancho Cordova CA, 95670

Project: ARCO 2169, Oakland, CA  
Project Number: N/A  
Project Manager: Steven Meeks

Reported:  
01/09/01 16:13

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT  
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>A-1-10 (S012384-01) Water    Sampled: 12/26/00 07:40    Received: 12/27/00 15:40</b>									
Purgeable Hydrocarbons	429	250	ug/l	5	1010073	01/08/01	01/08/01	DHS LUFT	P-02
Benzene	104	2.50	"	"	"	"	"	"	
Toluene	2.85	2.50	"	"	"	"	"	"	
Ethylbenzene	12.2	2.50	"	"	"	"	"	"	
Xylenes (total)	9.91	2.50	"	"	"	"	"	"	
Methyl tert-butyl ether	18.7	12.5	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		108 %	60-140		"	"	"	"	
<b>A-2-11 (S012384-02) Water    Sampled: 12/26/00 06:11    Received: 12/27/00 15:40</b>									
Purgeable Hydrocarbons	ND	50.0	ug/l	1	1010076	01/08/01	01/08/01	DHS LUFT	
Benzene	ND	0.500	"	"	"	"	"	"	
Toluene	ND	0.500	"	"	"	"	"	"	
Ethylbenzene	ND	0.500	"	"	"	"	"	"	
Xylenes (total)	ND	0.500	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	2.50	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		101 %	60-140		"	"	"	"	
<b>A-3-12 (S012384-03) Water    Sampled: 12/26/00 06:40    Received: 12/27/00 15:40</b>									
Purgeable Hydrocarbons	ND	50.0	ug/l	1	1010076	01/08/01	01/08/01	DHS LUFT	
Benzene	ND	0.500	"	"	"	"	"	"	
Toluene	ND	0.500	"	"	"	"	"	"	
Ethylbenzene	ND	0.500	"	"	"	"	"	"	
Xylenes (total)	ND	0.500	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	2.50	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		98.5 %	60-140		"	"	"	"	





Delta Environmental Consultants(Rancho Cordova  
3164 Gold Camp Drive Ste. 200  
Rancho Cordova CA, 95670

Project: ARCO 2169, Oakland, CA  
Project Number: N/A  
Project Manager: Steven Meeks

Reported:  
01/09/01 16:13

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT**  
**Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>A-4-11 (S012384-04) Water</b> Sampled: 12/26/00 07:05 Received: 12/27/00 15:40									
Purgeable Hydrocarbons	ND	50.0	ug/l	1	1010076	01/08/01	01/08/01	DHS LUFT	
Benzene	ND	0.500	"	"	"	"	"	"	
Toluene	ND	0.500	"	"	"	"	"	"	
Ethylbenzene	ND	0.500	"	"	"	"	"	"	
Xylenes (total)	ND	0.500	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	2.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		92.5 %	60-140		"	"	"	"	
<b>A-5-10 (S012384-05) Water</b> Sampled: 12/26/00 07:23 Received: 12/27/00 15:40									
Purgeable Hydrocarbons	8120	5000	ug/l	100	1010076	01/08/01	01/08/01	DHS LUFT	P-02
Benzene	465	50.0	"	"	"	"	"	"	
Toluene	108	50.0	"	"	"	"	"	"	
Ethylbenzene	659	50.0	"	"	"	"	"	"	
Xylenes (total)	1450	50.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	250	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		86.8 %	60-140		"	"	"	"	
<b>A-6-10 (S012384-06) Water</b> Sampled: 12/26/00 06:32 Received: 12/27/00 15:40									
Purgeable Hydrocarbons	56.2	50.0	ug/l	1	1010076	01/08/01	01/08/01	DHS LUFT	P-02
Benzene	ND	0.500	"	"	"	"	"	"	
Toluene	ND	0.500	"	"	"	"	"	"	
Ethylbenzene	ND	0.500	"	"	"	"	"	"	
Xylenes (total)	ND	0.500	"	"	"	"	"	"	
Methyl tert-butyl ether	8.17	2.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		99.1 %	60-140		"	"	"	"	





Delta Environmental Consultants(Rancho Cordova  
3164 Gold Camp Drive Ste. 200  
Rancho Cordova CA, 95670

Project: ARCO 2169, Oakland, CA  
Project Number: N/A  
Project Manager: Steven Meeks

Reported:  
01/09/01 16:13

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT  
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>AR-1-11 (S012384-07) Water Sampled: 12/26/00 06:22 Received: 12/27/00 15:40</b>									
Purgeable Hydrocarbons	ND	50.0	ug/l	1	1010076	01/08/01	01/08/01	DHS LUFT	
Benzene	ND	0.500	"	"	"	"	"	"	
Toluene	ND	0.500	"	"	"	"	"	"	
Ethylbenzene	ND	0.500	"	"	"	"	"	"	
Xylenes (total)	ND	0.500	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	2.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		98.0 %	60-140		"	"	"	"	
<b>AR-2-11 (S012384-08) Water Sampled: 12/26/00 06:52 Received: 12/27/00 15:40</b>									
Purgeable Hydrocarbons	ND	50.0	ug/l	1	1010076	01/08/01	01/08/01	DHS LUFT	
Benzene	ND	0.500	"	"	"	"	"	"	
Toluene	ND	0.500	"	"	"	"	"	"	
Ethylbenzene	ND	0.500	"	"	"	"	"	"	
Xylenes (total)	ND	0.500	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	2.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		95.6 %	60-140		"	"	"	"	
<b>ADR-1-10 (S012384-09) Water Sampled: 12/26/00 07:53 Received: 12/27/00 15:40</b>									
Purgeable Hydrocarbons	ND	50.0	ug/l	1	1010076	01/08/01	01/08/01	DHS LUFT	
<b>Benzene</b>	<b>1.29</b>	0.500	"	"	"	"	"	"	
Toluene	ND	0.500	"	"	"	"	"	"	
Ethylbenzene	ND	0.500	"	"	"	"	"	"	
Xylenes (total)	ND	0.500	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>14.7</b>	2.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		97.6 %	60-140		"	"	"	"	







Delta Environmental Consultants(Rancho Cordova  
3164 Gold Camp Drive Ste. 200  
Rancho Cordova CA, 95670

Project: ARCO 2169, Oakland, CA  
Project Number: N/A  
Project Manager: Steven Meeks

Reported:  
01/09/01 16:13

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT  
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>ADR-2-11 (S012384-10) Water Sampled: 12/26/00 08:06 Received: 12/27/00 15:40</b>									
Purgeable Hydrocarbons	901	500	ug/l	10	1010080	01/09/01	01/09/01	DHS LUFT	P-02
Benzene	26.6	5.00	"	"	"	"	"	"	
Toluene	ND	5.00	"	"	"	"	"	"	
Ethylbenzene	21.4	5.00	"	"	"	"	"	"	
Xylenes (total)	32.5	5.00	"	"	"	"	"	"	
Methyl tert-butyl ether	32.8	25.0	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		62.2 %		60-140	"	"	"	"	





Delta Environmental Consultants(Rancho Cordova 3164 Gold Camp Drive Ste. 200 Rancho Cordova CA, 95670	Project: ARCO 2169, Oakland, CA Project Number: N/A Project Manager: Steven Meeks	Reported: 01/09/01 16:13
---	---	-----------------------------

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT - Quality Control  
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 1010073 - EPA 5030B (P/T)**

**Blank (1010073-BLK1)**

Prepared & Analyzed: 01/08/01

Purgeable Hydrocarbons	ND	50.0	ug/l							
Benzene	ND	0.500	"							
Toluene	ND	0.500	"							
Ethylbenzene	ND	0.500	"							
Xylenes (total)	ND	0.500	"							
Methyl tert-butyl ether	ND	2.50	"							
<i>Surrogate: a,a,a-Trifluorotoluene</i>	<i>10.9</i>		<i>"</i>	<i>10.0</i>		<i>109</i>	<i>60-140</i>			

**LCS (1010073-BS1)**

Prepared & Analyzed: 01/08/01

Benzene	10.6	0.500	ug/l	10.0		106	70-130			
Toluene	11.0	0.500	"	10.0		110	70-130			
Ethylbenzene	11.4	0.500	"	10.0		114	70-130			
Xylenes (total)	30.1	0.500	"	30.0		100	70-130			
Methyl tert-butyl ether	11.1	2.50	"	10.0		111	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	<i>11.2</i>		<i>"</i>	<i>10.0</i>		<i>112</i>	<i>60-140</i>			

**Matrix Spike (1010073-MS1)**

Source: S012392-07

Prepared & Analyzed: 01/08/01

Benzene	10.0	0.500	ug/l	10.0	ND	100	60-140			
Toluene	10.6	0.500	"	10.0	ND	106	60-140			
Ethylbenzene	11.0	0.500	"	10.0	ND	110	60-140			
Xylenes (total)	29.0	0.500	"	30.0	ND	96.7	60-140			
Methyl tert-butyl ether	11.0	2.50	"	10.0	ND	110	60-140			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	<i>11.0</i>		<i>"</i>	<i>10.0</i>		<i>110</i>	<i>60-140</i>			

**Matrix Spike Dup (1010073-MSD1)**

Source: S012392-07

Prepared & Analyzed: 01/08/01

Benzene	10.3	0.500	ug/l	10.0	ND	103	60-140	2.96	25	
Toluene	10.9	0.500	"	10.0	ND	109	60-140	2.79	25	
Ethylbenzene	11.2	0.500	"	10.0	ND	112	60-140	1.80	25	
Xylenes (total)	29.4	0.500	"	30.0	ND	98.0	60-140	1.37	25	
Methyl tert-butyl ether	10.5	2.50	"	10.0	ND	105	60-140	4.65	25	
<i>Surrogate: a,a,a-Trifluorotoluene</i>	<i>11.1</i>		<i>"</i>	<i>10.0</i>		<i>111</i>	<i>60-140</i>			





Delta Environmental Consultants(Rancho Cordova 3164 Gold Camp Drive Ste. 200 Rancho Cordova CA, 95670	Project: ARCO 2169, Oakland, CA Project Number: N/A Project Manager: Steven Meeks	Reported: 01/09/01 16:13
---	---	-----------------------------

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT - Quality Control  
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 1010076 - EPA 5030B (P/T)**

**Blank (1010076-BLK1)**

Prepared & Analyzed: 01/08/01

Purgeable Hydrocarbons	ND	50.0	ug/l							
Benzene	ND	0.500	"							
Toluene	ND	0.500	"							
Ethylbenzene	ND	0.500	"							
Xylenes (total)	ND	0.500	"							
Methyl tert-butyl ether	ND	2.50	"							
Surrogate: a,a,a-Trifluorotoluene	9.83		"	10.0		98.3	60-140			

**LCS (1010076-BS1)**

Prepared & Analyzed: 01/08/01

Benzene	9.91	0.500	ug/l	10.0		99.1	70-130			
Toluene	9.85	0.500	"	10.0		98.5	70-130			
Ethylbenzene	9.82	0.500	"	10.0		98.2	70-130			
Xylenes (total)	30.3	0.500	"	30.0		101	70-130			
Methyl tert-butyl ether	8.96	2.50	"	10.0		89.6	70-130			
Surrogate: a,a,a-Trifluorotoluene	9.40		"	10.0		94.0	60-140			

**Matrix Spike (1010076-MS1)**

Source: S012384-09

Prepared & Analyzed: 01/08/01

Benzene	11.3	0.500	ug/l	10.0	1.29	100	60-140			
Toluene	10.2	0.500	"	10.0	ND	102	60-140			
Ethylbenzene	10.5	0.500	"	10.0	ND	105	60-140			
Xylenes (total)	31.5	0.500	"	30.0	ND	105	60-140			
Methyl tert-butyl ether	24.7	2.50	"	10.0	14.7	100	60-140			
Surrogate: a,a,a-Trifluorotoluene	9.62		"	10.0		96.2	60-140			

**Matrix Spike Dup (1010076-MSD1)**

Source: S012384-09

Prepared & Analyzed: 01/08/01

Benzene	11.6	0.500	ug/l	10.0	1.29	103	60-140	2.62	25	
Toluene	10.3	0.500	"	10.0	ND	103	60-140	0.976	25	
Ethylbenzene	10.7	0.500	"	10.0	ND	107	60-140	1.89	25	
Xylenes (total)	32.1	0.500	"	30.0	ND	107	60-140	1.89	25	
Methyl tert-butyl ether	25.1	2.50	"	10.0	14.7	104	60-140	1.61	25	
Surrogate: a,a,a-Trifluorotoluene	9.78		"	10.0		97.8	60-140			





Delta Environmental Consultants(Rancho Cordova 3164 Gold Camp Drive Ste. 200 Rancho Cordova CA, 95670	Project: ARCO 2169, Oakland, CA Project Number: N/A Project Manager: Steven Meeks	Reported: 01/09/01 16:13
---	---	-----------------------------

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT - Quality Control  
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

**Batch 1010080 - EPA 5030B (P/T)**

**Blank (1010080-BLK1)**

Prepared & Analyzed: 01/09/01

Purgeable Hydrocarbons	ND	50.0	ug/l							
Benzene	ND	0.500	"							
Toluene	ND	0.500	"							
Ethylbenzene	ND	0.500	"							
Xylenes (total)	ND	0.500	"							
Methyl tert-butyl ether	ND	2.50	"							
<i>Surrogate: a,a,a-Trifluorotoluene</i>	8.25		"	10.0		82.5	60-140			

**LCS (1010080-BS1)**

Prepared & Analyzed: 01/09/01

Benzene	9.50	0.500	ug/l	10.0		95.0	70-130			
Toluene	9.50	0.500	"	10.0		95.0	70-130			
Ethylbenzene	9.61	0.500	"	10.0		96.1	70-130			
Xylenes (total)	28.5	0.500	"	30.0		95.0	70-130			
Methyl tert-butyl ether	8.78	2.50	"	10.0		87.8	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	8.26		"	10.0		82.6	60-140			





Delta Environmental Consultants(Rancho Cordova  
3164 Gold Camp Drive Ste. 200  
Rancho Cordova CA, 95670

Project: ARCO 2169, Oakland, CA  
Project Number: N/A  
Project Manager: Steven Meeks

Reported:  
01/09/01 16:13

**Notes and Definitions**

P-02 Chromatogram Pattern: Weathered Gasoline C6-C12

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference





**APPENDIX D**  
Field Data Sheets



3164 Gold Camp Drive, Suite 200  
 Rancho Cordova, California 95670  
 Direct: (916) 638-2085  
 Fax: (916) 638-8385

Arco Site Address: **889 West Grand Avenue**  
**Oakland, California**

Arco Site Number: **Arco 2169**  
 Delta Project No.: **D000-311**  
 Delta Project PM: **Steve Meeks**  
 Date Sampled: **12/26/00**

Site Contact & Phone Number: \_\_\_\_\_

Arco Project Manager: **Paul Supple**  
 Site Sampled By: **Stratus**

Water Level Data						Purge Volume Calculations					Sampling Analytes				Sample Record			
Well ID	Time	Depth to Water (feet)	Top of Screen Interval (feet)	Total Depth of Well (feet)	Check if Purge Not Required	Casing Water Column (A)	Well Diameter (inches)	Multiplier Value (B)	Three Casing Volumes (gallons)	Actual Water Purged (gallons)	BTEX (8020) VOA	TPH-g (8015M) VOA	MTBE (8020) VOA	Other	Dissolved Oxygen (mg/L)	Sample Frequency (A, S, Q)	Sample I.D.	Sample Time
A-1	7:30	10.96	9.0	24.5	<input type="checkbox"/>	13.54	3 inch	1.1	14.9	19	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	8.90	Q/2,5,8,11	A-1	7:40
A-2	6:06	11.44	10.0	26.2	<input checked="" type="checkbox"/>	14.76	3 inch	1.1	16.2	NP	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1.40	S/5,11	A-2	6:11
A-3	6:36	12.17	9.0	30.1	<input checked="" type="checkbox"/>	17.93	3 inch	1.1	19.7	NP	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	0.80	A/11	A-3	6:40
A-4	7:00	11.19	8.0	28.4	<input checked="" type="checkbox"/>	17.21	3 inch	1.1	18.9	NP	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1.40	A/11	A-4	7:05
A-5	7:12	10.37	5.0	30.0	<input type="checkbox"/>	19.63	2 inch	0.5	9.8	9	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1.30	Q/2,5,8,11	A-5	7:23
A-6	6:28	10.65	5.0	28.5	<input checked="" type="checkbox"/>	17.85	2 inch	0.5	8.9	NP	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	15.30	Q/2,5,8,11	A-6	6:32
AR-1	6:18	11.95	8.5	28.0	<input checked="" type="checkbox"/>	16.05	6 inch	4.4	70.6	NP	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	0.70	S/5,11	AR-1	6:22
AR-2	6:50	11.95	8.5	29.3	<input checked="" type="checkbox"/>	17.35	4 inch	2.0	34.7	NP	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	0.80	S/5,11	AR-2	6:52
ADR-1	7:32	10.93	5.0	21.9	<input type="checkbox"/>	10.97	4 inch	2.0	21.9	20	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4.00	Q/2,5,8,11	ADR-1	7:53
ADR-2	7:34	11.52	5.0	26.3	<input type="checkbox"/>	14.78	4 inch	2.0	29.6	29	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1.90	Q/2,5,8,11	ADR-2	8:06
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				

(A)-Casing Water Column: Depth to Bottom - Depth to Water (B)-Multiplier Values: (2" Well: 0.5) (4" Well: 2.0) (6" Well: 4.4)

Sampling Sequence:

Annual: A-3, A-4; Semi-Annual: A-2, AR-1, AR-2;  
 Quarterly: A-5, ADR-2, ADR-1, A-6, A-1

Sampling Notes: List depth of Sample on C.O.C. [i.e. MW-1(30)]. Make Sure to Note on C.O.C. "Provide Lowest Reporting Limit Available."  
 If the water level is below the top of the screen, take a grab sample and check box for NO PURGE (NP). If the water level is above the screen, purge as normal.

Original Copies of Field Sampling Sheets are Located in Project File





3164 Gold Camp Drive, Suite 200  
 Rancho Cordova, California 95670  
 Direct: (916) 638-2085  
 Fax: (916) 638-8385

Arco Site Address: 889 West Grand Avenue  
Oakland, California  
 Arco Project Manager: Paul Supple  
 Site Sampled By: Stratus

Arco Site Number: Arco 2169  
 Delta Project No.: D000-311  
 Delta Project PM: Steve Meeks  
 Date Sampled: 12/26/00

Site Contact & Phone Number: \_\_\_\_\_

Well ID	Time	Temp °C	pH Units	Sp. Cond.	Gallons	Well ID	Time	Temp °C	pH Units	Sp. Cond.	Gallons	Well ID	Time	Temp °F	pH Units	Sp. Cond.	Gallons	
A-1		21.3	6.90	1,171	0	AR-2		18.7	7.80	917								
		21.6	6.80	1,179	8													
		22.2	6.80	1,187	19													
A-2		16.1	6.60	6		ADR-1		21.6	6.90	1,332	0							
								21.9	6.80	1,318	10							
									22.4	6.70	1,284	20						
A-3		19.4	1.90	905		ADR-2		21.4	6.60	1,437	0							
								21.6	6.60	1,376	10							
												30						
A-4		18.4	7.50	770														
A-5		18.2	7.30	973	0													
		18.3	7.10	899	9													
A-6		19.6	8.30	1,013														
AR-1																		

Notes: NP = NO PURGE

Original Copies of Field Sampling Sheets are Located in Project File


**APPENDIX E**

**Soil Vapor Extraction System Laboratory Analytical Results**



November 1, 2000

Steven Meeks  
Delta Environmental Consultants(Rancho Cordova)  
3164 Gold Camp Drive Ste. 200  
Rancho Cordova, CA 95670



RE: ARCO 2169, Oakland, CA/S010376

Dear Steven Meeks

Enclosed are the results of analyses for sample(s) received by the laboratory on October 23, 2000. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Sandra R. Hanson  
Client Services Representative

Lito Diaz  
Laboratory Director

CA ELAP Certificate Number 1624





Delta Environmental Consultants(Rancho Cordova 3164 Gold Camp Drive Ste. 200 Rancho Cordova, CA 95670	Project: ARCO 2169, Oakland, CA Project Number: N/A Project Manager: Steven Meeks	Sampled: 10/23/00 Received: 10/23/00 Reported: 11/1/00
---	---	--

**ANALYTICAL REPORT FOR S010376**

Sample Description	Laboratory Sample Number	Sample Matrix	Date Sampled
Inf Air	S010376-01	Air	10/23/00
Eff Air	S010376-02	Air	10/23/00





Delta Environmental Consultants(Rancho Cordova 3164 Gold Camp Drive Ste. 200 Rancho Cordova, CA 95670	Project: ARCO 2169, Oakland, CA Project Number: N/A Project Manager: Steven Meeks	Sampled: 10/23/00 Received: 10/23/00 Reported: 11/1/00
---	---	--

**Total Purgeable Hydrocarbons (C6-C12) and BTEX in Air by DHS LUFT  
Sequoia Analytical - Sacramento**

Analyte	Batch Number	Date Prepared	Date Analyzed	Surrogate Limits	Reporting Limit	Result	Units	Notes*
				<b><u>S010376-01</u></b>			<b><u>Air</u></b>	
<b>Inf Air</b>								
Purgeable Hydrocarbons	0100322	10/25/00	10/25/00		10.0	113	mg/m <sup>3</sup> Air	1
Benzene	"	"	"		0.0500	ND	"	
Toluene	"	"	"		0.0500	ND	"	
Ethylbenzene	"	"	"		0.0500	ND	"	
Xylenes (total)	"	"	"		0.0500	0.446	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	60.0-140		105	%	
				<b><u>S010376-02</u></b>			<b><u>Air</u></b>	
<b>Eff Air</b>								
Purgeable Hydrocarbons	0100322	10/25/00	10/25/00		10.0	ND	mg/m <sup>3</sup> Air	
Benzene	"	"	"		0.0500	ND	"	
Toluene	"	"	"		0.0500	ND	"	
Ethylbenzene	"	"	"		0.0500	ND	"	
Xylenes (total)	"	"	"		0.0500	ND	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	60.0-140		93.0	%	





Delta Environmental Consultants(Rancho Cordova 3164 Gold Camp Drive Ste. 200 Rancho Cordova, CA 95670	Project: ARCO 2169, Oakland, CA Project Number: N/A Project Manager: Steven Meeks	Sampled: 10/23/00 Received: 10/23/00 Reported: 11/1/00
---	---	--

**Total Purgeable Hydrocarbons (C6-C12) and BTEX in Air (ppmv) by DHS LUFT  
Sequoia Analytical - Sacramento**

Analyte	Batch Number	Date Prepared	Date Analyzed	Surrogate Limits	Reporting Limit	Result	Units	Notes*
<b><u>Inf Air</u></b>				<b><u>S010376-01</u></b>			<b><u>Air</u></b>	
Purgeable Hydrocarbons	0100322	10/25/00	10/25/00		2.40	27.7	ppmv	I
Benzene	"	"	"		0.0160	ND	"	
Toluene	"	"	"		0.0130	ND	"	
Ethylbenzene	"	"	"		0.0120	ND	"	
Xylenes (total)	"	"	"		0.0120	0.104	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	60.0-140		105	%	
<b><u>Eff Air</u></b>				<b><u>S010376-02</u></b>			<b><u>Air</u></b>	
Purgeable Hydrocarbons	0100322	10/25/00	10/25/00		2.40	ND	ppmv	
Benzene	"	"	"		0.0160	ND	"	
Toluene	"	"	"		0.0130	ND	"	
Ethylbenzene	"	"	"		0.0120	ND	"	
Xylenes (total)	"	"	"		0.0120	ND	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	60.0-140		93.0	%	





Delta Environmental Consultants(Rancho Cordova 3164 Gold Camp Drive Ste. 200 Rancho Cordova, CA 95670	Project: ARCO 2169, Oakland, CA Project Number: N/A Project Manager: Steven Meeks	Sampled: 10/23/00 Received: 10/23/00 Reported: 11/1/00
---	---	--

**Total Purgeable Hydrocarbons (C6-C12) and BTEX in Air by DHS EUII/Quality Control**  
Sequoia Analytical - Sacramento

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
<b>Batch: 0100322</b>		<b>Date Prepared: 10/25/00</b>			<b>Extraction Method: EPA 5030B (P/T)</b>					
<b>Blank</b>		<b>0100322-BLK1</b>								
Purgeable Hydrocarbons	10/25/00			ND	mg/m <sup>3</sup> Air	10.0				
Benzene	"			ND	"	0.0500				
Toluene	"			ND	"	0.0500				
Ethylbenzene	"			ND	"	0.0500				
Xylenes (total)	"			ND	"	0.0500				
Surrogate: a,a,a-Trifluorotoluene	"	2.00		2.30	"	60.0-140	115			
<b>LCS</b>		<b>0100322-BS1</b>								
Benzene	10/25/00	2.00		2.13	mg/m <sup>3</sup> Air	70.0-130	107			
Toluene	"	2.00		2.25	"	70.0-130	113			
Ethylbenzene	"	2.00		2.19	"	70.0-130	110			
Xylenes (total)	"	6.00		6.20	"	70.0-130	103			
Surrogate: a,a,a-Trifluorotoluene	"	2.00		2.34	"	60.0-140	117			
<b>LCS Dup</b>		<b>0100322-BSD1</b>								
Benzene	10/25/00	2.00		2.19	mg/m <sup>3</sup> Air	70.0-130	110	25.0	2.76	
Toluene	"	2.00		2.28	"	70.0-130	114	25.0	0.881	
Ethylbenzene	"	2.00		2.24	"	70.0-130	112	25.0	1.80	
Xylenes (total)	"	6.00		6.30	"	70.0-130	105	25.0	1.92	
Surrogate: a,a,a-Trifluorotoluene	"	2.00		2.36	"	60.0-140	118			





Delta Environmental Consultants(Rancho Cordova 3164 Gold Camp Drive Ste. 200 Rancho Cordova, CA 95670	Project: ARCO 2169, Oakland, CA Project Number: N/A Project Manager: Steven Meeks	Sampled: 10/23/00 Received: 10/23/00 Reported: 11/1/00
---	---	--

**Total Purgeable Hydrocarbons (C6-C12) and BTEX in Air (ppmv) by DHS LUFI/Quality Control  
Sequoia Analytical - Sacramento**

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
<b>Batch: 0100322</b>	<b>Date Prepared: 10/25/00</b>			<b>Extraction Method: EPA 5030B (P/T)</b>						
<b>Blank</b>	<b>0100322-BLK1</b>									
Purgeable Hydrocarbons	10/25/00			ND	ppmv	2.80				
Benzene	"			ND	"	0.0160				
Toluene	"			ND	"	0.0130				
Ethylbenzene	"			ND	"	0.0120				
Xylenes (total)	"			ND	"	0.0120				
Surrogate: <i>a,a,a-Trifluorotoluene</i>	"	0.00200		0.00230	"	60.0-140	115			







Delta Environmental Consultants(Rancho Cordova 3164 Gold Camp Drive Ste. 200 Rancho Cordova, CA 95670	Project: ARCO 2169, Oakland, CA Project Number: N/A Project Manager: Steven Meeks	Sampled: 10/23/00 Received: 10/23/00 Reported: 11/1/00
---	---	--

**Notes and Definitions**

#	Note
1	Chromatogram Pattern: Weathered Gasoline C6-C12
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
Recov.	Recovery
RPD	Relative Percent Difference



