

Atlantic Richfield Company

Shannon Couch
Operations Project Manager

PO Box 1257
San Ramon, CA 94583
Phone: (925) 275-3804
Fax: (925) 275-3815
E-Mail: shannon.couch@bp.com

April 30, 2013


RECEIVED

By Alameda County Environmental Health at 10:51 am, May 01, 2013

Re: First Quarter 2013 Monitoring Report
Atlantic Richfield Company Station #2169
889 West Grand Avenue, Oakland, California
ACEH Case #RO0000072

I declare that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct.

Submitted by,



Shannon Couch
Operations Project Manager

Attachment



**FIRST QUARTER 2013 MONITORING REPORT
Atlantic Richfield Company Station #2169
889 West Grand Avenue
Oakland, Alameda County, California**

Prepared for:

Ms. Shannon Couch
Atlantic Richfield Company
P.O. Box 1257
San Ramon, CA 94583

Prepared by:

Broadbent & Associates, Inc.
1324 Mangrove Avenue, Suite 212
Chico, California 95926
(530) 566-1400

April 30, 2013

No. 06-88-621



1370 Ridgewood Drive, Suite 5, Chico, CA 95973

[T] 530-566-1400 [F] 530-566-1401

broadbentinc.com

CREATING SOLUTIONS. BUILDING TRUST.

April 30, 2013

Project No. 06-88-621

Atlantic Richfield Company
P.O. Box 1257
San Ramon, CA 94583
Submitted via ENFOS

Attn.: Ms. Shannon Couch

Re: First Quarter 2013 Monitoring Report, Atlantic Richfield Company Station #2169,
889 West Grand Avenue, Oakland, California; ACEH Case #RO0000072

Dear Ms. Couch:


Attached is the First Quarter 2013 Monitoring Report for Atlantic Richfield Company Station #2169 located at 889 West Grand Avenue, Oakland, Alameda County, California. This report presents results of groundwater sampling recently conducted and a summary of current developments at the Site through the First Quarter 2013.

Should you have questions regarding the work performed or results obtained, please do not hesitate to contact me at (530) 566-1400.

Sincerely,
BROADBENT & ASSOCIATES, INC.

Jason Duda
Project Scientist

Matthew G. Herrick, P.G., C.HG.
Senior Hydrogeologist



Enclosures

cc: Ms. Dilan Roe, PE, Alameda County Environmental Health (submitted via ACEH ftp site)
Electronic copy uploaded to GeoTracker

**FIRST QUARTER 2013
MONITORING REPORT
ARCO STATION #2169, OAKLAND, CALIFORNIA**

Broadbent & Associates, Inc. (Broadbent) is pleased to present this *First Quarter 2013 Monitoring Report* on behalf of Atlantic Richfield Company (a BP affiliated company) for ARCO Station #2169 located in Oakland, Alameda County, California. Quarterly reporting is being submitted to the Alameda County Environmental Health Services Agency (ACEH) consistent with their requirements under the legal authority of the California Regional Water Quality Control Board, as codified by the California Code of Regulations Title 23, Section 2652(d). Details of work performed, discussion of results, and recommendations are provided below.

| | |
|-------------------------------------|--|
| Facility Name / Address: | <u>ARCO Station #2169 / 889 West Grand Avenue, Oakland</u> |
| Client Project Manager / Title: | <u>Ms. Shannon Couch / RM Operations Project Manager</u> |
| Broadbent Contact: | <u>Mr. Jason Duda / (530) 566-1400</u> |
| Broadbent Project No.: | <u>06-88-621</u> |
| Primary Regulatory Agency / ID No.: | <u>ACEH, Case #RO0000072 (GeoTracker ID #T0600100112)</u> |
| Current phase of project: | <u>Monitoring and Site Evaluation</u> |
| List of Acronyms / Abbreviations: | <u>See end of report text for list of acronyms/abbreviations used in report.</u> |

WORK PERFORMED THIS QUARTER (First Quarter 2013):

1. Submitted *Fourth Quarter 2012 Status Report* (Broadbent, 1/25/2013).
2. Conducted groundwater monitoring/sampling for First Quarter 2013 on February 26, 2013.

WORK SCHEDULED FOR NEXT QUARTER (Second Quarter 2013):

1. Submit *First Quarter 2012 Monitoring Report* (contained herein).
2. Prepare and submit Site Conceptual Model.

GROUNDWATER MONITORING PLAN SUMMARY:

| | | |
|--|--|----------------------|
| Groundwater level gauging: | <u>A-1, A-2, A-5, A-6, ADR-1, ADR-2, AR-2</u> | <u>(1Q & 3Q)</u> |
| Groundwater sample collection: | <u>A-1, A-2, A-5, A-6, ADR-1, A-2, ADR-2, AR-2</u> | <u>(1Q & 3Q)</u> |
| Biodegradation indicator parameter monitoring: | <u>NA</u> | |

QUARTERLY RESULTS SUMMARY:

LNAPL

| | | |
|-------------------------------|-------------------------------|-----------------|
| LNAPL observed this quarter: | <u>No</u> | <u>(yes\no)</u> |
| LNAPL recovered this quarter: | <u>None</u> | <u>(gal)</u> |
| Cumulative LNAPL recovered: | <u>4.8 (from ADR-2, 1995)</u> | <u>(gal)</u> |

Groundwater Elevation and Gradient:

| | | |
|------------------------------|-----------------------------------|------------------------------------|
| Depth to groundwater: | <u>9.78 (A-5) to 11.17 (AR-2)</u> | <u>(ft below TOC)</u> |
| Gradient direction: | <u>Northeast</u> | <u>(compass direction)</u> |
| Gradient magnitude: | <u>0.001</u> | <u>(ft/ft)</u> |
| Average change in elevation: | <u>0.60</u> | <u>(ft since last measurement)</u> |

Laboratory Analytical Data

| | |
|----------|---|
| Summary: | <u>GRO were detected in four wells at concentrations up to 3,000 µg/L in A-1; Benzene was detected in two wells at concentrations up to 350 µg/L in A-1; MTBE was detected in three wells at concentrations up to</u> |
|----------|---|

6.4 µg/L in ADR-2; Toluene, Ethylbenzene, Total Xylenes, and TAME were also detected in select wells.

ACTIVITIES CONDUCTED & RESULTS:

First Quarter 2013 groundwater monitoring was conducted on February 26, 2013 by Broadbent personnel in accordance with the current monitoring plan summary detailed above. This monitoring plan comprises the wells remaining following the “raze & rebuild” renovation of ARCO Station #2169 in the second half of 2010. No irregularities were noted during water level gauging. Light, Non-Aqueous Phase Liquid (LNAPL, or free product) was not noted to be present in the wells monitored during this event. Depth to water measurements ranged from 9.78 ft at A-5 to 11.17 ft at AR-2, within the screened interval of each well. Resulting groundwater surface elevations ranged from 6.15 ft at ADR-2 to 6.70 ft at AR-2. Groundwater elevations are summarized in Table 1. The water level elevation in well AR-2 is considered suspect due to the dissimilar construction of this well (vertical riser connected to horizontal perforated pipe within UST pit backfill), and is consequently not used for contouring. The remaining water level elevations yielded a very slight potentiometric groundwater gradient to the Northeast at approximately 0.001 ft/ft. Field methods used during groundwater monitoring are provided in Appendix A. Field data sheets are included in Appendix B. Historic groundwater elevation data is presented in Appendix C. A Site Location Map is presented as Drawing 1. Potentiometric groundwater elevation contours are presented in Drawing 2.

Groundwater samples were collected on February 26, 2013. Samples were collected from each of the wells on-Site, consistent with the current monitoring program. No irregularities were reported during sampling. Samples were submitted under chain-of-custody protocol to TestAmerica Laboratories, Inc. (Irvine, California) for analysis of Gasoline-Range Organics (GRO, C6-C12) by EPA Method 8015B; for Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX), Methyl Tertiary Butyl Ether (MTBE), Ethyl Tertiary Butyl Ether (ETBE), Tert-Amyl Methyl Ether (TAME), Di-Isopropyl Ether (DIPE), 1,2-Dibromomethane (EDB), 1,2-Dichloroethane (1,2-DCA), Tert-Butyl Alcohol (TBA) and Ethanol by EPA Method 8260B. No significant irregularities were encountered during analysis of the samples. The laboratory analytical report, including chain-of-custody documentation, is provided in Appendix D.

Hydrocarbons in the GRO range were detected above the laboratory reporting limit in four of the seven wells sampled at concentrations up to 3,000 µg/L in well A-1. Benzene was detected above the laboratory reporting limit in two of seven wells sampled at concentrations up to 350 µg/L in well A-1. Toluene, Ethylbenzene, and Total Xylenes were detected above laboratory reporting limits in well A-1 at concentrations of 98 µg/L, 490 µg/L, and 230 µg/L, respectively. MTBE was detected above the laboratory reporting limit in three wells sampled at concentrations up to 6.4 µg/L in well ADR-2. TAME was detected above the laboratory reporting limit in ADR-2 at a concentration of 0.76 µg/L. The remaining analytes were not detected above their laboratory reporting limits in the wells sampled this quarter. Groundwater monitoring laboratory analytical results are summarized in Table 1, Table 2, and Appendix C. The most recent GRO, Benzene, and MTBE concentrations are also presented in Drawing 2. Groundwater monitoring data (GEO_WELL) and laboratory analytical results (EDF) were uploaded to the GeoTracker AB2886 database. Upload confirmation receipts are provided in Appendix E.

DISCUSSION:

Groundwater levels were between historic minimum and maximum elevations for the seven wells gauged this quarter. Overall, groundwater elevations increased slightly (0.60 ft) since the last groundwater monitoring event on August 16, 2012. Groundwater elevations on February 26, 2013 yielded a very slight

potentiometric groundwater gradient to the Northeast at approximately 0.001 ft/ft, generally consistent with recent gradient data presented in Table 3.

Detected analytical concentrations were within the historic minimum and maximum ranges recorded for each well during the Frist Quarter 2013 monitoring event with the exception of hydrocarbons in the GRO range reaching an historic minimum concentration within well ADR-2 at 120 µg/L. Recent and historic laboratory analytical results are summarized in Table 1, Table 2, and Appendix C.

RECOMMENDATIONS:

Groundwater monitoring and sampling is next scheduled to be conducted at ARCO Station #2169 during Third Quarter 2013. In order to identify potential data gaps and gain a better understanding of the Site, a Site Conceptual Model is recommended to be completed during Second Quarter 2013.

LIMITATIONS:

The findings presented in this report are based upon observations of field personnel, points investigated, results of laboratory tests performed by TestAmerica Laboratories, Inc. (Irvine, California), and our understanding of ACEH requirements. Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of the Atlantic Richfield Company. It is possible that variations in soil or groundwater conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

ATTACHMENTS:

- Drawing 1: Site Location Map
- Drawing 2: Groundwater Elevation Contours and Analytical Summary Map, February 26, 2013

- Table 1: Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
- Table 2: Summary of Fuel Additives Analytical Data
- Table 3: Historical Groundwater Gradient – Direction and Magnitude

- Appendix A: Field Methods
- Appendix B: Field Data Sheets and Non-Hazardous Waste Data Form
- Appendix C: Historic Groundwater Data Tables
- Appendix D: Laboratory Report and Chain-of-Custody Documentation
- Appendix E: GeoTracker Upload Confirmation Receipts

LIST OF COMMONLY USED ACCRONYMS/ABBREVIATIONS:

| | | | |
|--------------------|---|-------------------|--------------------------------|
| ACEH: | Alameda County Environmental Health | ft/ft: | feet per foot |
| ACPWA: | Alameda County Public Works Agency | gal: | Gallons |
| BTEX: | Benzene, Toluene, Ethylbenzene, Total Xylenes | GRO: | Gasoline-Range Organics |
| 1,2-DCA: | 1,2-Dichloroethane | LNAPL: | Light Non-Aqueous Phase Liquid |
| DIPE: | Di-Isopropyl Ether | MTBE: | Methyl Tertiary Butyl Ether |
| DO: | Dissolved Oxygen | NO ₃ : | Nitrate as Nitrogen |
| DRO: | Diesel-Range Organics | ppb: | parts per billion |
| EDB: | 1,2-Dibromomethane | SO ₄ : | Sulfate |
| Eh: | Oxidation Reduction Potential | TAME: | Tert-Amyl Methyl Ether |
| EPA: | Environmental Protection Agency | TBA: | Tert Butyl Alcohol |
| ETBE: | Ethyl Tertiary Butyl Ether | TOC: | Top of Casing |
| Fe ²⁺ : | Ferrous Iron | µg/L: | micrograms per liter |



BROADBENT
1324 Mangrove Ave., Suite 212
Chico, California 95926


Project No.: 06-88-621 Date: 4/17/2013

ARCO Station #2169
889 West Grand Avenue
Oakland, California

Site Location Map

Drawing 1

IMAGE SOURCE: DELORME



0 40 80
SCALE (ft)



Project No.: 06-88-621 Date: 4/17/2013

ARCO Station #2169
889 West Grand Avenue
Oakland, California

Groundwater Elevation Contours and
Analytical Summary Map
February 26, 2013

Drawing 2

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Well ID and Date Monitored | P/NP | TOC (feet) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet) | Water Level Elevation (feet) | Concentrations in µg/L | | | | | | | DO (mg/L) | pH | Footnote |
|----------------------------|------|------------|------------------------|---------------------------|------------|------------------------------|------------------------|---------|---------|---------------|---------------|-------|------|-----------|------|----------|
| | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | | | |
| A-1 | | | | | | | | | | | | | | | | |
| 6/26/2000 | -- | 14.16 | 9.00 | 25.00 | 10.75 | 3.41 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 7/20/2000 | -- | | 9.00 | 25.00 | 11.01 | 3.15 | 3,900 | 1,100 | 28 | 12 | 46 | 25 | -- | -- | -- | |
| 9/19/2000 | -- | | 9.00 | 25.00 | 11.26 | 2.90 | 4,800 | 2,400 | 27 | 20 | 57 | 32 | -- | -- | -- | |
| 12/26/2000 | -- | | 9.00 | 25.00 | 10.96 | 3.20 | 429 | 104 | 2.85 | 12.2 | 9.91 | 18.7 | -- | -- | -- | |
| 3/20/2001 | -- | | 9.00 | 25.00 | 9.59 | 4.57 | <500 | 13.9 | 7.12 | 13.9 | 23.2 | <25 | -- | -- | -- | |
| 6/12/2001 | -- | | 9.00 | 25.00 | 10.83 | 3.33 | 140 | 2.2 | <0.5 | 8.7 | 9.2 | 25 | -- | -- | -- | |
| 9/23/2001 | -- | | 9.00 | 25.00 | 11.43 | 2.73 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 4.5 | -- | -- | -- | |
| 12/28/2001 | -- | | 9.00 | 25.00 | 8.66 | 5.50 | 930 | 250 | 7.6 | 21 | 13 | <25 | -- | -- | -- | |
| 3/21/2002 | -- | | 9.00 | 25.00 | 8.43 | 5.73 | <50 | <0.5 | <0.5 | <0.5 | 1.2 | <2.5 | -- | -- | -- | |
| 4/17/2002 | -- | | 9.00 | 25.00 | 9.36 | 4.80 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | |
| 8/14/2002 | -- | | 9.00 | 25.00 | 11.12 | 3.04 | 170 | 8.4 | <0.5 | <0.5 | 1.4 | 4.9 | 5.7 | 7.4 | b | |
| 11/27/2002 | -- | | 9.00 | 25.00 | 11.11 | 3.05 | 98 | 2.9 | 0.75 | <0.5 | <0.5 | 6.4 | 1.6 | 7.0 | b | |
| 2/12/2003 | -- | | 9.00 | 25.00 | 10.10 | 4.06 | 73 | 9.3 | <0.50 | 1 | 0.53 | 2.9 | 2.1 | 7.2 | d | |
| 5/22/2003 | -- | | 9.00 | 25.00 | 10.18 | 3.98 | 400 | 88 | 1.6 | 4.6 | 11 | 4.9 | 1.3 | 7.4 | | |
| 7/23/2003 | -- | | 9.00 | 25.00 | 10.85 | 3.31 | 140 | 3.2 | <0.50 | <0.50 | 0.56 | 10 | 10.8 | 7.4 | | |
| 11/13/2003 | P | | 9.00 | 25.00 | 11.35 | 2.81 | <50 | 0.64 | <0.50 | <0.50 | <0.50 | 4.2 | 4.3 | 7.75 | f | |
| 02/16/2004 | P | 16.75 | 9.00 | 25.00 | 9.65 | 7.10 | 99 | 18 | <0.50 | 1.2 | 0.96 | 3.2 | 7.2 | 7.6 | f, i | |
| 05/06/2004 | P | | 9.00 | 25.00 | 10.57 | 6.18 | <50 | 0.73 | <0.50 | <0.50 | <0.50 | 1.9 | 1.23 | 6.93 | | |
| 09/02/2004 | P | | 9.00 | 25.00 | 11.05 | 5.70 | 64 | 1.1 | <0.50 | <0.50 | <0.50 | 1.7 | 12.1 | 8.7 | | |
| 11/29/2004 | P | | 9.00 | 25.00 | 10.50 | 6.25 | <50 | 1.4 | <0.50 | <0.50 | <0.50 | <0.50 | 0.62 | 7.0 | | |
| 02/02/2005 | P | | 9.00 | 25.00 | 9.18 | 7.57 | 56 | 14 | <0.50 | <0.50 | 0.55 | 5.1 | 3.2 | 7.2 | | |
| 05/09/2005 | P | | 9.00 | 25.00 | 9.28 | 7.47 | 52 | 7.8 | <0.50 | 0.53 | 0.52 | 2.7 | 2.1 | 7.2 | | |
| 08/11/2005 | P | | 9.00 | 25.00 | 10.70 | 6.05 | 420 | 61 | <0.50 | 1.8 | 1.0 | 4.2 | 3.2 | 6.8 | | |
| 02/09/2006 | P | | 9.00 | 25.00 | 9.04 | 7.71 | 170 | 60 | 1.5 | 3.5 | 5.1 | 5.6 | 1.69 | 7.1 | o | |
| 8/11/2006 | P | | 9.00 | 25.00 | 10.44 | 6.31 | 200 | 18 | <0.50 | 0.73 | 0.60 | 3.7 | -- | 7.2 | | |
| 2/7/2007 | NP | | 9.00 | 25.00 | 10.34 | 6.41 | 270 | 5.5 | <0.50 | 0.95 | 1.2 | 20 | 1.15 | 7.27 | | |
| 8/14/2007 | NP | | 9.00 | 25.00 | 10.43 | 6.32 | 3,500 | 350 | 21 | 110 | 68 | 1.8 | 1.32 | 7.46 | | |
| 2/22/2008 | P | | 9.00 | 25.00 | 8.75 | 8.00 | 2,600 | 160 | 7.2 | 16 | 11 | <2.5 | 4.16 | 7.65 | | |
| 8/12/2008 | NP | | 9.00 | 25.00 | 10.30 | 6.45 | 7,400 | 420 | 28 | 190 | 170 | <2.5 | 0.54 | 9.38 | | |
| 1/8/2009 | NP | | 9.00 | 25.00 | 10.07 | 6.68 | 14,000 | 400 | 130 | 530 | 790 | <10 | 0.49 | 7.26 | | |

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Well ID and Date Monitored | P/NP | TOC (feet) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet) | Water Level Elevation (feet) | Concentrations in µg/L | | | | | | DO (mg/L) | pH | Footnote |
|----------------------------|------|------------|------------------------|---------------------------|------------|------------------------------|------------------------|---------|---------|---------------|---------------|------|-----------|------|----------|
| | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | | |
| A-1 Cont. | | | | | | | | | | | | | | | |
| 9/4/2009 | NP | 16.75 | 9.00 | 25.00 | 11.22 | 5.53 | 990 | 19 | 2.2 | 0.80 | 1.5 | 7.4 | 0.48 | 7.25 | |
| 3/5/2010 | P | | 9.00 | 25.00 | 7.84 | 8.91 | 800 | 12 | 1.3 | 5.6 | 3.6 | 3.3 | 0.84 | 7.09 | |
| 3/11/2011 | NP | | 9.00 | 25.00 | 9.02 | 7.73 | 4900 | 260 | 68 | 43 | 380 | <5.0 | 2.11 | 7.3 | |
| 8/26/2011 | P | | 9.00 | 25.00 | 10.50 | 6.25 | 5,500 | 320 | 260 | 230 | 650 | <5.0 | 0.63 | 7.1 | |
| 2/22/2012 | P | | 9.00 | 25.00 | 10.68 | 6.07 | 4,700 | 350 | 65 | 200 | 140 | 7.6 | 0.57 | 7.66 | |
| 8/16/2012 | P | | 9.00 | 25.00 | 11.09 | 5.66 | 1,300 | 120 | 5.2 | 30 | 23 | <1.0 | 2.57 | 7.60 | |
| 2/26/2013 | P | | 9.00 | 25.00 | 10.46 | 6.29 | 3,000 | 350 | 98 | 490 | 230 | <10 | 1.00 | 7.79 | |
| A-2 | | | | | | | | | | | | | | | |
| 6/26/2000 | -- | 14.55 | 10.00 | 25.00 | 11.27 | 3.28 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 7/20/2000 | -- | | 10.00 | 25.00 | 11.52 | 3.03 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | <3 | -- | -- | |
| 9/19/2000 | -- | | 10.00 | 25.00 | 11.63 | 2.92 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/26/2000 | -- | | 10.00 | 25.00 | 11.44 | 3.11 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | |
| 3/20/2001 | -- | | 10.00 | 25.00 | 10.08 | 4.47 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 6/12/2001 | -- | | 10.00 | 25.00 | 11.35 | 3.20 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | |
| 9/23/2001 | -- | | 10.00 | 25.00 | 11.92 | 2.63 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/28/2001 | -- | | 10.00 | 25.00 | 9.31 | 5.24 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | |
| 3/21/2002 | -- | | 10.00 | 25.00 | 9.05 | 5.50 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 4/17/2002 | -- | | 10.00 | 25.00 | 9.88 | 4.67 | 52 | <0.5 | <0.5 | <0.5 | <0.5 | 26 | -- | -- | |
| 8/14/2002 | -- | | 10.00 | 25.00 | 11.62 | 2.93 | <50 | <0.5 | <0.5 | <0.5 | 1.2 | <2.5 | 3.7 | 7.2 | c |
| 11/27/2002 | -- | | 10.00 | 25.00 | 11.56 | 2.99 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/12/2003 | -- | | 10.00 | 25.00 | 10.75 | 3.80 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 12 | 2.9 | 7.1 | d |
| 5/22/2003 | -- | | 10.00 | 25.00 | 10.72 | 3.83 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 7/23/2003 | -- | | 10.00 | 25.00 | 11.39 | 3.16 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.6 | 1.3 | 6.8 | |
| 11/13/2003 | -- | | 10.00 | 25.00 | 11.60 | 2.95 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 02/16/2004 | -- | 17.18 | 10.00 | 25.00 | 10.27 | 6.91 | -- | -- | -- | -- | -- | -- | -- | -- | i |
| 05/06/2004 | -- | | 10.00 | 25.00 | 11.05 | 6.13 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/02/2004 | P | | 10.00 | 25.00 | 11.45 | 5.73 | 130 | <0.50 | <0.50 | <0.50 | <0.50 | 2.5 | 5.1 | 7.4 | |
| 11/29/2004 | -- | | 10.00 | 25.00 | 11.12 | 6.06 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 02/02/2005 | -- | | 10.00 | 25.00 | 9.73 | 7.45 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 05/09/2005 | -- | | 10.00 | 25.00 | 12.82 | 4.36 | -- | -- | -- | -- | -- | -- | -- | -- | |

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Well ID and Date Monitored | P/NP | TOC (feet) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet) | Water Level Elevation (feet) | Concentrations in µg/L | | | | | | DO (mg/L) | pH | Footnote |
|----------------------------|------|------------|------------------------|---------------------------|------------|------------------------------|------------------------|---------|---------|---------------|---------------|-------|-----------|------|---------------|
| | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | | |
| A-2 Cont. | | | | | | | | | | | | | | | |
| 08/11/2005 | P | 17.18 | 10.00 | 25.00 | 11.29 | 5.89 | 120 | <0.50 | <0.50 | <0.50 | <0.50 | 1.2 | 1.6 | 7.1 | m |
| 02/09/2006 | -- | | 10.00 | 25.00 | 10.43 | 6.75 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/11/2006 | P | | 10.00 | 25.00 | 11.12 | 6.06 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.4 | 1.1 | 7.0 | |
| 2/7/2007 | -- | | 10.00 | 25.00 | 11.07 | 6.11 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/14/2007 | NP | | 10.00 | 25.00 | 11.28 | 5.90 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.65 | 0.64 | 7.57 | |
| 2/22/2008 | -- | | 10.00 | 25.00 | 9.50 | 7.68 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/12/2008 | NP | | 10.00 | 25.00 | 11.28 | 5.90 | 64 | <0.50 | <0.50 | <0.50 | <0.50 | 0.96 | 0.57 | 9.44 | |
| 1/8/2009 | -- | | 10.00 | 25.00 | 10.90 | 6.28 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9/4/2009 | NP | | 10.00 | 25.00 | 11.77 | 5.41 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.43 | 7.39 | |
| 3/5/2010 | -- | | 10.00 | 25.00 | 8.53 | 8.65 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/11/2011 | P | | 10.00 | 25.00 | 9.67 | 7.51 | 76 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.84 | 7.3 | p (GRO) |
| 8/26/2011 | P | | 10.00 | 25.00 | 11.29 | 5.89 | 100 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | 1.01 | 7.6 | r (GRO), s |
| 2/22/2012 | P | | 10.00 | 25.00 | 11.21 | 5.97 | 190 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | 0.54 | 7.68 | r (GRO), s, t |
| 8/16/2012 | P | | 10.00 | 25.00 | 11.57 | 5.61 | 140 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | 3.09 | 7.45 | |
| 2/26/2013 | P | | 10.00 | 25.00 | 11.02 | 6.16 | 110 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | 1.37 | 7.63 | |
| A-3 | | | | | | | | | | | | | | | |
| 6/26/2000 | -- | 15.75 | 9.00 | 29.50 | 11.98 | 3.77 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 7/20/2000 | -- | | 9.00 | 29.50 | 12.21 | 3.54 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9/19/2000 | -- | | 9.00 | 29.50 | 12.50 | 3.25 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/26/2000 | -- | | 9.00 | 29.50 | 12.17 | 3.58 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- |
| 3/20/2001 | -- | | 9.00 | 29.50 | 10.70 | 5.05 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 6/12/2001 | -- | | 9.00 | 29.50 | 12.09 | 3.66 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9/23/2001 | -- | | 9.00 | 29.50 | 12.65 | 3.10 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/28/2001 | -- | | 9.00 | 29.50 | 9.94 | 5.81 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- |
| 3/21/2002 | -- | | 9.00 | 29.50 | 9.69 | 6.06 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 4/17/2002 | -- | | 9.00 | 29.50 | 10.61 | 5.14 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/14/2002 | -- | | 9.00 | 29.50 | 12.27 | 3.48 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/27/2002 | -- | | 9.00 | 29.50 | 12.22 | 3.53 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/12/2003 | -- | | 9.00 | 29.50 | 11.40 | 4.35 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.2 | 6.9 | d |
| 5/22/2003 | -- | | 9.00 | 29.50 | 11.42 | 4.33 | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Well ID and Date Monitored | P/NP | TOC (feet) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet) | Water Level Elevation (feet) | Concentrations in µg/L | | | | | | | DO (mg/L) | pH | Footnote |
|----------------------------|------|------------|------------------------|---------------------------|------------|------------------------------|------------------------|---------|---------|---------------|---------------|------|----|-----------|----|----------|
| | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | | | |
| A-3 Cont. | | | | | | | | | | | | | | | | |
| 7/23/2003 | -- | 15.75 | 9.00 | 29.50 | 12.00 | 3.75 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/16/2004 | -- | 18.37 | 9.00 | 29.50 | 10.94 | 7.43 | -- | -- | -- | -- | -- | -- | -- | -- | -- | g, i |
| 05/06/2004 | -- | | 9.00 | 29.50 | 11.75 | 6.62 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/02/2004 | -- | | 9.00 | 29.50 | 12.15 | 6.22 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/29/2004 | -- | | 9.00 | 29.50 | 11.87 | 6.50 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 02/02/2005 | -- | | 9.00 | 29.50 | 10.42 | 7.95 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 05/09/2005 | -- | | 9.00 | 29.50 | 10.49 | 7.88 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 08/11/2005 | -- | | 9.00 | 29.50 | 12.02 | 6.35 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 02/09/2006 | -- | | 9.00 | 29.50 | 11.27 | 7.10 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/11/2006 | -- | | 9.00 | 29.50 | 11.83 | 6.54 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/7/2007 | -- | | 9.00 | 29.50 | 11.82 | 6.55 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/14/2007 | -- | | 9.00 | 29.50 | 12.06 | 6.31 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/22/2008 | -- | | 9.00 | 29.50 | 10.25 | 8.12 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/12/2008 | -- | | 9.00 | 29.50 | 12.10 | 6.27 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 1/8/2009 | -- | | 9.00 | 29.50 | 11.71 | 6.66 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 9/4/2009 | -- | | 9.00 | 29.50 | 12.57 | 5.80 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/5/2010 | -- | | 9.00 | 29.50 | 9.13 | 9.24 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/11/2011 | -- | | 9.00 | 29.50 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | q |
| A-4 | | | | | | | | | | | | | | | | |
| 6/26/2000 | -- | 15.25 | 8.00 | 28.00 | 10.99 | 4.26 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 7/20/2000 | -- | | 8.00 | 28.00 | 11.16 | 4.09 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 9/19/2000 | -- | | 8.00 | 28.00 | 11.97 | 3.28 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/26/2000 | -- | | 8.00 | 28.00 | 11.19 | 4.06 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | |
| 3/20/2001 | -- | | 8.00 | 28.00 | 9.81 | 5.44 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 6/12/2001 | -- | | 8.00 | 28.00 | 11.12 | 4.13 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 9/23/2001 | -- | | 8.00 | 28.00 | 11.63 | 3.62 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/28/2001 | -- | | 8.00 | 28.00 | 8.41 | 6.84 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | |
| 3/21/2002 | -- | | 8.00 | 28.00 | 8.63 | 6.62 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 4/17/2002 | -- | | 8.00 | 28.00 | 9.68 | 5.57 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/14/2002 | -- | | 8.00 | 28.00 | 11.31 | 3.94 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Well ID and Date Monitored | P/NP | TOC (feet) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet) | Water Level Elevation (feet) | Concentrations in µg/L | | | | | | DO (mg/L) | pH | Footnote |
|----------------------------|------|------------|------------------------|---------------------------|------------|------------------------------|------------------------|---------|---------|---------------|---------------|-------|-----------|-----|----------|
| | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | | |
| A-4 Cont. | | | | | | | | | | | | | | | |
| 11/27/2002 | -- | 15.25 | 8.00 | 28.00 | 11.25 | 4.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/12/2003 | -- | | 8.00 | 28.00 | 10.37 | 4.88 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.9 | 7.1 | d |
| 5/22/2003 | -- | | 8.00 | 28.00 | 10.42 | 4.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 7/23/2003 | -- | | 8.00 | 28.00 | 11.02 | 4.23 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/16/2004 | -- | 18.01 | 8.00 | 28.00 | 9.65 | 8.36 | -- | -- | -- | -- | -- | -- | -- | -- | g, i |
| 05/06/2004 | -- | | 8.00 | 28.00 | 10.68 | 7.33 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/02/2004 | -- | | 8.00 | 28.00 | 10.83 | 7.18 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/29/2004 | -- | | 8.00 | 28.00 | 10.50 | 7.51 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2005 | -- | | 8.00 | 28.00 | 9.22 | 8.79 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/09/2005 | -- | | 8.00 | 28.00 | 8.98 | 9.03 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/2005 | -- | | 8.00 | 28.00 | 10.99 | 7.02 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/09/2006 | -- | | 8.00 | 28.00 | 10.15 | 7.86 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/11/2006 | -- | | 8.00 | 28.00 | 10.30 | 7.71 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/7/2007 | -- | | 8.00 | 28.00 | 10.63 | 7.38 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/14/2007 | -- | | 8.00 | 28.00 | 10.70 | 7.31 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/22/2008 | -- | | 8.00 | 28.00 | 8.90 | 9.11 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/12/2008 | -- | | 8.00 | 28.00 | 10.60 | 7.41 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 1/8/2009 | -- | | 8.00 | 28.00 | 10.90 | 7.11 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9/4/2009 | -- | | 8.00 | 28.00 | 11.80 | 6.21 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/5/2010 | -- | | 8.00 | 28.00 | 7.64 | 10.37 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/11/2011 | -- | | 8.00 | 28.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | q |
| A-5 | | | | | | | | | | | | | | | |
| 6/26/2000 | -- | 13.51 | 8.00 | 30.00 | 10.04 | 3.47 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 7/20/2000 | -- | | 8.00 | 30.00 | 10.31 | 3.20 | 730 | 140 | 11 | <0.5 | 8.9 | 3 | -- | -- | -- |
| 9/19/2000 | -- | | 8.00 | 30.00 | 10.55 | 2.96 | 160 | 13 | <0.5 | 2.8 | 1.9 | <3 | -- | -- | -- |
| 12/26/2000 | -- | | 8.00 | 30.00 | 10.37 | 3.14 | 8,120 | 465 | 108 | 659 | 1,450 | <250 | -- | -- | -- |
| 3/20/2001 | -- | | 8.00 | 30.00 | 8.81 | 4.70 | 7,990 | 1,110 | 473 | 611 | 1,580 | <250 | -- | -- | -- |
| 6/12/2001 | -- | | 8.00 | 30.00 | 10.13 | 3.38 | 450 | 91 | 18 | 35 | 95 | <5.0 | -- | -- | -- |
| 9/23/2001 | -- | | 8.00 | 30.00 | 10.80 | 2.71 | 110 | 20 | <0.5 | 5 | 5 | 2.7 | -- | -- | -- |
| 12/28/2001 | -- | | 8.00 | 30.00 | 8.17 | 5.34 | 320 | 24 | 2 | 20 | 27 | 5 | -- | -- | -- |

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Well ID and Date Monitored | P/NP | TOC (feet) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet) | Water Level Elevation (feet) | Concentrations in µg/L | | | | | | DO (mg/L) | pH | Footnote |
|----------------------------|------|------------|------------------------|---------------------------|------------|------------------------------|------------------------|---------|---------|---------------|---------------|-------|-----------|------|----------|
| | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | | |
| A-5 Cont. | | | | | | | | | | | | | | | |
| 3/21/2002 | -- | 13.51 | 8.00 | 30.00 | 7.78 | 5.73 | 2,500 | 420 | 85 | 130 | 350 | 31 | -- | -- | |
| 4/17/2002 | -- | | 8.00 | 30.00 | 8.68 | 4.83 | 1,300 | 190 | 36 | 67 | 210 | <25 | -- | -- | |
| 8/14/2002 | -- | | 8.00 | 30.00 | 10.41 | 3.10 | 840 | 150 | <5.0 | 68 | 41 | <25 | 1.4 | 6.8 | |
| 11/27/2002 | -- | | 8.00 | 30.00 | 10.50 | 3.01 | 300 | 26 | 2.3 | 17 | 6 | <0.5 | 1.16 | 7.2 | |
| 2/12/2003 | -- | | 8.00 | 30.00 | 10.81 | 2.70 | <500 | 74 | 7 | 34 | 45 | <5.0 | 1.0 | 7.3 | |
| 5/22/2003 | -- | | 8.00 | 30.00 | 9.46 | 4.05 | 500 | 100 | 9 | 28 | 47 | <5.0 | 1.0 | 7.6 | |
| 7/23/2003 | -- | | 8.00 | 30.00 | 10.29 | 3.22 | 900 | 100 | 5.7 | 65 | 57 | <5.0 | 4.5 | 8.4 | |
| 11/13/2003 | NP | | 8.00 | 30.00 | 11.24 | 2.27 | 1,800 | 210 | 5.1 | 190 | 140 | <5.0 | 4.3 | 7.32 | |
| 02/16/2004 | NP | 16.09 | 8.00 | 30.00 | 9.45 | 6.64 | 680 | 52 | 15 | 50 | 77 | <0.50 | 5.0 | 7.8 | |
| 05/06/2004 | P | | 8.00 | 30.00 | 10.28 | 5.81 | 1,500 | 140 | 13 | 72 | 110 | <2.5 | 1.03 | 6.93 | |
| 09/02/2004 | NP | | 8.00 | 30.00 | 10.78 | 5.31 | 690 | 69 | 1.3 | 42 | 35 | <1.0 | 1.3 | 7.1 | |
| 11/29/2004 | NP | | 8.00 | 30.00 | 10.05 | 6.04 | <5,000 | 360 | <50 | 190 | 290 | <50 | 1.0 | 7.0 | |
| 02/02/2005 | NP | | 8.00 | 30.00 | 8.37 | 7.72 | 220 | 31 | 2.3 | 10 | 13 | <0.50 | 0.6 | 7.4 | |
| 05/09/2005 | NP | | 8.00 | 30.00 | 8.45 | 7.64 | 110 | 1.7 | <0.50 | 1.4 | 1.1 | <0.50 | 2.5 | 7.6 | |
| 08/11/2005 | NP | | 8.00 | 30.00 | 10.11 | 5.98 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.8 | 7.3 | |
| 02/09/2006 | NP | | 8.00 | 30.00 | 9.02 | 7.07 | <50 | 0.62 | <0.50 | <0.50 | <0.50 | <0.50 | 0.89 | 7.3 | |
| 08/11/2006 | NP | | 8.00 | 30.00 | 9.77 | 6.32 | 400 | 13 | 3.4 | 8.0 | 58 | <0.50 | 2.16 | 7.2 | |
| 2/7/2007 | P | | 8.00 | 30.00 | 9.90 | 6.19 | 10,000 | 670 | 120 | 1,100 | 3,100 | <10 | 2.12 | 7.03 | |
| 8/14/2007 | NP | | 8.00 | 30.00 | 9.70 | 6.39 | 28,000 | 260 | 68 | 3,000 | 7,800 | <10 | 1.37 | 7.80 | |
| 2/22/2008 | NP | | 8.00 | 30.00 | 8.02 | 8.07 | 27,000 | 410 | 98 | 2,600 | 4,400 | <50 | 1.36 | 7.42 | |
| 8/12/2008 | NP | | 8.00 | 30.00 | 9.50 | 6.59 | 31,000 | 140 | <50 | 1,800 | 3,900 | <50 | 0.62 | 9.70 | |
| 1/8/2009 | NP | | 8.00 | 30.00 | 9.29 | 6.80 | 39,000 | 300 | 53 | 2,400 | 5,400 | <50 | 0.67 | 7.59 | |
| 9/4/2009 | NP | | 8.00 | 30.00 | 10.42 | 5.67 | 130 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.46 | 7.19 | |
| 3/5/2010 | P | | 8.00 | 30.00 | 7.55 | 8.54 | 110 | 1.4 | <0.50 | 6.1 | 7.3 | <0.50 | 0.59 | 7.18 | |
| 3/11/2011 | NP | | 8.00 | 30.00 | 8.30 | 7.79 | 190 | 7.4 | <0.50 | 15 | 10 | <0.50 | 2.33 | 7.6 | |
| 8/26/2011 | P | | 8.00 | 30.00 | 9.81 | 6.28 | 1,900 | 36 | 1.4 | 190 | 52 | <0.50 | 0.57 | 7.0 | |
| 2/22/2012 | P | | 8.00 | 30.00 | 9.98 | 6.11 | 93 | <0.50 | <0.50 | 1.0 | <0.50 | <0.50 | 0.66 | 7.51 | |
| 8/16/2012 | P | | 8.00 | 30.00 | 10.33 | 5.76 | 130 | 1.4 | <0.50 | 18 | 1.1 | <0.50 | 2.64 | 7.95 | |
| 2/26/2013 | P | | 8.00 | 30.00 | 9.78 | 6.31 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | 1.65 | 7.31 | |
| A-6 | | | | | | | | | | | | | | | |

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Well ID and Date Monitored | P/NP | TOC (feet) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet) | Water Level Elevation (feet) | Concentrations in µg/L | | | | | | DO (mg/L) | pH | Footnote |
|----------------------------|------|------------|------------------------|---------------------------|------------|------------------------------|------------------------|---------|---------|---------------|---------------|------|-----------|------|----------|
| | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | | |
| A-6 Cont. | | | | | | | | | | | | | | | |
| 6/26/2000 | -- | 13.51 | 8.00 | 28.50 | 10.09 | 3.42 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 7/20/2000 | -- | | 8.00 | 28.50 | 10.91 | 2.60 | 170 | <0.5 | <0.5 | 0.6 | 2 | 6 | -- | -- | |
| 9/19/2000 | -- | | 8.00 | 28.50 | 11.27 | 2.24 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | 6 | -- | -- | |
| 12/26/2000 | -- | | 8.00 | 28.50 | 10.65 | 2.86 | 56.2 | <0.5 | <0.5 | <0.5 | <0.5 | 8.17 | -- | -- | |
| 3/20/2001 | -- | | 8.00 | 28.50 | 8.72 | 4.79 | 216 | <0.5 | <0.5 | <0.5 | 1.8 | 19.9 | -- | -- | |
| 6/12/2001 | -- | | 8.00 | 28.50 | 10.80 | 2.71 | 80 | 0.62 | <0.5 | <0.5 | <0.5 | 15 | -- | -- | |
| 9/23/2001 | -- | | 8.00 | 28.50 | 10.79 | 2.72 | 450 | 1.7 | 1.9 | 2.3 | 3.3 | 53 | -- | -- | |
| 12/28/2001 | -- | | 8.00 | 28.50 | 8.05 | 5.46 | 270 | 0.98 | 3.5 | 0.77 | 1.4 | 26 | -- | -- | |
| 3/21/2002 | -- | | 8.00 | 28.50 | 7.83 | 5.68 | 130 | <0.5 | <0.5 | <0.5 | <0.5 | 19 | -- | -- | |
| 4/17/2002 | -- | | 8.00 | 28.50 | 8.73 | 4.78 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 16 | -- | -- | |
| 8/14/2002 | -- | | 8.00 | 28.50 | 10.43 | 3.08 | 980 | 4.8 | 2.6 | 2 | 4.9 | 75 | 1.5 | 7.1 | b |
| 11/27/2002 | -- | | 8.00 | 28.50 | 10.47 | 3.04 | 280 | <0.5 | 0.74 | <0.5 | <0.5 | 16 | 0.9 | 6.9 | b |
| 2/12/2003 | -- | | 8.00 | 28.50 | 10.44 | 3.07 | 51 | <0.50 | <0.50 | <0.50 | <0.50 | 9.9 | 0.8 | 7.1 | d |
| 5/22/2003 | -- | | 8.00 | 28.50 | 9.43 | 4.08 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 11 | 1.2 | 8.2 | |
| 7/23/2003 | -- | | 8.00 | 28.50 | 10.27 | 3.24 | 120 | <0.50 | <0.50 | <0.50 | <0.50 | 14 | >20 | 9.6 | |
| 11/13/2003 | NP | | 8.00 | 28.50 | 11.20 | 2.31 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.3 | 6.2 | 9.0 | f |
| 02/16/2004 | NP | 16.10 | 8.00 | 28.50 | 9.76 | 6.34 | 50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.9 | 6.5 | 8.3 | h, i |
| 05/06/2004 | P | | 8.00 | 28.50 | 10.03 | 6.07 | 110 | <0.50 | <0.50 | <0.50 | <0.50 | 7.1 | 1.01 | 7.02 | |
| 09/02/2004 | NP | | 8.00 | 28.50 | 10.47 | 5.63 | 56 | <0.50 | <0.50 | <0.50 | <0.50 | 4.4 | 3.2 | 7.4 | |
| 11/29/2004 | NP | | 8.00 | 28.50 | 9.99 | 6.11 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.9 | 0.92 | 6.9 | |
| 02/02/2005 | NP | | 8.00 | 28.50 | 8.46 | 7.64 | 150 | <0.50 | <0.50 | <0.50 | <0.50 | 14 | 0.5 | 7.4 | |
| 05/09/2005 | NP | | 8.00 | 28.50 | 8.55 | 7.55 | 93 | <0.50 | <0.50 | <0.50 | <0.50 | 12 | 3.0 | 7.2 | |
| 08/11/2005 | NP | | 8.00 | 28.50 | 10.13 | 5.97 | 780 | <0.50 | <0.50 | <0.50 | <0.50 | 14 | 1.0 | 6.9 | |
| 02/09/2006 | NP | | 8.00 | 28.50 | 9.23 | 6.87 | 210 | <0.50 | <0.50 | <0.50 | <0.50 | 17 | 1.27 | 6.8 | o |
| 8/11/2006 | NP | | 8.00 | 28.50 | 9.95 | 6.15 | 920 | <0.50 | <0.50 | <0.50 | <0.50 | 21 | 1.6 | 7.0 | |
| 2/7/2007 | P | | 8.00 | 28.50 | 9.72 | 6.38 | 170 | <0.50 | <0.50 | <0.50 | 1.4 | 7.1 | 2.18 | 7.24 | |
| 8/14/2007 | NP | | 8.00 | 28.50 | 9.82 | 6.28 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.3 | 1.72 | 8.22 | |
| 2/22/2008 | NP | | 8.00 | 28.50 | 8.07 | 8.03 | 350 | <0.50 | <0.50 | <0.50 | <0.50 | 11 | 0.79 | 7.48 | |
| 8/12/2008 | NP | | 8.00 | 28.50 | 9.70 | 6.40 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.4 | 0.58 | 9.58 | |
| 1/8/2009 | NP | | 8.00 | 28.50 | 9.45 | 6.65 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.6 | 0.61 | 7.32 | |

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Well ID and Date Monitored | P/NP | TOC (feet) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet) | Water Level Elevation (feet) | Concentrations in µg/L | | | | | | DO (mg/L) | pH | Footnote |
|----------------------------|------|------------|------------------------|---------------------------|------------|------------------------------|------------------------|---------|---------|---------------|---------------|-------|-----------|------|----------|
| | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | | |
| A-6 Cont. | | | | | | | | | | | | | | | |
| 9/4/2009 | NP | 16.10 | 8.00 | 28.50 | 10.60 | 5.50 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 4.9 | 0.51 | 7.18 | |
| 3/5/2010 | P | | 8.00 | 28.50 | 7.27 | 8.83 | 320 | <0.50 | <0.50 | <0.50 | <0.50 | 4.1 | 0.65 | 7.11 | |
| 3/11/2011 | NP | | 8.00 | 28.50 | 8.37 | 7.73 | 160 | <0.50 | <0.50 | <0.50 | <0.50 | 5.7 | 1.56 | 7.7 | p (GRO) |
| 8/26/2011 | P | | 8.00 | 28.50 | 9.90 | 6.20 | 70 | <0.50 | <0.50 | <0.50 | <0.50 | 2.2 | 1.22 | 7.3 | |
| 2/22/2012 | P | | 8.00 | 28.50 | 10.03 | 6.07 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.3 | 0.69 | 7.45 | |
| 8/16/2012 | P | | 8.00 | 28.50 | 10.44 | 5.66 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 1.5 | 8.18 | 7.58 | |
| 2/26/2013 | P | | 8.00 | 28.50 | 9.83 | 6.27 | 620 | <0.50 | <0.50 | <0.50 | <1.0 | 3.6 | 1.36 | 7.44 | |
| ADR-1 | | | | | | | | | | | | | | | |
| 6/26/2000 | -- | 13.95 | 5.00 | 22.00 | 10.55 | 3.40 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 7/20/2000 | -- | | 5.00 | 22.00 | 10.85 | 3.10 | 180 | 29 | <0.5 | 0.8 | <1.0 | 22 | -- | -- | |
| 9/19/2000 | -- | | 5.00 | 22.00 | 11.08 | 2.87 | 120 | 7.4 | <0.5 | 1.2 | <1.0 | 22 | -- | -- | |
| 12/26/2000 | -- | | 5.00 | 22.00 | 10.93 | 3.02 | <50 | 1.29 | <0.5 | <0.5 | <0.5 | 14.7 | -- | -- | |
| 3/20/2001 | -- | | 5.00 | 22.00 | 9.32 | 4.63 | 225 | 23.4 | <0.5 | 8.71 | 4.13 | 10.8 | -- | -- | |
| 6/12/2001 | -- | | 5.00 | 22.00 | 10.65 | 3.30 | 250 | 23 | 0.5 | 13 | 4.2 | 7.5 | -- | -- | |
| 9/23/2001 | -- | | 5.00 | 22.00 | 11.25 | 2.70 | <50 | 1.4 | <0.5 | <0.5 | 0.57 | 2.8 | -- | -- | |
| 12/28/2001 | -- | | 5.00 | 22.00 | 8.43 | 5.52 | 250 | 16 | <0.5 | 1.2 | 4.1 | 6.8 | -- | -- | |
| 3/21/2002 | -- | | 5.00 | 22.00 | 8.27 | 5.68 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | |
| 4/17/2002 | -- | | 5.00 | 22.00 | 9.17 | 4.78 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | |
| 8/14/2002 | -- | | 5.00 | 22.00 | 11.88 | 2.07 | <50 | 1.1 | <0.5 | <0.5 | <0.5 | <2.5 | 3.4 | 6.7 | |
| 11/27/2002 | -- | | 5.00 | 22.00 | 10.91 | 3.04 | <50 | 0.54 | <0.5 | <0.5 | <0.5 | 1.1 | 1.8 | 6.8 | |
| 2/12/2003 | -- | | 5.00 | 22.00 | 9.95 | 4.00 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.73 | 1.9 | 7.2 | d |
| 5/22/2003 | -- | | 5.00 | 22.00 | 9.86 | 4.09 | <50 | 0.96 | <0.50 | <0.50 | <0.50 | 3.5 | 1.2 | 7.3 | |
| 7/23/2003 | -- | | 5.00 | 22.00 | 10.59 | 3.36 | <50 | 2.5 | <0.50 | 0.56 | <0.50 | 4 | >20 | 9.4 | |
| 11/13/2003 | -- | | 5.00 | 22.00 | 11.15 | 2.80 | <50 | 0.60 | <0.50 | <0.50 | <0.50 | 1.6 | 8.5 | 8.2 | f |
| 02/16/2004 | NP | 16.56 | 5.00 | 22.00 | 9.43 | 7.13 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.6 | 5.5 | 9.6 | f, i |
| 05/07/2004 | NP | | 5.00 | 22.00 | 10.41 | 6.15 | <500 | 5.3 | <5.0 | <5.0 | <5.0 | <5.0 | 1.72 | 7.0 | |
| 09/02/2004 | NP | | 5.00 | 22.00 | 10.73 | 5.83 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.84 | 18.1 | 8.4 | |
| 11/29/2004 | NP | | 5.00 | 22.00 | 10.30 | 6.26 | <50 | 3.0 | <0.50 | <0.50 | <0.50 | <0.50 | 0.77 | 6.9 | |
| 02/02/2005 | NP | | 5.00 | 22.00 | 9.02 | 7.54 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.4 | 0.5 | 7.5 | |
| 05/09/2005 | NP | | 5.00 | 22.00 | 8.92 | 7.64 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.6 | 2.9 | 7.3 | |

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Well ID and Date Monitored | P/NP | TOC (feet) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet) | Water Level Elevation (feet) | Concentrations in µg/L | | | | | | DO (mg/L) | pH | Footnote |
|----------------------------|------|------------|------------------------|---------------------------|------------|------------------------------|------------------------|---------|---------|---------------|---------------|-------|-----------|------|----------|
| | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | | |
| ADR-1 Cont. | | | | | | | | | | | | | | | |
| 08/11/2005 | NP | 16.56 | 5.00 | 22.00 | 10.57 | 5.99 | 67 | 2.8 | <0.50 | <0.50 | <0.50 | 4.0 | 0.6 | 6.0 | |
| 02/09/2006 | NP | | 5.00 | 22.00 | 10.05 | 6.51 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.9 | 1.09 | 7.0 | o |
| 8/11/2006 | NP | | 5.00 | 22.00 | 10.20 | 6.36 | 76 | <0.50 | <0.50 | <0.50 | <0.50 | 2.2 | 1.06 | 7.1 | |
| 2/7/2007 | NP | | 5.00 | 22.00 | 10.15 | 6.41 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.8 | 0.64 | 7.33 | |
| 8/14/2007 | NP | | 5.00 | 22.00 | 10.30 | 6.26 | 560 | 11 | 1.7 | 12 | 2.5 | 3.6 | 0.94 | 7.38 | |
| 2/22/2008 | NP | | 5.00 | 22.00 | 8.55 | 8.01 | 120 | <0.50 | <0.50 | <0.50 | <0.50 | 3.9 | 1.52 | 6.95 | |
| 8/12/2008 | NP | | 5.00 | 22.00 | 10.20 | 6.36 | 1,400 | 46 | 7.7 | 13 | 19 | 6.5 | 0.50 | 9.32 | |
| 1/8/2009 | NP | | 5.00 | 22.00 | 9.95 | 6.61 | 740 | <0.50 | 0.94 | <0.50 | 0.58 | 2.4 | 0.47 | 7.36 | |
| 9/4/2009 | NP | | 5.00 | 22.00 | 11.06 | 5.50 | 810 | <0.50 | 0.65 | <0.50 | <0.50 | <0.50 | 0.61 | 7.17 | |
| 3/5/2010 | NP | | 5.00 | 22.00 | 7.62 | 8.94 | 62 | <0.50 | <0.50 | <0.50 | <0.50 | 0.92 | 1.33 | 7.01 | |
| 3/11/2011 | NP | | 5.00 | 22.00 | 8.88 | 7.68 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.4 | 1.60 | 7.3 | |
| 8/26/2011 | P | | 5.00 | 22.00 | 10.42 | 6.14 | 840 | 54 | 2.7 | 13 | 48 | 1.7 | 0.46 | 7.0 | |
| 2/22/2012 | P | | 5.00 | 22.00 | 10.48 | 6.08 | 90 | 0.99 | <0.50 | <0.50 | <0.50 | 1.1 | 0.70 | 7.64 | r (GRO) |
| 8/16/2012 | P | | 5.00 | 22.00 | 10.90 | 5.66 | 480 | 16 | 0.52 | 1.4 | 2.0 | 1.6 | 2.90 | 7.50 | |
| 2/26/2013 | P | | 5.00 | 22.00 | 10.26 | 6.30 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 1.3 | 1.09 | 7.73 | |
| ADR-2 | | | | | | | | | | | | | | | |
| 6/26/2000 | -- | 14.64 | 5.00 | 22.00 | 11.22 | 3.42 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 7/20/2000 | -- | | 5.00 | 22.00 | 11.60 | 3.04 | 12,000 | 410 | 2.5 | 540 | 720 | 23 | -- | -- | |
| 9/19/2000 | -- | | 5.00 | 22.00 | 11.81 | 2.83 | 1,400 | 530 | 5 | 680 | 740 | 34 | -- | -- | |
| 12/26/2000 | -- | | 5.00 | 22.00 | 11.52 | 3.12 | 901 | 26.6 | <5.0 | 21.4 | 32.5 | 32.8 | -- | -- | |
| 3/20/2001 | -- | | 5.00 | 22.00 | 10.10 | 4.54 | -- | -- | -- | -- | -- | -- | -- | -- | j |
| 6/12/2001 | -- | | 5.00 | 22.00 | 11.41 | 3.23 | -- | -- | -- | -- | -- | -- | -- | -- | j |
| 9/23/2001 | -- | | 5.00 | 22.00 | 11.98 | 2.66 | 5,300 | 370 | <5.0 | 550 | 96 | 60 | -- | -- | |
| 12/28/2001 | -- | | 5.00 | 22.00 | 9.48 | 5.16 | 2,600 | 190 | <5.0 | 160 | 29 | 61 | -- | -- | |
| 3/21/2002 | -- | | 5.00 | 22.00 | 9.10 | 5.54 | 180 | 6 | <0.5 | 4.5 | 3.2 | 15 | -- | -- | |
| 4/17/2002 | -- | | 5.00 | 22.00 | 9.93 | 4.71 | 730 | 86 | <0.5 | 13 | <0.5 | <25 | -- | -- | |
| 8/14/2002 | -- | | 5.00 | 22.00 | 12.09 | 2.55 | 1,300 | 170 | <10 | 100 | 47 | <50 | 0.9 | 7.0 | b |
| 11/27/2002 | -- | | 5.00 | 22.00 | 11.66 | 2.98 | 1,800 | 240 | 3.1 | 120 | 14 | 74 | 0.6 | 6.9 | b |
| 2/12/2003 | -- | | 5.00 | 22.00 | 10.74 | 3.90 | 760 | 120 | <5.0 | 15 | 5.2 | 22 | 1.3 | 7.1 | d |
| 5/22/2003 | -- | | 5.00 | 22.00 | 10.67 | 3.97 | 520 | 110 | <5.0 | 7.1 | <5.0 | 9.7 | 0.7 | 7.6 | |

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Well ID and Date Monitored | P/NP | TOC (feet) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet) | Water Level Elevation (feet) | Concentrations in µg/L | | | | | | DO (mg/L) | pH | Footnote |
|----------------------------|----------|------------|------------------------|---------------------------|--------------|------------------------------|------------------------|------------|-----------------|-----------------|----------------|------------|-------------|-------------|----------|
| | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | | |
| ADR-2 Cont. | | | | | | | | | | | | | | | |
| 7/23/2003 | -- | 14.64 | 5.00 | 22.00 | 11.38 | 3.26 | 140 | 2.8 | <0.50 | 5 | 0.98 | 8.4 | >20 | 9.4 | |
| 02/16/2004 | -- | 17.24 | 5.00 | 22.00 | 10.26 | 6.98 | -- | -- | -- | -- | -- | -- | -- | -- | f, i |
| 05/06/2004 | -- | | 5.00 | 22.00 | 11.05 | 6.19 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/02/2004 | P | | 5.00 | 22.00 | 11.50 | 5.74 | <500 | 67 | <5.0 | 71 | 12 | 5.6 | 0.7 | 7.4 | |
| 11/29/2004 | -- | | 5.00 | 22.00 | 11.20 | 6.04 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 02/02/2005 | -- | | 5.00 | 22.00 | 9.76 | 7.48 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 05/09/2005 | -- | | 5.00 | 22.00 | 11.18 | 6.06 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 08/11/2005 | NP | | 5.00 | 22.00 | 11.30 | 5.94 | 1,900 | 200 | <2.5 | 160 | 9.6 | 9.0 | 0.6 | 6.6 | |
| 02/09/2006 | -- | | 5.00 | 22.00 | 9.60 | 7.64 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/11/2006 | NP | | 5.00 | 22.00 | 11.13 | 6.11 | 570 | 54 | <1.0 | 2.2 | <1.0 | 4.6 | 0.8 | 7.1 | |
| 2/7/2007 | -- | | 5.00 | 22.00 | 11.08 | 6.16 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/14/2007 | NP | | 5.00 | 22.00 | 11.28 | 5.96 | 520 | 5.4 | <0.50 | 3.6 | <0.50 | 5.3 | 0.65 | 7.37 | |
| 2/22/2008 | -- | | 5.00 | 22.00 | 9.47 | 7.77 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/12/2008 | NP | | 5.00 | 22.00 | 11.27 | 5.97 | 560 | 0.92 | <0.50 | 0.80 | <0.50 | 4.2 | 0.71 | 9.40 | |
| 1/8/2009 | -- | | 5.00 | 22.00 | 10.88 | 6.36 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 9/4/2009 | NP | | 5.00 | 22.00 | 11.79 | 5.45 | 330 | 0.66 | <0.50 | <0.50 | <0.50 | 1.9 | 0.55 | 7.38 | |
| 3/5/2010 | -- | | 5.00 | 22.00 | 8.55 | 8.69 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/11/2011 | NP | | 5.00 | 22.00 | 9.65 | 7.59 | 230 | 0.55 | <0.50 | 0.56 | <0.50 | 1.9 | 1.27 | 7.6 | p (GRO) |
| 8/26/2011 | P | | 5.00 | 22.00 | 11.27 | 5.97 | 1,900 | 6.7 | <0.50 | 7.1 | <0.50 | 40 | 1.18 | 7.3 | j |
| 2/22/2012 | P | | 5.00 | 22.00 | 11.29 | 5.95 | 310 | 4.8 | <0.50 | 1.4 | <0.50 | 11 | 0.34 | 7.72 | r (GRO) |
| 8/16/2012 | P | | 5.00 | 22.00 | 11.69 | 5.55 | 280 | 13 | <1.0 | 7.1 | <2.0 | 320 | 2.67 | 7.46 | |
| 2/26/2013 | P | | 5.00 | 22.00 | 11.09 | 6.15 | 120 | 1.3 | <0.50 | <0.50 | <1.0 | 6.4 | 1.17 | 7.76 | |
| AR-1 | | | | | | | | | | | | | | | |
| 6/26/2000 | -- | 15.61 | 8.00 | 28.00 | 11.59 | 4.02 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 7/20/2000 | -- | | 8.00 | 28.00 | 12.06 | 3.55 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | 6 | -- | -- | |
| 9/19/2000 | -- | | 8.00 | 28.00 | 11.89 | 3.72 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | <3 | -- | -- | |
| 12/26/2000 | -- | | 8.00 | 28.00 | 11.95 | 3.66 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | |
| 03/20/2001 | -- | | 8.00 | 28.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | a |
| 6/12/2001 | -- | | 8.00 | 28.00 | 11.87 | 3.74 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 17 | -- | -- | |
| 9/23/2001 | -- | | 8.00 | 28.00 | 12.42 | 3.19 | -- | -- | -- | -- | -- | -- | -- | -- | |

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Well ID and Date Monitored | P/NP | TOC (feet) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet) | Water Level Elevation (feet) | Concentrations in µg/L | | | | | | | DO (mg/L) | pH | Footnote |
|----------------------------|------|------------|------------------------|---------------------------|------------|------------------------------|------------------------|---------|---------|---------------|---------------|-------|-------|-----------|-----|----------|
| | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | | | |
| AR-1 Cont. | | | | | | | | | | | | | | | | |
| 12/28/2001 | -- | 15.61 | 8.00 | 28.00 | 7.62 | 7.99 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | |
| 3/21/2002 | -- | | 8.00 | 28.00 | 9.37 | 6.24 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 4/17/2002 | -- | | 8.00 | 28.00 | 10.43 | 5.18 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | |
| 8/14/2002 | -- | | 8.00 | 28.00 | 12.08 | 3.53 | <50 | <0.5 | <0.5 | <0.5 | 1.3 | <2.5 | 2.2 | 7.9 | | |
| 11/27/2002 | -- | | 8.00 | 28.00 | 12.00 | 3.61 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/12/2003 | -- | | 8.00 | 28.00 | 10.89 | 4.72 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.8 | 7.9 | d | |
| 5/22/2003 | -- | | 8.00 | 28.00 | 11.18 | 4.43 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 7/23/2003 | -- | | 8.00 | 28.00 | 11.73 | 3.88 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.3 | 7.7 | | |
| 11/13/2003 | -- | | 8.00 | 28.00 | 12.05 | 3.56 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 02/16/2004 | -- | 18.18 | 8.00 | 28.00 | 10.35 | 7.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 05/06/2004 | -- | | 8.00 | 28.00 | 11.60 | 6.58 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/02/2004 | P | | 8.00 | 28.00 | 11.88 | 6.30 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.2 | 7.8 | | |
| 11/29/2004 | -- | | 8.00 | 28.00 | 11.55 | 6.63 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 02/02/2005 | -- | | 8.00 | 28.00 | 9.92 | 8.26 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 05/09/2005 | -- | | 8.00 | 28.00 | 10.19 | 7.99 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 08/11/2005 | P | | 8.00 | 28.00 | 11.80 | 6.38 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 7.4 | 7.6 | n | |
| 02/09/2006 | -- | | 8.00 | 28.00 | 10.49 | 7.69 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/11/2006 | P | | 8.00 | 28.00 | 11.48 | 6.70 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 5.42 | 8.1 | |
| 2/7/2007 | -- | | 8.00 | 28.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | e | |
| 8/14/2007 | -- | | 8.00 | 28.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | e | |
| 2/22/2008 | -- | | 8.00 | 28.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | e | |
| 8/12/2008 | NP | | 8.00 | 28.00 | 11.57 | 6.61 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.42 | 9.51 | | |
| 1/8/2009 | -- | | 8.00 | 28.00 | 11.43 | 6.75 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 9/4/2009 | NP | | 8.00 | 28.00 | 12.52 | 5.66 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.62 | 7.61 | | |
| 3/5/2010 | -- | | 8.00 | 28.00 | 8.66 | 9.52 | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 3/11/2011 | -- | | 8.00 | 28.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | q | |
| AR-2 | | | | | | | | | | | | | | | | |
| 6/26/2000 | -- | 15.28 | 8.50 | 28.50 | 11.79 | 3.49 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 7/20/2000 | -- | | 8.50 | 28.50 | 12.07 | 3.21 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | <3 | -- | -- | -- | |
| 9/19/2000 | -- | | 8.50 | 28.50 | 12.08 | 3.20 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | <3 | -- | -- | -- | |

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Well ID and Date Monitored | P/NP | TOC (feet) | Top of Screen | Bottom of Screen | DTW (feet) | Water Level Elevation (feet) | Concentrations in µg/L | | | | | | DO (mg/L) | pH | Footnote |
|----------------------------|------|------------|---------------|------------------|------------|------------------------------|------------------------|---------|---------|---------------|---------------|-------|-----------|------|----------|
| | | | (ft bgs) | (ft bgs) | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | | |
| AR-2 Cont. | | | | | | | | | | | | | | | |
| 12/26/2000 | -- | 15.28 | 8.50 | 28.50 | 11.95 | 3.33 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | |
| 3/20/2001 | -- | | 8.50 | 28.50 | 10.50 | 4.78 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 6/12/2001 | -- | | 8.50 | 28.50 | 11.73 | 3.55 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 82 | -- | -- | |
| 9/23/2001 | -- | | 8.50 | 28.50 | 12.43 | 2.85 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/28/2001 | -- | | 8.50 | 28.50 | 8.60 | 6.68 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 30 | -- | -- | |
| 3/21/2002 | -- | | 8.50 | 28.50 | 9.49 | 5.79 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 4/17/2002 | -- | | 8.50 | 28.50 | 10.37 | 4.91 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3.2 | -- | -- | |
| 8/14/2002 | -- | | 8.50 | 28.50 | 12.13 | 3.15 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | 1.4 | 7.9 | |
| 11/27/2002 | -- | | 8.50 | 28.50 | 12.08 | 3.20 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/12/2003 | -- | | 8.50 | 28.50 | 11.15 | 4.13 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.2 | 7.5 | d |
| 5/22/2003 | -- | | 8.50 | 28.50 | 11.18 | 4.10 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 7/23/2003 | -- | | 8.50 | 28.50 | 11.85 | 3.43 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.3 | 8.2 | |
| 11/13/2003 | -- | | 8.50 | 28.50 | 11.98 | 3.30 | -- | -- | -- | -- | -- | -- | -- | f | |
| 02/16/2004 | -- | 17.87 | 8.50 | 28.50 | 10.69 | 7.18 | -- | -- | -- | -- | -- | -- | -- | f, i | |
| 05/06/2004 | -- | | 8.50 | 28.50 | 11.55 | 6.32 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/02/2004 | -- | | 8.50 | 28.50 | -- | -- | -- | -- | -- | -- | -- | -- | -- | k | |
| 09/20/2004 | NP | | 8.50 | 28.50 | 11.98 | 5.89 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.2 | 10.4 | |
| 11/29/2004 | -- | | 8.50 | 28.50 | 12.62 | 5.25 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 02/02/2005 | -- | | 8.50 | 28.50 | 10.12 | 7.75 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 05/09/2005 | -- | | 8.50 | 28.50 | 10.13 | 7.74 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 08/11/2005 | NP | | 8.50 | 28.50 | 11.73 | 6.14 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.8 | 7.3 | |
| 02/09/2006 | -- | | 8.50 | 28.50 | 10.03 | 7.84 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/11/2006 | NP | | 8.50 | 28.50 | 11.61 | 6.26 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.1 | 7.4 | |
| 2/7/2007 | -- | | 8.50 | 28.50 | 11.52 | 6.35 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/14/2007 | NP | | 8.50 | 28.50 | 11.75 | 6.12 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.86 | 7.41 | |
| 2/22/2008 | -- | | 8.50 | 28.50 | 9.82 | 8.05 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 8/12/2008 | NP | | 8.50 | 28.50 | 11.78 | 6.09 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.37 | 9.13 | |
| 1/8/2009 | -- | | 8.50 | 28.50 | 11.40 | 6.47 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 9/4/2009 | NP | | 8.50 | 28.50 | 11.32 | 6.55 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.53 | 7.56 | |
| 3/5/2010 | -- | | 8.50 | 28.50 | 9.04 | 8.83 | -- | -- | -- | -- | -- | -- | -- | -- | |

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Well ID and Date Monitored | P/NP | TOC (feet) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet) | Water Level Elevation (feet) | Concentrations in µg/L | | | | | | DO (mg/L) | pH | Footnote |
|----------------------------|----------|------------|------------------------|---------------------------|--------------|------------------------------|------------------------|-----------------|-----------------|-----------------|----------------|-----------------|-------------|-------------|----------|
| | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | | |
| AR-2 Cont. | | | | | | | | | | | | | | | |
| 3/11/2011 | NP | 17.87 | 8.50 | 28.50 | 9.80 | 8.07 | 150 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.40 | 8.6 | p (GRO) |
| 8/26/2011 | P | | 8.50 | 28.50 | 11.39 | 6.48 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.03 | 8.4 | |
| 2/22/2012 | P | | 8.50 | 28.50 | 11.42 | 6.45 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.38 | 8.69 | |
| 8/16/2012 | P | | 8.50 | 28.50 | 11.83 | 6.04 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | 3.19 | 8.35 | |
| 2/26/2013 | P | | 8.50 | 28.50 | 11.17 | 6.70 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | 1.29 | 8.80 | |

Symbols & Abbreviations:

-- = Not analyzed/applicable/measured/available

< = Not detected at or above specified laboratory reporting limit

DO = Dissolved oxygen

DTW = Depth to water in ft bgs

ft bgs = Feet below ground surface

ft MSL = Feet above mean sea level

GRO = Gasoline range organics

GWE = Groundwater elevation measured in ft MSL

mg/L = Milligrams per liter

MTBE = Methyl tert-butyl ether analyzed by EPA Method 8021B unless otherwise noted

NP = Well not purged prior to sampling

P = Well purged prior to sampling

TOC = Top of casing measured in ft MSL

TPH-g = Total petroleum hydrocarbons as gasoline

µg/L = Micrograms per liter

Footnotes:

a = Well was covered by stockpiled soil and not accessible

b = GRO/TPH-g chromatogram pattern: Gasoline C6-C10

c = Primary and confirmation results for xylene varied by greater than 40% RPD. The values may still be useful for their intended purpose

d = TPH-g, BTEX, and MTBE analyzed using EPA Method 8260B starting first quarter 2003

e = Well inaccessible

f = ORC sock in well

g = Well removed from annual sampling schedule

h = ORC sock removed prior to gauging

i = Site re-survey to NAV'88 datum on January 30, 2004

j = Sheen in well

k = Car parked over well AR-2 during monitoring event on 9/2/04. Well was sampled 9/20/04

m = Hydrocarbon result partly due to individual peak(s) in quant. range

n = Possible low bias for GRO due to CCV falling outside acceptance criteria

o = Initial analysis within holding time but failed QA/QC criteria

p = Quantitation of unknown hydrocarbon(s) in sample based on gasoline

q = Well decommissioned 6/16/2010

r = Quantitated against gasoline

s = Reporting limits raised due to high level of non-target analytes

t = Sample preserved improperly

Notes:

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12

Top and bottom of screen depths for wells ADR-1 and ADR-2 are estimated from EMCON sampling sheets

Values for DO and pH were obtained through field measurements

GRO analysis was completed by EPA method 8260B (C4-C12) for samples collected from the time period April 2006 through February 4, 2008. The analysis for GRO was changed to EPA method 8015B (C6-C12) for samples collected from the time period February 5, 2008 through the present

The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified

the accuracy of this information

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Well ID and Date Monitored | Concentrations in µg/L | | | | | | | | Footnote |
|----------------------------|------------------------|------|-------|-------|-------|-------|---------|-------|-------------|
| | Ethanol | TBA | MTBE | DIPE | ETBE | TAME | 1,2-DCA | EDB | |
| A-1 | | | | | | | | | |
| 7/20/2000 | -- | -- | 25 | -- | -- | -- | -- | -- | |
| 9/19/2000 | -- | -- | 32 | -- | -- | -- | -- | -- | |
| 12/26/2000 | -- | -- | 18.7 | -- | -- | -- | -- | -- | |
| 3/20/2001 | -- | -- | <25 | -- | -- | -- | -- | -- | |
| 6/12/2001 | -- | -- | 25 | -- | -- | -- | -- | -- | |
| 9/23/2001 | -- | -- | 4.5 | -- | -- | -- | -- | -- | |
| 12/28/2001 | -- | -- | <25 | -- | -- | -- | -- | -- | |
| 3/21/2002 | -- | -- | <2.5 | -- | -- | -- | -- | -- | |
| 4/17/2002 | -- | -- | <2.5 | -- | -- | -- | -- | -- | |
| 8/14/2002 | -- | -- | 4.9 | -- | -- | -- | -- | -- | |
| 11/27/2002 | -- | -- | 6.4 | -- | -- | -- | -- | -- | |
| 2/12/2003 | <40 | <20 | 2.9 | <0.50 | <0.50 | <0.50 | -- | -- | |
| 5/22/2003 | <100 | <20 | 4.9 | <0.50 | <0.50 | <0.50 | -- | -- | |
| 7/23/2003 | <100 | <20 | 10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 11/13/2003 | <100 | <20 | 4.2 | <0.50 | <0.50 | <0.50 | -- | -- | |
| 02/16/2004 | <100 | <20 | 3.2 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 05/06/2004 | <100 | <20 | 1.9 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 09/02/2004 | <100 | <20 | 1.7 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 11/29/2004 | <100 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 02/02/2005 | <100 | <20 | 5.1 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | a |
| 05/09/2005 | <100 | <20 | 2.7 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 08/11/2005 | <100 | <20 | 4.2 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | a |
| 02/09/2006 | <300 | <20 | 5.6 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | b |
| 8/11/2006 | <300 | <20 | 3.7 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 2/7/2007 | <300 | <20 | 20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/14/2007 | <300 | <20 | 1.8 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | d (1,2-DCA) |
| 2/22/2008 | <1,500 | <50 | <2.5 | <2.5 | <2.5 | <2.5 | <2.5 | <2.5 | |
| 8/12/2008 | <1,500 | <50 | <2.5 | <2.5 | <2.5 | <2.5 | <2.5 | <2.5 | |
| 1/8/2009 | <6,000 | <200 | <10 | <10 | <10 | <10 | <10 | <10 | |
| 9/4/2009 | <300 | <10 | 7.4 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 3/5/2010 | <300 | <10 | 3.3 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 3/11/2011 | <3,000 | <100 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | |

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Well ID and Date Monitored | Concentrations in µg/L | | | | | | | | Footnote |
|----------------------------|------------------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------|
| | Ethanol | TBA | MTBE | DIPE | ETBE | TAME | 1,2-DCA | EDB | |
| A-1 Cont. | | | | | | | | | |
| 8/26/2011 | <3,000 | <100 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | |
| 2/22/2012 | <3,000 | <100 | 7.6 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | |
| 8/16/2012 | <300 | <20 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | |
| 2/26/2013 | <3,000 | <200 | <10 | <10 | <10 | <10 | <10 | <10 | |
| A-2 | | | | | | | | | |
| 7/20/2000 | -- | -- | <3 | -- | -- | -- | -- | -- | |
| 12/26/2000 | -- | -- | <2.5 | -- | -- | -- | -- | -- | |
| 6/12/2001 | -- | -- | <2.5 | -- | -- | -- | -- | -- | |
| 12/28/2001 | -- | -- | <2.5 | -- | -- | -- | -- | -- | |
| 4/17/2002 | -- | -- | 26 | -- | -- | -- | -- | -- | |
| 8/14/2002 | -- | -- | <2.5 | -- | -- | -- | -- | -- | |
| 2/12/2003 | <40 | <20 | 12 | <0.50 | <0.50 | <0.50 | -- | -- | |
| 7/23/2003 | <100 | <20 | 2.6 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 09/02/2004 | <100 | <20 | 2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 08/11/2005 | <100 | <20 | 1.2 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | a |
| 8/11/2006 | <300 | <20 | 1.4 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/14/2007 | <300 | <20 | 0.65 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | d (1,2-DCA) |
| 8/12/2008 | <300 | <10 | 0.96 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 9/4/2009 | <300 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 3/11/2011 | <300 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/26/2011 | <1,200 | <40 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | |
| 2/22/2012 | <1,200 | <40 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | |
| 8/16/2012 | <150 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 2/26/2013 | <150 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| A-3 | | | | | | | | | |
| 12/26/2000 | -- | -- | <2.5 | -- | -- | -- | -- | -- | |
| 12/28/2001 | -- | -- | <2.5 | -- | -- | -- | -- | -- | |
| 2/12/2003 | <40 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | |
| A-4 | | | | | | | | | |
| 12/26/2000 | -- | -- | <2.5 | -- | -- | -- | -- | -- | |

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Well ID and Date Monitored | Concentrations in µg/L | | | | | | | | Footnote |
|----------------------------|------------------------|--------|-------|-------|-------|-------|---------|-------|-------------|
| | Ethanol | TBA | MTBE | DIPE | ETBE | TAME | 1,2-DCA | EDB | |
| A-4 Cont. | | | | | | | | | |
| 12/28/2001 | -- | -- | <2.5 | -- | -- | -- | -- | -- | |
| 2/12/2003 | <40 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | |
| A-5 | | | | | | | | | |
| 7/20/2000 | -- | -- | 3 | -- | -- | -- | -- | -- | |
| 9/19/2000 | -- | -- | <3 | -- | -- | -- | -- | -- | |
| 12/26/2000 | -- | -- | <250 | -- | -- | -- | -- | -- | |
| 3/20/2001 | -- | -- | <250 | -- | -- | -- | -- | -- | |
| 6/12/2001 | -- | -- | <5.0 | -- | -- | -- | -- | -- | |
| 9/23/2001 | -- | -- | 2.7 | -- | -- | -- | -- | -- | |
| 12/28/2001 | -- | -- | 5 | -- | -- | -- | -- | -- | |
| 3/21/2002 | -- | -- | 31 | -- | -- | -- | -- | -- | |
| 4/17/2002 | -- | -- | <25 | -- | -- | -- | -- | -- | |
| 8/14/2002 | -- | -- | <25 | -- | -- | -- | -- | -- | |
| 11/27/2002 | -- | -- | <0.5 | -- | -- | -- | -- | -- | |
| 2/12/2003 | <400 | <200 | <5.0 | <5.0 | <5.0 | <5.0 | -- | -- | |
| 5/22/2003 | <1,000 | <200 | <5.0 | <5.0 | <5.0 | <5.0 | -- | -- | |
| 7/23/2003 | <1,000 | <200 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | |
| 11/13/2003 | <1,000 | <200 | <5.0 | <5.0 | <5.0 | <5.0 | -- | -- | |
| 02/16/2004 | <100 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 05/06/2004 | <500 | <100 | <2.5 | <2.5 | <2.5 | <2.5 | <2.5 | <2.5 | |
| 09/02/2004 | <200 | <40 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | |
| 11/29/2004 | <10,000 | <2,000 | <50 | <50 | <50 | <50 | <50 | <50 | |
| 02/02/2005 | <100 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 05/09/2005 | <100 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 08/11/2005 | <100 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | a |
| 02/09/2006 | <300 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | b |
| 8/11/2006 | <300 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 2/7/2007 | <6,000 | <400 | <10 | <10 | <10 | <10 | <10 | <10 | |
| 8/14/2007 | <6,000 | <400 | <10 | <10 | <10 | <10 | <10 | <10 | d (1,2-DCA) |
| 2/22/2008 | <30,000 | <1,000 | <50 | <50 | <50 | <50 | <50 | <50 | |
| 8/12/2008 | <30,000 | <1,000 | <50 | <50 | <50 | <50 | <50 | <50 | |

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Well ID and Date Monitored | Concentrations in µg/L | | | | | | | | Footnote |
|----------------------------|------------------------|---------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------|
| | Ethanol | TBA | MTBE | DIPE | ETBE | TAME | 1,2-DCA | EDB | |
| A-5 Cont. | | | | | | | | | |
| 1/8/2009 | <30,000 | <1,000 | <50 | <50 | <50 | <50 | <50 | <50 | |
| 9/4/2009 | <300 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 3/5/2010 | <300 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 3/11/2011 | <300 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/26/2011 | <300 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 2/22/2012 | <300 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/16/2012 | <150 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 2/26/2013 | <150 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| A-6 | | | | | | | | | |
| 7/20/2000 | -- | -- | 6 | -- | -- | -- | -- | -- | |
| 9/19/2000 | -- | -- | 6 | -- | -- | -- | -- | -- | |
| 12/26/2000 | -- | -- | 8.17 | -- | -- | -- | -- | -- | |
| 3/20/2001 | -- | -- | 19.9 | -- | -- | -- | -- | -- | |
| 6/12/2001 | -- | -- | 15 | -- | -- | -- | -- | -- | |
| 9/23/2001 | -- | -- | 53 | -- | -- | -- | -- | -- | |
| 12/28/2001 | -- | -- | 26 | -- | -- | -- | -- | -- | |
| 3/21/2002 | -- | -- | 19 | -- | -- | -- | -- | -- | |
| 4/17/2002 | -- | -- | 16 | -- | -- | -- | -- | -- | |
| 8/14/2002 | -- | -- | 75 | -- | -- | -- | -- | -- | |
| 11/27/2002 | -- | -- | 16 | -- | -- | -- | -- | -- | |
| 2/12/2003 | <40 | <20 | 9.9 | <0.50 | <0.50 | <0.50 | -- | -- | |
| 5/22/2003 | <100 | <20 | 11 | <0.50 | <0.50 | 0.6 | -- | -- | |
| 7/23/2003 | <100 | <20 | 14 | <0.50 | <0.50 | 0.54 | <0.50 | <0.50 | |
| 11/13/2003 | <100 | <20 | 2.3 | <0.50 | <0.50 | <0.50 | -- | -- | |
| 02/16/2004 | <100 | <20 | 3.9 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 05/06/2004 | <100 | <20 | 7.1 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 09/02/2004 | <100 | <20 | 4.4 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 11/29/2004 | <100 | <20 | 2.9 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 02/02/2005 | <100 | <20 | 14 | <0.50 | <0.50 | 0.91 | <0.50 | <0.50 | a |
| 05/09/2005 | <100 | <20 | 12 | <0.50 | <0.50 | 0.66 | <0.50 | <0.50 | |
| 08/11/2005 | <100 | <20 | 14 | <0.50 | <0.50 | 2.2 | <0.50 | <0.50 | a |

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Well ID and Date Monitored | Concentrations in µg/L | | | | | | | | Footnote |
|----------------------------|------------------------|-----|------|-------|-------|-------|---------|-------|-------------|
| | Ethanol | TBA | MTBE | DIPE | ETBE | TAME | 1,2-DCA | EDB | |
| A-6 Cont. | | | | | | | | | |
| 02/09/2006 | <300 | <20 | 17 | <0.50 | <0.50 | 1.2 | <0.50 | <0.50 | b |
| 8/11/2006 | <300 | <20 | 21 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 2/7/2007 | <300 | <20 | 7.1 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/14/2007 | <300 | <20 | 2.3 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | d (1,2-DCA) |
| 2/22/2008 | <300 | <10 | 11 | <0.50 | <0.50 | 0.89 | <0.50 | <0.50 | |
| 8/12/2008 | <300 | <10 | 2.4 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 1/8/2009 | <300 | <10 | 1.6 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 9/4/2009 | <300 | <10 | 4.9 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 3/5/2010 | <300 | <10 | 4.1 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 3/11/2011 | <300 | <10 | 5.7 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/26/2011 | <300 | <10 | 2.2 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 2/22/2012 | <300 | <10 | 2.3 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/16/2012 | <150 | <10 | 1.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 2/26/2013 | <150 | <10 | 3.6 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| ADR-1 | | | | | | | | | |
| 7/20/2000 | -- | -- | 22 | -- | -- | -- | -- | -- | |
| 9/19/2000 | -- | -- | 22 | -- | -- | -- | -- | -- | |
| 12/26/2000 | -- | -- | 14.7 | -- | -- | -- | -- | -- | |
| 3/20/2001 | -- | -- | 10.8 | -- | -- | -- | -- | -- | |
| 6/12/2001 | -- | -- | 7.5 | -- | -- | -- | -- | -- | |
| 9/23/2001 | -- | -- | 2.8 | -- | -- | -- | -- | -- | |
| 12/28/2001 | -- | -- | 6.8 | -- | -- | -- | -- | -- | |
| 3/21/2002 | -- | -- | <2.5 | -- | -- | -- | -- | -- | |
| 4/17/2002 | -- | -- | <2.5 | -- | -- | -- | -- | -- | |
| 8/14/2002 | -- | -- | <2.5 | -- | -- | -- | -- | -- | |
| 11/27/2002 | -- | -- | 1.1 | -- | -- | -- | -- | -- | |
| 2/12/2003 | <40 | <20 | 0.73 | <0.50 | <0.50 | <0.50 | -- | -- | |
| 5/22/2003 | <100 | <20 | 3.5 | <0.50 | <0.50 | <0.50 | -- | -- | |
| 7/23/2003 | <100 | <20 | 4 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 11/13/2003 | <100 | <20 | 1.6 | <0.50 | <0.50 | <0.50 | -- | -- | |
| 02/16/2004 | <100 | <20 | 1.6 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Well ID and Date Monitored | Concentrations in µg/L | | | | | | | | Footnote |
|----------------------------|------------------------|---------------|------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------|
| | Ethanol | TBA | MTBE | DIPE | ETBE | TAME | 1,2-DCA | EDB | |
| ADR-1 Cont. | | | | | | | | | |
| 05/07/2004 | <1,000 | <200 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | |
| 09/02/2004 | <100 | <20 | 0.84 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 11/29/2004 | <100 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 02/02/2005 | <100 | <20 | 3.4 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | a |
| 05/09/2005 | <100 | <20 | 2.6 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 08/11/2005 | <100 | <20 | 4.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | a |
| 02/09/2006 | <300 | <20 | 2.9 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | b |
| 8/11/2006 | <300 | <20 | 2.2 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 2/7/2007 | <300 | <20 | 3.8 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/14/2007 | <300 | <20 | 3.6 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | d (1,2-DCA) |
| 2/22/2008 | <300 | <10 | 3.9 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/12/2008 | <600 | <20 | 6.5 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | |
| 1/8/2009 | <300 | <10 | 2.4 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 9/4/2009 | <300 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 3/5/2010 | <300 | <10 | 0.92 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 3/11/2011 | <300 | <10 | 1.4 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/26/2011 | <300 | <10 | 1.7 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 2/22/2012 | <300 | <10 | 1.1 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/16/2012 | <150 | <10 | 1.6 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 2/26/2013 | <150 | <10 | 1.3 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| ADR-2 | | | | | | | | | |
| 7/20/2000 | -- | -- | 23 | -- | -- | -- | -- | -- | |
| 9/19/2000 | -- | -- | 34 | -- | -- | -- | -- | -- | |
| 12/26/2000 | -- | -- | 32.8 | -- | -- | -- | -- | -- | |
| 9/23/2001 | -- | -- | 60 | -- | -- | -- | -- | -- | |
| 12/28/2001 | -- | -- | 61 | -- | -- | -- | -- | -- | |
| 3/21/2002 | -- | -- | 15 | -- | -- | -- | -- | -- | |
| 4/17/2002 | -- | -- | <25 | -- | -- | -- | -- | -- | |
| 8/14/2002 | -- | -- | <50 | -- | -- | -- | -- | -- | |
| 11/27/2002 | -- | -- | 74 | -- | -- | -- | -- | -- | |
| 2/12/2003 | <400 | <200 | 22 | <5.0 | <5.0 | <5.0 | -- | -- | |

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Well ID and Date Monitored | Concentrations in µg/L | | | | | | | | Footnote |
|----------------------------|------------------------|---------------|------------|-----------------|-----------------|-------------|-----------------|-----------------|-------------|
| | Ethanol | TBA | MTBE | DIPE | ETBE | TAME | 1,2-DCA | EDB | |
| ADR-2 Cont. | | | | | | | | | |
| 5/22/2003 | <1,000 | <200 | 9.7 | <5.0 | <5.0 | <5.0 | -- | -- | |
| 7/23/2003 | <100 | <20 | 8.4 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 09/02/2004 | <1,000 | <200 | 5.6 | <5.0 | <5.0 | <5.0 | <5.0 | <5.0 | |
| 08/11/2005 | <500 | <100 | 9.0 | <2.5 | <2.5 | <2.5 | <2.5 | <2.5 | a |
| 8/11/2006 | <600 | <40 | 4.6 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | a, c |
| 8/14/2007 | <300 | <20 | 5.3 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | d (1,2-DCA) |
| 8/12/2008 | <300 | <10 | 4.2 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 9/4/2009 | <300 | <10 | 1.9 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 3/11/2011 | <300 | <10 | 1.9 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/26/2011 | <300 | 11 | 40 | <0.50 | <0.50 | 14 | <0.50 | <0.50 | |
| 2/22/2012 | <300 | <10 | 11 | <0.50 | <0.50 | 1.7 | <0.50 | <0.50 | |
| 8/16/2012 | <300 | <20 | 320 | <1.0 | <1.0 | 140 | <1.0 | <1.0 | |
| 2/26/2013 | <150 | <10 | 6.4 | <0.50 | <0.50 | 0.76 | <0.50 | <0.50 | |
| AR-1 | | | | | | | | | |
| 7/20/2000 | -- | -- | 6 | -- | -- | -- | -- | -- | |
| 9/19/2000 | -- | -- | <3 | -- | -- | -- | -- | -- | |
| 12/26/2000 | -- | -- | <2.5 | -- | -- | -- | -- | -- | |
| 6/12/2001 | -- | -- | 17 | -- | -- | -- | -- | -- | |
| 12/28/2001 | -- | -- | <2.5 | -- | -- | -- | -- | -- | |
| 4/17/2002 | -- | -- | <2.5 | -- | -- | -- | -- | -- | |
| 8/14/2002 | -- | -- | <2.5 | -- | -- | -- | -- | -- | |
| 2/12/2003 | <40 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | |
| 7/23/2003 | <100 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 09/02/2004 | <100 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 08/11/2005 | <100 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/11/2006 | <300 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/12/2008 | <300 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 9/4/2009 | <300 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| AR-2 | | | | | | | | | |
| 7/20/2000 | -- | -- | <3 | -- | -- | -- | -- | -- | |

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Well ID and Date Monitored | Concentrations in µg/L | | | | | | | | Footnote |
|----------------------------|------------------------|---------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------|
| | Ethanol | TBA | MTBE | DIPE | ETBE | TAME | 1,2-DCA | EDB | |
| AR-2 Cont. | | | | | | | | | |
| 9/19/2000 | -- | -- | <3 | -- | -- | -- | -- | -- | |
| 12/26/2000 | -- | -- | <2.5 | -- | -- | -- | -- | -- | |
| 6/12/2001 | -- | -- | 82 | -- | -- | -- | -- | -- | |
| 12/28/2001 | -- | -- | 30 | -- | -- | -- | -- | -- | |
| 4/17/2002 | -- | -- | 3.2 | -- | -- | -- | -- | -- | |
| 8/14/2002 | -- | -- | <2.5 | -- | -- | -- | -- | -- | |
| 2/12/2003 | <40 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | |
| 7/23/2003 | <100 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 09/20/2004 | <100 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 08/11/2005 | <100 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | a |
| 8/11/2006 | <300 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/14/2007 | <300 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | d (1,2-DCA) |
| 8/12/2008 | <300 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 9/4/2009 | <300 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 3/11/2011 | <300 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/26/2011 | <300 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 2/22/2012 | <300 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/16/2012 | <150 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 2/26/2013 | <150 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |

Symbols & Abbreviations:

-- = Not analyzed/applicable/measured/available
< = Not detected at or above specified laboratory reporting limit
1,2-DCA = 1,2-Dichloroethane
DIPE = Diisopropyl ether
EDB = 1,2-Dibromoethane
ETBE = Ethyl tert-butyl ether
MTBE = Methyl tert-butyl ether
TAME = tert-Amyl methyl ether
TBA = tert-Butyl alcohol
g/L = Micrograms per Liter

Footnotes:

a = Calibration verification was within method limits but outside contract limits for ethanol
b = Initial analysis within holding time but failed QA/QC criteria
c = Possible high bias due to CCV failing outside acceptance criteria for TBA.
d = CCV recovery above limit; analyte not detected

Notes:

All volatile organic compounds analyzed using EPA Method 8260B

The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information

Table 3. Historical Groundwater Gradient - Direction and Magnitude
ARCO Service Station #2169, 889 W. Grand Ave., Oakland, CA

| Date Measured | Approximate Gradient Direction | Approximate Gradient Magnitude (ft/ft) |
|------------------|--------------------------------|--|
| 7/20/2000 | Northwest | 0.004 |
| 9/19/2000 | West-Northwest | 0.003 |
| 12/26/2000 | Northwest | 0.004 |
| 3/20/2001 | Northwest | 0.003 |
| 6/12/2001 | Northwest | 0.004 |
| 9/23/2001 | Northwest | 0.004 |
| 12/28/2001 | Variable | Variable |
| 3/21/2002 | Northwest | 0.004 |
| 4/17/2002 | Northwest | 0.003 |
| 8/14/2002 | West | 0.003 |
| 11/27/2002 | West | 0.003 |
| 2/12/2003 | South | 0.005 |
| 5/22/2003 | West to Northwest | 0.002 to 0.003 |
| 7/23/2003 | Southwest to Northwest | 0.005 to 0.004 |
| 11/13/2003 | Southwest | 0.009 |
| 2/16/2004 | Southwest | 0.009 |
| 5/6/2004 | Southwest | 0.004 |
| 9/2/2004 | West-Northwest | 0.005 |
| 11/29/2004 | West to Southwest | 0.005 to 0.006 |
| 2/2/2005 | Northwest to Southwest | 0.005 |
| 5/9/2005 | Northwest | 0.01 |
| 8/11/2005 | West | 0.004 |
| 2/9/2006 | West | 0.003 |
| 8/11/2006 | Northwest* | 0.005 |
| 2/7/2007 | North-Northwest* | 0.004 |
| 8/14/2007 | Northwest | 0.005 |
| 2/22/2008 | North-Northwest | 0.005 |
| 8/12/2008 | North-Northwest | 0.005 |
| 1/8/2009 | North-Northwest | 0.003 |
| 9/4/2009 | Northwest | 0.002 |
| 3/5/2010 | West-Northwest | 0.006 |
| 3/11/2011 | Northeast | 0.002 |
| 8/26/2011 | Northeast | 0.003 |
| 2/22/2012 | Northeast | 0.001 |
| 8/16/2012 | Northeast | 0.001 |
| 2/19/2013 | Northeast | 0.001 |

Symbols & Abbreviations:

* = Base map provided to Broadbent & Associates, Inc. incorrectly oriented north arrow 47° east of true north. Flow directions from Broadbent & Associates, Inc. reports for Third Quarter 2006 and First Quarter 2007 corrected in table above

Notes:

The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information

APPENDIX A

FIELD METHODS



QUALITY ASSURANCE/QUALITY CONTROL FIELD METHODS

Field methods discussed herein were implemented to provide for accuracy and reliability of field activities, data collection, sample collection, and handling. Discussion of these methods is provided below.

1.0 EQUIPMENT CALIBRATION

Equipment calibration was performed per equipment manufacturer specifications before use.

2.0 DEPTH TO GROUNDWATER AND LIGHT NON-AQUEOUS PHASE LIQUID MEASUREMENT

Depth to groundwater was measured in wells identified for gauging in the scope of work using a decontaminated water level indicator. The depth to water measurement was taken from a cut notch or permanent mark at the top of the well casing to which the well head elevation was originally surveyed.

Once depth to water was measured, an oil/water interface meter or a new disposable bailer was utilized to evaluate the presence and, if present, to measure the “apparent” thickness of light non-aqueous phase liquid (LNAPL) in the well. If LNAPL was present in the well, groundwater purging and sampling were not performed, unless sampling procedures in the scope of work specified collection of samples in the presence of LNAPL. Otherwise, time allowing, LNAPL was bailed from the well using either a new disposable bailer, or the disposal bailer previously used for initial LNAPL assessment. Bailing of LNAPL continued until the thickness of LNAPL (or volume) stabilized in each bailer pulled from the well, or LNAPL was no longer present. After LNAPL thickness either stabilized or was eliminated, periodic depth to water and depth to LNAPL measurements were collected as product came back into the well to evaluate product recovery rate and to aid in further assessment of LNAPL in the subsurface. LNAPL thickness measurements were recorded as “apparent.” If a bailer was used for LNAPL thickness measurement, the field sampler noted the bailer entry diameter and chamber diameter to enable correction of thickness measurements. Recovered LNAPL was stored on-site in a labeled steel drum(s) or other appropriate container(s) prior to disposal.

3.0 WELL PURGING AND GROUNDWATER SAMPLE COLLECTION

Well purging and groundwater sampling were performed in wells specified in the scope of work after measuring depth to groundwater and evaluating the presence of LNAPL. Purging and sampling were performed using one of the methods detailed below. The method used was noted in the field records. Purge water was stored on-site in labeled steel drum(s) or other appropriate container(s) prior to disposal or on-site treatment (in cases where treatment using an on-site system is authorized).

3.1 Purging a Predetermined Well Volume

Purging a predetermined well volume is performed per ASTM International (ASTM) D4448-01. This purging method has the objective of removing a predetermined volume of stagnant water from the well prior to sampling. The volume of stagnant water is defined as either the volume of water contained within the well casing, or the volume within the well casing and sand/gravel in the annulus if natural flow through these is deemed insufficient to keep them flushed out.

This purging method involves removal of a minimum of three stagnant water volumes from the well using a decontaminated pump with new disposable plastic discharge or suction tubing, dedicated well tubing, or using a new disposable or decontaminated reusable bailer. If a new disposable bailer was used for assessment of LNAPL, that bailer may be used for purging. The withdrawal rate used is one that minimizes drawdown while satisfying time constraints.

To evaluate when purging is complete, one or more groundwater stabilization parameters are monitored and recorded during purging activities until stabilization is achieved. Most commonly, stabilization parameters include temperature, conductivity, and pH, but field procedures detailed in the scope of work may also include monitoring of dissolved oxygen concentrations, oxidation reduction potential, and/or turbidity¹. Parameters are considered stable when two (2) consecutive readings recorded three (3) minutes apart fall within ranges provided below in Table 1. In the event that the parameters have not stabilized and five (5) well casing volumes have been removed, purging activities will cease and be considered complete. Once the well is purged, a groundwater sample(s) is collected from the well using a new disposable bailer. If a new disposable bailer was used for purging, that bailer may be used to collect the sample(s). A sample is not collected if the well is inadvertently purged dry.

Table 1. Criteria for Defining Stabilization of Water-Quality Indicator Parameters

| Parameter | Stabilization Criterion |
|-------------------------------|---|
| Temperature | ± 0.2°C (± 0.36°F) |
| pH | ± 0.1 standard units |
| Conductivity | ± 3% |
| Dissolved oxygen | ± 10% |
| Oxidation reduction potential | ± 10 mV |
| Turbidity ¹ | ± 10% or 1.0 NTU (whichever is greater) |

3.2 Low-Flow Purging and Sampling

"Low-Flow", "Minimal Drawdown", or "Low-Stress" purging is performed per ASTM D6771-02. It is a method of groundwater removal from within a well's screened interval that is intended to minimize drawdown and mixing of the water column in the well

¹ As stated in ASTM D6771-02, turbidity is not a chemical parameter and not indicative of when formation-quality water is being purged; however, turbidity may be helpful in evaluating stress on the formation during purging. Turbidity measurements are taken at the same time that stabilization parameter measurements are made, or, at a minimum, once when purging is initiated and again just prior to sample collection, after stabilization parameters have stabilized. To avoid artifacts in sample analysis, turbidity should be as low as possible when samples are collected. If turbidity values are persistently high, the withdrawal rate is lowered until turbidity decreases. If high turbidity persists even after lowering the withdrawal rate, the purging is stopped for a period of time until turbidity settles, and the purging process is then restarted. If this fails to solve the problem, the purging/sampling process for the well is ceased, and well maintenance or redevelopment is considered.

casing. This is accomplished by pumping the well using a decontaminated pump with new disposable plastic discharge or suction tubing or dedicated well tubing at a low flow rate while evaluating the groundwater elevation during pumping.

The low flow pumping rate is well specific and is generally established at a volume that is less than or equal to the natural recovery rate of the well. A pump with adjustable flow rate control is positioned with the intake at or near the mid-point of the submerged well screen. The pumping rate used during low-flow purging is low enough to minimize mobilization of particulate matter and drawdown (stress) of the water column. Low-flow purging rates will vary based on the individual well characteristics; however, the purge rate should not exceed 1.0 Liter per minute (L/min) or 0.25 gallon per minute (gal/min). Low-flow purging should begin at a rate of approximately 0.1 L/min (0.03 gal/min)², or the lowest rate possible, and be adjusted based on an evaluation of drawdown. Water level measurements should be recorded at approximate one (1) to two (2) minute intervals until the low-flow rate has been established, and drawdown is minimized. As a general rule, drawdown should not exceed 25% of the distance between the top of the water column and the pump in-take.

To evaluate when purging is complete, one or more groundwater stabilization parameters are monitored and recorded during purging activities until stabilization is achieved. Most commonly, stabilization parameters include temperature, conductivity, and pH, but field procedures detailed in the scope of work may also include monitoring of dissolved oxygen concentrations, oxidation reduction potential, and/or turbidity¹. The frequency between measurements will be at an interval of one (1) to three (3) minutes; however, if a flow cell is used, the frequency will be determined based on the time required to evacuate one cell volume. Stabilization is defined as three (3) consecutive readings recorded several minutes apart falling within ranges provided in Table 1. Samples will be collected by filling appropriate containers from the pump discharge tubing at a rate not to exceed the established pumping rate.

3.3 Minimal Purge, Discrete Depth, and Passive Sampling

In accordance with ASTM D4448-01, sampling techniques that do not rely on purging, or require only minimal purging, may be used if a particular zone within a screened interval is to be sampled or if a well is not capable of yielding sufficient groundwater for purging. To properly use these sampling techniques, a water sample is collected within the screened interval with little or no mixing of the water column within the casing. These techniques include minimal purge sampling which uses a dedicated sampling pump capable of pumping rates of less than 0.1 L/min (0.03 gal/min)², discrete depth sampling using a bailer that allows groundwater entry at a controlled depth (e.g. differential pressure bailer), or passive (diffusion) sampling. These techniques are based on certain studies referenced in ASTM D4448-01 that indicate that under certain conditions, natural groundwater flow is laminar and horizontal with little or no mixing within the well screen.

² According to ASTM D4448-01, studies have indicated that at flow rates of 0.1 L/min, low-density polyethylene (LDPE) and plasticized polypropylene tubing materials are prone to sorption. Therefore, TFE-fluorocarbon or other appropriate tubing material is used, particularly when tubing lengths of 50 feet or longer are used.

4.0 DECONTAMINATION

Reusable groundwater sampling equipment were cleaned using a solution of Alconox or other acceptable detergent, rinsed with tap water, and finally rinsed with distilled water prior to use in each well. Decontamination water was stored on-site in labeled steel drum(s) or other appropriate container(s) prior to disposal.

5.0 SAMPLE CONTAINERS, LABELING, AND STORAGE

Samples were collected in laboratory prepared containers with appropriate preservative (if preservative was required). Samples were labeled (site name, sample I.D., sampler initials, date, and time of collection) and stored chilled (refrigerator or ice chest with ice) until delivery to a certified laboratory, under chain of custody procedures.

6.0 CHAIN OF CUSTODY RECORD AND PROCEDURE

The field sampler was personally responsible for care and custody of the samples collected until they were properly transferred to another party. To document custody and transfer of samples, a Chain of Custody Record was prepared. The Chain of Custody Record provided identification of the samples corresponding to sample labels and specified analyses to be performed by the laboratory. The original Chain of Custody Record accompanied the shipment, and a copy of the record was stored in the project file. When the samples were transferred, the individuals relinquishing and receiving them signed, dated, and noted the time of transfer on the record.

7.0 FIELD RECORDS

Daily Report and data forms were completed by staff personnel to provide daily record of significant events, observations, and measurements. Field records were signed, dated, and stored in the project file.

APPENDIX B

FIELD DATA SHEETS AND NON-HAZARDOUS WASTE DATA FORM



DAILY REPORT

Page 1 of 1

Project: BP 2180 Project No.: 06-88-621

Field Representative(s): JR/AM Day: Tuesday Date: 2-26-13

Time Onsite: From: 0700 To: 1200; From: _____ To: _____; From: _____ To: _____

Signed HASP Safety Glasses Hard Hat Steel Toe Boots Safety Vest

UST Emergency System Shut-off Switches Located Proper Gloves

Proper Level of Barricading Other PPE (describe) _____

Weather: Sunny; ± 67°F

Equipment In Use: peristaltic pump; hariba; water level indicator;
($\frac{1}{4}$) tubing; silicone

Visitors: _____

TIME:

WORK DESCRIPTION:

0700 Arrived onsite / conducted tailgate

0800 Set up @ A-5

0825 Set up @ A-6

0900 Set up @ A-Z-2

0930 Set up @ A-Z

1005 Set up @ ADR-L

1030 Set up @ ADR-1

1105 Setup @ A-1

1200 Signed off/cleaned up / packed & left site

Signature:

Revision: 1/24/2012


GROUNDWATER SAMPLING DATA SHEET

 Page 2 of 8

 Project: BP 2169 Project No.: 06-88-621 Date: 2-26-13

 Field Representative: JR/AM

 Well ID: A-1 Start Time: _____ End Time: _____ Total Time (minutes): _____

| | | | |
|--|---------------------------------------|--|---|
| PURGE EQUIPMENT | <input type="checkbox"/> Disp. Bailer | <input type="checkbox"/> 120V Pump | <input checked="" type="checkbox"/> Flow Cell |
| <input checked="" type="checkbox"/> Disp. Tubing | <input type="checkbox"/> 12V Pump | <input checked="" type="checkbox"/> Peristaltic Pump | Other/ID#: |

| | |
|--|---------------------------------|
| WELL HEAD INTEGRITY (cap, lock, vault, etc.) | Comments: |
| <input checked="" type="checkbox"/> Good | Improvement Needed (circle one) |

| | | | | |
|-------------------------|---------------------------|--|---------------------------------|--------------|
| PURGING/SAMPLING METHOD | Predetermined Well Volume | <input checked="" type="checkbox"/> Low-Flow | Other: <input type="checkbox"/> | (circle one) |
|-------------------------|---------------------------|--|---------------------------------|--------------|

| | | | |
|--|----------------|-------------|--------------|
| PREDETERMINED WELL VOLUME | | | |
| Casing Diameter Unit Volume (gal/ft) (circle one) | | | |
| 1" (0.04) | 1.25" (0.08) | 2" (0.17) | 3" (0.38) |
| 4" (0.66) | 6" (1.50) | 8" (2.60) | 12" (5.81) |
| Total Well Depth (a): _____ (ft) | | | |
| Initial Depth to Water (b): _____ (ft) | | | |
| Water Column Height (WCH) = (a - b): _____ (ft) | | | |
| Water Column Volume (WCV) = WCH x Unit Volume: _____ (gal) | | | |
| Three Casing Volumes = WCV x 3: _____ (gal) | | | |
| Five Casing Volumes = WCV x 5: _____ (gal) | | | |
| Pump Depth (if pump used): _____ (ft) | | | |

LOW-FLOW

LOW-FLOW

Previous Low-Flow Purge Rate: _____ (Lpm)
 Total Well Depth (a): 33.70 (ft)
 Initial Depth to Water (b): 10.46 (ft)
 Pump In-take Depth = b + (a-b)/2: 17.08 (ft)
 Maximum Allowable Drawdown = (a-b)/8: 1.66 (ft)
 Low-Flow Purge Rate: _____ (Lpm)*
 Comments: _____

*Low-flow purge rate should be within range of instruments used but should not exceed 0.25 gpm. Drawdown should not exceed Maximum Allowable Drawdown.

| GROUNDWATER STABILIZATION PARAMETER RECORD | | | | | | | | |
|--|--------------------------|-------------------|------|--------------------------|------------|-----------|------------------|--------------------------------------|
| Time (24:00) | Cumulative Volume (L) | Temperature °C | pH | Conductivity μS or mS | DO mg/L | ORP mV | Turbidity NTU | NOTES Odor, color, sheen or other |
| 11:4 | 0 | 20.18 | 7.94 | 6.796 | 1.56 | -108 | 143 | |
| 11:6 | 0.5 | 20.28 | 7.80 | 0.728 | 1.15 | -129 | — | |
| 11:8 | 1.0 | 20.31 | 7.79 | 0.798 | 1.06 | -144 | — | |
| 11:26 | 1.5 | 20.31 | 7.77 | 0.799 | 1.03 | -150 | — | |
| 11:22 | 2.0 | 20.31 | 7.79 | 0.799 | 1.00 | -154 | 138 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

Previous Stabilized Parameters

| | | | |
|-------------------------|--|---|---|
| PURGE COMPLETION RECORD | <input checked="" type="checkbox"/> Low Flow & Parameters Stable | <input type="checkbox"/> 3 Casing Volumes & Parameters Stable | <input type="checkbox"/> 5 Casing Volumes |
| Other: | | | |

| | | | | | |
|--|--|--|------------------------|--|--|
| SAMPLE COLLECTION RECORD | | | GEOCHEMICAL PARAMETERS | | |
| Depth to Water at Sampling: <u>10.49</u> (ft) | | | Parameter | | |
| Sample Collected Via: <input type="checkbox"/> Disp. Bailer <input type="checkbox"/> Dedicated Pump Tubing <input checked="" type="checkbox"/> Disp. Pump Tubing Other: | | | Time | | |
| Sample ID: <u>A-1</u> Sample Collection Time: <u>11:25</u> (24:00) | | | Measurement | | |
| Containers (#): <u>6</u> VOA (<input checked="" type="checkbox"/> preserved or <input type="checkbox"/> unpreserved) <input type="checkbox"/> Liter Amber Other: _____ Other: _____ Other: _____ | | | DO (mg/L) | | |
| Other: _____ Other: _____ Other: _____ | | | Ferrous Iron (mg/L) | | |
| Other: _____ Other: _____ Other: _____ | | | Redox Potential (mV) | | |
| Other: _____ Other: _____ Other: _____ | | | Alkalinity (mg/L) | | |
| Other: _____ Other: _____ Other: _____ | | | Other: | | |
| Other: _____ Other: _____ Other: _____ | | | Other: | | |

Signature:

Revision: 7/3/12


GROUNDWATER SAMPLING DATA SHEET
Page 3 of 8Project: BP 2169Project No.: 06-88-621Date: 2-26-13Field Representative: JR/AMWell ID: A-2

Start Time:

End Time:

Total Time (minutes):

| PURGE EQUIPMENT | | <input type="checkbox"/> Disp. Bailer | <input type="checkbox"/> 120V Pump | <input checked="" type="checkbox"/> Flow Cell | | | | |
|---|--------------------------|---|--|---|-------------------------------|---|---|--------------------------------------|
| <input checked="" type="checkbox"/> Disp. Tubing | | <input type="checkbox"/> 12V Pump | <input checked="" type="checkbox"/> Peristaltic Pump | Other/ID#: | | | | |
| WELL HEAD INTEGRITY (cap, lock, vault, etc.) | | | | | | | | |
| <input checked="" type="checkbox"/> Good | | Comments: Improvement Needed (circle one) | | | | | | |
| PURGING/SAMPLING METHOD | | Preetermined Well Volume | <input checked="" type="checkbox"/> Low-Flow | Other: (circle one) | | | | |
| PREDETERMINED WELL VOLUME | | | | | | | | |
| Casing Diameter Unit Volume (gal/ft) (circle one) | | | | | | | | |
| 1" (0.04) | 1.25" (0.08) | 2" (0.17) | 3" (0.38) | Other: _____ | | | | |
| 4" (0.66) | 6" (1.50) | 8" (2.60) | 12" (5.81) | " () | | | | |
| Total Well Depth (a): | | (ft) | | | | | | |
| Initial Depth to Water (b): | | (ft) | | | | | | |
| Water Column Height (WCH) = (a - b): | | (ft) | | | | | | |
| Water Column Volume (WCV) = WCH x Unit Volume: | | (gal) | | | | | | |
| Three Casing Volumes = WCV x 3: | | (gal) | | | | | | |
| Five Casing Volumes = WCV x 5: | | (gal) | | | | | | |
| Pump Depth (if pump used): | | (ft) | | | | | | |
| <small>*Low-flow purge rate should be within range of instruments used but should not exceed 0.25 gpm. Drawdown should not exceed Maximum Allowable Drawdown.</small> | | | | | | | | |
| GROUNDWATER STABILIZATION PARAMETER RECORD | | | | | | | | |
| Time (24:00) | Cumulative Volume (L) | Temperature °C | pH | Conductivity µS or mS | DO mg/L | ORP mV | Turbidity NTU | NOTES Odor, color, sheen or other |
| 0945 | 0 | 17.61 | 8.14 | 0.859 | 2.61 | 42 | 164 | |
| 0947 | 0.5 | 18.19 | 7.84 | 6.894 | 1.90 | 37 | = | |
| 0949 | 1.0 | 18.60 | 7.71 | 0.927 | 1.58 | 33 | = | |
| 0951 | 1.5 | 18.87 | 7.65 | 0.933 | 1.41 | 31 | - | |
| 0953 | 2.0 | 18.97 | 7.63 | 0.934 | 1.37 | 30 | 173 | |
| Previous Stabilized Parameters | | | | | | | | |
| PURGE COMPLETION RECORD | | | <input checked="" type="checkbox"/> Low Flow & Parameters Stable | | | <input type="checkbox"/> 3 Casing Volumes & Parameters Stable | <input type="checkbox"/> 5 Casing Volumes | |
| | | | <input type="checkbox"/> Other: | | | | | |
| SAMPLE COLLECTION RECORD | | | | | GEOCHEMICAL PARAMETERS | | | |
| Depth to Water at Sampling: <u>11.02</u> (ft) | | | | | Parameter | | Time | Measurement |
| Sample Collected Via: <input type="checkbox"/> Disp. Bailer <input type="checkbox"/> Dedicated Pump Tubing | | | | | DO (mg/L) | | | |
| <input checked="" type="checkbox"/> Disp. Pump Tubing Other: <u>A-2</u> | | | | | Ferrous Iron (mg/L) | | | |
| Sample ID: <u>A-2</u> Sample Collection Time: <u>0955</u> (24:00) | | | | | Redox Potential (mV) | | | |
| Containers (#): <u>6</u> VOA (<input checked="" type="checkbox"/> preserved or <input type="checkbox"/> unpreserved) <input type="checkbox"/> Liter Amber | | | | | Alkalinity (mg/L) | | | |
| Other: _____ | | | Other: _____ | | | Other: | | |
| Other: _____ | | | Other: _____ | | | Other: | | |

Signature:

Revision: 7/3/12



GROUNDWATER SAMPLING DATA SHEET

Page 4 of 8Project: BP 2169Project No.: 06-88-621Date: 2.26.13Field Representative: JR/AMWell ID: A-5

Start Time: _____

End Time: _____

Total Time (minutes): _____

| PURGE EQUIPMENT | Disp. Bailer | 120V Pump | Flow Cell |
|--|-----------------------------------|--|------------|
| <input checked="" type="checkbox"/> Disp. Tubing | <input type="checkbox"/> 12V Pump | <input checked="" type="checkbox"/> Peristaltic Pump | Other/ID#: |

| WELL HEAD INTEGRITY (cap, lock, vault, etc.) | Comments: |
|--|---------------------------------|
| <input checked="" type="checkbox"/> Good | Improvement Needed (circle one) |

| PURGING/SAMPLING METHOD | Predetermined Well Volume | Low-Flow | Other: | (circle one) |
|-------------------------|---------------------------|----------|--------|--------------|
|-------------------------|---------------------------|----------|--------|--------------|

| PREDETERMINED WELL VOLUME | | | | |
|--|----------------------|--------------|--------------|---------------|
| Casing Diameter | Unit Volume (gal/ft) | (circle one) | | |
| 1" (0.04) | 1.25" (0.08) | 2" (0.17) | 3" (0.38) | Other: |
| 4" (0.66) | 6" (1.50) | 8" (2.60) | 12" (5.81) | _____ _____ |
| Total Well Depth (a): | | (ft) | a | b |
| Initial Depth to Water (b): | | (ft) | | |
| Water Column Height (WCH) = (a - b): | | (ft) | | |
| Water Column Volume (WCV) = WCH x Unit Volume: | | (gal) | | |
| Three Casing Volumes = WCV x 3: | | (gal) | | |
| Five Casing Volumes = WCV x 5: | | (gal) | | |
| Pump Depth (if pump used): | | (ft) | | |

GROUNDWATER STABILIZATION PARAMETER RECORD

| Time (24:00) | Cumulative Volume (L) | Temperature °C | pH | Conductivity µS or mS | DO mg/L | ORP mV | Turbidity NTU | NOTES Odor, color, sheen or other |
|-----------------|--------------------------|-------------------|------|-------------------------------------|------------|-----------|------------------|--------------------------------------|
| 0811 | 0 | 15.74 | 6.32 | 0.984 | 3.12 | 103 | 380 | |
| 0813 | 0.5 | 17.42 | 6.74 | 0.962 | 2.27 | 57 | - | |
| 0815 | 1.0 | 17.80 | 6.47 | 0.957 | 1.93 | 23 | - | |
| 0817 | 1.5 | 18.05 | 7.27 | 0.955 | 1.71 | 13 | - | |
| 0819 | 2.0 | 18.21 | 7.31 | 0.953 | 1.65 | 5 | - | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

*Low-flow purge rate should be within range of instruments used but should not exceed 0.25 gpm. Drawdown should not exceed Maximum Allowable Drawdown.

| Previous Stabilized Parameters | | | | |
|--------------------------------|--|--|--|--|
|--------------------------------|--|--|--|--|

| PURGE COMPLETION RECORD | <input checked="" type="checkbox"/> Low Flow & Parameters Stable | <input type="checkbox"/> 3 Casing Volumes & Parameters Stable | <input type="checkbox"/> 5 Casing Volumes |
|-------------------------|--|---|---|
| <u>Other:</u> | | | |

| SAMPLE COLLECTION RECORD | | | | GEOCHEMICAL PARAMETERS | | |
|---|---|--|---------------------|------------------------|------|-------------|
| Depth to Water at Sampling: | <u>9.93</u> | (ft) | | Parameter | Time | Measurement |
| Sample Collected Via: | <input type="checkbox"/> Disp. Bailer | <input type="checkbox"/> Dedicated Pump Tubing | | DO (mg/L) | | |
| <input checked="" type="checkbox"/> Disp. Pump Tubing | Other: | | | Ferrous Iron (mg/L) | | |
| Sample ID: | <u>A-5</u> | Sample Collection Time: | <u>0820</u> (24:00) | Redox Potential (mV) | | |
| Containers (#): | <u>6</u> VOA (<input checked="" type="checkbox"/> preserved or <input type="checkbox"/> unpreserved) | Liter | <u>Amber</u> | Alkalinity (mg/L) | | |
| Other: | | Other: | Other: | Other: | | |
| Other: | | Other: | Other: | Other: | | |

Signature: James Ram


GROUNDWATER SAMPLING DATA SHEET

Page 5 of 8

Project: BP 2169

Project No.: 06-08-621

Date: 2-26-13

Field Representative: JR/AM

Well ID: A-6

Start Time:

End Time:

Total Time (minutes):

| PURGE EQUIPMENT | | <input type="checkbox"/> Disp. Bailer | <input type="checkbox"/> 120V Pump | <input checked="" type="checkbox"/> Flow Cell | | | | |
|---|--------------------------|--|--|---|-------------------------------|---|------------------|--------------------------------------|
| <input checked="" type="checkbox"/> Disp. Tubing | | <input type="checkbox"/> 12V Pump | <input checked="" type="checkbox"/> Peristaltic Pump | Other/ID#: | | | | |
| WELL HEAD INTEGRITY (cap, lock, vault, etc.) | | Comments: | | | | | | |
| Good | Improvement Needed | (circle one) | | | | | | |
| PURGING/SAMPLING METHOD | | Preetermined Well Volume | <input checked="" type="radio"/> Low-Flow | Other: _____ (circle one) | | | | |
| PREDETERMINED WELL VOLUME | | | LOW-FLOW | | | | | |
| Casing Diameter Unit Volume (gal/ft) (circle one) | | | | | | | | |
| 1" (0.04) | 1.25" (0.08) | 2" (0.17) | 3" (0.38) | Other: _____ (_____) | | | | |
| 4" (0.66) | 6" (1.50) | 8" (2.60) | 12" (5.81) | _____ (_____) | | | | |
| Total Well Depth (a): | | (ft) | | | | | | |
| Initial Depth to Water (b): | | (ft) | | | | | | |
| Water Column Height (WCH) = (a - b): | | (ft) | | | | | | |
| Water Column Volume (WCV) = WCH x Unit Volume: | | (gal) | | | | | | |
| Three Casing Volumes = WCV x 3: | | (gal) | | | | | | |
| Five Casing Volumes = WCV x 5: | | (gal) | | | | | | |
| Pump Depth (if pump used): | | (ft) | | | | | | |
| | | | | | | | | |
| Previous Low-Flow Purge Rate: _____ (lpm) Total Well Depth (a): <u>26.95</u> (ft) Initial Depth to Water (b): <u>9.83</u> (ft) Pump In-take Depth = b + (a-b)/2: <u>18.39</u> (ft) Maximum Allowable Drawdown = (a-b)/8: <u>2.14</u> (ft) Low-Flow Purge Rate: _____ (Lpm)* Comments: _____ | | | | | | | | |
| *Low-flow purge rate should be within range of instruments used but should not exceed 0.25 gpm. Drawdown should not exceed Maximum Allowable Drawdown. | | | | | | | | |
| GROUNDWATER STABILIZATION PARAMETER RECORD | | | | | | | | |
| Time (24:00) | Cumulative Volume (L) | Temperature °C | pH | Conductivity µS or mS | DO mg/L | ORP mV | Turbidity NTU | NOTES Odor, color, sheen or other |
| 0837 | 0 | 16.51 | 7.51 | 0.777 | 2.36 | -8 | 256 | |
| 0839 | 0.5 | 18.18 | 7.42 | 0.778 | 1.73 | -50 | = | |
| 0841 | 1.0 | 18.75 | 7.41 | 6.770 | 1.50 | -57 | = | |
| 0843 | 1.5 | 19.00 | 7.42 | 0.766 | 1.40 | -62 | = | |
| 0845 | 2.0 | 19.29 | 7.44 | 0.758 | 1.36 | -65 | 297 | |
| Previous Stabilized Parameters | | | | | | | | |
| PURGE COMPLETION RECORD | | <input checked="" type="checkbox"/> Low Flow & Parameters Stable | | <input type="checkbox"/> 3 Casing Volumes & Parameters Stable | | <input type="checkbox"/> 5 Casing Volumes | | |
| | | Other: | | | | | | |
| SAMPLE COLLECTION RECORD | | | | | GEOCHEMICAL PARAMETERS | | | |
| Depth to Water at Sampling: <u>4.92</u> (ft) | | | | | Parameter | Time | Measurement | |
| Sample Collected Via: <input type="checkbox"/> Disp. Bailer <input type="checkbox"/> Dedicated Pump Tubing | | | | | DO (mg/L) | | | |
| <input checked="" type="checkbox"/> Disp. Pump Tubing Other: | | | | | Ferrous Iron (mg/L) | | | |
| Sample ID: <u>A-6</u> Sample Collection Time: <u>0845</u> (24:00) | | | | | Redox Potential (mV) | | | |
| Containers (#): <u>1</u> VOA (<input checked="" type="checkbox"/> preserved or <input type="checkbox"/> unpreserved) <input type="checkbox"/> Liter Amber | | | | | Alkalinity (mg/L) | | | |
| Other: _____ | | Other: _____ | | Other: _____ | | Other: _____ | | |
| Other: _____ | | Other: _____ | | Other: _____ | | Other: _____ | | |

Signature: James M

Revision: 7/3/12



GROUNDWATER SAMPLING DATA SHEET

Page 6 of 8

Project: BP 2169
Field Representative: JR IAM

Project No.: 06-88-621

Date: 2-26-13

Well ID: AR-2 Start Time:

End Time:

Total Time (minutes):

| | | | |
|--|---------------------------------------|--|---|
| PURGE EQUIPMENT | <input type="checkbox"/> Disp. Bailer | <input type="checkbox"/> 120V Pump | <input checked="" type="checkbox"/> Flow Cell |
| <input checked="" type="checkbox"/> Disp. Tubing | <input type="checkbox"/> 12V Pump | <input checked="" type="checkbox"/> Peristaltic Pump | Other/ID#: |

| | |
|---|---------------------------------|
| WELL HEAD INTEGRITY (cap, lock, vault, etc.) | Comments: |
| <input checked="" type="checkbox"/> Good | Improvement Needed (circle one) |

| | | | | |
|--------------------------------|---------------------------|-----------------|--------------|--------------|
| PURGING/SAMPLING METHOD | Predetermined Well Volume | Low-Flow | Other: _____ | (circle one) |
|--------------------------------|---------------------------|-----------------|--------------|--------------|

| | | | |
|---|----------------|-------------|--------------|
| PREDETERMINED WELL VOLUME | | | |
| Casing Diameter Unit Volume (gal/ft) (circle one) | | | |
| 1" (0.04) | 1.25" (0.08) | 2" (0.17) | 3" (0.38) |
| 4" (0.66) | 6" (1.50) | 8" (2.60) | 12" (5.81) |
| Total Well Depth (a): | (ft) | a | b |
| Initial Depth to Water (b): | (ft) | ↓ | |
| Water Column Height (WCH) = (a - b): | (ft) | = | |
| Water Column Volume (WCV) = WCH x Unit Volume: | (gal) | = | |
| Three Casing Volumes = WCV x 3: | (gal) | = | |
| Five Casing Volumes = WCV x 5: | (gal) | = | |
| Pump Depth (if pump used): | (ft) | = | |

LOW-FLOW

| | |
|---------------------------------------|------------|
| Previous Low-Flow Purge Rate: | (lpm) |
| Total Well Depth (a): | 28.65 (ft) |
| Initial Depth to Water (b): | 11.17 (ft) |
| Pump In-take Depth = b + (a-b)/2: | 19.91 (ft) |
| Maximum Allowable Drawdown = (a-b)/8: | 2.19 (ft) |
| Low-Flow Purge Rate: | (Lpm)* |
| Comments: | |

*Low-flow purge rate should be within range of instruments used but should not exceed 0.25 gpm. Drawdown should not exceed Maximum Allowable Drawdown.

| GROUNDWATER STABILIZATION PARAMETER RECORD | | | | | | | | |
|--|--------------------------|-------------------|------|--------------------------|------------|-----------|------------------|--------------------------------------|
| Time (24:00) | Cumulative Volume (L) | Temperature °C | pH | Conductivity µS or mS | DO mg/L | ORP mV | Turbidity NTU | NOTES Odor, color, sheen or other |
| 0914 | 0 | 16.97 | 8.11 | 0.759 | 2.32 | 9 | 161 | |
| 0916 | 0.5 | 17.43 | 8.48 | 0.758 | 1.64 | -49 | - | |
| 0918 | 1.0 | 17.56 | 8.64 | 0.757 | 1.45 | -72 | - | |
| 0920 | 1.5 | 17.70 | 8.74 | 0.757 | 1.34 | -91 | - | |
| 0922 | 2.0 | 17.72 | 8.80 | 0.756 | 1.29 | -102 | 168 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

Previous Stabilized Parameters

PURGE COMPLETION RECORD Low Flow & Parameters Stable 3 Casing Volumes & Parameters Stable 5 Casing Volumes

Other:

| SAMPLE COLLECTION RECORD | | GEOCHEMICAL PARAMETERS | | |
|---|--|------------------------|------|-------------|
| Depth to Water at Sampling: | (ft) | Parameter | Time | Measurement |
| Sample Collected Via: | <input type="checkbox"/> Disp. Bailer <input type="checkbox"/> Dedicated Pump Tubing | DO (mg/L) | | |
| <input checked="" type="checkbox"/> Disp. Pump Tubing | Other: | Ferrous Iron (mg/L) | | |
| Sample ID: | AR-2 | Redox Potential (mV) | | |
| Containers (#): | 6 VOA (<input checked="" type="checkbox"/> preserved or <input type="checkbox"/> unpreserved) | Alkalinity (mg/L) | | |
| | Liter Amber | Other: | | |
| | Other: _____ | Other: _____ | | |
| | Other: _____ | Other: _____ | | |

Signature:

GROUNDWATER SAMPLING DATA SHEET
Page 7 of 8

Project: BP 2169 Project No.: 06-00-621 Date: 2-26-13
 Field Representative: JR/AM Start Time: _____ End Time: _____ Total Time (minutes): _____
 Well ID: ADR-1

PURGE EQUIPMENT Disp. Tubing Disp. Bailer 120V Pump Flow Cell 12V Pump Peristaltic Pump

Other/ID#:

WELL HEAD INTEGRITY (cap, lock, vault, etc.) GoodImprovement Needed
(circle one)

Comments: _____

PURGING/SAMPLING METHOD

Predetermined Well Volume

PREDETERMINED WELL VOLUME

Casing Diameter | Unit Volume (gal/ft) (circle one)

| | | | | |
|-------------|----------------|-------------|--------------|--------------|
| 1" (0.04) | 1.25" (0.08) | 2" (0.17) | 3" (0.38) | Other: _____ |
| 4" (0.66) | 6" (1.50) | 8" (2.60) | 12" (5.81) | " () |

Total Well Depth (a): _____ (ft)

Initial Depth to Water (b): _____ (ft)

Water Column Height (WCH) = (a - b): _____ (ft)

Water Column Volume (WCV) = WCH x Unit Volume: _____ (gal)

Three Casing Volumes = WCV x 3: _____ (gal)

Five Casing Volumes = WCV x 5: _____ (gal)

Pump Depth (if pump used): _____ (ft)

 Low-Flow

Other:

(circle one)

LOW-FLOW


Previous Low-Flow Purge Rate: _____ (lpm)

Total Well Depth (a): 20.56 (ft)Initial Depth to Water (b): 10.26 (ft)Pump In-take Depth = b + (a-b)/2: 15.41 (ft)Maximum Allowable Drawdown = (a-b)/8: 1.29 (ft)

Low-Flow Purge Rate: _____ (Lpm)*

Comments: _____

*Low-flow purge rate should be within range of instruments used but should not exceed 0.25 gpm. Drawdown should not exceed Maximum Allowable Drawdown.

**GROUNDWATER STABILIZATION PARAMETER RECORD**

| Time (24:00) | Cumulative Volume (L) | Temperature °C | pH | Conductivity μS or mS | DO mg/L | ORP mV | Turbidity NTU | NOTES Odor, color, sheen or other |
|-----------------|--------------------------|-------------------|------|--------------------------|------------|-----------|------------------|--------------------------------------|
| 1056 | 0 | 20.30 | 8.02 | 6.932 | 2.39 | -75 | 123 | |
| 1058 | 0.5 | 20.97 | 7.77 | 0.936 | 1.36 | -116 | | |
| 1060 | 1.0 | 21.04 | 7.75 | 0.936 | 1.23 | -120 | - | |
| 1062 | 1.5 | 21.12 | 7.74 | 0.933 | 1.13 | -125 | - | |
| 1054 | 2.0 | 21.14 | 7.73 | 0.933 | 1.09 | -127 | 113 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

Previous Stabilized Parameters

PURGE COMPLETION RECORD Low Flow & Parameters Stable 3 Casing Volumes & Parameters Stable 5 Casing Volumes
 Other:

SAMPLE COLLECTION RECORDDepth to Water at Sampling: 10.32 (ft)Sample Collected Via: Disp. Bailer Dedicated Pump Tubing
 Disp. Pump Tubing Other: _____Sample ID: _____ Sample Collection Time: 1055 (24:00)Containers (#): 6 VOA (preserved or unpreserved) Liter Amber Other: _____ Other: _____ Other: _____**GEOCHEMICAL PARAMETERS**


| Parameter | Time | Measurement |
|----------------------|------|-------------|
| DO (mg/L) | | |
| Ferrous Iron (mg/L) | | |
| Redox Potential (mV) | | |
| Alkalinity (mg/L) | | |
| Other: | | |
| Other: | | |

Signature:

NO. 702252

NON-HAZARDOUS WASTE DATA FORM

BESI #

| | | | |
|--|--|---|--|
| Generator's Name and Mailing Address BP WEST COAST PRODUCTS, LLC P.O. BOX 80249 RANCHO SANTA MARGARITA, CA 92688 | | Generator's Site Address (if different than mailing address) BP 2169 889 W. Grand Ave Oakland, CA 94607 | |
| Generator's Phone: 949-460-5200 | | Container type transported to receiving facility: | |
| <input type="checkbox"/> Drums <input type="checkbox"/> Vacuum Truck <input type="checkbox"/> Roll-off Truck <input type="checkbox"/> Dump Truck <input type="checkbox"/> Other _____ | | <input type="checkbox"/> Drums <input type="checkbox"/> Vacuum Truck <input type="checkbox"/> Roll-off Truck <input type="checkbox"/> Dump Truck <input type="checkbox"/> Other _____ | |
| Quantity 4g | | Quantity _____ Volume _____ | |
| WASTE DESCRIPTION NON-HAZARDOUS WATER | | GENERATING PROCESS WELL PURGING / DECON WATER | |
| COMPONENTS OF WASTE 1. WATER _____ PPM 99-100% | | COMPONENTS OF WASTE 3. _____ PPM _____ | |
| 2. TPH _____ PPM <1% | | 4. _____ PPM _____ | |
| Waste Profile _____ | | PROPERTIES: pH 7-10 <input type="checkbox"/> SOLID <input checked="" type="checkbox"/> LIQUID <input type="checkbox"/> SLUDGE <input type="checkbox"/> SLURRY <input type="checkbox"/> OTHER _____ | |
| HANDLING INSTRUCTIONS: WEAR ALL APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT. | | | |
| Generator Printed/Typed Name James Rames | | Signature  | |
| On behalf of BP West Coast Products, LLC | | Month Day Year 3 26 13 | |
| The Generator certifies that the waste as described is 100% non-hazardous | | | |
| Transporter 1 Company Name Broadbent & Associates | | Phone# 707-455-7290 | |
| Transporter 1 Printed/Typed Name James Rames | | Signature  | |
| Transporter Acknowledgment of Receipt of Materials | | Month Day Year 3 26 13 | |
| Transporter 2 Company Name | | Phone# | |
| Transporter 2 Printed/Typed Name | | Signature | |
| Transporter Acknowledgment of Receipt of Materials | | Month Day Year | |
| Designated Facility Name and Site Address INSTRAT, INC. 1105 AIRPORT RD. RIO VISTA, CA 94571 | | Phone# 530-753-1829 | |
| Printed/Typed Name | | Signature | |
| Receiving Facility Owner or Operator: Certification of receipt of materials covered by this data form. | | Month Day Year | |

APPENDIX C

HISTORIC GROUNDWATER DATA TABLES

Table 2
Historical Groundwater Elevation Data
Summary Report

ARCO Service Station 2169
889 West Grand Avenue, Oakland, CA

Date: 03-03-95
Project Number: 0805-129.01

| Well Designation | Water Level | TOC Elevation | Depth to Water | Ground-water Elevation | Floating Product Thickness | Ground-water Flow | Hydraulic Gradient |
|------------------|-------------|---------------|----------------|------------------------|----------------------------|-------------------|--------------------|
| | Field Date | | | | | ft-MSL | |
| | | | feet | ft-MSL | feet | MWN | foot/foot |
| A-1 | 04-03-92 | 14.75 | 10.35 | 4.40 | ND | NR | NR |
| A-1 | 05-20-92 | 14.75 | 11.66 | 3.09 | ND | NR | NR |
| A-1 | 06-16-92 | 14.75 | 11.95 | 2.80 | ND | NR | NR |
| A-1 | 07-17-92 | 14.75 | 12.23 | 2.52 | ND | NR | NR |
| A-1 | 08-07-92 | 14.75 | 12.16 | 2.59 | ND | NR | NR |
| A-1 | 09-22-92 | 14.75 | 12.42 | 2.33 | ND | NR | NR |
| A-1 | 10-13-92 | 14.75 | 12.47 | 2.28 | ND | NR | NR |
| A-1 | 11-23-92 | 14.75 | 11.83 | 2.92 | ND | NR | NR |
| A-1 | 12-16-92 | 14.75 | 11.03 | 3.72 | ND | NR | NR |
| A-1 | 01-28-93 | 14.75 | 9.08 | 5.67 | ND | NR | NR |
| A-1 | 02-22-93 | 14.75 | 9.46 | 5.29 | ND | NR | NR |
| A-1 | 03-25-93 | 14.75 | 10.02 | 4.73 | ND | NR | NR |
| A-1 | 04-15-93 | 14.75 | 10.50 | 4.25 | ND | NR | NR |
| A-1 | 05-22-93 | 14.75 | 11.33 | 3.42 | ND | NR | NR |
| A-1 | 06-16-93 | 14.75 | 11.51 | 3.24 | ND | NR | NR |
| A-1 | 07-27-93 | 14.75 | 11.91 | 2.84 | ND | NR | NR |
| A-1 | 08-26-93 | 14.75 | 12.11 | 2.64 | ND | NR | NR |
| A-1 | 09-27-93 | 14.75 | 12.21 | 2.54 | ND | NR | NR |
| A-1 | 10-08-93 | 14.75 | 12.21 | 2.54 | ND | NR | NR |
| A-1 | 02-09-94 | 14.16 | 10.09 | 4.07 | ND | NR | NR |
| A-1 | 05-04-94 | 14.16 | 10.68 | 3.48 | ND | NW | 0.004 |
| A-1 | 08-10-94 | 14.16 | 10.28 | 3.88 | ND | WNW | 0.007 |
| A-1 | 11-16-94 | 14.16 | 9.75 | 4.41 | ND | NW | 0.005 |

Table 2
Historical Groundwater Elevation Data
Summary Report

ARCO Service Station 2169
 889 West Grand Avenue, Oakland, CA

Date: 03-03-95
 Project Number: 0805-129.01

| Well Designation | Water Level Field Date | TOC Elevation | Depth | Ground- | Floating | Ground- | Hydraulic Gradient |
|------------------|------------------------|---------------|----------|-----------------|-------------------|----------------------|--------------------|
| | | | to Water | water Elevation | Product Thickness | water Flow Direction | |
| | | ft-MSL | feet | ft-MSL | feet | MWN | foot/foot |
| A-2 | 04-03-92 | 15.16 | 10.97 | 4.19 | ND | NR | NR |
| A-2 | 05-20-92 | 15.16 | 12.17 | 2.99 | ND | NR | NR |
| A-2 | 06-16-92 | 15.16 | 12.43 | 2.73 | ND | NR | NR |
| A-2 | 07-17-92 | 15.16 | 12.64 | 2.52 | ND | NR | NR |
| A-2 | 08-07-92 | 15.16 | 12.75 | 2.41 | ND | NR | NR |
| A-2 | 09-22-92 | 15.16 | 12.88 | 2.28 | ND | NR | NR |
| A-2 | 10-13-92 | 15.16 | 12.92 | 2.24 | ND | NR | NR |
| A-2 | 11-23-92 | 15.16 | 12.18 | 2.98 | ND | NR | NR |
| A-2 | 12-16-92 | 15.16 | 11.52 | 3.64 | ND | NR | NR |
| A-2 | 01-28-93 | 15.16 | 9.73 | 5.43 | ND | NR | NR |
| A-2 | 02-22-93 | 15.16 | 9.28 | 5.88 | ND | NR | NR |
| A-2 | 03-25-93 | 15.16 | 10.57 | 4.59 | ND | NR | NR |
| A-2 | 04-15-93 | 15.16 | 11.20 | 3.96 | ND | NR | NR |
| A-2 | 05-22-93 | 15.16 | 11.91 | 3.25 | ND | NR | NR |
| A-2 | 06-16-93 | 15.16 | 12.04 | 3.12 | ND | NR | NR |
| A-2 | 07-27-93 | 15.16 | 12.41 | 2.75 | ND | NR | NR |
| A-2 | 08-25-93 | 15.16 | 12.54 | 2.62 | ND | NR | NR |
| A-2 | 09-27-93 | 15.16 | 12.66 | 2.50 | ND | NR | NR |
| A-2 | 10-08-93 | 15.16 | 12.65 | 2.51 | ND | NR | NR |
| A-2 | 02-09-94 | 14.55 | 10.67 | 3.88 | ND | NR | NR |
| A-2 | 05-04-94 | 14.55 | 11.25 | 3.30 | ND | NW | 0.004 |
| A-2 | 08-10-94 | 14.55 | 11.56 | 2.99 | ND | WNW | 0.007 |
| A-2 | 11-16-94 | 14.55 | 10.31 | 4.24 | ND | NW | 0.005 |

Table 2
Historical Groundwater Elevation Data
Summary Report

ARCO Service Station 2169
889 West Grand Avenue, Oakland, CA

Date: 03-03-95
Project Number: 0805-129.01

| Well Designation | Water Level | TOC Elevation | Depth to Water | Ground-water Elevation | Floating Product Thickness | Ground-water Flow Direction | |
|------------------|-------------|---------------|----------------|------------------------|----------------------------|-----------------------------|-------|
| | Field Date | | | | | ft-MSL | feet |
| A-3 | 04-03-92 | 16.38 | 11.70 | 4.68 | ND | NR | NR |
| A-3 | 05-20-92 | 16.38 | 13.00 | 3.38 | ND | NR | NR |
| A-3 | 06-16-92 | 16.38 | 13.46 | 2.92 | ND | NR | NR |
| A-3 | 07-17-92 | 16.38 | 13.45 | 2.93 | ND | NR | NR |
| A-3 | 08-07-92 | 16.38 | 12.37 | 4.01 | ND | NR | NR |
| A-3 | 09-22-92 | 16.38 | 13.71 | 2.67 | ND | NR | NR |
| A-3 | 10-13-92 | 16.38 | 13.76 | 2.62 | ND | NR | NR |
| A-3 | 11-23-92 | 16.38 | 13.60 | 2.78 | ND | NR | NR |
| A-3 | 12-16-92 | 16.38 | 12.31 | 4.07 | ND | NR | NR |
| A-3 | 01-28-93 | 16.38 | 10.33 | 6.05 | ND | NR | NR |
| A-3 | 02-22-93 | 16.38 | 10.44 | 5.94 | ND | NR | NR |
| A-3 | 03-25-93 | 16.38 | 11.27 | 5.11 | ND | NR | NR |
| A-3 | 04-15-93 | 16.38 | 11.98 | 4.40 | ND | NR | NR |
| A-3 | 05-22-93 | 16.38 | 12.70 | 3.68 | ND | NR | NR |
| A-3 | 06-16-93 | 16.38 | 12.84 | 3.54 | ND | NR | NR |
| A-3 | 07-27-93 | 16.38 | 13.22 | 3.16 | ND | NR | NR |
| A-3 | 08-25-93 | 16.38 | 13.35 | 3.03 | ND | NR | NR |
| A-3 | 09-27-93 | 16.38 | 13.50 | 2.88 | ND | NR | NR |
| A-3 | 10-08-93 | 16.38 | 13.48 | 2.90 | ND | NR | NR |
| A-3 | 02-09-94 | 15.75 | 11.32 | 4.43 | ND | NR | NR |
| A-3 | 05-04-94 | 15.75 | 11.99 | 3.76 | ND | NW | 0.004 |
| A-3 | 08-10-94 | 15.75 | 11.12 | 4.63 | ND | WNW | 0.007 |
| A-3 | 11-16-94 | 15.75 | 11.02 | 4.73 | ND | NW | 0.005 |

Table 2
Historical Groundwater Elevation Data
Summary Report

ARCO Service Station 2169
889 West Grand Avenue, Oakland, CA

Date: 03-03-95
Project Number: 0805-129.01

| Well Designation | Water Level Field Date | TOC Elevation ft-MSL | Depth to Water feet | Ground-water Elevation ft-MSL | Floating Product Thickness feet | Ground-water Flow | | Hydraulic Gradient foot/foot |
|------------------|------------------------|-------------------------|------------------------|----------------------------------|------------------------------------|-------------------|-------|---------------------------------|
| | | | | | | Direction | MWN | |
| A-4 | 04-03-92 | 15.89 | 10.84 | 5.05 | ND | NR | NR | |
| A-4 | 05-20-92 | 15.89 | 12.13 | 3.76 | ND | NR | NR | |
| A-4 | 06-16-92 | 15.89 | 12.33 | 3.56 | ND | NR | NR | |
| A-4 | 07-17-92 | 15.89 | 12.60 | 3.29 | ND | NR | NR | |
| A-4 | 08-07-92 | 15.89 | 12.56 | 3.33 | ND | NR | NR | |
| A-4 | 09-22-92 | 15.89 | 12.87 | 3.02 | ND | NR | NR | |
| A-4 | 10-13-92 | 15.89 | 12.87 | 3.02 | ND | NR | NR | |
| A-4 | 11-23-92 | 15.89 | 12.63 | 3.26 | ND | NR | NR | |
| A-4 | 12-16-92 | 15.89 | 11.34 | 4.55 | ND | NR | NR | |
| A-4 | 01-28-93 | 15.89 | 9.40 | 6.49 | ND | NR | NR | |
| A-4 | 02-22-93 | 15.89 | 9.35 | 6.54 | ND | NR | NR | |
| A-4 | 03-25-93 | 15.89 | 10.32 | 5.57 | ND | NR | NR | |
| A-4 | 04-15-93 | 15.89 | 11.15 | 4.74 | ND | NR | NR | |
| A-4 | 05-22-93 | 15.89 | 11.84 | 4.05 | ND | NR | NR | |
| A-4 | 06-16-93 | 15.89 | 12.01 | 3.88 | ND | NR | NR | |
| A-4 | 07-27-93 | 15.89 | 12.33 | 3.56 | ND | NR | NR | |
| A-4 | 08-25-93 | 15.89 | 12.48 | 3.41 | ND | NR | NR | |
| A-4 | 09-27-93 | 15.89 | 12.60 | 3.29 | ND | NR | NR | |
| A-4 | 10-08-93 | 15.89 | 12.57 | 3.32 | ND | NR | NR | |
| A-4 | 02-09-94 | 15.25 | 10.01 | 5.24 | ND | NR | NR | |
| A-4 | 05-04-94 | 15.25 | 11.08 | 4.17 | ND | NW | 0.004 | |
| A-4 | 08-10-94 | 15.25 | 11.75 | 3.50 | ND | WNW | 0.007 | |
| A-4 | 11-16-94 | 15.25 | 9.78 | 5.47 | ND | NW | 0.005 | |

Table 2
Historical Groundwater Elevation Data
Summary Report

ARCO Service Station 2169
 889 West Grand Avenue, Oakland, CA

Date: 03-03-95
 Project Number: 0805-129.01

| Well Designation | Water Level Field Date | TOC Elevation | Depth | Ground- | Floating | Ground- | Hydraulic Gradient |
|------------------|------------------------|---------------|-------------------------------------|-----------------|-------------------|----------------------|--------------------|
| | | | to Water | water Elevation | Product Thickness | water Flow Direction | |
| | | ft-MSL | feet | ft-MSL | feet | MWN | foot/foot |
| A-5 | 02-11-93 | 14.14 | 9.15 | 4.99 | ND | NR | NR |
| A-5 | 03-25-93 | 14.14 | 9.33 | 4.81 | ND | NR | NR |
| A-5 | 04-15-93 | 14.14 | 10.11 | 4.03 | ND | NR | NR |
| A-5 | 05-22-93 | 14.14 | 10.71 | 3.43 | ND | NR | NR |
| A-5 | 06-16-93 | 14.14 | 10.84 | 3.30 | ND | NR | NR |
| A-5 | 07-27-93 | 14.14 | 11.22 | 2.92 | ND | NR | NR |
| A-5 | 08-26-93 | 14.14 | 11.44 | 2.70 | ND | NR | NR |
| A-5 | 09-27-93 | 14.14 | 11.51 | 2.63 | ND | NR | NR |
| A-5 | 10-08-93 | 14.14 | 11.68 | 2.46 | ND | NR | NR |
| A-5 | 02-09-94 | 13.51 | 9.44 | 4.07 | ND | NR | NR |
| A-5 | 05-04-94 | 13.51 | 10.00 | 3.51 | ND | NW | 0.004 |
| A-5 | 08-10-94 | 13.51 | 10.76 | 2.75 | ND | WNW | 0.007 |
| A-5 | 11-16-94 | 13.51 | 9.09 | 4.42 | ND | NW | 0.005 |
| A-6 | 02-11-93 | 14.17 | 9.35 | 4.82 | ND | NR | NR |
| A-6 | 03-25-93 | 14.17 | Not surveyed; well was inaccessible | | | | |
| A-6 | 04-16-93 | 14.17 | 9.36 | 4.81 | ND | NR | NR |
| A-6 | 05-22-93 | 14.17 | 10.86 | 3.31 | ND | NR | NR |
| A-6 | 06-16-93 | 14.17 | 10.98 | 3.19 | ND | NR | NR |
| A-6 | 07-27-93 | 14.17 | Not surveyed; well was inaccessible | | | | |
| A-6 | 08-25-93 | 14.17 | Not surveyed; well was inaccessible | | | | |
| A-6 | 09-27-93 | 14.17 | 11.65 | 2.52 | ND | NR | NR |
| A-6 | 10-08-93 | 14.17 | 11.80 | 2.37 | ND | NR | NR |
| A-6 | 02-09-94 | 13.51 | 9.48 | 4.03 | ND | NR | NR |
| A-6 | 05-04-94 | 13.51 | 10.07 | 3.44 | ND | NW | 0.004 |
| A-6 | 08-10-94 | 13.51 | 10.77 | 2.74 | ND | WNW | 0.007 |
| A-6 | 11-16-94 | 13.51 | 9.14 | 4.37 | ND | NW | 0.005 |

Table 2
Historical Groundwater Elevation Data
Summary Report

ARCO Service Station 2169
889 West Grand Avenue, Oakland, CA

Date: 03-03-95
Project Number: 0805-129.01

| Well Designation | Water Level | TOC Elevation | Depth to Water | Ground-water Elevation | Floating Product Thickness | Ground-water Flow | Hydraulic Gradient |
|------------------|-------------|---------------|----------------|------------------------|----------------------------|-------------------|--------------------|
| | Field Date | | | | | feet | |
| | | ft-MSL | feet | ft-MSL | feet | MWN | foot/foot |
| AR-1 | 04-03-92 | 15.71 | 11.07 | 4.64 | ND | NR | NR |
| AR-1 | 05-20-92 | 15.71 | 12.37 | 3.34 | ND | NR | NR |
| AR-1 | 06-16-92 | 15.71 | 12.47 | 3.24 | ND | NR | NR |
| AR-1 | 07-17-92 | 15.71 | 13.00 | 2.71 | ND | NR | NR |
| AR-1 | 08-07-92 | 15.71 | 12.87 | 2.84 | ND | NR | NR |
| AR-1 | 09-22-92 | 15.71 | 12.99 | 2.72 | ND | NR | NR |
| AR-1 | 10-13-92 | 15.71 | 13.05 | 2.66 | ND | NR | NR |
| AR-1 | 11-23-92 | 15.71 | 12.80 | 2.91 | ND | NR | NR |
| AR-1 | 12-16-92 | 15.71 | 11.49 | 4.22 | ND | NR | NR |
| AR-1 | 01-28-93 | 15.71 | 9.46 | 6.25 | ND | NR | NR |
| AR-1 | 02-22-93 | 15.71 | 10.05 | 5.66 | ND | NR | NR |
| AR-1 | 03-25-93 | 15.71 | 10.75 | 4.96 | ND | NR | NR |
| AR-1 | 04-15-93 | 15.71 | 11.26 | 4.45 | ND | NR | NR |
| AR-1 | 05-22-93 | 15.71 | 12.07 | 3.64 | ND | NR | NR |
| AR-1 | 06-16-93 | 15.71 | 12.21 | 3.50 | ND | NR | NR |
| AR-1 | 07-27-93 | 15.71 | 12.60 | 3.11 | ND | NR | NR |
| AR-1 | 08-25-93 | 15.71 | 12.78 | 2.93 | ND | NR | NR |
| AR-1 | 09-27-93 | 15.71 | 12.89 | 2.82 | ND | NR | NR |
| AR-1 | 10-08-93 | 15.71 | 12.84 | 2.87 | ND | NR | NR |
| AR-1 | 02-09-94 | 15.61 | 11.08 | 4.53 | ND | NR | NR |
| AR-1 | 05-04-94 | 15.61 | 11.83 | 3.78 | ND | NW | 0.004 |
| AR-1 | 08-10-94 | 15.61 | 11.09 | 4.52 | ND | NNW | 0.007 |
| AR-1 | 11-16-94 | 15.61 | 10.19 | 5.42 | ND | NW | 0.005 |

Table 2
Historical Groundwater Elevation Data
Summary Report

ARCO Service Station 2169
 889 West Grand Avenue, Oakland, CA

Date: 03-03-95
 Project Number: 0805-129.01

| Well Designation | Water Level Field Date | TOC Elevation | Depth to Water | Ground-water Elevation | Floating Product Thickness | Ground-water Flow Direction | | Hydraulic Gradient |
|------------------|------------------------|---------------|--------------------------------------|------------------------|----------------------------|-----------------------------|--------|--------------------|
| | | | | | | feet | ft-MSL | |
| | | | ft-MSL | feet | feet | | MWN | foot/foot |
| AR-2 | 07-17-92 | 15.79 | 13.14 | 2.65 | ND | NR | NR | |
| AR-2 | 08-07-92 | 15.79 | 13.25 | 2.54 | ND | NR | NR | |
| AR-2 | 09-22-92 | 15.79 | 13.58 | 2.21 | ND | NR | NR | |
| AR-2 | 10-13-92 | 15.79 | 13.65 | 2.14 | ND | NR | NR | |
| AR-2 | 11-23-92 | 15.79 | Not surveyed: could not located well | | | | | |
| AR-2 | 12-16-92 | 15.79 | 12.16 | 3.63 | ND | NR | NR | |
| AR-2 | 01-28-93 | 15.79 | 10.26 | 5.53 | ND | NR | NR | |
| AR-2 | 02-22-93 | 15.79 | 10.52 | 5.27 | ND | NR | NR | |
| AR-2 | 03-25-93 | 15.79 | 11.18 | 4.61 | ND | NR | NR | |
| AR-2 | 04-15-93 | 15.79 | 11.81 | 3.98 | ND | NR | NR | |
| AR-2 | 05-22-93 | 15.79 | 12.46 | 3.33 | ND | NR | NR | |
| AR-2 | 06-16-93 | 15.79 | 12.53 | 3.26 | ND | NR | NR | |
| AR-2 | 07-27-93 | 15.79 | 12.77 | 3.02 | ND | NR | NR | |
| AR-2 | 08-26-93 | 15.79 | 13.23 | 2.56 | ND | NR | NR | |
| AR-2 | 09-27-93 | 15.79 | 13.16 | 2.63 | ND | NR | NR | |
| AR-2 | 10-08-93 | 15.79 | 13.32 | 2.47 | ND | NR | NR | |
| AR-2 | 02-09-94 | 15.28 | 11.33 | 3.95 | ND | NR | NR | |
| AR-2 | 05-04-94 | 15.28 | 11.88 | 3.40 | ND | NW | 0.004 | |
| AR-2 | 08-10-94 | 15.28 | 12.48 | 2.80 | ND | WNW | 0.007 | |
| AR-2 | 11-16-94 | 15.28 | 10.95 | 4.33 | ND | NW | 0.005 | |

Table 2
Historical Groundwater Elevation Data
Summary Report

ARCO Service Station 2169
 889 West Grand Avenue, Oakland, CA

Date: 03-03-95
 Project Number: 0805-129.01

| Well Designation | Water Level | TOC Elevation | Depth to Water | Ground-water Elevation | Floating Product Thickness | Ground-water Flow | | Hydraulic Gradient |
|------------------|-------------|---------------|----------------|------------------------|----------------------------|-------------------|--------|--------------------|
| | Field Date | | | | | feet | ft-MSL | |
| ADR-1 | 02-09-94 | 13.95 | 9.90 | 4.05 | ND | NR | NR | |
| ADR-1 | 05-04-94 | 13.95 | 10.50 | 3.45 | ND | NW | 0.004 | |
| ADR-1 | 08-10-94 | 13.95 | 10.36 | 3.59 | ND | WNW | 0.007 | |
| ADR-1 | 11-16-94 | 13.95 | 9.64 | 4.31 | Sheen | NW | 0.005 | |
| ADR-2 | 02-09-94 | 14.64 | 10.73 | 3.91 | ND | NR | NR | |
| ADR-2 | 05-04-94 | 14.64 | 11.31 | 3.33 | ND | NW | 0.004 | |
| ADR-2 | 08-10-94 | 14.64 | 9.81 | ** 4.90 | 0.10 | WNW | 0.007 | |
| ADR-2 | 11-16-94 | 14.64 | 9.84 | ** 4.87 | 0.09 | NW | 0.005 | |

TOC = Top of casing
 ft-MSL = Elevation in feet, relative to mean sea level
 MWN = Groundwater flow direction and gradient apply to the entire monitoring well network
 ND = None detected
 NR = Not reported; data not available or not measurable
 NW = Northwest
 WNW = West-northwest
 ** [Corrected elevation (Z')] = Z + (h * 0.73) where: Z = measured elevation, h = floating product thickness, 0.73 = density ratio of oil to water

Table 3
Historical Groundwater Analytical Data
Summary Report

ARCO Service Station 2169
889 West Grand Avenue, Oakland, CA

Date: 02-08-95
Project Number: 0805-129.01

| Well Designation | Water Sample Field Date | TPHG | Benzene | Toluene | Ethyl-benzene | Total Xylenes | TPHD |
|------------------|-------------------------|-------|---------|---------|---------------|---------------|--------------|
| | | ppb | ppb | ppb | ppb | ppb | ppb |
| A-1 | 04-03-92 | 34000 | 6200 | 3900 | 410 | 3100 | 6100 |
| A-1 | 07-17-92 | 5600 | 3000 | 500 | <100 | <100 | Not analyzed |
| A-1 | 10-13-92 | 5600 | 980 | 590 | 85 | 910 | Not analyzed |
| A-1 | 01-28-93 | 3700 | 780 | 360 | 130 | 460 | ^620 |
| A-1 | 04-15-93 | 210 | 34 | 11 | 7.1 | 20 | ^420 |
| A-1 | 08-26-93 | 2000 | 370 | 35 | 50 | 220 | ^1500 |
| A-1 | 10-08-93 | 2600 | 430 | 65 | 64 | 99 | ^1200 |
| A-1 | 02-09-94 | 3000 | 560 | 150 | 66 | 190 | ^650 |
| A-1 | 05-04-94 | 1300 | 250 | 61 | 27 | 110 | ^2100 |
| A-1 | 08-10-94 | 27000 | 3700 | 1100 | 540 | 3000 | ^3000 |
| A-1 | 11-16-94 | 2100 | 460 | 6.4 | 62 | 120 | ^^^^640 |
| A-2 | 04-03-92 | <30 | <0.3 | <0.3 | <0.3 | <0.3 | <50 |
| A-2 | 07-17-92 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-2 | 10-13-92 | <50 | 0.57 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-2 | 01-28-93 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-2 | 04-15-93 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-2 | 08-25-93 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-2 | 10-08-93 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-2 | 02-09-94 | ^^260 | <0.6 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-2 | 05-04-94 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-2 | 08-10-94 | 690 | 47 | 25 | 3.9 | 86 | Not analyzed |
| A-2 | 11-16-94 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-3 | 04-03-92 | 200 | 0.79 | 0.65 | 4.4 | <0.3 | 130 |
| A-3 | 07-17-92 | <50 | <0.5 | <0.5 | 1.3 | 2.3 | Not analyzed |
| A-3 | 10-13-92 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-3 | 01-28-93 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-3 | 04-15-93 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-3 | 08-25-93 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-3 | 10-08-93 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-3 | 02-09-94 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-3 | 05-04-94 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-3 | 08-10-94 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-3 | 11-16-94 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |

Table 3
Historical Groundwater Analytical Data
Summary Report

ARCO Service Station 2169
889 West Grand Avenue, Oakland, CA

Date: 02-08-95
Project Number: 0805-129.01

| Well Designation | Water Sample Field Date | TPHG | Benzene | Toluene | Ethyl-benzene | Total Xylenes | TPHD |
|----------------------------------|-------------------------|------------------------------------|---------|---------|---------------|---------------|--------------|
| | | ppb | ppb | ppb | ppb | ppb | ppb |
| A-4 | 04-03-92 | 35 | <0.3 | <0.3 | <0.3 | <0.3 | 85 |
| A-4 | 07-17-92 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-4 | 10-13-92 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-4 | 01-28-93 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-4 | 04-15-93 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-4 | 08-25-93 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-4 | 10-08-93 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-4 | 02-09-94 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-4 | 05-04-94 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-4 | 08-10-94 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| A-4 | 11-16-94 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | Not analyzed |
| | | | | | | | |
| A-5 | 02-11-93 | 4900 | 380 | 640 | 140 | 970 | Not analyzed |
| A-5 | 04-15-93 | 27000 | 3100 | 4000 | 1100 | 4600 | Not analyzed |
| A-5 | 08-26-93 | 13000 | 1100 | 1400 | 480 | 1800 | Not analyzed |
| A-5 | 10-08-93 | 6800 | 490 | 620 | 280 | 980 | Not analyzed |
| A-5 | 02-09-94 | 2200 | 190 | 130 | 130 | 310 | Not analyzed |
| A-5 | 05-09-94 | 13000 | 1000 | 1500 | 490 | 2000 | Not analyzed |
| A-5 | 08-10-94 | 11000 | 730 | 930 | 310 | 1300 | Not analyzed |
| A-5 | 11-16-94 | 2600 | 160 | 220 | 130 | 400 | Not analyzed |
| | | | | | | | |
| A-6 | 02-11-93 | 990 | 1.8 | 5.1 | 17 | 7.2 | Not analyzed |
| A-6 | 04-16-93 | 390 | 1.3 | 1.6 | 1.7 | 7.7 | Not analyzed |
| A-6 | 08-25-93 | Not sampled: well was inaccessible | | | | | |
| A-6 | 10-08-93 | 220 | 0.73 | <0.5 | 0.82 | 0.65 | Not analyzed |
| A-6 | 02-09-94 | 640 | <2.9 | <3.7 | <2.4 | <8.2 | Not analyzed |
| A-6 | 05-04-94 | 260 | <0.5 | <1.5 | <1.5 | <0.5 | Not analyzed |
| A-6 | 08-10-94 | 300 | <0.6 | <2.5 | <0.8 | <1 | Not analyzed |
| A-6 | 11-16-94 | 250 | <0.5 | <1.5 | <0.6 | <1.5 | Not analyzed |

Table 3
Historical Groundwater Analytical Data
Summary Report

ARCO Service Station 2169
889 West Grand Avenue, Oakland, CA

Date: 02-08-95
Project Number: 0805-129.01

| Well Designation | Water Sample Field Date | TPHG | Benzene | Toluene | Ethyl-benzene | Total Xylenes | TPHD |
|------------------|-------------------------|--|---------|---------|---------------|---------------|--------------|
| | | ppb | ppb | ppb | ppb | ppb | ppb |
| AR-1 | 04-03-92 | 17000 | 310 | 1400 | 320 | 3000 | 12000 |
| AR-1 | 07-17-92 | 44000 | 4300 | 1800 | 1800 | 10000 | Not analyzed |
| AR-1 | 10-13-92 | 32000 | 310 | 730 | 570 | 3100 | ^22000 |
| AR-1 | 01-28-93 | 15000 | 1200 | 510 | 510 | 2600 | ^5300 |
| AR-1 | 04-15-93 | 17000 | 1800 | 360 | 520 | 1600 | ^5400 |
| AR-1 | 08-25-93 | 2900 | 260 | 54 | 80 | 160 | ^2800 |
| AR-1 | 10-08-93 | 3500 | 200 | 85 | 120 | 290 | ^4100 |
| AR-1 | 02-09-94 | 26000 | 2900 | 450 | 920 | 3000 | ^4200 |
| AR-1 | 05-04-94 | 36000 | 3400 | 360 | 1400 | 3700 | ^7200 |
| AR-1 | 08-10-94 | 6100 | 120 | 66 | 65 | 530 | ^2900 |
| AR-1 | 11-16-94 | 1200 | 66 | 20 | 34 | 210 | ^^^^560 |
| | | | | | | | |
| AR-2 | 07-17-92 | 150 | 6.6 | 24 | 6.6 | 39 | Not analyzed |
| AR-2 | 10-13-92 | <50 | 2 | 0.86 | 0.51 | 3.8 | ^58 |
| AR-2 | 01-28-93 | 2000 | 570 | 13 | <10 | 380 | ^290 |
| AR-2 | 04-15-93 | 85 | 15 | <0.5 | <0.5 | 2.4 | <50 |
| AR-2 | 08-26-93 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |
| AR-2 | 10-08-93 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |
| AR-2 | 02-09-94 | ^^82 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |
| AR-2 | 05-04-94 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |
| AR-2 | 08-10-94 | 200 | 5 | 1.7 | 2.7 | 38 | ^55 |
| AR-2 | 11-16-94 | <50 | 0.8 | <0.5 | <0.5 | <0.5 | <50 |
| | | | | | | | |
| ADR-1 | 02-09-94 | 3000 | 380 | 140 | 59 | 240 | ^110 |
| ADR-1 | 05-04-94 | 2100 | 490 | 93 | 68 | 140 | ^60 |
| ADR-1 | 08-10-94 | 150000 | 5400 | 15000 | 3600 | 24000 | ^^^^4800 |
| ADR-1 | 11-16-94 | Not sampled: well contained floating product | | | | | |
| | | | | | | | |
| ADR-2 | 02-09-94 | 83000 | 6300 | 6100 | 2000 | 11000 | 12000 |
| ADR-2 | 05-04-94 | 36000 | 4600 | 2600 | 930 | 4500 | ^4200 |
| ADR-2 | 08-10-94 | Not sampled: well contained floating product | | | | | |
| ADR-2 | 11-16-94 | Not sampled: well contained floating product | | | | | |

TPHG = Total petroleum hydrocarbons as gasoline

TPHD = Total petroleum hydrocarbons as diesel

ppb = Parts per billion or micrograms per liter ($\mu\text{g/l}$)

^ = Sample contains a lower boiling point hydrocarbon quantitated as diesel; chromatogram does not match the typical diesel fingerprint

^^ = Sample contains a single non-fuel component eluting in the gasoline range, and quantified as gasoline

^^^ = Sample contains a mixture of diesel and a lower boiling point hydrocarbon quantitated as diesel; chromatogram does not match the typical diesel fingerprint

^^^^ = Sample contains components eluting in the diesel range, quantified as diesel; chromatogram does not match the typical diesel fingerprint

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 2169
889 West Grand Avenue, Oakland, California

| Well Number | Date Gauged | TOC Elevation (ft-MSL) | Depth to Water (feet) | FP Thickness (feet) | Groundwater Elevation (ft-MSL) | Date Sampled | TPH | | | Ethyl-benzene | Total Xylenes | MTBE 8021B* | MTBE 8260 | TPH Diesel | Dissolved Oxygen (mg/L) | Purged/Not Purged (P/NP) |
|-------------|-------------|------------------------|-----------------------|---------------------|--------------------------------|--------------|--|------|------|---------------|---------------|-------------|-----------|------------|-------------------------|--------------------------|
| A-1 | 03-24-95 | 14.16 | 8.10 | ND | 6.06 | 03-24-95 | 1,200 | 230 | 39 | 34 | 66 | -- | -- | 160 | | |
| A-1 | 06-05-95 | 14.16 | 11.13 | ND | 3.03 | 06-05-95 | 1,500 | 310 | 27 | 36 | 76 | -- | -- | 710 | | |
| A-1 | 08-17-95 | 14.16 | 11.71 | ND | 2.45 | 08-18-95 | 1,600 | 470 | 35 | 48 | 110 | 120 | -- | 240 | | |
| A-1 | 12-04-95 | 14.16 | 12.28 | ND | 1.88 | 12-04-95 | 1,200 | 240 | 17 | 25 | 56 | -- | 120 | -- | | |
| A-1 | 03-01-96 | 14.16 | 8.78 | ND | 5.38 | 03-13-96 | 1,300 | 300 | 74 | 29 | 73 | 100 | -- | -- | | |
| A-1 | 05-29-96 | 14.16 | 9.85 | ND | 4.31 | 05-29-96 | Not sampled: well sampled semi-annually, during the first and third quarters | | | | | | | | | |
| A-1 | 08-29-96 | 14.16 | 11.08 | ND | 3.08 | 08-29-96 | 1,200 | 320 | 5.9 | 25 | 27 | 110 | -- | -- | | |
| A-1 | 11-21-96 | 14.16 | 10.54 | ND | 3.62 | 11-21-96 | Not sampled: well sampled semi-annually, during the first and third quarters | | | | | | | | | |
| A-1 | 03-26-97 | 14.16 | 10.55 | ND | 3.61 | 03-26-97 | <50 | 0.8 | <0.5 | <0.5 | <0.5 | 64 | -- | -- | | |
| A-1 | 05-21-97 | 14.16 | 11.10 | ND | 3.06 | 05-21-97 | Not sampled: well sampled semi-annually, during the first and third quarters | | | | | | | | | |
| A-1 | 08-08-97 | 14.16 | 11.32 | ND | 2.84 | 08-08-97 | 91 | 7 | <0.5 | 0.5 | 3.9 | <60 | -- | -- | | |
| A-1 | 11-18-97 | 14.16 | 3.46 | ND | 10.70 | 11-18-97 | 54 | <0.5 | <0.5 | <0.5 | 0.6 | 27 | -- | -- | | |
| A-1 | 02-20-98 | 14.16 | 7.10 | ND | 7.06 | 02-23-98 | 590 | 160 | 22 | 15 | 28 | 70 | -- | -- | | |
| A-1 | 05-11-98 | 14.16 | 9.87 | ND | 4.29 | 05-11-98 | 280 | 26 | <0.5 | 0.8 | 2.3 | 6 | -- | -- | | |
| A-1 | 07-30-98 | 14.16 | 10.73 | ND | 3.43 | 07-30-98 | 1,000 | 210 | 5 | <5 | 38 | <30 | -- | -- | | |
| A-1 | 10-08-98 | 14.16 | 11.15 | ND | 3.01 | 10-08-98 | 3,100 | 740 | 11 | <10 | 24 | <60 | -- | -- | | |
| A-1 | 02-18-99 | 14.16 | 8.00 | ND | 6.16 | 02-18-99 | 510 | 87 | 7.1 | 6.4 | 13 | 52 | -- | -- | | |
| A-1 | 05-26-99 | 14.16 | 10.60 | ND | 3.56 | 05-26-99 | 240 | 26 | <0.5 | 1.2 | 6.2 | 34 | -- | -- | | |
| A-1 | 08-23-99 | 14.16 | 11.22 | ND | 2.94 | 08-23-99 | 79 | 3.9 | 0.6 | <0.5 | 1.7 | 38 | -- | -- | 0.68 NP | |
| A-1 | 10-27-99 | 14.16 | 11.37 | ND | 2.79 | 10-27-99 | 110 | 2.2 | <0.5 | <0.5 | <1 | 25 | -- | -- | 0.80 NP | |
| A-1 | 01-31-00 | 14.16 | 9.44 | ND | 4.72 | 01-31-00 | <50 | <0.5 | <0.5 | <0.5 | <1 | <3 | -- | -- | 1.0 NP | |
| A-2 | 03-24-95 | 14.55 | 8.64 | ND | 5.91 | 03-24-95 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | | |
| A-2 | 06-05-95 | 14.55 | 11.72 | ND | 2.83 | 06-05-95 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | | |
| A-2 | 08-17-95 | 14.55 | 12.35 | ND | 2.20 | 08-17-95 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 12 | -- | -- | | |
| A-2 | 12-04-95 | 14.55 | 12.74 | ND | 1.81 | 12-04-95 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | | |
| A-2 | 03-01-96 | 14.55 | 9.34 | ND | 5.21 | 03-13-96 | <50 | <0.5 | 0.6 | <0.5 | 1.3 | <9 | -- | -- | | |

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 2169
889 West Grand Avenue, Oakland, California

| Well Number | Date Gauged | TOC Elevation (ft-MSL) | Depth to Water (feet) | FP Thickness (feet) | Groundwater Elevation (ft-MSL) | Date Sampled | TPH | | | Ethyl-benzene | Total Xylenes | MTBE 8021B* | MTBE 8260 | TPH Diesel | Dissolved Oxygen (mg/L) | Purged/Not Purged (P/NP) |
|-------------|-------------|------------------------|-----------------------|---------------------|--------------------------------|--------------|---|----------------|----------------|---------------|---------------|-------------|-----------|------------|-------------------------|--------------------------|
| | | | | | | | Gasoline (µg/L) | Benzene (µg/L) | Toluene (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | | |
| A-2 | 05-29-96 | 14.55 | 10.40 | ND | 4.15 | 05-29-96 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <20 | -- | -- | -- | |
| A-2 | 08-29-96 | 14.55 | 11.50 | ND | 3.05 | 08-29-96 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <39 | -- | -- | -- | |
| A-2 | 11-21-96 | 14.55 | 11.06 | ND | 3.49 | 11-21-96 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <30 | -- | -- | -- | |
| A-2 | 03-26-97 | 14.55 | 11.12 | ND | 3.43 | 03-26-97 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <20 | -- | -- | -- | |
| A-2 | 05-21-97 | 14.55 | 11.58 | ND | 2.97 | 05-21-97 | Not sampled: well sampled semi-annually, during the first and third quarters | | | | | | -- | -- | -- | |
| A-2 | 08-08-97 | 14.55 | 11.82 | ND | 2.73 | 08-08-97 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <20 | -- | -- | -- | |
| A-2 | 11-18-97 | 14.55 | 3.33 | ND | 11.22 | 11-18-97 | Not sampled: well sampled semi-annually, during the first and third quarters | | | | | | -- | -- | -- | |
| A-2 | 02-20-98 | 14.55 | 7.68 | ND | 6.87 | 02-20-98 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 17 | -- | -- | -- | |
| A-2 | 05-11-98 | 14.55 | 10.45 | ND | 4.10 | 05-11-98 | Not sampled | | | | | | -- | -- | -- | |
| A-2 | 07-30-98 | 14.55 | 11.23 | ND | 3.32 | 07-30-98 | Not sampled: well sampled semi-annually, during the first and second quarters | | | | | | -- | -- | -- | |
| A-2 | 10-08-98 | 14.55 | 11.62 | ND | 2.93 | 10-08-98 | Not sampled: well sampled semi-annually, during the first and second quarters | | | | | | -- | -- | -- | |
| A-2 | 02-18-99 | 14.55 | 8.62 | ND | 5.93 | 02-18-99 | 93 | <0.5 | <0.5 | <0.5 | <1 | 26 | -- | -- | -- | |
| A-2 | 05-26-99 | 14.55 | 11.16 | ND | 3.39 | 05-26-99 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | -- | -- | -- | |
| A-2 | 08-23-99 | 14.55 | 11.69 | ND | 2.86 | 08-23-99 | Not sampled: well sampled semi-annually, during the first and second quarters | | | | | | -- | 0.59 | -- | |
| A-2 | 10-27-99 | 14.55 | 11.88 | ND | 2.67 | 10-27-99 | Not sampled: well sampled semi-annually, during the first and second quarters | | | | | | -- | 0.59 | -- | |
| A-2 | 01-31-00 | 14.55 | 10.17 | ND | 4.38 | 01-31-00 | <50 | <0.5 | <0.5 | <0.5 | <1 | <3 | -- | -- | 1.0 NP | |
| A-3 | 03-24-95 | 15.75 | 8.83 | ND | 6.92 | 03-24-95 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- | |
| A-3 | 06-05-95 | 15.75 | 12.44 | ND | 3.31 | 06-05-95 | Not sampled: well sampled annually | | | | | | -- | -- | -- | |
| A-3 | 08-17-95 | 15.75 | 13.04 | ND | 2.71 | 08-17-95 | Not sampled: well sampled annually | | | | | | -- | -- | -- | |
| A-3 | 12-04-95 | 15.75 | 13.57 | ND | 2.18 | 12-04-95 | Not sampled: well sampled annually | | | | | | -- | -- | -- | |
| A-3 | 03-01-96 | 15.75 | 9.90 | ND | 5.85 | 03-13-96 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | -- | -- | -- | |
| A-3 | 05-29-96 | 15.75 | 11.08 | ND | 4.67 | 05-29-96 | Not sampled: well sampled annually | | | | | | -- | -- | -- | |
| A-3 | 08-29-96 | 15.75 | 12.38 | ND | 3.37 | 08-29-96 | Not sampled: well sampled annually | | | | | | -- | -- | -- | |
| A-3 | 11-21-96 | 15.75 | 11.86 | ND | 3.89 | 11-21-96 | Not sampled: well sampled annually | | | | | | -- | -- | -- | |
| A-3 | 03-26-97 | 15.75 | 11.81 | ND | 3.94 | 03-26-97 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | -- | -- | -- | |
| A-3 | 05-21-97 | 15.75 | 12.35 | ND | 3.40 | 05-21-97 | Not sampled: well sampled annually | | | | | | -- | -- | -- | |

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 2169
889 West Grand Avenue, Oakland, California

| Well Number | Date Gauged | TOC | Depth to Water | FP | Groundwater | TPH | | | Ethylbenzene | Total Xylenes | MTBE 8021B* | MTBE 8260 | TPH Diesel | Dissolved Oxygen | Purged/Not Purged (P/NP) |
|-------------|-------------|--------------------|----------------|------------------|--------------------|--------------|------------------------------------|----------------|----------------|---------------|-------------|-----------|------------|------------------|--------------------------|
| | | Elevation (ft-MSL) | (feet) | Thickness (feet) | Elevation (ft-MSL) | Date Sampled | Gasoline (µg/L) | Benzene (µg/L) | Toluene (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (mg/L) | |
| A-3 | 08-08-97 | 15.75 | 12.62 | ND | 3.13 | 08-08-97 | Not sampled; well sampled annually | | | | | | | | |
| A-3 | 11-18-97 | 15.75 | 3.75 | ND | 12.00 | 11-18-97 | Not sampled; well sampled annually | | | | | | | | |
| A-3 | 02-20-98 | 15.75 | 8.06 | ND | 7.69 | 02-20-98 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | -- | -- | |
| A-3 | 05-11-98 | 15.75 | 11.19 | ND | 4.56 | 05-11-98 | Not sampled; well sampled annually | | | | | | | | |
| A-3 | 07-30-98 | 15.75 | 12.05 | ND | 3.70 | 07-30-98 | Not sampled; well sampled annually | | | | | | | | |
| A-3 | 10-08-98 | 15.75 | 12.43 | ND | 3.32 | 10-08-98 | Not sampled; well sampled annually | | | | | | | | |
| A-3 | 02-18-99 | 15.75 | 9.05 | ND | 6.70 | 02-18-99 | Not sampled; well sampled annually | | | | | | | | |
| A-3 | 05-26-99 | 15.75 | 11.93 | ND | 3.82 | 05-26-99 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | -- | -- | |
| A-3 | 08-23-99 | 15.75 | 12.57 | ND | 3.18 | 08-23-99 | Not sampled; well sampled annually | | | | | | | | 0.88 |
| A-3 | 10-27-99 | 15.75 | 12.65 | ND | 3.10 | 10-27-99 | Not sampled; well sampled annually | | | | | | | | |
| A-3 | 01-31-00 | 15.75 | 9.55 | ND | 6.20 | 01-31-00 | <50 | <0.5 | <0.5 | <0.5 | <1 | 9 | -- | -- | 1.0 NP |
| A-4 | 03-24-95 | 15.25 | 7.20 | ND | 8.05 | 03-24-95 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | |
| A-4 | 06-05-95 | 15.25 | 11.70 | ND | 3.55 | 06-05-95 | Not sampled; well sampled annually | | | | | | | | |
| A-4 | 08-17-95 | 15.25 | 12.28 | ND | 2.97 | 08-17-95 | Not sampled; well sampled annually | | | | | | | | |
| A-4 | 12-04-95 | 15.25 | 12.63 | ND | 2.62 | 12-04-95 | Not sampled; well sampled annually | | | | | | | | |
| A-4 | 03-01-96 | 15.25 | 8.55 | ND | 6.70 | 03-13-96 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | -- | -- | |
| A-4 | 05-29-96 | 15.25 | 10.32 | ND | 4.93 | 05-29-96 | Not sampled; well sampled annually | | | | | | | | |
| A-4 | 08-29-96 | 15.25 | 11.55 | ND | 3.70 | 08-29-96 | Not sampled; well sampled annually | | | | | | | | |
| A-4 | 11-21-96 | 15.25 | 10.83 | ND | 4.42 | 11-21-96 | Not sampled; well sampled annually | | | | | | | | |
| A-4 | 03-26-97 | 15.25 | 10.97 | ND | 4.28 | 03-26-97 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | -- | -- | |
| A-4 | 05-21-97 | 15.25 | 11.51 | ND | 3.74 | 05-21-97 | Not sampled; well sampled annually | | | | | | | | |
| A-4 | 08-08-97 | 15.25 | 11.73 | ND | 3.52 | 08-08-97 | Not sampled; well sampled annually | | | | | | | | |
| A-4 | 11-18-97 | 15.25 | 4.37 | ND | 10.88 | 11-18-97 | Not sampled; well sampled annually | | | | | | | | |
| A-4 | 02-20-98 | 15.25 | 6.25 | ND | 9.00 | 02-20-98 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | -- | -- | |
| A-4 | 05-11-98 | 15.25 | 10.33 | ND | 4.92 | 05-11-98 | Not sampled; well sampled annually | | | | | | | | |
| A-4 | 07-30-98 | 15.25 | 11.25 | ND | 4.00 | 07-30-98 | Not sampled; well sampled annually | | | | | | | | |

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 2169
889 West Grand Avenue, Oakland, California

| Well Number | Date Gauged | TOC | Depth to Water | FP | Groundwater | TPH | | | Ethyl-benzene | Total Xylenes | MTBE 8021B* | MTBE 8260 | TPH Diesel | Dissolved Oxygen | Purged/Not Purged (P/NP) |
|-------------|-------------|--------------------|---------------------------------|------------------|--------------------|--------------|------------------------------------|-----------------------------|-----------------------------|---------------------|---------------------|---------------------|---------------------|------------------|--------------------------|
| | | Elevation (ft-MSL) | (feet) | Thickness (feet) | Elevation (ft-MSL) | Date Sampled | Gasoline ($\mu\text{g/L}$) | Benzene ($\mu\text{g/L}$) | Toluene ($\mu\text{g/L}$) | (mg/L) | |
| A-4 | 10-08-98 | 15.25 | 11.62 | ND | 3.63 | 10-08-98 | Not sampled: well sampled annually | | | | | | | | |
| A-4 | 02-18-99 | 15.25 | 7.12 | ND | 8.13 | 02-18-99 | Not sampled: well sampled annually | | | | | | | | |
| A-4 | 05-26-99 | 15.25 | 11.12 | ND | 4.13 | 05-26-99 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | -- | -- | |
| A-4 | 08-23-99 | 15.25 | 11.62 | ND | 3.63 | 08-23-99 | Not sampled: well sampled annually | | | | | | | | 0.54 |
| A-4 | 10-27-99 | 15.25 | 11.74 | ND | 3.51 | 10-27-99 | Not sampled: well sampled annually | | | | | | | | |
| A-4 | 01-31-00 | 15.25 | 9.45 | ND | 5.80 | 01-31-00 | <50 | <0.5 | <0.5 | <0.5 | <1 | 4 | -- | -- | 1.0 NP |
| A-5 | 03-24-95 | 13.51 | 7.40 | ND | 6.11 | 03-24-95 | 3,300 | 200 | 310 | 130 | 460 | -- | -- | -- | |
| A-5 | 06-05-95 | 13.51 | 10.43 | ND | 3.08 | 06-05-95 | 57,000 | 2,700 | 4,600 | 1,500 | 6,800 | -- | -- | -- | |
| A-5 | 08-17-95 | 13.51 | 11.15 | ND | 2.36 | 08-18-95 | 34,000 | 1,600 | 2,700 | 1,100 | 5,100 | <28 | -- | -- | |
| A-5 | 12-04-95 | 13.51 | 11.42 | ND | 2.09 | 12-04-95 | 61 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | |
| A-5 | 03-01-96 | 13.51 | 8.11 | ND | 5.40 | 03-13-96 | 11,000 | 860 | 960 | 380 | 1,600 | <100 | -- | -- | |
| A-5 | 05-29-96 | 13.51 | 9.30 | ND | 4.21 | 05-29-96 | 19,000 | 1,600 | 1,900 | 880 | 3,300 | <100 | -- | -- | |
| A-5 | 08-29-96 | 13.51 | 10.60 | ND | 2.91 | 08-29-96 | 7,700 | 490 | 450 | 260 | 990 | <30 | -- | -- | |
| A-5 | 11-21-96 | 13.51 | 10.05 | ND | 3.46 | 11-21-96 | 8,000 | 450 | 550 | 340 | 1,100 | <30 | -- | -- | |
| A-5 | 03-26-97 | 13.51 | 9.87 | ND | 3.64 | 03-26-97 | 3,100 | 190 | 140 | 130 | 340 | <30 | -- | -- | |
| A-5 | 05-21-97 | 13.51 | 10.25 | ND | 3.26 | 05-21-97 | 16,000 | 1,500 | 900 | 700 | 2,700 | <120 | -- | -- | |
| A-5 | 08-08-97 | 13.51 | 10.42 | ND | 3.09 | 08-08-97 | 9,000 | 690 | 240 | 440 | 1,300 | <30 | -- | -- | |
| A-5 | 11-18-97 | 13.51 | Not surveyed: well inaccessible | | | | | | | | | | | | |
| A-5 | 02-20-98 | 13.51 | Not surveyed: well inaccessible | | | | | | | | | | | | |
| A-5 | 05-11-98 | 13.51 | Not surveyed: well inaccessible | | | | | | | | | | | | |
| A-5 | 07-30-98 | 13.51 | Not surveyed: well inaccessible | | | | | | | | | | | | |
| A-5 | 10-08-98 | 13.51 | Not surveyed: well inaccessible | | | | | | | | | | | | |
| A-5 | 02-18-99 | 13.51 | 7.63 | ND | 5.88 | 02-18-99 | <50 | 0.8 | <0.5 | <0.5 | 1.5 | <10 | -- | -- | |
| A-5 | 05-26-99 | 13.51 | 9.85 | ND | 3.66 | 05-26-99 | 1,700 | 240 | 41 | 110 | 330 | <12 | -- | -- | |
| A-5 | 08-23-99 | 13.51 | 10.60 | ND | 2.91 | 08-23-99 | 560 | 65 | 3 | 30 | 52 | <6 | -- | -- | 0.73 NP |
| A-5 | 10-27-99 | 13.51 | 10.72 | ND | 2.79 | 10-27-99 | 480 | 93 | 1.0 | 16 | 19 | <3 | -- | -- | 0.65 NP |

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 2169
889 West Grand Avenue, Oakland, California

| Well Number | Date Gauged | TOC | Depth to Water | FP | Groundwater Elevation | Date Sampled | TPH | | | Ethyl-benzene | Total Xylenes | MTBE 8021B* | MTBE 8260 | TPH Diesel | Dissolved Oxygen | Purged/Not Purged (P/NP) | |
|-------------|-------------|--------------------|----------------|------------------|-----------------------|--------------|------------------------------------|----------------|----------------|---------------|---------------|-------------|-----------|------------|------------------|--------------------------|----|
| | | Elevation (ft-MSL) | (feet) | Thickness (feet) | (ft-MSL) | | Gasoline (µg/L) | Benzene (µg/L) | Toluene (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (mg/L) | (P/NP) | |
| A-5 | 01-31-00 | 13.51 | 9.37 | ND | 4.14 | 01-31-00 | Not sampled: well was inaccessible | | | | | | | | | | |
| A-6 | 03-24-95 | 13.51 | 7.89 | ND | 5.62 | 03-24-95 | 120 | <0.5 | <1 | <0.5 | <1.5 | -- | -- | -- | -- | -- | |
| A-6 | 06-05-95 | 13.51 | 10.06 | ND | 3.45 | 06-05-95 | 160 | <0.5 | <0.6 | <0.5 | <0.5 | -- | -- | -- | -- | -- | |
| A-6 | 08-17-95 | 13.51 | 11.10 | ND | 2.41 | 08-18-95 | 530 | <0.5 | <0.5 | <2.4 | <4.2 | 6 | -- | -- | -- | -- | |
| A-6 | 12-04-95 | 13.51 | 11.52 | ND | 1.99 | 12-04-95 | 28,000 | 1,600 | 1,800 | 880 | 3,600 | -- | -- | -- | -- | -- | |
| A-6 | 03-01-96 | 13.51 | 8.21 | ND | 5.30 | 03-13-96 | 1,400 | <3 | <15 | <7 | <10 | <20 | -- | -- | -- | -- | |
| A-6 | 05-29-96 | 13.51 | 9.25 | ND | 4.26 | 05-29-96 | 410 | <2 | <2 | <2 | <2 | 3 | -- | -- | -- | -- | |
| A-6 | 08-29-96 | 13.51 | 10.52 | ND | 2.99 | 08-29-96 | 80 | <0.5 | <0.5 | <0.5 | <0.5 | 6 | -- | -- | -- | -- | |
| A-6 | 11-21-96 | 13.51 | 10.54 | ND | 2.97 | 11-21-96 | 62 | <0.5 | <0.5 | <0.5 | <0.5 | 12 | -- | -- | -- | -- | |
| A-6 | 03-26-97 | 13.51 | 9.93 | ND | 3.58 | 03-26-97 | 110 | <0.5 | 0.8 | 1 | 1.4 | 15 | -- | -- | -- | -- | |
| A-6 | 05-21-97 | 13.51 | 10.54 | ND | 2.97 | 05-21-97 | 600 | 0.6 | 0.6 | <2 | 2.7 | <3 | -- | -- | -- | -- | |
| A-6 | 08-08-97 | 13.51 | 10.77 | ND | 2.74 | 08-08-97 | 850 | <0.5 | <0.5 | 6.1 | <0.5 | <4 | -- | -- | -- | -- | |
| A-6 | 11-18-97 | 13.51 | 3.41 | ND | 10.10 | 11-18-97 | 690 | <1 | <1 | 3 | 2 | 7 | -- | -- | -- | -- | |
| A-6 | 02-20-98 | 13.51 | 6.73 | ND | 6.78 | 02-20-98 | 60 | <0.5 | 0.6 | 1.3 | 0.5 | 4 | -- | -- | -- | -- | |
| A-6 | 05-11-98 | 13.51 | 9.26 | ND | 4.25 | 05-11-98 | 140 | <0.5 | 0.7 | 0.6 | <0.5 | 6 | -- | -- | -- | -- | |
| A-6 | 07-30-98 | 13.51 | 10.12 | ND | 3.39 | 07-30-98 | 910 | <2 | <2 | 3 | 7 | 34 | -- | -- | -- | -- | |
| A-6 | 10-08-98 | 13.51 | 10.53 | ND | 2.98 | 10-08-98 | 1,300 | <2 | 4 | 3 | 4 | 21 | -- | -- | -- | -- | |
| A-6 | 02-18-99 | 13.51 | 7.50 | ND | 6.01 | 02-18-99 | 150 | <0.5 | <0.5 | 1.4 | 1.7 | 35 | -- | -- | -- | -- | |
| A-6 | 05-26-99 | 13.51 | 10.00 | ND | 3.51 | 05-26-99 | 100 | <0.5 | <0.5 | <0.5 | <0.5 | 17 | -- | -- | -- | -- | |
| A-6 | 08-23-99 | 13.51 | 10.70 | ND | 2.81 | 08-23-99 | 98 | 0.6 | <0.5 | 1.1 | 4.3 | 13 | -- | -- | 2.42 | NP | |
| A-6 | 10-27-99 | 13.51 | 11.00 | ND | 2.51 | 10-27-99 | <50 | <0.5 | <0.5 | <0.5 | <1 | 7 | -- | -- | 13.23 | NP | |
| A-6 | 01-31-00 | 13.51 | 9.31 | ND | 4.20 | 01-31-00 | <50 | <0.5 | <0.5 | <0.5 | <1 | 9 | -- | -- | -- | 1.0 | NP |
| AR-1 | 03-24-95 | 15.61 | 7.25 | ND | 8.36 | 03-24-95 | 270 | 14 | 0.6 | 2.5 | 2.1 | -- | -- | 130 | | | |
| AR-1 | 06-05-95 | 15.61 | 11.37 | ND | 4.24 | 06-05-95 | 190 | 10 | <0.5 | 0.8 | 0.5 | -- | -- | 580 | | | |
| AR-1 | 08-17-95 | 15.61 | 12.40 | ND | 3.21 | 08-17-95 | 960 | 110 | 12 | 4.5 | 150 | 14 | -- | <50 | | | |

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 2169
889 West Grand Avenue, Oakland, California

| Well Number | Date Gauged | TOC | Depth | FP | Groundwater | TPH | | | Ethyl- | Total | MTBE | MTBE | TPH | Dissolved | Purged/ |
|-------------|-------------|--------------------|---------------------------------|------------------|--------------------|--------------|---|----------------|----------------|----------------|----------------|---------------|-------------|---------------|---------------|
| | | Elevation (ft-MSL) | to Water (feet) | Thickness (feet) | Elevation (ft-MSL) | Date Sampled | Gasoline (µg/L) | Benzene (µg/L) | Toluene (µg/L) | benzene (µg/L) | Xylenes (µg/L) | 8021B* (µg/L) | 8260 (µg/L) | Diesel (µg/L) | Oxygen (mg/L) |
| AR-1 | 12-04-95 | 15.61 | 12.90 | ND | 2.71 | 12-04-95 | <50 | 1.5 | <0.5 | <0.5 | 0.8 | -- | -- | -- | -- |
| AR-1 | 03-01-96 | 15.61 | 8.19 | ND | 7.42 | 03-13-96 | 150 | 3.8 | 0.5 | 1.4 | 1.3 | <3 | -- | -- | -- |
| AR-1 | 05-29-96 | 15.61 | 10.41 | ND | 5.20 | 05-29-96 | Not sampled: well sampled semi-annually, during the first and third quarters | | | | | | | | |
| AR-1 | 08-29-96 | 15.61 | 12.12 | ND | 3.49 | 08-29-96 | <50 | <0.5 | <0.5 | <0.5 | 0.8 | <3 | -- | -- | -- |
| AR-1 | 11-21-96 | 15.61 | 11.52 | ND | 4.09 | 11-21-96 | Not sampled: well sampled semi-annually, during the first and third quarters | | | | | | | | |
| AR-1 | 03-26-97 | 15.61 | 11.33 | ND | 4.28 | 03-26-97 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | -- | -- | -- |
| AR-1 | 05-21-97 | 15.61 | 12.02 | ND | 3.59 | 05-21-97 | Not sampled: well sampled semi-annually, during the first and third quarters | | | | | | | | |
| AR-1 | 08-08-97 | 15.61 | 12.31 | ND | 3.30 | 08-08-97 | <50 | 0.7 | <0.5 | 1 | <0.5 | <3 | -- | -- | -- |
| AR-1 | 11-18-97 | 15.61 | 3.97 | ND | 11.64 | 11-18-97 | Not sampled: well sampled semi-annually, during the first and third quarters | | | | | | | | |
| AR-1 | 02-20-98 | 15.61 | 6.42 | ND | 9.19 | 02-23-98 | <200 | <2 | <2 | <2 | 160 | -- | -- | -- | -- |
| AR-1 | 05-11-98 | 15.61 | 10.93 | ND | 4.68 | 05-11-98 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | -- | -- | -- |
| AR-1 | 07-30-98 | 15.61 | 11.82 | ND | 3.79 | 07-30-98 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 6 | -- | -- | -- |
| AR-1 | 10-08-98 | 15.61 | 12.24 | ND | 3.37 | 10-08-98 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 6 | -- | -- | -- |
| AR-1 | 02-18-99 | 15.61 | 7.75 | ND | 7.86 | 02-18-99 | <50 | <0.5 | <0.5 | <0.5 | <1 0 | <10 | -- | -- | -- |
| AR-1 | 05-26-99 | 15.61 | 11.62 | ND | 3.99 | 05-26-99 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | -- | -- | -- |
| AR-1 | 08-23-99 | 15.61 | 9.32 | ND | 6.29 | 08-23-99 | Not sampled: well sampled semi-annually, during the first and second quarters | | | | | | | | |
| AR-1 | 10-27-99 | 15.61 | 12.14 | ND | 3.47 | 10-27-99 | Not sampled: well sampled semi-annually, during the first and second quarters | | | | | | | | |
| AR-1 | 01-31-00 | 15.61 | Not surveyed: well inaccessible | | | | | | | | | | | | |
| AR-2 | 03-24-95 | 15.28 | 9.13 | ND | 6.15 | 03-24-95 | <50 | 6.2 | <0.5 | <0.5 | 0.6 | -- | -- | <50 | |
| AR-2 | 06-05-95 | 15.28 | 12.09 | ND | 3.19 | 06-05-95 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | <50 | |
| AR-2 | 08-17-95 | 15.28 | 12.78 | ND | 2.50 | 08-18-95 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | -- | <50 | |
| AR-2 | 12-04-95 | 15.28 | 11.44 | ND | 3.84 | 12-13-95 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | |
| AR-2 | 03-01-96 | 15.28 | 9.83 | ND | 5.45 | 03-13-96 | 190 | 26 | 2.6 | 3.3 | 13 | 200 | -- | -- | -- |
| AR-2 | 05-29-96 | 15.28 | 10.97 | ND | 4.31 | 05-29-96 | Not sampled: well sampled semi-annually, during the first and third quarters | | | | | | | | |
| AR-2 | 08-29-96 | 15.28 | 12.20 | ND | 3.08 | 08-29-96 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 95 | -- | -- | -- |
| AR-2 | 11-21-96 | 15.28 | 11.57 | ND | 3.71 | 11-21-96 | Not sampled: well sampled semi-annually, during the first and third quarters | | | | | | | | |

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 2169
889 West Grand Avenue, Oakland, California

| Well Number | Date Gauged | TOC Elevation (ft-MSL) | Depth to Water (feet) | PP Thickness (feet) | Groundwater Elevation (ft-MSL) | Date Sampled | TPH | | | Ethyl-benzene | Total Xylenes | MTBE 8021B* | MTBE 8260 | TPH Diesel | Dissolved Oxygen (mg/L) | Purged/Not Purged (P/NP) |
|-------------|-------------|------------------------|---------------------------------|---------------------|--------------------------------|--------------|---|----------------|----------------|---------------|---------------|-------------|-----------|------------|-------------------------|--------------------------|
| | | | | | | | Gasoline (µg/L) | Benzene (µg/L) | Toluene (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | | | |
| AR-2 | 03-26-97 | 15.28 | 11.60 | ND | 3.68 | 03-26-97 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 9 | -- | -- | -- | |
| AR-2 | 05-21-97 | 15.28 | 12.12 | ND | 3.16 | 05-21-97 | Not sampled: well sampled semi-annually, during the first and third quarters | | | | | | | | | |
| AR-2 | 08-08-97 | 15.28 | 12.35 | ND | 2.93 | 08-08-97 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | -- | -- | -- | |
| AR-2 | 11-18-97 | 15.28 | 3.48 | ND | 11.80 | 11-18-97 | Not sampled: well sampled semi-annually, during the first and third quarters | | | | | | | | | |
| AR-2 | 02-20-98 | 15.28 | 8.00 | ND | 7.28 | 02-20-98 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 43 | -- | -- | -- | |
| AR-2 | 05-11-98 | 15.28 | 10.97 | ND | 4.31 | 05-11-98 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | -- | -- | -- | |
| AR-2 | 07-30-98 | 15.28 | 11.76 | ND | 3.52 | 07-30-98 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | -- | -- | -- | |
| AR-2 | 10-08-98 | 15.28 | 12.17 | ND | 3.11 | 10-08-98 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | -- | -- | -- | |
| AR-2 | 02-18-99 | 15.28 | 9.17 | ND | 6.11 | 02-18-99 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | <10 | -- | -- | -- | |
| AR-2 | 05-26-99 | 15.28 | 11.72 | ND | 3.56 | 05-26-99 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | -- | -- | -- | |
| AR-2 | 08-23-99 | 15.28 | 12.31 | ND | 2.97 | 08-23-99 | Not sampled: well sampled semi-annually, during the first and second quarters | | | | | | | | | |
| AR-2 | 10-27-99 | 15.28 | 12.42 | ND | 2.86 | 10-27-99 | Not sampled: well sampled semi-annually, during the first and second quarters | | | | | | | | | |
| AR-2 | 01-31-00 | 15.28 | 10.31 | ND | 4.97 | 01-31-00 | Not sampled | | | | | | | | | |
| ADR-1 | 03-24-95 | 13.95 | 8.04 | 0.01 | ** 5.92 | 03-24-95 | Not sampled: well contained floating product | | | | | | | | | |
| ADR-1 | 06-05-95 | 13.95 | 11.02 | ND | 2.93 | 06-05-95 | 23,000 | 310 | 420 | 300 | 1,900 | -- | -- | 13,000 | | |
| ADR-1 | 08-17-95 | 13.95 | 11.86 | ND | 2.09 | 08-18-95 | 4,400 | 150 | 120 | 95 | 620 | 120 | -- | 4,500 | | |
| ADR-1 | 12-04-95 | 13.95 | 10.05 | ND | 3.90 | 12-13-95 | 8,800 | 100 | 130 | 120 | 990 | -- | -- | -- | | |
| ADR-1 | 03-01-96 | 13.95 | 8.76 | ND | 5.19 | 03-13-96 | 89,000 | 370 | 1,000 | 840 | 8,100 | <500 | -- | -- | | |
| ADR-1 | 05-29-96 | 13.95 | 9.74 | ND | 4.21 | 05-30-96 | 27,000 | 230 | 380 | 370 | 2,700 | <100 | -- | -- | | |
| ADR-1 | 08-29-96 | 13.95 | 10.77 | ND | 3.18 | 08-29-96 | 5,300 | 190 | 58 | 76 | 470 | 85 | -- | -- | | |
| ADR-1 | 11-21-96 | 13.95 | 10.49 | ND | 3.46 | 11-21-96 | 1,900 | 82 | 21 | 32 | 270 | 110 | -- | -- | | |
| ADR-1 | 03-26-97 | 13.95 | 10.37 | ND | 3.58 | 03-26-97 | 1,300 | 260 | 6 | 39 | 27 | 95 | -- | -- | | |
| ADR-1 | 05-21-97 | 13.95 | 10.90 | ND | 3.05 | 05-21-97 | 2,100 | 300 | 18 | 37 | 200 | 79 | -- | -- | | |
| ADR-1 | 08-08-97 | 13.95 | 11.12 | ND | 2.83 | 08-08-97 | 3,900 | 620 | 49 | 110 | 470 | <200 | -- | -- | | |
| ADR-1 | 11-18-97 | 13.95 | 3.47 | ND | 10.48 | 11-18-97 | 18,000 | 900 | 140 | 360 | 2,700 | <60 | -- | -- | | |
| ADR-1 | 02-20-98 | 13.95 | Not surveyed: well inaccessible | | | | | | | | | | | | | |

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 2169
889 West Grand Avenue, Oakland, California

| Well Number | Date Gauged | TOC Elevation (ft-MSL) | Depth to Water (feet) | FP Thickness (feet) | Groundwater Elevation (ft-MSL) | Date Sampled | TPH Gasoline ($\mu\text{g/L}$) | Benzene ($\mu\text{g/L}$) | Toluene ($\mu\text{g/L}$) | Ethyl-benzene ($\mu\text{g/L}$) | Total Xylenes ($\mu\text{g/L}$) | MTBE 8021B* ($\mu\text{g/L}$) | MTBE 8260 ($\mu\text{g/L}$) | TPH Diesel ($\mu\text{g/L}$) | Dissolved Oxygen (mg/L) | Purged/Not Purged (P/NP) | |
|-------------|-------------|------------------------|-----------------------|---------------------|---------------------------------|--------------|----------------------------------|-----------------------------|-----------------------------|-----------------------------------|-----------------------------------|---------------------------------|-------------------------------|--------------------------------|-------------------------|--------------------------|----|
| ADR-1 | 05-11-98 | 13.95 | | | Not surveyed: well inaccessible | | | | | | | | | | | | |
| ADR-1 | 07-30-98 | 13.95 | | | Not surveyed: well inaccessible | | | | | | | | | | | | |
| ADR-1 | 10-08-98 | 13.95 | | | Not surveyed: well inaccessible | | | | | | | | | | | | |
| ADR-1 | 02-18-99 | 13.95 | 7.80 | ND | 6.15 | 02-18-99 | 200 | 4.4 | <0.5 | 1.3 | 1.3 | 43 | -- | -- | -- | | |
| ADR-1 | 05-26-99 | 13.95 | 10.40 | ND | 3.55 | 05-26-99 | 160 | 10 | <0.5 | 1.7 | 1.8 | 43 | -- | -- | -- | | |
| ADR-1 | 08-23-99 | 13.95 | 10.70 | ND | 3.25 | 08-23-99 | 7,400 | 310 | 16 | 210 | 970 | 18 | -- | -- | 0.37 | NP | |
| ADR-1 | 10-27-99 | 13.95 | 10.82 | ND | 3.13 | 10-27-99 | 5,000 | 210 | 6.3 | 180 | 490 | 5 | -- | -- | 0.73 | NP | |
| ADR-1 | 01-31-00 | 13.95 | 9.21 | ND | 4.74 | 01-31-00 | 290 | 3.6 | <0.5 | 1.1 | <1 | 26 | -- | -- | -- | 1.0 | NP |
| ADR-2 | 03-24-95 | 14.64 | 8.41 | >3.00 | NR[1] | 03-24-95 | | | | | | | | | | | |
| ADR-2 | 06-05-95 | 14.64 | 11.45 | >3.00 | NR[1] | 06-05-95 | | | | | | | | | | | |
| ADR-2 | 08-17-95 | 14.64 | 12.10 | 0.03 | ** 2.56 | 08-17-95 | | | | | | | | | | | |
| ADR-2 | 12-04-95 | 14.64 | 10.93 | 0.03 | ** 3.73 | 12-13-95 | | | | | | | | | | | |
| ADR-2 | 03-01-96 | 14.64 | 8.74 | ND | 5.90 | 03-13-96 | 29,000 | 1,100 | 1,200 | 710 | 3,800 | <500 | -- | -- | -- | | |
| ADR-2 | 05-29-96 | 14.64 | 10.43 | ND | 4.21 | 05-29-96 | 33,000 | 510 | 500 | 470 | 2,300 | 120 | -- | -- | -- | | |
| ADR-2 | 08-29-96 | 14.64 | 11.64 | ND | 3.00 | 08-29-96 | 8,000 | 230 | 180 | 150 | 730 | 53 | -- | -- | -- | | |
| ADR-2 | 11-21-96 | 14.64 | 11.23 | ND | 3.41 | 11-21-96 | 15,000 | 630 | 440 | 390 | 2,100 | 75 | -- | -- | -- | | |
| ADR-2 | 03-26-97 | 14.64 | 11.13 | ND | 3.51 | 03-26-97 | 6,100 | 320 | 23 | 180 | 400 | 32 | -- | -- | -- | | |
| ADR-2 | 05-21-97 | 14.64 | 11.64 | ND | 3.00 | 05-21-97 | 6,100 | 380 | 22 | 210 | 320 | <30 | -- | -- | -- | | |
| ADR-2 | 08-08-97 | 14.64 | 11.85 | ND | 2.79 | 08-08-97 | 8,400 | 380 | 35 | 230 | 910 | <30 | -- | -- | -- | | |
| ADR-2 | 11-18-97 | 14.64 | 3.33 | ND | 11.31 | 11-18-97 | 11,000 | 230 | 29 | 300 | 1,200 | <60 | -- | -- | -- | | |
| ADR-2 | 02-20-98 | 14.64 | 7.67 | ND | 6.97 | 02-20-98 | 4,700 | 320 | 30 | 130 | 360 | 20 | -- | -- | -- | | |
| ADR-2 | 05-11-98 | 14.64 | 10.47 | ND | 4.17 | 05-11-98 | | | | | | | | | | | |
| ADR-2 | 07-30-98 | 14.64 | | | Not surveyed: well inaccessible | | | | | | | | | | | | |
| ADR-2 | 10-08-98 | 14.64 | 11.67 | ND | 2.97 | 10-08-98 | | | | | | | | | | | |
| ADR-2 | 02-18-99 | 14.64 | | | Not surveyed: well inaccessible | | | | | | | | | | | | |
| ADR-2 | 05-26-99 | 14.64 | 11.02 | ND | 3.62 | 05-26-99 | 5,900 | 670 | 5 | 340 | 104 | 16 | -- | -- | -- | | |

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

ARCO Service Station 2169
889 West Grand Avenue, Oakland, California

| Well Number | Date Gauged | TOC | Depth to Water | FP | Groundwater | TPH | | | Ethyl-benzene | Total Xylenes | MTBE 8021B* | MTBE 8260 | TPH Diesel | Dissolved Oxygen | Purged/Not Purged (P/NP) |
|-------------|-------------|--------------------|----------------|------------------|--------------------|--------------|----------------------------|----------------|----------------|---------------|-------------|-----------|------------|------------------|--------------------------|
| | | Elevation (ft-MSL) | (feet) | Thickness (feet) | Elevation (ft-MSL) | Date Sampled | Gasoline (µg/L) | Benzene (µg/L) | Toluene (µg/L) | (µg/L) | (µg/L) | (µg/L) | (µg/L) | (mg/L) | (P/NP) |
| ADR-2 | 08-23-99 | 14.64 | 9.82 | ND | 4.82 | 08-23-99 | 9,100 | 570 | 12 | 410 | 1,000 | 28 | -- | -- | 0.50 NP |
| ADR-2 | 10-27-99 | 14.64 | 9.85 | Sheen | 4.79 | 10-27-99 | Not sampled: sheen present | | | | | | | | 0.65 NP |
| ADR-2 | 01-31-00 | 14.64 | 10.15 | ND | 4.49 | 01-31-00 | 7,700 | 280 | 3.4 | 370 | 390 | 23 | -- | -- | 2.0 NP |

TOC: top of casing

ft-MSL: elevation in feet, relative to mean sea level

TPH: total petroleum hydrocarbons, California DHS LUFT Method

BTEX: benzene, toluene, ethylbenzene, total xylenes by EPA method 8021B. (EPA method 8020 prior to 10/27/99).

MTBE: Methyl tert-butyl ether

µg/L: micrograms per liter

mg/L: milligrams per liter

ND: none detected

NR: not reported; data not available or not measurable

--: not analyzed or not applicable

< denotes concentration not present at or above laboratory detection limit stated to the right.

[]: well contained more than 3 feet of floating product; exact product thickness and groundwater elevation could not be measured

*: EPA method 8020 prior to 10/27/99

**: [corrected elevation (Z')] = Z + (h * 0.73) where: Z = measured elevation, h = floating product thickness, 0.73 = density ratio of oil to water

***: For previous historical groundwater elevation data please refer to *Fourth Quarter 1995 Groundwater Monitoring Program Results and Remediation System Performance Evaluation Report, ARCO Service Station 2169, 889 West Grand Avenue, Oakland, California, (EMCON, March 4, 1996)*.

APPENDIX D

LABORATORY REPORT
AND CHAIN-OF-CUSTODY DOCUMENTATION

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Irvine

17461 Derian Ave

Suite 100

Irvine, CA 92614-5817

Tel: (949)261-1022

TestAmerica Job ID: 440-39334-1

Client Project/Site: ARCO 2169, Oakland

For:

Broadbent & Associates, Inc.

1324 Mangrove Ave

Suite 212

Chico, California 95926

Attn: Tom Venus



Authorized for release by:

3/13/2013 3:56:35 PM

Kathleen Robb

Project Manager II

kathleen.robb@testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

| | |
|-----------------------------|----|
| Cover Page | 1 |
| Table of Contents | 2 |
| Sample Summary | 3 |
| Case Narrative | 4 |
| Client Sample Results | 5 |
| Chronicle | 12 |
| QC Sample Results | 14 |
| QC Association | 20 |
| Definitions | 21 |
| Certification Summary | 22 |
| Chain of Custody | 23 |
| Receipt Checklists | 24 |

Sample Summary

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 2169, Oakland

TestAmerica Job ID: 440-39334-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---------------|------------------|--------|----------------|----------------|
| 440-39334-1 | A-1 | Water | 02/26/13 11:25 | 02/27/13 09:40 |
| 440-39334-2 | A-2 | Water | 02/26/13 09:55 | 02/27/13 09:40 |
| 440-39334-3 | A-5 | Water | 02/26/13 08:20 | 02/27/13 09:40 |
| 440-39334-4 | A-6 | Water | 02/26/13 08:45 | 02/27/13 09:40 |
| 440-39334-5 | AR-2 | Water | 02/26/13 09:25 | 02/27/13 09:40 |
| 440-39334-6 | ADR-1 | Water | 02/26/13 10:55 | 02/27/13 09:40 |
| 440-39334-7 | ADR-2 | Water | 02/26/13 10:25 | 02/27/13 09:40 |

1

2

3

4

5

6

7

8

9

10

11

12

Case Narrative

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 2169, Oakland

TestAmerica Job ID: 440-39334-1

Job ID: 440-39334-1

Laboratory: TestAmerica Irvine

Narrative

Job Narrative 440-39334-1

Comments

No additional comments.

Receipt

The samples were received on 2/27/2013 9:40 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.0° C.

Except:

One or more containers for the following sample(s) was received broken :

Sample # 7 (1 of 6) 40ml Voa with HCl

Trip Blank (1 of 2) 40ml voa with HCl

GC/MS VOA

Method(s) 8260B: The continuing calibration verification (CCV) for analytical batch 88416 exceeded control criteria for BP Isopropyl Ether. The data have been qualified and reported.

No other analytical or quality issues were noted.

GC VOA

Method(s) 8015B: Surrogate recovery for the following sample(s) was outside control limits: A-1 (440-39334-1), A-6 (440-39334-4). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method(s) 8015B: The matrix spike (MS) recoveries for batch 89599 were outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

No other analytical or quality issues were noted.

VOA Prep

No analytical or quality issues were noted.

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 2169, Oakland

TestAmerica Job ID: 440-39334-1

Client Sample ID: A-1

Date Collected: 02/26/13 11:25
Date Received: 02/27/13 09:40

Lab Sample ID: 440-39334-1

Matrix: Water

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------------|------------------|------------------|---------------|------|---|-----------------|-----------------|----------------|
| 1,2-Dibromoethane (EDB) | ND | | 10 | ug/L | | | 02/28/13 12:26 | 20 |
| 1,2-Dichloroethane | ND | | 10 | ug/L | | | 02/28/13 12:26 | 20 |
| Benzene | 350 | | 10 | ug/L | | | 02/28/13 12:26 | 20 |
| Ethanol | ND | | 3000 | ug/L | | | 02/28/13 12:26 | 20 |
| Ethylbenzene | 490 | | 10 | ug/L | | | 02/28/13 12:26 | 20 |
| Ethyl-t-butyl ether (ETBE) | ND | | 10 | ug/L | | | 02/28/13 12:26 | 20 |
| Isopropyl Ether (DiPE) | ND | | 10 | ug/L | | | 02/28/13 12:26 | 20 |
| m,p-Xylene | 180 | | 20 | ug/L | | | 02/28/13 12:26 | 20 |
| Methyl-t-Butyl Ether (MTBE) | ND | | 10 | ug/L | | | 02/28/13 12:26 | 20 |
| o-Xylene | 50 | | 10 | ug/L | | | 02/28/13 12:26 | 20 |
| Tert-amyl-methyl ether (TAME) | ND | | 10 | ug/L | | | 02/28/13 12:26 | 20 |
| tert-Butyl alcohol (TBA) | ND | | 200 | ug/L | | | 02/28/13 12:26 | 20 |
| Toluene | 98 | | 10 | ug/L | | | 02/28/13 12:26 | 20 |
| Xylenes, Total | 230 | | 20 | ug/L | | | 02/28/13 12:26 | 20 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 99 | | 80 - 120 | | | | 02/28/13 12:26 | 20 |
| Dibromofluoromethane (Surr) | 87 | | 80 - 120 | | | | 02/28/13 12:26 | 20 |
| Toluene-d8 (Surr) | 103 | | 80 - 120 | | | | 02/28/13 12:26 | 20 |

Method: 8015B/5030B - Gasoline Range Organics (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|------------------|------------------|---------------|------|---|-----------------|-----------------|----------------|
| GRO (C6-C12) | 3000 | | 500 | ug/L | | | 03/06/13 00:51 | 10 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 178 | LH | 65 - 140 | | | | 03/06/13 00:51 | 10 |

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 2169, Oakland

TestAmerica Job ID: 440-39334-1

Client Sample ID: A-2

Date Collected: 02/26/13 09:55
Date Received: 02/27/13 09:40

Lab Sample ID: 440-39334-2

Matrix: Water

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------------|--------|-----------|------|-----------------|---|-----------------|----------------|---------|
| 1,2-Dibromoethane (EDB) | ND | | 0.50 | ug/L | | 02/28/13 10:59 | | 1 |
| 1,2-Dichloroethane | ND | | 0.50 | ug/L | | 02/28/13 10:59 | | 1 |
| Benzene | ND | | 0.50 | ug/L | | 02/28/13 10:59 | | 1 |
| Ethanol | ND | | 150 | ug/L | | 02/28/13 10:59 | | 1 |
| Ethylbenzene | ND | | 0.50 | ug/L | | 02/28/13 10:59 | | 1 |
| Ethyl-t-butyl ether (ETBE) | ND | | 0.50 | ug/L | | 02/28/13 10:59 | | 1 |
| Isopropyl Ether (DiPE) | ND | | 0.50 | ug/L | | 02/28/13 10:59 | | 1 |
| m,p-Xylene | ND | | 1.0 | ug/L | | 02/28/13 10:59 | | 1 |
| Methyl-t-Butyl Ether (MTBE) | ND | | 0.50 | ug/L | | 02/28/13 10:59 | | 1 |
| o-Xylene | ND | | 0.50 | ug/L | | 02/28/13 10:59 | | 1 |
| Tert-amyl-methyl ether (TAME) | ND | | 0.50 | ug/L | | 02/28/13 10:59 | | 1 |
| tert-Butyl alcohol (TBA) | ND | | 10 | ug/L | | 02/28/13 10:59 | | 1 |
| Toluene | ND | | 0.50 | ug/L | | 02/28/13 10:59 | | 1 |
| Xylenes, Total | ND | | 1.0 | ug/L | | 02/28/13 10:59 | | 1 |
| Surrogate | | | | Prepared | | Analyzed | Dil Fac | |
| 4-Bromofluorobenzene (Surr) | 96 | | | 80 - 120 | | 02/28/13 10:59 | | 1 |
| Dibromofluoromethane (Surr) | 87 | | | 80 - 120 | | 02/28/13 10:59 | | 1 |
| Toluene-d8 (Surr) | 103 | | | 80 - 120 | | 02/28/13 10:59 | | 1 |

Method: 8015B/5030B - Gasoline Range Organics (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|----|-----------------|---|-----------------|----------------|---------|
| GRO (C6-C12) | 110 | | 50 | ug/L | | 03/06/13 01:19 | | 1 |
| Surrogate | | | | Prepared | | Analyzed | Dil Fac | |
| 4-Bromofluorobenzene (Surr) | 105 | | | 65 - 140 | | 03/06/13 01:19 | | 1 |

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 2169, Oakland

TestAmerica Job ID: 440-39334-1

Client Sample ID: A-5

Date Collected: 02/26/13 08:20
Date Received: 02/27/13 09:40

Lab Sample ID: 440-39334-3

Matrix: Water

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------------|--------|-----------|------|-----------------|---|-----------------|----------------|---------|
| 1,2-Dibromoethane (EDB) | ND | | 0.50 | ug/L | | 03/03/13 20:53 | | 1 |
| 1,2-Dichloroethane | ND | | 0.50 | ug/L | | 03/03/13 20:53 | | 1 |
| Benzene | ND | | 0.50 | ug/L | | 03/03/13 20:53 | | 1 |
| Ethanol | ND | | 150 | ug/L | | 03/03/13 20:53 | | 1 |
| Ethylbenzene | ND | | 0.50 | ug/L | | 03/03/13 20:53 | | 1 |
| Ethyl-t-butyl ether (ETBE) | ND | | 0.50 | ug/L | | 03/03/13 20:53 | | 1 |
| Isopropyl Ether (DiPE) | ND | | 0.50 | ug/L | | 03/03/13 20:53 | | 1 |
| m,p-Xylene | ND | | 1.0 | ug/L | | 03/03/13 20:53 | | 1 |
| Methyl-t-Butyl Ether (MTBE) | ND | | 0.50 | ug/L | | 03/03/13 20:53 | | 1 |
| o-Xylene | ND | | 0.50 | ug/L | | 03/03/13 20:53 | | 1 |
| Tert-amyl-methyl ether (TAME) | ND | | 0.50 | ug/L | | 03/03/13 20:53 | | 1 |
| tert-Butyl alcohol (TBA) | ND | | 10 | ug/L | | 03/03/13 20:53 | | 1 |
| Toluene | ND | | 0.50 | ug/L | | 03/03/13 20:53 | | 1 |
| Xylenes, Total | ND | | 1.0 | ug/L | | 03/03/13 20:53 | | 1 |
| Surrogate | | | | Prepared | | Analyzed | Dil Fac | |
| 4-Bromofluorobenzene (Surr) | 95 | | | 80 - 120 | | 03/03/13 20:53 | | 1 |
| Dibromofluoromethane (Surr) | 119 | | | 80 - 120 | | 03/03/13 20:53 | | 1 |
| Toluene-d8 (Surr) | 104 | | | 80 - 120 | | 03/03/13 20:53 | | 1 |

Method: 8015B/5030B - Gasoline Range Organics (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|----|-----------------|---|-----------------|----------------|---------|
| GRO (C6-C12) | ND | | 50 | ug/L | | 03/06/13 01:47 | | 1 |
| Surrogate | | | | Prepared | | Analyzed | Dil Fac | |
| 4-Bromofluorobenzene (Surr) | 107 | | | 65 - 140 | | 03/06/13 01:47 | | 1 |

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 2169, Oakland

TestAmerica Job ID: 440-39334-1

Client Sample ID: A-6

Date Collected: 02/26/13 08:45
Date Received: 02/27/13 09:40

Lab Sample ID: 440-39334-4

Matrix: Water

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------------|--------|-----------|------|-----------------|---|-----------------|----------------|---------|
| 1,2-Dibromoethane (EDB) | ND | | 0.50 | ug/L | | 03/03/13 21:22 | | 1 |
| 1,2-Dichloroethane | ND | | 0.50 | ug/L | | 03/03/13 21:22 | | 1 |
| Benzene | ND | | 0.50 | ug/L | | 03/03/13 21:22 | | 1 |
| Ethanol | ND | | 150 | ug/L | | 03/03/13 21:22 | | 1 |
| Ethylbenzene | ND | | 0.50 | ug/L | | 03/03/13 21:22 | | 1 |
| Ethyl-t-butyl ether (ETBE) | ND | | 0.50 | ug/L | | 03/03/13 21:22 | | 1 |
| Isopropyl Ether (DiPE) | ND | | 0.50 | ug/L | | 03/03/13 21:22 | | 1 |
| m,p-Xylene | ND | | 1.0 | ug/L | | 03/03/13 21:22 | | 1 |
| Methyl-t-Butyl Ether (MTBE) | 3.6 | | 0.50 | ug/L | | 03/03/13 21:22 | | 1 |
| o-Xylene | ND | | 0.50 | ug/L | | 03/03/13 21:22 | | 1 |
| Tert-amyl-methyl ether (TAME) | ND | | 0.50 | ug/L | | 03/03/13 21:22 | | 1 |
| tert-Butyl alcohol (TBA) | ND | | 10 | ug/L | | 03/03/13 21:22 | | 1 |
| Toluene | ND | | 0.50 | ug/L | | 03/03/13 21:22 | | 1 |
| Xylenes, Total | ND | | 1.0 | ug/L | | 03/03/13 21:22 | | 1 |
| Surrogate | | | | Prepared | | Analyzed | Dil Fac | |
| 4-Bromofluorobenzene (Surr) | 100 | | | 80 - 120 | | 03/03/13 21:22 | | 1 |
| Dibromofluoromethane (Surr) | 118 | | | 80 - 120 | | 03/03/13 21:22 | | 1 |
| Toluene-d8 (Surr) | 104 | | | 80 - 120 | | 03/03/13 21:22 | | 1 |

Method: 8015B/5030B - Gasoline Range Organics (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|----|-----------------|---|-----------------|----------------|---------|
| GRO (C6-C12) | 620 | | 50 | ug/L | | 03/06/13 02:15 | | 1 |
| Surrogate | | | | Prepared | | Analyzed | Dil Fac | |
| 4-Bromofluorobenzene (Surr) | 48 | LG | | 65 - 140 | | 03/06/13 02:15 | | 1 |

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 2169, Oakland

TestAmerica Job ID: 440-39334-1

Client Sample ID: AR-2

Date Collected: 02/26/13 09:25

Date Received: 02/27/13 09:40

Lab Sample ID: 440-39334-5

Matrix: Water

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------------|--------|-----------|----------|------|---|----------------|----------------|---------|
| 1,2-Dibromoethane (EDB) | ND | | 0.50 | ug/L | | 03/03/13 19:55 | | 1 |
| 1,2-Dichloroethane | ND | | 0.50 | ug/L | | 03/03/13 19:55 | | 1 |
| Benzene | ND | | 0.50 | ug/L | | 03/03/13 19:55 | | 1 |
| Ethanol | ND | | 150 | ug/L | | 03/03/13 19:55 | | 1 |
| Ethylbenzene | ND | | 0.50 | ug/L | | 03/03/13 19:55 | | 1 |
| Ethyl-t-butyl ether (ETBE) | ND | | 0.50 | ug/L | | 03/03/13 19:55 | | 1 |
| Isopropyl Ether (DiPE) | ND | | 0.50 | ug/L | | 03/03/13 19:55 | | 1 |
| m,p-Xylene | ND | | 1.0 | ug/L | | 03/03/13 19:55 | | 1 |
| Methyl-t-Butyl Ether (MTBE) | ND | | 0.50 | ug/L | | 03/03/13 19:55 | | 1 |
| o-Xylene | ND | | 0.50 | ug/L | | 03/03/13 19:55 | | 1 |
| Tert-amyl-methyl ether (TAME) | ND | | 0.50 | ug/L | | 03/03/13 19:55 | | 1 |
| tert-Butyl alcohol (TBA) | ND | | 10 | ug/L | | 03/03/13 19:55 | | 1 |
| Toluene | ND | | 0.50 | ug/L | | 03/03/13 19:55 | | 1 |
| Xylenes, Total | ND | | 1.0 | ug/L | | 03/03/13 19:55 | | 1 |
| Surrogate | | | | | | | | |
| 4-Bromofluorobenzene (Surr) | 98 | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| | | | 80 - 120 | | | | 03/03/13 19:55 | 1 |
| Dibromofluoromethane (Surr) | 118 | | 80 - 120 | | | | 03/03/13 19:55 | 1 |
| Toluene-d8 (Surr) | 107 | | 80 - 120 | | | | 03/03/13 19:55 | 1 |

Method: 8015B/5030B - Gasoline Range Organics (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|----------|------|---|----------|----------------|---------|
| GRO (C6-C12) | ND | | 50 | ug/L | | | 03/08/13 00:41 | 1 |
| Surrogate | | | | | | | | |
| 4-Bromofluorobenzene (Surr) | 83 | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| | | | 65 - 140 | | | | 03/08/13 00:41 | 1 |

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 2169, Oakland

TestAmerica Job ID: 440-39334-1

Client Sample ID: ADR-1

Date Collected: 02/26/13 10:55
Date Received: 02/27/13 09:40

Lab Sample ID: 440-39334-6

Matrix: Water

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------------|--------|-----------|------|-----------------|---|-----------------|----------------|---------|
| 1,2-Dibromoethane (EDB) | ND | | 0.50 | ug/L | | 03/03/13 20:24 | | 1 |
| 1,2-Dichloroethane | ND | | 0.50 | ug/L | | 03/03/13 20:24 | | 1 |
| Benzene | ND | | 0.50 | ug/L | | 03/03/13 20:24 | | 1 |
| Ethanol | ND | | 150 | ug/L | | 03/03/13 20:24 | | 1 |
| Ethylbenzene | ND | | 0.50 | ug/L | | 03/03/13 20:24 | | 1 |
| Ethyl-t-butyl ether (ETBE) | ND | | 0.50 | ug/L | | 03/03/13 20:24 | | 1 |
| Isopropyl Ether (DiPE) | ND | | 0.50 | ug/L | | 03/03/13 20:24 | | 1 |
| m,p-Xylene | ND | | 1.0 | ug/L | | 03/03/13 20:24 | | 1 |
| Methyl-t-Butyl Ether (MTBE) | 1.3 | | 0.50 | ug/L | | 03/03/13 20:24 | | 1 |
| o-Xylene | ND | | 0.50 | ug/L | | 03/03/13 20:24 | | 1 |
| Tert-amyl-methyl ether (TAME) | ND | | 0.50 | ug/L | | 03/03/13 20:24 | | 1 |
| tert-Butyl alcohol (TBA) | ND | | 10 | ug/L | | 03/03/13 20:24 | | 1 |
| Toluene | ND | | 0.50 | ug/L | | 03/03/13 20:24 | | 1 |
| Xylenes, Total | ND | | 1.0 | ug/L | | 03/03/13 20:24 | | 1 |
| Surrogate | | | | Prepared | | Analyzed | Dil Fac | |
| 4-Bromofluorobenzene (Surr) | 100 | | | 80 - 120 | | 03/03/13 20:24 | 1 | |
| Dibromofluoromethane (Surr) | 112 | | | 80 - 120 | | 03/03/13 20:24 | 1 | |
| Toluene-d8 (Surr) | 106 | | | 80 - 120 | | 03/03/13 20:24 | 1 | |

Method: 8015B/5030B - Gasoline Range Organics (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|----|-----------------|---|-----------------|----------------|---------|
| GRO (C6-C12) | ND | | 50 | ug/L | | 03/08/13 01:08 | | 1 |
| Surrogate | | | | Prepared | | Analyzed | Dil Fac | |
| 4-Bromofluorobenzene (Surr) | 83 | | | 65 - 140 | | 03/08/13 01:08 | 1 | |

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 2169, Oakland

TestAmerica Job ID: 440-39334-1

Client Sample ID: ADR-2

Date Collected: 02/26/13 10:25
Date Received: 02/27/13 09:40

Lab Sample ID: 440-39334-7

Matrix: Water

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------------|-------------|-----------|----------|-----------------|---|-----------------|----------------|---------|
| 1,2-Dibromoethane (EDB) | ND | | 0.50 | ug/L | | 03/03/13 21:51 | | 1 |
| 1,2-Dichloroethane | ND | | 0.50 | ug/L | | 03/03/13 21:51 | | 1 |
| Benzene | 1.3 | | 0.50 | ug/L | | 03/03/13 21:51 | | 1 |
| Ethanol | ND | | 150 | ug/L | | 03/03/13 21:51 | | 1 |
| Ethylbenzene | ND | | 0.50 | ug/L | | 03/03/13 21:51 | | 1 |
| Ethyl-t-butyl ether (ETBE) | ND | | 0.50 | ug/L | | 03/03/13 21:51 | | 1 |
| Isopropyl Ether (DiPE) | ND | | 0.50 | ug/L | | 03/03/13 21:51 | | 1 |
| m,p-Xylene | ND | | 1.0 | ug/L | | 03/03/13 21:51 | | 1 |
| Methyl-t-Butyl Ether (MTBE) | 6.4 | | 0.50 | ug/L | | 03/03/13 21:51 | | 1 |
| o-Xylene | ND | | 0.50 | ug/L | | 03/03/13 21:51 | | 1 |
| Tert-amyl-methyl ether (TAME) | 0.76 | | 0.50 | ug/L | | 03/03/13 21:51 | | 1 |
| tert-Butyl alcohol (TBA) | ND | | 10 | ug/L | | 03/03/13 21:51 | | 1 |
| Toluene | ND | | 0.50 | ug/L | | 03/03/13 21:51 | | 1 |
| Xylenes, Total | ND | | 1.0 | ug/L | | 03/03/13 21:51 | | 1 |
| Surrogate | | | | Prepared | | Analyzed | Dil Fac | |
| 4-Bromofluorobenzene (Surr) | 98 | Qualifier | Limits | | | 03/03/13 21:51 | | 1 |
| Dibromofluoromethane (Surr) | 107 | | 80 - 120 | | | 03/03/13 21:51 | | 1 |
| Toluene-d8 (Surr) | 108 | | 80 - 120 | | | 03/03/13 21:51 | | 1 |

Method: 8015B/5030B - Gasoline Range Organics (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|------------|-----------|--------|-----------------|---|-----------------|----------------|---------|
| GRO (C6-C12) | 120 | | 50 | ug/L | | 03/08/13 01:36 | | 1 |
| Surrogate | | | | Prepared | | Analyzed | Dil Fac | |
| 4-Bromofluorobenzene (Surr) | 100 | Qualifier | Limits | | | 03/08/13 01:36 | | 1 |

Lab Chronicle

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 2169, Oakland

TestAmerica Job ID: 440-39334-1

Client Sample ID: A-1

Date Collected: 02/26/13 11:25

Date Received: 02/27/13 09:40

Lab Sample ID: 440-39334-1

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B/5030B | | 20 | 10 mL | 10 mL | 88416 | 02/28/13 12:26 | WC | TAL IRV |
| Total/NA | Analysis | 8015B/5030B | | 10 | 10 mL | 10 mL | 89599 | 03/06/13 00:51 | IM | TAL IRV |

Client Sample ID: A-2

Date Collected: 02/26/13 09:55

Date Received: 02/27/13 09:40

Lab Sample ID: 440-39334-2

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B/5030B | | 1 | 10 mL | 10 mL | 88416 | 02/28/13 10:59 | WC | TAL IRV |
| Total/NA | Analysis | 8015B/5030B | | 1 | 10 mL | 10 mL | 89599 | 03/06/13 01:19 | IM | TAL IRV |

Client Sample ID: A-5

Date Collected: 02/26/13 08:20

Date Received: 02/27/13 09:40

Lab Sample ID: 440-39334-3

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B/5030B | | 1 | 10 mL | 10 mL | 89064 | 03/03/13 20:53 | WC | TAL IRV |
| Total/NA | Analysis | 8015B/5030B | | 1 | 10 mL | 10 mL | 89599 | 03/06/13 01:47 | IM | TAL IRV |

Client Sample ID: A-6

Date Collected: 02/26/13 08:45

Date Received: 02/27/13 09:40

Lab Sample ID: 440-39334-4

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B/5030B | | 1 | 10 mL | 10 mL | 89064 | 03/03/13 21:22 | WC | TAL IRV |
| Total/NA | Analysis | 8015B/5030B | | 1 | 10 mL | 10 mL | 89599 | 03/06/13 02:15 | IM | TAL IRV |

Client Sample ID: AR-2

Date Collected: 02/26/13 09:25

Date Received: 02/27/13 09:40

Lab Sample ID: 440-39334-5

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B/5030B | | 1 | 10 mL | 10 mL | 89064 | 03/03/13 19:55 | WC | TAL IRV |
| Total/NA | Analysis | 8015B/5030B | | 1 | 10 mL | 10 mL | 90205 | 03/08/13 00:41 | TL | TAL IRV |

Client Sample ID: ADR-1

Date Collected: 02/26/13 10:55

Date Received: 02/27/13 09:40

Lab Sample ID: 440-39334-6

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B/5030B | | 1 | 10 mL | 10 mL | 89064 | 03/03/13 20:24 | WC | TAL IRV |

TestAmerica Irvine

Lab Chronicle

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 2169, Oakland

TestAmerica Job ID: 440-39334-1

Client Sample ID: ADR-1

Date Collected: 02/26/13 10:55
Date Received: 02/27/13 09:40

Lab Sample ID: 440-39334-6

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8015B/5030B | | 1 | 10 mL | 10 mL | 90205 | 03/08/13 01:08 | TL | TAL IRV |

Client Sample ID: ADR-2

Date Collected: 02/26/13 10:25
Date Received: 02/27/13 09:40

Lab Sample ID: 440-39334-7

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 8260B/5030B | | 1 | 10 mL | 10 mL | 89064 | 03/03/13 21:51 | WC | TAL IRV |
| Total/NA | Analysis | 8015B/5030B | | 1 | 10 mL | 10 mL | 90205 | 03/08/13 01:36 | TL | TAL IRV |

Laboratory References:

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

QC Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 2169, Oakland

TestAmerica Job ID: 440-39334-1

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 440-88416/4

Matrix: Water

Analysis Batch: 88416

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB | MB | RL | Unit | D | Prepared | Analyzed | Dil Fac | | | |
|------------------------------------|--------|------------------|------|------------------|---|-----------------|----------------|-----------------|--|----------------|--|
| | Result | Qualifier | | | | | | | | | |
| 1,2-Dibromoethane (EDB) | ND | | 0.50 | ug/L | | | 02/28/13 09:28 | 1 | | | |
| 1,2-Dichloroethane | ND | | 0.50 | ug/L | | | 02/28/13 09:28 | 1 | | | |
| Benzene | ND | | 0.50 | ug/L | | | 02/28/13 09:28 | 1 | | | |
| Ethanol | ND | | 150 | ug/L | | | 02/28/13 09:28 | 1 | | | |
| Ethylbenzene | ND | | 0.50 | ug/L | | | 02/28/13 09:28 | 1 | | | |
| Ethyl-t-butyl ether (ETBE) | ND | | 0.50 | ug/L | | | 02/28/13 09:28 | 1 | | | |
| Isopropyl Ether (DIPE) | ND | | 0.50 | ug/L | | | 02/28/13 09:28 | 1 | | | |
| m,p-Xylene | ND | | 1.0 | ug/L | | | 02/28/13 09:28 | 1 | | | |
| Methyl-t-Butyl Ether (MTBE) | ND | | 0.50 | ug/L | | | 02/28/13 09:28 | 1 | | | |
| o-Xylene | ND | | 0.50 | ug/L | | | 02/28/13 09:28 | 1 | | | |
| Tert-amyl-methyl ether (TAME) | ND | | 0.50 | ug/L | | | 02/28/13 09:28 | 1 | | | |
| tert-Butyl alcohol (TBA) | ND | | 10 | ug/L | | | 02/28/13 09:28 | 1 | | | |
| Toluene | ND | | 0.50 | ug/L | | | 02/28/13 09:28 | 1 | | | |
| Xylenes, Total | ND | | 1.0 | ug/L | | | 02/28/13 09:28 | 1 | | | |
| MB MB | | Surrogate | | %Recovery | | Prepared | | Analyzed | | Dil Fac | |
| <i>4-Bromofluorobenzene (Surr)</i> | | 95 | | 80 - 120 | | | | 02/28/13 09:28 | | 1 | |
| <i>Dibromofluoromethane (Surr)</i> | | 98 | | 80 - 120 | | | | 02/28/13 09:28 | | 1 | |
| <i>Toluene-d8 (Surr)</i> | | 104 | | 80 - 120 | | | | 02/28/13 09:28 | | 1 | |

Lab Sample ID: LCS 440-88416/5

Matrix: Water

Analysis Batch: 88416

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike | LCS | LCS | %Rec. | | | |
|------------------------------------|-------|------------|------------|------------------|-----|----------|--------|
| | Added | Result | Qualifier | Unit | D | %Rec | Limits |
| 1,2-Dibromoethane (EDB) | 25.0 | 25.5 | | ug/L | 102 | 75 - 125 | |
| 1,2-Dichloroethane | 25.0 | 24.7 | | ug/L | 99 | 60 - 140 | |
| Benzene | 25.0 | 23.2 | | ug/L | 93 | 70 - 120 | |
| Ethanol | 250 | 231 | | ug/L | 93 | 40 - 155 | |
| Ethylbenzene | 25.0 | 25.8 | | ug/L | 103 | 75 - 125 | |
| Ethyl-t-butyl ether (ETBE) | 25.0 | 28.0 | | ug/L | 112 | 65 - 135 | |
| Isopropyl Ether (DIPE) | 25.0 | 31.5 | | ug/L | 126 | 60 - 135 | |
| m,p-Xylene | 50.0 | 55.0 | | ug/L | 110 | 75 - 125 | |
| Methyl-t-Butyl Ether (MTBE) | 25.0 | 25.5 | | ug/L | 102 | 60 - 135 | |
| o-Xylene | 25.0 | 27.8 | | ug/L | 111 | 75 - 125 | |
| Tert-amyl-methyl ether (TAME) | 25.0 | 26.9 | | ug/L | 107 | 60 - 135 | |
| tert-Butyl alcohol (TBA) | 125 | 129 | | ug/L | 103 | 70 - 135 | |
| Toluene | 25.0 | 25.9 | | ug/L | 104 | 70 - 120 | |
| Surrogate | | LCS | LCS | %Recovery | | | |
| <i>4-Bromofluorobenzene (Surr)</i> | | 102 | | 80 - 120 | | | |
| <i>Dibromofluoromethane (Surr)</i> | | 102 | | 80 - 120 | | | |
| <i>Toluene-d8 (Surr)</i> | | 104 | | 80 - 120 | | | |

TestAmerica Irvine

QC Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 2169, Oakland

TestAmerica Job ID: 440-39334-1

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 440-39334-2 MS

Matrix: Water

Analysis Batch: 88416

**Client Sample ID: A-2
Prep Type: Total/NA**

| Analyte | Sample | Sample | Spike | MS | MS | Unit | D | %Rec | %Rec. |
|-------------------------------|-----------|-----------|-------|--------|-----------|------|---|------|----------|
| | Result | Qualifier | Added | Result | Qualifier | | | | |
| 1,2-Dibromoethane (EDB) | ND | | 25.0 | 27.2 | | ug/L | | 109 | 70 - 130 |
| 1,2-Dichloroethane | ND | | 25.0 | 25.8 | | ug/L | | 103 | 60 - 140 |
| Benzene | ND | | 25.0 | 24.1 | | ug/L | | 96 | 65 - 125 |
| Ethanol | ND | | 250 | 326 | | ug/L | | 130 | 40 - 155 |
| Ethylbenzene | ND | | 25.0 | 27.9 | | ug/L | | 111 | 65 - 130 |
| Ethyl-t-butyl ether (ETBE) | ND | | 25.0 | 27.8 | | ug/L | | 111 | 60 - 135 |
| Isopropyl Ether (DiPE) | ND | | 25.0 | 30.8 | | ug/L | | 123 | 60 - 140 |
| m,p-Xylene | ND | | 50.0 | 58.9 | | ug/L | | 118 | 65 - 130 |
| Methyl-t-Butyl Ether (MTBE) | ND | | 25.0 | 25.5 | | ug/L | | 102 | 55 - 145 |
| o-Xylene | ND | | 25.0 | 29.0 | | ug/L | | 116 | 65 - 125 |
| Tert-amyl-methyl ether (TAME) | ND | | 25.0 | 25.8 | | ug/L | | 103 | 60 - 140 |
| tert-Butyl alcohol (TBA) | ND | | 125 | 140 | | ug/L | | 112 | 65 - 140 |
| Toluene | ND | | 25.0 | 27.1 | | ug/L | | 108 | 70 - 125 |
| <hr/> | | | | | | | | | |
| <i>MS MS</i> | | | | | | | | | |
| Surrogate | %Recovery | Qualifier | | MS | MS | | | | |
| 4-Bromofluorobenzene (Surr) | 101 | | | | 80 - 120 | | | | |
| Dibromofluoromethane (Surr) | 97 | | | | 80 - 120 | | | | |
| Toluene-d8 (Surr) | 103 | | | | 80 - 120 | | | | |

Lab Sample ID: 440-39334-2 MSD

Matrix: Water

Analysis Batch: 88416

**Client Sample ID: A-2
Prep Type: Total/NA**

| Analyte | Sample | Sample | Spike | MSD | MSD | Unit | D | %Rec | %Rec. |
|-------------------------------|-----------|-----------|-------|--------|-----------|------|---|------|----------|
| | Result | Qualifier | Added | Result | Qualifier | | | | |
| 1,2-Dibromoethane (EDB) | ND | | 25.0 | 26.3 | | ug/L | | 105 | 70 - 130 |
| 1,2-Dichloroethane | ND | | 25.0 | 24.5 | | ug/L | | 98 | 60 - 140 |
| Benzene | ND | | 25.0 | 22.7 | | ug/L | | 91 | 65 - 125 |
| Ethanol | ND | | 250 | 274 | | ug/L | | 109 | 40 - 155 |
| Ethylbenzene | ND | | 25.0 | 26.3 | | ug/L | | 105 | 65 - 130 |
| Ethyl-t-butyl ether (ETBE) | ND | | 25.0 | 26.2 | | ug/L | | 105 | 60 - 135 |
| Isopropyl Ether (DiPE) | ND | | 25.0 | 29.5 | | ug/L | | 118 | 60 - 140 |
| m,p-Xylene | ND | | 50.0 | 55.9 | | ug/L | | 112 | 65 - 130 |
| Methyl-t-Butyl Ether (MTBE) | ND | | 25.0 | 24.6 | | ug/L | | 98 | 55 - 145 |
| o-Xylene | ND | | 25.0 | 28.2 | | ug/L | | 113 | 65 - 125 |
| Tert-amyl-methyl ether (TAME) | ND | | 25.0 | 24.7 | | ug/L | | 99 | 60 - 140 |
| tert-Butyl alcohol (TBA) | ND | | 125 | 132 | | ug/L | | 105 | 65 - 140 |
| Toluene | ND | | 25.0 | 26.0 | | ug/L | | 104 | 70 - 125 |
| <hr/> | | | | | | | | | |
| <i>MSD MSD</i> | | | | | | | | | |
| Surrogate | %Recovery | Qualifier | | MSD | MSD | | | | |
| 4-Bromofluorobenzene (Surr) | 101 | | | | 80 - 120 | | | | |
| Dibromofluoromethane (Surr) | 97 | | | | 80 - 120 | | | | |
| Toluene-d8 (Surr) | 103 | | | | 80 - 120 | | | | |

TestAmerica Irvine

QC Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 2169, Oakland

TestAmerica Job ID: 440-39334-1

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 440-89064/4

Matrix: Water

Analysis Batch: 89064

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB | MB | RL | Unit | D | Prepared | Analyzed | Dil Fac | |
|-------------------------------|-----------|--------------|----------|--------------|---|--------------|----------------|--------------|--|
| | Result | Qualifier | | | | | | | |
| 1,2-Dibromoethane (EDB) | ND | | 0.50 | ug/L | | | 03/03/13 11:56 | 1 | |
| 1,2-Dichloroethane | ND | | 0.50 | ug/L | | | 03/03/13 11:56 | 1 | |
| Benzene | ND | | 0.50 | ug/L | | | 03/03/13 11:56 | 1 | |
| Ethanol | ND | | 150 | ug/L | | | 03/03/13 11:56 | 1 | |
| Ethylbenzene | ND | | 0.50 | ug/L | | | 03/03/13 11:56 | 1 | |
| Ethyl-t-butyl ether (ETBE) | ND | | 0.50 | ug/L | | | 03/03/13 11:56 | 1 | |
| Isopropyl Ether (DIPE) | ND | | 0.50 | ug/L | | | 03/03/13 11:56 | 1 | |
| m,p-Xylene | ND | | 1.0 | ug/L | | | 03/03/13 11:56 | 1 | |
| Methyl-t-Butyl Ether (MTBE) | ND | | 0.50 | ug/L | | | 03/03/13 11:56 | 1 | |
| o-Xylene | ND | | 0.50 | ug/L | | | 03/03/13 11:56 | 1 | |
| Tert-amyl-methyl ether (TAME) | ND | | 0.50 | ug/L | | | 03/03/13 11:56 | 1 | |
| tert-Butyl alcohol (TBA) | ND | | 10 | ug/L | | | 03/03/13 11:56 | 1 | |
| Toluene | ND | | 0.50 | ug/L | | | 03/03/13 11:56 | 1 | |
| Xylenes, Total | ND | | 1.0 | ug/L | | | 03/03/13 11:56 | 1 | |
| MB MB | | MB MB | | MB MB | | MB MB | | MB MB | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac | |
| 4-Bromofluorobenzene (Surr) | 100 | | 80 - 120 | | | | 03/03/13 11:56 | 1 | |
| Dibromofluoromethane (Surr) | 105 | | 80 - 120 | | | | 03/03/13 11:56 | 1 | |
| Toluene-d8 (Surr) | 105 | | 80 - 120 | | | | 03/03/13 11:56 | 1 | |

Lab Sample ID: LCS 440-89064/5

Matrix: Water

Analysis Batch: 89064

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike | LCS | LCS | %Rec. | | |
|-------------------------------|-----------|----------------|-----------|----------------|-----|----------|
| | Added | Result | Qualifier | Unit | D | %Rec |
| 1,2-Dibromoethane (EDB) | 25.0 | 25.3 | | ug/L | 101 | 75 - 125 |
| 1,2-Dichloroethane | 25.0 | 24.9 | | ug/L | 100 | 60 - 140 |
| Benzene | 25.0 | 21.4 | | ug/L | 86 | 70 - 120 |
| Ethanol | 250 | 255 | | ug/L | 102 | 40 - 155 |
| Ethylbenzene | 25.0 | 21.1 | | ug/L | 85 | 75 - 125 |
| Ethyl-t-butyl ether (ETBE) | 25.0 | 24.7 | | ug/L | 99 | 65 - 135 |
| Isopropyl Ether (DIPE) | 25.0 | 25.1 | | ug/L | 100 | 60 - 135 |
| m,p-Xylene | 50.0 | 45.2 | | ug/L | 90 | 75 - 125 |
| Methyl-t-Butyl Ether (MTBE) | 25.0 | 25.0 | | ug/L | 100 | 60 - 135 |
| o-Xylene | 25.0 | 22.9 | | ug/L | 92 | 75 - 125 |
| Tert-amyl-methyl ether (TAME) | 25.0 | 25.6 | | ug/L | 102 | 60 - 135 |
| tert-Butyl alcohol (TBA) | 125 | 118 | | ug/L | 94 | 70 - 135 |
| Toluene | 25.0 | 22.9 | | ug/L | 92 | 70 - 120 |
| LCS LCS | | LCS LCS | | LCS LCS | | |
| Surrogate | %Recovery | Qualifier | Limits | | | |
| 4-Bromofluorobenzene (Surr) | 103 | | 80 - 120 | | | |
| Dibromofluoromethane (Surr) | 108 | | 80 - 120 | | | |
| Toluene-d8 (Surr) | 104 | | 80 - 120 | | | |

TestAmerica Irvine

QC Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 2169, Oakland

TestAmerica Job ID: 440-39334-1

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS) (Continued)

| Lab Sample ID: 440-39239-E-1 MS | | | | | | | | Client Sample ID: Matrix Spike | | | |
|---------------------------------|---------------|------------------|-------------|-----------|--------------|------|---|--------------------------------|-----------|--------|--|
| Matrix: Water | | | | | | | | Prep Type: Total/NA | | | |
| Analysis Batch: 89064 | | | | | | | | | | | |
| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | Limits | | |
| 1,2-Dibromoethane (EDB) | ND | | 25.0 | 26.0 | | ug/L | | 104 | 70 - 130 | | |
| 1,2-Dichloroethane | ND | | 25.0 | 24.8 | | ug/L | | 99 | 60 - 140 | | |
| Benzene | ND | | 25.0 | 20.9 | | ug/L | | 84 | 65 - 125 | | |
| Ethanol | ND | | 250 | 230 | | ug/L | | 92 | 40 - 155 | | |
| Ethylbenzene | ND | | 25.0 | 22.6 | | ug/L | | 90 | 65 - 130 | | |
| Ethyl-t-butyl ether (ETBE) | ND | | 25.0 | 23.4 | | ug/L | | 93 | 60 - 135 | | |
| Isopropyl Ether (DiPE) | ND | | 25.0 | 24.6 | | ug/L | | 98 | 60 - 140 | | |
| m,p-Xylene | ND | | 50.0 | 49.1 | | ug/L | | 98 | 65 - 130 | | |
| Methyl-t-Butyl Ether (MTBE) | ND | | 25.0 | 24.3 | | ug/L | | 97 | 55 - 145 | | |
| o-Xylene | ND | | 25.0 | 25.0 | | ug/L | | 100 | 65 - 125 | | |
| Tert-amyl-methyl ether (TAME) | ND | | 25.0 | 25.6 | | ug/L | | 102 | 60 - 140 | | |
| tert-Butyl alcohol (TBA) | ND | | 125 | 108 | | ug/L | | 86 | 65 - 140 | | |
| Toluene | ND | | 25.0 | 22.7 | | ug/L | | 91 | 70 - 125 | | |
| Surrogate | | | | | | | | MS | MS | | |
| | | | | | | | | %Recovery | Qualifier | Limits | |
| 4-Bromofluorobenzene (Surr) | 113 | | | | 80 - 120 | | | | | | |
| Dibromofluoromethane (Surr) | 107 | | | | 80 - 120 | | | | | | |
| Toluene-d8 (Surr) | 103 | | | | 80 - 120 | | | | | | |

| Lab Sample ID: 440-39239-E-1 MSD | | | | | | | | Client Sample ID: Matrix Spike Duplicate | | | |
|----------------------------------|---------------|------------------|-------------|------------|---------------|------|---|--|-----------|--------|-------|
| Matrix: Water | | | | | | | | Prep Type: Total/NA | | | |
| Analysis Batch: 89064 | | | | | | | | | | | |
| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| 1,2-Dibromoethane (EDB) | ND | | 25.0 | 26.7 | | ug/L | | 107 | 70 - 130 | 2 | 25 |
| 1,2-Dichloroethane | ND | | 25.0 | 25.1 | | ug/L | | 100 | 60 - 140 | 1 | 20 |
| Benzene | ND | | 25.0 | 21.2 | | ug/L | | 85 | 65 - 125 | 1 | 20 |
| Ethanol | ND | | 250 | 214 | | ug/L | | 86 | 40 - 155 | 7 | 30 |
| Ethylbenzene | ND | | 25.0 | 21.6 | | ug/L | | 86 | 65 - 130 | 5 | 20 |
| Ethyl-t-butyl ether (ETBE) | ND | | 25.0 | 24.3 | | ug/L | | 97 | 60 - 135 | 4 | 25 |
| Isopropyl Ether (DiPE) | ND | | 25.0 | 25.0 | | ug/L | | 100 | 60 - 140 | 2 | 25 |
| m,p-Xylene | ND | | 50.0 | 46.4 | | ug/L | | 93 | 65 - 130 | 6 | 25 |
| Methyl-t-Butyl Ether (MTBE) | ND | | 25.0 | 25.3 | | ug/L | | 101 | 55 - 145 | 4 | 25 |
| o-Xylene | ND | | 25.0 | 23.9 | | ug/L | | 96 | 65 - 125 | 4 | 20 |
| Tert-amyl-methyl ether (TAME) | ND | | 25.0 | 26.7 | | ug/L | | 107 | 60 - 140 | 4 | 30 |
| tert-Butyl alcohol (TBA) | ND | | 125 | 104 | | ug/L | | 83 | 65 - 140 | 4 | 25 |
| Toluene | ND | | 25.0 | 22.9 | | ug/L | | 91 | 70 - 125 | 1 | 20 |
| Surrogate | | | | | | | | MSD | MSD | | |
| | | | | | | | | %Recovery | Qualifier | Limits | |
| 4-Bromofluorobenzene (Surr) | 106 | | | | 80 - 120 | | | | | | |
| Dibromofluoromethane (Surr) | 108 | | | | 80 - 120 | | | | | | |
| Toluene-d8 (Surr) | 104 | | | | 80 - 120 | | | | | | |

TestAmerica Irvine

QC Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 2169, Oakland

TestAmerica Job ID: 440-39334-1

Method: 8015B/5030B - Gasoline Range Organics (GC)

Lab Sample ID: MB 440-89599/3

Matrix: Water

Analysis Batch: 89599

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB | | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | |
| GRO (C6-C12) | ND | | 50 | ug/L | | | 03/05/13 16:58 | 1 |
| Surrogate | MB | MB | | | | | | |
| 4-Bromofluorobenzene (Surr) | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| | 102 | | 65 - 140 | | | | 03/05/13 16:58 | 1 |

Lab Sample ID: LCS 440-89599/2

Matrix: Water

Analysis Batch: 89599

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | Spike | | LCS | LCS | Unit | D | %Rec. | Limits |
|-----------------------------|------------|------------|----------|------|------|-----|-------|----------|
| | Added | Result | | | | | | |
| GRO (C4-C12) | | 800 | 840 | ug/L | | 105 | | 80 - 120 |
| Surrogate | LCS | LCS | | | | | | |
| 4-Bromofluorobenzene (Surr) | %Recovery | Qualifier | Limits | | | | | |
| | 80 | | 65 - 140 | | | | | |

Lab Sample ID: 440-39507-D-9 MS

Matrix: Water

Analysis Batch: 89599

Client Sample ID: Matrix Spike

Prep Type: Total/NA

| Analyte | Sample | | Spike | MS | MS | Unit | D | %Rec. | Limits |
|-----------------------------|-----------|-----------|----------|------|----|------|---|-------|----------|
| | Result | Qualifier | | | | | | | |
| GRO (C4-C12) | 1600 | | 1600 | 2370 | LN | ug/L | | 49 | 65 - 140 |
| Surrogate | MS | MS | | | | | | | |
| 4-Bromofluorobenzene (Surr) | %Recovery | Qualifier | Limits | | | | | | |
| | 113 | | 65 - 140 | | | | | | |

Lab Sample ID: 440-39507-D-9 MSD

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

| Analyte | Sample | | Spike | MSD | MSD | Unit | D | %Rec. | Limits | RPD | Limit |
|-----------------------------|------------|------------|----------|------|------|------|---|-------|----------|-----|-------|
| | Result | Qualifier | | | | | | | | | |
| GRO (C4-C12) | 1600 | | 1600 | 2840 | ug/L | | | 79 | 65 - 140 | 18 | 20 |
| Surrogate | MSD | MSD | | | | | | | | | |
| 4-Bromofluorobenzene (Surr) | %Recovery | Qualifier | Limits | | | | | | | | |
| | 135 | | 65 - 140 | | | | | | | | |

Lab Sample ID: MB 440-90205/3

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte | MB | | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|------|---|----------|----------------|---------|
| | Result | Qualifier | | | | | | |
| GRO (C6-C12) | ND | | 50 | ug/L | | | 03/07/13 16:35 | 1 |
| Surrogate | MB | MB | | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | %Recovery | Qualifier | Limits | | | | 03/07/13 16:35 | 1 |
| | 94 | | 65 - 140 | | | | | |

QC Sample Results

Client: Broadbent & Associates, Inc.

Project/Site: ARCO 2169, Oakland

TestAmerica Job ID: 440-39334-1

Method: 8015B/5030B - Gasoline Range Organics (GC) (Continued)

Lab Sample ID: LCS 440-90205/2

Matrix: Water

Analysis Batch: 90205

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte | | Spike | LCS | LCS | Unit | D | %Rec | %Rec. |
|-----------------------------|--|-----------|-----------|-----------|------|---|------|----------|
| | | Added | Result | Qualifier | | | | |
| GRO (C4-C12) | | 800 | 717 | | ug/L | | 90 | 80 - 120 |
| <hr/> | | | | | | | | |
| Surrogate | | LCS | LCS | Limits | | | | |
| | | %Recovery | Qualifier | | | | | |
| 4-Bromofluorobenzene (Surr) | | 123 | | 65 - 140 | | | | |

Lab Sample ID: 440-40161-C-1 MS

Matrix: Water

Analysis Batch: 90205

Client Sample ID: Matrix Spike

Prep Type: Total/NA

| Analyte | Sample | Sample | Spike | MS | MS | Unit | D | %Rec | %Rec. |
|-----------------------------|-----------|-----------|----------|--------|-----------|------|---|------|----------|
| | Result | Qualifier | Added | Result | Qualifier | | | | |
| GRO (C4-C12) | 11000 | | 160000 | 200000 | | ug/L | | 118 | 65 - 140 |
| <hr/> | | | | | | | | | |
| Surrogate | MS | MS | Limits | | | | | | |
| | %Recovery | Qualifier | | | | | | | |
| 4-Bromofluorobenzene (Surr) | 141 | LH | 65 - 140 | | | | | | |

Lab Sample ID: 440-40161-C-1 MSD

Matrix: Water

Analysis Batch: 90205

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

| Analyte | Sample | Sample | Spike | MSD | MSD | Unit | D | %Rec | %Rec. | RPD | Limit |
|-----------------------------|-----------|-----------|----------|--------|-----------|------|---|------|----------|-----|-------|
| | Result | Qualifier | Added | Result | Qualifier | | | | | | |
| GRO (C4-C12) | 11000 | | 160000 | 211000 | | ug/L | | 125 | 65 - 140 | 6 | 20 |
| <hr/> | | | | | | | | | | | |
| Surrogate | MSD | MSD | Limits | | | | | | | | |
| | %Recovery | Qualifier | | | | | | | | | |
| 4-Bromofluorobenzene (Surr) | 165 | LH | 65 - 140 | | | | | | | | |

QC Association Summary

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 2169, Oakland

TestAmerica Job ID: 440-39334-1

GC/MS VOA

Analysis Batch: 88416

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------|--------------------|-----------|--------|-------------|------------|
| 440-39334-1 | A-1 | Total/NA | Water | 8260B/5030B | |
| 440-39334-2 | A-2 | Total/NA | Water | 8260B/5030B | |
| 440-39334-2 MS | A-2 | Total/NA | Water | 8260B/5030B | |
| 440-39334-2 MSD | A-2 | Total/NA | Water | 8260B/5030B | |
| LCS 440-88416/5 | Lab Control Sample | Total/NA | Water | 8260B/5030B | |
| MB 440-88416/4 | Method Blank | Total/NA | Water | 8260B/5030B | |

Analysis Batch: 89064

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------------|-----------|--------|-------------|------------|
| 440-39239-E-1 MS | Matrix Spike | Total/NA | Water | 8260B/5030B | |
| 440-39239-E-1 MSD | Matrix Spike Duplicate | Total/NA | Water | 8260B/5030B | |
| 440-39334-3 | A-5 | Total/NA | Water | 8260B/5030B | |
| 440-39334-4 | A-6 | Total/NA | Water | 8260B/5030B | |
| 440-39334-5 | AR-2 | Total/NA | Water | 8260B/5030B | |
| 440-39334-6 | ADR-1 | Total/NA | Water | 8260B/5030B | |
| 440-39334-7 | ADR-2 | Total/NA | Water | 8260B/5030B | |
| LCS 440-89064/5 | Lab Control Sample | Total/NA | Water | 8260B/5030B | |
| MB 440-89064/4 | Method Blank | Total/NA | Water | 8260B/5030B | |

GC VOA

Analysis Batch: 89599

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------------|-----------|--------|-------------|------------|
| 440-39334-1 | A-1 | Total/NA | Water | 8015B/5030B | |
| 440-39334-2 | A-2 | Total/NA | Water | 8015B/5030B | |
| 440-39334-3 | A-5 | Total/NA | Water | 8015B/5030B | |
| 440-39334-4 | A-6 | Total/NA | Water | 8015B/5030B | |
| 440-39507-D-9 MS | Matrix Spike | Total/NA | Water | 8015B/5030B | |
| 440-39507-D-9 MSD | Matrix Spike Duplicate | Total/NA | Water | 8015B/5030B | |
| LCS 440-89599/2 | Lab Control Sample | Total/NA | Water | 8015B/5030B | |
| MB 440-89599/3 | Method Blank | Total/NA | Water | 8015B/5030B | |

Analysis Batch: 90205

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|------------------------|-----------|--------|-------------|------------|
| 440-39334-5 | AR-2 | Total/NA | Water | 8015B/5030B | |
| 440-39334-6 | ADR-1 | Total/NA | Water | 8015B/5030B | |
| 440-39334-7 | ADR-2 | Total/NA | Water | 8015B/5030B | |
| 440-40161-C-1 MS | Matrix Spike | Total/NA | Water | 8015B/5030B | |
| 440-40161-C-1 MSD | Matrix Spike Duplicate | Total/NA | Water | 8015B/5030B | |
| LCS 440-90205/2 | Lab Control Sample | Total/NA | Water | 8015B/5030B | |
| MB 440-90205/3 | Method Blank | Total/NA | Water | 8015B/5030B | |

Definitions/Glossary

Client: Broadbent & Associates, Inc.

Project/Site: ARCO 2169, Oakland

TestAmerica Job ID: 440-39334-1

Qualifiers

GC VOA

| Qualifier | Qualifier Description |
|-----------|--|
| LH | Surrogate Recoveries were higher than QC limits |
| LG | LG=Surrogate recovery below the acceptance limits |
| LN | MS and/or MSD below acceptance limits. See Blank Spike (LCS) |

Glossary

Abbreviation These commonly used abbreviations may or may not be present in this report.

| | |
|----------------|---|
| □ | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CNF | Contains no Free Liquid |
| DER | Duplicate error ratio (normalized absolute difference) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision level concentration |
| MDA | Minimum detectable activity |
| EDL | Estimated Detection Limit |
| MDC | Minimum detectable concentration |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| ND | Not detected at the reporting limit (or MDL or EDL if shown) |
| PQL | Practical Quantitation Limit |
| QC | Quality Control |
| RER | Relative error ratio |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |

1

2

3

4

5

6

7

8

9

10

11

12

Certification Summary

Client: Broadbent & Associates, Inc.

Project/Site: ARCO 2169, Oakland

TestAmerica Job ID: 440-39334-1

Laboratory: TestAmerica Irvine

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

| Authority | Program | EPA Region | Certification ID | Expiration Date |
|--------------------------|-----------------------------|------------|-------------------|-----------------|
| Alaska | State Program | 10 | CA01531 | 06-30-13 |
| Arizona | State Program | 9 | AZ0671 | 10-13-13 |
| California | LA Cty Sanitation Districts | 9 | 10256 | 01-31-14 |
| California | NELAP | 9 | 1108CA | 01-31-14 |
| California | State Program | 9 | 2706 | 06-30-14 |
| Guam | State Program | 9 | Cert. No. 12.002r | 03-28-13 |
| Hawaii | State Program | 9 | N/A | 01-31-14 |
| Nevada | State Program | 9 | CA015312007A | 07-31-13 |
| New Mexico | State Program | 6 | N/A | 03-28-13 |
| Northern Mariana Islands | State Program | 9 | MP0002 | 03-28-13 |
| Oregon | NELAP | 10 | 4005 | 09-12-13 |
| USDA | Federal | | P330-09-00080 | 06-06-14 |
| USEPA UCMR | Federal | 1 | CA01531 | 01-31-15 |

1

2

3

4

5

6

7

8

9

10

11

12



Laboratory Management Program LaMP Chain of Custody Record

#440-39334 Page ____ of ____

BP Site Node Path: 06-88-621

Req Due Date (mm/dd/yy): _____

Rush TAT: Yes No

THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes / No Temp Blank: Yes / No Cooler Temp on Receipt: _____ °F/C Trip Blank: Yes / No MS/MSD Sample Submitted: Yes / No

Login Sample Receipt Checklist

Client: Broadbent & Associates, Inc.

Job Number: 440-39334-1

Login Number: 39334

List Source: TestAmerica Irvine

List Number: 1

Creator: Avila, Stephanie

| Question | Answer | Comment |
|--|--------|-----------------------------|
| Radioactivity wasn't checked or is </= background as measured by a survey meter. | N/A | |
| The cooler's custody seal, if present, is intact. | True | |
| Sample custody seals, if present, are intact. | False | 2 are broken |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | Alex Martinez & James Ramos |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time. | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | N/A | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4"). | True | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

APPENDIX E

GEOTRACKER UPLOAD CONFIRMATION RECEIPTS

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A EDF FILE

SUCCESS

**Processing is complete. No errors were found!
Your file has been successfully submitted!**

Submittal Type: EDF
Report Title: 1Q13 GW Monitoring
Report Type: Monitoring Report - Semi-Annually
Facility Global ID: T0600100112
Facility Name: ARCO #02169
File Name: 440-39334-1_13 Mar 13 1659_EDF.zip
Organization Name: Broadbent & Associates, Inc.
Username: BROADBENT-C
IP Address: 67.118.40.90
Submittal Date/Time: 4/26/2013 11:04:12 AM
Confirmation Number: 2269123136

[**VIEW QC REPORT**](#)

[**VIEW DETECTIONS REPORT**](#)

Copyright © 2013 State of California

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A GEO_WELL FILE

SUCCESS

**Processing is complete. No errors were found!
Your file has been successfully submitted!**

| | |
|------------------------------------|---|
| <u>Submittal Type:</u> | GEO_WELL |
| <u>Report Title:</u> | 1Q13 GEO_WELL 2169 |
| <u>Facility Global ID:</u> | T0600100112 |
| <u>Facility Name:</u> | ARCO #02169 |
| <u>File Name:</u> | GEO_WELL.zip |
| <u>Organization Name:</u> | Broadbent & Associates, Inc. |
| <u>Username:</u> | BROADBENT-C |
| <u>IP Address:</u> | 67.118.40.90 |
| <u>Submittal Date/Time:</u> | 4/26/2013 11:07:28 AM |
| <u>Confirmation Number:</u> | 4699018359 |

Copyright © 2013 State of California