

SND 865

GROW GROUP, INC.

4000 Dupont Circle
Louisville, Kentucky 40207
Telephone: (502) 897-9861

March 28, 1994
HWJ-027-94

Ms. Susan Hugo
Hazardous Materials Specialist
Alameda County Department
of Environmental Health
Hazardous Materials Division
80 Swan Way, Room 200
Oakland, CA 94621

RE: FORMER BOYSEN PAINT COMPANY, EMERYVILLE, CALIFORNIA

Dear Susan:

Enclosed please find a copy of the Groundwater Monitoring Report for the referenced site.

This report, with the seal of a California Registered Geologist, presents the results for the groundwater sampling and elevation data collected in the vicinity of the 41st Street site in Emeryville, California. These activities were performed in accordance with the recommendations outlined in the "Underground Storage Tank Closure and Supplemental Soil and Groundwater Investigation Report", dated August 16, 1993 for the former Boysen Paint Company. Grow Group, Inc. confirms the content and accuracy of the enclosed report.

Regards,

Henry W Jones
Henry W Jones
Director
Environmental, Safety
and Health Compliance

HWJ:ks
Enclosure

94 APR - 1 AM 11:57

HAZMAT
ALCO



ENVIRONMENTAL STRATEGIES CORPORATION

101 Metro Drive • Suite 650 • San Jose, California 95110 • (408) 453-6100 • FAX (408) 453-0496

**GROUNDWATER MONITORING REPORT
FORMER BOYSEN PAINT FACILITY, 41ST STREET
EMERYVILLE, CALIFORNIA**

PREPARED FOR

**ALAMEDA COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH
HAZARDOUS MATERIALS DIVISION**

AND

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
SAN FRANCISCO BAY REGION**

PREPARED

BY

ENVIRONMENTAL STRATEGIES CORPORATION

MARCH 7, 1994

Reston, VA • Boxborough, MA • Pittsburgh, PA • Minneapolis, MN • Chester, UK • London, UK



Contents

	Page
Introduction	1
Site Description	1
Groundwater Investigation	5
Groundwater Sampling Procedures	5
Groundwater Gradient	5
Groundwater Sampling Results	18
Summary of Groundwater Sampling Results	20
Quality Assurance and Quality Control	20
List of Figures:	
Figure 1 - Site Location	3
Figure 2 - Site Layout	4
Figure 3 - Locations of Monitoring Wells	6
Figure 4 - Groundwater Elevation Contour, June 10, 1993	7
Figure 5 - Groundwater Elevation Contour, July 8, 1993	8
Figure 6 - Groundwater Elevation Contour, August 24, 1993	9
Figure 7 - Groundwater Elevation Contour, September 29, 1993	10
Figure 8 - Groundwater Elevation Contour, October 20, 1993	11
Figure 9 - Groundwater Elevation Contour, November 23, 1993	12
List of Tables	
Table 1 - Groundwater Sampling Results, September 29, 1993	13
Table 2 - Groundwater Elevations at the Grow Group Regional Study Area	15
List of Appendices:	
Appendix A - Well Sampling Logs	
Appendix B - Groundwater Analytical Results	
Appendix C - Quality Assurance Officer Report	

Introduction

This report has been prepared by Environmental Strategies Corporation (ESC) on behalf of Grow Group, Inc., for submission to the Alameda County Department of Environmental Health (Alameda DEH) and the California Regional Water Quality Control Board (RWQCB), San Francisco Bay Region. It presents an evaluation of groundwater sampling and elevation data collected in the vicinity of the former Boysen Paint facility located at 41st Street in Emeryville, California. These activities were performed in accordance with the recommendations outlined in the "Underground Storage Tank Closure and Supplemental Soil and Groundwater Investigation Report," dated, August 16, 1993, for the former Boysen Paint facility.


An underground storage tank formerly owned and used by Boysen Paint Co., was formally closed in-place on May 20, 1993. A total of four groundwater monitoring wells have been installed in the vicinity of the tank to investigate the extent of volatile organic compounds (VOC) and total petroleum hydrocarbon (TPH) compounds in the groundwater beneath the site.

On June 10, 1993, and September 29, 1993, groundwater monitoring in the vicinity of the site was performed by ESC. Groundwater samples were collected from the monitoring wells located on the California Linen property (MW-1 and MW-2), the Oakland National Engravers (ONE) property (MWLD-4), the former Dunne Quality Paint property (MWD-1 and MWD-2), the Grow Group monitoring wells MWB-1, MWB-2, MWB-3, and MWB-4. Laboratory analyses were performed on groundwater samples collected from the nine wells. Analytical results for the June 10, 1993, sampling event were presented in the August 16, 1993, closure report. This report presents the field procedures and results of the groundwater investigation performed on September 29, 1993. It also presents an evaluation of the monthly groundwater elevation data collected from these wells over the last five months.

Site Description

The site was formerly owned by Boysen Paint Company, which ceased operations in the early 1980s and was subsequently merged into the Ameritone Paint Corporation, a wholly owned subsidiary of

Grow Group, Inc. The site is now owned by Mr. and Mrs. Edward Kozel and operated by ONE. The property also contains a furniture restoration shop known as Rockridge Furniture Refinishing. The closed tank is located on the north side of 41st Street, approximately 125 feet east of its intersection with Adeline Street in Emeryville, California, (Figure 1). The tank was installed under the sidewalk between the rear of the brick building owned by ONE and occupied by Rockridge and the northern curb of 41st Street (Figure 2). Boysen formerly used the tank to store mineral spirits for manufacturing paint.



Source: The Thomas Guide, 1988, Alameda and Contra Costa Counties Street & Directory




Scale: 1 inch = 2,200 feet



ENVIRONMENTAL STRATEGIES CORP.
101 Metro Drive Suite 650
San Jose, California 95110
408-453-6100

Figure 1
Site Location
Former Boysen Paint Company
Emeryville, California



ENVIRONMENTAL STRATEGIES CORP.
101 Metro Drive Suite 650
San Jose, California 95110
408-453-6100

Figure 2
Site Layout
Former Boysen Paint Company
Emeryville, California

Groundwater Investigation

Groundwater Sampling Procedures


Groundwater sampling was performed on September 29, 1993. Samples were collected from monitoring wells located on the California Linen property (MW-1 and MW-2), ONE property (MWLD-4), the former Dunne Quality Paint property (MWD-1 and MWD-2), and the Grow Group, Inc. monitoring wells MWB-1, MWB-2, MWB-3, and MWB-4 (Figure 3). All wells were purged of at least three well casing volumes of water before a sample was collected. Well sampling logs are provided in Appendix A. Purged water was collected in 55-gallon Department of Transportation-DOT approved drums stored in a secure area and subsequently disposed in accordance with all EPA and DOT regulations.

The wells were purged with bailers decontaminated in Alcanox and water samples were collected with disposable bailers. Samples to be analyzed for VOCs were collected in volatile organic analysis vials without headspace to avoid volatilization. Sample containers were labeled and placed on ice immediately after collection. All EPA chain-of-custody handling and transporting procedures were followed. The groundwater samples were analyzed for VOCs by EPA Method 8240 and for TPH as mineral spirits by modified EPA Method 8015 at Anametrix Laboratory, San Jose, California, a California State Certified laboratory. Analytical results for groundwater are summarized in Table 1 and provided in Appendix B.

Groundwater Gradient

Groundwater levels in the nine monitoring wells were measured on June 10, July 8, August 24, September 29, October 20, and November 23, 1993, (Table 2). Field measurements are documented on the well sampling forms (Appendix A). Groundwater contour maps for each of the measuring events are presented on figures 4 through 9.


Groundwater levels were measured using an electrically activated audible water level indicator, accurate to 0.01 inch. To avoid the possibility of introducing contamination from one well to another,



ENVIRONMENTAL STRATEGIES CORP.
 101 Metro Drive Suite 650
 San Jose, California 95110
 408-453-6100


Figure 3
 Locations of Monitoring Wells
 Former Boysen Paint Company
 Emeryville, California


1LOTUSGROW\gw-mon2.dwg



ENVIRONMENTAL STRATEGIES CORP.
101 Metro Drive Suite 650
San Jose, California 95110
408-453-6100

Figure 4
Groundwater Elevation Contour, June 10, 1993
Former Boysen Paint Company
Emeryville, California





ENVIRONMENTAL STRATEGIES CORP.
101 Metro Drive Suite 650
San Jose, California 95110
408-453-6100

Figure 6
Groundwater Elevation Contour, August 24, 1993
Former Boysen Paint Company
Emeryville, California




Figure 7
Groundwater Elevation Contour,
September 29, 1993
Former Boysen Paint Company
Emeryville, California

INLOTUSGROWCON-10A





Figure 8
Groundwater Elevation Contour, October 20, 1993
Former Boysen Paint Company
Emeryville, California

PLOTUSGROWFigure8.dwg





ENVIRONMENTAL STRATEGIES CORP.
101 Metro Drive Suite 650
San Jose, California 95110
408-453-6100

Table 1

Groundwater Sampling Results
Grow Group
Emeryville Regional Area
Emeryville, California
September 29, 1993 (ug/l) (a)

Analyte	MW-1	MW-2	MWB-1	MWB-2	MWB-3	MWB-4	MWD-1	MWD-2	MWLD-4
Volatiles									
Benzene	7100	5U	25U	500U	5U	5U	5U	5U	5U
Toluene	5700	5U	25U	500U	5U	5U	5U	5U	5U
Ethylbenzene	1800	5U	25U	500U	5U	5U	5U	5U	5U
Xylenes	7900	5U	25U	500U	5U	5U	5U	5U	5U
TPH (mineral spirits)	59000	50U	3000	290000	2400	1400	110	220	700

a\U=undetected; NA=not analyzed

Table 1 (cont)

Groundwater Sampling Results
Grow Group
Emeryville Regional Area
Emeryville, California
September 29, 1993 (ug/l) (a)

Analyte	200 (Dup MWB-1)	201 (EB)
Volatile		
Benzene	50U	5U
Toluene	50U	5U
Ethylbenzene	50U	5U
Xylenes	50U	5U
TPH (mineral spirits)	25000	NA
		/

a\U=undetected; NA=not analyzed

Table 2

**Groundwater Elevations at the
Grow Group Regional Study Area in
Emeryville, California
1993**

Well No.	Date	Bottom of Well (ft)	Top of Casing Elevation (ft MSL)	Depth to Water (ft)	Groundwater Elevation (ft MSL)
MWB-1	June 10, 1993	19.88	49.92	6.14	43.78
MWB-1	July 8, 1993		49.92	6.64	43.28
MWB-1	August 24, 1993		49.92	6.69	43.23
MWB-1	September 29, 1993		49.92	8.46	41.46
MWB-1	October 20, 1993		49.92	6.69	43.23
MWB-1	November 23, 1993		49.92	6.65	43.27
MWB-2	June 10, 1993	23.35	50.77	6.75	44.02
MWB-2	July 8, 1993		50.77	6.91	43.86
MWB-2	August 24, 1993		50.77	7.22	43.55
MWB-2	September 29, 1993		50.77	8.80	41.97
MWB-2	October 20, 1993		50.77	7.25	43.52
MWB-2	November 23, 1993		50.77	7.26	43.51
MWB-3	June 10, 1993	20.88	49.02	6.85	42.17
MWB-3	July 8, 1993		49.02	6.05	42.97
MWB-3	August 24, 1993		49.02	6.21	42.81
MWB-3	September 29, 1993		49.02	7.74	41.28
MWB-3	October 20, 1993		49.02	6.24	42.78
MWB-3	November 23, 1993		49.02	6.18	42.84
MWB-4	June 10, 1993	21.50	49.74	6.00	43.74
MWB-4	July 8, 1993		49.74	6.14	43.60
MWB-4	August 24, 1993		49.74	6.34	43.40
MWB-4	September 29, 1993		49.74	7.97	41.77
MWB-4	October 20, 1993		49.74	6.11	43.63
MWB-4	November 23, 1993		49.74	6.38	43.36
MWD-1	June 10, 1993	12.50	49.35	5.29	44.06
MWD-1	July 8, 1993		49.35	5.67	43.68
MWD-1	August 24, 1993		49.35	6.01	43.34
MWD-1	September 29, 1993		49.35	7.69	41.66
MWD-1	October 20, 1993		49.35	6.20	43.15
MWD-1	November 23, 1993		49.35	6.08	43.27
MWD-2	June 10, 1993	12.55	50.56	6.25	44.31
MWD-2	July 8, 1993		50.56	6.37	44.19
MWD-2	August 24, 1993		50.56	6.47	44.09
MWD-2	September 29, 1993		50.56	7.96	42.60
MWD-2	October 20, 1993		50.56	6.48	44.08
MWD-2	November 23, 1993		50.56	6.44	44.12

Table 2 (cont)

**Groundwater Elevations at the
Grow Group Regional Study Area in
Emeryville, California
1993**

<u>Well No.</u>	<u>Date</u>	<u>Bottom of Well (ft)</u>	<u>Top of Casing Elevation (ft MSL)</u>	<u>Depth to Water (ft)</u>	<u>Groundwater Elevation (ft MSL)</u>
MW-1	June 10, 1993	22.00	53.89	7.41	46.48
MW-1	July 8, 1993		53.89	7.70	46.19
MW-1	August 24, 1993		53.89	7.70	46.19
MW-1	September 29, 1993		53.89	7.84	46.05
MW-1	October 20, 1993		53.89	7.98	45.91
MW-1	November 23, 1993		53.89	7.92	45.97
MW-2	June 10, 1993	22.60	54.06	9.24	44.82
MW-2	July 8, 1993		54.06	9.04	45.02
MW-2	August 24, 1993		54.06	9.24	44.82
MW-2	September 29, 1993		54.06	9.39	44.67
MW-2	October 20, 1993		54.06	9.18	44.88
MW-2	November 23, 1993		54.06	9.21	44.85
LD-4	June 10, 1993	10.60	51.51	6.98	44.53
LD-4	July 8, 1993		51.51	7.18	44.33
LD-4	August 24, 1993		51.51	7.31	44.20
LD-4	September 29, 1993		51.51	7.43	44.08
LD-4	October 20, 1993		51.51	7.37	44.14
LD-4	November 23, 1993		51.51	7.32	44.19

after each well was sounded and the data were recorded, the instrument's tape and probe were decontaminated using a deionized water rinse. In general, it appears that groundwater at the site flows in a westerly direction (Figures 4, 5, 6, 7, 8, and 9).

A groundwater well survey was conducted by ESC on August 20, 1993. ESC reviewed the Alameda County well inventory reports, attempting to locate any wells within a one mile radius of the site. The inventory included domestic wells, inactive wells, industrial wells, irrigation wells, monitoring wells, municipal wells, stock wells, piezometers and cathodic protection wells. Additional wells located near the Emeryville site may assist in developing the north-south component for the groundwater gradient. The groundwater well survey did not present any helpful information that could be used in determining the north-south component of the groundwater gradient. The survey did not reveal any wells within a 1-mile radius of the site.

Groundwater elevations ranged from 5.29 feet below the ground surface (bgs) to 9.39 feet bgs, declined during the months of June through September. Groundwater elevations declined an average of 1.25 feet over this four month period. This drop in groundwater elevation can be attributed to the seasonal variation in rainfall. Water elevation readings collected in October and November indicate an increase in groundwater elevation of approximately 1.5 feet. The increase in groundwater elevation for the month of October and November may be attributed to recharge in the regional aquifer caused by rain between mid September and mid October.

The validity of the groundwater elevations and sampling data appear to be compromised due to the construction of three wells. Information from site personnel at ONE and from correspondence from James D. Parker of Hunter Environmental Services, Inc., indicates that MWLD-4, MWD-1, and MWD-2 were constructed directly in the excavations of the former ONE and former Dunne Quality Paint underground storage tank removals. The wells are screened within the non-native fill material used to backfill the excavations. As a result, the groundwater elevations and groundwater quality data from these

wells are not likely to be representative of actual groundwater conditions in the surficial aquifer. Data from these wells was not used to plot the groundwater gradient contours on Figures 4 through 9 in this report.

Groundwater Sampling Results

Monitoring Well MW-1

MW-1 is located upgradient of the Boysen tank on the California Linen property. The sample from MW-1 contained benzene at 7,100 µg/l, which is well above the California state maximum contaminant level (MCL) of 1 µg/l. Ethylbenzene was detected at 1,800 µg/l, above the state MCL of 680 µg/l. Total xylenes were detected at 7,900 µg/l, above the state MCL of 1,750 µg/l. Toluene was detected at 5,700 µg/l, above the state action level of 100 µg/l. TPH were detected in well MW-1 at 59,000 µg/l as mineral spirits.

Monitoring Well MW-2

MW-2 is located upgradient from the former Boysen tank and west of well MW-1 on the California Linen property. The sample collected from MW-2 contained no VOCs at concentrations above the state MCLs. Benzene was not detected at a detection limit of 2.0 µg/l. No TPH were detected.

Monitoring Well MWD-1

MWD-1 is located on the south side of 41st Street, downgradient from the former underground storage tanks on the former Dunne Quality Paint property. The sample collected from MWD-1 contained no VOCs at concentrations above the state MCLs. Benzene was not detected at a detection limit of 5.0 µg/l. TPH were detected in the monitoring well at a concentration of 110 µg/l as mineral spirits.

Monitoring Well MWD-2

MWD-2 is located on the south side of 41st Street upgradient of MWD-1 and the former underground storage tanks on the Dunne Quality Paint property. The sample collected from MWD-2 contained no VOCs at concentrations above the state MCLs. Benzene was not detected at a detection limit of 5.0 µg/l. TPH were detected in the monitoring well at a concentration of 220 µg/l as mineral spirits.

Monitoring Well MWLD-4

MWLD-4 is located on the north side of 41st Street, upgradient from the former underground storage tank on the ONE property. The sample collected from MWLD-4 contained no VOCs at concentrations above the state MCLs. Benzene was not detected at a detection limit of 5.0 µg/l. TPH were detected at a concentration of 700 µg/l as mineral spirits.

Monitoring Well MWB-1

MWB-1 is located adjacent to and generally downgradient of the former Boysen tank on the sidewalk next to the former Boysen Paint Company. The sample collected from MWB-1 contained no VOCs at concentrations above the state MCLs. Benzene was not detected at the detection limit of 25 µg/l. TPH were detected at a concentration of 43,000 µg/l as mineral spirits.

Monitoring Well MWB-2

MWB-2 is located generally upgradient of the former Boysen tank. The sample collected from MWB-2 contained no VOCs at concentrations above the state MCLs. Benzene was not detected at a detection limit of 500 µg/l. TPH were detected at 290,000 µg/l as mineral spirits.

Monitoring Well MWB-3

MWB-3 is located between the former Boysen tank and the former Dunne Quality Paint former tanks on 41st Street. The sample collected from MWB-3 contained no VOCs at concentrations above the state MCLs. Benzene was not detected at a detection limit of 5 µg/l. TPH were detected at 2,400 µg/l as mineral spirits.

Monitoring Well MWB-4

MWB-4 is located south of the former Boysen tank and between the former Dunne Quality Paint tanks on 41st Street. The sample collected from MWB-4 contained no VOCs at concentrations above the state MCLs. Benzene was not detected at a detection limit of 5 µg/l. TPH were detected at 1,400 µg/l as mineral spirits.

Summary of Groundwater Sampling Results

The data collected on September 29, 1993, from the nine local groundwater monitoring wells indicate that except in the vicinity of MW-1, there are no VOCs in the area. MW-1 contained levels of VOCs that appear to indicate the presence of a gasoline product. Levels as high as 7,100 µg/l of benzene were detected in MW-1. Sampling results for the September 1993 event are consistent with the concentration of contaminants detected during the June 10, 1993, sampling event.

Groundwater samples collected from the nine local monitoring wells contained TPH as mineral spirits at concentrations from undetectable (detection limit = 50 µg/l) to 290,000 µg/l. Results from the supplemental groundwater investigation indicate that an area wide groundwater quality problem exists.

TPH as mineral spirits are generally the same in concentration when compared to the analytical data collected on June 10, 1993. However, well MWB-2 has gone up two orders of magnitude in concentration, from 3,800 to 290,000 µg/l. Although MWD-2 and LD-4 have decreased in concentration (MWD-2 was 9,100 µg/l in June and is 220 µg/l in September) and (LD-4 was 21,000 µg/l in June and is 700 µg/l in September), the unconventional construction of these wells makes it difficult to determine the actual effects on groundwater that may have resulted from the former Dunne and ONE underground tanks.

Quality Assurance and Quality Control

ESC's Quality Assurance Officer (QAO) is responsible for establishing data quality requirements and detection limits for the analyses. The QAO is responsible for ensuring that quality assurance goals are met during the investigation. The QAO serves as the overall quality control coordinator for sampling and analysis, and works closely with the contract analytical laboratory to facilitate the planned sampling and analytical activities. The QAO's overall responsibilities include, but are not limited to, sampling quality control, laboratory quality control, data processing quality control, data quality review, performance auditing, systems auditing, and overall quality assurance. The QAO specifies the protocol for duplicate samples, equipment blanks, and field blanks.

The Quality Assurance Quality Control (QA/QC) program evaluated chemical data using three types of controlled samples, travel blanks, duplicates, and equipment blanks. A discussion of these types of samples are as follows:

- Travel blanks: Travel blanks are intended to evaluate whether the laboratory or field procedures represent a possible source of contamination of the field samples. Travel blanks are QA/QC samples prepared by the laboratory that are transferred with the field samples and are submitted from the field to the laboratory for appropriate chemical analyses. The travel blank, identified as trip blank, in the sample batch was analyzed by EPA method 8240 and was free of any analytes. Indicating that the sample batch was not cross contaminated during transit.
- Equipment blanks: Equipment blanks are QA/QC samples prepared in the field by pouring organic-free or distilled water over the sampling equipment and submitted to the laboratory for appropriate chemical analyses. The equipment blank identified as 201 was submitted blind, analyzed by EPA method 8240 and was free of any analytes. Indicating that the equipment used to collect samples from the wells were not contaminated.
- Duplicates: Duplicate samples are intended to evaluate data precision. Field duplicates are QA/QC samples collected in series from the same location using the same sampling method. Both samples are submitted to the laboratory for appropriate chemical analyses. The duplicate sample identified as 200 was collected from well MWB-1, submitted blind and analyzed by EPA method modified 8015 for mineral spirits. The duplicate sample indicated good laboratory quality precision.

The QAO's report for the investigation are included in Appendix C.

Appendix A - Well Sampling Logs

ESC

Environmental Strategies Corporation

Water Sampling Form

Sample Desig.	<u>MWLO-4</u>	Job / task #	<u>CA 821-07</u>	Sampled By	<u>J.B.</u>	
Sample Type	<u>MW</u>	Site Name	<u>Grow Group</u>	Date	<u>9-24-83</u>	
Sample Method	<u>(monitoring well, treatment syst., etc.)</u>					
Field Conditions	<u>100' apart 90°</u>					
Water Level Information						
Measuring Point	<u>70C</u>	Instrument Used	<u>Soloinst</u>	W.L. for 80% recovery		
W.L. Before Purge Time	<u>7.43</u>	W.L. After purge Time	<u>8.96</u>	W.L. Time of Sample Date Time		
Purge Start	Purge Information			Purge Device	<u>PVC BAILER</u>	
Well Depth	<u>10.0</u>	Screened Interval				
Well Dia.	<u>1"</u>	Purge Calculation	<u>10 - 7.43 = 1.96 - 5 gal</u> (well depth-depth to water) X # of casing Vol. = Purge Vol.			
Purge Volume Multipliers			QA/QC Information			
Casing Dia.	1 Casing Vol.	3 Casing Vol.	5 Casing Vol.	X if Present	Sample Designation	
1.0	0.04	0.12	0.20	<input checked="" type="checkbox"/>	<u>TRIP BLANK</u>	
2.0	0.16	0.49	0.82	<input type="checkbox"/>		
3.0	0.37	1.10	1.84	<input type="checkbox"/>		
3.5	0.50	1.50	2.50	<input type="checkbox"/>		
4.0	0.63	1.96	3.26	<input type="checkbox"/>		
4.5	0.83	2.48	4.13	<input type="checkbox"/>		
6.0	1.47	4.41	7.34	<input type="checkbox"/>		
8.0	2.61	7.83	13.06	<input type="checkbox"/>		
10.0	4.08	12.24	20.40	<input checked="" type="checkbox"/>	<u>ZOL (EB on bailer)</u>	
Parameter Readings/Notes						
Time	Amt. remv'd	Temp.	Cond.	pH	Turb.	Observations/Notes
<u>1510</u>	<u>5 gal</u>	<u>70°F</u>	<u>950</u>	<u>7.2</u>		<u>odor</u>
Sample Time			Sample / Lab Information		Sampling Device	<u>DISP</u>
Laboratory name and Location : <u>ANALYTIX, SAN JOSE</u>						
Analysis	Container(s)	No.	Volume	Preservative	Filtration	
<u>9240</u>	<u>glass</u>	<u>2</u>	<u>40 ml</u>	<u>HCl</u>		
<u>ml 90/15 mineral spirits</u>	<u>plastic</u>	<u>2</u>	<u>40 ml</u>	<u>HCl</u>		
Decon. Information						
Purge Device(s) / Equipment	(briefly describe)			Sampling Device(s) / Equipment		
<u>STEAM / RINSE</u>				<u>N/A</u>		

Environmental Strategies Corporation

Water Sampling Form

Sample Desig.	<u>MW-2</u>	Job / task #	<u>CA 821-07</u>	Sampled By	<u>BB</u>	
Sample Type	<u>MW</u>	Site Name	<u>Gow Group</u>	Date	<u>9-29-93</u>	
Sample Method	(monitoring well, treatment syst., etc.) <u>Resil</u>					
Field Conditions	<u>Clear warm 80°F</u>					
Water Level Information						
Measuring Point	<u>TOC</u>	Instrument Used	<u>Solinst</u>	W.L. for 80% recovery		
W.L. Before Purge Time	<u>9.39</u> <u>1040</u>	W.L. After purge Time		W.L. Time of Sample Date	Time	
Purge Start	<u>1230</u>	Purge Information		Purge Device	<u>PVC</u>	
Well Depth	<u>21.2</u>	Screened Interval				
Well Dia.	<u>5"</u>	Purge Calculation	<u>(21.2 - 9.39) 1.96 = 25.9</u> (well depth-depth to water) X # of casing Vol. = Purge Vol.	Actual Amt. Removed	<u>25 gal</u>	
Purge Volume Multipliers			QA/QC Information			
Casing Diam.	1 Casing Vol.	3 Casing Vol.	5 Casing Vol.	X if Present	Sample Designation	
1.0	0.04	0.12	0.20			
2.0	0.16	0.49	0.82			
3.0	0.37	1.10	1.84			
3.5	0.50	1.50	2.50			
4.0	0.65	1.96	3.26			
4.5	0.83	2.48	4.13			
6.0	1.47	4.41	7.34			
8.0	2.61	7.83	13.06			
10.0	4.08	12.24	20.40			
Parameter Readings/Notes						
Time	Amt. remv'd	Temp.	Cond.	pH	Turb.	Observations/Notes
<u>1410</u>	<u>25 gal</u>	<u>71.8</u>	<u>519</u>	<u>7.04</u>		<u>clean, No odor No silt</u>
Sample Time	<u>1410</u>	Sample / Lab Information			Sampling Device	<u>DISP</u>
Laboratory name and Location : <u>ANALYTIX, SAN JOSE</u>						
Analysis	Container(s)	No.	Volume	Preservative	Filtration	
<u>8240</u>	<u>VOR</u>	<u>3</u>	<u>40 ml</u>	<u>HCl</u>	<u>N/A</u>	
<u>MCD 8015</u>	"	"	"	"	"	
Decon. Information						
Purge Device(s) / Equipment <u>STEAM / RINSE</u>			(briefly describe)	Sampling Device(s) / Equipment <u>N/A</u>		

Environmental Strategies Corporation
Water Sampling Form

Sample Design	CAWR-1	Job / task #	CA 821-03	Sampled By	LB
Sample Type	soil	Site Name	Emeryville 41st Street brown gravel	Date	9.24.93
Sample Method	Gravimetric (monitoring well, treatment syst., etc.)	Unit			
Field Conditions	clear cool 70°F				

Water Level Information

Measuring Point TLC north
 (mp, TOC, north point TOC, etc.)
 W.L. Before Purge 2.46 W.L. After purge _____
 Time _____ Time _____
 W.L. for 80% recovery _____
 W.L. Time of Sample _____
 Date _____ Time _____

Purge Start	1908	Purge Information	Purge Device
Well Depth	9.88	Screened Interval	
Well Dia.	:	Purge Calculation $(19.88 - 9.88) \times 2 = 20 \text{ gal}$	Actual Amt. Removed 5.6 gal

Purge Volume Multipliers

Casing Diam.	1 Casing Vol.	3 Casing Vol.	5 Casing Vol.
1.0	0.04	0.12	0.20
2.0	0.16	0.49	0.82
3.0	0.37	1.10	1.84
3.5	0.50	1.50	2.50
4.0	0.65	1.96	3.26
4.5	0.83	2.48	4.13
6.0	1.47	4.41	7.34
8.0	2.61	7.83	13.06
10.0	4.08	12.24	20.40

QA/OC Information

X if Present	Sample Designation
Trip blank	
Duplicate	X 200 8015 & 8240
Field blank	
Q.C. Spike	
Other	X CBS on Baiter 2011

Parameter Readings/Notes

Sample Time 10:50 **Sample / Lab Information** **Sampling Device** Dispos-ble

Laboratory name and Location : ANAMETRIE SAN JOSE

Analysis	Container(s)	No.	Volume	Preservative	Filtration
8210	3		40 ml	HCl	
mod 8215 mineral water	3		40m	HCL	

Decon, Information

Purge Device(s) / Equipment

(briefly describe)

Sampling Device(s) / Equipment

Environmental Strategies Corporation

Water Sampling Form

Sample Desig.	<u>MWD-2</u>	Job / task #	<u>CA821-07</u>	Sampled By	<u>JWB</u>	
Sample Type	<u>MW</u>	Site Name	<u>Grove Group</u>	Date	<u>9-29-93</u>	
Sample Method	<u>Bail/Bail</u> (monitoring well, treatment syst., etc.)					
Field Conditions	<u>clear 78° 10-15 mph</u>					
Water Level Information						
Measuring Point	<u>No. Point TOC</u> (mp, TOC, north point TOC, etc.)	Instrument Used	<u>Solinst</u>	W.L. for 80% recovery		
W.L. Before Purge Time	<u>7.96</u> <u>1007</u>	W.L. After purge Time		W.L. Time of Sample Date	Time	
Purge Start	<u>1516</u>	Purge Information		Purge Device <u>PVC</u>		
Well Depth	<u>12.55</u>	Screened Interval				
Well Dia.	<u>4.1"</u>	Purge Calculation	$(12.55 - 7.96) 1.96 = 9.0 \text{ gal}$ (well depth-depth to water) X # of casing Vol. = Purge Vol.	Actual Amt. Removed <u>9.5</u>		
Purge Volume Multipliers			QA/QC Information			
Casing Dia.	1 Casing Vol.	3 Casing Vol.	5 Casing Vol.	X if Present	Sample Designation	
1.0	0.04	0.12	0.20			
2.0	0.16	0.49	0.82			
3.0	0.37	1.10	1.84			
3.5	0.50	1.50	2.50			
4.0	0.65	1.96	3.26			
4.5	0.83	2.48	4.13			
6.0	1.47	4.41	7.34			
8.0	2.61	7.83	13.06			
10.0	4.08	12.24	20.40			
Parameter Readings/Notes						
Time	Amt. remv'd	Temp.	Cond.	pH	Turb.	Observations/Notes
<u>1530</u>		<u>73.6</u>	<u>435</u>	<u>7.21</u>		<u>greyish-tan silty</u>
Sample Time	<u>1530</u>	Sample / Lab Information			Sampling Device	<u>DISP</u>
Laboratory name and Location : <u>Anametrix, San Jose</u>						
Analysis	Container(s)	No.	Volume	Preservative	Filtration	
<u>8240</u>	<u>VOA</u>	<u>3</u>	<u>40 ml</u>	<u>HCl</u>	<u>N/A</u>	
<u>WCA 8015</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>"</u>	<u>N/A</u>	
Decon. Information						
Purge Device(s) / Equipment <u>STEAM / Burner</u>			(briefly describe)		Sampling Device(s) / Equipment <u>N/A</u>	

Environmental Strategies Corporation

Water Sampling Form

Sample Design	"MW-1	Job / task #	1A821-07	Sampled By	JWB/BBB
Sample Type	MW	Site Name	Gow Group	Date	9-29-93
Sample Method	(monitoring well, treatment syst., etc.)		Bowl / Bowl		
Field Conditions	Wind 80° 0-5 mph				

Water Level Information

Measuring Point	<u>MP</u> (imp, TOC, north point, TOC, etc.)	Instrument Used	<u>Solinst</u>	W.L. for 80% recovery	
W.L. Before Purge	<u>7.54</u>	W.L. After purge		W.L. Time of Sample	
Time	<u>1043</u>	Time		Date	
				Time	

Purge Start	<u>1235</u>	Purge Information	Purge Device
Well Depth	<u>22'</u>	Screened Interval	
Well Dia.	<u>4"</u>	Purge Calculation $(22-7.84) 1.96 = 27.8$ from bottom depth to water) X # of screens Vol. = Purge Vol.	Actual Amt. Removed <u>25 gal</u>

Purge Volume Multipliers

Casing Dia.	1 Casing Vol.	3 Casing Vol.	5 Casing Vol.
1.0	0.04	0.12	0.20
2.0	0.16	0.49	0.82
3.0	0.37	1.10	1.84
3.5	0.50	1.50	2.50
4.0	0.65	1.96	3.26
4.5	0.83	2.48	4.13
6.0	1.47	4.41	7.34
8.0	2.61	7.83	13.06
10.0	4.08	12.24	20.40

QA/QC Information

X if Present	Sample Designation
Trip blank	_____
Duplicate	_____
Field blank	_____
Q.C. Spike	_____
Other	X 201 (EB on baseline)

Parameter Readings/Notes

Sample Time 14:18 Sample / Lab Information Sampling Device DISD

Laboratory name and Location : Anamatrix, San Jose

Analysis	Container(s)	No.	Volume	Preservative	Filtration
8240	VOA	3	40 ml	H2O	N/A
MCB 8015	"	"	"	"	N/A

Decon. Information

Purge Device(s) / Equipment

(briefly describe)

Sampling Device(s) / Equipment

Steam / Rinse

N/p

Environmental Strategies Corporation

Water Sampling Form

Sample Desig.	<u>MWB-2</u>	Job / task #	<u>CA 821-07</u>	Sampled By	<u>BB/SB</u>	
Sample Type	<u>MW</u>	Site Name	<u>6row Group</u>	Date	<u>9-29-93</u>	
Sample Method	(monitoring well, treatment syst., etc.) <u>Bail / Bail</u>					
Field Conditions						
Water Level Information						
Measuring Point	<u>TOC</u> (mp, TOC, north point TOC, etc.)	Instrument Used	<u>Solinst</u>	W.L. for 80% recovery		
W.L. Before Purge Time	<u>8.80</u> <u>1004</u>	W.L. After purge Time		W.L. Time of Sample Date Time		
Purge Start		Purge Information		Purge Device	<u>PVC</u>	
Well Depth	<u>23.35</u>	Screened Interval				
Well Dia.	<u>2"</u>	Purge Calculation	<u>(23.35 - 8.80) .49 = 7.1</u> (well depth-depth to water) X # of casing Vol. = Purge Vol.	Actual Amt. Removed <u>7.1 gal</u>		
Purge Volume Multipliers			QA/QC Information			
Casing Dia.	1 Casing Vol.	3 Casing Vol.	5 Casing Vol.	X if Present	Sample Designation	
1.0	0.04	0.12	0.20			
2.0	0.16	0.49	0.82			
3.0	0.37	1.10	1.84			
3.5	0.50	1.50	2.50			
4.0	0.65	1.96	3.26			
4.5	0.83	2.48	4.13			
6.0	1.47	4.41	7.34			
8.0	2.61	7.83	13.06			
10.0	4.08	12.24	20.40			
Parameter Readings/Notes						
Time	Amt. remv'd	Temp.	Cond.	pH	Turb.	Observations/Notes
<u>12:10</u>	<u>7.1</u>	<u>71.0</u>	<u>463</u>	<u>6.60</u>		
Sample Time	<u>12:10</u>	Sample / Lab Information			Sampling Device	<u>DISP</u>
Laboratory name and Location : <u>Matrix, San Jose</u>						
Analysis	Container(s)	No.	Volume	Preservative	Filtration	
<u>8240</u> <u>MCD 8015</u>	<u>VOA</u>	<u>3</u>	<u>40 ml</u>	<u>HCl</u>	<u>N/A</u>	
Decon. Information						
Purge Device(s) / Equipment <u>Steam / Rinse</u>			(briefly describe)	Sampling Device(s) / Equipment <u>N/A</u>		

Environmental Strategies Corporation

Water Sampling Form

Sample Desig.	<u>MWD-1</u>	Job / task #	<u>CASZI-07</u>	Sampled By	<u>JWB</u>	
Sample Type	<u>MW</u>	Site Name	<u>Grove Group</u>	Date	<u>9-29-93</u>	
Sample Method	<u>Bal/Bal</u>					
Field Conditions	<u>Clear 78° 10-15 mph</u>					
Water Level Information						
Measuring Point	<u>No Pt of Casing</u> <small>(top, TOC, north point TOC, etc.)</small>	Instrument Used	<u>Solisit</u>	W.L. for 80% recovery		
W.L. Before Purge Time	<u>7.69</u>	W.L. After purge Time		W.L. Time of Sample Date		
Purge Start	<u>1450</u>	Purge Information		Purge Device <u>5" PVC</u>		
Well Depth	<u>12.5'</u>	Screened Interval				
Well Dia.	<u>4"</u>	Purge Calculation	$(12.5 - 7.69) \times 1.96 = 9.4 \text{ gal}$ <small>(well depth-depth to water) X # of casing Vol. = Purge Vol.</small>	Actual Amt. Removed	<u>10 gal</u>	
Purge Volume Multipliers			QA/QC Information			
Casing Dia.	1 Casing Vol.	3 Casing Vol.	5 Casing Vol.	X if Present	Sample Designation	
1.0	0.04	0.12	0.20			
2.0	0.16	0.49	0.82			
3.0	0.37	1.10	1.84			
3.5	0.50	1.50	2.50			
4.0	0.65	1.96	3.26			
4.5	0.83	2.48	4.13			
6.0	1.47	4.41	7.34			
8.0	2.61	7.83	13.06			
10.0	4.08	12.24	20.40			
Parameter Readings/Notes						
Time	Amt. remv'd	Temp.	Cond.	pH	Turb.	Observations/Notes
<u>1500</u>	<u>10 gal</u>	<u>69.2</u>	<u>469</u>	<u>7.66</u>		<u>clear, No odor or shear</u>
Sample Time	<u>1500</u>	Sample / Lab Information			Sampling Device	<u>DSP</u>
Laboratory name and Location : <u>Anamatrix</u>						
Analysis	Container(s)	No.	Volume	Preservative	Filtration	
<u>8240</u>	<u>VOA</u>	<u>3</u>	<u>40 ml</u>	<u>HCl</u>	<u>N/A</u>	
<u>MWD 8015</u>	<u>..</u>	<u>..</u>	<u>..</u>	<u>..</u>	<u>..</u>	
Decon. Information						
Purge Device(s) / Equipment			(briefly describe)	Sampling Device(s) / Equipment		
<u>Steam/Rinse</u>				<u>N/A</u>		

Environmental Strategies Corporation

Water Sampling Form

Sample Desig.	<u>MNG-1</u>	Job / task #	<u>1A 821-07</u>	Sampled By	<u>BB</u>	
Sample Type	<u>monitoring well</u>	Site Name	<u>Brown Group</u>	Date	<u>9-24-92</u>	
Sample Method	<u>Baiting</u>					
Field Conditions	<u>Clear water 80° F</u>					
Water Level Information						
Measuring Point	<u>TOC north</u> (mp, TOC, north point TOC, etc.)	Instrument Used	<u>Solisinst</u>	W.L. for 80% recovery		
W.L. Before Purge Time	<u>7.97</u> <u>1003</u>	W.L. After purge Time		W.L. Time of Sample Date		
Purge Start	<u>1130</u>	Purge Information		Purge Device	<u>Beater</u>	
Well Depth	<u>21.5</u>	Screened Interval				
Well Dia.	<u>2'</u>	Purge Calculation	<u>(21.5 - 7.97) / 1 = 13.5</u> (well depth-depth to water) X # of casing Vol. = Purge Vol	Actual Amt. Removed	<u>6.6</u>	
Purge Volume Multipliers			QA/QC Information			
Casing Dia.	1 Casing Vol.	3 Casing Vol.	5 Casing Vol.	X if Present	Sample Designation	
1.0	0.04	0.12	0.20	Trip blank		
2.0	0.16	0.49	0.82	Duplicate		
3.0	0.37	1.10	1.84	Field blank		
3.5	0.50	1.50	2.30	Q.C. Spike		
4.0	0.63	1.96	3.26	Other	<u>LC 201 8240 only</u>	
4.5	0.83	2.48	4.13			
6.0	1.47	4.41	7.34			
8.0	2.61	7.83	13.06			
10.0	4.08	12.24	20.40			
Parameter Readings/Notes						
Time	Amt. rem'd	Temp.	Cond.	pH	Turb.	Observations/Notes
<u>1145</u>	<u>6.6</u>	<u>73.2</u>	<u>504</u>	<u>6.43</u>		
Sample Time	<u>1145</u>	Sample / Lab Information		Sampling Device	<u>L-Kop</u>	
Laboratory name and Location :			<u>ANALYTIX, SAN JOSE</u>			
Analysis	Container(s)	No.	Volume	Preservative	Filtration	
<u>9-21</u>		<u>2</u>	<u>10 ml</u>	<u>HCl</u>		
<u>CA 8240</u>	<u>10 ml mineral spirits</u>	<u>2</u>	<u>10 ml</u>	<u>HCl</u>		
<u>CA 8240</u>		<u>3</u>	<u>40 ml</u>	<u>HCl</u>		
<u>CA 8240</u>	<u>mineral spirits</u>	<u>2</u>	<u>40 ml</u>	<u>HCl</u>	<u>N/A</u>	
Decon. Information						
Purge Device(s) / Equipment			(briefly describe)		Sampling Device(s) / Equipment	
<u>STEAM / RINSE</u>					<u>N/A</u>	

Environmental Strategies Corporation

Water Sampling Form

Sample Desig.	<u>MWB 3</u>	Job / task #	<u>PA821-07</u>	Sampled By	<u>JWB</u>	
Sample Type	<u>MW</u>	Site Name	<u>Gow Group</u>	Date	<u>9-29-93</u>	
Sample Method	<u>Bail / Bail</u> (monitoring well, treatment syst., etc.)					
Field Conditions	<u>clear, 78°, 0-5 mph</u>					
Water Level Information						
Measuring Point	<u>No Point TOC</u> (mp, TOC, north point TOC, etc.)	Instrument Used	<u>Solinst</u>	W.L. for 80% recovery		
W.L. Before Purge Time	<u>7.74</u> <u>1005</u>	W.L. After purge Time		W.L. Time of Sample Date		
Purge Start	<u>1055</u>	Purge Information		Purge Device	<u>PVC</u>	
Well Depth	<u>20.88</u>	Screened Interval				
Well Dia.	<u>2"</u>	Purge Calculation	<u>(20.88 - 7.74) * (16.4 gal)</u> (well depth-depth to water) X # of casing Vol. = Purge Vol.	Actual Amt. Removed	<u>6.5</u>	
Purge Volume Multipliers			QA/QC Information			
Casing Dia.	1 Casing Vol.	3 Casing Vol.	5 Casing Vol.	X if Present	Sample Designation	
1.0	0.04	0.12	0.20	Trip blank		
2.0	0.16	0.49	0.82	Duplicate		
3.0	0.37	1.10	1.84	Field blank		
3.5	0.50	1.50	2.30	Q.C. Spike		
4.0	0.65	1.96	3.26	Other	<u>X ZOI (EB or Bail)</u>	
4.5	0.83	2.48	4.13			
6.0	1.47	4.41	7.34			
8.0	2.61	7.83	13.06			
10.0	4.08	12.24	20.40			
Parameter Readings/Notes						
Time	Amt. remv'd	Temp.	Cond.	pH	Turb.	Observations/Notes
1104	5.5	67.9	349	6.67		salty, tan-brown No odor
1106	6.0	68.5	316	6.64		No spher.
1110	6.5	68.1	338	6.59		
Sample Time	<u>1115</u>	Sample / Lab Information		Sampling Device	<u>DISP</u>	
Laboratory name and Location : <u>ANALYTIX, San Jose</u>						
Analysis	Container(s)	No.	Volume	Preservative	Filtration	
8240	VOA	3	10 ml	HAC	N/A	
MCB 8015	11	11	11	ZL	N/A	
Decon. Information						
Purge Device(s) / Equipment			(briefly describe)		Sampling Device(s) / Equipment	
<u>Steam / Rinse</u>					<u>N/A</u>	



STATE OF ARKANSAS
Department of Pollution Control and Ecology
P. O. Box 8913 Little Rock, Arkansas 72219-8913
Telephone 501-562-7444

6

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. CIAIC00818912321	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address GROW GROUP PO BOX 7600 LOUISVILLE KY 40207		A. State Manifest Document Number AR- 636000				
4. Generator's Phone (502) 897-9861		B. State Generator's ID				
5. Transporter 1 Company Name J. B. HUNT SPECIAL COMMODITIES		6. US EPA ID Number ARID98115016511	C. State Transporter's ID			
7. Transporter 2 Company Name		8. US EPA ID Number	D. Transporter's Phone (800) 843-3622			
9. Designated Facility Name and Site Address RINECO 1007 VULCAN ROAD HASKELL AR 72615		10. US EPA ID Number ARID9511617810	E. State Transporter's ID			
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) a. HAZARDOUS WASTE, LIQUID, R.O.S. 9 NA3082 PG. III (TOLUENE, XYLENE)		12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol	G. State Facility's ID ARD981037870	
b.		1 1	1 1 1 1 1	C	H. Facility's Phone (501) 778-9069	
c.		1 1	1 1 1 1 1			
d.		1 1	1 1 1 1 1			
J. Additional Descriptions for Materials Listed Above A1 ASH44-5042 9308-7479 ERG31		K. Handling Codes for Wastes Listed Above EMERGENCY RESPONSE INFORMATION:				
if no alternate TSDF, return to generator		A1 BONNIE OLSON 801-776-0095				
15. Special Handling Instructions and Additional Information EVERY SPILL, RELEASE OR INCIDENT INVOLVING ASHLAND CHEMICAL, INC. PRODUCTS MUST BE REPORTED TO CHEMREC, DAY OR NIGHT AT 800-424-9300.						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and Arkansas state regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name		Signature		Month	Day	Year
17. Transporter 1 Acknowledgement of Receipt of Materials						
Printed/Typed Name		Signature		Month	Day	Year
18. Transporter 2 Acknowledgement of Receipt of Materials						
Printed/Typed Name		Signature		Month	Day	Year
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name		Signature		Month	Day	Year

Appendix B - Groundwater Analytical Results

ORGANIC ANALYSIS DATA SHEET ... EPA METHOD 8240
ANAMETRIX, INC. (408) 432-8192

Project ID	: 82107	Anametrix ID	: 9309374-01
Sample ID	: MW1	Analyst	: DF
Matrix	: WATER	Supervisor	: VY
Date Sampled	: 9/29/93	Dilution Factor :	50.0
Date Analyzed	: 10/ 6/93	Conc. Units	: ug/L
Instrument ID	: MSD1		

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
74-87-3	Chloromethane	500.	ND	U
75-01-4	Vinyl chloride	500.	ND	U
74-83-9	Bromomethane	500.	ND	U
75-00-3	Chloroethane	500.	ND	U
75-69-4	Trichlorofluoromethane	250.	ND	U
75-35-4	1,1-Dichloroethene	250.	ND	U
76-13-1	Trichlorotrifluoroethane	250.	ND	U
67-64-1	Acetone	1000.	ND	U
75-15-0	Carbon disulfide	250.	ND	U
75-09-2	Methylene chloride	250.	ND	U
156-60-5	Trans-1,2-dichloroethene	250.	ND	U
75-34-3	1,1-Dichloroethane	250.	ND	U
156-59-2	Cis-1,2-dichloroethene	250.	ND	U
78-93-3	2-Butanone	1000.	ND	U
67-66-3	Chloroform	250.	ND	U
71-55-6	1,1,1-Trichloroethane	250.	ND	U
56-23-5	Carbon tetrachloride	250.	ND	U
108-05-4	Vinyl acetate	500.	ND	U
71-43-2	Benzene	250.	7100.	U
107-06-2	1,2-Dichloroethane	250.	ND	U
79-01-6	Trichloroethene	250.	ND	U
78-87-5	1,2-Dichloropropane	250.	ND	U
75-27-4	Bromodichloromethane	250.	ND	U
10061-01-5	Cis-1,3-dichloropropene	250.	ND	U
108-10-1	4-Methyl-2-pentanone	500.	ND	U
108-88-3	Toluene	250.	5700.	U
10061-02-6	Trans-1,3-dichloropropene	250.	ND	U
79-00-5	1,1,2-Trichloroethane	250.	ND	U
127-18-4	Tetrachloroethene	250.	ND	U
591-78-6	2-Hexanone	500.	ND	U
124-48-1	Dibromochloromethane	250.	ND	U
108-90-7	Chlorobenzene	250.	ND	U
100-41-4	Ethylbenzene	250.	1800.	
1330-20-7	Xylene (Total)	250.	7900.	
100-42-5	Styrene	250.	ND	U
75-25-2	Bromoform	250.	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	250.	ND	U
541-73-1	1,3-Dichlorobenzene	250.	ND	U
106-46-7	1,4-Dichlorobenzene	250.	ND	U
95-50-1	1,2-Dichlorobenzene	250.	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8240
ANAMETRIX, INC. (408)432-8192

Project ID : 82107
 Sample ID : MW2
 Matrix : WATER
 Date Sampled : 9/29/93
 Date Analyzed : 10/ 5/93
 Instrument ID : MSD1

Anametrix ID : 9309374-02
 Analyst : M
 Supervisor : SOA
 Dilution Factor : 1.0
 Conc. Units : ug/L

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
74-87-3	Chloromethane	10.	ND	U
75-01-4	Vinyl chloride	10.	ND	U
74-83-9	Bromomethane	10.	ND	U
75-00-3	Chloroethane	10.	ND	U
75-69-4	Trichlorofluoromethane	5.	ND	U
75-35-4	1,1-Dichloroethene	5.	ND	U
76-13-1	Trichlorotrifluoroethane	5.	ND	U
67-64-1	Acetone	20.	ND	U
75-15-0	Carbon disulfide	5.	ND	U
75-09-2	Methylene chloride	5.	ND	U
156-60-5	Trans-1,2-dichloroethene	5.	ND	U
75-34-3	1,1-Dichloroethane	5.	ND	U
156-59-2	Cis-1,2-dichloroethene	5.	ND	U
78-93-3	2-Butanone	20.	ND	U
67-66-3	Chloroform	5.	ND	U
71-55-6	1,1,1-Trichloroethane	5.	ND	U
56-23-5	Carbon tetrachloride	5.	ND	U
108-05-4	Vinyl acetate	10.	ND	U
71-43-2	Benzene	5.	ND	U
107-06-2	1,2-Dichloroethane	5.	ND	U
79-01-6	Trichloroethene	5.	ND	U
78-87-5	1,2-Dichloropropane	5.	ND	U
75-27-4	Bromodichloromethane	5.	ND	U
10061-01-5	Cis-1,3-dichloropropene	5.	ND	U
108-10-1	4-Methyl-2-pentanone	10.	ND	U
108-88-3	Toluene	5.	ND	U
10061-02-6	Trans-1,3-dichloropropene	5.	ND	U
79-00-5	1,1,2-Trichloroethane	5.	ND	U
127-18-4	Tetrachloroethene	5.	ND	U
591-78-6	2-Hexanone	10.	ND	U
124-48-1	Dibromochloromethane	5.	ND	U
108-90-7	Chlorobenzene	5.	ND	U
100-41-4	Ethylbenzene	5.	ND	U
1330-20-7	Xylene (Total)	5.	ND	U
100-42-5	Styrene	5.	ND	U
75-25-2	Bromoform	5.	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	5.	ND	U
541-73-1	1,3-Dichlorobenzene	5.	ND	U
106-46-7	1,4-Dichlorobenzene	5.	ND	U
95-50-1	1,2-Dichlorobenzene	5.	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8240
ANAMETRIX, INC. (408)432-8192

Project ID : 82107
 Sample ID : MWB1
 Matrix : WATER
 Date Sampled : 9/29/93
 Date Analyzed : 10/ 6/93
 Instrument ID : MSD1

Anametrix ID : 9309374-03
 Analyst : DP
 Supervisor : JG
 Dilution Factor : 5.0
 Conc. Units : ug/L

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
74-87-3	Chloromethane	50.	ND	U
75-01-4	Vinyl chloride	50.	ND	U
74-83-9	Bromomethane	50.	ND	U
75-00-3	Chloroethane	50.	ND	U
75-69-4	Trichlorofluoromethane	25.	ND	U
75-35-4	1,1-Dichloroethene	25.	ND	U
76-13-1	Trichlorotrifluoroethane	25.	ND	U
67-64-1	Acetone	100.	ND	U
75-15-0	Carbon disulfide	25.	ND	U
75-09-2	Methylene chloride	25.	ND	U
156-60-5	Trans-1,2-dichloroethene	25.	ND	U
75-34-3	1,1-Dichloroethane	25.	ND	U
156-59-2	Cis-1,2-dichloroethene	100.	ND	U
78-93-3	2-Butanone	25.	ND	U
67-66-3	Chloroform	25.	ND	U
71-55-6	1,1,1-Trichloroethane	25.	ND	U
56-23-5	Carbon tetrachloride	50.	ND	U
108-05-4	Vinyl acetate	25.	ND	U
71-43-2	Benzene	25.	ND	U
107-06-2	1,2-Dichloroethane	25.	ND	U
79-01-6	Trichloroethene	25.	ND	U
78-87-5	1,2-Dichloropropane	25.	ND	U
75-27-4	Bromodichloromethane	25.	ND	U
10061-01-5	Cis-1,3-dichloropropene	50.	ND	U
108-10-1	4-Methyl-2-pentanone	25.	ND	U
108-88-3	Toluene	25.	ND	U
10061-02-6	Trans-1,3-dichloropropene	25.	ND	U
79-00-5	1,1,2-Trichloroethane	25.	ND	U
127-18-4	Tetrachloroethene	50.	ND	U
591-78-6	2-Hexanone	25.	ND	U
124-48-1	Dibromochloromethane	25.	ND	U
108-90-7	Chlorobenzene	25.	ND	U
100-41-4	Ethylbenzene	25.	ND	U
1330-20-7	Xylene (Total)	25.	ND	U
100-42-5	Styrene	25.	ND	U
75-25-2	Bromoform	25.	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	25.	ND	U
541-73-1	1,3-Dichlorobenzene	25.	ND	U
106-46-7	1,4-Dichlorobenzene	25.	ND	U
95-50-1	1,2-Dichlorobenzene	25.	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8240
ANAMETRIX, INC. (408)432-8192

Project ID : 82107
 Sample ID : MWB2
 Matrix : WATER
 Date Sampled : 9/29/93
 Date Analyzed : 10/ 6/93
 Instrument ID : MSD1

Anametrix ID : 9309374-04
 Analyst : *[Signature]*
 Supervisor : *[Signature]*
 Dilution Factor : 100.0
 Conc. Units : ug/L

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
74-87-3	Chloromethane	1000.	ND	U
75-01-4	Vinyl chloride	1000.	ND	U
74-83-9	Bromomethane	1000.	ND	U
75-00-3	Chloroethane	1000.	ND	U
75-69-4	Trichlorofluoromethane	500.	ND	U
75-35-4	1,1-Dichloroethene	500.	ND	U
76-13-1	Trichlorotrifluoroethane	500.	ND	U
67-64-1	Acetone	2000.	ND	U
75-15-0	Carbon disulfide	500.	ND	U
75-09-2	Methylene chloride	500.	ND	U
156-60-5	Trans-1,2-dichloroethene	500.	ND	U
75-34-3	1,1-Dichloroethane	500.	ND	U
156-59-2	Cis-1,2-dichloroethene	500.	ND	U
78-93-3	2-Butanone	2000.	ND	U
67-66-3	Chloroform	500.	ND	U
71-55-6	1,1,1-Trichloroethane	500.	ND	U
56-23-5	Carbon tetrachloride	1000.	ND	U
108-05-4	Vinyl acetate	500.	ND	U
71-43-2	Benzene	500.	ND	U
107-06-2	1,2-Dichloroethane	500.	ND	U
79-01-6	Trichloroethene	500.	ND	U
78-87-5	1,2-Dichloropropane	500.	ND	U
75-27-4	Bromodichloromethane	500.	ND	U
10061-01-5	Cis-1,3-dichloropropene	1000.	ND	U
108-10-1	4-Methyl-2-pentanone	500.	ND	U
108-88-3	Toluene	500.	ND	U
10061-02-6	Trans-1,3-dichloropropene	500.	ND	U
79-00-5	1,1,2-Trichloroethane	500.	ND	U
127-18-4	Tetrachloroethene	500.	ND	U
591-78-6	2-Hexanone	1000.	ND	U
124-48-1	Dibromochloromethane	500.	ND	U
108-90-7	Chlorobenzene	500.	ND	U
100-41-4	Ethylbenzene	500.	ND	U
1330-20-7	Xylene (Total)	500.	ND	U
100-42-5	Styrene	500.	ND	U
75-25-2	Bromoform	500.	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	500.	ND	U
541-73-1	1,3-Dichlorobenzene	500.	ND	U
106-46-7	1,4-Dichlorobenzene	500.	ND	U
95-50-1	1,2-Dichlorobenzene	500.	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8240
ANAMETRIX, INC. (408)432-8192

Project ID : 82107
 Sample ID : MW3B
 Matrix : WATER
 Date Sampled : 9/29/93
 Date Analyzed : 10/ 6/93
 Instrument ID : MSD1

Anametrix ID : 9309374-05
 Analyst : JP
 Supervisor : SCJ
 Dilution Factor : 1.0
 Conc. Units : ug/L

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
74-87-3	Chloromethane	10.	ND	U
75-01-4	Vinyl chloride	10.	ND	U
74-83-9	Bromomethane	10.	ND	U
75-00-3	Chloroethane	10.	ND	U
75-69-4	Trichlorofluoromethane	5.	ND	U
75-35-4	1,1-Dichloroethene	5.	ND	U
76-13-1	Trichlorotrifluoroethane	5.	ND	U
67-64-1	Acetone	20.	ND	U
75-15-0	Carbon disulfide	5.	ND	U
75-09-2	Methylene chloride	5.	ND	U
156-60-5	Trans-1,2-dichloroethene	5.	ND	U
75-34-3	1,1-Dichloroethane	5.	ND	U
156-59-2	Cis-1,2-dichloroethene	5.	ND	U
78-93-3	2-Butanone	20.	ND	U
67-66-3	Chloroform	5.	ND	U
71-55-6	1,1,1-Trichloroethane	5.	ND	U
56-23-5	Carbon tetrachloride	5.	ND	U
108-05-4	Vinyl acetate	10.	ND	U
71-43-2	Benzene	5.	ND	U
107-06-2	1,2-Dichloroethane	5.	ND	U
79-01-6	Trichloroethene	5.	ND	U
78-87-5	1,2-Dichloropropane	5.	ND	U
75-27-4	Bromodichloromethane	5.	ND	U
10061-01-5	Cis-1,3-dichloropropene	5.	ND	U
108-10-1	4-Methyl-2-pentanone	10.	ND	U
108-88-3	Toluene	5.	ND	U
10061-02-6	Trans-1,3-dichloropropene	5.	ND	U
79-00-5	1,1,2-Trichloroethane	5.	ND	U
127-18-4	Tetrachloroethene	5.	ND	U
591-78-6	2-Hexanone	10.	ND	U
124-48-1	Dibromochloromethane	5.	ND	U
108-90-7	Chlorobenzene	5.	ND	U
100-41-4	Ethylbenzene	5.	ND	U
1330-20-7	Xylene (Total)	5.	ND	U
100-42-5	Styrene	5.	ND	U
75-25-2	Bromoform	5.	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	5.	ND	U
541-73-1	1,3-Dichlorobenzene	5.	ND	U
106-46-7	1,4-Dichlorobenzene	5.	ND	U
95-50-1	1,2-Dichlorobenzene	5.	ND	U

ORGANIC ANALYSIS DATA SHEET - EPA METHOD 8240
ANAMETRIX, INC. (408)432-8192

Project ID : 82107
 Sample ID : MWB4
 Matrix : WATER
 Date Sampled : 9/29/93
 Date Analyzed : 10/ 6/93
 Instrument ID : MSD1

Anametrix ID : 9309374-06
 Analyst : BP
 Supervisor : JG
 Dilution Factor : 1.0
 Conc. Units : ug/L

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
74-87-3	Chloromethane	10.	ND	U
75-01-4	Vinyl chloride	10.	ND	U
74-83-9	Bromomethane	10.	ND	U
75-00-3	Chloroethane	10.	ND	U
75-69-4	Trichlorofluoromethane	5.	ND	U
75-35-4	1,1-Dichloroethene	5.	ND	U
76-13-1	Trichlorotrifluoroethane	5.	ND	U
67-64-1	Acetone	20.	ND	U
75-15-0	Carbon disulfide	5.	ND	U
75-09-2	Methylene chloride	5.	ND	U
156-60-5	Trans-1,2-dichloroethene	5.	ND	U
75-34-3	1,1-Dichloroethane	5.	ND	U
156-59-2	Cis-1,2-dichloroethene	5.	ND	U
78-93-3	2-Butanone	20.	ND	U
67-66-3	Chloroform	5.	ND	U
71-55-6	1,1,1-Trichloroethane	5.	ND	U
56-23-5	Carbon tetrachloride	10.	ND	U
108-05-4	Vinyl acetate	5.	ND	U
71-43-2	Benzene	5.	ND	U
107-06-2	1,2-Dichloroethane	5.	ND	U
79-01-6	Trichloroethene	5.	ND	U
78-87-5	1,2-Dichloropropane	5.	ND	U
75-27-4	Bromodichloromethane	5.	ND	U
10061-01-5	Cis-1,3-dichloropropene	10.	ND	U
108-10-1	4-Methyl-2-pentanone	5.	ND	U
108-88-3	Toluene	5.	ND	U
10061-02-6	Trans-1,3-dichloropropene	5.	ND	U
79-00-5	1,1,2-Trichloroethane	5.	ND	U
127-18-4	Tetrachloroethene	5.	ND	U
591-78-6	2-Hexanone	10.	ND	U
124-48-1	Dibromochloromethane	5.	ND	U
108-90-7	Chlorobenzene	5.	ND	U
100-41-4	Ethylbenzene	5.	ND	U
1330-20-7	Xylene (Total)	5.	ND	U
100-42-5	Styrene	5.	ND	U
75-25-2	Bromoform	5.	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	5.	ND	U
541-73-1	1,3-Dichlorobenzene	5.	ND	U
106-46-7	1,4-Dichlorobenzene	5.	ND	U
95-50-1	1,2-Dichlorobenzene	5.	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8240
ANAMETRIX, INC. (408)432-8192

Project ID : 82107
 Sample ID : MW01
 Matrix : WATER
 Date Sampled : 9/29/93
 Date Analyzed : 10/5/93
 Instrument ID : MSD1

Anametrix ID : 9309374-07
 Analyst : M
 Supervisor : Jey
 Dilution Factor : 1.0
 Conc. Units : ug/L

CAS NO.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
74-87-3	Chloromethane	10.	ND	U
75-01-4	Vinyl chloride	10.	ND	U
74-83-9	Bromomethane	10.	ND	U
75-00-3	Chloroethane	10.	ND	U
75-69-4	Trichlorofluoromethane	5.	ND	U
75-35-4	1,1-Dichloroethene	5.	ND	U
76-13-1	Trichlorotrifluoroethane	5.	ND	U
67-64-1	Acetone	20.	ND	U
75-15-0	Carbon disulfide	5.	ND	U
75-09-2	Methylene chloride	5.	ND	U
156-60-5	Trans-1,2-dichloroethene	5.	ND	U
75-34-3	1,1-Dichloroethane	5.	ND	U
156-59-2	Cis-1,2-dichloroethene	5.	ND	U
78-93-3	2-Butanone	20.	ND	U
67-66-3	Chloroform	5.	ND	U
71-55-6	1,1,1-Trichloroethane	5.	ND	U
56-23-5	Carbon tetrachloride	5.	ND	U
108-05-4	Vinyl acetate	10.	ND	U
71-43-2	Benzene	5.	ND	U
107-06-2	1,2-Dichloroethane	5.	ND	U
79-01-6	Trichloroethene	5.	ND	U
78-87-5	1,2-Dichloropropane	5.	ND	U
75-27-4	Bromodichloromethane	5.	ND	U
10061-01-5	Cis-1,3-dichloropropene	5.	ND	U
108-10-1	4-Methyl-2-pentanone	10.	ND	U
108-88-3	Toluene	5.	ND	U
10061-02-6	Trans-1,3-dichloropropene	5.	ND	U
79-00-5	1,1,2-Trichloroethane	5.	ND	U
127-18-4	Tetrachloroethene	5.	ND	U
591-78-6	2-Hexanone	10.	ND	U
124-48-1	Dibromochloromethane	5.	ND	U
108-90-7	Chlorobenzene	5.	ND	U
100-41-4	Ethylbenzene	5.	ND	U
1330-20-7	Xylene (Total)	5.	ND	U
100-42-5	Styrene	5.	ND	U
75-25-2	Bromoform	5.	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	5.	ND	U
541-73-1	1,3-Dichlorobenzene	5.	ND	U
106-46-7	1,4-Dichlorobenzene	5.	ND	U
95-50-1	1,2-Dichlorobenzene	5.	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8240
ANAMETRIX, INC. (408)432-8192

Project ID : 82107
 Sample ID : MWD2
 Matrix : WATER
 Date Sampled : 9/29/93
 Date Analyzed : 10/ 5/93
 Instrument ID : MSD1

Anametrix ID : 9309374-08
 Analyst : DP
 Supervisor : BR
 Dilution Factor : 1.0
 Conc. Units : ug/L

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
74-87-3	Chloromethane	10.	ND	U
75-01-4	Vinyl chloride	10.	ND	U
74-83-9	Bromomethane	10.	ND	U
75-00-3	Chloroethane	10.	ND	U
75-69-4	Trichlorofluoromethane	5.	ND	U
75-35-4	1,1-Dichloroethene	5.	ND	U
76-13-1	Trichlorotrifluoroethane	5.	ND	U
67-64-1	Acetone	20.	ND	U
75-15-0	Carbon disulfide	5.	ND	U
75-09-2	Methylene chloride	5.	ND	U
156-60-5	Trans-1,2-dichloroethene	5.	ND	U
75-34-3	1,1-Dichloroethane	5.	ND	U
156-59-2	Cis-1,2-dichloroethene	5.	ND	U
78-93-3	2-Butanone	20.	ND	U
67-66-3	Chloroform	5.	ND	U
71-55-6	1,1,1-Trichloroethane	5.	ND	U
56-23-5	Carbon tetrachloride	5.	ND	U
108-05-4	Vinyl acetate	10.	ND	U
71-43-2	Benzene	5.	ND	U
107-06-2	1,2-Dichloroethane	5.	ND	U
79-01-6	Trichloroethene	5.	ND	U
78-87-5	1,2-Dichloropropane	5.	ND	U
75-27-4	Bromodichloromethane	5.	ND	U
10061-01-5	Cis-1,3-dichloropropene	5.	ND	U
108-10-1	4-Methyl-2-pentanone	10.	ND	U
108-88-3	Toluene	5.	ND	U
10061-02-6	Trans-1,3-dichloropropene	5.	ND	U
79-00-5	1,1,2-Trichloroethane	5.	ND	U
127-18-4	Tetrachloroethene	5.	ND	U
591-78-6	2-Hexanone	10.	ND	U
124-48-1	Dibromochloromethane	5.	ND	U
108-90-7	Chlorobenzene	5.	ND	U
100-41-4	Ethylbenzene	5.	ND	U
1330-20-7	Xylene (Total)	5.	ND	U
100-42-5	Styrene	5.	ND	U
75-25-2	Bromoform	5.	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	5.	ND	U
541-73-1	1,3-Dichlorobenzene	5.	ND	U
106-46-7	1,4-Dichlorobenzene	5.	ND	U
95-50-1	1,2-Dichlorobenzene	5.	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8240
ANAMETRIX, INC. (408) 432-8192

Project ID	: 82107	Anametrix ID	: 9309374-09
Sample ID	: MWLD4	Analyst	: DP
Matrix	: WATER	Supervisor	: omy
Date Sampled	: 9/29/93	Dilution Factor :	1.0
Date Analyzed	: 10/ 6/93	Conc. Units	: ug/L
Instrument ID	: MSD1		

CAS NO.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
74-87-3	Chloromethane	10.	ND	U
75-01-4	Vinyl chloride	10.	ND	U
74-83-9	Bromomethane	10.	ND	U
75-00-3	Chloroethane	10.	ND	U
75-69-4	Trichlorofluoromethane	5.	ND	U
75-35-4	1,1-Dichloroethene	5.	ND	U
76-13-1	Trichlorotrifluoroethane	5.	ND	U
67-64-1	Acetone	20.	ND	U
75-15-0	Carbon disulfide	5.	ND	U
75-09-2	Methylene chloride	5.	ND	U
156-60-5	Trans-1,2-dichloroethene	5.	ND	U
75-34-3	1,1-Dichloroethane	5.	ND	U
156-59-2	Cis-1,2-dichloroethene	5.	ND	U
78-93-3	2-Butanone	20.	ND	U
67-66-3	Chloroform	5.	ND	U
71-55-6	1,1,1-Trichloroethane	5.	ND	U
56-23-5	Carbon tetrachloride	5.	ND	U
108-05-4	Vinyl acetate	10.	ND	U
71-43-2	Benzene	5.	ND	U
107-06-2	1,2-Dichloroethane	5.	ND	U
79-01-6	Trichloroethene	5.	ND	U
78-87-5	1,2-Dichloropropane	5.	ND	U
75-27-4	Bromodichloromethane	5.	ND	U
10061-01-5	Cis-1,3-dichloropropene	5.	ND	U
108-10-1	4-Methyl-2-pentanone	10.	ND	U
108-88-3	Toluene	5.	ND	U
10061-02-6	Trans-1,3-dichloropropene	5.	ND	U
79-00-5	1,1,2-Trichloroethane	5.	ND	U
127-18-4	Tetrachloroethene	5.	ND	U
591-78-6	2-Hexanone	10.	ND	U
124-48-1	Dibromochloromethane	5.	ND	U
108-90-7	Chlorobenzene	5.	ND	U
100-41-4	Ethylbenzene	5.	ND	U
1330-20-7	Xylene (Total)	5.	ND	U
100-42-5	Styrene	5.	ND	U
75-25-2	Bromoform	5.	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	5.	ND	U
541-73-1	1,3-Dichlorobenzene	5.	ND	U
106-46-7	1,4-Dichlorobenzene	5.	ND	U
95-50-1	1,2-Dichlorobenzene	5.	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8240
ANAMETRIX, INC. (408) 432-8192

Project ID : 82107
 Sample ID : 200
 Matrix : WATER
 Date Sampled : 9/29/93
 Date Analyzed : 10/ 5/93
 Instrument ID : MSD1

Anametrix ID : 9309374-10
 Analyst : DP
 Supervisor : KJ
 Dilution Factor : 10.0
 Conc. Units : ug/L

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
74-87-3	Chloromethane	100.	ND	U
75-01-4	Vinyl chloride	100.	ND	U
74-83-9	Bromomethane	100.	ND	U
75-00-3	Chloroethane	100.	ND	U
75-69-4	Trichlorofluoromethane	50.	ND	U
75-35-4	1,1-Dichloroethene	50.	ND	U
76-13-1	Trichlorotrifluoroethane	50.	ND	U
67-64-1	Acetone	200.	ND	U
75-15-0	Carbon disulfide	50.	ND	U
75-09-2	Methylene chloride	50.	ND	U
156-60-5	Trans-1,2-dichloroethene	50.	ND	U
75-34-3	1,1-Dichloroethane	50.	ND	U
156-59-2	Cis-1,2-dichloroethene	50.	ND	U
78-93-3	2-Butanone	200.	ND	U
67-66-3	Chloroform	50.	ND	U
71-55-6	1,1,1-Trichloroethane	50.	ND	U
56-23-5	Carbon tetrachloride	50.	ND	U
108-05-4	Vinyl acetate	100.	ND	U
71-43-2	Benzene	50.	ND	U
107-06-2	1,2-Dichloroethane	50.	ND	U
79-01-6	Trichloroethene	50.	ND	U
78-87-5	1,2-Dichloropropane	50.	ND	U
75-27-4	Bromodichloromethane	50.	ND	U
10061-01-5	Cis-1,3-dichloropropene	50.	ND	U
108-10-1	4-Methyl-2-pentanone	100.	ND	U
108-88-3	Toluene	50.	ND	U
10061-02-6	Trans-1,3-dichloropropene	50.	ND	U
79-00-5	1,1,2-Trichloroethane	50.	ND	U
127-18-4	Tetrachloroethene	50.	ND	U
591-78-6	2-Hexanone	100.	ND	U
124-48-1	Dibromochloromethane	50.	ND	U
108-90-7	Chlorobenzene	50.	ND	U
100-41-4	Ethylbenzene	50.	ND	U
1330-20-7	Xylene (Total)	50.	ND	U
100-42-5	Styrene	50.	ND	U
75-25-2	Bromoform	50.	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	50.	ND	U
541-73-1	1,3-Dichlorobenzene	50.	ND	U
106-46-7	1,4-Dichlorobenzene	50.	ND	U
95-50-1	1,2-Dichlorobenzene	50.	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8240
ANAMETRIX, INC. (408)432-8192

Project ID : 82107
 Sample ID : 201
 Matrix : WATER
 Date Sampled : 9/29/93
 Date Analyzed : 10/ 5/93
 Instrument ID : MSD1

Anametrix ID : 9309374-11
 Analyst : D
 Supervisor : L
 Dilution Factor : 1.0
 Conc. Units : ug/L

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
74-87-3	Chloromethane	10.	ND	U
75-01-4	Vinyl chloride	10.	ND	U
74-83-9	Bromomethane	10.	ND	U
75-00-3	Chloroethane	10.	ND	U
75-69-4	Trichlorofluoromethane	5.	ND	U
75-35-4	1,1-Dichloroethene	5.	ND	U
76-13-1	Trichlorotrifluoroethane	5.	ND	U
67-64-1	Acetone	20.	ND	U
75-15-0	Carbon disulfide	5.	ND	U
75-09-2	Methylene chloride	5.	ND	U
156-60-5	Trans-1,2-dichloroethene	5.	ND	U
75-34-3	1,1-Dichloroethane	5.	ND	U
156-59-2	Cis-1,2-dichloroethene	5.	ND	U
78-93-3	2-Butanone	20.	ND	U
67-66-3	Chloroform	5.	ND	U
71-55-6	1,1,1-Trichloroethane	5.	ND	U
56-23-5	Carbon tetrachloride	5.	ND	U
108-05-4	Vinyl acetate	10.	ND	U
71-43-2	Benzene	5.	ND	U
107-06-2	1,2-Dichloroethane	5.	ND	U
79-01-6	Trichloroethene	5.	ND	U
78-87-5	1,2-Dichloropropane	5.	ND	U
75-27-4	Bromodichloromethane	5.	ND	U
10061-01-5	Cis-1,3-dichloropropene	5.	ND	U
108-10-1	4-Methyl-2-pentanone	10.	ND	U
108-88-3	Toluene	5.	ND	U
10061-02-6	Trans-1,3-dichloropropene	5.	ND	U
79-00-5	1,1,2-Trichloroethane	5.	ND	U
127-18-4	Tetrachloroethene	5.	ND	U
591-78-6	2-Hexanone	10.	ND	U
124-48-1	Dibromochloromethane	5.	ND	U
108-90-7	Chlorobenzene	5.	ND	U
100-41-4	Ethybenzene	5.	ND	U
1330-20-7	Xylene (Total)	5.	ND	U
100-42-5	Styrene	5.	ND	U
75-25-2	Bromoform	5.	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	5.	ND	U
541-73-1	1,3-Dichlorobenzene	5.	ND	U
106-46-7	1,4-Dichlorobenzene	5.	ND	U
95-50-1	1,2-Dichlorobenzene	5.	ND	U

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS
 (GASOLINE)
 ANAMETRIX, INC. - (408) 432-8192

Anametrix W.O.: 9309374
 Matrix : WATER
 Date Sampled : 09/29/93

Project Number : 82107
 Date Released : 10/13/93

Reporting Limit	Sample I.D.#				
	MW1	MW2	MWB1	MWB2	MWB3
COMPOUNDS	(ug/L)	-01	-02	-03	-04
TPH as Mineral spirits	50	59000	ND	43000	290000
% Surrogate Recovery		66%	67%	135%	62%
Instrument I.D.		HP12	HP12	HP12	HP12
Date Analyzed	10/12/93	10/06/93	10/06/93	10/07/93	10/06/93
RLMF	250	1	100	2500	5

ND - Not detected at or above the practical quantitation limit for the method.

TPHg - Total Petroleum Hydrocarbons as mineral spirits is determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.

RLMF - Reporting Limit Multiplication Factor (Dilution).

Anametrix control limits for surrogate p-Bromofluorobenzene recovery are 61-139%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Leesa Sher 10/14/93
 Analyst Date

Chuck Balmer 10/14/93
 Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS
 (GASOLINE)
 ANAMETRIX, INC. - (408) 432-8192

Anametrix W.O.: 9309374
 Matrix : WATER
 Date Sampled : 09/29/93

Project Number : 82107
 Date Released : 10/13/93

	Reporting Limit	Sample I.D.# MWB4	Sample I.D.# MWD1	Sample I.D.# MWD2	Sample I.D.# MWLD4	Sample I.D.# 200
COMPOUNDS	(ug/L)	-06	-07	-08	-09	-10
TPH as Mineral spirits	50	1400	110	220	700	25000
% Surrogate Recovery		78%	85%	66%	101%	73%
Instrument I.D.		HP12	HP12	HP12	HP12	HP12
Date Analyzed		10/08/93	10/06/93	10/09/93	10/08/93	10/06/93
RLMF		10	1	1	1	250

ND - Not detected at or above the practical quantitation limit for the method.

TPHg - Total Petroleum Hydrocarbons as mineral spirits is determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.

RLMF - Reporting Limit Multiplication Factor (Dilution).

Anametrix control limits for surrogate p-Bromofluorobenzene recovery are 61-139%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Leeca Shor 10/14/93
 Analyst Date

Cheryl Balmer 10/14/93
 Supervisor Date

No. 005995

CHAIN OF CUSTODY RECORD

PROJ. NO.	PROJECT NAME AND LOCATION:						NO. OF CONTAINERS	
CA821-07	Gow Group, Envryville CA							
SAMPLERS: (Signature)	PRINT NAME: JEFF BENSON BOB BEALKOWSKI							
LINE	SAMPLE NO.	DATE	TIME	COMP.	GRAB	SAMPLE LOCATION	MATRIX	REMARKS
1	MWB-1	9-23-93	1418				WATER	6 X X
2	MWB-2		1416					
3	MWB-1		1050					
4	MWB-2		1210					
5	MWB-3		1115					
6	MWB-4		1145				5	
7	MWD-1		1500				6	
8	MWD-2		1530					
9	MWD-4		1510					
10	ZOO		—	Dup MWB-1			4	4
11	ZOI	4	—	EB on bather			3	
12	TEP BLANK	9-24-93	—				3	4
13								
Relinquished by: (Signature)		Date / Time	Received by: (Signature)		LAB NAME:		ENVIRONMENTAL STRATEGIES CORPORATION 11944 Freedom Drive 101 METRO DR. STE 650 Reston, Virginia 22090 SAN JOSE CA 95110 703)709-6500 (408)453-6106	
<i>Bob Benson</i>		9-30-93/1078	<i>James S. Larson</i>		ANALYTIX CITY: SAN JOSE			
					COURIER: ANALYTIX AIRBILL NO.:			
Received for Laboratory by: (Signature)		PRINT NAME:		Date / Time	CUSTODY SEAL NOS:			
					COOLER NO: 106			
ATTENTION LAB: SEND ANALYTICAL RESULTS TO THE FOLLOWING ESC STAFF MEMBER: <i>BOB BEALKOWSKI</i>								

DISTRIBUTION: ORIGINAL ACCOMPANIES SHIPMENT; COPY TO ESC FILES



Appendix C - QAO Report

ESC

Quality Control Data Review Summary

Site: Grow Group Emeryville Site (Project No. CA821-07)
Laboratory: Anametrix
QA Reviewer: Liz Roman, ESC
Review Date: October 28, 1993
Laboratory Project No.: 9309374
Sample No.: MW-1, MW-2, MWB-1, MWB-2, MWB-3, MWB-4, MWD-1, MWD-2,
MWLD-4, 200, 201, Tripblank (TB)
Analyses: Volatile Organic Compounds by EPA SW846 Method 8240 and Total
Petroleum Hydrocarbon (TPH) Fingerprinting for mineral spirits by modified
SW846 Method 8015

Collection Dates: September 29, 1993
Laboratory QC Criteria Reviewed: Holding times, laboratory blanks, initial and continuing calibrations, surrogate recoveries, matrix spike/matrix spike duplicates, and laboratory control samples

Field QC Criteria Reviewed: Duplicates, tripblank, and equipment rinsate blank

The data were reviewed according to the EPA document "National Functional Guidelines for Organic Data Review" (June, 1991) and the quality control (QC) criteria established in SW846 Method 8260. The following comments discuss data quality problems. The data qualifiers and the qualified analytical results are presented in Tables 1 and 2 of this appendix.

Comments

1. Most of the surrogate recoveries for TPH fingerprinting as mineral spirits results exceeded the 75-125 percent recovery criteria. However, these exceedances were relatively marginal and were probably affected by the high mineral spirits concentrations.
2. Sample 201 was the equipment rinsate blank. No target analytes were detected in this sample.
3. Sample 200 was the tripblank. No target analytes were detected in this sample.
4. Sample 200 was a duplicate of sample MWB-1. Volatile compounds were not detected in either sample. TPH as mineral spirits was detected in both samples and the relative percent difference was 53 percent which may have been due to the high concentrations of this analyte.
5. All quality control criteria, other than those discussed above, were met and are considered acceptable. Based upon the QA/QC review of this data package, all results are usable as and considered valid.

Table 1
Results for Water Samples from the Grow Group Emeryville Site
September 1993 (ug/L) (a)

Analyte

Volatiles	MW-1	MW-2	MWB-1	MWB-2	MWB-3	MWB-4
Chloromethane	500 U	10 U	50 U	1000 U	10 U	10 U
Vinyl chloride	500 U	10 U	50 U	1000 U	10 U	10 U
Bromomethane	500 U	10 U	50 U	1000 U	10 U	10 U
Chloroethane	500 U	10 U	50 U	1000 U	10 U	10 U
Trichlorofluoromethane	250 U	5 U	25 U	500 U	5 U	5 U
1,1-Dichloroethene	250 U	5 U	25 U	500 U	5 U	5 U
Trichlorotrifluoroethane	250 U	5 U	25 U	500 U	5 U	5 U
Acetone	1000 U	20 U	100 U	2000 U	20 U	20 U
Carbon disulfide	250 U	5 U	25 U	500 U	5 U	5 U
Methylene chloride	250 U	5 U	25 U	500 U	5 U	5 U
Trans-1,2-dichloroethene	250 U	5 U	25 U	500 U	5 U	5 U
1,1-Dichloroethane	250 U	5 U	25 U	500 U	5 U	5 U
Cis-1,2-dichloroethene	250 U	5 U	25 U	500 U	5 U	5 U
2-Butanone	1000 U	20 U	100 U	2000 U	20 U	20 U
Chloroform	250 U	5 U	25 U	500 U	5 U	5 U
1,1,1-Trichloroethane	250 U	5 U	25 U	500 U	5 U	5 U
Carbon tetrachloride	250 U	5 U	25 U	500 U	5 U	5 U
Vinyl acetate	500 U	10 U	50 U	1000 U	10 U	10 U
Benzene	7100	5 U	25 U	500 U	5 U	5 U
1,2-Dichloroethane	250 U	5 U	25 U	500 U	5 U	5 U
Trichloroethene	250 U	5 U	25 U	500 U	5 U	5 U
1,2-Dichloropropane	250 U	5 U	25 U	500 U	5 U	5 U
Bromodichloromethane	250 U	5 U	25 U	500 U	5 U	5 U
cis-1,3-Dichloropropene	250 U	5 U	25 U	500 U	5 U	5 U
4-Methyl-2-pentanone	500 U	10 U	50 U	1000 U	10 U	10 U
Toluene	5700	5 U	25 U	500 U	5 U	5 U
trans-1,3-Dichloropropene	250 U	5 U	25 U	500 U	5 U	5 U
1,1,2-Trichloroethane	250 U	5 U	25 U	500 U	5 U	5 U
Tetrachloroethylene	250 U	5 U	25 U	500 U	5 U	5 U
2-Hexanone	500 U	10 U	50 U	1000 U	10 U	10 U
Dibromochloromethane	250 U	5 U	25 U	500 U	5 U	5 U
Chlorobenzene	250 U	5 U	25 U	500 U	5 U	5 U
Ethylbenzene	1800	5 U	25 U	500 U	5 U	5 U
Xylene (Total)	7900	5 U	25 U	500 U	5 U	5 U
Styrene	250 U	5 U	25 U	500 U	5 U	5 U
Bromoform	250 U	5 U	25 U	500 U	5 U	5 U
1,1,2,2-Tetrachloroethane	250 U	5 U	25 U	500 U	5 U	5 U
1,3-Dichlorobenzene	250 U	5 U	25 U	500 U	5 U	5 U
1,4-Dichlorobenzene	250 U	5 U	25 U	500 U	5 U	5 U
1,2-Dichlorobenzene	250 U	5 U	25 U	500 U	5 U	5 U

a\U=undetected

Table 1 (continued)
Results for Water Samples from the Grow Group Emeryville Site
September 1993 (ug/L) (a)

Analyte

Volatiles	MWD-1	MWD-2	MWLD-4	200	201	TB
Chloromethane	10 U	10 U	10 U	100 U	10 U	10 U
Vinyl chloride	10 U	10 U	10 U	100 U	10 U	10 U
Bromomethane	10 U	10 U	10 U	100 U	10 U	10 U
Chloroethane	10 U	10 U	10 U	100 U	10 U	10 U
Trichlorofluoromethane	5 U	5 U	5 U	50 U	5 U	5 U
1,1-Dichloroethene	5 U	5 U	5 U	50 U	5 U	5 U
Trichlorotrifluoroethane	5 U	5 U	5 U	50 U	5 U	5 U
Acetone	20 U	20 U	20 U	200 U	20 U	20 U
Carbon disulfide	5 U	5 U	5 U	50 U	5 U	5 U
Methylene chloride	5 U	5 U	5 U	50 U	5 U	5 U
Trans-1,2-dichloroethene	5 U	5 U	5 U	50 U	5 U	5 U
1,1-Dichloroethane	5 U	5 U	5 U	50 U	5 U	5 U
Cis-1,2-dichloroethene	5 U	5 U	5 U	50 U	5 U	5 U
2-Butanone	20 U	20 U	20 U	200 U	20 U	20 U
Chloroform	5 U	5 U	5 U	50 U	5 U	5 U
1,1,1-Trichloroethane	5 U	5 U	5 U	50 U	5 U	5 U
Carbon tetrachloride	5 U	5 U	5 U	50 U	5 U	5 U
Vinyl acetate	10 U	10 U	10 U	100 U	10 U	10 U
Benzene	5 U	5 U	5 U	50 U	5 U	5 U
1,2-Dichloroethane	5 U	5 U	5 U	50 U	5 U	5 U
Trichloroethene	5 U	5 U	5 U	50 U	5 U	5 U
1,2-Dichloropropane	5 U	5 U	5 U	50 U	5 U	5 U
Bromodichloromethane	5 U	5 U	5 U	50 U	5 U	5 U
cis-1,3-Dichloropropene	5 U	5 U	5 U	50 U	5 U	5 U
4-Methyl-2-pentanone	10 U	10 U	10 U	100 U	10 U	10 U
Toluene	5 U	5 U	5 U	50 U	5 U	5 U
trans-1,3-Dichloropropene	5 U	5 U	5 U	50 U	5 U	5 U
1,1,2-Trichloroethane	5 U	5 U	5 U	50 U	5 U	5 U
Tetrachloroethylene	5 U	5 U	5 U	50 U	5 U	5 U
2-Hexanone	10 U	10 U	10 U	100 U	10 U	10 U
Dibromochloromethane	5 U	5 U	5 U	50 U	5 U	5 U
Chlorobenzene	5 U	5 U	5 U	50 U	5 U	5 U
Ethylbenzene	5 U	5 U	5 U	50 U	5 U	5 U
Xylene (Total)	5 U	5 U	5 U	50 U	5 U	5 U
Styrene	5 U	5 U	5 U	50 U	5 U	5 U
Bromoform	5 U	5 U	5 U	50 U	5 U	5 U
1,1,2,2-Tetrachloroethane	5 U	5 U	5 U	50 U	5 U	5 U
1,3-Dichlorobenzene	5 U	5 U	5 U	50 U	5 U	5 U
1,4-Dichlorobenzene	5 U	5 U	5 U	50 U	5 U	5 U
1,2-Dichlorobenzene	5 U	5 U	5 U	50 U	5 U	5 U

aU=undetected

Table 2
Results for Water Samples from the Grow Group Emeryville Site
September 1993 (ug/L) (a)

Analyte	MW-1	MW-2	MWB-1	MWB-2	MWB-3	MWB-4
TPH as mineral spirits	59000	50 U	43000	290000	2400	1400

Analyte	MWD-1	MWD-2	MWLD-4	200
TPH as mineral spirits	110	220	700	25000

aU=undetected