

RECEIVED

10:50 am, Jul 27, 2010

Alameda County
Environmental Health

**SITE INVESTIGATION WORKPLAN
Greyhound Lines Terminal
2103 San Pablo Avenue
Oakland, California 94608**

Green Star Project No. 10-1379

July 16, 2010

Prepared For:

FirstGroup America, Inc.
600 Vine Street
Cincinnati, OH 45202




Greyhound Lines, Inc.
2103 San Pablo Avenue
Oakland, California

I, having reviewed the attached Workplan, being familiar with the facility to which it relates, and understanding the provisions of the San Francisco Bay Regional Water Quality Control Board Guidelines, do hereby certify that said report has been prepared in accordance with the required standards.

19 July 2010

DATE

William R Little



William R. Little
California Professional Geologist 7473
Advanced GeoEnvironmental Inc.
837 Shaw Road
Stockton, CA 95215

Report Prepared By:

Green Star Environmental
354 McDonnell Street, Suite 9
Lewisville, TX 75057

Trent Ripley
Trent Ripley
Senior Project Manager

Leonard C. Albright
Leonard C. Albright, R.E.M.
Principal



**Greyhound Lines, Inc.
2103 San Pablo Avenue
Oakland, California**

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached Workplan is true and correct to the best of my knowledge.

July 22, 2010

DATE



Todd Bachand
Environmental Manager
FirstGroup America, Inc.
600 Vine Street
Cincinnati, OH 45202



TABLE OF CONTENTS

	Page
1.0 INTRODUCTION	1
1.1 Background Information	1
1.2 Geology and Hydrogeology	1
2.0 SCOPE OF WORK	1
2.1 Residual Source Area Investigation	2
2.2 Soil Vapor Survey	2
2.3 Field-Derived Waste	3
3.0 QUALITY ASSURANCE / QUALITY CONTROL	3
4.0 TIMELINE	4

TABLES

Table 1	Summary of Previous Investigations
Table 2	Cumulative Summary of Groundwater Level Measurements
Table 3	Cumulative Summary of Groundwater Analytical Results
Table 4	Cumulative Summary of Soil Analytical Results

FIGURES

Figure 1	Site Location/USGS Topographic Map
Figure 2	Site Plan
Figure 3	Former Tankpit Area



1.0 INTRODUCTION

As a response to letters by Alameda County Environmental Health (ACEH) dated June 20, 2008 and April 13, 2010 regarding the Greyhound Lines Terminal ("Site"; Fuel Leak Case No. RO0000074 and Geotracker Global ID T0600100666), this Workplan has been prepared to confirm soil impacts in the vicinity of the source area and to conduct a Soil Vapor Survey at the Site. Field activities will be conducted in accordance with state, water district, and local regulatory guidance.

1.1 Background Information

The Site is a Greyhound Lines, Inc. bus terminal located at 2103 San Pablo Avenue, Oakland, California. The facility is bordered to the north and west by Castro Street, to the south by 20th Street, to the southeast by Martin Luther King Way and to the east by San Pablo Avenue. A USGS Topographic/Site Location Map is attached as Figure 1. A Site Plan is attached as Figure 2.

Six, out-of-service underground storage tanks (USTs) were removed from the Site in 1989. The USTs were reportedly out of use for at least two decades. Subsurface investigations between 1989 and 1997 indicated that a relatively small area of impacts to soil and groundwater of petroleum hydrocarbons is present at the Site. Downgradient groundwater impacts are delineated by groundwater wells ES-4, ES-6, and ES-11. Tables 1, 2 and 3 present cumulative summaries of data related to the investigations.

A remediation system was operated from 1992 to 1997 to recover phase-separated hydrocarbons (PSH) utilizing pneumatic, total fluids pumps in four, four-inch ID diameter recovery wells (ES-1, ES-5, BC-1 and ES-2). The recovered fluids were treated with an oil/water separator activated by carbon absorption columns prior to discharge to the sanitary sewer. Data indicate that the system was effective as PSH greater than 0.1-foot has not been detected since 1995.

1.2 Geology and Hydrogeology

The Site is nearly flat with a slight topographical gradient toward the west. According to the United States Geological Survey (USGS), the Site is underlain by unconsolidated Quaternary-aged sediments generally associated with beach and dune formations. Lake Merritt is the nearest surface water body at approximately 0.50-mile east-southeast from the Site. The Oakland Inner Harbor is located approximately 1.1 miles south-southwest of the Site. Groundwater in the area is utilized for limited irrigation and industrial purposes. The City of Oakland obtains its municipal and drinking water from the East Bay Municipal Utility District (EBMUD). EBMUD imports this water from the surface waters of the Sierra Nevada Mountain Range, located approximately 200 miles east of the Site.

Historically, shallow groundwater at the Site has ranged from approximately 12 to 22 feet below surface grade (approximately 3.6 to 9.7 feet above msl) while the groundwater flow direction at the Site has typically been in a radial pattern (ranging from west-southwest to the northwest).

2.0 SCOPE OF WORK

This Workplan is being prepared to assess and characterize unsaturated, soils in the area of the former UST system in relation to residual sources and to evaluate soil vapors in relation to the on-site Terminal building which is adjacent to the former tankpit. It should be noted that historical documentation indicates that the vast majority of the former tankpit's backfill was disposed of off-site in 1989 under proper waste characterization and manifesting procedures



and the tankpit was not backfilled with the contaminated materials. However, at the request of ACEH, this Workplan will evaluate unsaturated soil impacts and evaluate soil vapor related to the former UST system for residual impacts of petroleum hydrocarbons.

Boreholes will be advanced and plugged as soon as sampling activities are completed in accordance with state, district or local guidelines by the licensed water well driller. A California Professional Geologist will manage the field activities. Prior to drilling, subsurface utilities will be identified in the areas of the proposed soil borings in accordance with state and local guidelines.

A steam cleaner or other California-approved method will be used, as necessary, to decontaminate reusable equipment utilized during the drilling. Reusable sampling equipment will be decontaminated between sampling intervals using solution of laboratory-grade detergent and water and rinsed with distilled water.

2.1 Residual Source Area Investigation

Approximately 12 soil borings will be installed in the vicinity of the former tankpit. Due to recent construction in the area, the exact locations of the borings will be determined in the field and may be limited by subsurface utilities, over head structures, or other improvements. Furthermore, Green Star has been unable to determine the exact locations of the former USTs due to mapping inconsistencies by previous consultants. Therefore, the borings will be advanced within the former tankpit and to the south, southeast and east of the tankpit to evaluate residual, unsaturated soil impacts. Borings will be advanced to a maximum depth of 20 feet below ground surface (bgs) or to the water table using a direct-push drill rig by a California-licensed well driller. Figure 3 illustrates the locations of the proposed borings.

Encountered soils will be examined and described on the basis of lithology, color, texture, and relative moisture content. Soil descriptions will be documented on boring logs using the Unified Soil Classification System (USCS). The presence of volatile organic compounds (VOCs) will be screened with an organic vapor monitor (OVM) or photo ionization detector (PID). Soil samples collected from each boring will be placed in plastic bags and allowed to equilibrate. The headspace within each bag will then be screened using the PID and documented on the appropriate boring logs.

Soil samples submitted for analytical testing will likely be collected from either the top of the capillary fringe, the interval with the highest apparent impacts based on PID screenings, olfactory or visual evidence, or if no elevated PID readings are documented and groundwater is not encountered, from boring termination depth. No portion of samples used for screening purposes will be used for laboratory analysis. Soil samples scheduled for VOC-related analysis will be collected in accordance with EPA Method 5035. Soil samples scheduled for non-VOC analysis will be collected by placing the sample in laboratory supplied containers.

Soil samples will be analyzed in accordance with EPA SW-846 (Test Methods for Evaluating Solid Waste-Physical/Chemical Methods). Analytical methods will be SW 8021B for BTEX, SW 8015B modified for gasoline, diesel and oil range total petroleum hydrocarbons (TPH-g, TPH-d, TPH-o). Table 4 lists the analytes, analytical methods, and anticipated detection limits.

2.2 Soil Vapor Survey

Green Star proposes to conduct a Soil Vapor Survey at the Site to evaluate the potential presence of soil vapors in relation to indoor vapor intrusion concerns to the on-site Terminal building, which is adjacent to the former tankpit. The vapor samples will be collected prior to the initiation of the Residual Source Area Investigation and in general accordance with California Department of Toxic Substances Control (DTSC) guidance. Three borings will be

advanced to approximately five feet bgs in order to collect the soil vapor samples (Figure 3). Vapor samples are proposed to be collected from each boring at approximately five feet bgs near the Terminal building to determine if vapors have migrated to shallow soils near the indoor space of the building. The samples will be collected using laboratory-provided Summa Canisters and will be analyzed for benzene, toluene, ethylbenzene, and xylenes (BTEX), naphthalene, total petroleum hydrocarbons gasoline range (TPH-g) and miscellaneous fuel oxygenates according to EPA Toxic Organic Method TO-15 or equivalent.

2.3 Field-Derived Waste

Soil cuttings, decontamination fluids and/or other liquids generated during the investigation will be containerized in appropriately labeled, DOT-approved drums that will be sealed and temporarily stored on-site pending waste characterization and potential off-site disposal.

3.0 QUALITY ASSURANCE / QUALITY CONTROL

In an effort to eliminate possible sample contamination and maximize the reliability of the analytical results, steps will be taken to ensure sample and analysis integrity. These efforts will include the proper use and decontamination of sampling equipment, the use of a laboratory quality assurance program, the use of chain-of-custody (COC) documentation for laboratory samples, and the proper calibration of field instrumentation, etc.

Sample containers will be provided by the certified laboratory for collection of field samples in accordance with analytical methods to be utilized. To prevent contamination of the sample containers, the containers will remain sealed until sample collection. Each sample container will be labeled with, at least, the project name, sample ID, date and time of sample collection, initials of the sample collection personnel, and analysis method.

Samples will be packaged and delivered to the laboratory in a manner that best preserves the integrity of the samples. Ice-cooled chests will be used as shipping containers in order to preserve the samples. The appropriate COCs will be enclosed in each ice chest. Transport of samples to the laboratory will either be provided by the laboratory or delivered by Green Star personnel to the laboratory. Once received by the laboratory, the samples will be stored at 4° C before analysis.

Trip blanks serve as an independent check on the laboratory and on sample storage and shipping procedures by evaluating possible cross-contamination of samples during transportation to the laboratory. The trip blanks may be analyzed for volatile organic compounds.

COC forms will be completed in the field at the time of sample collection. When custody of the samples changes, signatures of personnel handling the sample exchange will be entered on the form along with the date and time. A copy of the COC will be retained prior to sample shipment and stored in the project files. A copy of the completed COC will be returned from the laboratory with the laboratory report, and will be included in the report documenting the sampling event.

As applicable, field analytical instrumentation will be calibrated prior to use in the field according to the manufacturer's instructions.

Laboratory analyses will be performed by a laboratory certified by the California Department of Public Health (CDPH). The laboratory will be capable of analyzing the samples and producing a data report consistent with the CRWQCB guidelines and will be certified under National Environmental Laboratory Accreditation Program (NELAP). In conjunction with the analysis of



the original samples, a laboratory quality assurance/quality control (QA/QC) plan will be employed to document the accuracy and precision of analytical results. A series of laboratory blanks, duplicate and spike samples will be analyzed at the same time as the original field samples in accordance with the above-referenced accrediting agencies.

3.0 TIMELINE

Field activities are tentatively scheduled to be completed within six weeks of receipt of ACEH's approval of this Workplan. However, the schedule may be altered to coincide with semi-annual groundwater monitoring activities at the Site. ACEH will be notified of the final schedule of field activities prior to the initiation of field activities. A report documenting the activities related to this Workplan will be prepared and submitted to ACEH within 90 days of the receipt of final analytical results along with an updated Site Conceptual Model.



LIST OF TABLES

Table 1	Summary of Previous Investigations
Table 2	Cumulative Summary of Groundwater Level Measurements
Table 3	Cumulative Summary of Groundwater Analytical Results
Table 4	Cumulative Summary of Soil Analytical Results

**Table 1 - Summary of Previous Reports
 Greyhound Lines, Inc.
 2103 San Pablo Avenue
 Oakland, Alameda County, California
 Green Star Project No. 10-1379**

Reference No.	Document Date	Type	Title	Author	Description
1	6/22/1989	Report	Phase I Investigation	Brown and Caldwell	Report determined that six USTs were present at the Site. Based on analytical testing of residual liquids in the USTs and soil samples, the USTs appeared to contain diesel, gasoline and water and at least some release has occurred to the subsurface. Groundwater was encountered at approximately 22 ft bgs, but was not sampled. Wells BC-1, BC-2, and BC-3 were found to be installed by 1992, but were not documented by this report.
2	7/21/1989	Letter	Report of Soil Contamination	Greyhound Lines, Vernon Sorgee PE	Reported release of diesel and/or gasoline from six, out of service USTs.
3	1/27/1992	Report	Preliminary Site Investigation Report	Engineering-Science, Inc.	The six USTs were reportedly unused for approximately 20 years. The six USTs were removed after the 1989 investigation. In November 1991, Engineering-Science, Inc. installed five monitoring wells (ES-1 through ES-5) and performed groundwater monitoring and a storm drain inspection. PSH was detected in wells BC-1 and ES-5. In soil, TPH-d was detected in only one sample from ES-5 while TEX was present samples from ES-1, ES-2, and ES-5. In groundwater, BTEX was present in ES-1, ES-2, ES-3 and ES-5 while TPH-d was present only in ES-5. Wells BC-1, BC-2 and BC-3 were not sampled. No evidence of impacts were observed in the inspected storm drains.
4	7/13/1992	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Monthly monitoring report of water levels and PSH. PSH was detected in four of the monitoring wells.
5	8/5/1992	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in three of the monitoring wells. Quarterly groundwater sampling was performed.
6	8/19/1992	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in four of the monitoring wells.
7	10/1/1992	Letter	Hydrocarbon Recovery System Installation/ Monitoring	Engineering-Science, Inc.	Summarizes the proposed remediation system that is to be installed. Documents system monitoring and groundwater monitoring procedures which include monthly and quarterly reports.
8	10/6/1992	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in four of the monitoring wells.
9	11/11/1992	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in four of the monitoring wells. Quarterly groundwater sampling was performed.
10	12/15/1992	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in four of the monitoring wells. The hydrocarbon recovery system was installed in November 1992.
11	12/15/1992	Report	Tank Closure Documentation	Engineering-Science, Inc.	The six USTs were removed in April 1990. As no documentation of the tank removal was available on the San Francisco Bay Region of the California RWQCB's fuel leak list, this report was created to document the removal. The report contains tank disposal records, records of soil disposal, analytical results of samples collected during the tank/soil removal, laboratory reports including quality control/quality assurances, and chain-of-custody documentation in order to provide the proper tank closure documentation requested by ACEH. No release determination samples were collected as part of the removal operation.
12	12/18/1992	Report	Hydrocarbon Recovery System Installation	Engineering-Science, Inc.	A remediation system was installed in November 1992 to recover PSH utilizing pneumatic, total fluids pump: in four, four-inch ID diameter recovery wells (30 ft. deep; ES-1, ES-5, BC-1 and ES-2). The recovered fluids were treated with an oil/water separator and activated carbon absorption columns prior to discharge to the sanitary sewer. Weekly system maintenance checks were performed during the initial start-up and first eight weeks of operation.

**Table 1 - Summary of Previous Reports
 Greyhound Lines, Inc.
 2103 San Pablo Avenue
 Oakland, Alameda County, California
 Green Star Project No. 10-1379**

Reference No.	Document Date	Type	Title	Author	Description
13	1/11/1993	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in three of the monitoring wells.
14	1/31/1993	Report	Quarterly Status Report	Engineering-Science, Inc.	Quarterly monitoring report. PSH was detected in four of the wells. Quarterly groundwater sampling was performed.
15	3/8/1993	Report	Quarterly Status Report	Engineering-Science, Inc.	Continued quarterly monitoring report. PSH was detected in three of the wells. Quarterly groundwater sampling was performed.
16	3/8/1993	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in three of the monitoring wells.
17	4/2/1993	Report	Supplemental Site Assessment Investigation Work Plan	Engineering-Science, Inc.	A workplan was created to further define the lateral and vertical extent of soil and groundwater contamination. Specific remedial actions for mitigating the contamination will also be assessed. Proposed work includes installation of six to eight soil borings which will be converted to groundwater monitoring wells
18	4/13/1993	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in three of the monitoring wells.
19	5/11/1993	Report	Quarterly Status Report	Engineering-Science, Inc.	Continued quarterly groundwater monitoring report. PSH was detected in three of the monitoring wells. Quarterly groundwater sampling was performed.
20	6/15/1993	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in three of the monitoring wells.
21	7/29/1993	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in three of the monitoring wells.
22	8/12/1993	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in two of the monitoring wells.
23	8/30/1993	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in two of the monitoring wells.
24	10/1/1993	Report	Preliminary Risk Evaluation	Engineering-Science, Inc.	The risk assessment includes an evaluation of potential contaminant exposure pathways, existing contaminant levels and distribution, chemical characteristics, and site-specific factors such as soil permeability, and local land and water uses. For this assessment, the site was divided into two regions: the former Tank Pit area (source area) and the region surrounding the source area (perimeter). Concentrations of contaminants in groundwater within the source area exceed criteria derived to protect both human health and the environment. None of the chemicals detected in the groundwater within the perimeter were found to exceed the criteria used, indicating that the recovery system is preventing migration of contaminants from the source area. Concentrations of BTEX in soils did not exceed calculated risk-based preliminary remediation goals in either the source area or the perimeter sample locations. TPH was detected in soils in the source area, but risk-based PRGs could not be derived for these contaminants because USEPA-derived toxicity values are not available. It was concluded that a more detailed quantitative risk assessment was not needed.
25	10/15/1993	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in three of the monitoring wells.
26	11/16/1993	Report	Quarterly Status Report	Engineering-Science, Inc.	Continued quarterly groundwater monitoring report. PSH was detected in four of the monitoring wells. Quarterly groundwater sampling was performed.

**Table 1 - Summary of Previous Reports
 Greyhound Lines, Inc.
 2103 San Pablo Avenue
 Oakland, Alameda County, California
 Green Star Project No. 10-1379**

Reference No.	Document Date	Type	Title	Author	Description
27	11/18/1993	Report	Supplemental Site Assessment	Engineering-Science, Inc.	Documented the installation of six soil borings/wells (ES-6 through ES-11) and groundwater monitoring event. No impacts were detected in the soil samples. ES-11 was the only newly installed monitoring well with detectable concentrations of BTEX. While PSH was not detected, the continued operation of the groundwater recovery system on-site and continued groundwater monitoring was recommended. Groundwater impacts were limited to wells near the former USTs and ES-11.
28	12/15/1993	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in three of the monitoring wells.
29	1/13/1994	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in three of the monitoring wells.
30	2/26/1994	Report	Quarterly Status Report	Engineering-Science, Inc.	Continued quarterly groundwater monitoring report. PSH was detected in three of the monitoring wells. Quarterly groundwater sampling was performed.
31	3/18/1994	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in three of the monitoring wells.
32	4/11/1994	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in four of the monitoring wells.
33	5/18/1994	Report	Quarterly Status Report	Engineering-Science, Inc.	Continued quarterly groundwater monitoring report. PSH was detected in four of the monitoring wells. Quarterly groundwater sampling was performed.
34	6/1/1994	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in four of the monitoring wells.
35	7/8/1994	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in three of the monitoring wells.
36	9/1/1994	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in four of the monitoring wells.
37	9/7/1994	Report	Quarterly Status Report	Engineering-Science, Inc.	Continued quarterly groundwater monitoring report. PSH was not recorded due to equipment theft. Quarterly groundwater sampling was performed.
38	9/28/1994	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in four of the monitoring wells.
39	10/31/1994	Report	Quarterly Status Report	Engineering-Science, Inc.	Continued quarterly groundwater monitoring report. PSH was detected in one of the monitoring wells. Quarterly groundwater sampling was performed.
40	12/15/1994	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected in two of the monitoring wells. The last report in which PSH was detected greater than 0.1-foot.
41	1/23/1995	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected at less than 0.1-foot in one of the monitoring wells.
42	2/14/1995	Report	Quarterly Status Report	Engineering-Science, Inc.	Continued quarterly groundwater monitoring report. PSH was not detected in any of the monitoring wells. Quarterly groundwater sampling was performed.
43	2/23/1995	Letter	Monthly Monitoring Report	Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected at less than 0.1-foot in two of the monitoring wells.
44	3/23/1995	Letter	Monthly Monitoring Report	Parsons Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected at less than 0.1-foot in one of the monitoring wells.

**Table 1 - Summary of Previous Reports
 Greyhound Lines, Inc.
 2103 San Pablo Avenue
 Oakland, Alameda County, California
 Green Star Project No. 10-1379**

Reference No.	Document Date	Type	Title	Author	Description
45	5/19/1995	Report	Quarterly Status Report	Parsons Engineering-Science, Inc.	Continued quarterly groundwater monitoring report. PSH was detected at less than 0.1-foot in one of the monitoring wells. Quarterly groundwater sampling was performed.
46	7/6/1995	Letter	Monthly Monitoring Report	Parsons Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected at less than 0.1-foot in three of the monitoring wells.
47	7/7/1995	Letter	Monthly Monitoring Report	Parsons Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected at less than 0.1-foot in one of the monitoring wells.
48	8/8/1995	Report	Quarterly Status Report	Parsons Engineering-Science, Inc.	Continued quarterly groundwater monitoring report. PSH was detected at less than 0.1-foot in one of the monitoring wells. Quarterly groundwater sampling was performed.
49	9/25/1995	Letter	Monthly Monitoring Report	Parsons Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected at less than 0.1-foot in two of the monitoring wells.
50	10/17/1995	Letter	Monthly Monitoring Report	Parsons Engineering-Science, Inc.	Continued monthly monitoring report. PSH was detected at less than 0.1-foot in one of the monitoring wells.
51	12/5/1995	Report	Quarterly Status Report	Parsons Engineering-Science, Inc.	Continued quarterly groundwater monitoring report. PSH was detected at less than 0.1-foot in one of the monitoring wells. Quarterly groundwater sampling was performed.
52	2/26/1996	Report	Quarterly Status Report	Parsons Engineering-Science, Inc.	Continued quarterly groundwater monitoring report. PSH was detected at less than 0.1-foot in one of the monitoring wells. Quarterly groundwater sampling was performed.
53	5/2/1996	Report	Quarterly Status Report	Parsons Engineering-Science, Inc.	Continued quarterly groundwater monitoring report. PSH was not detected in any of the monitoring wells. Quarterly groundwater sampling was performed.
54	8/9/1996	Report	Quarterly Status Report	Parsons Engineering-Science, Inc.	Continued quarterly groundwater monitoring report. PSH was not detected in any of the monitoring wells. Quarterly groundwater sampling was performed.
55	11/26/1996	Report	Quarterly Status Report	Parsons Engineering-Science, Inc.	Continued quarterly groundwater monitoring report. PSH was not detected in any of the monitoring wells. Quarterly groundwater sampling was performed.
56	2/18/1997	Report	Quarterly Status Report	Parsons Engineering-Science, Inc.	Continued quarterly groundwater monitoring report. PSH was not detected in any of the monitoring wells. Quarterly groundwater sampling was performed.
57	5/23/1997	Report	Quarterly Status Report	Parsons Engineering-Science, Inc.	Continued quarterly groundwater monitoring report. PSH was not detected in any of the monitoring wells. Quarterly groundwater sampling was performed.
58	9/15/1997	Report	Quarterly Status Report	Parsons Engineering-Science, Inc.	Continued quarterly groundwater monitoring report. PSH was not detected in any of the monitoring wells. Quarterly groundwater sampling was performed. Product had not been recovered since September 1994 and to date 1,015 gallons of free product had been recovered. In addition, 82,610 gallons of groundwater had been treated and discharged to the sanitary sewer.
59	11/25/1997	Report	Quarterly Status Report	Parsons Engineering-Science, Inc.	Continued quarterly groundwater monitoring report. PSH was detected at less than 0.1-foot in one of the monitoring wells. Quarterly groundwater sampling was performed. The recovery system was deactivated in January 1997.
60	6/14/2000	Report	Case Closure Checklist, Leaking Underground Storage Tank Program	Central Valley Regional Water Quality Control Board	Case closure checklist, site location map, water well driller's reports, analytical summary (monitoring wells: 07/08/92-10/07/97), site plan, soil analytical data map, groundwater analytical data map.

**Table 1 - Summary of Previous Reports
 Greyhound Lines, Inc.
 2103 San Pablo Avenue
 Oakland, Alameda County, California
 Green Star Project No. 10-1379**

Reference No.	Document Date	Type	Title	Author	Description
61	6/15/2000	Report	Risk Management Plan	Parsons Engineering Science, Inc.	Includes stipulations and restrictions that must be followed in order to comply with all requirements of the Risk Management Plan as specified by the ACEH, CASE closure checklist, site location map, analytical summary (monitoring wells: 07/08/92-10/07/97), site plan, soil analytical data map, and groundwater analytical data map.
62	6/15/2000	Report	Final Closure Request	Parsons Engineering Science, Inc.	Reviews site history and existing conditions (in 12/97, the groundwater monitoring program was terminated with ACEH and RWQCB's approval). Requested No Further Action (NFA) as: none of the 384 wells located in Section 26 are used for municipal water supply, Lake Merritt is located approximately 1,700 feet east of the site and is the nearest surface water body, regional groundwater flow is to the south-southwest, no soil remediation was required at the site, a total fluid recovery system was used between 01/93 through 02/97 to remove PSH discovered in four onsite wells (ES-1, ES-2, ES-5, and BC-1), PSH was completely removed and dissolved constituents were reduced to levels of diminishing returns, factors limiting potential adverse impacts include the limited horizontal and vertical extent of the dissolved hydrocarbon plume and the removal of PSH from the vicinity of the former UST locations, and absence of potable drinking wells or reservoirs within a one-mile radius. Conclusions from the Preliminary Risk Evaluation and Tier II Benzene assessment indicated the lack of any significant health or environmental threats to current or future users of the site under current use conditions. It was recommended that a NFA status be granted for the site with a deed restriction and Risk Management Plan in place.
63	11/12/2008	Report	Groundwater Monitoring Report	Green Star Environmental	A groundwater monitoring event was performed in September 2008 utilizing 13 wells. PSH was not detected. Benzene, toluene, and naphthalene exceeded City of Oakland RBSLs. TPH-g and TPH-d exceeded Cal EPA ESLs. The majority of the groundwater impacts remained on-site.
64	5/12/2009	Report	Groundwater Monitoring Report	Green Star Environmental	A groundwater monitoring event was performed in April 2009 utilizing 13 wells. PSH was not detected. Benzene, toluene, naphthalene, and EDB exceeded City of Oakland RBSLs. TPH-g and TPH-d exceeded California EPA ESLs. The majority of groundwater impacts remained on-site.
65	7/1/2009	Report	Site Conceptual Model	Green Star Environmental	The Site Conceptual Model evaluated known data for the project. No known exposures appear to be occurring and the majority of the groundwater impacts have remained on-site. No downgradient receptors appear to be at risk. A Workplan to confirm current soil impacts was submitted to ACEH.
66	9/28/2009	Report	Groundwater Monitoring Report	Green Star Environmental	A groundwater monitoring event was performed in April 2009 utilizing 13 wells. PSH was not detected. Benzene, toluene, naphthalene, EDB, and EDC exceeded City of Oakland RBSLs. TPH-g and TPH-d exceeded California EPA ESLs. The majority of groundwater impacts remained on-site.
67	12/11/2009	Report	Groundwater Monitoring Report	Green Star Environmental	A groundwater monitoring event was performed in October 2009 utilizing 13 wells. PSH was not detected. Benzene, toluene, naphthalene, EDB, and EDC exceeded City of Oakland RBSLs. TPH-g and TPH-d exceeded California EPA ESLs. The majority of groundwater impacts remained on-site.

ACEH = Alameda County Environmental Health

RWQCB = Regional Water Quality Control Board

Table 2 - Cumulative Summary of Groundwater Level Measurements
Greyhound Lines, Inc.
2103 San Pablo Ave.
Oakland, Alameda County, California
Green Star Project No. 10-1379

Well No.	Date	Elevation to Top of Casing (feet MSL) ¹	Depth to Phase-Separated Liquid (feet BMP)	Depth to Water (feet BMP)	Product Thickness (feet)	Depth to Bottom (feet BMP)	Groundwater Elevation (feet MSL)
BC-1	07/07/92	24.41	19.55	20.66	1.11	nm	4.65
BC-1	08/04/92	24.41	18.47	20.90	2.43	nm	5.48
BC-1	08/31/92	24.41	18.68	21.02	2.34	nm	5.29
BC-1	10/06/92	24.41	18.82	21.14	2.32	nm	5.15
BC-1	11/06/92	24.41	18.24	20.69	2.45	nm	5.70
BC-1	01/07/93	24.41	19.60	21.76	2.16	nm	4.40
BC-1	04/06/93	24.41	--	18.26	--	nm	6.15
BC-1	07/03/93	24.41	19.05	19.15	0.10	nm	5.34
BC-1	08/04/93	24.41	19.30	19.40	0.10	nm	5.09
BC-1	09/01/93	24.41	19.23	19.32	0.09	nm	5.16
BC-1	10/07/93	24.41	19.25	19.43	0.18	nm	5.13
BC-1	11/02/93	24.41	19.42	19.61	0.19	nm	4.95
BC-1	12/06/93	24.41	19.31	19.53	0.22	nm	5.06
BC-1	01/05/94	24.41	19.25	19.42	0.17	nm	5.13
BC-1	02/02/94	24.41	19.30	19.50	0.20	nm	5.07
BC-1	03/02/94	24.41	18.40	18.60	0.20	nm	5.97
BC-1	04/07/94	24.41	18.10	18.20	0.10	nm	6.29
BC-1	05/05/94	24.41	18.65	18.84	0.19	nm	5.72
BC-1	06/07/94	24.41	18.25	18.52	0.27	nm	6.11
BC-1	07/13/94	24.41	--	18.70	--	nm	5.71
BC-1	08/03/94	24.41	--	18.40	--	nm	6.01
BC-1	09/14/94	24.41	18.72	18.73	0.01	nm	5.69
BC-1	10/06/94	24.41	--	18.58	--	nm	5.83
BC-1	11/02/94	24.41	18.81	18.82	0.01	nm	5.60
BC-1	12/07/94	24.41	17.93	17.94	0.01	nm	6.48
BC-1	01/13/95	24.41	--	18.58	--	nm	5.83
BC-1	02/14/95	24.41	16.76	16.80	0.04	nm	7.64
BC-1	03/07/95	24.41	--	17.08	--	nm	7.33
BC-1	04/11/95	24.41	--	16.55	--	nm	7.86
BC-1	05/09/95	24.41	16.99	17.00	0.01	nm	7.42
BC-1	06/09/95	24.41	17.38	17.39	0.01	nm	7.03
BC-1	07/06/95	24.41	--	17.64	--	nm	6.77
BC-1	08/10/95	24.41	--	17.89	--	nm	6.52
BC-1	09/07/95	24.41	--	17.96	--	nm	6.45
BC-1	10/03/95	24.41	--	18.23	--	nm	6.18
BC-1	10/05/95	24.41	--	18.23	--	nm	6.18
BC-1	11/02/95	24.41	--	18.02	--	nm	6.39
BC-1	12/07/95	24.41	--	18.64	--	nm	5.77
BC-1	01/03/96	24.41	--	18.36	--	nm	6.05
BC-1	02/06/96	24.41	--	17.43	--	nm	6.98
BC-1	03/12/96	24.41	--	16.85	--	nm	7.56
BC-1	05/07/96	24.41	--	17.45	--	nm	6.96
BC-1	06/05/96	24.41	--	17.46	--	nm	6.95
BC-1	09/05/96	24.41	--	18.16	--	nm	6.25
BC-1	10/08/96	24.41	--	18.40	--	nm	6.01
BC-1	11/08/96	24.41	--	18.57	--	nm	5.84
BC-1	12/13/96	24.41	--	18.24	--	nm	6.17
BC-1	01/16/97	24.41	--	17.19	--	nm	7.22
BC-1	02/14/97	24.41	--	16.88	--	nm	7.53
BC-1	03/07/97	24.41	--	17.31	--	nm	7.10
BC-1	04/17/97	24.41	--	17.92	--	nm	6.49
BC-1	07/15/97	24.41	--	18.61	--	nm	5.80
BC-1	10/07/97	24.41	--	18.72	--	nm	5.69
BC-1	09/24/08	24.41	--	16.68	--	29.55	7.73
BC-1	04/08/09	24.41	--	14.95	--	29.55	9.46
BC-1	07/14/09	24.41	--	15.77	--	29.58	8.64
BC-1	10/06/09	24.41	--	16.27	--	29.59	8.14
BC-2	07/07/92	24.37	--	16.89	--	nm	nd ²
BC-2	08/04/92	24.37	--	18.46	--	nm	nd ²
BC-2	08/31/92	24.37	--	18.89	--	nm	nd ²
BC-2	10/06/92	24.37	--	18.50	--	nm	nd ²
BC-2	11/06/92	24.37	--	15.98	--	nm	nd ²
BC-2	01/07/93	24.37	--	13.50	--	nm	nd ²
BC-2	04/06/93	24.37	--	15.20	--	nm	nd ²
BC-2	07/03/93	24.37	--	17.75	--	nm	nd ²
BC-2	08/04/93	24.37	--	18.10	--	nm	nd ²
BC-2	09/01/93	24.37	--	18.48	--	nm	nd ²
BC-2	10/07/93	24.37	--	19.02	--	nm	nd ²
BC-2	11/02/93	24.37	--	18.76	--	nm	nd ²
BC-2	12/06/93	24.37	--	18.87	--	nm	nd ²
BC-2	01/05/94	24.37	--	16.76	--	nm	nd ²
BC-2	02/02/94	24.37	--	16.42	--	nm	nd ²

Table 2 - Cumulative Summary of Groundwater Level Measurements
Greyhound Lines, Inc.
2103 San Pablo Ave.
Oakland, Alameda County, California
Green Star Project No. 10-1379

Well No.	Date	Elevation to Top of Casing (feet MSL) ¹	Depth to Phase-Separated Liquid (feet BMP)	Depth to Water (feet BMP)	Product Thickness (feet)	Depth to Bottom (feet BMP)	Groundwater Elevation (feet MSL)
BC-2	05/05/94	24.37	--	17.30	--	nm	nd ²
BC-2	06/07/94	24.37	--	17.70	--	nm	nd ²
BC-2	07/13/94	24.37	--	17.10	--	nm	nd ²
BC-2	08/03/94	24.37	--	18.36	--	nm	nd ²
BC-2	09/14/94	24.37	--	17.04	--	nm	nd ²
BC-2	01/13/95	24.37	--	12.80	--	nm	nd ²
BC-2	02/14/95	24.37	--	15.11	--	nm	nd ²
BC-2	03/07/95	24.37	--	16.21	--	nm	nd ²
BC-2	04/11/95	24.37	--	15.56	--	nm	nd ²
BC-2	05/09/95	24.37	--	15.81	--	nm	nd ²
BC-2	06/09/95	24.37	--	16.88	--	nm	nd ²
BC-2	07/06/95	24.37	--	16.88	--	nm	nd ²
BC-2	08/10/95	24.37	--	17.55	--	nm	nd ²
BC-2	09/07/95	24.37	--	18.03	--	nm	nd ²
BC-2	10/03/95	24.37	--	18.24	--	nm	nd ²
BC-2	10/05/95	24.37	--	18.24	--	nm	nd ²
BC-2	11/02/95	24.37	--	18.36	--	nm	nd ²
BC-2	01/03/96	24.37	--	17.86	--	nm	nd ²
BC-2	02/06/96	24.37	--	16.31	--	nm	nd ²
BC-2	03/12/96	24.37	--	16.50	--	nm	nd ²
BC-2	04/09/96	24.37	--	16.90	--	nm	nd ²
BC-2	05/07/96	24.37	--	17.20	--	nm	nd ²
BC-2	06/05/96	24.37	--	17.10	--	nm	nd ²
BC-2	07/09/96	24.37	--	17.70	--	nm	nd ²
BC-2	10/08/96	24.37	--	18.40	--	nm	nd ²
BC-2	11/08/96	24.37	--	18.30	--	nm	nd ²
BC-2	12/13/96	24.37	--	16.80	--	nm	nd ²
BC-2	01/16/97	24.37	--	16.40	--	nm	nd ²
BC-2	02/14/97	24.37	--	16.30	--	nm	nd ²
BC-2	03/07/97	24.37	--	17.00	--	nm	nd ²
BC-2	04/17/97	24.37	--	17.70	--	nm	nd ²
BC-2	07/15/97	24.37	--	18.50	--	nm	nd ²
BC-2	10/07/97	24.37	--	18.69	--	nm	nd ²
BC-2	09/24/08	24.37	--	16.82	--	19.90	nd ²
BC-2	04/08/09	24.37	--	16.34	--	19.91	nd ²
BC-2	07/14/09	24.37	--	17.08	--	19.93	nd ²
BC-2	10/06/09	24.37	--	16.61	--	19.94	nd ²
BC-3	07/07/92	24.42	--	16.68	--	nm	nd ²
BC-3	08/04/92	24.42	--	19.24	--	nm	nd ²
BC-3	08/31/92	24.42	--	19.10	--	nm	nd ²
BC-3	10/06/92	24.42	--	18.93	--	nm	nd ²
BC-3	11/06/92	24.42	--	16.81	--	nm	nd ²
BC-3	01/07/93	24.42	--	16.55	--	nm	nd ²
BC-3	04/06/93	24.42	--	15.44	--	nm	nd ²
BC-3	07/03/93	24.42	--	16.81	--	nm	nd ²
BC-3	08/04/93	24.42	--	18.82	--	nm	nd ²
BC-3	09/01/93	24.42	--	18.40	--	nm	nd ²
BC-3	10/07/93	24.42	--	18.58	--	nm	nd ²
BC-3	11/02/93	24.42	--	18.53	--	nm	nd ²
BC-3	12/06/93	24.42	--	18.67	--	nm	nd ²
BC-3	01/05/94	24.42	--	17.51	--	nm	nd ²
BC-3	02/02/94	24.42	--	16.40	--	nm	nd ²
BC-3	03/02/94	24.42	--	15.00	--	nm	nd ²
BC-3	04/07/94	24.42	--	17.70	--	nm	nd ²
BC-3	05/05/94	24.42	--	17.90	--	nm	nd ²
BC-3	06/07/94	24.42	--	17.34	--	nm	nd ²
BC-3	07/13/94	24.42	--	18.10	--	nm	nd ²
BC-3	08/03/94	24.42	--	18.36	--	nm	nd ²
BC-3	09/14/94	24.42	--	18.31	--	nm	nd ²
BC-3	10/06/94	24.42	--	18.58	--	nm	nd ²
BC-3	11/02/94	24.42	--	18.61	--	nm	nd ²
BC-3	12/07/94	24.42	--	16.29	--	nm	nd ²
BC-3	01/13/95	24.42	--	15.40	--	nm	nd ²
BC-3	02/14/95	24.42	--	15.86	--	nm	nd ²
BC-3	03/07/95	24.42	--	16.21	--	nm	nd ²

Table 2 - Cumulative Summary of Groundwater Level Measurements
Greyhound Lines, Inc.
2103 San Pablo Ave.
Oakland, Alameda County, California
Green Star Project No. 10-1379

Well No.	Date	Elevation to Top of Casing (feet MSL) ¹	Depth to Phase-Separated Liquid (feet BMP)	Depth to Water (feet BMP)	Product Thickness (feet)	Depth to Bottom (feet BMP)	Groundwater Elevation (feet MSL)
BC-3	04/11/95	24.42	--	15.08	--	nm	nd ²
BC-3	05/09/95	24.42	--	16.92	--	nm	nd ²
BC-3	06/09/95	24.42	--	16.90	--	nm	nd ²
BC-3	07/06/95	24.42	--	16.87	--	nm	nd ²
BC-3	08/10/95	24.42	--	17.54	--	nm	nd ²
BC-3	09/07/95	24.42	--	17.80	--	nm	nd ²
BC-3	10/03/95	24.42	--	17.95	--	nm	nd ²
BC-3	10/05/95	24.42	--	17.95	--	nm	nd ²
BC-3	11/02/95	24.42	--	18.33	--	nm	nd ²
BC-3	01/03/96	24.42	--	17.55	--	nm	nd ²
BC-3	02/06/96	24.42	--	17.15	--	nm	nd ²
BC-3	03/12/96	24.42	--	16.50	--	nm	nd ²
BC-3	04/09/96	24.42	--	16.60	--	nm	nd ²
BC-3	05/07/96	24.42	--	16.90	--	nm	nd ²
BC-3	06/05/96	24.42	--	17.00	--	nm	nd ²
BC-3	07/09/96	24.42	--	17.40	--	nm	nd ²
BC-3	10/08/96	24.42	--	18.10	--	nm	nd ²
BC-3	11/08/96	24.42	--	18.20	--	nm	nd ²
BC-3	12/13/96	24.42	--	17.60	--	nm	nd ²
BC-3	09/24/08	24.42	--	17.01	--	20.11	nd ²
BC-3	04/08/09	24.42	--	14.93	--	20.15	nd ²
BC-3	07/14/09	24.42	--	16.10	--	20.16	nd ²
BC-3	10/06/09	24.42	--	16.66	--	20.16	nd ²
ES-1	01/16/97	24.11	--	16.79	--	nm	7.32
ES-1	02/14/97	24.11	--	16.53	--	nm	7.58
ES-1	03/07/97	24.11	--	17.01	--	nm	7.10
ES-1	04/17/97	24.11	--	18.13	--	nm	5.98
ES-1	07/15/97	24.11	--	18.44	--	nm	5.67
ES-1	10/07/97	24.11	18.36	18.37	0.01	nm	5.75
ES-1	09/24/08	24.11	--	16.46	--	30.13	7.65
ES-1	04/08/09	24.11	--	14.75	--	30.15	9.36
ES-1	07/14/09	24.11	--	15.67	--	30.08	8.44
ES-1	10/06/09	24.11	--	16.10	--	30.15	8.01
ES-2	06/16/92	24.66	18.63	18.64	0.01	nm	6.03
ES-2	07/07/92	24.66	--	19.62	--	nm	5.04
ES-2	08/04/92	24.66	19.17	19.76	0.59	nm	5.38
ES-2	08/31/92	24.66	19.29	19.90	0.61	nm	5.25
ES-2	10/06/92	24.66	19.41	20.00	0.59	nm	5.14
ES-2	11/06/92	24.66	18.84	19.44	0.60	nm	5.71
ES-2	01/07/93	24.66	20.05	20.40	0.35	nm	4.54
ES-2	04/06/93	24.66	18.20	18.31	0.11	nm	6.44
ES-2	07/03/93	24.66	19.31	19.32	0.01	nm	5.35
ES-2	08/04/93	24.66	19.15	19.18	0.03	nm	5.50
ES-2	09/01/93	24.66	19.50	19.59	0.09	nm	5.14
ES-2	10/07/93	24.66	19.57	19.60	0.03	nm	5.08
ES-2	11/02/93	24.66	19.60	19.61	0.01	nm	5.06
ES-2	12/06/93	24.66	19.71	19.74	0.03	nm	4.94
ES-2	01/05/94	24.66	19.57	19.61	0.04	nm	5.08
ES-2	02/02/94	24.66	19.20	19.25	0.05	nm	5.45
ES-2	03/02/94	24.66	19.00	19.50	0.50	nm	5.57
ES-2	04/07/94	24.66	19.10	19.19	0.09	nm	5.54
ES-2	05/05/94	24.66	18.77	18.79	0.02	nm	5.89
ES-2	06/07/94	24.66	--	18.61	--	nm	6.05
ES-2	07/13/94	24.66	--	18.78	--	nm	5.88
ES-2	08/03/94	24.66	--	18.72	--	nm	5.94
ES-2	09/14/94	24.66	19.10	19.14	0.04	nm	5.55
ES-2	10/06/94	24.66	--	18.86	--	nm	5.80
ES-2	11/02/94	24.66	18.97	19.91	0.94	nm	5.51
ES-2	12/07/94	24.66	--	18.14	--	nm	6.52
ES-2	01/13/95	24.66	--	18.86	--	nm	5.80
ES-2	02/14/95	24.66	--	16.92	--	nm	7.74
ES-2	03/07/95	24.66	--	17.25	--	nm	7.41
ES-2	04/11/95	24.66	--	16.71	--	nm	7.95
ES-2	05/09/95	24.66	--	17.15	--	nm	7.51
ES-2	06/09/95	24.66	17.60	17.61	0.01	nm	7.06
ES-2	07/06/95	24.66	17.78	17.79	0.01	nm	6.88
ES-2	08/10/95	24.66	18.09	18.10	0.01	nm	6.57
ES-2	09/07/95	24.66	--	18.29	--	nm	6.37
ES-2	10/03/95	24.66	18.45	18.48	0.03	nm	6.20
ES-2	10/05/95	24.66	18.45	18.48	0.03	nm	6.20
ES-2	11/02/95	24.66	18.62	18.65	0.03	nm	6.03

Table 2 - Cumulative Summary of Groundwater Level Measurements
Greyhound Lines, Inc.
2103 San Pablo Ave.
Oakland, Alameda County, California
Green Star Project No. 10-1379

Well No.	Date	Elevation to Top of Casing (feet MSL) ¹	Depth to Phase-Separated Liquid (feet BMP)	Depth to Water (feet BMP)	Product Thickness (feet)	Depth to Bottom (feet BMP)	Groundwater Elevation (feet MSL)
ES-2	12/07/95	24.66	18.85	18.90	0.05	nm	5.80
ES-2	01/03/96	24.66	18.54	18.55	0.01	nm	6.12
ES-2	02/06/96	24.66	--	17.60	--	nm	7.06
ES-2	03/12/96	24.66	--	17.08	--	nm	7.58
ES-2	04/09/96	24.66	--	17.18	--	nm	7.48
ES-2	05/07/96	24.66	--	17.66	--	nm	7.00
ES-2	06/05/96	24.66	--	17.66	--	nm	7.00
ES-2	07/09/96	24.66	--	18.02	--	nm	6.64
ES-2	09/05/96	24.66	--	18.39	--	nm	6.27
ES-2	10/08/96	24.66	--	18.61	--	nm	6.05
ES-2	11/08/96	24.66	--	18.78	--	nm	5.88
ES-2	12/13/96	24.66	--	18.43	--	nm	6.23
ES-2	01/16/97	24.66	--	17.57	--	nm	7.09
ES-2	02/14/97	24.66	--	17.08	--	nm	7.58
ES-2	03/07/97	24.66	--	17.56	--	nm	7.10
ES-2	04/17/97	24.66	--	18.11	--	nm	6.55
ES-2	07/15/97	24.66	--	18.97	--	nm	5.69
ES-2	10/07/97	24.66	--	18.87	--	nm	5.79
ES-2	09/24/08	24.66	--	16.96	--	30.19	7.70
ES-2	04/08/09	24.66	--	15.25	--	31.15	9.41
ES-2	07/14/09	24.66	--	16.07	--	30.16	8.59
ES-2	10/06/09	24.66	--	16.57	--	30.15	8.09
ES-3	06/16/92	24.93	--	19.41	--	nm	5.52
ES-3	07/07/92	24.93	--	19.52	--	nm	5.41
ES-3	08/04/92	24.93	--	19.68	--	nm	5.25
ES-3	08/31/92	24.93	--	19.80	--	nm	5.13
ES-3	10/06/92	24.93	--	19.96	--	nm	4.97
ES-3	11/06/92	24.93	18.84	19.84	1.00	nm	5.90
ES-3	01/07/93	24.93	--	19.20	--	nm	5.73
ES-3	04/06/93	24.93	--	15.92	--	nm	9.01
ES-3	07/03/93	24.93	--	18.12	--	nm	6.81
ES-3	08/04/93	24.93	--	19.18	--	nm	5.75
ES-3	09/01/93	24.93	--	19.36	--	nm	5.57
ES-3	10/07/93	24.93	--	19.62	--	nm	5.31
ES-3	11/02/93	24.93	--	19.70	--	nm	5.23
ES-3	12/06/93	24.93	--	19.68	--	nm	5.25
ES-3	01/05/94	24.93	--	19.52	--	nm	5.41
ES-3	02/02/94	24.93	--	19.30	--	nm	5.63
ES-3	03/02/94	24.93	--	18.68	--	nm	6.25
ES-3	04/07/94	24.93	--	19.00	--	nm	5.93
ES-3	05/05/94	24.93	--	18.78	--	nm	6.15
ES-3	06/07/94	24.93	--	18.90	--	nm	6.03
ES-3	07/13/94	24.93	--	18.71	--	nm	6.22
ES-3	08/03/94	24.93	--	19.03	--	nm	5.90
ES-3	09/14/94	24.93	--	19.84	--	nm	5.09
ES-3	10/06/94	24.93	--	19.24	--	nm	5.69
ES-3	11/02/94	24.93	--	19.37	--	nm	5.56
ES-3	12/07/94	24.93	--	18.44	--	nm	6.49
ES-3	01/13/95	24.93	--	17.35	--	nm	7.58
ES-3	02/14/95	24.93	--	17.22	--	nm	7.71
ES-3	03/07/95	24.93	--	17.52	--	nm	7.41
ES-3	04/11/95	24.93	--	16.95	--	nm	7.98
ES-3	05/09/95	24.93	17.34	17.39	0.05	nm	7.58
ES-3	06/09/95	24.93	--	17.87	--	nm	7.06
ES-3	07/06/95	24.93	--	18.07	--	nm	6.86
ES-3	08/10/95	24.93	--	18.40	--	nm	6.53
ES-3	09/07/95	24.93	--	18.59	--	nm	6.34
ES-3	10/03/95	24.93	--	18.76	--	nm	6.17
ES-3	10/05/95	24.93	--	18.76	--	nm	6.17
ES-3	11/02/95	24.93	--	18.96	--	nm	5.97
ES-3	12/07/95	24.93	--	19.19	--	nm	5.74
ES-3	01/03/96	24.93	--	17.55	--	nm	7.38
ES-3	02/06/96	24.93	--	17.86	--	nm	7.07
ES-3	03/12/96	24.93	--	17.35	--	nm	7.58
ES-3	04/09/96	24.93	--	17.65	--	nm	7.28
ES-3	05/07/96	24.93	--	17.94	--	nm	6.99
ES-3	06/05/96	24.93	--	17.94	--	nm	6.99
ES-3	07/09/96	24.93	--	18.33	--	nm	6.60
ES-3	09/05/96	24.93	--	18.63	--	nm	6.30
ES-3	10/08/96	24.93	--	18.98	--	nm	5.95
ES-3	11/08/96	24.93	--	19.16	--	nm	5.77
ES-3	12/13/96	24.93	--	18.81	--	nm	6.12
ES-3	01/16/97	24.93	--	17.72	--	nm	7.21
ES-3	02/14/97	24.93	--	17.47	--	nm	7.46
ES-3	03/07/97	24.93	--	17.90	--	nm	7.03

Table 2 - Cumulative Summary of Groundwater Level Measurements
Greyhound Lines, Inc.
2103 San Pablo Ave.
Oakland, Alameda County, California
Green Star Project No. 10-1379

Well No.	Date	Elevation to Top of Casing (feet MSL) ¹	Depth to Phase-Separated Liquid (feet BMP)	Depth to Water (feet BMP)	Product Thickness (feet)	Depth to Bottom (feet BMP)	Groundwater Elevation (feet MSL)
ES-3	04/17/97	24.93	--	18.42	--	nm	6.51
ES-3	07/15/97	24.93	--	19.01	--	nm	5.92
ES-3	10/07/97	24.93	--	19.18	--	nm	5.75
ES-3	09/24/08	24.93	--	17.38	--	31.44	7.55
ES-3	04/08/09	24.93	--	15.65	--	31.55	9.28
ES-3	07/14/09	24.93	--	16.54	--	31.51	8.39
ES-3	10/06/09	24.93	--	17.06	--	31.56	7.87
ES-4	06/16/92	23.93	18.63	18.98	0.35	nm	5.23
ES-4	07/07/92	23.93	--	18.51	--	nm	5.42
ES-4	08/04/92	23.93	--	18.66	--	nm	5.27
ES-4	08/31/92	23.93	--	18.79	--	nm	5.14
ES-4	10/06/92	23.93	--	18.92	--	nm	5.01
ES-4	11/06/92	23.93	--	18.94	--	nm	4.99
ES-4	01/07/93	23.93	--	18.76	--	nm	5.17
ES-4	04/06/93	23.93	--	17.26	--	nm	6.67
ES-4	07/03/93	23.93	--	18.08	--	nm	5.85
ES-4	08/04/93	23.93	--	18.16	--	nm	5.77
ES-4	09/01/93	23.93	--	18.46	--	nm	5.47
ES-4	10/07/93	23.93	--	18.62	--	nm	5.31
ES-4	11/02/93	23.93	--	18.74	--	nm	5.19
ES-4	12/06/93	23.93	--	18.72	--	nm	5.21
ES-4	01/05/94	23.93	--	18.55	--	nm	5.38
ES-4	02/02/94	23.93	--	18.42	--	nm	5.51
ES-4	03/02/94	23.93	--	17.86	--	nm	6.07
ES-4	04/07/94	23.93	--	18.80	--	nm	5.13
ES-4	05/05/94	23.93	--	17.86	--	nm	6.07
ES-4	06/07/94	23.93	--	17.94	--	nm	5.99
ES-4	07/13/94	23.93	--	18.13	--	nm	5.80
ES-4	08/03/94	23.93	--	17.94	--	nm	5.99
ES-4	09/14/94	23.93	--	18.18	--	nm	5.75
ES-4	10/06/94	23.93	--	18.25	--	nm	5.68
ES-4	11/02/94	23.93	--	18.35	--	nm	5.58
ES-4	12/07/94	23.93	--	17.56	--	nm	6.37
ES-4	01/13/95	23.93	--	16.77	--	nm	7.16
ES-4	02/14/95	23.93	--	16.37	--	nm	7.56
ES-4	03/07/95	23.93	--	16.66	--	nm	7.27
ES-4	04/11/95	23.93	--	16.14	--	nm	7.79
ES-4	05/09/95	23.93	--	16.57	--	nm	7.36
ES-4	06/09/95	23.93	--	17.02	--	nm	6.91
ES-4	07/06/95	23.93	--	17.19	--	nm	6.74
ES-4	08/10/95	23.93	--	17.84	--	nm	6.09
ES-4	09/07/95	23.93	--	17.68	--	nm	6.25
ES-4	10/03/95	23.93	--	17.84	--	nm	6.09
ES-4	10/05/95	23.93	--	17.84	--	nm	6.09
ES-4	11/02/95	23.93	--	18.02	--	nm	5.91
ES-4	12/07/95	23.93	--	18.23	--	nm	5.70
ES-4	01/03/96	23.93	--	17.87	--	nm	6.06
ES-4	02/06/96	23.93	--	17.02	--	nm	6.91
ES-4	03/12/96	23.93	--	16.54	--	nm	7.39
ES-4	04/09/96	23.93	--	16.76	--	nm	7.17
ES-4	05/07/96	23.93	--	16.17	--	nm	7.76
ES-4	06/05/96	23.93	--	17.05	--	nm	6.88
ES-4	07/09/96	23.93	--	17.37	--	nm	6.56
ES-4	09/05/96	23.93	--	17.74	--	nm	6.19
ES-4	10/08/96	23.93	--	17.97	--	nm	5.96
ES-4	11/08/96	23.93	--	18.13	--	nm	5.80
ES-4	12/13/96	23.93	--	17.83	--	nm	6.10
ES-4	01/16/97	23.93	--	16.92	--	nm	7.01
ES-4	02/14/97	23.93	--	16.56	--	nm	7.37
ES-4	03/07/97	23.93	--	16.95	--	nm	6.98
ES-4	04/17/97	23.93	--	17.45	--	nm	6.48
ES-4	07/15/97	23.93	--	18.05	--	nm	5.88
ES-4	10/07/97	23.93	--	18.23	--	nm	5.70
ES-4	09/24/08	23.93	--	16.20	--	29.94	7.73
ES-4	04/08/09	23.93	--	14.46	--	29.95	9.47
ES-4	07/14/09	23.93	--	15.29	--	29.96	8.64
ES-4	10/06/09	23.93	--	15.80	--	29.94	8.13
ES-5	06/16/92	24.08	18.40	20.40	2.00	nm	5.30
ES-5	07/07/92	24.08	--	20.23	--	nm	3.85
ES-5	08/04/92	24.08	18.16	20.43	2.27	nm	5.49
ES-5	08/31/92	24.08	18.24	20.80	2.56	nm	5.35
ES-5	10/06/92	24.08	18.24	21.37	3.13	nm	5.25
ES-5	11/06/92	24.08	17.60	20.92	3.32	nm	5.85

Table 2 - Cumulative Summary of Groundwater Level Measurements
Greyhound Lines, Inc.
2103 San Pablo Ave.
Oakland, Alameda County, California
Green Star Project No. 10-1379

Well No.	Date	Elevation to Top of Casing (feet MSL) ¹	Depth to Phase-Separated Liquid (feet BMP)	Depth to Water (feet BMP)	Product Thickness (feet)	Depth to Bottom (feet BMP)	Groundwater Elevation (feet MSL)
ES-5	01/05/93	24.08	18.42	19.75	1.33	nm	5.41
ES-5	01/07/93	24.08	19.35	22.00	2.65	nm	4.23
ES-5	04/06/93	24.08	--	17.28	--	nm	6.80
ES-5	07/03/93	24.08	--	19.50	--	nm	4.58
ES-5	08/04/93	24.08	--	18.61	--	nm	5.47
ES-5	09/01/93	24.08	18.79	18.80	0.01	nm	5.29
ES-5	10/07/93	24.08	18.65	19.33	0.68	nm	5.30
ES-5	11/02/93	24.08	18.91	19.45	0.54	nm	5.07
ES-5	12/06/93	24.08	18.78	19.25	0.47	nm	5.21
ES-5	02/02/94	24.08	18.18	19.98	1.80	nm	5.56
ES-5	03/02/94	24.08	18.07	18.30	0.23	nm	5.97
ES-5	04/07/94	24.08	18.37	18.38	0.01	nm	5.71
ES-5	05/05/94	24.08	18.24	18.26	0.02	nm	5.84
ES-5	06/07/94	24.08	18.26	18.27	0.01	nm	5.82
ES-5	07/13/94	24.08	--	18.30	--	nm	5.78
ES-5	08/03/94	24.08	--	17.90	--	nm	6.18
ES-5	09/14/94	24.08	18.41	18.42	0.01	nm	5.67
ES-5	10/06/94	24.08	--	18.23	--	nm	5.85
ES-5	11/02/94	24.08	--	18.47	--	nm	5.61
ES-5	12/07/94	24.08	--	17.45	--	nm	6.63
ES-5	01/13/95	24.08	--	18.23	--	nm	5.85
ES-5	02/14/95	24.08	--	16.45	--	nm	7.63
ES-5	03/07/95	24.08	--	16.53	--	nm	7.55
ES-5	04/11/95	24.08	--	16.00	--	nm	8.08
ES-5	05/09/95	24.08	--	16.45	--	nm	7.63
ES-5	06/09/95	24.08	--	16.90	--	nm	7.18
ES-5	07/06/95	24.08	--	17.09	--	nm	6.99
ES-5	08/10/95	24.08	--	17.44	--	nm	6.64
ES-5	09/07/95	24.08	--	17.61	--	nm	6.47
ES-5	10/03/95	24.08	--	18.74	--	nm	5.34
ES-5	10/05/95	24.08	--	18.74	--	nm	5.34
ES-5	11/02/95	24.08	--	17.98	--	nm	6.10
ES-5	12/07/95	24.08	18.21	18.22	0.01	nm	5.87
ES-5	01/03/96	24.08	--	17.89	--	nm	6.19
ES-5	02/06/96	24.08	--	16.76	--	nm	7.32
ES-5	03/12/96	24.08	--	16.36	--	nm	7.72
ES-5	04/09/96	24.08	--	16.70	--	nm	7.38
ES-5	05/07/96	24.08	--	16.95	--	nm	7.13
ES-5	06/05/96	24.08	--	16.95	--	nm	7.13
ES-5	07/09/96	24.08	--	17.34	--	nm	6.74
ES-5	01/16/97	24.08	--	16.68	--	nm	7.40
ES-5	02/14/97	24.08	--	16.43	--	nm	7.65
ES-5	03/07/97	24.08	--	16.90	--	nm	7.18
ES-5	04/17/97	24.08	--	17.41	--	nm	6.67
ES-5	07/15/97	24.08	--	18.29	--	nm	5.79
ES-5	10/07/97	24.08	--	18.48	--	nm	5.60
ES-5	0924/08	24.08	--	16.49	--	30.06	7.59
ES-5	04/08/09	24.08	--	14.75	--	30.13	9.33
ES-5	07/15/09	24.08	--	15.61	--	30.08	8.47
ES-5	10/06/09	24.08	--	16.12	--	30.08	7.96
ES-6	01/05/93	27.06	--	21.76	--	nm	5.30
ES-6	09/01/93	27.06	--	21.94	--	nm	5.12
ES-6	10/07/93	27.06	--	21.81	--	nm	5.25
ES-6	11/02/93	27.06	--	21.91	--	nm	5.15
ES-6	12/06/93	27.06	--	21.90	--	nm	5.16
ES-6	02/02/94	27.06	--	21.74	--	nm	5.32
ES-6	03/02/94	27.06	--	21.10	--	nm	5.96
ES-6	04/07/94	27.06	--	21.30	--	nm	5.76
ES-6	05/05/94	27.06	--	21.16	--	nm	5.90
ES-6	06/07/94	27.06	--	21.02	--	nm	6.04
ES-6	07/13/94	27.06	--	21.40	--	nm	5.66
ES-6	08/03/94	27.06	--	21.58	--	nm	5.48
ES-6	09/14/94	27.06	--	21.52	--	nm	5.54
ES-6	10/06/94	27.06	--	21.58	--	nm	5.48
ES-6	11/02/94	27.06	--	21.64	--	nm	5.42
ES-6	12/07/94	27.06	--	20.94	--	nm	6.12
ES-6	01/13/95	27.06	--	20.25	--	nm	6.81
ES-6	02/14/95	27.06	--	19.82	--	nm	7.24
ES-6	03/07/95	27.06	--	20.06	--	nm	7.00
ES-6	04/11/95	27.06	--	19.56	--	nm	7.50
ES-6	05/09/95	27.06	nd ⁴	nd ⁴	nd ⁴	nm	nd ⁴
ES-6	06/09/95	27.06	--	20.37	--	nm	6.69
ES-6	07/06/95	27.06	--	20.55	--	nm	6.51
ES-6	08/10/95	27.06	--	20.81	--	nm	6.25
ES-6	09/07/95	27.06	--	20.94	--	nm	6.12

Table 2 - Cumulative Summary of Groundwater Level Measurements
Greyhound Lines, Inc.
2103 San Pablo Ave.
Oakland, Alameda County, California
Green Star Project No. 10-1379

Well No.	Date	Elevation to Top of Casing (feet MSL) ¹	Depth to Phase-Separated Liquid (feet BMP)	Depth to Water (feet BMP)	Product Thickness (feet)	Depth to Bottom (feet BMP)	Groundwater Elevation (feet MSL)
ES-6	10/03/95	27.06	--	21.14	--	nm	5.92
ES-6	10/05/95	27.06	--	21.14	--	nm	5.92
ES-6	11/02/95	27.06	--	21.31	--	nm	5.75
ES-6	12/07/95	27.06	--	21.48	--	nm	5.58
ES-6	01/03/96	27.06	--	21.24	--	nm	5.82
ES-6	02/06/96	27.06	--	20.52	--	nm	6.54
ES-6	03/12/96	27.06	--	19.85	--	nm	7.21
ES-6	04/09/96	27.06	--	20.14	--	nm	6.92
ES-6	05/07/96	27.06	--	20.42	--	nm	6.64
ES-6	06/05/96	27.06	--	20.41	--	nm	6.65
ES-6	07/09/96	27.06	--	20.74	--	nm	6.32
ES-6	10/08/96	27.06	--	21.23	--	nm	5.83
ES-6	11/08/96	27.06	--	21.44	--	nm	5.62
ES-6	12/13/96	27.06	--	21.19	--	nm	5.87
ES-6	01/16/97	27.06	--	20.15	--	nm	6.91
ES-6	02/14/97	27.06	--	19.92	--	nm	7.14
ES-6	03/07/97	27.06	--	20.31	--	nm	6.75
ES-6	04/17/97	27.06	--	20.78	--	nm	6.28
ES-6	07/15/97	27.06	--	21.32	--	nm	5.74
ES-6	10/07/97	27.06	--	21.48	--	nm	5.58
ES-6	09/24/08	27.06	--	19.02	--	34.98	8.04
ES-6	04/08/09	27.06	--	17.39	--	35.00	9.67
ES-6	07/14/09	27.06	--	18.13	--	35.03	8.93
ES-6	10/06/09	27.06	--	18.52	--	35.00	8.54
ES-7	01/05/93	25.66	--	19.90	--	nm	5.76
ES-7	09/01/93	25.66	--	19.71	--	nm	5.95
ES-7	10/07/93	25.66	--	19.99	--	nm	5.67
ES-7	11/02/93	25.66	--	20.12	--	nm	5.54
ES-7	12/06/93	25.66	--	20.15	--	nm	5.51
ES-7	02/02/94	25.66	--	19.79	--	nm	5.87
ES-7	03/02/94	25.66	--	19.14	--	nm	6.52
ES-7	04/07/94	25.66	--	19.44	--	nm	6.22
ES-7	05/05/94	25.66	--	19.30	--	nm	6.36
ES-7	06/07/94	25.66	--	19.33	--	nm	6.33
ES-7	07/13/94	25.66	--	19.11	--	nm	6.55
ES-7	08/03/94	25.66	--	19.40	--	nm	6.26
ES-7	09/14/94	25.66	--	19.64	--	nm	6.02
ES-7	10/06/94	25.66	--	19.73	--	nm	5.93
ES-7	11/02/94	25.66	--	19.79	--	nm	5.87
ES-7	12/07/94	25.66	--	19.89	--	nm	5.77
ES-7	01/13/95	25.66	--	18.11	--	nm	7.55
ES-7	02/14/95	25.66	--	17.63	--	nm	8.03
ES-7	03/07/95	25.66	--	17.92	--	nm	7.74
ES-7	04/11/95	25.66	--	17.35	--	nm	8.31
ES-7	05/09/95	25.66	--	17.79	--	nm	7.87
ES-7	06/09/95	25.66	--	18.29	--	nm	7.37
ES-7	07/06/95	25.66	--	18.46	--	nm	7.20
ES-7	08/10/95	25.66	--	18.77	--	nm	6.89
ES-7	09/07/95	25.66	--	18.98	--	nm	6.68
ES-7	10/03/95	25.66	--	19.15	--	nm	6.51
ES-7	10/05/95	25.66	--	19.15	--	nm	6.51
ES-7	11/02/95	25.66	--	19.36	--	nm	6.30
ES-7	12/07/95	25.66	--	19.57	--	nm	6.09
ES-7	01/03/96	25.66	--	19.29	--	nm	6.37
ES-7	02/06/96	25.66	--	18.41	--	nm	7.25
ES-7	03/12/96	25.66	--	17.76	--	nm	7.90
ES-7	04/09/96	25.66	--	18.05	--	nm	7.61
ES-7	05/07/96	25.66	--	18.36	--	nm	7.30
ES-7	06/05/96	25.66	--	18.36	--	nm	7.30
ES-7	07/09/96	25.66	--	18.72	--	nm	6.94
ES-7	09/05/96	25.66	--	19.12	--	nm	6.54
ES-7	10/08/96	25.66	--	19.37	--	nm	6.29
ES-7	11/08/96	25.66	--	19.56	--	nm	6.10
ES-7	12/13/96	25.66	--	19.28	--	nm	6.38
ES-7	01/16/97	25.66	--	18.19	--	nm	7.47
ES-7	02/14/97	25.66	--	17.88	--	nm	7.78
ES-7	03/07/97	25.66	--	18.30	--	nm	7.36
ES-7	04/17/97	25.66	--	18.81	--	nm	6.85
ES-7	09/24/08	25.66	--	18.20	--	31.28	7.46
ES-7	04/08/09	25.66	--	16.52	--	31.29	9.14
ES-7	07/14/09	25.66	--	17.36	--	31.30	8.30
ES-7	10/06/09	25.66	--	17.90	--	31.72	7.76
ES-8	09/01/93	24.74	--	18.88	--	nm	5.86
ES-8	10/07/93	24.74	--	19.13	--	nm	5.61

Table 2 - Cumulative Summary of Groundwater Level Measurements
Greyhound Lines, Inc.
2103 San Pablo Ave.
Oakland, Alameda County, California
Green Star Project No. 10-1379

Well No.	Date	Elevation to Top of Casing (feet MSL) ¹	Depth to Phase-Separated Liquid (feet BMP)	Depth to Water (feet BMP)	Product Thickness (feet)	Depth to Bottom (feet BMP)	Groundwater Elevation (feet MSL)
ES-8	11/02/93	24.74	--	19.26	--	nm	5.48
ES-8	12/06/93	24.74	--	19.24	--	nm	5.50
ES-8	01/05/94	24.74	--	19.10	--	nm	5.64
ES-8	02/02/94	24.74	--	19.08	--	nm	5.66
ES-8	03/02/94	24.74	--	18.28	--	nm	6.46
ES-8	04/07/94	24.74	--	18.44	--	nm	6.30
ES-8	05/05/94	24.74	--	18.26	--	nm	6.48
ES-8	06/07/94	24.74	--	18.32	--	nm	6.42
ES-8	07/13/94	24.74	--	18.50	--	nm	6.24
ES-8	08/03/94	24.74	--	18.42	--	nm	6.32
ES-8	09/14/94	24.74	--	18.50	--	nm	6.24
ES-8	10/06/94	24.74	--	18.76	--	nm	5.98
ES-8	11/02/94	24.74	--	18.76	--	nm	5.98
ES-8	12/07/94	24.74	--	18.00	--	nm	6.74
ES-8	01/13/95	24.74	--	16.83	--	nm	7.91
ES-8	02/14/95	24.74	--	16.67	--	nm	8.07
ES-8	03/07/95	24.74	--	16.99	--	nm	7.75
ES-8	04/11/95	24.74	--	16.41	--	nm	8.33
ES-8	05/09/95	24.74	--	16.92	--	nm	7.82
ES-8	06/09/95	24.74	--	17.35	--	nm	7.39
ES-8	07/06/95	24.74	--	17.56	--	nm	7.18
ES-8	08/10/95	24.74	--	17.89	--	nm	6.85
ES-8	09/07/95	24.74	--	18.09	--	nm	6.65
ES-8	10/03/95	24.74	--	18.27	--	nm	6.47
ES-8	10/05/95	24.74	--	18.27	--	nm	6.47
ES-8	11/02/95	24.74	--	18.51	--	nm	6.23
ES-8	12/07/95	24.74	--	18.72	--	nm	6.02
ES-8	01/03/96	24.74	--	18.36	--	nm	6.38
ES-8	02/06/96	24.74	--	17.07	--	nm	7.67
ES-8	03/12/96	24.74	--	16.79	--	nm	7.95
ES-8	04/09/96	24.74	--	17.10	--	nm	7.64
ES-8	05/07/96	24.74	--	17.34	--	nm	7.40
ES-8	06/05/96	24.74	--	17.36	--	nm	7.38
ES-8	07/09/96	24.74	--	17.71	--	nm	7.03
ES-8	09/05/96	24.74	--	18.13	--	nm	6.61
ES-8	10/08/96	24.74	--	18.44	--	nm	6.30
ES-8	11/08/96	24.74	--	18.61	--	nm	6.13
ES-8	12/13/96	24.74	--	18.32	--	nm	6.42
ES-8	01/16/97	24.74	--	17.22	--	nm	7.52
ES-8	02/14/97	24.74	--	16.94	--	nm	7.80
ES-8	03/07/97	24.74	--	17.36	--	nm	7.38
ES-8	09/24/08	24.74	--	17.35	--	28.94	7.39
ES-8	04/08/09	24.74	--	15.64	--	28.80	9.10
ES-8	07/14/09	24.74	--	16.49	--	28.85	8.25
ES-8	10/06/09	24.74	--	17.03	--	29.16	7.71
ES-9	09/01/93	23.33	--	19.74	--	nm	3.59
ES-9	10/07/93	23.33	--	17.90	--	nm	5.43
ES-9	12/06/93	23.33	--	18.00	--	nm	5.33
ES-9	01/05/94	23.33	--	17.80	--	nm	5.53
ES-9	02/02/94	23.33	--	17.02	--	nm	6.31
ES-9	03/02/94	23.33	--	17.12	--	nm	6.21
ES-9	04/07/94	23.33	--	17.24	--	nm	6.09
ES-9	05/05/94	23.33	--	17.04	--	nm	6.29
ES-9	06/07/94	23.33	--	17.06	--	nm	6.27
ES-9	07/13/94	23.33	--	17.40	--	nm	5.93
ES-9	08/03/94	23.33	--	17.10	--	nm	6.23
ES-9	09/14/94	23.33	--	17.09	--	nm	6.24
ES-9	10/06/94	23.33	--	17.46	--	nm	5.87
ES-9	11/02/94	23.33	--	17.55	--	nm	5.78
ES-9	12/07/94	23.33	--	16.79	--	nm	6.54
ES-9	01/13/95	23.33	--	15.80	--	nm	7.53
ES-9	02/14/95	23.33	--	15.49	--	nm	7.84
ES-9	03/07/95	23.33	--	15.79	--	nm	7.54
ES-9	04/11/95	23.33	--	15.23	--	nm	8.10
ES-9	05/09/95	23.33	--	15.72	--	nm	7.61
ES-9	06/09/95	23.33	--	16.13	--	nm	7.20
ES-9	07/06/95	23.33	--	16.34	--	nm	6.99
ES-9	08/10/95	23.33	--	16.67	--	nm	6.66
ES-9	09/07/95	23.33	--	16.87	--	nm	6.46
ES-9	10/03/95	23.33	--	17.09	--	nm	6.24
ES-9	10/05/95	23.33	--	17.09	--	nm	6.24
ES-9	11/02/95	23.33	--	17.30	--	nm	6.03
ES-9	12/07/95	23.33	--	17.48	--	nm	5.85
ES-9	01/03/96	23.33	--	17.12	--	nm	6.21
ES-9	02/06/96	23.33	--	16.00	--	nm	7.33

Table 2 - Cumulative Summary of Groundwater Level Measurements
Greyhound Lines, Inc.
2103 San Pablo Ave.
Oakland, Alameda County, California
Green Star Project No. 10-1379

Well No.	Date	Elevation to Top of Casing (feet MSL) ¹	Depth to Phase-Separated Liquid (feet BMP)	Depth to Water (feet BMP)	Product Thickness (feet)	Depth to Bottom (feet BMP)	Groundwater Elevation (feet MSL)
ES-9	03/12/96	23.33	--	15.63	--	nm	7.70
ES-9	04/09/96	23.33	--	15.92	--	nm	7.41
ES-9	05/07/96	23.33	--	16.17	--	nm	7.16
ES-9	06/05/96	23.33	--	16.19	--	nm	7.14
ES-9	07/09/96	23.33	--	16.52	--	nm	6.81
ES-9	09/05/96	23.33	--	16.92	--	nm	6.41
ES-9	10/08/96	23.33	--	17.19	--	nm	6.14
ES-9	11/08/96	23.33	--	17.37	--	nm	5.96
ES-9	12/13/96	23.33	--	17.09	--	nm	6.24
ES-9	01/16/97	23.33	--	15.99	--	nm	7.34
ES-9	02/14/97	23.33	--	15.71	--	nm	7.62
ES-9	03/07/97	23.33	--	16.12	--	nm	7.21
ES-9	04/17/97	23.33	--	16.66	--	nm	6.67
ES-9	09/24/08	23.33	--	15.88	--	34.91	7.45
ES-9	04/08/09	23.33	--	14.14	--	34.97	9.19
ES-9	07/14/09	23.33	--	14.98	--	34.94	8.35
ES-9	10/06/09	23.33	--	15.52	--	34.91	7.81
ES-10	09/01/93	95.24	--	18.04	--	nm	77.20
ES-10	10/07/93	95.24	--	17.40	--	nm	77.84
ES-10	11/02/93	95.24	--	17.46	--	nm	77.78
ES-10	12/06/93	95.24	--	17.44	--	nm	77.80
ES-10	01/05/94	95.24	--	17.27	--	nm	77.97
ES-10	02/02/94	95.24	--	17.25	--	nm	77.99
ES-10	03/02/94	95.24	--	16.61	--	nm	78.63
ES-10	04/07/94	95.24	--	16.74	--	nm	78.50
ES-10	05/05/94	95.24	--	16.55	--	nm	78.69
ES-10	06/07/94	95.24	--	17.50	--	nm	77.74
ES-10	07/13/94	95.24	--	16.10	--	nm	79.14
ES-10	08/03/94	95.24	--	16.20	--	nm	79.04
ES-10	09/14/94	95.24	--	16.48	--	nm	78.76
ES-10	10/06/94	95.24	--	16.96	--	nm	78.28
ES-10	11/02/94	95.24	--	17.05	--	nm	78.19
ES-10	12/07/94	95.24	--	16.29	--	nm	78.95
ES-10	01/13/95	95.24	--	15.42	--	nm	79.82
ES-10	02/14/95	95.24	--	15.05	--	nm	80.19
ES-10	03/07/95	95.24	--	15.34	--	nm	79.90
ES-10	04/11/95	95.24	--	14.82	--	nm	80.42
ES-10	05/09/95	95.24	--	15.26	--	nm	79.98
ES-10	06/09/95	95.24	--	15.70	--	nm	79.54
ES-10	07/06/95	95.24	--	15.89	--	nm	79.35
ES-10	08/10/95	95.24	--	16.21	--	nm	79.03
ES-10	09/07/95	95.24	--	16.42	--	nm	78.82
ES-10	10/03/95	95.24	--	16.59	--	nm	78.65
ES-10	10/05/95	95.24	--	16.59	--	nm	78.65
ES-10	11/02/95	95.24	--	16.77	--	nm	78.47
ES-10	12/07/95	95.24	--	16.97	--	nm	78.27
ES-10	01/03/96	95.24	--	16.61	--	nm	78.63
ES-10	02/06/96	95.24	--	15.71	--	nm	79.53
ES-10	03/12/96	95.24	--	17.35	--	nm	77.89
ES-10	04/09/96	95.24	--	15.44	--	nm	79.80
ES-10	05/07/96	95.24	--	15.75	--	nm	79.49
ES-10	06/05/96	95.24	--	17.75	--	nm	77.49
ES-10	07/09/96	95.24	--	18.04	--	nm	77.20
ES-10	09/05/96	95.24	--	16.45	--	nm	78.79
ES-10	10/08/96	95.24	--	16.70	--	nm	78.54
ES-10	11/08/96	95.24	--	16.87	--	nm	78.37
ES-10	12/13/96	95.24	--	16.55	--	nm	78.69
ES-10	01/16/97	95.24	--	15.49	--	nm	79.75
ES-10	02/14/97	95.24	--	15.23	--	nm	80.01
ES-10	03/07/97	95.24	--	15.67	--	nm	79.57
ES-10	04/17/97	95.24	--	16.18	--	nm	79.06
ES-10 ³	09/24/08	nm	nm	nm	nm	nm	nm
ES-10 ³	07/14/09	nm	nm	nm	nm	nm	nm
ES-10 ³	10/06/09	nm	nm	nm	nm	nm	nm
ES-11	09/01/93	24.08	--	18.74	--	nm	5.34
ES-11	10/07/93	24.08	--	18.90	--	nm	5.18
ES-11	11/02/93	24.08	--	19.00	--	nm	5.08
ES-11	12/06/93	24.08	--	19.02	--	nm	5.06
ES-11	01/05/94	24.08	--	18.86	--	nm	5.22
ES-11	02/02/94	24.08	--	18.74	--	nm	5.34
ES-11	03/02/94	24.08	--	18.14	--	nm	5.94
ES-11	04/07/94	24.08	--	18.38	--	nm	5.70

Table 2 - Cumulative Summary of Groundwater Level Measurements
Greyhound Lines, Inc.
2103 San Pablo Ave.
Oakland, Alameda County, California
Green Star Project No. 10-1379

Well No.	Date	Elevation to Top of Casing (feet MSL) ¹	Depth to Phase-Separated Liquid (feet BMP)	Depth to Water (feet BMP)	Product Thickness (feet)	Depth to Bottom (feet BMP)	Groundwater Elevation (feet MSL)
ES-11	05/05/94	24.08	--	18.15	--	nm	5.93
ES-11	06/07/94	24.08	--	18.28	--	nm	5.80
ES-11	07/13/94	24.08	--	18.60	--	nm	5.48
ES-11	08/03/94	24.08	--	18.18	--	nm	5.90
ES-11	09/14/94	24.08	--	18.47	--	nm	5.61
ES-11	10/06/94	24.08	--	18.55	--	nm	5.53
ES-11	11/02/94	24.08	--	18.64	--	nm	5.44
ES-11	12/07/94	24.08	--	17.49	--	nm	6.59
ES-11	01/13/95	24.08	--	17.16	--	nm	6.92
ES-11	02/14/95	24.08	--	16.76	--	nm	7.32
ES-11	03/07/95	24.08	--	17.04	--	nm	7.04
ES-11	04/11/95	24.08	--	16.54	--	nm	7.54
ES-11	05/09/95	24.08	--	16.95	--	nm	7.13
ES-11	06/09/95	24.08	--	17.34	--	nm	6.74
ES-11	07/06/95	24.08	--	17.54	--	nm	6.54
ES-11	08/10/95	24.08	--	17.85	--	nm	6.23
ES-11	09/07/95	24.08	--	18.03	--	nm	6.05
ES-11	10/03/95	24.08	--	18.20	--	nm	5.88
ES-11	10/05/95	24.08	--	18.20	--	nm	5.88
ES-11	11/02/95	24.08	--	18.38	--	nm	5.70
ES-11	12/07/95	24.08	--	18.59	--	nm	5.49
ES-11	01/03/96	24.08	--	18.21	--	nm	5.87
ES-11	02/06/96	24.08	--	17.45	--	nm	6.63
ES-11	03/12/96	24.08	--	16.83	--	nm	7.25
ES-11	04/09/96	24.08	--	17.13	--	nm	6.95
ES-11	05/07/96	24.08	--	17.42	--	nm	6.66
ES-11	06/05/96	24.08	--	17.42	--	nm	6.66
ES-11	07/09/96	24.08	--	17.71	--	nm	6.37
ES-11	09/05/96	24.08	--	18.07	--	nm	6.01
ES-11	10/08/96	24.08	--	18.29	--	nm	5.79
ES-11	11/08/96	24.08	--	18.45	--	nm	5.63
ES-11	12/13/96	24.08	--	18.09	--	nm	5.99
ES-11	01/16/97	24.08	--	17.10	--	nm	6.98
ES-11	02/14/97	24.08	--	16.90	--	nm	7.18
ES-11	03/07/97	24.08	--	17.30	--	nm	6.78
ES-11	04/17/97	24.08	--	17.80	--	nm	6.28
ES-11	09/24/08	24.08	--	16.29	--	35.00	7.79
ES-11	04/08/09	24.08	--	14.59	--	35.05	9.49
ES-11	07/14/09	24.08	--	15.38	--	35.03	8.70
ES-11	10/06/09	24.08	--	15.90	--	35.04	8.18

nm = not measured nd = not determined -- = none detected BMP = Below Measuring Point

Note: 1) On April 8, 2009, the well network was surveyed according to the North American Vertical Datum 1988 (NAVD 88) system.

2) Well casings are not vertical.

3) Monitoring well ES-10 has been paved over and is not accessible.

4) Data not entered due to apparent typographical error in previous consultant's findings.

Table 3 - Cumulative Summary of Groundwater Analytical Results
 Greyhound Lines, Inc.
 2103 San Pablo Avenue
 Oakland, Alameda County, California
 Green Star Project No. 10-1379

Sample ID	Date	Benzene	Toluene	Ethylbenzene	Xylenes	Total BTEX	Naphthalene	MTBE	ETBE	TAME	DIPE	EDB	EDC	TBA	Ethanol	TPH-g	TPH-d	TPH-o	Total PAHs
BC-1	04/17/97	0.160	0.072	0.035	0.093	0.360	nt	BDL	nt	nt	nt	nt	nt	nt	nt	0.200	0.640	nt	nt
	07/15/97	0.520	0.130	0.170	0.290	1.11	nt	0.100	nt	nt	nt	nt	nt	nt	nt	11.0	95.0	nt	0.203
	10/07/97	0.310	0.600	0.370	1.90	3.18	nt	BDL	nt	nt	nt	nt	nt	nt	nt	31.0	484	nt	4.34
	09/25/08	0.220	0.022	0.032	0.038	0.312	0.016	<0.00031	<0.00014	0.00026 J	0.082	0.00039 J	<0.00024	<0.006	<0.074	3.70	2.00	<0.290	nt
	04/09/09	0.130	0.020	0.017	0.033	0.200	0.006	<0.0003	<0.00014	0.00058 J	0.074	0.00027 J	<0.00023	<0.017	<0.074	2.10	3.70	<0.033	nt
	07/15/09	0.200	0.039	0.035	0.058	0.332	0.014	<0.00032	<0.00014	<0.00014	0.110	0.00028 J	<0.00023	<0.017	<0.074	3.20	0.910	0.150	nt
	10/07/09	0.230	0.034	0.045	0.062	0.371	0.023	<0.00032	<0.00014	<0.00014	0.060	<0.00017	<0.00023	<0.017	<0.074	3.70	0.630	0.064	nt
	BC-2	07/08/92	BDL	BDL	BDL	0.008	0.008	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	2.10	nt
10/06/92		BDL	0.001	0.001	0.007	0.009	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	nt	nt
01/07/93		BDL	0.001	0.002	0.010	0.012	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	nt	nt
04/06/93		BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	0.130	nt	nt
07/23/93		0.001	0.002	0.002	0.008	0.013	nt	nt	nt	nt	nt	nt	nt	nt	nt	<0.500	0.500	nt	BDL
10/07/93		BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	1.40	nt	nt
01/05/94		nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt
04/07/94		nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt
07/13/94		nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt
10/06/94		nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt
01/13/95		BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	1.10	nt	nt
04/11/95		BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
07/06/95		BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	0.290	nt	nt
10/05/95		0.001	BDL	BDL	0.001	0.002	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	1.50	nt	nt
04/17/97		BDL	BDL	BDL	BDL	BDL	nt	BDL	nt	nt	nt	nt	nt	nt	nt	BDL	0.050	nt	nt
07/15/97		BDL	BDL	BDL	BDL	BDL	nt	BDL	nt	nt	nt	nt	nt	nt	nt	BDL	0.680	nt	BDL
10/07/97		BDL	BDL	BDL	BDL	BDL	nt	BDL	nt	nt	nt	nt	nt	nt	nt	BDL	0.920	nt	BDL
09/24/08		ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns
04/09/09	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	
07/15/09	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	
10/07/09	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	
BC-3	07/08/92	BDL	0.003	BDL	0.006	0.009	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	3.90	nt	nt
	10/06/92	BDL	0.002	0.001	0.002	0.004	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.800	nt	nt
	01/07/93	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	nt	nt
	04/06/93	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	0.120	nt	nt
	07/23/93	0.003	0.004	0.002	0.008	0.018	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	nt*	nt	nt
	10/07/93	BDL	BDL	0.0001	0.002	0.003	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	1.40	nt	nt
	01/05/94	BDL	BDL	BDL	0.002	0.002	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	1.80	nt	nt
	04/07/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	0.850	nt	nt
	07/13/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	0.200	nt	nt
	10/06/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	0.820	nt	nt
	01/13/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	0.890	nt	nt
	04/11/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	07/06/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	0.380	nt	nt
	10/05/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	04/17/97	BDL	BDL	BDL	BDL	BDL	nt	BDL	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	07/15/97	BDL	BDL	BDL	BDL	BDL	nt	BDL	nt	nt	nt	nt	nt	nt	nt	BDL	0.490	nt	BDL
	10/07/97	BDL	BDL	0.002	0.002	0.003	nt	BDL	nt	nt	nt	nt	nt	nt	nt	0.051	1.34	nt	BDL
	09/25/08	<0.0004	0.0006 J	0.0006 J	<0.0003	0.0012 J	<0.0003	<0.00031	<0.00014	0.0007 J	<0.00036	<0.00031	<0.00024	<0.006	<0.074	<0.084	<0.021	1.30	nt
04/09/09	0.006	0.0008 J	0.0008 J	0.0012 J	0.009	0.005	<0.0003	<0.00014	0.00052 J	0.00043 J	<0.00017	<0.00023	<0.017	<0.074	<0.024	0.018 J	0.880	nt	
07/15/09	0.0049 J	0.0006 J	0.0003 J	<0.00013	0.006	0.00022 J	<0.00032	<0.00014	0.00044 J	0.0003 J	<0.00017	<0.00023	<0.017	<0.074	0.019 J	0.059	0.170	nt	
10/07/09	0.003	0.0003 J	0.0002 J	0.0004 J	0.004	0.0002 J	<0.00032	<0.00014	<0.00014	0.0004 J	<0.00017	<0.00023	<0.017	<0.074	0.025 J	0.058	0.110	nt	

Table 3 - Cumulative Summary of Groundwater Analytical Results

Greyhound Lines, Inc.
2103 San Pablo Avenue
Oakland, Alameda County, California
Green Star Project No. 10-1379

Sample ID	Date	Benzene	Toluene	Ethylbenzene	Xylenes	Total BTEX	Naphthalene	MTBE	ETBE	TAME	DIPE	EDB	EDC	TBA	Ethanol	TPH-g	TPH-d	TPH-o	Total PAHs
ES-1	11/19/91	0.130	0.043	0.010	0.091	0.274	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	nt	nt
	04/17/97	0.110	0.018	0.007	0.045	0.180	nt	BDL	nt	nt	nt	nt	nt	nt	nt	1.00	BDL	nt	nt
	07/16/97	0.076	0.008	0.011	0.025	0.120	nt	BDL	nt	nt	nt	nt	nt	nt	nt	0.960	1.20	nt	0.014
	10/07/97	0.049	0.034	0.011	0.023	0.100	nt	0.014	nt	nt	nt	nt	nt	nt	nt	1.70	2.77	nt	0.010
	09/25/08	0.140	0.009	0.014	0.016	0.179	0.011	<0.00031	<0.00014	<0.00026	0.130	<0.00031	0.00049 J	<0.006	<0.074	2.90	2.50	<0.290	nt
	04/09/09	0.260	0.029	0.027	0.049	0.365	0.025	<0.00032	<0.00014	<0.00014	0.066	0.00037 J	0.00047 J	<0.017	<0.074	2.40	3.60	<0.036	nt
	07/15/09	0.300	0.063	0.092	0.090	0.545	0.053	<0.00032	<0.00014	0.00023 J	0.100	0.00038 J	0.00086 J	<0.017	<0.074	5.00	0.930	0.210	nt
	10/07/09	0.340	0.036	0.044	0.053	0.473	0.037	<0.00032	<0.00014	<0.00014	0.082	<0.00017	0.0007 J	<0.017	<0.074	4.10	0.610	0.100	nt
	ES-2	11/19/91	0.390	0.096	0.078	0.310	0.874	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	nt
04/17/97		0.340	0.110	0.110	0.240	0.800	nt	BDL	nt	nt	nt	nt	nt	nt	nt	3.80	1.80	nt	nt
07/15/97		0.190	0.140	0.073	0.250	0.653	nt	0.081	nt	nt	nt	nt	nt	nt	nt	3.70	16.0	nt	0.194
10/07/97		0.190	0.046	0.046	0.070	0.352	nt	BDL	nt	nt	nt	nt	nt	nt	nt	7.20	8.04	nt	0.993
09/25/08		0.700	0.053	0.029	0.084	0.866	0.010	<0.00031	<0.00014	0.00041 J	0.100	<0.00031	0.00038 J	<0.006	<0.074	6.00	1.50	nt	<0.290
04/09/09		0.690	0.059	0.027 J	0.072	0.848	0.008 J	<0.00032	<0.00014	0.0056 J	0.110	<0.0017	<0.0023	<0.170	<0.740	2.20	7.50	<0.038	nt
07/15/09		0.700	0.068	0.023	0.094	0.885	0.0019 J	<0.00032	<0.00014	0.00042 J	0.120	0.00025 J	<0.00023	<0.017	<0.074	8.40	1.30	0.230	nt
10/07/09		0.730	0.061	0.030	0.090	0.911	0.004	<0.00032	<0.00014	<0.00014	0.085	<0.00017	<0.00023	<0.017	<0.074	6.00	1.10	0.980	nt
ES-3	11/19/91	0.061	0.016	0.014	0.033	0.124	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	nt	nt
	07/08/92	0.051	0.021	0.048	0.034	0.157	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	1.30	nt	nt
	10/06/92	0.093	0.018	BDL	0.011	0.122	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	nt	nt
	01/07/93	0.052	0.049	0.100	0.250	0.451	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	nt	nt
	04/06/93	0.053	BDL	0.067	0.078	0.198	nt	nt	nt	nt	nt	nt	nt	nt	nt	4.50	0.510	nt	nt
	07/23/93	0.028	0.006	0.005	0.005	0.043	nt	nt	nt	nt	nt	nt	nt	nt	nt	1.50	0.600	nt	nt
	10/07/93	0.002	0.001	BDL	0.002	0.005	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	nt	nt
	01/05/94	0.013	0.002	0.007	0.005	0.027	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.530	nt	nt	nt
	04/07/94	0.010	0.009	0.026	0.034	0.079	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.850	0.910	nt	nt
	07/13/94	0.002	0.001	0.001	0.003	0.007	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.370	0.280	nt	nt
	10/06/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	01/13/95	0.019	0.015	0.072	0.088	0.194	nt	nt	nt	nt	nt	nt	nt	nt	nt	1.60	1.10	nt	nt
	04/11/95	0.020	0.007	0.036	0.022	0.085	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.940	0.390	nt	nt
	07/06/95	0.006	BDL	0.007	BDL	0.013	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.240	1.20	nt	nt
	10/05/95	0.002	0.002	BDL	BDL	0.004	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	0.110	nt	nt
	01/05/96	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	04/09/96	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.120	nt	nt
	07/09/96	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	10/08/96	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	01/16/97	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.051	BDL	nt	nt
04/17/97	BDL	BDL	BDL	BDL	BDL	nt	BDL	nt	nt	nt	nt	nt	nt	nt	BDL	0.120	nt	nt	
07/15/97	BDL	BDL	BDL	BDL	BDL	nt	BDL	nt	nt	nt	nt	nt	nt	nt	BDL	0.170	nt	BDL	
10/07/97	BDL	BDL	BDL	BDL	BDL	nt	BDL	nt	nt	nt	nt	nt	nt	nt	BDL	0.205	nt	BDL	
09/24/08	0.230	0.017	0.023	0.048	0.318	0.028	<0.00031	<0.00014	0.00028 J	0.110	<0.00031	0.00078 J	<0.006	<0.074	3.00	1.40	<0.290	nt	
04/09/09	0.340	0.091	0.180	0.372	0.983	0.083	<0.0016	<0.00071	<0.00068	0.096	<0.00086	<0.0011	<0.084	<0.370	2.60	9.70	<0.032	nt	
07/15/09	0.230	0.075	0.190	0.413	0.908	0.110	<0.0016	<0.00071	<0.00068	0.045 J	<0.00086	<0.0011	<0.084	<0.370	9.40	1.40	0.280	nt	
10/07/09	0.250	0.028	0.042	0.105	0.425	0.035	<0.00032	<0.00014	<0.00014	0.100	<0.00017	0.0008 J	<0.017	<0.074	4.70	0.860	0.084	nt	

Table 3 - Cumulative Summary of Groundwater Analytical Results
 Greyhound Lines, Inc.
 2103 San Pablo Avenue
 Oakland, Alameda County, California
 Green Star Project No. 10-1379

Sample ID	Date	Benzene	Toluene	Ethylbenzene	Xylenes	Total BTEX	Naphthalene	MTBE	ETBE	TAME	DIPE	EDB	EDC	TBA	Ethanol	TPH-g	TPH-d	TPH-o	Total PAHs
ES-4	11/19/91	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	nt	nt
	07/08/92	0.031	0.006	BDL	0.003	0.039	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	nt	nt
	10/06/92	0.100	0.008	BDL	0.008	0.116	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	nt	nt
	01/07/93	0.030	0.007	0.008	0.016	0.060	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	nt	nt
	04/06/93	0.033	0.002	0.002	0.005	0.042	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.360	BDL	nt	nt
	07/23/93	0.024	0.001	0.001	0.008	0.034	nt	nt	nt	nt	nt	nt	nt	nt	nt	<0.500	<0.500	nt	nt
	10/07/93	0.008	BDL	BDL	0.002	0.010	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	nt	nt
	01/05/94	0.015	0.001	0.0004	0.003	0.019	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.130	BDL	nt	nt
	04/07/94	0.011	BDL	BDL	0.011	0.011	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.170	BDL	nt	nt
	07/13/94	0.009	BDL	BDL	0.001	0.010	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.130	BDL	nt	nt
	10/06/94	0.018	BDL	0.002	0.003	0.023	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.100	BDL	nt	nt
	01/13/95	0.012	BDL	0.002	0.014	0.014	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.150	BDL	nt	nt
	04/11/95	0.039	0.004	0.012	0.024	0.079	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.180	BDL	nt	nt
	07/06/95	0.100	0.010	0.026	0.061	0.197	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.600	0.160	nt	nt
	10/05/95	0.210	0.016	0.071	0.084	0.381	nt	nt	nt	nt	nt	nt	nt	nt	nt	1.20	0.170	nt	nt
	01/05/96	0.034	BDL	0.005	0.004	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.120	BDL	nt	nt
	04/09/96	0.057	0.003	0.017	0.019	0.096	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	nt	nt
	07/09/96	0.043	0.005	0.021	0.017	0.086	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.220	BDL	nt	nt
	10/08/96	0.110	0.004	0.042	0.039	0.195	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.860	BDL	nt	nt
	01/16/97	0.005	BDL	BDL	0.001	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.059	BDL	nt	nt
	04/17/97	0.087	0.011	0.049	0.024	0.171	nt	BDL	nt	nt	nt	nt	nt	nt	nt	BDL	0.100	nt	nt
	07/15/97	0.110	0.011	0.042	0.040	0.203	nt	BDL	nt	nt	nt	nt	nt	nt	nt	0.920	0.370	nt	0.018
	10/07/97	0.011	BDL	0.028	0.023	0.016	nt	BDL	nt	nt	nt	nt	nt	nt	nt	0.120	0.101	nt	0.024
09/25/08	<0.0004	<0.0003	<0.0003	<0.0003	BDL	<0.0003	<0.00031	<0.00014	0.0007 J	0.007 J	<0.00031	<0.00024	<0.006	<0.074	0.069	0.091	nt	<0.029	
04/09/09	0.008	0.0008 J	0.0016 J	0.0025 J	0.013	0.0007 J	<0.0003	<0.00014	0.00054 J	0.020	<0.00017	<0.00023	<0.017	<0.074	0.640	0.520	<0.034	nt	
07/15/09	0.0076	0.0017 J	0.0042 J	<0.00013	0.014	0.0019 J	<0.00032	<0.00014	<0.00014	0.025	<0.00017	<0.00023	<0.017	<0.074	0.800	0.110	0.045 J	nt	
10/07/09	0.0002 J	<0.00029	0.0002 J	0.0005 J	0.0009	<0.00011	<0.00032	<0.00014	<0.00014	0.014	<0.00017	<0.00023	<0.017	<0.074	0.310	0.081	<0.029	nt	
ES-5	11/19/91	2.10	3.90	0.840	6.00	12.8	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	950	nt	nt
	04/17/97	0.590	1.20	0.180	1.00	2.97	nt	BDL	nt	nt	nt	nt	nt	nt	nt	2.40	1.60	nt	nt
	07/16/97	0.810	1.80	0.430	1.80	9.68	nt	0.350	nt	nt	nt	nt	nt	nt	nt	27.0	15.0	nt	216
	10/07/97	0.260	0.470	0.160	0.590	1.48	nt	BDL	nt	nt	nt	nt	nt	nt	nt	15.0	6.51	nt	0.424
	09/25/08	0.970	0.190	0.400	0.350	1.91	0.180	<0.00031	<0.00014	<0.00026	0.150	<0.00031	0.00057 J	<0.006	<0.074	12.0	1.90	<0.290	nt
	04/09/09	0.590	0.150	0.230	0.248	1.22	0.100	<0.0032	<0.0014	0.0059 J	0.030 J	<0.0017	<0.0023	<0.170	<0.740	3.70	10.0	<0.033	nt
	07/15/09	0.770	0.220	0.430	0.407	1.83	0.180	<0.0016	<0.00071	<0.00068	0.063	<0.00086	<0.0011	<0.084	<0.370	16.0	1.30	0.180	nt
	10/07/09	0.710	0.190	0.440	0.373	1.71	0.160	<0.0032	<0.0014	<0.0014	0.068	<0.0017	<0.0023	<0.170	<0.740	12.0	1.50	0.140	nt
ES-6	07/23/93	<0.0003	<0.0003	<0.0003	<0.0006	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	<0.500	<0.500	nt	nt
	10/07/93	0.001	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	nt	nt
	01/05/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	nt	nt
	04/07/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.160	BDL	nt	nt
	07/13/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	10/06/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	01/13/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	04/11/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	07/06/95	BDL	BDL	BDL	0.002	0.002	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	10/05/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	01/05/96	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	04/09/96	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.220	nt	nt
	07/09/96	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	10/08/96	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	01/16/97	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
04/17/97	BDL	BDL	BDL	BDL	BDL	nt	BDL	nt	nt	nt	nt	nt	nt	nt	BDL	0.120	nt	nt	
07/15/97	BDL	BDL	BDL	BDL	BDL	nt	BDL	nt	nt	nt	nt	nt	nt	nt	BDL	0.060	nt	BDL	
10/07/97	BDL	BDL	BDL	BDL	BDL	nt	BDL	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	BDL	

Table 3 - Cumulative Summary of Groundwater Analytical Results
 Greyhound Lines, Inc.
 2103 San Pablo Avenue
 Oakland, Alameda County, California
 Green Star Project No. 10-1379

Sample ID	Date	Benzene	Toluene	Ethylbenzene	Xylenes	Total BTEX	Naphthalene	MTBE	ETBE	TAME	DIPE	EDB	EDC	TBA	Ethanol	TPH-g	TPH-d	TPH-o	Total PAHs	
ES-7	09/24/08	<0.0004	<0.0003	<0.0003	<0.0003	BDL	0.0005 J	<0.00031	<0.00014	0.00065 J	0.0003 J	<0.00031	<0.00024	<0.006	<0.074	<0.017	0.068	<0.290	nt	
	04/08/09	<0.0001	<0.0002	<0.0001	<0.0001	BDL	<0.0001	<0.0003	<0.00014	0.00055 J	0.00093 J	<0.00017	<0.00023	<0.017	<0.074	<0.022	<0.016	0.170	nt	
	07/15/09	0.0021 J	0.00086 J	0.0021 J	<0.00013	0.005	0.0012 J	<0.00032	<0.00014	0.00074 J	0.00088 J	<0.00017	<0.00023	<0.017	<0.074	0.061	0.073	0.200	nt	
	10/06/09	<0.0001	<0.00029	<0.00015	<0.00013	BDL	<0.00011	<0.00032	<0.00014	<0.00014	0.0004 J	<0.00017	<0.00023	<0.017	<0.074	0.017 J	0.030 J	0.034 J	nt	
	07/23/93	<0.0003	<0.0003	<0.0003	<0.0006	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	<0.500	<0.500	nt	nt	
	10/07/93	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	01/05/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	04/07/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.110	0.100	nt	nt
	07/13/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	10/06/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	01/13/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	04/11/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	07/06/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	10/05/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	07/09/96	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
04/17/97	BDL	BDL	BDL	BDL	BDL	nt	BDL	nt	nt	nt	nt	nt	nt	nt	nt	BDL	0.060	nt	nt	
09/24/08	<0.0004	<0.0003	<0.0003	<0.0003	BDL	<0.0003	<0.00031	<0.00014	0.00066 J	<0.00036	<0.00031	<0.00024	<0.006	<0.074	<0.017	<0.002	0.150	nt		
04/08/09	<0.0001	<0.0002	<0.0001	<0.0001	BDL	<0.0001	<0.0003	<0.00014	0.00053 J	<0.00015	<0.00017	<0.00023	<0.017	<0.074	<0.023	<0.016	0.690	nt		
07/15/09	0.0013 J	0.00051 J	0.00096 J	<0.00013	0.003	0.00052 J	<0.00032	<0.00014	0.0007 J	<0.00015	<0.00017	<0.00023	<0.017	<0.074	0.027 J	0.031 J	0.093	nt		
10/06/09	<0.0001	<0.00029	<0.00015	<0.00013	BDL	<0.00011	<0.00032	<0.00014	<0.00014	<0.00015	<0.00017	<0.00023	<0.017	<0.074	0.024 J	<0.02	0.041 J	nt		
ES-8	07/23/93	<0.0003	<0.0003	<0.0003	<0.0006	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	<0.500	<0.500	nt	nt	
	10/07/93	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	01/05/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	04/07/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	07/13/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	10/06/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	01/13/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	04/11/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	07/06/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	10/05/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	07/09/96	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	09/24/08	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	
	04/08/09	0.015	0.0014 J	0.002 J	0.0027 J	0.021	0.0003 J	<0.0003	<0.00014	<0.00014	0.056	<0.00017	<0.00023	<0.017	<0.074	1.60	2.30	<0.033	nt	
	07/14/09	0.0058	0.00083 J	0.00061 J	<0.00013	0.007	<0.00011	<0.00032	<0.00014	<0.00014	0.045	<0.00017	<0.00023	<0.017	<0.074	1.80	0.540	0.230	nt	
	10/06/09	0.007	0.001 J	0.001 J	0.001 J	0.010	0.0002 J	<0.00032	<0.00014	<0.00014	0.036	<0.00017	<0.00023	<0.017	<0.074	1.90	0.270	0.170	nt	
ES-9	07/23/93	<0.0003	<0.0003	<0.0003	<0.0006	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	<0.500	<0.500	nt	nt	
	10/07/93	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	01/05/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	04/07/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	07/13/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	10/06/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	01/13/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	1.10	nt	nt	
	04/11/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	07/06/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	10/05/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	09/24/08	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	ns	
	04/08/09	<0.0001	<0.0002	<0.0001	<0.0001	BDL	<0.0001	<0.0003	<0.00014	0.00055 J	0.00056 J	<0.00017	<0.00023	<0.017	<0.074	<0.023	<0.016	0.210	nt	
	07/15/09	<0.0001	<0.00029	<0.00015	<0.00013	BDL	<0.00011	<0.00032	<0.00014	0.00066 J	0.00052 J	<0.00017	<0.00023	<0.017	<0.074	<0.016	0.028 J	0.061	nt	
	10/06/09	<0.0001	<0.00029	<0.00015	0.0002 J	0.0002	<0.00011	<0.00032	<0.00014	<0.00014	0.0005 J	<0.00017	<0.00023	<0.017	<0.074	0.022 J	0.027 J	0.052	nt	

Table 3 - Cumulative Summary of Groundwater Analytical Results
 Greyhound Lines, Inc.
 2103 San Pablo Avenue
 Oakland, Alameda County, California
 Green Star Project No. 10-1379

Sample ID	Date	Benzene	Toluene	Ethylbenzene	Xylenes	Total BTEX	Naphthalene	MTBE	ETBE	TAME	DIPE	EDB	EDC	TBA	Ethanol	TPH-g	TPH-d	TPH-o	Total PAHs	
ES-10	07/23/93	<0.0003	<0.0003	<0.0003	<0.0006	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	<0.500	<0.500	nt	nt	
	10/07/93	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	01/05/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	04/07/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	07/13/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	10/06/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	01/13/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	04/11/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	07/06/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	10/05/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	09/24/08	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne
	04/09/09	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne
	07/15/09	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne
	10/7/2009	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne	dne
ES-11	07/23/93	<0.0003	0.001	<0.0003	0.001	0.002	nt	nt	nt	nt	nt	nt	nt	nt	nt	<0.500	<0.500	nt	nt	
	10/07/93	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	01/05/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	04/07/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	0.350	nt	nt	
	07/13/94	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	10/06/94	BDL	BDL	BDL	BDL	BDL	nt	BDL	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt
	01/13/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	04/11/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	0.170	BDL	BDL	nt	nt
	07/06/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	10/05/95	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	07/09/96	BDL	BDL	BDL	BDL	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	04/17/97	BDL	BDL	BDL	BDL	BDL	nt	BDL	nt	nt	nt	nt	nt	nt	nt	BDL	BDL	nt	nt	
	09/25/08	<0.0004	<0.0003	<0.0003	<0.0003	BDL	<0.0003	<0.00031	<0.00014	0.00067 J	<0.00036	<0.00031	<0.00024	<0.006	<0.074	<0.017	0.028 J	<0.029	nt	
	04/09/09	0.0025 J	0.0009 J	0.0017 J	0.0030 J	0.008	0.0011 J	<0.0003	<0.00014	0.00052 J	0.00025 J	<0.00017	<0.00023	<0.017	<0.074	<0.025	<0.016	0.200	nt	
07/15/09	0.0028 J	0.00097 J	0.0021 J	<0.00013	0.006	0.0014 J	<0.00032	<0.00014	<0.00014	0.00025 J	<0.00017	<0.00023	<0.017	<0.074	0.041 J	<0.020	<0.029	nt		
10/07/09	<0.0001	<0.00029	<0.00015	<0.00013	BDL	<0.00011	<0.00032	<0.00014	<0.00014	<0.00015	<0.00017	<0.00023	<0.017	<0.074	<0.016	<0.020	<0.029	nt		
San Francisco Bay Regional Water Quality Control Board (RWQCB) Environmental Screening Levels (ESLs; drinking)	0.001	0.040	0.030	0.020	ne	0.017	0.005	ne	ne	ne	ne	0.00005	0.0005	0.012	ne	0.100	0.100	0.100	ne	
RWQCB ESLs (non-drinking water resource)	0.046	0.130	0.043	0.100	ne	0.024	1.80	ne	ne	ne	ne	0.150	0.200	18.0	ne	0.210	0.210	0.210	ne	
RWQCB ESLs (potential vapor intrusion concerns, commercial)	1.80	530	170	160	ne	11.0	80.0	ne	ne	ne	ne	0.510	0.690	(use soil gas)	ne	(use soil gas)	(use soil gas)	ne	ne	

Analytical test results are reported in milligrams per liter (mg/L).
 Bolded results indicate detected concentrations exceeded laboratory detection limits.
 nt = not tested for that constituent ns = not sampled dne = does not exist ne = not established < = below laboratory detection limits J = reported result is between the MDL and PQL

Notes (per previous reports):
 1) BTEX analyzed by EPA Method 8020
 2) TPH-d analyzed by EPA Method 3550/8015 Modified
 3) TPH-g analyzed by EPA Method 8015M
 * Sample not analyzed due to broken sample bottle during shipment

Table 4 - Cumulative Summary of Soil Analytical Results
Greyhound Lines, Inc.
2103 San Pablo Avenue
Oakland, Alameda County, California
Green Star Project No. 10-1379

Sample ID	Depth in feet BGS	Date	Benzene	Toluene	Ethylbenzene	Xylenes	Total BTEX	Naphthalene	MTBE	ETBE	TAME	DIPE	EDC	EDB	TBA	Ethanol	TPH-g	TPH-d	TPH-o	TFH
Investigation Samples (Collected by a Previous Contultant)																				
BC-1	16-16.5	07/08/89	nr	1.78	37.5	1.13	40.4	nt	nt	nt	nt	nt	nt	nt	nt	nt	nr	nr	nr	3,060
BC-1	25-25.5	07/08/89	<10.0	<0.001	0.027	0.008	0.035	nt	nt	nt	nt	nt	nt	nt	nt	nt	nr	nr	nr	<10.0
BC-2	16-16.5	07/08/89	nr	4.00	2.00	49.5	55.5	nt	nt	nt	nt	nt	nt	nt	nt	nt	nr	nr	nr	4,260
BC-2	25-25.5	07/08/89	<10.0	0.090	0.402	0.154	0.646	nt	nt	nt	nt	nt	nt	nt	nt	nt	nr	nr	nr	<10.0
BC-3	16-16.5	07/08/89	nr	2.24	28.9	1.03	32.2	nt	nt	nt	nt	nt	nt	nt	nt	nt	nr	nr	nr	1,850
BC-3	25-25.5	07/08/89	<10.0	<0.001	0.008	<0.001	0.008	nt	nt	nt	nt	nt	nt	nt	nt	nt	nr	nr	nr	<10.0
ES-1	16-18	11/11/91	<1.00	3.00	3.40	22.0	28.4	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	<2.50	nt	nt
ES-2	16-18	11/12/91	<2.00	27.0	28.0	150	205	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	<2.50	nt	nt
ES-3	16-18	11/12/91	<0.001	<0.002	<0.002	<0.004	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	<2.50	nt	nt
ES-4	16-18	11/13/91	<0.001	<0.002	<0.002	<0.004	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	BDL	nt	nt
ES-5	16-18	11/14/91	<0.001	0.080	0.065	0.330	0.475	nt	nt	nt	nt	nt	nt	nt	nt	nt	nt	160	nt	nt
ES-6	15-16.5	07/23/93	<0.005	<0.005	<0.005	<0.015	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	<10.0	<10.0	nt	nt
ES-7	20-21.5	07/20/93	<0.005	<0.005	<0.005	<0.015	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	<10.0	<10.0	nt	nt
ES-8	20-21.5	07/20/93	<0.005	<0.005	<0.005	<0.015	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	<10.0	<10.0	nt	nt
ES-9	15-16.5	07/21/93	<0.005	<0.005	<0.005	<0.015	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	<10.0	<10.0	nt	nt
ES-10	20-21.5	07/21/93	<0.005	<0.005	<0.005	<0.015	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	<10.0	<10.0	nt	nt
ES-11	20-21.5	07/21/93	<0.005	<0.005	<0.005	<0.015	BDL	nt	nt	nt	nt	nt	nt	nt	nt	nt	<10.0	<10.0	nt	nt
San Francisco Bay Regional Water Quality Control Board (RWQCB) Environmental Screening Levels (ESLs; shallow soils, <3m bgs, commercial/industrial, non-drinking water resource)			0.270	9.30	4.70	11.0	ne	2.80	8.40	ne	ne	ne	0.480	0.044	110	ne	180	180	2,500	ne
RWQCB ESLs (deep soils, >3m bgs, commercial/industrial, non-drinking water resource)			2.00	9.30	4.70	11.0	ne	4.80	8.40	ne	ne	ne	4.30	1.00	110	ne	180	180	5,000	ne

Analytical test results are reported in milligrams per Kilogram (mg/Kg).
 <, BDL = below laboratory detection limits
 nt = not tested for that constituent ne = not established
 nr = Interpretation of results not possible as reported by previous consultant.
 SAT = ESL exceeds saturated soil concentration of chemical
 Bolded results indicate detected concentrations exceeded City of Oakland RBSLs.


LIST OF FIGURES

- | | |
|----------|------------------------------------|
| Figure 1 | Site Location/USGS Topographic Map |
| Figure 2 | Site Plan |
| Figure 3 | Former Tankpit Area |

OAKLAND WEST QUADRANGLE OAKLAND, CALIFORNIA


LAT=37° 48' 40" N
LONG=122° 16' 24" W

1996




NORTH

SCALE 1:24000



(Miles)



(Feet)

CONTOUR INTERVAL 10 FEET

FIGURE 1



SITE LOCATION/USGS TOPOGRAPHIC MAP

Greyhound Lines, Inc.
2103 San Pablo Avenue
Oakland, California



Generated by:	JRS
Approved by:	TDR
Date:	05/04/09

PROJECT No. 09-1379



LEGEND	
	Monitoring Well
	Destroyed Monitoring Well
	Non-project Monitoring Well
	Former Tank Pit
	Fence Line



FIGURE 2
SITE PLAN

Greyhound Lines, Inc.
2103 San Pablo Avenue
Oakland, California



Generated by:	JRS
Approved by:	TDR
Date:	12/08/09
PROJECT No. 09-1379	

12/08/09 LBA 1379



LEGEND	
	Monitoring Well
	Proposed Boring
	Destroyed Monitoring Well
	Non-project Monitoring Well
	Former Tank Pit
	Fence Line
	Sanitary Sewer Line
	Water Line
	Gas Line
	Storm Water Line
	Electric Line

FIGURE 3
Former Tankpit Area

Greyhound Lines, Inc.
2103 San Pablo Avenue
Oakland, California



Generated by:	JRS
Approved by:	TDR
Date:	10/14/08
PROJECT No. 08-1379	

10/14/08 LBA 1379