



ENVIRONMENTAL  
PROTECTION  
03/06/00 9 PM 12:05

2201 Broadway, Suite 101  
Oakland, CA 94612-3023  
Tel. 510.740.5800  
Fax. 510.663.3315

RO 76

LOP 3877

March 6, 2000  
Project 791808

Mr. Paul Supple  
ARCO Products Company  
PO Box 6549  
Moraga, California 94570

Re: Quarterly Groundwater Monitoring Report, Fourth Quarter 1999, for ARCO  
Service Station No. 4931, located at 731 West MacArthur Boulevard, Oakland,  
California

Dear Mr. Supple:

Pinnacle Environmental Solutions, a member of The IT Group (Pinnacle), is submitting the attached report which presents the results of the fourth quarter 1999 groundwater monitoring program at ARCO Products Company (ARCO) Service Station No. 4931, located at 731 West MacArthur Boulevard, Oakland, California. The monitoring program complies with the Alameda County Health Care Services Agency (ACHCSA) requirements regarding underground tank investigations.

Please call if you have questions.

Sincerely,

Pinnacle

Glen VanderVeen  
Project Manager

Dan Easter, R.G. 5722  
Project Geologist

Attachment: Quarterly Groundwater Monitoring Report, Fourth Quarter 1999

cc: Mr. John Kaiser, Regional Water Quality Control Board - San Francisco Bay Region  
Ms. Susan Hugo, Alameda County Health Care Services Agency

Date: March 6, 2000**ARCO QUARTERLY GROUNDWATER MONITORING REPORT**

Facility No.: 4931 Address: 731 West MacArthur Boulevard, Oakland, California  
 ARCO Environmental Engineer: Paul Supple  
 Consulting Co./Contact Person: Pinnacle Environmental Solutions/ Glen VanderVeen  
 Consultant Project No.: 791808  
 Primary Agency/Regulatory ID No.: ACHCSA

**WORK PERFORMED THIS QUARTER (FOURTH - 1999):**

1. Prepared and submitted quarterly groundwater monitoring report for third quarter 1999.
2. Performed quarterly groundwater monitoring and sampling for fourth quarter 1999.

**WORK PROPOSED FOR NEXT QUARTER (FIRST - 2000):**

1. Prepare and submit quarterly groundwater monitoring report for fourth quarter 1999.
2. Perform quarterly groundwater monitoring and sampling for first quarter 2000.

**QUARTERLY MONITORING:**

Current Phase of Project: Monitoring/Remediation  
 Frequency of Groundwater Sampling: Annual (2nd Quarter): A-7, A-13  
Semi-Annual (2nd/4th Quarter): A-3, A-5, A-11, A-12  
Quarterly: A-2, A-4, A-6, A-8, A-9  
 Frequency of Groundwater Monitoring: Quarterly  
 Is Free Product (FP) Present On-Site: No  
 FP Recovered this Quarter: None  
 Cumulative FP Recovered to Date: Unknown  
 Bulk Soil Removed This Quarter: None  
 Bulk Soil Removed to Date: Unknown  
 Current Remediation Techniques: Intrinsic Bioremediation Enhancement using ORC  
 Approximate Depth to Groundwater: 8.7 feet  
 Groundwater Flow Direction and Gradient  
 (Average): 0.13 ft/ft toward west-northwest  
 Period TPPH- g/Benzene Removed: 0.0/0.0  
 Cumulative TPPH-g/Benzene Removed: 0.45/0.06 gallons

**DISCUSSION:**

- Bioremediation enhancement is ongoing using oxygen release compound socks (ORC) in wells A-4, A-8, A-9 and AR-1.

**ATTACHMENTS:**

- Table 1 - Groundwater Elevation and Analytical Data
- Table 2 - Groundwater Flow Direction and Gradient
- Figure 1 - Groundwater Analytical Summary Map
- Figure 2 - Groundwater Elevation Contour Map
- Appendix A - Sampling and Analysis Procedures
- Appendix B - Certified Analytical Reports and Chain-of-Custody Documentation
- Appendix C - Field Data Sheets
- Appendix D - Remedial System Performance Summary

**Table 1**  
**Groundwater Elevation and Analytical Data**  
**Total Purgeable Petroleum Hydrocarbons**  
**(TPPH as Gasoline, BTEX Compounds, and MTBE)**

**ARCO Service Station 4931**  
**731 West MacArthur Boulevard, Oakland, California**

Well Number	Date Gauged/ Sampled	Well Elevation (feet, MSL)	Depth to Water (feet, TOB)	Groundwater Elevation (feet, MSL)	TPH Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Total Xylenes (ppb)	MTBE 8021B* (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (ppm)	Purged/ Not Purged (P/NP)
A-2	03/26/96	55.48	5.37	50.11	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NM	
	05/22/96		5.25	50.23	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NM	
	08/22/96		10.45	45.03	<50	1.1	1.8	<0.5	1.3	<2.5	NA	NM	
	12/19/96		5.53	49.95	<50	<0.5	<0.5	<0.5	<0.5	2.7	NA	NM	
	04/01/97		8.77	46.71	<50	<0.5	<0.5	<0.5	<0.5	<2.5	NA	NM	
	05/27/97		9.87	45.61	<50	<0.5	<0.5	<0.5	<0.5	4.6	NA	NM	
	08/12/97		11.11	44.37	<50	<0.5	<0.5	<0.5	<0.5	5.6	NA	NM	
	11/14/97		10.63	44.85	<50	0.9	2.8	<0.5	2.4	27	NA	2.6	
	03/18/98		3.58	51.90	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	NM	
	05/19/98		4.82	50.66	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	1.30	P
	07/29/98		8.94	46.54	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	1.2	NP
	10/09/98		10.82	44.66	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	0.5	NP
	02/19/99		4.46	51.02	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	3.0	P
	06/02/99		5.59	49.89	<50	<0.5	0.6	<0.5	<0.5	<3	NA	5.35	NP
	08/26/99		10.67	44.81	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	0.79	NP
10/26/99	4.61	50.87	<50	<0.5	<0.5	<0.5	<0.5	<1	<3	NA	2.14	P	
A-3	03/26/96	54.66	7.20	47.46	Not Sampled: Well Sampled Semiannually								
	05/22/96		7.70	46.96	<50	1.2	1.9	0.7	1.3	NA	NA	NM	
	08/22/96		10.88	43.78	Not Sampled: Well Sampled Semiannually								
	12/19/96		7.70	46.96	5,900	<25	<25	<25	<25	NA	5,300	NM	
	04/01/97		9.78	44.88	Not Sampled: Well Sampled Semiannually								
	05/27/97		10.55	44.11	2,300	<20	<20	<20	<20	3,800	NA	NM	
	08/12/97		11.12	43.54	Not Sampled: Well Sampled Semiannually								
	11/14/97		8.24	46.42	<1,000	<10	<10	<10	<10	1,500	NA	3.8	
	03/18/98		5.05	49.61	Not Sampled: Well Sampled Semiannually								
	05/19/98		9.00	45.66	<250	<2.5	<2.5	<2.5	<2.5	220	NA	4.60	P
	07/29/98		9.86	44.80	Not Sampled: Well Sampled Semiannually								
	10/09/98		11.36	43.30	<250	<2.5	<2.5	<2.5	<2.5	260	NA	1.0	NP
	02/19/99		6.19	48.47	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	2.5	NP
	06/02/99		10.82	43.84	120	<1	<1	<1	<1	160	NA	2.78	NP
	08/26/99		10.73	43.93	Not Sampled: Well Sampled Semiannually								
10/26/99	6.58	48.08	<50	<0.5	<0.5	<0.5	<0.5	<1	32	NA	2.06	NP	

**Table 1**  
**Groundwater Elevation and Analytical Data**  
**Total Purgeable Petroleum Hydrocarbons**  
**(TPPH as Gasoline, BTEX Compounds, and MTBE)**

**ARCO Service Station 4931**  
**731 West MacArthur Boulevard, Oakland, California**

Well Number	Date Gauged/ Sampled	Well Elevation (feet, MSL)	Depth to Water (feet, TOB)	Groundwater Elevation (feet, MSL)	TPH			Ethyl- benzene (ppb)	Total Xylenes (ppb)	MTBE 8021B* (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (ppm)	Purged/ Not Purged (P/NP)
					Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)						
A-4	03/26/96	54 73	7.95	46.78	8,900	1,200	21	200	220	NA	NA	NM	
	05/22/96		8.35	46.38	5,300	700	<10	170	130	NA	NA	NM	
	08/22/96		11.03	43.70	3,000	480	<5.0	75	26	150	NA	NM	
	12/19/96		8.67	46.06	<2,000	<20	<20	<20	<20	NA	15,000	NM	
	04/01/97		11.95	42.78	8,900	1,700	22	310	260	6,900	NA	NM	
	05/27/97		10.80	43.93	7,100	960	<20	150	74	7,900	NA	NM	
	08/12/97		11.38	43.35	4,300	670	12	51	27	2,800	NA	NM	
	11/14/97		7.74	46.99	<20,000	300	500	<200	<200	27,000	NA	2.2	
	03/18/98		6.80	47.93	4,700	600	<20	99	94	1,200	NA	1.0	
	05/19/98		9.06	45.67	<2000	<20	<20	<20	720	2,000	NA	1.28	P
	07/29/98		10.05	44.68	8,400	1,300	<20	290	130	1,800	NA	0.7	NP
	10/09/98		11.20	43.53	3,500	400	<20	54	<20	1,700	NA	1.0	NP
	02/19/99		6.85	47.88	<1,000	<10	<10	<10	12	650	NA	0.1	NP
	06/02/99		11.00	43.73	6,100	760	16	260	89	2,300	NA	1.12	NP
	08/26/99		10.80	43.93	1,100	68	5	8	4	1,400	NA	1.15	NP
10/26/99	10.11	44.62	1,500	39	2.3	9.0	5	1,700	NA	10.12	NP		
A-5	03/26/96	54 17	7.93	46.24	Not Sampled: Well Sampled Semiannually								
	05/22/96		8.20	45.97	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NM	
	08/22/96		10.70	43.47	Not Sampled: Well Sampled Semiannually								
	12/19/96		8.39	45.78	9,900	1,100	330	230	700	NA	24	NM	
	04/01/97		10.83	43.34	Not Sampled: Well Sampled Semiannually								
	05/27/97		10.65	43.52	100	<0.5	<0.5	<0.5	<0.5	120	NA	NM	
	08/12/97		11.05	43.12	Not Sampled: Well Sampled Semiannually								
	11/14/97		10.51	43.66	<50	<0.5	<0.5	<0.5	<0.5	41	NA	4.8	
	03/18/98		8.10	46.07	Not Sampled: Well Sampled Semiannually								
	05/19/98		9.31	44.86	590	<5	<5	<5	<5	710	NA	2.48	P
	07/29/98		9.89	44.28	Not Sampled: Well Sampled Semiannually								
	10/09/98		11.02	43.15	690	<5	<5	<5	<5	710	NA	1.0	NP
	02/19/99		6.82	47.35	<2,000	<20	<20	<20	<20	2,300	NA	0.6	NP
	06/02/99		10.82	43.35	1,500	<0.5	2.3	<0.5	<0.5	2,400	NA	2.81	NP
	08/26/99		10.65	43.52	Not Sampled: Well Sampled Semiannually								0.49
10/26/99	10.35	43.82	380	<0.5	<0.5	<0.5	<1	440	NA	1.55	NP		

**Table 1**  
**Groundwater Elevation and Analytical Data**  
**Total Purgeable Petroleum Hydrocarbons**  
**(TPPH as Gasoline, BTEX Compounds, and MTBE)**

**ARCO Service Station 4931**  
**731 West MacArthur Boulevard, Oakland, California**

Well Number	Date Gauged/ Sampled	Well Elevation (feet, MSL)	Depth to Water (feet, TOB)	Groundwater Elevation (feet, MSL)	TPH				Total Xylenes (ppb)	MTBE 8021B* (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (ppm)	Purged/ Not Purged (P/NP)	
					Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)						
A-6	03/26/96	55.17	7.15	48.02	52	2.7	<0.5	1.1	2.0	NA	NA	NM		
	05/22/96		7.35	47.82	<50	2.4	<0.5	0.88	1.7	NA	NA	NM		
	08/22/96		10.12	45.05	<50	<0.5	<0.5	<0.5	<0.5	<2.5	NA	NM		
	12/19/96		7.43	47.74	<50	1.7	<0.5	0.78	1.5	<2.5	NA	NM		
	04/01/97		9.97	45.20	<50	4.7	<0.5	1.9	3.2	<2.5	NA	NM		
	05/27/97		9.66	45.51	<50	0.69	<0.5	<0.5	<0.5	<2.5	NA	NM		
	08/12/97		10.43	44.74	<50	<0.5	<0.5	<0.5	<0.5	<2.5	NA	NM		
	11/14/97		9.76	45.41	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	<1.0		
	03/18/98		7.00	48.17	<50	6.2	0.5	2.3	2.6	<3	NA	3.0		
	05/19/98		8.27	46.90	<50	<0.5	<0.5	1.3	4.7	<3	NA	2.16	P	
	07/29/98		8.96	46.21	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	0.8	NP	
	10/09/98		10.23	44.94	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	1.0	NP	
	02/19/99		5.79	49.38	<50	<0.5	<0.5	<0.5	<0.5	5	NA	0.4	NP	
	06/02/99		9.71	45.46	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	2.00	NP	
	08/26/99		9.79	45.38	<50	<0.5	<0.5	<0.5	<0.5	0.7	<3	NA	0.66	NP
10/26/99	9.70	45.47	<50	<0.5	<0.5	<0.5	<0.5	<1	<3	NA	1.66	NP		
A-7	03/26/96	54.71	6.90	47.81	Not Sampled: Well Sampled Semiannually									
	05/22/96		8.27	46.44	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NM		
	08/22/96		9.80	44.91	Not Sampled: Well Sampled Semiannually									
	12/19/96		7.19	47.52	Not Sampled: Well Sampled Annually									
	04/01/97		9.63	45.08	Not Sampled: Well Sampled Annually									
	05/27/97		9.34	45.37	<50	<0.5	<0.5	<0.5	<0.5	<2.5	NA	NM		
	08/12/97		10.10	44.61	Not Sampled: Well Sampled Annually									
	11/14/97		9.35	45.36	Not Sampled: Well Sampled Annually									
	03/18/98		6.75	47.96	Not Sampled: Well Sampled Annually									
	05/19/98		8.85	45.86	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	1.82	P	
	07/29/98		8.84	45.87	Not Sampled: Well Sampled Annually									
	10/09/98		10.05	44.66	Not Sampled: Well Sampled Annually									
	02/19/99		5.57	49.14	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	4.7	NP	
	06/02/99		9.56	45.15	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	2.17	NP	
	08/26/99		9.66	45.05	Not Sampled: Well Sampled Annually								0.49	
10/26/99	9.54	45.17	Not Sampled: Well Sampled Annually								1.26			

**Table 1**  
**Groundwater Elevation and Analytical Data**  
**Total Purgeable Petroleum Hydrocarbons**  
**(TPPH as Gasoline, BTEX Compounds, and MTBE)**

**ARCO Service Station 4931**  
**731 West MacArthur Boulevard, Oakland, California**

Well Number	Date Gauged/ Sampled	Well Elevation (feet, MSL)	Depth to Water (feet, TOB)	Groundwater Elevation (feet, MSL)	TPH				Total Xylenes (ppb)	MTBE 8021B* (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (ppm)	Purged/ Not Purged (P/NP)	
					Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)						
A-8	03/26/96	53.77	7.10	46.67	48,000	2,600	<100	650	1,100	NA	NA	NM		
	05/22/96		7.20	46.57	14,000	2,800	160	320	190	NA	NA	NM		
	08/22/96		11.57	42.20	8,000	1,000	76	150	96	4,300	NA	NM		
	12/19/96		8.04	45.73	12,000	450	110	210	230	<500	NA	NM		
	04/01/97		9.98	43.79	Not Sampled: Well Sampled Semiannually									
	05/27/97		11.45	42.32	11,000	1,600	100	220	210	2,300	NA	NM		
	08/12/97		11.59	42.18	Not Sampled: Well Sampled Semiannually									
	11/14/97		9.85	43.92	26,000	2,300	<200	400	400	4,100	NA	2.2		
	03/18/98		7.80	45.97	Not Sampled: Well Sampled Semiannually									
	05/19/98		8.78	44.99	88,000	4,200	150	640	600	6,700	NA	1.36	P	
	07/29/98		9.59	44.18	46,000	4,900	160	620	580	13,000	NA	0.5	NP	
	10/09/98		11.23	42.54	130,000	3,700	110	500	770	7,300	NA	1.0	NP	
	02/19/99		6.51	47.26	<1,000	39	<10	<10	<10	840	NA	0.2	NP	
	06/02/99		10.68	43.09	8,500	1,300	32	180	110	6,700	NA	1.31	NP	
	08/26/99		10.43	43.34	6,200	870	17	64	60	3,700	NA	0.69	NP	
10/26/99	10.23	43.54	15,000	2,800	140	370	360	480	NA	0.62	NP			
A-9	03/26/96	53.04	7.05	45.99	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NM		
	05/22/96		7.20	45.84	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NM		
	08/22/96		9.68	43.36	<50	<0.5	<0.5	<0.5	<0.5	8.5	NA	NM		
	12/19/96		7.43	45.61	<50	<0.5	<0.5	<0.5	<0.5	2.6	NA	NM		
	04/01/97		9.95	43.09	Not Sampled: Well Sampled Semiannually									
	05/27/97		9.56	43.48	<50	2.3	<0.5	<0.5	<0.5	45	NA	NM		
	08/12/97		10.15	42.89	Not Sampled: Well Sampled Semiannually									
	11/14/97		8.64	44.40	<200	<2.0	<2.0	<2.0	<2.0	190	NA	9.6		
	03/18/98		6.45	46.59	Not Sampled: Well Sampled Semiannually									
	05/19/98		8.35	44.69	<50	<0.5	<0.5	<0.5	<0.5	7	NA	1.27	P	
	07/29/98		8.74	44.30	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	0.99	NP	
	10/09/98		10.05	42.99	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	1.0	NP	
	02/19/99		6.91	46.13	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	2.0	NP	
	06/02/99		9.72	43.32	<50	<0.5	<0.5	<0.5	<0.5	16	NA	2.32	NP	
	08/26/99		9.48	43.56	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	0.71	NP	
10/26/99	9.17	43.87	1,500	6.2	0.7	78	11	91	NA	2.15	NP			

**Table 1**  
**Groundwater Elevation and Analytical Data**  
**Total Purgeable Petroleum Hydrocarbons**  
**(TPPH as Gasoline, BTEX Compounds, and MTBE)**

**ARCO Service Station 4931**  
**731 West MacArthur Boulevard, Oakland, California**

Well Number	Date Gauged/ Sampled	Well Elevation (feet, MSL)	Depth to Water (feet, TOB)	Groundwater Elevation (feet, MSL)	TPH				Total Xylenes (ppb)	MTBE 8021B* (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (ppm)	Purged/ Not Purged (P/NP)
					Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)					
A-10	03/26/96	54.26	8.28	45.98	Not Sampled: Well Removed from Sampling Program								
	05/22/96		8.60	45.66	Not Sampled: Well Removed from Sampling Program								
	08/22/96		10.98	43.28	Not Sampled: Well Removed from Sampling Program								
	12/19/96		8.80	45.46	Not Sampled: Well Removed from Sampling Program								
	04/01/97		11.15	43.11	Not Sampled: Well Removed from Sampling Program								
	05/27/97		10.90	43.36	Not Sampled: Well Removed from Sampling Program								
	08/12/97		11.30	42.96	Not Sampled: Well Removed from Sampling Program								
	11/14/97		10.80	43.46	Not Sampled: Well Removed from Sampling Program								
	03/18/98		----- Well Removed from Survey Program -----										
A-11	03/26/96	53.74	8.10	45.64	Not Sampled: Well Sampled Semiannually								
	05/22/96		8.25	45.49	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NM	
	08/22/96		10.58	43.16	Not Sampled: Well Sampled Semiannually								
	12/19/96		8.37	45.37	<50	<0.5	<0.5	<0.5	<0.5	<2.5	NA	NM	
	04/01/97		10.95	42.79	Not Sampled: Well Sampled Semiannually								
	05/27/97		10.60	43.14	<50	<0.5	<0.5	<0.5	<0.5	3.1	NA	NM	
	08/12/97		11.07	42.67	Not Sampled: Well Sampled Semiannually								
	11/14/97		10.58	43.16	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	1.6	
	03/18/98		8.14	45.60	Not Sampled: Well Sampled Semiannually								
	05/19/98		9.40	44.34	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	1.13	P
	07/29/98		10.32	43.42	Not Sampled: Well Sampled Semiannually								
	10/09/98		10.91	42.83	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	2.0	NP
	02/19/99		6.77	46.97	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	1.8	NP
	06/02/99		10.95	42.79	<50	<0.5	<0.5	<0.5	<0.5	6	NA	1.38	NP
	08/26/99		11.05	42.69	Not Sampled: Well Sampled Semiannually								
10/26/99	10.81	42.93	<50	<0.5	<0.5	<0.5	<1	4	NA	1.27	NP		



**Table 1**  
**Groundwater Elevation and Analytical Data**  
**Total Purgeable Petroleum Hydrocarbons**  
**(TPPH as Gasoline, BTEX Compounds, and MTBE)**

**ARCO Service Station 4931**  
**731 West MacArthur Boulevard, Oakland, California**

Well Number	Date Gauged/ Sampled	Well Elevation (feet, MSL)	Depth to Water (feet, TOB)	Groundwater Elevation (feet, MSL)	TPH				Total Xylenes (ppb)	MTBE 8021B* (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (ppm)	Purged/ Not Purged (P/NP)
					Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl-benzene (ppb)					
A-12	03/26/96	52.05	7.83	44.22	Not Sampled: Well Sampled Semiannually								
	05/22/96		7.80	44.25	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NM	
	08/22/96		9.97	42.08	Not Sampled: Well Sampled Semiannually								
	12/19/96		8.18	43.87	85	<0.5	<0.5	<0.5	<0.5	170	NA	NM	
	04/01/97		10.30	41.75	Not Sampled: Well Sampled Semiannually								
	05/27/97		10.05	42.00	50	12	<0.5	<0.5	<0.5	96	NA	NM	
	08/12/97		10.46	41.59	Not Sampled: Well Sampled Semiannually								
	11/14/97		9.70	42.35	<50	<0.5	<0.5	<0.5	<0.5	75	NA	7.0	
	03/18/98		8.15	43.90	Not Sampled: Well Sampled Semiannually								
	05/19/98		9.15	42.90	<50	<0.5	<0.5	<0.5	<0.5	29	NA	1.47	P
	07/29/98		9.38	42.67	Not Sampled: Well Sampled Semiannually								
	10/09/98		10.21	41.84	<50	<0.5	<0.5	<0.5	<0.5	7	NA	2.0	NP
	02/19/99		6.96	45.09	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	5.2	NP
	06/02/99		10.25	41.80	<50	<0.5	<0.5	<0.5	<0.5	7	NA	1.38	NP
08/26/99	9.91	42.14	Not Sampled: Well Sampled Semiannually								0.51		
10/26/99	9.73	42.32	<50	<0.5	<0.5	<0.5	<0.5	<1	12	NA	1.09	NP	
A-13	03/26/96	55.11	Well Inaccessible										
	05/22/96		Well Inaccessible										
	08/22/96		Well Inaccessible										
	12/19/96		Well Inaccessible										
	04/01/97		Well Inaccessible										
	05/27/97		Well Inaccessible										
	08/12/97		Well Inaccessible										
	11/14/97		Well Inaccessible										
	03/18/98		Well Inaccessible										
	05/19/98		Well Inaccessible										
	07/29/98		Well Inaccessible										
	10/09/98		Well Inaccessible										
02/19/99	Well Inaccessible												
06/02/99	Well Inaccessible												
08/26/99	Well Inaccessible												
10/26/99	Well Inaccessible												

**Table 1**  
**Groundwater Elevation and Analytical Data**  
**Total Purgeable Petroleum Hydrocarbons**  
**(TPPH as Gasoline, BTEX Compounds, and MTBE)**

**ARCO Service Station 4931**  
**731 West MacArthur Boulevard, Oakland, California**

Well Number	Date Gauged/ Sampled	Well Elevation (feet, MSL)	Depth to Water (feet, TOB)	Groundwater Elevation (feet, MSL)	TPH Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Total Xylenes (ppb)	MTBE 8021B* (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (ppm)	Purged/ Not Purged (P/NP)	
AR-1	03/26/96	54.72	8.13	46.59	6,200	110	64	38	520	NA	NA	NM		
	05/22/96		8.57	46.15	NS	NS	NS	NS	NS	NS	NS	NS	NM	
	08/22/96		10.97	43.75	5,600	100	28	29	310	960	NA	NA	NM	
	12/19/96		8.93	45.79	Not Sampled: Well Removed from Sampling Program									
	04/01/97		11.78	42.94	Not Sampled: Well Removed from Sampling Program									
	05/27/97		10.76	43.96	Not Sampled: Well Removed from Sampling Program									
	08/12/97		11.40	43.32	Not Sampled: Well Removed from Sampling Program									
	11/14/97		10.80	43.92	Not Sampled: Well Removed from Sampling Program									
	03/18/98		NM	NM	Not Sampled: Well Removed from Sampling Program									
	05/19/98		NM	NM	Not Sampled: Well Removed from Sampling Program									
	07/29/98		10.17	44.55	Not Sampled: Well Removed from Sampling Program									
	10/09/98		11.25	43.47	Not Sampled: Well Removed from Sampling Program									
	02/19/99		7.02	47.70	Not Sampled: Well Removed from Sampling Program									
	06/02/99		11.00	43.72	Not Sampled: Well Removed from Sampling Program									
	08/26/99		10.96	43.76	Not Sampled: Well Removed from Sampling Program									
10/26/99	10.68	44.04	Not Sampled: Well Removed from Sampling Program											
AR-2	03/26/96	54.77	4.93	49.84	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NM		
	05/22/96		5.65	49.12	NS	NS	NS	NS	NS	NS	NS	NS	NM	
	08/22/96		7.27	47.50	<50	<0.5	<0.5	<0.5	<0.5	200	NA	NA	NM	
	12/19/96		7.78	46.99	Not Sampled: Well Removed from Sampling Program									
	04/01/97		6.80	47.97	Not Sampled: Well Removed from Sampling Program									
	05/27/97		6.32	48.45	Not Sampled: Well Removed from Sampling Program									
	08/12/97		7.43	47.34	Not Sampled: Well Removed from Sampling Program									
	11/14/97		8.95	45.82	Not Sampled: Well Removed from Sampling Program									
	03/18/98		NM	NM	Not Sampled: Well Removed from Sampling Program									
	05/19/98		NM	NM	Not Sampled: Well Removed from Sampling Program									
	07/29/98		4.47	50.30	Not Sampled: Well Removed from Sampling Program									
	10/09/98		6.90	47.87	Not Sampled: Well Removed from Sampling Program									
	02/19/99		3.80	50.97	Not Sampled: Well Removed from Sampling Program									
	06/02/99		4.61	50.16	Not Sampled: Well Removed from Sampling Program									
	08/26/99		5.22	49.55	Not Sampled: Well Removed from Sampling Program									
10/26/99	3.20	51.57	Not Sampled: Well Removed from Sampling Program											

**Table 1**  
**Groundwater Elevation and Analytical Data**  
**Total Purgeable Petroleum Hydrocarbons**  
**(TPPH as Gasoline, BTEX Compounds, and MTBE)**

**ARCO Service Station 4931**  
**731 West MacArthur Boulevard, Oakland, California**

Well Number	Date Gauged/ Sampled	Well Elevation (feet, MSL)	Depth to Water (feet, TOB)	Groundwater Elevation (feet, MSL)	TPH Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Total Xylenes (ppb)	MTBE 8021B* (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (ppm)	Purged/ Not Purged (P/NP)
AR-3	03/26/96	54.19	7.95	46.24	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NM	
	05/22/96		8.30	45.89	NS	NS	NS	NS	NS	NS	NS	NM	
	08/22/96		10.84	43.35	Not Sampled: Well Removed from Sampling Program								
	12/19/96		8.56	45.63	Not Sampled: Well Removed from Sampling Program								
	04/01/97		11.24	42.95	Not Sampled: Well Removed from Sampling Program								
	05/27/97		10.67	43.52	Not Sampled: Well Removed from Sampling Program								
	08/12/97		11.10	43.09	Not Sampled: Well Removed from Sampling Program								
	11/14/97		10.60	43.59	Not Sampled: Well Removed from Sampling Program								
	03/18/98		NM	NM	Not Sampled: Well Removed from Sampling Program								
	05/19/98		NM	NM	Not Sampled: Well Removed from Sampling Program								
	07/29/98		9.95	44.24	Not Sampled: Well Removed from Sampling Program								
	10/09/98		11.20	42.99	Not Sampled: Well Removed from Sampling Program								
	02/19/99		6.98	47.21	Not Sampled: Well Removed from Sampling Program								
	06/02/99		10.80	43.39	Not Sampled: Well Removed from Sampling Program								
	08/26/99		10.69	43.50	Not Sampled: Well Removed from Sampling Program								0.40
	10/26/99		NM	NM	Not Sampled: Well Removed from Sampling Program								



TPH	= Total petroleum hydrocarbons by modified EPA method 8015
BTEX	= Benzene, toluene, ethylbenzene, total xylenes by EPA method 8021B. (EPA method 8020 prior to 10/26/99).
MTBE	= Methyl tert-butyl ether
*	= EPA method 8020 prior to 10/26/99
MSL	= Mean sea level
TOB	= Top of box
ppb	= Parts per billion
ppm	= Parts per million
<	= Less than laboratory detection limit stated to the right
NA	= Not analyzed
NM	= Not measured
NS	= Not sampled

**Table 2**  
**Groundwater Flow Direction and Gradient**


**ARCO Service Station 4931**  
**731 West MacArthur Boulevard, Oakland, California**

<b>Date Measured</b>	<b>Average Flow Direction</b>	<b>Average Hydraulic Gradient</b>
03/26/96	Southwest	0.03
05/22/96	Southwest	0.04
08/22/96	Southwest	0.02
12/19/96	Southwest	0.03
04/01/97	Southwest	0.03
05/27/97	Southwest	0.04
08/12/97	Southwest	0.02
11/14/97	Southwest	0.02
03/18/98	West	0.03
05/19/98	West-Southwest	0.02
07/29/98	West-Southwest	0.02
10/09/98	Southwest	0.007
02/19/99	Southwest	0.04
06/02/99	West	0.04
08/26/99	West-Southwest	0.02
10/26/99	West-Northwest	0.13

DRAWN BY PROJECT NUMBER  
K. Black 1-14-00 791808



- EXPLANATION**
- Groundwater monitoring well
  - Soil vapor well
  - (380/<0.5/440) Concentration of total petroleum hydrocarbons as gasoline (TPHG), benzene, and MTBE in groundwater (ug/L); samples collected 10/26/99
  - < Not detected at or above the indicated laboratory detection limit
  - NS Not sampled




Base map from Pacific Environmental Group, Inc.



ARCO PRODUCTS COMPANY  
SERVICE STATION 4931


**FIGURE 1**  
**GROUNDWATER ANALYTICAL SUMMARY**  
**FOURTH QUARTER 1999**  
731 WEST MACARTHUR BOULEVARD  
OAKLAND, CALIFORNIA



WEST STREET

A-12  
(42.32)

A-11  
(42.93)



- EXPLANATION
- Groundwater monitoring well
  - Soil vapor well
  - (45.47) Groundwater elevation (Ft.-MSL); measured 10/26/99
  - ? - - - Groundwater elevation contour (Ft.-MSL)
  - ← Approximate direction of groundwater flow showing gradient
  - NM Not measured; well inaccessible

Block wall  
Treatment enclosure

Underground fuel storage tank (Typ.)

BUILDING GARAGE

GARAGE

BUILDING

KIOSK

AR-1

AV-1

AR-2

A-10

AR-3

A-3

A-3

A-3

AR-2

A-2

AV-1

AR-2

A-2

A-10

AR-3


A-3

AV-1

AR-2

A-2

SCALE



ARCO PRODUCTS COMPANY  
SERVICE STATION 4931

FIGURE 2  
GROUNDWATER ELEVATION CONTOURS  
FOURTH QUARTER 1999  
731 WEST MACARTHUR BOULEVARD  
OAKLAND, CALIFORNIA

**APPENDIX A**  
**SAMPLING AND ANALYSIS PROCEDURES**

## APPENDIX A

### SAMPLING AND ANALYSIS PROCEDURES

---

The sampling and analysis procedures for water quality monitoring programs are contained in this appendix. The procedures provided for consistent and reproducible sampling methods, proper application of analytical methods, and accurate and precise analytical results. Finally, these procedures provided guidelines so that the overall objectives of the monitoring program were achieved.

The following documents have been used as guidelines for developing these procedures:

- Procedures Manual for Groundwater Monitoring at Solid Waste Disposal Facilities, Environmental Protection Agency (EPA)-530/SW-611, August 1977
- Resource Conservation and Recovery Act (RCRA) Groundwater Monitoring Technical Enforcement Guidance Document, Office of Solid Waste and Emergency Response (OSWER) 9950.1, September 1986
- Test Methods for Evaluating Solid Waste: Physical/Chemical Methods, EPA SW-846, 3rd edition, November 1986
- Methods for Organic Chemical Analysis of Municipal and Industrial Waste Water, EPA-600/4-82-057, July 1982
- Methods for Organic Chemical Analysis of Water and Wastes, EPA-600/4-79-020, revised March 1983
- Leaking Underground Fuel Tank (LUFT) Field Manual, California State Water Resources Control Board, revised October 1989

### Sample Collection

Sample collection procedures include equipment cleaning, water level and total well depth measurements, and well purging and sampling.



## Equipment Cleaning

Before the sampling event was started, equipment that was used to sample groundwater was disassembled and cleaned with detergent water and then rinsed with deionized water. During field sampling, equipment surfaces that were placed in the well or came into contact with groundwater during field sampling were steam cleaned with deionized water before the next well was purged or sampled.

## Water Level, Floating Hydrocarbon, and Total Well Depth Measurements

Before purging and sampling occurred, the depth to water, floating hydrocarbon thickness and total well depth were measured using an oil/water interface measuring system. The oil/water interface measuring system consists of a probe that emits a continuous audible tone when immersed in a nonconductive fluid, such as oil or gasoline and an intermittent tone when immersed in a conductive fluid, such as water. The floating hydrocarbon thickness and water level were measured by lowering the probe into the well. Liquid levels were recorded relative to the tone emitted at the groundwater surface. The sonic probe was decontaminated by being rinsed with deionized water or steam cleaned after each use. A bottom-filling, clear Teflon<sup>®</sup> bailer was used to verify floating hydrocarbon thickness measurements of less than 0.02 foot. Alternatively, an electric sounder and a bottom-filling Teflon bailer may have been used to record floating hydrocarbon thickness and depth to water.

The electric sounder is a transistorized instrument that uses a reel-mounted, two-conductor, coaxial cable that connects the control panel to the sensor. Cable markings are stamped at 1-foot intervals. The water level was measured by lowering the sensor into the monitoring well. A low-current circuit was completed when the sensor contacted the water, which served as an electrolyte. The current was amplified and fed into an indicator light and audible buzzer, signaling when water had been contacted. A sensitivity control compensated for highly saline or conductive water. The electric sounder was decontaminated by being rinsed with deionized water after each use. The bailer was lowered to a point just below the liquid level, retrieved, and observed for floating hydrocarbon.

Liquid measurements were recorded to the nearest 0.01 foot on the depth to water/floating product survey form. The groundwater elevation at each monitoring well was calculated by subtracting the measured depth to water from the surveyed elevation of the top of the well casing. (Every attempt was made to measure depth to water for all wells on the same day.) Total well depth was then measured by lowering the sensor to the bottom of the well. Total well depth, used to calculate purge volumes and to determine whether the well screen was partially obstructed by silt, was recorded to the nearest 0.1 foot on the depth to water/floating product survey form.

## Well Purging

If the depth to groundwater was above the top of screens of the monitoring wells, then the wells were purged. Before sampling occurred, a polyvinyl chloride (PVC) bailer, centrifugal pump, low-flow submersible pump, or Teflon bailer was used to purge standing water in the casing and gravel pack from the monitoring well. Monitoring wells were purged according to the protocol presented in Figure A-1. In most monitoring wells, the amount of water purged before sampling was greater than or equal to three casing volumes. Some monitoring wells were expected to be evacuated to dryness after removing fewer than three casing volumes. These low-yield monitoring wells were allowed to recharge for up to 24 hours. Samples were obtained as soon as the monitoring wells recharged to a level sufficient for sample collection. If insufficient water recharged after 24 hours, the monitoring well was recorded as dry for the sampling event.

Groundwater purged from the monitoring wells was transported in a 500-gallon water trailer, 55-gallon drum, or a 325-gallon truck-mounted tank to IT's San Jose or Sacramento office location for temporary storage. IT arranged for transport and disposal of the purged groundwater through Integrated Waste Stream Management, Inc.

Field measurements of pH, specific conductance, and temperature were recorded in a waterproof field logbook. Figure A-2 shows an example of the water sample field data sheet on which field data are recorded. Field data sheets were reviewed for completeness by the sampling coordinator after the sampling event was completed.

The pH, specific conductance, and temperature meter were calibrated each day before field activities were begun. The calibration was checked once each day to verify meter performance. Field meter calibrations were recorded on the water sample field data sheet.

## Well Sampling

A Teflon bailer was the only equipment acceptable for well sampling. When samples for volatile organic analysis were being collected, the flow of groundwater from the bailer was regulated to minimize turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa were used in sampling for volatile organics. These bottles were filled completely to prevent air from remaining in the bottle. A positive meniscus formed when the bottle was completely full. A convex Teflon septum was placed over the positive meniscus to eliminate air. After the bottle was capped, it was inverted and tapped to verify that it contained no air bubbles. The sample containers for other parameters were filled, filtered as required, and capped.

When required, dissolved concentrations of metals were determined using appropriate field filtration techniques. The sample was filtered by emptying the contents of the Teflon bailer into a pressure transfer vessel. A disposable 0.45-micron acrylic copolymer filter was threaded onto the transfer vessel at the discharge point, and the vessel was sealed. Pressure was applied to the vessel with a hand pump and the filtrate directed into the appropriate containers. Each filter was used once and discarded.

## Sample Preservation and Handling

The following section specifies sample containers, preservation methods, and sample handling procedures.

### Sample Containers and Preservation

Sample containers vary with each type of analytical parameter. Container types and materials were selected to be nonreactive with the particular analytical parameter tested.

### Sample Handling

Sample containers were labeled immediately prior to sample collection. Samples were kept cool with cold packs until received by the laboratory. At the time of sampling, each sample was logged on an ARCO chain-of-custody record that accompanied the sample to the laboratory.

Samples that required overnight storage prior to shipping to the laboratory were kept cool (4° C) in a refrigerator. The refrigerator was kept in a warehouse, which was locked when not occupied by an IT employee. A sample/refrigerator log was kept to record the date and time that samples were placed into and removed from the refrigerator.

Samples were transferred from IT to an ARCO-approved laboratory by courier or taken directly to the laboratory by the environmental sampler. Sample shipments from IT to laboratories performing the selected analyses routinely occurred within 24 hours of sample collection.

### Sample Documentation

The following procedures were used during sampling and analysis to provide chain-of-custody control during sample handling from collection through storage. Sample documentation included the use of the following:

- Water sample field data sheets to document sampling activities in the field
- Labels to identify individual samples
- Chain-of-custody record sheets for documenting possession and transfer of samples
- Laboratory analysis request sheets for documenting analyses to be performed

## Field Logbook

In the field, the sampler recorded the following information on the water sample field data sheet (see Figure A-2) for each sample collected:

- Project number
- Client's name
- Location
- Name of sampler
- Date and time
- Well accessibility and integrity
- Pertinent well data (e.g., casing diameter, depth to water, well depth)
- Calculated and actual purge volumes
- Purging equipment used
- Sampling equipment used
- Appearance of each sample (e.g., color, turbidity, sediment)
- Results of field analyses (temperature, pH, specific conductance)
- General comments

The water sample field data sheet was signed by the sampler and reviewed by the sampling coordinator.

## Labels

Sample labels contained the following information:

- Project number
- Sample number (i.e., well designation)
- Sample depth
- Sampler's initials
- Date and time of collection
- Type of preservation used (if any)

## Sampling and Analysis Chain-of-Custody Record

The ARCO chain-of-custody record initiated at the time of sampling contained, at a minimum, the sample designation (including the depth at which the sample was collected), sample type, analytical request, date of sampling, and the name of the sampler. The record sheet was signed, timed, and dated by the sampler when transferring the samples. The number of custodians in the chain of possession was minimized. A copy of the ARCO chain-of-custody record was returned to IT with the analytical results.

## Groundwater Sampling and Analysis Request Form

A groundwater sampling and analysis request form (see Figure A-3) was used to communicate to the environmental sampler the requirements of the monitoring event. At a minimum, the groundwater sampling and analysis request form included the following information:

- Date scheduled
- Site-specific instructions
- Specific analytical parameters
- Well number
- Well specifications (expected total depth, depth of water, and product thickness)

# MONITORING WELL PURGING PROTOCOL

MEASURE AND RECORD DEPTH TO WATER AND  
WELL TOTAL DEPTH

CHECK FOR FLOATING PRODUCT

YES

MEASURE AND DOCUMENT  
FLOATING PRODUCT THICKNESS.  
DO NOT SAMPLE WELL FOR  
DISSOLVED CONSTITUENTS.

NO

CALCULATE PURGE VOLUME BY  
USING THE FOLLOWING EQUATION:

$$P = \pi r^2 h \times 7.48 \times 3$$

where:

P = calculated purge volume (gallons)

$\pi = 3.14$

r = radius of well casing in feet

h = height of water column in feet

WELL EVACUATED TO PRACTICAL LIMITS  
OF DRYNESS BEFORE REMOVING  
CALCULATED PURGE VOLUME

EVACUATE WATER FROM WELL EQUAL TO  
THE CALCULATED PURGE VOLUME WHILE  
MONITORING GROUNDWATER  
STABILIZATION INDICATOR PARAMETERS  
(pH, CONDUCTIVITY, TEMPERATURE) AT  
INTERVALS OF ONE CASING VOLUME.

NO

YES

FINAL TWO SETS OF GROUNDWATER  
STABILIZATION INDICATOR PARAMETER  
MEASUREMENTS MEET THE FOLLOWING  
CRITERIA:

pH =  $\pm 0.1$  pH units

COND. =  $\pm 10\%$

TEMP. =  $\pm 1.0$  °F

WELL RECHARGES TO A LEVEL  
SUFFICIENT FOR SAMPLE  
COLLECTION WITHIN 24 HOURS  
OF EVACUATION TO DRYNESS.

YES

NO

YES

NO

WELL PURGING  
CRITERIA MET;  
PROCEED TO  
WELL SAMPLING.

CONTINUE PURGING; EVACUATE  
ADDITIONAL CASING VOLUME  
OF WATER, MONITORING  
INDICATOR PARAMETERS FOR  
STABILITY.

FIELD TEST FIRST  
RECHARGE WATER FOR  
INDICATOR PARAMETERS,  
THEN PROCEED TO WELL  
SAMPLING.

RECORD WELL  
AS DRY FOR  
PURPOSES OF  
SAMPLING.

MONITORING WELL PURGING PROTOCOL

FIGURE

**A-1**

# WATER SAMPLE FIELD DATA SHEET

PROJECT NO: \_\_\_\_\_  
 PURGED BY: \_\_\_\_\_  
 SAMPLED BY: \_\_\_\_\_

SAMPLE ID: \_\_\_\_\_  
 CLIENT NAME: \_\_\_\_\_  
 LOCATION: \_\_\_\_\_

TYPE: Groundwater \_\_\_\_\_ Surface Water \_\_\_\_\_ Leachate \_\_\_\_\_ Other \_\_\_\_\_

CASING DIAMETER (inches): 2 \_\_\_\_\_ 3 \_\_\_\_\_ 4 \_\_\_\_\_ 4.5 \_\_\_\_\_ 6 \_\_\_\_\_ Other \_\_\_\_\_

CASING ELEVATION (feet/MSL): \_\_\_\_\_ VOLUME IN CASING (gal.): \_\_\_\_\_  
 DEPTH OF WELL (feet): \_\_\_\_\_ CALCULATED PURGE (gal.): \_\_\_\_\_  
 DEPTH OF WATER (feet): \_\_\_\_\_ ACTUAL PURGE VOL. (gal.): \_\_\_\_\_

DATE PURGED: \_\_\_\_\_ END PURGE: \_\_\_\_\_  
 DATE SAMPLED: \_\_\_\_\_ SAMPLING TIME: \_\_\_\_\_

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	TURBIDITY (visual/NTU)	TIME (2400 HR)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

OTHER: \_\_\_\_\_ ODOR: \_\_\_\_\_  
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): \_\_\_\_\_

**PURGING EQUIPMENT**

**SAMPLING EQUIPMENT**

\_\_\_\_\_ 2" Bladder Pump \_\_\_\_\_ Bailer (Teflon)  
 \_\_\_\_\_ Centrifugal Pump \_\_\_\_\_ Bailer (PVC)  
 \_\_\_\_\_ Submersible Pump \_\_\_\_\_ Bailer (Stainless Steel)  
 \_\_\_\_\_ Well Wizard™ \_\_\_\_\_ Dedicated  
 Other: \_\_\_\_\_

\_\_\_\_\_ 2" Bladder Pump \_\_\_\_\_ Bailer (Teflon)  
 \_\_\_\_\_ Bomb Sampler \_\_\_\_\_ Bailer (Stainless Steel)  
 \_\_\_\_\_ Dipper \_\_\_\_\_ Submersible Pump  
 \_\_\_\_\_ Well Wizard™ \_\_\_\_\_ Dedicated  
 Other: \_\_\_\_\_

WELL INTEGRITY: \_\_\_\_\_ LOCK: \_\_\_\_\_

REMARKS: \_\_\_\_\_

pH, E.C., Temp. Meter Calibration: Date: \_\_\_\_\_ Time: \_\_\_\_\_ Meter Serial No.: \_\_\_\_\_  
 E.C. 1000 \_\_\_\_\_ / \_\_\_\_\_ pH 7 \_\_\_\_\_ / \_\_\_\_\_ pH 10 \_\_\_\_\_ / \_\_\_\_\_ pH 4 \_\_\_\_\_ / \_\_\_\_\_  
 Temperature °F \_\_\_\_\_

SIGNATURE: \_\_\_\_\_ REVIEWED BY: \_\_\_\_\_ PAGE \_\_\_\_\_ OF \_\_\_\_\_





**APPENDIX B**  
**CERTIFIED ANALYTICAL REPORTS,**  
**AND CHAIN-OF-CUSTODY DOCUMENTATION**



November 8, 1999

Service Request No.: S9903316

Mr. Glen Vanderveen  
IT/EMCON  
2201 Broadway, Suite 101  
Oakland, CA 94612

**RE: TO#24118.00/RAT8/4931 OAKLAND**

Dear Mr. Vanderveen:

Enclosed are the results of the sample(s) submitted to our laboratory on October 28, 1999. All analyses were performed in accordance with our laboratory's quality assurance program. Results are intended to be considered in their entirety and apply to the sample(s) analyzed. Columbia Analytical Services is not responsible for use of less than the complete report. Signature of this CAS Analytical Report confirms that pages 2 through 15, following, have been thoroughly reviewed and approved for release.

Columbia Analytical Services is certified for environmental analyses by the California Department of Health Services (certificate number: 2352, expiration: January 31, 2001).


If you have any questions, please call me at (408) 748-9700.

Respectfully submitted,

Columbia Analytical Services, Inc.

Bernadette Troncales  
Project Chemist

Greg Jordan  
Laboratory Director



**COLUMBIA ANALYTICAL SERVICES, Inc.**

**Acronyms**

<b>A2LA</b>	American Association for Laboratory Accreditation
<b>ASTM</b>	American Society for Testing and Materials
<b>BOD</b>	Biochemical Oxygen Demand
<b>BTEX</b>	Benzene, Toluene, Ethylbenzene, Xylenes
<b>CAM</b>	California Assessment Metals
<b>CARB</b>	California Air Resources Board
<b>CAS Number</b>	Chemical Abstract Service registry Number
<b>CFC</b>	Chlorofluorocarbon
<b>CFU</b>	Colony-Forming Unit
<b>COD</b>	Chemical Oxygen Demand
<b>DEC</b>	Department of Environmental Conservation
<b>DEQ</b>	Department of Environmental Quality
<b>DHS</b>	Department of Health Services
<b>DLCS</b>	Duplicate Laboratory Control Sample
<b>DMS</b>	Duplicate Matrix Spike
<b>DOE</b>	Department of Ecology
<b>DOH</b>	Department of Health
<b>EPA</b>	U. S. Environmental Protection Agency
<b>ELAP</b>	Environmental Laboratory Accreditation Program
<b>GC</b>	Gas Chromatography
<b>GC/MS</b>	Gas Chromatography/Mass Spectrometry
<b>IC</b>	Ion Chromatography
<b>ICB</b>	Initial Calibration Blank sample
<b>ICP</b>	Inductively Coupled Plasma atomic emission spectrometry
<b>ICV</b>	Initial Calibration Verification sample
<b>J</b>	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
<b>LCS</b>	Laboratory Control Sample
<b>LUFT</b>	Leaking Underground Fuel Tank
<b>M</b>	Modified
<b>MBAS</b>	Methylene Blue Active Substances
<b>MCL</b>	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
<b>MDL</b>	Method Detection Limit
<b>MPN</b>	Most Probable Number
<b>MRL</b>	Method Reporting Limit
<b>MS</b>	Matrix Spike
<b>MTBE</b>	Methyl tert-Butyl Ether
<b>NA</b>	Not Applicable
<b>NAN</b>	Not Analyzed
<b>NC</b>	Not Calculated
<b>NCASI</b>	National Council of the paper industry for Air and Stream Improvement
<b>ND</b>	Not Detected at or above the method reporting/detection limit (MRL/MDL)
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTU</b>	Nephelometric Turbidity Units
<b>ppb</b>	Parts Per Billion
<b>ppm</b>	Parts Per Million
<b>PQL</b>	Practical Quantitation Limit
<b>QA/QC</b>	Quality Assurance/Quality Control
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>RPD</b>	Relative Percent Difference
<b>SIM</b>	Selected Ion Monitoring
<b>SM</b>	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
<b>STLC</b>	Solubility Threshold Limit Concentration
<b>SW</b>	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>TDS</b>	Total Dissolved Solids
<b>TPH</b>	Total Petroleum Hydrocarbons
<b>tr</b>	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
<b>TRPH</b>	Total Recoverable Petroleum Hydrocarbons
<b>TSS</b>	Total Suspended Solids
<b>TTLC</b>	Total Threshold Limit Concentration
<b>VOA</b>	Volatile Organic Analyte(s)

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

**Client:** ARCO Products Company  
**Project:** TO#24118.00/RAT8/4931 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9903316  
**Date Collected:** 10/26/99  
**Date Received:** 10/28/99

BTEX, MTBE and TPH as Gasoline

**Sample Name:** A-3(18)  
**Lab Code:** S9903316-001  
**Test Notes:**

**Units:** ug/L (ppb)  
**Basis:** NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	11/6/99	ND	
Benzene	EPA 5030	8021B	0.5	1	NA	11/6/99	ND	
Toluene	EPA 5030	8021B	0.5	1	NA	11/6/99	ND	
Ethylbenzene	EPA 5030	8021B	0.5	1	NA	11/6/99	ND	
Xylenes, Total	EPA 5030	8021B	1	1	NA	11/6/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	3	1	NA	11/6/99	32	

Approved By: \_\_\_\_\_



Date: \_\_\_\_\_

11/08/99

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

**Client:** ARCO Products Company  
**Project:** TO#24118.00/RAT8/4931 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9903316  
**Date Collected:** 10/26/99  
**Date Received:** 10/28/99

BTEX, MTBE and TPH as Gasoline

**Sample Name:** A-5(23)  
**Lab Code:** S9903316-002  
**Test Notes:**

**Units:** ug/L (ppb)  
**Basis:** NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	11/6/99	380	
Benzene	EPA 5030	8021B	0.5	1	NA	11/6/99	ND	
Toluene	EPA 5030	8021B	0.5	1	NA	11/6/99	ND	
Ethylbenzene	EPA 5030	8021B	0.5	1	NA	11/6/99	ND	
Xylenes, Total	EPA 5030	8021B	1	1	NA	11/6/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	3	1	NA	11/6/99	440	

Approved By: \_\_\_\_\_



Date: \_\_\_\_\_

11/08/99

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

**Client:** ARCO Products Company  
**Project:** TO#24118.00/RAT8/4931 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9903316  
**Date Collected:** 10/26/99  
**Date Received:** 10/28/99

BTEX, MTBE and TPH as Gasoline

**Sample Name:** A-6(24)  
**Lab Code:** S9903316-003  
**Test Notes:**

**Units:** ug/L (ppb)  
**Basis:** NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	11/6/99	ND	
Benzene	EPA 5030	8021B	0.5	1	NA	11/6/99	ND	
Toluene	EPA 5030	8021B	0.5	1	NA	11/6/99	ND	
Ethylbenzene	EPA 5030	8021B	0.5	1	NA	11/6/99	ND	
Xylenes, Total	EPA 5030	8021B	1	1	NA	11/6/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	3	1	NA	11/6/99	ND	

Approved By: \_\_\_\_\_



Date: \_\_\_\_\_

11/08/99

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

**Client:** ARCO Products Company  
**Project:** TO#24118.00/RAT8/4931 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9903316  
**Date Collected:** 10/26/99  
**Date Received:** 10/28/99

BTEX, MTBE and TPH as Gasoline

**Sample Name:** A-8(19)  
**Lab Code:** S9903316-004  
**Test Notes:**

**Units:** ug/L (ppb)  
**Basis:** NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	10	NA	11/6/99	15000	
Benzene	EPA 5030	8021B	0.5	10	NA	11/6/99	2800	
Toluene	EPA 5030	8021B	0.5	1	NA	11/6/99	140	
Ethylbenzene	EPA 5030	8021B	0.5	1	NA	11/6/99	370	
Xylenes, Total	EPA 5030	8021B	1	1	NA	11/6/99	360	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	3	1	NA	11/6/99	480	

Approved By: \_\_\_\_\_



Date: \_\_\_\_\_

11/08/99

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company  
Project: TO#24118.00/RAT8/4931 OAKLAND  
Sample Matrix: Water

Service Request: S9903316  
Date Collected: 10/26/99  
Date Received: 10/28/99

BTEX, MTBE and TPH as Gasoline

Sample Name: A-9(37)  
Lab Code: S9903316-005  
Test Notes:

Units: ug/L (ppb)  
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	11/6/99	1500	
Benzene	EPA 5030	8021B	0.5	1	NA	11/6/99	6.2	
Toluene	EPA 5030	8021B	0.5	1	NA	11/6/99	0.7	
Ethylbenzene	EPA 5030	8021B	0.5	1	NA	11/6/99	78	
Xylenes, Total	EPA 5030	8021B	1	1	NA	11/6/99	11	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	3	1	NA	11/6/99	91	

Approved By: \_\_\_\_\_



Date: \_\_\_\_\_

11/08/99



COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company  
Project: TO#24118.00/RAT8/4931 OAKLAND  
Sample Matrix: Water

Service Request: S9903316  
Date Collected: 10/26/99  
Date Received: 10/28/99

BTEX, MTBE and TPH as Gasoline

Sample Name: A-2(18)  
Lab Code: S9903316-006  
Test Notes:

Units: ug/L (ppb)  
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	11/6/99	ND	
Benzene	EPA 5030	8021B	0.5	1	NA	11/6/99	ND	
Toluene	EPA 5030	8021B	0.5	1	NA	11/6/99	ND	
Ethylbenzene	EPA 5030	8021B	0.5	1	NA	11/6/99	ND	
Xylenes, Total	EPA 5030	8021B	1	1	NA	11/6/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	3	1	NA	11/6/99	ND	

Approved By: \_\_\_\_\_



Date: \_\_\_\_\_

11/08/99

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** TO#24118.00/RAT8/4931 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9903316  
**Date Collected:** 10/26/99  
**Date Received:** 10/28/99

BTEX, MTBE and TPH as Gasoline

**Sample Name:** A-4(18)  
**Lab Code:** S9903316-007  
**Test Notes:**

**Units:** ug/L (ppb)  
**Basis:** NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	11/6/99	1500	
Benzene	EPA 5030	8021B	0.5	1	NA	11/6/99	39	
Toluene	EPA 5030	8021B	0.5	1	NA	11/6/99	2.3	
Ethylbenzene	EPA 5030	8021B	0.5	1	NA	11/6/99	9.0	
Xylenes, Total	EPA 5030	8021B	1	1	NA	11/6/99	5	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	3	20	NA	11/6/99	1700	

Approved By: \_\_\_\_\_

*ht*

Date: \_\_\_\_\_

*11/08/99*

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

**Client:** ARCO Products Company  
**Project:** TO#24118.00/RAT8/4931 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9903316  
**Date Collected:** 10/26/99  
**Date Received:** 10/28/99

BTEX, MTBE and TPH as Gasoline

**Sample Name:** A-11(27)  
**Lab Code:** S9903316-008  
**Test Notes:**

**Units:** ug/L (ppb)  
**Basis:** NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	11/6/99	ND	
Benzene	EPA 5030	8021B	0.5	1	NA	11/6/99	ND	
Toluene	EPA 5030	8021B	0.5	1	NA	11/6/99	ND	
Ethylbenzene	EPA 5030	8021B	0.5	1	NA	11/6/99	ND	
Xylenes, Total	EPA 5030	8021B	1	1	NA	11/6/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	3	1	NA	11/6/99	4	

Approved By: \_\_\_\_\_



Date: \_\_\_\_\_

11/08/99



**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** TO#24118.00/RAT8/4931 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9903316  
**Date Collected:** NA  
**Date Received:** NA

BTEX, MTBE and TPH as Gasoline

**Sample Name:** Method Blank  
**Lab Code:** S991106-WB1  
**Test Notes:**

**Units:** ug/L (ppb)  
**Basis:** NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	11/6/99	ND	
Benzene	EPA 5030	8021B	0.5	1	NA	11/6/99	ND	
Toluene	EPA 5030	8021B	0.5	1	NA	11/6/99	ND	
Ethylbenzene	EPA 5030	8021B	0.5	1	NA	11/6/99	ND	
Xylenes, Total	EPA 5030	8021B	1	1	NA	11/6/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	3	1	NA	11/6/99	ND	

Approved By: \_\_\_\_\_  Date: 11/08/99

**COLUMBIA ANALYTICAL SERVICES, INC.**

QA/QC Report

**Client:** ARCO Products Company  
**Project:** TO#24118.00/RAT8/4931 OAKLAND  
**Sample Matrix:** Water

**Service Request:** S9903316  
**Date Collected:** NA  
**Date Received:** NA  
**Date Extracted:** NA  
**Date Analyzed:** NA

Surrogate Recovery Summary  
 BTEX, MTBE and TPH as Gasoline

**Prep Method:** EPA 5030  
**Analysis Method:** 8021B CA/LUFT

**Units:** PERCENT  
**Basis:** NA

Sample Name	Lab Code	Test Notes	Percent Recovery	
			4-Bromofluorobenzene	a,a,a-Trifluorotoluene
A-3(18)	S9903316-001		92	100
A-5(23)	S9903316-002		96	93
A-6(24)	S9903316-003		96	103
A-8(19)	S9903316-004		110	116
A-9(37)	S9903316-005		86	164 S1
A-2(18)	S9903316-006		93	102
A-4(18)	S9903316-007		82	176 S1
A-11(27)	S9903316-008		94	103
A-12(29)	S9903316-009		92	105
Lab Control Sample	S991106-LCS		95	107
Dup Lab Control Sample	S991106-DLCS		95	117
Method Blank	S991106-WB1		93	97

CAS Acceptance Limits:            69-116                            72-139

S1                            Surrogate recovery out of control limits due to matrix interference.

Approved By: \_\_\_\_\_ *AS* \_\_\_\_\_ Date: 11/08/99



COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company  
Project: TO#24118.00/RAT8/4931 OAKLAND

Service Request: S9903316  
Date Analyzed: 11/6/99

Initial Calibration Verification (ICV) Summary  
BTEX, MTBE and TPH as Gasoline

Sample Name: ICV  
Lab Code: ICV1  
Test Notes:

Units: ug/L (ppb)  
Basis: NA

ICV Source:

Analyte	Prep Method	Analysis Method	True Value	Result	CAS		Result Notes
					Percent Recovery Acceptance Limits	Percent Recovery	
TPH as Gasoline	EPA 5030	CA/LUFT	250	240	85-115	96	
Benzene	EPA 5030	8021B	25	28	85-115	112	
Toluene	EPA 5030	8021B	25	26	85-115	104	
Ethylbenzene	EPA 5030	8021B	25	27	85-115	108	
Xylenes, Total	EPA 5030	8021B	75	81	85-115	108	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	25	24	85-115	96	

Approved By: \_\_\_\_\_

*BT*

Date: \_\_\_\_\_

11/08/99

ICV/032196





**APPENDIX C**  
**FIELD DATA SHEETS**

**FIELD REPORT**  
**DEPTH TO WATER / FLOATING PRODUCT SURVEY**

PROJECT # : 792283

STATION ADDRESS : 731 W. MacArthur Blvd. Oakland, CA

DATE : 10/27/99

ARCO STATION # : 4931

FIELD TECHNICIAN : B. Handwerker

DAY : Tuesday / Wednesday

DTW Order	WELL ID	Well Box Seal Condition	Type Of Well Lid	Gasket Present	Lock Number	Type Of Well Cap	FIRST DEPTH TO WATER (feet)	SECOND DEPTH TO WATER (feet)	DEPTH TO FLOATING PRODUCT (feet)	FLOATING PRODUCT THICKNESS (feet)	WELL TOTAL DEPTH (feet)	COMMENTS
1	A-3	OK	G-5	NO	NONE	LWC	6.58	6.58	ND	-	19.3	2.06 / 21.7 <sup>oc</sup>
2	A-5	OK	G-5	NO	NONE	LWC	10.35	10.35			24.0	1.55 / 20.3 <sup>oc</sup> Broken Lid (Christy)
3	A-6	OK	G-5	NO	NONE	LWC	9.30	9.30			25.0	1.86 / 20.4 <sup>oc</sup>
4	A-7	OK	G-5	NO	NONE	LWC	9.54	9.54			22.6	1.26 / 20.2 <sup>oc</sup>
5	A-8	OK	VAULT	YES	NONE	SLIP	10.23	10.23			20.0	0.62 / 21.4 <sup>oc</sup>
6	A-9	OK	VAULT	YES	NONE	SLIP	9.17	9.17			38.0	2.15 / 21.7 <sup>oc</sup>
7	A-2	OK	G-5	NO	NONE	LWC	4.61	4.61			19.0	2.14 / 21.1 <sup>oc</sup>
8	A-4	OK	G-5	NO	NONE	LWC	10.11	10.11			19.6	10.12 / 20.3 <sup>oc</sup>
9	A-11	OK	G-5	NO	NONE	LWC	10.81	10.81			28.0	1.27 / 19.8 <sup>oc</sup>
10	A-12	OK	G-5	NO	NONE	LWC	9.73	9.73			30.0	1.09 / 19.6 <sup>oc</sup>
11	A-13											has been passed over
12	AR-1	OK	VAULT	NO	NONE	LWC	10.68	10.68			31.5	1.39 / 20.1 <sup>oc</sup>
13	AR-2	OK	VAULT	NO	NONE	LWC	3.20	3.20			27.5	1.79 / 22.2 <sup>oc</sup>
14	AR-3		VAULT	NO	NONE	SLIP			↓	↓		Unaccessible

**SURVEY POINTS ARE TOP OF WELL BOXES**

**RECEIVED**  
JAN 12 2000  
BY: \_\_\_\_\_

# WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



**EMCON**

PROJECT NO : 792283  
 PURGED BY : B. Hebrakes  
 SAMPLED BY : J

SAMPLE ID : A-2 (18')  
 CLIENT NAME : ARCO #4931  
 LOCATION : Oakland, California

TYPE: Groundwater  Surface Water \_\_\_\_\_ Leachate \_\_\_\_\_ Other \_\_\_\_\_  
 CASING DIAMETER (inches): 2 \_\_\_\_\_ 3 \_\_\_\_\_ 4  4.5 \_\_\_\_\_ 6 \_\_\_\_\_ Other \_\_\_\_\_

CASING ELEVATION (feet/MSL) : N/A VOLUME IN CASING (gal.) : 9.3  
 DEPTH OF WELL (feet) : 19.0 CALCULATED PURGE (gal.) : 28.2  
 DEPTH OF WATER (feet) : 9.61 ACTUAL PURGE VOL. (gal.) : 17.0

DATE PURGED : 10/27/99 END PURGE : 1412  
 DATE SAMPLED : 10/27/99 SAMPLING TIME : 1428

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm @ 25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1409</u>	<u>10.0</u>	<u>6.50</u>	<u>544</u>	<u>69.5</u>	<u>clear</u>	<u>low</u>
<u>1427</u>	<u>after recharge</u>	<u>6.47</u>	<u>565</u>	<u>69.7</u>	<u>↓</u>	<u>↓</u>

OTHER: Dissolved Oxygen= ODOR: mod N/A N/A  
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

PURGING EQUIPMENT

SAMPLING EQUIPMENT

<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input checked="" type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard <sup>®</sup>	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard <sup>®</sup>	<input type="checkbox"/> Dedicated

Other: \_\_\_\_\_ Other: Disposable Teflon Bailer

WELL INTEGRITY: Good LOCK: \_\_\_\_\_

REMARKS: well dried @ 17.0 gallons purged - 1412  
quick recharge DW @ 1419 = 18.7'  
DW @ 1425 = 6.7'

pH, E.C., Temp. Meter Calibration Date: See A-3 Time: \_\_\_\_\_ Meter Serial No: \_\_\_\_\_  
 E.C. 1000 / pH 7 / pH 10 / pH 4 /

Temperature °F \_\_\_\_\_  
 SIGNATURE: JH REVIEWED BY: M.L.O. PAGE 1 OF 9

# WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



**EMCON**

PROJECT NO: 792283  
 PURGED BY: B. Hurdick  
 SAMPLED BY: L

SAMPLE ID: A-3 (18')  
 CLIENT NAME: ARCO #4931  
 LOCATION: Oakland, California

TYPE: Groundwater  Surface Water  Leachate  Other   
 CASING DIAMETER (inches): 2  3  4  4.5  6  Other

CASING ELEVATION (feet/MSL): N/A VOLUME IN CASING (gal.): 8.2  
 DEPTH OF WELL (feet): 19.3 CALCULATED PURGE (gal.): 24.9  
 DEPTH OF WATER (feet): 6.58 ACTUAL PURGE VOL. (gal.): 8

DATE PURGED: 10/27/99 END PURGE: No Purge  
 DATE SAMPLED: 10/27/99 SAMPLING TIME: 1315

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm @ 25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1314</u>	<u>—</u>	<u>6.89</u>	<u>254</u>	<u>70.4</u>	<u>clear</u>	<u>low</u>

OTHER: Dissolved Oxygen= ODOR: none N/A N/A  
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

PURGING EQUIPMENT

SAMPLING EQUIPMENT

<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard	<input type="checkbox"/> Dedicated
Other: <u> </u>		Other: <u>Disposable Teflon Bailer</u>	

WELL INTEGRITY: Good LOCK:  

REMARKS: DTW below top of screen, grab sample

pH, E.C., Temp. Meter Calibration: Date: 10/26/99 Time: 1310 Meter Serial No.: 600235  
 E.C. 1418, 1413 pH 7 7.08, 7.00 pH 10 10.04, 10.00 pH 4 4.06, 4.00  
 Temperature °F 68.6  
 SIGNATURE: BH REVIEWED BY: ms PAGE 2 OF 9

# WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



**EMCON**

PROJECT NO: 792283  
PURGED BY: Bill Hendrick  
SAMPLED BY: [Signature]

SAMPLE ID: A-4 (18')  
CLIENT NAME: ARCO #4931  
LOCATION: Oakland, California

TYPE: Groundwater  Surface Water \_\_\_\_\_ Leachate \_\_\_\_\_ Other \_\_\_\_\_  
CASING DIAMETER (inches): 2 \_\_\_\_\_ 3 \_\_\_\_\_ 4  4.5 \_\_\_\_\_ 6 \_\_\_\_\_ Other \_\_\_\_\_

CASING ELEVATION (feet/MSL): N/A VOLUME IN CASING (gal.): 6.1  
DEPTH OF WELL (feet): 19.6 CALCULATED PURGE (gal.): 18.6  
DEPTH OF WATER (feet): 10.1 ACTUAL PURGE VOL. (gal.): 8

DATE PURGED: 10/27/99 END PURGE: No purge  
DATE SAMPLED: 10/27/99 SAMPLING TIME: 1440

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm @ 25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1439</u>	<u>-</u>	<u>6.65</u>	<u>1579</u>	<u>69.4</u>	<u>lt. Brown</u>	<u>low</u>

OTHER: Dissolved Oxygen= ODOR: None N/A N/A  
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

### PURGING EQUIPMENT

2" Bladder Pump  
 Centrifugal Pump  
 Submersible Pump  
 Well Wizard  
Other: \_\_\_\_\_

Bailer (Teflon)  
 Bailer (PVC)  
 Bailer (Stainless Steel)  
 Dedicated

### SAMPLING EQUIPMENT

2" Bladder Pump  
 Bomb Sampler  
 Dipper  
 Well Wizard  
Other: Disposable Teflon Bailer

WELL INTEGRITY: Good LOCK: -

REMARKS: Dive below top of screen, grab sample  
ORC sock are installed on this well

pH, E.C., Temp. Meter Calibration: Date: See A-3 Time: \_\_\_\_\_ Meter Serial No.: \_\_\_\_\_  
E.C. 1000 / / pH 7 / / pH 10 / / pH 4 / /  
Temperature °F \_\_\_\_\_  
SIGNATURE: [Signature] REVIEWED BY: [Signature] PAGE 3 OF 9

# WATER SAMPLE FIELD DATA SHEET

Rev. 1/87



**EMCON**

PROJECT NO: 792283  
 PURGED BY: B. Henderson  
 SAMPLED BY: [Signature]

SAMPLE ID: A-5 (23)  
 CLIENT NAME: ARCO #4931  
 LOCATION: Oakland, California

TYPE: Groundwater X Surface Water \_\_\_\_\_ Leachate \_\_\_\_\_ Other \_\_\_\_\_  
 CASING DIAMETER (inches): 2 \_\_\_\_\_ 3 X 4 \_\_\_\_\_ 4.5 \_\_\_\_\_ 6 \_\_\_\_\_ Other \_\_\_\_\_

CASING ELEVATION (feet/MSL): N/A VOLUME IN CASING (gal.): 5.0  
 DEPTH OF WELL (feet): 24.0 CALCULATED PURGE (gal.): 15.0  
 DEPTH OF WATER (feet): 10.35 ACTUAL PURGE VOL. (gal.): 8

DATE PURGED: 10/27/99 END PURGE: No purge  
 DATE SAMPLED: 10/27/99 SAMPLING TIME: 1326

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (umhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1325</u>	<u>-</u>	<u>6.42</u>	<u>675</u>	<u>70.3</u>	<u>Clear</u>	<u>low</u>

OTHER: Dissolved Oxygen= ODOR: None N/A N/A  
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

PURGING EQUIPMENT

SAMPLING EQUIPMENT

<input checked="" type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard	<input type="checkbox"/> Dedicated
Other: _____		Other: <u>Disposable Teflon Bailer</u>	

WELL INTEGRITY: Good LOCK: -

REMARKS: Dive below top of screen, grab sample  
Christy box lid is broken in half  
needs to be replaced

pH, E.C., Temp. Meter Calibration Date: See A-3 Time: \_\_\_\_\_ Meter Serial No: \_\_\_\_\_

E.C. 1000 / \_\_\_\_\_ pH 7 / \_\_\_\_\_ pH 10 / \_\_\_\_\_ pH 4 / \_\_\_\_\_

Temperature °F \_\_\_\_\_

SIGNATURE: BH REVIEWED BY: [Signature] PAGE 4 OF 9

# WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



**EMCON**

PROJECT NO : 792283  
 PURGED BY : B. Hendricks  
 SAMPLED BY : [Signature]

SAMPLE ID : A-6(27)  
 CLIENT NAME : ARCO #4931  
 LOCATION : Oakland, California

TYPE: Groundwater X Surface Water \_\_\_\_\_ Leachate \_\_\_\_\_ Other \_\_\_\_\_  
 CASING DIAMETER (inches): 2 \_\_\_\_\_ 3 X 4 \_\_\_\_\_ 4.5 \_\_\_\_\_ 6 \_\_\_\_\_ Other \_\_\_\_\_

CASING ELEVATION (feet/MSL) : N/A VOLUME IN CASING (gal.) : 5.6  
 DEPTH OF WELL (feet) : 25.0 CALCULATED PURGE (gal.) : 16.9  
 DEPTH OF WATER (feet) : 9.70 ACTUAL PURGE VOL. (gal.) : 0

DATE PURGED : 10/27/99 END PURGE : No Purge  
 DATE SAMPLED : 10/27/99 SAMPLING TIME : 1336

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1335</u>	<u>-</u>	<u>6.59</u>	<u>626</u>	<u>69.7</u>	<u>Clear</u>	<u>Low</u>

OTHER: Dissolved Oxygen= ODOR: None N/A N/A  
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

PURGING EQUIPMENT

SAMPLING EQUIPMENT

2" Bladder Pump  Bailer (Teflon)  
 Centrifugal Pump  Bailer (PVC)  
 Submersible Pump  Bailer (Stainless Steel)  
 Well Wizard  Dedicated  
 Other: \_\_\_\_\_

2" Bladder Pump  Bailer (Teflon)  
 Bomb Sampler  Bailer (Stainless Steel)  
 Dipper  Submersible Pump  
 Well Wizard  Dedicated  
 Other: Disposable Teflon Bailer

WELL INTEGRITY: Good LOCK:  

REMARKS: DTW below top of screen, grab sample

pH, E.C., Temp. Meter Calibration: Date: See A-3 Time: \_\_\_\_\_ Meter Serial No.: \_\_\_\_\_  
 E.C. 1000 / \_\_\_\_\_ pH 7 / \_\_\_\_\_ pH 10 / \_\_\_\_\_ pH 4 / \_\_\_\_\_  
 Temperature °F \_\_\_\_\_

SIGNATURE: [Signature] REVIEWED BY: [Signature] PAGE 5 OF 9



# WATER SAMPLE FIELD DATA SHEET

Rev. 1/87



**EMCON**

PROJECT NO: 792283  
PURGED BY: B. Hendricks  
SAMPLED BY: V

SAMPLE ID: A-8 (14')  
CLIENT NAME: ARCO #4931  
LOCATION: Oakland, California

TYPE: Groundwater X Surface Water \_\_\_\_\_ Leachate \_\_\_\_\_ Other \_\_\_\_\_  
CASING DIAMETER (inches): 2 \_\_\_\_\_ 3 X 4 \_\_\_\_\_ 4.5 \_\_\_\_\_ 6 \_\_\_\_\_ Other \_\_\_\_\_

CASING ELEVATION (feet/MSL): N/A VOLUME IN CASING (gal.): 3.5  
DEPTH OF WELL (feet): 20.0 CALCULATED PURGE (gal.): 10.8  
DEPTH OF WATER (feet): 10.23 ACTUAL PURGE VOL. (gal.): 8

DATE PURGED: 10/27/99 END PURGE: No purge  
DATE SAMPLED: 10/27/99 SAMPLING TIME: 1345

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm @ 25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1344</u>	<u>-</u>	<u>6.52</u>	<u>1284</u>	<u>70.8</u>	<u>clear</u>	<u>low</u>
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

OTHER: Dissolved Oxygen= ODOR: Strong : N/A N/A  
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

### PURGING EQUIPMENT

### SAMPLING EQUIPMENT

<input checked="" type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailor (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailor (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailor (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailor (Stainless Steel)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailor (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input checked="" type="checkbox"/> Well Wizard	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard	<input type="checkbox"/> Dedicated

Other: \_\_\_\_\_ Other: Disposable Teflon Bailor

WELL INTEGRITY: Good LOCK: \_\_\_\_\_

REMARKS: DTW below top of screen, grab sample

ORC socks installed in this well

pH, E.C., Temp. Meter Calibration: Date: see A-3 Time: \_\_\_\_\_ Meter Serial No \_\_\_\_\_

E.C. 1000 / \_\_\_\_\_ pH 7 / \_\_\_\_\_ pH 10 / \_\_\_\_\_ pH 4 / \_\_\_\_\_

Temperature °F \_\_\_\_\_

SIGNATURE: BH REVIEWED BY: m.f. PAGE 6 OF 9

# WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



**EMCON**

PROJECT NO : 792283  
PURGED BY : B. H. Jackson  
SAMPLED BY : J

SAMPLE ID : A-9 (37)  
CLIENT NAME : ARCO #4931  
LOCATION : Oakland, California

TYPE: Groundwater X Surface Water \_\_\_\_\_ Leachate \_\_\_\_\_ Other \_\_\_\_\_  
CASING DIAMETER (inches): 2 \_\_\_\_\_ 3 \_\_\_\_\_ 4 \_\_\_\_\_ 4.5 \_\_\_\_\_ 6 X Other \_\_\_\_\_

CASING ELEVATION (feet/MSL) : N/A VOLUME IN CASING (gal.) : 42.3  
DEPTH OF WELL (feet) : 38.0 CALCULATED PURGE (gal.) : 127.1  
DEPTH OF WATER (feet) : 9.17 ACTUAL PURGE VOL. (gal.) : 8

DATE PURGED : 10/24/99 END PURGE : No purge  
DATE SAMPLED : 10/27/99 SAMPLING TIME : 1355

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1354</u>	<u>—</u>	<u>6.78</u>	<u>915</u>	<u>70.0</u>	<u>clear</u>	<u>low</u>

OTHER: Dissolved Oxygen= ODOR: Strong N/A N/A  
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL ( i.e. FB-1, XDUP-1) : N/A

### PURGING EQUIPMENT

### SAMPLING EQUIPMENT

<input checked="" type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailers (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard <sup>®</sup>	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard <sup>®</sup>	<input type="checkbox"/> Dedicated
Other: _____		Other: <u>Disposable Teflon Bailer</u>	

WELL INTEGRITY: Good LOCK: \_\_\_\_\_

REMARKS: Plus below top of screen, grab sample  
ARC socks are installed in this well

pH, E.C., Temp. Meter Calibration Date: see A-3 Time: \_\_\_\_\_ Meter Serial No: \_\_\_\_\_  
E.C 1000 / \_\_\_\_\_ pH 7 / \_\_\_\_\_ pH 10 / \_\_\_\_\_ pH 4 / \_\_\_\_\_  
Temperature °F \_\_\_\_\_  
SIGNATURE: BH REVIEWED BY: msj PAGE 7 OF 9

# WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



**EMCON**

PROJECT NO: 792283  
PURGED BY: B. Hejroder  
SAMPLED BY: ↓

SAMPLE ID: A-11 (27)  
CLIENT NAME: ARCO #4931  
LOCATION: Oakland, California

TYPE: Groundwater  Surface Water  Leachate  Other   
CASING DIAMETER (inches): 2  3  4  4.5  6  Other

CASING ELEVATION (feet/MSL): N/A VOLUME IN CASING (gal.): 11.2  
DEPTH OF WELL (feet): 28.0 CALCULATED PURGE (gal.): 33.7  
DEPTH OF WATER (feet): 10.81 ACTUAL PURGE VOL. (gal.): 0

DATE PURGED: 10/27/99 END PURGE: No Purge  
DATE SAMPLED: 10/27/99 SAMPLING TIME: 1450

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm @ 25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1449</u>	<u>-</u>	<u>8.39</u>	<u>046</u>	<u>72.1</u>	<u>Clear</u>	<u>Low</u>

OTHER: Dissolved Oxygen= ODOR: None N/A N/A  
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

### PURGING EQUIPMENT

2" Bladder Pump  Bailer (Teflon)  
 Centrifugal Pump  Bailer (PVC)  
 Submersible Pump  Bailer (Stainless Steel)  
 Well Wizard  Dedicated  
Other:  

### SAMPLING EQUIPMENT

2" Bladder Pump  Bailer (Teflon)  
 Bomb Sampler  Bailer (Stainless Steel)  
 Dipper  Submersible Pump  
 Well Wizard  Dedicated  
Other: Disposable Teflon Bailer

WELL INTEGRITY: Good LOCK: -

REMARKS: DWS below top of screen, grab sample

pH, E.C., Temp. Meter Calibration: Date: See A-3 Time:   Meter Serial No.:  

E.C. 1000 / pH 7 / pH 10 / pH 4 /

Temperature °F  

SIGNATURE: BH REVIEWED BY:   PAGE 8 OF 9

# WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



**EMCON**

PROJECT NO: 792283

SAMPLE ID: A-12 (28)

PURGED BY: B. Hendrick

CLIENT NAME: ARCO #4931

SAMPLED BY: 1

LOCATION: Oakland, California

TYPE: Groundwater X Surface Water \_\_\_\_\_ Leachate \_\_\_\_\_ Other \_\_\_\_\_  
CASING DIAMETER (inches): 2 \_\_\_\_\_ 3 X 4 \_\_\_\_\_ 4.5 \_\_\_\_\_ 6 \_\_\_\_\_ Other \_\_\_\_\_

CASING ELEVATION (feet/MSL): N/A VOLUME IN CASING (gal.): 7.4  
DEPTH OF WELL (feet): 30.0 CALCULATED PURGE (gal.): 22.4  
DEPTH OF WATER (feet): 9.73 ACTUAL PURGE VOL. (gal.): 0

DATE PURGED: 10/27/99 END PURGE: No Purge  
DATE SAMPLED: 10/27/99 SAMPLING TIME: 1502

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1501</u>	<u>—</u>	<u>6.52</u>	<u>787</u>	<u>69.5</u>	<u>clear</u>	<u>low</u>
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

OTHER: Dissolved Oxygen= ODOR: None N/A N/A  
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

### PURGING EQUIPMENT

### SAMPLING EQUIPMENT

2" Bladder Pump  Bailer (Teflon)  2" Bladder Pump  Bailer (Teflon)  
 Centrifugal Pump  Bailer (PVC)  Bomb Sampler  Bailer (Stainless Steel)  
 Submersible Pump  Bailer (Stainless Steel)  Dipper  Submersible Pump  
 Well Wizard<sup>®</sup>  Dedicated  Well Wizard<sup>®</sup>  Dedicated  
Other: \_\_\_\_\_ Other: Disposable Teflon Bailer

WELL INTEGRITY: Good LOCK: —

REMARKS: Dive below top of screen, grab sample

pH, E.C., Temp. Meter Calibration: Date: See A-3 Time: \_\_\_\_\_ Meter Serial No.: \_\_\_\_\_  
E.C. 1000 / \_\_\_\_\_ pH 7 / \_\_\_\_\_ pH 10 / \_\_\_\_\_ pH 4 / \_\_\_\_\_

Temperature °F \_\_\_\_\_  
SIGNATURE: BH REVIEWED BY: M... PAGE 9 OF 9

1921 Ringwood Avenue  
San Jose, California

1999

ARCO 4931  
#792283

Well ID	Quarter	Date	Purge Volume (gallons)	Did well dry	Well Contained Product	Gallons			
						First	Second	Third	Fourth
A-2	First	02/19/99	15.00	YES	NO	15.00	0.00	0.00	0.00
	Second	06/02/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Third	08/26/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Fourth	10/26/99	17.0	YES	NO	0.00	0.00	0.00	0.00
A-3	First	02/19/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Second	06/02/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Third	08/26/99	0.00	NA	NO	0.00	0.00	0.00	0.00
	Fourth		0.00	GRAB		0.00	0.00	0.00	0.00
A-4	First	02/19/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Second	06/02/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Third	08/26/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Fourth		0.00	GRAB		0.00	0.00	0.00	0.00
A-5	First	02/19/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Second	06/02/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Third	08/26/99	0.00	NA	NO	0.00	0.00	0.00	0.00
	Fourth		0.00	GRAB		0.00	0.00	0.00	0.00
A-6	First	02/19/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Second	06/02/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Third	08/26/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Fourth		0.00	GRAB		0.00	0.00	0.00	0.00
A-7	First	02/19/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Second	06/02/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Third	08/26/99	0.00	NA	NO	0.00	0.00	0.00	0.00
	Fourth		0.00	NA		0.00	0.00	0.00	0.00
A-8	First	02/19/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Second	06/02/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Third	08/26/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Fourth		0.00	GRAB		0.00	0.00	0.00	0.00
A-9	First	02/19/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Second	06/02/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Third	08/26/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Fourth		0.00	GRAB		0.00	0.00	0.00	0.00
A-11	First	02/19/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Second	06/02/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Third	08/26/99	0.00	NA	NO	0.00	0.00	0.00	0.00
	Fourth		0.00	GRAB		0.00	0.00	0.00	0.00
A-12	First	02/19/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Second	06/02/99	0.00	GRAB	NO	0.00	0.00	0.00	0.00
	Third	08/26/99	0.00	NA	NO	0.00	0.00	0.00	0.00
	Fourth		0.00	GRAB		0.00	0.00	0.00	0.00

1921 Ringwood Avenue  
San Jose, California

1999

ARCO 4931  
#792283

Well ID	Quarter	Date	Purge Volume (gallons)	Did well dry	Well Contained Product	Gallons			
						First	Second	Third	Fourth
A-13	First	02/19/99	0.00	GRAB	NO	15.00	0.00	0.00	0.00
	Second	06/02/99	0.00	IW	NO				
	Third	08/26/99	0.00	NA	NO				
	Fourth	10/26/99	0.00	NA	NO				
	First					Steam water (gal) _____			
	Second								
	Third								
	Fourth								

**ARCO Products Company**

Division of AtlanticRichfieldCompany

Task Order No. 24118.00

**Chain of Custody**

ARCO Facility no. 4931 City (Facility) Oakland Project manager (Consultant) Glen Vanderveen  
 ARCO engineer Paul Supple Telephone no. (ARCO) \_\_\_\_\_ Telephone no. (Consultant) (408) 453-7300 Fax no. (Consultant) (408) 437-9520  
 Consultant name EMCON Address (Consultant) 2201 Broadway #101 Oakland, CA 94612

Laboratory name CAS  
 Contract number \_\_\_\_\_

Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX 602/EPA 9020	BTEX/TPH EPA 1602/6020/1605	TPH Modified 8015 Gas <input type="checkbox"/> Diesel <input type="checkbox"/>	Oil and Grease 413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/>	TPH EPA 418.1/SM503E	EPA 801/8010	EPA 824/8240	EPA 825/8270	TCLP Metals <input type="checkbox"/> VOA <input type="checkbox"/> VOA <input type="checkbox"/>	Semi Metals <input type="checkbox"/> VOA <input type="checkbox"/> VOA <input type="checkbox"/>	CMM Metals EPA 801/1700 TTLC <input type="checkbox"/> STLC <input type="checkbox"/>	Lead Org./DHS <input type="checkbox"/> Lead EPA 7420/7421 <input type="checkbox"/>	
			Soil	Water	Other	Ice	Acid															
A-3 (16)		2		X		X	HCL	10/26/99	1315	X												
A-5 (23)		2		X		X	HCL		1326	X												
A-6 (24)		2		X		X	HCL		1336	X												
A-8 (19)		2		X		X	HCL		1345	X												
A-9 (37)		2		X		X	HCL		1355	X												
A-2 (18)		2		X		X	HCL		1428	X												
A-4 (16)		2		X		X	HCL		1440	X												
A-11 (17)		2		X		X	HCL		1450	X												
A-12 (29)		2		X		X	HCL		1502	X												

Method of shipment  
Sampler will deliver

Special detection Limit/reporting  
Lowest Possible

Special QA/QC  
As Normal

Remarks  
RAT 8  
2-40ml HCL  
VOAs  
#791805

Condition of sample: \_\_\_\_\_ Temperature received: \_\_\_\_\_  
 Relinquished by sampler Bru Helms via courier Date 10/27/99 Time 15:00 Received by \_\_\_\_\_  
 Relinquished by \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_ Received by \_\_\_\_\_  
 Relinquished by \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_ Received by laboratory \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

Lab number \_\_\_\_\_  
 Turnaround time  
 Priority Rush 1 Business Day   
 Rush 2 Business Days   
 Expedited 5 Business Days   
 Standard 10 Business Days

**APPENDIX D**  
**REMEDIAL SYSTEM PERFORMANCE SUMMARY**



## APPENDIX D

### REMEDIAL SYSTEM PERFORMANCE SUMMARY

---

#### **GWE System**

Groundwater extraction (GWE) was conducted intermittently between November 10, 1992, and July 5, 1995. The GWE system was comprised of electric GWE pumps in Wells A-9, AR-1, AR-2, and AR-3, and three 1,500-pound granular activated carbon vessels arranged in series. The GWE system was permitted by East Bay Municipal Utility District Permit Account Number 502-62131. Based on Alameda County Health Care Services Agency authorization that GWE at the site was no longer required, the permit was relinquished during the second quarter 1996. Overall, 4.6 million gallons of groundwater were extracted and less than 0.06 gallon of benzene removed. Please refer to the Second Quarter 1997 Groundwater Monitoring Report for historical GWE system performance and analytical data.

#### **Intrinsic Bioremediation Evaluation**

At the request of ARCO, intrinsic bioremediation indicator parameters (bioparameters) were monitored during the fourth quarter 1996 groundwater monitoring event. Groundwater samples from Wells A-4, A-8, and A-12 were analyzed for biological oxygen demand (BOD), carbon dioxide (CO<sub>2</sub>), chemical oxygen demand (COD), methane, nitrate, sulfate, dissolved oxygen (DO), and ferrous iron. Wells A-4 and A-8 are located within the plume; Well A-12 is located outside the plume. Based on analysis of the collected data, intrinsic bioremediation was occurring at the site. Please refer to the First Quarter 1997 Groundwater Monitoring Report for details.

ORC is currently being used in wells A-4, A-8, A-9 and AR-1 to enhance biodegradation of dissolved oxygen (new ORC installed on August 20, 1999).