



Atlantic Richfield Company
(a BP affiliated company)

P.O. Box 1257
San Ramon, CA 94583
Phone: (925) 275-3801
Fax: (925) 275-3815

25 July 2008

Re: Second Quarter 2008 Ground-Water Monitoring Report
Atlantic Richfield Company Station #4931
731 West MacArthur Boulevard
Oakland, California
ACEH Case # RO000076



RECEIVED

2:24 pm, Aug 01, 2008

Alameda County
Environmental Health

“I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct.”

Submitted by:

Paul Supple
Environmental Business Manger

Second Quarter 2008 Ground-Water Monitoring Report
Atlantic Richfield Company Station #4931
731 West MacArthur Boulevard
Oakland, California

Prepared for

Mr. Paul Supple
Environmental Business Manager
Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583

Prepared by



1324 Mangrove Avenue, Suite 212
Chico, California 95926
(530) 566-1400
www.broadbentinc.com

25 July 2008

Project No. 06-08-624

25 July 2008

Project No. 06-08-624

Atlantic Richfield Company
P.O. Box 1257
San Ramon, CA 94583
Submitted via ENFOS

Attn.: Mr. Paul Supple

Re: Second Quarter 2008 Ground-Water Monitoring Report, Atlantic Richfield Company
(a BP affiliated company) Station #4931, 731 West MacArthur Boulevard, Oakland,
Alameda County, California; ACEH Case #RO0000076


Dear Mr. Supple:

Attached is the *Second Quarter 2008 Ground-Water Monitoring Report* for Atlantic Richfield Company Station #4931 located at 731 West MacArthur Boulevard, Oakland, Alameda County, California (Site). This report presents results of ground-water monitoring conducted at the Site during the Second Quarter of 2008.


Should you have questions regarding the work performed or results obtained, please do not hesitate to contact us at (530) 566-1400.

Sincerely,


BROADBENT & ASSOCIATES, INC.



Thomas A. Venus, P.E.
Senior Engineer



Rob Miller, P.G., C.HG.
Principal Hydrogeologist



Enclosures

cc: Mr. Paresh Khatri, Alameda County Environmental Health (Submitted via ACEH ftp site)
Mr. Nick Goyal, Owner, electronic copy e-mailed (nick@vintnersdist.com)
Electronic copy uploaded to GeoTracker

STATION # 4931 QUARTERLY GROUND-WATER MONITORING REPORT

| | | |
|-------------------------------------|----------|--|
| Facility: #4931 | Address: | 731 West MacArthur Boulevard, Oakland, California |
| Environmental Business Manager: | | Mr. Paul Supple |
| Consulting Co./Contact Persons: | | Broadbent & Associates, Inc.(BAI)/Rob Miller & Tom Venus (530) 566-1400 |
| Consultant Project No.: | | 06-08-624 |
| Primary Agency/Regulatory ID No.: | | Alameda County Environmental Health (ACEH) ACEH Case #RO000076 |
| Facility Permits/Permitting Agency: | | NA |

WORK PERFORMED THIS QUARTER (Second Quarter 2008):

1. Prepared and submitted First Quarter 2008 Ground-Water Monitoring Report.
2. Conducted ground-water monitoring/sampling for Second Quarter 2008. Work performed on 23 May 2008 by Stratus Environmental, Inc. (Stratus).

WORK PROPOSED FOR NEXT QUARTER (Third Quarter 2008):

1. Prepared and submitted this Second Quarter 2008 Ground-Water Monitoring Report (contained herein).
2. Conduct ground-water monitoring/sampling for Third Quarter 2008.

QUARTERLY RESULTS SUMMARY:

| | |
|---------------------------------------|---|
| Current phase of project: | Ground-Water Monitoring/Sampling |
| Frequency of ground-water monitoring: | Quarterly: A-2, A-3, A-4, A-5, A-7, A-8, A-9, A-10, A-11, A-12, A-13, AR-1, AR-2, AR-3 |
| Frequency of ground-water sampling: | Quarterly: Wells A-4, A-8 Semi Annually (1Q and 3Q): Wells A-3, A-5 Annually (3Q): Wells A-2, A-7, A-9, A-10, A-11, A-12 |
| Is free product (FP) present on-site: | No |
| FP recovered this quarter: | 0 |
| Cumulative FP recovered: | 0 |
| Current remediation techniques: | NA |
| Depth to ground water (below TOC): | 8.74 ft (A-7) to 9.94 ft (A-10) |
| General ground-water flow direction: | West |
| Approximate hydraulic gradient: | 0.03 ft/ft |

DISCUSSION:

Second quarter 2008 ground-water monitoring and sampling was conducted at Station #4931 on 23 May 2008 by Stratus. Water levels were gauged in 9 of the 14 wells at the Site. Wells A-8, A-9, and AR-1 through AR-3 were not accessed due to a standing safety order from BP that wells with vault lids greater than 24-inches across required that a well planned Job Safety Analysis (JSA) be prepared prior to accessing them, principally to prevent ergonomic injuries. Stratus has since prepared and presented an approved JSA, allowing safe future access. No other irregularities were noted during water level gauging. Depth-to-water measurements ranged from 8.74 ft at well A-7 to 9.94 ft at well A-10. Resulting ground-water surface elevations ranged from 51.85 ft above mean sea level in well A-2 to 48.06 ft in down-gradient well A-12. Water level elevations were between historic minimum and maximum ranges for each well gauged, as summarized in Table 1. Water level elevations yielded a potentiometric ground-

water flow direction and gradient to the west at approximately 0.03 ft/ft, consistent with historical data (see Table 3). Ground-water monitoring field data sheets are provided within Appendix A. Measured depths to ground-water and respective ground-water elevations are summarized in Table 1. Potentiometric ground-water elevation contours are presented in Drawing 1.

Ground-water samples were collected from well A-4 on 23 May 2008. Well A-8 was not sampled due to ergonomic safety reasons, as previously described. No other irregularities were reported during sampling. Samples were submitted under chain-of-custody protocol to Calscience Environmental Laboratories, Inc. (Garden Grove, California), for analysis of Gasoline Range Organics (GRO, C6-C12) by EPA Method 8015B; for Benzene, Toluene, Ethylbenzene, and Total Xylenes (BTEX) by EPA Method 8260B; and tert-Amyl methyl ether (TAME), tert-Butyl alcohol (TBA), Di-isopropyl ether (DIPE), 1,2-Dibromomethane (EDB), 1,2-Dichloroethane (1,2-DCA), Ethanol, Ethyl tert-butyl ether (ETBE), and Methyl tert-butyl ether (MTBE) by EPA Method 8260B. No irregularities were noted during laboratory analysis of the samples. Ground-water sampling field data sheets and the laboratory analytical report, including chain-of-custody documentation, are provided in Appendix A.

Gasoline range organics (GRO) were detected above the laboratory reporting limit in the sample collected from well A-4 at a concentration of 1,900 micrograms per liter ($\mu\text{g/L}$). Benzene was detected above the laboratory reporting limit in well A-4 at a concentration of 75 $\mu\text{g/L}$. TAME was detected above the laboratory reporting limit in well A-4 at a concentration of 270 $\mu\text{g/L}$. TBA was detected above the laboratory reporting limit in well A-4 at a concentration of 2,500 $\mu\text{g/L}$. MTBE was detected above the laboratory reporting limit in well A-4 at a concentration of 1,000 $\mu\text{g/L}$. The remaining fuel additives and oxygenates were not detected above their laboratory reporting limits in well A-4 sampled this quarter.

Detected analyte concentrations were within the historic minimum and maximum ranges recorded for well A-4. Historic laboratory analytical results are summarized in Table 1, Table 2, and Appendix B. The First Quarter 2008 GRO, Benzene, and MTBE concentrations are also presented in Drawing 1. A copy of the laboratory analytical report, including chain-of-custody documentation is provided in Appendix A. Ground-water monitoring data (GEO_WELL) and laboratory analytical results (EDF) were uploaded to the GeoTracker AB2886 database. Upload confirmation pages are provided in Appendix C.

CLOSURE:


The findings presented in this report are based upon: observations of Stratus field personnel (see Appendix A), the points investigated, and results of laboratory tests performed by Calscience Environmental Laboratories, Inc. (Garden Grove, California). Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of Atlantic Richfield Company. It is possible that variations in soil or ground-water conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

ATTACHMENTS:


Drawing 1. Ground-Water Elevation Contour and Analytical Summary Map, 23 May 2008, Station #4931, 731 West MacArthur Boulevard, Oakland, California

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses, Station #4931, 731 West MacArthur Blvd., Oakland, California

- Table 2. Summary of Fuel Additives Analytical Data, Station #4931, 731 West MacArthur Blvd., Oakland, California
- Table 3. Historical Ground-Water Flow Direction and Gradient Data, Station #4931, 731 West MacArthur Blvd., Oakland, California
- Appendix A. Stratus Ground-Water Sampling Data Package (Includes Field Data Sheets, Laboratory Analytical Report with Chain-of-Custody Documentation, and Field Procedures).
- Appendix B. Historical Ground-Water Data
- Appendix C. GeoTracker Upload Confirmation



NOTE: SITE MAP ADAPTED FROM URS FIGURES.
SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.



BROADBENT & ASSOCIATES, INC.
ENGINEERING, WATER RESOURCES & ENVIRONMENTAL
1324 Mangrove Ave. Suite 212, Chico, California 95926
Project No.: 06-08-624 Date: 7/7/08

Station #4931
731 West MacArthur Boulevard
Oakland, California

Ground-Water Elevation Contour
and Analytical Summary Map
23 May 2008

Drawing

1

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #4931, 731 West MacArthur Blvd., Oakland, CA

| Well and Sample Date | P/NP | Comments | TOC (feet msl) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet bgs) | Water Level Elevation (feet msl) | Concentrations in (µg/L) | | | | | | DO (mg/L) | pH |
|----------------------|------|----------|----------------|------------------------|---------------------------|----------------|----------------------------------|--------------------------|---------|---------|---------------|---------------|-------|-----------|------|
| | | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | |
| A-2 | | | | | | | | | | | | | | | |
| 6/21/2000 | -- | | 55.48 | 5.00 | 20.00 | 6.85 | 48.63 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | <3.0 | -- | -- |
| 9/20/2000 | -- | | 55.48 | 5.00 | 20.00 | 10.45 | 45.03 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 12/26/2000 | -- | | 55.48 | 5.00 | 20.00 | 6.27 | 49.21 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 3/20/2001 | -- | | 55.48 | 5.00 | 20.00 | 4.57 | 50.91 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 6/12/2001 | -- | | 55.48 | 5.00 | 20.00 | 9.27 | 46.21 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 9/23/2001 | -- | | 55.48 | 5.00 | 20.00 | 10.75 | 44.73 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 12/31/2001 | -- | | 55.48 | 5.00 | 20.00 | 4.13 | 51.35 | <50 | <0.5 | <0.5 | 1 | 3.2 | <2.5 | -- | -- |
| 3/21/2002 | -- | | 55.48 | 5.00 | 20.00 | 3.26 | 52.22 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 4/17/2002 | -- | | 55.48 | 5.00 | 20.00 | 3.72 | 51.76 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3.1 | -- | -- |
| 8/12/2002 | NP | | 55.48 | 5.00 | 20.00 | 9.95 | 45.53 | <10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.50 | 3.1 | 7.7 |
| 12/6/2002 | NP | | 55.48 | 5.00 | 20.00 | 10.01 | 45.47 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 6 | 3.1 | 6.1 |
| 1/30/2003 | NP | | 55.48 | 5.00 | 20.00 | 5.08 | 50.40 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.6 | 6.7 |
| 5/28/2003 | -- | | 55.48 | 5.00 | 20.00 | 4.82 | 50.66 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.1 | 5.7 | 6.8 |
| 8/6/2003 | -- | | 55.48 | 5.00 | 20.00 | 9.73 | 45.75 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.3 | 7.7 |
| 11/14/2003 | -- | | 55.48 | 5.00 | 20.00 | 9.36 | 46.12 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2004 | -- | g | 60.65 | 5.00 | 20.00 | 4.45 | 56.20 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/04/2004 | -- | | 60.65 | 5.00 | 20.00 | 6.79 | 53.86 | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/02/2004 | NP | | 60.65 | 5.00 | 20.00 | 10.51 | 50.14 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.1 | -- |
| 11/10/2004 | -- | | 60.65 | 5.00 | 20.00 | 6.10 | 54.55 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2005 | -- | | 60.65 | 5.00 | 20.00 | 4.00 | 56.65 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/09/2005 | -- | | 60.65 | 5.00 | 20.00 | 4.35 | 56.30 | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/2005 | NP | h | 60.65 | 5.00 | 20.00 | 9.08 | 51.57 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.2 | 6.9 |
| 11/18/2005 | -- | | 60.65 | 5.00 | 20.00 | 8.53 | 52.12 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/15/2006 | -- | | 60.65 | 5.00 | 20.00 | 3.89 | 56.76 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/30/2006 | -- | | 60.65 | 5.00 | 20.00 | 4.45 | 56.20 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/11/2006 | NP | | 60.65 | 5.00 | 20.00 | 9.03 | 51.62 | 160 | <0.50 | <0.50 | <0.50 | <0.50 | 3.6 | 0.16 | 5.9 |
| 11/1/2006 | -- | | 60.65 | 5.00 | 20.00 | 9.98 | 50.67 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/7/2007 | -- | | 60.65 | 5.00 | 20.00 | 7.51 | 53.14 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/9/2007 | -- | | 60.65 | 5.00 | 20.00 | 4.57 | 56.08 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/7/2007 | NP | | 60.65 | 5.00 | 20.00 | 9.67 | 50.98 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.4 | 2.18 | 7.17 |
| 11/14/2007 | -- | | 60.65 | 5.00 | 20.00 | 7.84 | 52.81 | -- | -- | -- | -- | -- | -- | -- | -- |

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #4931, 731 West MacArthur Blvd., Oakland, CA

| Well and Sample Date | P/NP | Comments | TOC (feet msl) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet bgs) | Water Level Elevation (feet msl) | Concentrations in (µg/L) | | | | | | DO (mg/L) | pH |
|----------------------|-----------|----------|----------------|------------------------|---------------------------|----------------|----------------------------------|--------------------------|-----------|-----------|---------------|---------------|-----------|-----------|-----------|
| | | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | |
| A-2 Cont. | | | | | | | | | | | | | | | |
| 2/28/2008 | -- | | 60.65 | 5.00 | 20.00 | 3.30 | 57.35 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/23/2008 | -- | | 60.65 | 5.00 | 20.00 | 8.80 | 51.85 | -- | -- | -- | -- | -- | -- | -- | -- |
| A-3 | | | | | | | | | | | | | | | |
| 6/21/2000 | -- | | 54.66 | 5.00 | 20.00 | 9.48 | 45.18 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | 46 | -- | -- |
| 9/20/2000 | -- | | 54.66 | 5.00 | 20.00 | 10.24 | 44.42 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 89.6 | -- | -- |
| 12/26/2000 | -- | | 54.66 | 5.00 | 20.00 | 9.58 | 45.08 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 7.11 | -- | -- |
| 3/20/2001 | -- | | 54.66 | 5.00 | 20.00 | 6.34 | 48.32 | -- | -- | -- | -- | -- | -- | -- | -- |
| 6/12/2001 | -- | | 54.66 | 5.00 | 20.00 | 9.76 | 44.90 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 86 | -- | -- |
| 9/23/2001 | -- | | 54.66 | 5.00 | 20.00 | 10.55 | 44.11 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/31/2001 | -- | | 54.66 | 5.00 | 20.00 | 3.70 | 50.96 | <50 | <0.5 | <0.5 | <0.5 | 1 | 60 | -- | -- |
| 3/21/2002 | -- | | 54.66 | 5.00 | 20.00 | 5.75 | 48.91 | -- | -- | -- | -- | -- | -- | -- | -- |
| 4/17/2002 | -- | | 54.66 | 5.00 | 20.00 | 7.27 | 47.39 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 45 | -- | -- |
| 8/12/2002 | -- | | 54.66 | 5.00 | 20.00 | 9.71 | 44.95 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/6/2002 | P | | 54.66 | 5.00 | 20.00 | 9.55 | 45.11 | <500 | <5.0 | <5.0 | <5.0 | <5.0 | 150 | 2.4 | 6.6 |
| 1/30/2003 | -- | | 54.66 | 5.00 | 20.00 | 6.05 | 48.61 | -- | -- | -- | -- | -- | -- | -- | -- |
| 1/30/2003 | -- | | 54.66 | 5.00 | 20.00 | 6.05 | 48.61 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/28/2003 | -- | | 54.66 | 5.00 | 20.00 | 8.06 | 46.60 | 74 | <0.50 | <0.50 | <0.50 | <0.50 | 43 | 1.5 | 6.9 |
| 8/6/2003 | -- | | 54.66 | 5.00 | 20.00 | 9.91 | 44.75 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/14/2003 | -- | | 54.66 | 5.00 | 20.00 | 9.52 | 45.14 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2004 | P | g | 59.32 | 5.00 | 20.00 | 5.63 | 53.69 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 13 | 1.2 | 7.1 |
| 05/04/2004 | -- | | 59.32 | 5.00 | 20.00 | 8.14 | 51.18 | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/02/2004 | P | | 59.32 | 5.00 | 20.00 | 10.10 | 49.22 | <250 | <2.5 | <2.5 | <2.5 | <2.5 | 62 | 1.3 | 6.6 |
| 11/10/2004 | -- | | 59.32 | 5.00 | 20.00 | 7.89 | 51.43 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2005 | P | | 59.32 | 5.00 | 20.00 | 5.00 | 54.32 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 6.8 | 1.9 | 6.9 |
| 05/09/2005 | -- | | 59.32 | 5.00 | 20.00 | 5.96 | 53.36 | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/2005 | P | h | 59.32 | 5.00 | 20.00 | 9.28 | 50.04 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 39 | 1.8 | 5.5 |
| 11/18/2005 | -- | | 59.32 | 5.00 | 20.00 | 8.61 | 50.71 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/15/2006 | P | | 59.32 | 5.00 | 20.00 | 4.36 | 54.96 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.2 | 3.6 | 7.2 |
| 5/30/2006 | -- | | 59.32 | 5.00 | 20.00 | 6.28 | 53.04 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/11/2006 | P | | 59.32 | 5.00 | 20.00 | 9.27 | 50.05 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 4.1 | 2.10 | 6.4 |

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #4931, 731 West MacArthur Blvd., Oakland, CA

| Well and Sample Date | P/NP | Comments | TOC (feet msl) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet bgs) | Water Level Elevation (feet msl) | Concentrations in (µg/L) | | | | | DO (mg/L) | pH | |
|----------------------|-----------|----------|----------------|------------------------|---------------------------|----------------|----------------------------------|--------------------------|-----------|-----------|---------------|---------------|-----------|-----------|-----------|
| | | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | | | MTBE |
| A-3 Cont. | | | | | | | | | | | | | | | |
| 11/1/2006 | -- | | 59.32 | 5.00 | 20.00 | 9.52 | 49.80 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/7/2007 | NP | | 59.32 | 5.00 | 20.00 | 7.90 | 51.42 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.58 | 1.74 | 7.70 |
| 5/9/2007 | -- | | 59.32 | 5.00 | 20.00 | 6.55 | 52.77 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/7/2007 | NP | | 59.32 | 5.00 | 20.00 | 9.57 | 49.75 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.9 | 0.95 | 6.82 |
| 11/14/2007 | -- | | 59.32 | 5.00 | 20.00 | 8.00 | 51.32 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/28/2008 | P | | 59.32 | 5.00 | 20.00 | 3.75 | 55.57 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.58 | 6.16 | 6.92 |
| 5/23/2008 | -- | | 59.32 | 5.00 | 20.00 | 9.10 | 50.22 | -- | -- | -- | -- | -- | -- | -- | -- |
| A-4 | | | | | | | | | | | | | | | |
| 6/21/2000 | -- | | 54.73 | 5.00 | 20.00 | 9.49 | 45.24 | 2,100 | 110 | 2.1 | 11 | 5.9 | 2,000 | -- | -- |
| 9/20/2000 | -- | | 54.73 | 5.00 | 20.00 | 10.33 | 44.40 | 1,540 | 127 | <5.0 | 9.07 | 7.42 | 1,940 | -- | -- |
| 12/26/2000 | -- | | 54.73 | 5.00 | 20.00 | 9.34 | 45.39 | 1,550 | 42.7 | <5.0 | 11 | 10.9 | 1,210 | -- | -- |
| 3/20/2001 | -- | | 54.73 | 5.00 | 20.00 | 7.56 | 47.17 | 913 | 40.9 | <5.0 | 15.5 | 14.6 | <25 | -- | -- |
| 6/12/2001 | -- | | 54.73 | 5.00 | 20.00 | 9.83 | 44.90 | 2,000 | 230 | <20 | 21 | <20 | 4,700 | -- | -- |
| 9/23/2001 | -- | | 54.73 | 5.00 | 20.00 | 10.54 | 44.19 | 1,600 | 35 | <10 | <10 | <10 | 3,000 | -- | -- |
| 12/31/2001 | -- | | 54.73 | 5.00 | 20.00 | 5.42 | 49.31 | <500 | <5.0 | <5.0 | <5.0 | <5.0 | 880 | -- | -- |
| 3/21/2002 | -- | | 54.73 | 5.00 | 20.00 | 6.18 | 48.55 | <5,000 | <50 | <50 | <50 | <50 | 1,400 | -- | -- |
| 4/17/2002 | -- | | 54.73 | 5.00 | 20.00 | 7.34 | 47.39 | 1,300 | 79 | 31 | 17 | 55 | 2,200 | -- | -- |
| 8/12/2002 | P | a | 54.73 | 5.00 | 20.00 | 9.56 | 45.17 | 2,400 | 120 | <5.0 | <5.0 | <5.0 | 2,100 | 2 | 7.2 |
| 12/6/2002 | P | | 54.73 | 5.00 | 20.00 | 10.02 | 44.71 | 2,200 | 110 | 10 | 42 | 56 | 2,000 | -- | 6.7 |
| 1/30/2003 | P | | 54.73 | 5.00 | 20.00 | 7.55 | 47.18 | 6,000 | 180 | <50 | 85 | <50 | 2,100 | 1.8 | 6.8 |
| 5/28/2003 | -- | | 54.73 | 5.00 | 20.00 | 8.94 | 45.79 | 6,000 | 120 | <50 | <50 | <50 | 2,500 | 1.5 | 6.7 |
| 8/6/2003 | -- | | 54.73 | 5.00 | 20.00 | 10.03 | 44.70 | 5,800 | 100 | <25 | <25 | 33 | 2,500 | 1.5 | 6.7 |
| 11/14/2003 | P | d, f | 54.73 | 5.00 | 20.00 | 10.37 | 44.36 | 1,000 | 17 | <5.0 | <5.0 | <5.0 | 310 | 1.6 | 6.8 |
| 02/02/2004 | P | d, g | 59.59 | 5.00 | 20.00 | 6.70 | 52.89 | 3,600 | 46 | <25 | <25 | <25 | 1,500 | 1.0 | 7.1 |
| 05/04/2004 | P | d | 59.59 | 5.00 | 20.00 | 9.12 | 50.47 | <5,000 | <50 | <50 | <50 | <50 | 2,300 | 6.4 | 6.8 |
| 09/02/2004 | P | | 59.59 | 5.00 | 20.00 | 9.95 | 49.64 | 3,000 | <25 | <25 | <25 | <25 | 1,200 | 9.1 | 6.8 |
| 11/10/2004 | P | | 59.59 | 5.00 | 20.00 | 8.68 | 50.91 | 1,800 | 16 | <10 | <10 | <10 | 1,100 | 2.0 | 7.2 |
| 02/02/2005 | P | | 59.59 | 5.00 | 20.00 | 6.92 | 52.67 | 3,300 | 120 | <10 | 66 | 11 | 1,700 | 1.5 | 6.5 |
| 05/09/2005 | P | | 59.59 | 5.00 | 20.00 | 7.21 | 52.38 | <5,000 | 140 | <50 | 62 | <50 | 1,800 | 1.64 | 6.6 |
| 08/11/2005 | P | f, h | 59.59 | 5.00 | 20.00 | 9.71 | 49.88 | 1,700 | 51 | <10 | <10 | <10 | 1,200 | -- | 6.9 |

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #4931, 731 West MacArthur Blvd., Oakland, CA

| Well and Sample Date | P/NP | Comments | TOC (feet msl) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet bgs) | Water Level Elevation (feet msl) | Concentrations in (µg/L) | | | | | | DO (mg/L) | pH |
|----------------------|-----------|----------|----------------|------------------------|---------------------------|----------------|----------------------------------|--------------------------|-----------|---------------|---------------|---------------|--------------|-------------|-------------|
| | | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | |
| A-4 Cont. | | | | | | | | | | | | | | | |
| 11/18/2005 | P | | 59.59 | 5.00 | 20.00 | 9.45 | 50.14 | 1,300 | 23 | <2.5 | 7.2 | 11 | 310 | 1.4 | 6.7 |
| 02/15/2006 | P | | 59.59 | 5.00 | 20.00 | 7.12 | 52.47 | 2,200 | 46 | <2.5 | 29 | 7.0 | 910 | 0.9 | 6.8 |
| 5/30/2006 | P | | 59.59 | 5.00 | 20.00 | 7.95 | 51.64 | 3,300 | 95 | <10 | 55 | <10 | 1,200 | 1.76 | 6.5 |
| 8/11/2006 | P | | 59.59 | 5.00 | 20.00 | 9.50 | 50.09 | 350 | 93 | <10 | <10 | <10 | 1,200 | 1.4 | 6.6 |
| 11/1/2006 | P | | 59.59 | 5.00 | 20.00 | 9.93 | 49.66 | 1,300 | <10 | <10 | <10 | <10 | 360 | 4.56 | 6.94 |
| 2/7/2007 | NP | | 59.59 | 5.00 | 20.00 | 8.82 | 50.77 | 4,900 | 85 | <10 | 40 | <10 | 1,500 | 0.72 | 6.86 |
| 5/9/2007 | NP | | 59.59 | 5.00 | 20.00 | 7.56 | 52.03 | 1,700 | 19 | <10 | <10 | <10 | 340 | 3.00 | 7.03 |
| 8/7/2007 | NP | | 59.59 | 5.00 | 20.00 | 9.80 | 49.79 | 2,700 | 69 | <5.0 | <5.0 | <5.0 | 510 | 1.04 | 6.95 |
| 11/14/2007 | NP | | 59.59 | 5.00 | 20.00 | 8.65 | 50.94 | 500 | 4.9 | <0.50 | <0.50 | <0.50 | 280 | 1.27 | 6.94 |
| 2/28/2008 | NP | | 59.59 | 5.00 | 20.00 | 6.15 | 53.44 | 850 | 17 | <0.50 | 4.4 | 1.4 | 350 | 1.76 | 7.03 |
| 5/23/2008 | NP | | 59.59 | 5.00 | 20.00 | 9.40 | 50.19 | 1,900 | 75 | <20 | <20 | <20 | 1,000 | 1.28 | 6.58 |
| A-5 | | | | | | | | | | | | | | | |
| 6/21/2000 | -- | | 54.17 | 3.00 | 24.00 | 9.29 | 44.88 | 980 | <0.5 | <0.5 | <0.5 | <1.0 | 2,000 | -- | -- |
| 9/20/2000 | -- | | 54.17 | 3.00 | 24.00 | 10.23 | 43.94 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/26/2000 | -- | | 54.17 | 3.00 | 24.00 | 9.65 | 44.52 | 525 | <0.5 | <0.5 | <0.5 | <0.5 | 1,200 | -- | -- |
| 3/20/2001 | -- | | 54.17 | 3.00 | 24.00 | 8.05 | 46.12 | -- | -- | -- | -- | -- | -- | -- | -- |
| 6/12/2001 | -- | | 54.17 | 3.00 | 24.00 | 9.81 | 44.36 | 830 | <5.0 | <5.0 | <5.0 | <5.0 | 3,200 | -- | -- |
| 9/23/2001 | -- | | 54.17 | 3.00 | 24.00 | 10.42 | 43.75 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/31/2001 | -- | | 54.17 | 3.00 | 24.00 | 6.03 | 48.14 | 320 | <0.5 | <0.5 | <0.5 | <0.5 | 60 | -- | -- |
| 3/21/2002 | -- | | 54.17 | 3.00 | 24.00 | 6.71 | 47.46 | -- | -- | -- | -- | -- | -- | -- | -- |
| 4/17/2002 | -- | | 54.17 | 3.00 | 24.00 | 8.01 | 46.16 | 1,600 | <10 | <10 | <10 | <10 | 3,200 | -- | -- |
| 8/12/2002 | -- | | 54.17 | 3.00 | 24.00 | 9.87 | 44.30 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/6/2002 | P | | 54.17 | 3.00 | 24.00 | 9.66 | 44.51 | 310 | <0.50 | <0.50 | <0.50 | <0.50 | 330 | 1.9 | 6.6 |
| 1/30/2003 | -- | | 54.17 | 3.00 | 24.00 | 7.67 | 46.50 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/28/2003 | -- | | 54.17 | 3.00 | 24.00 | 8.56 | 45.61 | <5,000 | <50 | <50 | <50 | <50 | 1,500 | 1.6 | 6.6 |
| 8/6/2003 | -- | | 54.17 | 3.00 | 24.00 | 9.58 | 44.59 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/14/2003 | -- | | 54.17 | 3.00 | 24.00 | 9.81 | 44.36 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2004 | P | g | 58.78 | 3.00 | 24.00 | 7.43 | 51.35 | 390 | <2.5 | 9.2 | <2.5 | 2.6 | 140 | 1.0 | 6.8 |
| 05/04/2004 | -- | | 58.78 | 3.00 | 24.00 | 9.98 | 48.80 | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/02/2004 | P | | 58.78 | 3.00 | 24.00 | 9.65 | 49.13 | <250 | <2.5 | <2.5 | <2.5 | <2.5 | 66 | 1.1 | 6.4 |

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #4931, 731 West MacArthur Blvd., Oakland, CA

| Well and Sample Date | P/NP | Comments | TOC (feet msl) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet bgs) | Water Level Elevation (feet msl) | Concentrations in (µg/L) | | | | | DO (mg/L) | pH | |
|----------------------|-----------|----------|----------------|------------------------|---------------------------|----------------|----------------------------------|--------------------------|-----------|-----------|---------------|---------------|-----------|-----------|-----------|
| | | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | | | MTBE |
| A-5 Cont. | | | | | | | | | | | | | | | |
| 11/10/2004 | -- | | 58.78 | 3.00 | 24.00 | 8.48 | 50.30 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2005 | P | | 58.78 | 3.00 | 24.00 | 7.10 | 51.68 | 68 | <0.50 | <0.50 | <0.50 | <0.50 | 17 | 1.0 | 7.2 |
| 05/09/2005 | -- | | 58.78 | 3.00 | 24.00 | 7.20 | 51.58 | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/2005 | P | h | 58.78 | 3.00 | 24.00 | 9.21 | 49.57 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 6.8 | 1.3 | 6.2 |
| 11/18/2005 | -- | | 58.78 | 3.00 | 24.00 | 9.10 | 49.68 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/15/2006 | P | | 58.78 | 3.00 | 24.00 | 7.16 | 51.62 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 5.1 | 1.2 | 6.9 |
| 5/30/2006 | -- | | 58.78 | 3.00 | 24.00 | 7.87 | 50.91 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/11/2006 | P | | 58.78 | 3.00 | 24.00 | 8.90 | 49.88 | 920 | <0.50 | <0.50 | <0.50 | <0.50 | 12 | 1.4 | 6.7 |
| 11/1/2006 | -- | | 58.78 | 3.00 | 24.00 | 9.30 | 49.48 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/7/2007 | NP | i | 58.78 | 3.00 | 24.00 | 8.50 | 50.28 | 60 | <0.50 | <0.50 | <0.50 | <0.50 | 1.5 | 0.73 | 7.14 |
| 5/9/2007 | -- | | 58.78 | 3.00 | 24.00 | 7.60 | 51.18 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/7/2007 | NP | | 58.78 | 3.00 | 24.00 | 9.30 | 49.48 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.81 | 0.41 | 7.18 |
| 11/14/2007 | -- | | 58.78 | 3.00 | 24.00 | 8.48 | 50.30 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/28/2008 | NP | | 58.78 | 3.00 | 24.00 | 6.21 | 52.57 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.97 | 2.24 | 7.40 |
| 5/23/2008 | -- | | 58.78 | 3.00 | 24.00 | 8.97 | 49.81 | -- | -- | -- | -- | -- | -- | -- | -- |
| A-6 | | | | | | | | | | | | | | | |
| 6/21/2000 | -- | | 55.17 | 3.00 | 25.00 | 8.67 | 46.50 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | <3.0 | -- | -- |
| 9/20/2000 | -- | | 55.17 | 3.00 | 25.00 | 9.34 | 45.83 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 12/26/2000 | -- | | 55.17 | 3.00 | 25.00 | 8.65 | 46.52 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 3/20/2001 | -- | | 55.17 | 3.00 | 25.00 | 6.84 | 48.33 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 6/12/2001 | -- | | 55.17 | 3.00 | 25.00 | 8.93 | 46.24 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 7 | -- | -- |
| 9/23/2001 | -- | | 55.17 | 3.00 | 25.00 | 9.74 | 45.43 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 12/31/2001 | -- | | 55.17 | 3.00 | 25.00 | 4.81 | 50.36 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3.2 | -- | -- |
| 3/21/2002 | -- | | 55.17 | 3.00 | 25.00 | 5.44 | 49.73 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 4/17/2002 | -- | | 55.17 | 3.00 | 25.00 | 6.95 | 48.22 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3.1 | -- | -- |
| 8/12/2002 | NP | | 55.17 | 3.00 | 25.00 | 8.90 | 46.27 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | 4.3 | 7.9 |
| 12/6/2002 | -- | e | 55.17 | 3.00 | 25.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 1/30/2003 | -- | e | 55.17 | 3.00 | 25.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/28/2003 | -- | e | 55.17 | 3.00 | 25.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/6/2003 | -- | e | 55.17 | 3.00 | 25.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #4931, 731 West MacArthur Blvd., Oakland, CA

| Well and Sample Date | P/NP | Comments | TOC (feet msl) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet bgs) | Water Level Elevation (feet msl) | Concentrations in (µg/L) | | | | | | DO (mg/L) | pH |
|----------------------|------|---------------------|----------------|------------------------|---------------------------|----------------|----------------------------------|--------------------------|---------|---------|---------------|---------------|------|-----------|-----|
| | | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | |
| A-6 Cont. | | | | | | | | | | | | | | | |
| 11/14/2003 | -- | Well inaccessible e | 55.17 | 3.00 | 25.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2004 | -- | Well inaccessible e | 55.17 | 3.00 | 25.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/04/2004 | -- | Well inaccessible e | 55.17 | 3.00 | 25.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/02/2004 | -- | Well inaccessible e | 55.17 | 3.00 | 25.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/10/2004 | -- | Well inaccessible e | 55.17 | 3.00 | 25.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2005 | -- | e | 55.17 | 3.00 | 25.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/09/2005 | -- | e | 55.17 | 3.00 | 25.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/2005 | -- | e | 55.17 | 3.00 | 25.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/18/2005 | -- | e | 55.17 | 3.00 | 25.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/15/2006 | -- | e | -- | 3.00 | 25.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/30/2006 | -- | e | -- | 3.00 | 25.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/11/2006 | -- | e | -- | 3.00 | 25.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/1/2006 | -- | e | -- | 3.00 | 25.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| A-7 | | | | | | | | | | | | | | | |
| 6/21/2000 | -- | | 54.71 | 3.00 | 22.00 | 8.58 | 46.13 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | <3.0 | -- | -- |
| 9/20/2000 | -- | | 54.71 | 3.00 | 22.00 | 9.19 | 45.52 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/26/2000 | -- | | 54.71 | 3.00 | 22.00 | 8.50 | 46.21 | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/20/2001 | -- | | 54.71 | 3.00 | 22.00 | 6.75 | 47.96 | -- | -- | -- | -- | -- | -- | -- | -- |
| 6/12/2001 | -- | | 54.71 | 3.00 | 22.00 | 8.80 | 45.91 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 9/23/2001 | -- | | 54.71 | 3.00 | 22.00 | 9.59 | 45.12 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/31/2001 | -- | | 54.71 | 3.00 | 22.00 | 4.78 | 49.93 | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/21/2002 | -- | | 54.71 | 3.00 | 22.00 | 5.35 | 49.36 | -- | -- | -- | -- | -- | -- | -- | -- |
| 4/17/2002 | -- | | 54.71 | 3.00 | 22.00 | 6.88 | 47.83 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2.5 | -- | -- |
| 8/12/2002 | -- | | 54.71 | 3.00 | 22.00 | 8.77 | 45.94 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/6/2002 | -- | | 54.71 | 3.00 | 22.00 | 9.07 | 45.64 | -- | -- | -- | -- | -- | -- | -- | -- |
| 1/30/2003 | -- | | 54.71 | 3.00 | 22.00 | 6.65 | 48.06 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/28/2003 | -- | | 54.71 | 3.00 | 22.00 | 7.63 | 47.08 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.8 | 2.3 | 6.7 |
| 8/6/2003 | -- | | 54.71 | 3.00 | 22.00 | 8.90 | 45.81 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/14/2003 | -- | | 54.71 | 3.00 | 22.00 | 9.08 | 45.63 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2004 | -- | g | 59.75 | 3.00 | 22.00 | 5.96 | 53.79 | -- | -- | -- | -- | -- | -- | -- | -- |

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #4931, 731 West MacArthur Blvd., Oakland, CA

| Well and Sample Date | P/NP | Comments | TOC (feet msl) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet bgs) | Water Level Elevation (feet msl) | Concentrations in (µg/L) | | | | | | DO (mg/L) | pH |
|----------------------|-----------|----------|----------------|------------------------|---------------------------|----------------|----------------------------------|--------------------------|-----------|-----------|---------------|---------------|-----------|-----------|-----------|
| | | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | |
| A-7 Cont. | | | | | | | | | | | | | | | |
| 05/04/2004 | -- | | 59.75 | 3.00 | 22.00 | 8.21 | 51.54 | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/02/2004 | P | | 59.75 | 3.00 | 22.00 | 9.02 | 50.73 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 8.9 | 3.0 | 6.7 |
| 11/10/2004 | -- | | 59.75 | 3.00 | 22.00 | 7.50 | 52.25 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2005 | -- | | 59.75 | 3.00 | 22.00 | 6.10 | 53.65 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/09/2005 | -- | | 59.75 | 3.00 | 22.00 | 6.48 | 53.27 | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/2005 | P | h | 59.75 | 3.00 | 22.00 | 8.45 | 51.30 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 18 | 1.6 | 6.6 |
| 11/18/2005 | -- | | 59.75 | 3.00 | 22.00 | 8.65 | 51.10 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/15/2006 | -- | | 59.75 | 3.00 | 22.00 | 6.51 | 53.24 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/30/2006 | -- | | 59.75 | 3.00 | 22.00 | 7.13 | 52.62 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/11/2006 | P | | 59.75 | 3.00 | 22.00 | 8.46 | 51.29 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.6 | 1.7 | 6.7 |
| 11/1/2006 | -- | | 59.75 | 3.00 | 22.00 | 8.99 | 50.76 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/7/2007 | -- | | 59.75 | 3.00 | 22.00 | 8.12 | 51.63 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/9/2007 | -- | | 59.75 | 3.00 | 22.00 | 7.04 | 52.71 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/7/2007 | NP | | 59.75 | 3.00 | 22.00 | 9.10 | 50.65 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.7 | 1.34 | 7.09 |
| 11/14/2007 | -- | | 59.75 | 3.00 | 22.00 | 8.00 | 51.75 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/28/2008 | -- | | 59.75 | 3.00 | 22.00 | 5.81 | 53.94 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/23/2008 | -- | | 59.75 | 3.00 | 22.00 | 8.74 | 51.01 | -- | -- | -- | -- | -- | -- | -- | -- |
| A-8 | | | | | | | | | | | | | | | |
| 6/21/2000 | -- | | 53.77 | 3.00 | 25.00 | 9.07 | 44.70 | 810 | <0.5 | <0.5 | <0.5 | 810 | 1,500 | -- | -- |
| 9/20/2000 | -- | | 53.77 | 3.00 | 25.00 | 9.72 | 44.05 | 10,800 | 2,680 | 46 | 439 | 370 | 4,410 | -- | -- |
| 12/26/2000 | -- | | 53.77 | 3.00 | 25.00 | 9.20 | 44.57 | 7,700 | 1,440 | <50 | 202 | 106 | 2,230 | -- | -- |
| 3/20/2001 | -- | | 53.77 | 3.00 | 25.00 | 7.51 | 46.26 | <5,000 | 1,280 | <50 | 53.9 | <50 | 2,880 | -- | -- |
| 6/12/2001 | -- | | 53.77 | 3.00 | 25.00 | 9.53 | 44.24 | 5,600 | 1,700 | <50 | 61 | 54 | 2,900 | -- | -- |
| 9/23/2001 | -- | | 53.77 | 3.00 | 25.00 | 10.08 | 43.69 | 10,000 | 3,500 | <50 | 110 | 64 | 6,500 | -- | -- |
| 12/31/2001 | -- | | 53.77 | 3.00 | 25.00 | 4.34 | 49.43 | 4,300 | 610 | <10 | 60 | 24 | 520 | -- | -- |
| 3/21/2002 | -- | | 53.77 | 3.00 | 25.00 | 6.67 | 47.10 | 6,600 | 1,400 | <50 | 130 | <50 | 2,700 | -- | -- |
| 4/17/2002 | -- | | 53.77 | 3.00 | 25.00 | 7.72 | 46.05 | 3,800 | 540 | <10 | <10 | 12 | 3,100 | -- | -- |
| 8/12/2002 | NP | | 53.77 | 3.00 | 25.00 | 9.64 | 44.13 | 9,400 | 1,800 | <20 | 35 | 28 | 4,200 | 1 | 6.7 |
| 12/6/2002 | NP | b | 53.77 | 3.00 | 25.00 | 9.62 | 44.15 | 5,300 | 1,100 | 11 | 11 | <10 | 2,200 | 1.4 | 6.7 |
| 1/30/2003 | NP | | 53.77 | 3.00 | 25.00 | 7.49 | 46.28 | <10,000 | 1,100 | <100 | <100 | <100 | 2,200 | 1.5 | 6.9 |

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #4931, 731 West MacArthur Blvd., Oakland, CA

| Well and Sample Date | P/NP | Comments | TOC (feet msl) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet bgs) | Water Level Elevation (feet msl) | Concentrations in (µg/L) | | | | | | DO (mg/L) | pH |
|----------------------|-----------|----------|----------------|------------------------|---------------------------|----------------|----------------------------------|--------------------------|-----------|-----------|---------------|---------------|-----------|-----------|-----------|
| | | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | |
| A-8 Cont. | | | | | | | | | | | | | | | |
| 5/28/2003 | -- | | 53.77 | 3.00 | 25.00 | 9.17 | 44.60 | 7,700 | 1,700 | <50 | <50 | <50 | 2,100 | 1 | 6.8 |
| 8/6/2003 | -- | | 53.77 | 3.00 | 25.00 | 9.67 | 44.10 | 13,000 | 2,400 | <50 | <50 | <50 | 3,000 | 0.9 | 6.5 |
| 11/14/2003 | NP | d | 53.77 | 3.00 | 25.00 | 9.80 | 43.97 | 3,100 | 570 | <5.0 | <5.0 | <5.0 | 850 | 2.3 | 6.2 |
| 02/02/2004 | NP | d, g | 58.70 | 3.00 | 25.00 | 7.10 | 51.60 | 3,900 | 300 | <25 | <25 | <25 | 1,100 | 1.1 | 6.8 |
| 05/04/2004 | NP | | 58.70 | 3.00 | 25.00 | 9.44 | 49.26 | <5,000 | 490 | <50 | <50 | <50 | 1,600 | 1.0 | 6.9 |
| 09/02/2004 | NP | | 58.70 | 3.00 | 25.00 | 9.67 | 49.03 | <2,500 | 30 | <25 | <25 | <25 | 680 | 1.0 | 6.2 |
| 11/10/2004 | NP | | 58.70 | 3.00 | 25.00 | 8.15 | 50.55 | 580 | 61 | <2.5 | <2.5 | <2.5 | 290 | 1.5 | 6.4 |
| 02/02/2005 | NP | | 58.70 | 3.00 | 25.00 | 6.53 | 52.17 | 5,000 | 890 | <25 | <25 | <25 | 1,900 | 1.0 | 7.4 |
| 05/09/2005 | NP | | 58.70 | 3.00 | 25.00 | 6.31 | 52.39 | 69 | 0.90 | <0.50 | <0.50 | <0.50 | 66 | 4.1 | 7.2 |
| 08/11/2005 | NP | h | 58.70 | 3.00 | 25.00 | 9.15 | 49.55 | 1,400 | 1,300 | <12 | <12 | <12 | 1,100 | 0.7 | 6.4 |
| 11/18/2005 | NP | | 58.70 | 3.00 | 25.00 | 8.89 | 49.81 | 1,200 | 420 | <5.0 | <5.0 | <5.0 | 340 | 0.7 | 7.0 |
| 02/15/2006 | NP | | 58.70 | 3.00 | 25.00 | 6.34 | 52.36 | 3,200 | 970 | <10 | <10 | <10 | 1,100 | 0.9 | 6.1 |
| 5/30/2006 | NP | | 58.70 | 3.00 | 25.00 | 7.53 | 51.17 | 510 | 210 | <2.5 | <2.5 | <2.5 | 140 | 2.6 | 6.7 |
| 8/11/2006 | P | i | 58.70 | 3.00 | 25.00 | 8.90 | 49.80 | 1,300 | 500 | <5.0 | <5.0 | <5.0 | 290 | 0.7 | 7.0 |
| 11/1/2006 | P | | 58.70 | 3.00 | 25.00 | 9.15 | 49.55 | 4,800 | 790 | 6.6 | <5.0 | <5.0 | 910 | 1.72 | 7.11 |
| 2/7/2007 | NP | | 58.70 | 3.00 | 25.00 | 8.48 | 50.22 | 7,600 | 2,300 | <25 | <25 | <25 | 1,200 | 1.25 | 7.11 |
| 5/9/2007 | NP | | 58.70 | 3.00 | 25.00 | 7.25 | 51.45 | 750 | 180 | <2.5 | <2.5 | <2.5 | 55 | 1.75 | 7.14 |
| 8/7/2007 | NP | | 58.70 | 3.00 | 25.00 | 9.17 | 49.53 | 2,100 | 700 | 4.0 | <2.5 | <2.5 | 430 | 0.77 | 6.95 |
| 11/14/2007 | NP | | 58.70 | 3.00 | 25.00 | 7.77 | 50.93 | 990 | 300 | 2.5 | 0.68 | 0.96 | 100 | 1.01 | 6.73 |
| 2/28/2008 | NP | | 58.70 | 3.00 | 25.00 | 5.14 | 53.56 | 2,100 | 670 | <5.0 | <5.0 | <5.0 | 220 | 1.67 | 7.09 |
| 5/23/2008 | -- | j | 58.70 | 3.00 | 25.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| A-9 | | | | | | | | | | | | | | | |
| 6/21/2000 | -- | | 53.04 | 5.00 | 40.00 | 8.56 | 44.48 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | 5 | -- | -- |
| 9/20/2000 | -- | | 53.04 | 5.00 | 40.00 | 9.05 | 43.99 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 12/26/2000 | -- | | 53.04 | 5.00 | 40.00 | 8.49 | 44.55 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 3/20/2001 | -- | | 53.04 | 5.00 | 40.00 | 6.95 | 46.09 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 6/12/2001 | -- | | 53.04 | 5.00 | 40.00 | 8.67 | 44.37 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 4.8 | -- | -- |
| 9/23/2001 | -- | | 53.04 | 5.00 | 40.00 | 9.21 | 43.83 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 12/31/2001 | -- | | 53.04 | 5.00 | 40.00 | 4.57 | 48.47 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 3/21/2002 | -- | | 53.04 | 5.00 | 40.00 | 5.60 | 47.44 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #4931, 731 West MacArthur Blvd., Oakland, CA

| Well and Sample Date | P/NP | Comments | TOC (feet msl) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet bgs) | Water Level Elevation (feet msl) | Concentrations in (µg/L) | | | | | | DO (mg/L) | pH |
|----------------------|------|----------|----------------|------------------------|---------------------------|----------------|----------------------------------|--------------------------|---------|---------|---------------|---------------|-------|-----------|------|
| | | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | |
| A-9 Cont. | | | | | | | | | | | | | | | |
| 4/17/2002 | -- | | 53.04 | 5.00 | 40.00 | 6.89 | 46.15 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 8/12/2002 | P | | 53.04 | 5.00 | 40.00 | 8.71 | 44.33 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | 4 | 7.6 |
| 12/6/2002 | P | | 53.04 | 5.00 | 40.00 | 8.77 | 44.27 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | 1.1 | 6.7 |
| 1/30/2003 | P | | 53.04 | 5.00 | 40.00 | 6.88 | 46.16 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.1 | 0.9 | 6.8 |
| 5/28/2003 | -- | | 53.04 | 5.00 | 40.00 | 9.75 | 43.29 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.74 | 1.9 | 6.8 |
| 8/6/2003 | -- | | 53.04 | 5.00 | 40.00 | 9.00 | 44.04 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.8 | 2.2 | 6.7 |
| 11/14/2003 | -- | d | 53.04 | 5.00 | 40.00 | 8.82 | 44.22 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2004 | -- | d, g | 57.73 | 5.00 | 40.00 | 7.10 | 50.63 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/04/2004 | -- | | 57.73 | 5.00 | 40.00 | 8.12 | 49.61 | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/02/2004 | P | | 57.73 | 5.00 | 40.00 | 8.78 | 48.95 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 6.6 | 6.5 |
| 11/10/2004 | -- | | 57.73 | 5.00 | 40.00 | 7.88 | 49.85 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2005 | -- | | 57.73 | 5.00 | 40.00 | 6.40 | 51.33 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/09/2005 | -- | | 57.73 | 5.00 | 40.00 | 6.82 | 50.91 | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/2005 | P | | 57.73 | 5.00 | 40.00 | 8.37 | 49.36 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.5 | 1.8 | 6.7 |
| 11/18/2005 | -- | | 57.73 | 5.00 | 40.00 | 8.24 | 49.49 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/15/2006 | -- | | 57.73 | 5.00 | 40.00 | 6.38 | 51.35 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/30/2006 | -- | | 57.73 | 5.00 | 40.00 | 7.17 | 50.56 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/11/2006 | P | | 57.73 | 5.00 | 40.00 | 8.20 | 49.53 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.6 | 1.02 | 6.6 |
| 11/1/2006 | -- | | 57.73 | 5.00 | 40.00 | 8.90 | 48.83 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/7/2007 | -- | | 57.73 | 5.00 | 40.00 | 7.83 | 49.90 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/9/2007 | -- | | 57.73 | 5.00 | 40.00 | 6.92 | 50.81 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/7/2007 | NP | | 57.73 | 5.00 | 40.00 | 8.58 | 49.15 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.64 | 1.81 | 6.90 |
| 11/14/2007 | -- | | 57.73 | 5.00 | 40.00 | 7.77 | 49.96 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/28/2008 | -- | | 57.73 | 5.00 | 40.00 | 5.61 | 52.12 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/23/2008 | -- | j | 57.73 | 5.00 | 40.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| A-10 | | | | | | | | | | | | | | | |
| 6/21/2000 | -- | | 54.26 | 5.00 | 30.00 | 10.47 | 43.79 | -- | -- | -- | -- | -- | -- | -- | -- |
| 9/20/2000 | -- | | 54.26 | 5.00 | 30.00 | 10.76 | 43.50 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/26/2000 | -- | | 54.26 | 5.00 | 30.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/20/2001 | -- | | 54.26 | 5.00 | 30.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #4931, 731 West MacArthur Blvd., Oakland, CA

| Well and Sample Date | P/NP | Comments | TOC (feet msl) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet bgs) | Water Level Elevation (feet msl) | Concentrations in (µg/L) | | | | | DO (mg/L) | pH | |
|----------------------|------|----------|----------------|------------------------|---------------------------|----------------|----------------------------------|--------------------------|---------|---------|---------------|---------------|-----------|------|------|
| | | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | | | MTBE |
| A-10 Cont. | | | | | | | | | | | | | | | |
| 9/23/2001 | -- | | 54.26 | 5.00 | 30.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/31/2001 | -- | | 54.26 | 5.00 | 30.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/21/2002 | -- | | 54.26 | 5.00 | 30.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 4/17/2002 | -- | | 54.26 | 5.00 | 30.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/12/2002 | -- | | 54.26 | 5.00 | 30.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/6/2002 | -- | | 54.26 | 5.00 | 30.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 1/30/2003 | -- | | 54.26 | 5.00 | 30.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/28/2003 | -- | | 54.26 | 5.00 | 30.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/6/2003 | -- | | 54.26 | 5.00 | 30.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/14/2003 | -- | | 54.26 | 5.00 | 30.00 | 10.37 | 43.89 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2004 | -- | g | 59.39 | 5.00 | 30.00 | 7.97 | 51.42 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/04/2004 | -- | | 59.39 | 5.00 | 30.00 | 8.69 | 50.70 | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/02/2004 | P | | 59.39 | 5.00 | 30.00 | 10.55 | 48.84 | <500 | <5.0 | <5.0 | <5.0 | <5.0 | 270 | 0.8 | 6.6 |
| 11/10/2004 | -- | | 59.39 | 5.00 | 30.00 | 9.16 | 50.23 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2005 | -- | | 59.39 | 5.00 | 30.00 | 7.90 | 51.49 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/09/2005 | -- | | 59.39 | 5.00 | 30.00 | 8.21 | 51.18 | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/2005 | P | h, i | 59.39 | 5.00 | 30.00 | 10.02 | 49.37 | 69 | <0.50 | <0.50 | <0.50 | <0.50 | 97 | 0.9 | 6.6 |
| 11/18/2005 | -- | | 59.39 | 5.00 | 30.00 | 9.86 | 49.53 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/15/2006 | -- | | 59.39 | 5.00 | 30.00 | 7.53 | 51.86 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/30/2006 | -- | | 59.39 | 5.00 | 30.00 | 8.82 | 50.57 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/11/2006 | P | | 59.39 | 5.00 | 30.00 | 9.88 | 49.51 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 46 | 1.3 | 6.8 |
| 11/1/2006 | -- | | 59.39 | 5.00 | 30.00 | 10.28 | 49.11 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/7/2007 | -- | | 59.39 | 5.00 | 30.00 | 9.50 | 49.89 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/9/2007 | -- | | 59.39 | 5.00 | 30.00 | 8.67 | 50.72 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/7/2007 | NP | | 59.39 | 5.00 | 30.00 | 10.25 | 49.14 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 8.9 | 0.59 | 6.89 |
| 11/14/2007 | -- | | 59.39 | 5.00 | 30.00 | 9.48 | 49.91 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/28/2008 | -- | | 59.39 | 5.00 | 30.00 | 7.23 | 52.16 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/23/2008 | -- | | 59.39 | 5.00 | 30.00 | 9.94 | 49.45 | -- | -- | -- | -- | -- | -- | -- | -- |
| A-11 | | | | | | | | | | | | | | | |
| 6/21/2000 | -- | | 53.74 | 5.00 | 30.00 | 9.54 | 44.20 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | 4 | -- | -- |

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #4931, 731 West MacArthur Blvd., Oakland, CA

| Well and Sample Date | P/NP | Comments | TOC (feet msl) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet bgs) | Water Level Elevation (feet msl) | Concentrations in (µg/L) | | | | | | DO (mg/L) | pH |
|----------------------|------|----------|----------------|------------------------|---------------------------|----------------|----------------------------------|--------------------------|---------|---------|---------------|---------------|-------|-----------|------|
| | | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | |
| A-11 Cont. | | | | | | | | | | | | | | | |
| 9/20/2000 | -- | | 53.74 | 5.00 | 30.00 | 10.62 | 43.12 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/26/2000 | -- | | 53.74 | 5.00 | 30.00 | 10.03 | 43.71 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 3/20/2001 | -- | | 53.74 | 5.00 | 30.00 | 8.49 | 45.25 | -- | -- | -- | -- | -- | -- | -- | -- |
| 6/12/2001 | -- | | 53.74 | 5.00 | 30.00 | 10.21 | 43.53 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 9/23/2001 | -- | | 53.74 | 5.00 | 30.00 | 10.77 | 42.97 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/31/2001 | -- | | 53.74 | 5.00 | 30.00 | 6.06 | 47.68 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 3/21/2002 | -- | | 53.74 | 5.00 | 30.00 | 7.14 | 46.60 | -- | -- | -- | -- | -- | -- | -- | -- |
| 4/17/2002 | -- | | 53.74 | 5.00 | 30.00 | 8.41 | 45.33 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 8/12/2002 | -- | | 53.74 | 5.00 | 30.00 | 10.25 | 43.49 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/6/2002 | P | | 53.74 | 5.00 | 30.00 | 10.43 | 43.31 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | 2.4 | 6.7 |
| 1/30/2003 | -- | | 53.74 | 5.00 | 30.00 | 8.42 | 45.32 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/28/2003 | -- | | 53.74 | 5.00 | 30.00 | 9.30 | 44.44 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.53 | 1.8 | 7 |
| 8/6/2003 | -- | | 53.74 | 5.00 | 30.00 | 10.28 | 43.46 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/14/2003 | -- | | 53.74 | 5.00 | 30.00 | 10.40 | 43.34 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2004 | -- | g | 59.16 | 5.00 | 30.00 | 7.95 | 51.21 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/04/2004 | -- | | 59.16 | 5.00 | 30.00 | 8.72 | 50.44 | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/02/2004 | P | | 59.16 | 5.00 | 30.00 | 10.44 | 48.72 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.6 | 6.6 |
| 11/10/2004 | -- | | 59.16 | 5.00 | 30.00 | 9.20 | 49.96 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2005 | -- | | 59.16 | 5.00 | 30.00 | 7.95 | 51.21 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/09/2005 | -- | | 59.16 | 5.00 | 30.00 | 8.07 | 51.09 | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/2005 | P | h | 59.16 | 5.00 | 30.00 | 9.87 | 49.29 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.8 | 6.7 |
| 11/18/2005 | -- | | 59.16 | 5.00 | 30.00 | 8.88 | 50.28 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/15/2006 | -- | | 59.16 | 5.00 | 30.00 | 7.90 | 51.26 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/30/2006 | -- | | 59.16 | 5.00 | 30.00 | 8.78 | 50.38 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/11/2006 | P | | 59.16 | 5.00 | 30.00 | 10.33 | 48.83 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.8 | 6.8 |
| 11/1/2006 | -- | | 59.16 | 5.00 | 30.00 | 10.10 | 49.06 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/7/2007 | -- | | 59.16 | 5.00 | 30.00 | 9.35 | 49.81 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/9/2007 | -- | | 59.16 | 5.00 | 30.00 | 8.48 | 50.68 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/7/2007 | NP | | 59.16 | 5.00 | 30.00 | 10.10 | 49.06 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.67 | 7.07 |
| 11/14/2007 | -- | | 59.16 | 5.00 | 30.00 | 9.31 | 49.85 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/28/2008 | -- | | 59.16 | 5.00 | 30.00 | 7.12 | 52.04 | -- | -- | -- | -- | -- | -- | -- | -- |

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #4931, 731 West MacArthur Blvd., Oakland, CA

| Well and Sample Date | P/NP | Comments | TOC (feet msl) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet bgs) | Water Level Elevation (feet msl) | Concentrations in (µg/L) | | | | | | DO (mg/L) | pH |
|----------------------|------|----------|----------------|------------------------|---------------------------|----------------|----------------------------------|--------------------------|---------|---------|---------------|---------------|------|-----------|-----|
| | | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | |
| A-11 Cont. | | | | | | | | | | | | | | | |
| 5/23/2008 | -- | | 59.16 | 5.00 | 30.00 | 9.77 | 49.39 | -- | -- | -- | -- | -- | -- | -- | -- |
| A-12 | | | | | | | | | | | | | | | |
| 6/21/2000 | -- | | 52.05 | 5.00 | 30.00 | 9.28 | 42.77 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | 18 | -- | -- |
| 9/20/2000 | -- | | 52.05 | 5.00 | 30.00 | 9.55 | 42.50 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/26/2000 | -- | | 52.05 | 5.00 | 30.00 | 9.05 | 43.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 17.3 | -- | -- |
| 3/20/2001 | -- | | 52.05 | 5.00 | 30.00 | 7.92 | 44.13 | -- | -- | -- | -- | -- | -- | -- | -- |
| 6/12/2001 | -- | | 52.05 | 5.00 | 30.00 | 9.26 | 42.79 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 25 | -- | -- |
| 9/23/2001 | -- | | 52.05 | 5.00 | 30.00 | 9.68 | 42.37 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/31/2001 | -- | | 52.05 | 5.00 | 30.00 | 5.74 | 46.31 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 9.5 | -- | -- |
| 3/21/2002 | -- | | 52.05 | 5.00 | 30.00 | 6.64 | 45.41 | -- | -- | -- | -- | -- | -- | -- | -- |
| 4/17/2002 | -- | | 52.05 | 5.00 | 30.00 | 7.68 | 44.37 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 29 | -- | -- |
| 8/12/2002 | -- | | 52.05 | 5.00 | 30.00 | 9.30 | 42.75 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/06/02 | P | c | 52.05 | 5.00 | 30.00 | 9.38 | 42.67 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 13 | 2.3 | 6.5 |
| 1/30/2003 | -- | | 52.05 | 5.00 | 30.00 | 7.87 | 44.18 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/28/2003 | -- | | 52.05 | 5.00 | 30.00 | 8.51 | 43.54 | 50 | <0.50 | <0.50 | <0.50 | <0.50 | 10 | 1.4 | 7 |
| 8/6/2003 | -- | | 52.05 | 5.00 | 30.00 | 9.28 | 42.77 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/14/2003 | -- | | 52.05 | 5.00 | 30.00 | 9.37 | 42.68 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2004 | P | g | 57.06 | 5.00 | 30.00 | 7.90 | 49.16 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.91 | 1.0 | 6.9 |
| 05/04/2004 | -- | | 57.06 | 5.00 | 30.00 | 8.74 | 48.32 | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/02/2004 | P | | 57.06 | 5.00 | 30.00 | 9.41 | 47.65 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 6.2 | 1.1 | 6.5 |
| 11/10/2004 | -- | | 57.06 | 5.00 | 30.00 | 8.32 | 48.74 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2005 | P | | 57.06 | 5.00 | 30.00 | 7.45 | 49.61 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 8.3 | 1.4 | 7.1 |
| 05/09/2005 | -- | | 57.06 | 5.00 | 30.00 | 7.57 | 49.49 | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/2005 | P | h | 57.06 | 5.00 | 30.00 | 9.05 | 48.01 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 5.4 | 0.9 | 6.4 |
| 11/18/2005 | -- | | 57.06 | 5.00 | 30.00 | 8.90 | 48.16 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/15/2006 | -- | | 57.06 | 5.00 | 30.00 | 7.47 | 49.59 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/30/2006 | -- | | 57.06 | 5.00 | 30.00 | 8.21 | 48.85 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/11/2006 | P | | 57.06 | 5.00 | 30.00 | 8.85 | 48.21 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 7.4 | 1.8 | 6.9 |
| 11/1/2006 | -- | | 57.06 | 5.00 | 30.00 | 9.17 | 47.89 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/7/2007 | -- | | 57.06 | 5.00 | 30.00 | 8.58 | 48.48 | -- | -- | -- | -- | -- | -- | -- | -- |

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #4931, 731 West MacArthur Blvd., Oakland, CA

| Well and Sample Date | P/NP | Comments | TOC (feet msl) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet bgs) | Water Level Elevation (feet msl) | Concentrations in (µg/L) | | | | | | DO (mg/L) | pH |
|----------------------|-----------|----------|----------------|------------------------|---------------------------|----------------|----------------------------------|--------------------------|-----------|-----------|---------------|---------------|-----------|-----------|-----------|
| | | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | |
| A-12 Cont. | | | | | | | | | | | | | | | |
| 5/9/2007 | -- | | 57.06 | 5.00 | 30.00 | 7.93 | 49.13 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/7/2007 | NP | | 57.06 | 5.00 | 30.00 | 9.20 | 47.86 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.49 | 7.34 |
| 11/14/2007 | -- | | 57.06 | 5.00 | 30.00 | 8.52 | 48.54 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/28/2008 | -- | | 57.06 | 5.00 | 30.00 | 7.04 | 50.02 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/23/2008 | -- | | 57.06 | 5.00 | 30.00 | 9.00 | 48.06 | -- | -- | -- | -- | -- | -- | -- | -- |
| A-13 | | | | | | | | | | | | | | | |
| 6/21/2000 | -- | | 55.11 | 10.00 | 10.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9/20/2000 | -- | | 55.11 | 10.00 | 10.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/26/2000 | -- | | 55.11 | 10.00 | 10.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/20/2001 | -- | | 55.11 | 10.00 | 10.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 6/12/2001 | -- | | 55.11 | 10.00 | 10.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9/23/2001 | -- | | 55.11 | 10.00 | 10.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/31/2001 | -- | | 55.11 | 10.00 | 10.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/21/2002 | -- | | 55.11 | 10.00 | 10.00 | 6.70 | 48.41 | -- | -- | -- | -- | -- | -- | -- | -- |
| 4/17/2002 | -- | | 55.11 | 10.00 | 10.00 | 7.95 | 47.16 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 8/12/2002 | -- | | 55.11 | 10.00 | 10.00 | 10.11 | 45.00 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/6/2002 | -- | | 55.11 | 10.00 | 10.00 | 10.26 | 44.85 | -- | -- | -- | -- | -- | -- | -- | -- |
| 1/30/2003 | -- | | 55.11 | 10.00 | 10.00 | 7.81 | 47.30 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/28/2003 | -- | | 55.11 | 10.00 | 10.00 | 9.06 | 46.05 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.9 | 6.5 |
| 8/6/2003 | -- | | 55.11 | 10.00 | 10.00 | 10.22 | 44.89 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/14/2003 | -- | | 55.11 | 10.00 | 10.00 | 10.27 | 44.84 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2004 | -- | g | 60.26 | 10.00 | 10.00 | 7.92 | 52.34 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/04/2004 | -- | | 60.26 | 10.00 | 10.00 | 10.06 | 50.20 | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/02/2004 | P | | 60.26 | 10.00 | 10.00 | 10.34 | 49.92 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.0 | 6.6 |
| 11/10/2004 | -- | | 60.26 | 10.00 | 10.00 | 8.95 | 51.31 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2005 | -- | | 60.26 | 10.00 | 10.00 | 7.28 | 52.98 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/09/2005 | -- | | 60.26 | 10.00 | 10.00 | 7.85 | 52.41 | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/2005 | -- | | 60.26 | 10.00 | 10.00 | 9.70 | 50.56 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/18/2005 | -- | | 60.26 | 10.00 | 10.00 | 9.27 | 50.99 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/15/2006 | -- | | 60.26 | 10.00 | 10.00 | 7.24 | 53.02 | -- | -- | -- | -- | -- | -- | -- | -- |

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #4931, 731 West MacArthur Blvd., Oakland, CA

| Well and Sample Date | P/NP | Comments | TOC (feet msl) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet bgs) | Water Level Elevation (feet msl) | Concentrations in (µg/L) | | | | | | DO (mg/L) | pH |
|----------------------|-----------|----------|----------------|------------------------|---------------------------|----------------|----------------------------------|--------------------------|-----------|-----------|---------------|---------------|-----------|-----------|-----------|
| | | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | |
| A-13 Cont. | | | | | | | | | | | | | | | |
| 5/30/2006 | -- | | 60.26 | 10.00 | 10.00 | 8.38 | 51.88 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/11/2006 | -- | | 60.26 | 10.00 | 10.00 | 9.55 | 50.71 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/1/2006 | -- | | 60.26 | 10.00 | 10.00 | 9.98 | 50.28 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/7/2007 | -- | | 60.26 | 10.00 | 10.00 | 9.07 | 51.19 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/9/2007 | -- | | 60.26 | 10.00 | 10.00 | 8.15 | 52.11 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/7/2007 | -- | | 60.26 | 10.00 | 10.00 | 10.05 | 50.21 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/14/2007 | -- | | 60.26 | 10.00 | 10.00 | 9.20 | 51.06 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/28/2008 | -- | | 60.26 | 10.00 | 10.00 | 6.82 | 53.44 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/23/2008 | -- | | 60.26 | 10.00 | 10.00 | 9.67 | 50.59 | -- | -- | -- | -- | -- | -- | -- | -- |
| AR-1 | | | | | | | | | | | | | | | |
| 6/21/2000 | -- | | 54.72 | 10.00 | 30.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9/20/2000 | -- | | 54.72 | 10.00 | 30.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/26/2000 | -- | | 54.72 | 10.00 | 30.00 | 9.95 | 44.77 | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/20/2001 | -- | | 54.72 | 10.00 | 30.00 | 8.34 | 46.38 | -- | -- | -- | -- | -- | -- | -- | -- |
| 6/12/2001 | -- | | 54.72 | 10.00 | 30.00 | 10.17 | 44.55 | -- | -- | -- | -- | -- | -- | -- | -- |
| 9/23/2001 | -- | | 54.72 | 10.00 | 30.00 | 10.72 | 44.00 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/31/2001 | -- | | 54.72 | 10.00 | 30.00 | 5.91 | 48.81 | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/21/2002 | -- | | 54.72 | 10.00 | 30.00 | 7.00 | 47.72 | -- | -- | -- | -- | -- | -- | -- | -- |
| 4/17/2002 | -- | | 54.72 | 10.00 | 30.00 | 8.33 | 46.39 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/12/2002 | -- | | 54.72 | 10.00 | 30.00 | 10.18 | 44.54 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/6/2002 | -- | | 54.72 | 10.00 | 30.00 | 10.21 | 44.51 | -- | -- | -- | -- | -- | -- | -- | -- |
| 1/30/2003 | -- | | 54.72 | 10.00 | 30.00 | 8.22 | 46.50 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/28/2003 | -- | | 54.72 | 10.00 | 30.00 | 9.62 | 45.10 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/6/2003 | -- | | 54.72 | 10.00 | 30.00 | 10.47 | 44.25 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/14/2003 | -- | d | 54.72 | 10.00 | 30.00 | 10.40 | 44.32 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2004 | -- | d, g | 59.52 | 10.00 | 30.00 | 7.96 | 51.56 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/04/2004 | -- | d | 59.52 | 10.00 | 30.00 | 10.17 | 49.35 | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/02/2004 | -- | | 59.52 | 10.00 | 30.00 | 10.28 | 49.24 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/10/2004 | -- | | 59.52 | 10.00 | 30.00 | 9.15 | 50.37 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2005 | -- | | 59.52 | 10.00 | 30.00 | 7.80 | 51.72 | -- | -- | -- | -- | -- | -- | -- | -- |

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #4931, 731 West MacArthur Blvd., Oakland, CA

| Well and Sample Date | P/NP | Comments | TOC (feet msl) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet bgs) | Water Level Elevation (feet msl) | Concentrations in (µg/L) | | | | | | DO (mg/L) | pH |
|----------------------|------|----------|----------------|------------------------|---------------------------|----------------|----------------------------------|--------------------------|---------|---------|---------------|---------------|------|-----------|----|
| | | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | MTBE | | |
| AR-1 Cont. | | | | | | | | | | | | | | | |
| 05/09/2005 | -- | | 59.52 | 10.00 | 30.00 | 7.03 | 52.49 | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/2005 | -- | | 59.52 | 10.00 | 30.00 | 9.82 | 49.70 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/18/2005 | -- | | 59.52 | 10.00 | 30.00 | 9.83 | 49.69 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/15/2006 | -- | | 59.52 | 10.00 | 30.00 | 7.78 | 51.74 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/30/2006 | -- | | 59.52 | 10.00 | 30.00 | 8.65 | 50.87 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/11/2006 | -- | | 59.52 | 10.00 | 30.00 | 9.69 | 49.83 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/1/2006 | -- | | 59.52 | 10.00 | 30.00 | 10.07 | 49.45 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/7/2007 | -- | | 59.52 | 10.00 | 30.00 | 9.33 | 50.19 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/9/2007 | -- | | 59.52 | 10.00 | 30.00 | 8.45 | 51.07 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/7/2007 | -- | | 59.52 | 10.00 | 30.00 | 10.12 | 49.40 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/14/2007 | -- | | 59.52 | 10.00 | 30.00 | 9.31 | 50.21 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/28/2008 | -- | | 59.52 | 10.00 | 30.00 | 7.05 | 52.47 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/23/2008 | -- | j | 59.52 | 10.00 | 30.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| AR-2 | | | | | | | | | | | | | | | |
| 6/21/2000 | -- | | 54.77 | 8.00 | 28.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9/20/2000 | -- | | 54.77 | 8.00 | 28.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/26/2000 | -- | | 54.77 | 8.00 | 28.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/20/2001 | -- | | 54.77 | 8.00 | 28.00 | 3.13 | 51.64 | -- | -- | -- | -- | -- | -- | -- | -- |
| 6/12/2001 | -- | | 54.77 | 8.00 | 28.00 | 4.51 | 50.26 | -- | -- | -- | -- | -- | -- | -- | -- |
| 9/23/2001 | -- | | 54.77 | 8.00 | 28.00 | 6.05 | 48.72 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/31/2001 | -- | | 54.77 | 8.00 | 28.00 | 2.79 | 51.98 | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/21/2002 | -- | | 54.77 | 8.00 | 28.00 | 7.75 | 47.02 | -- | -- | -- | -- | -- | -- | -- | -- |
| 4/17/2002 | -- | | 54.77 | 8.00 | 28.00 | 2.24 | 52.53 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/12/2002 | -- | | 54.77 | 8.00 | 28.00 | 4.93 | 49.84 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/6/2002 | -- | | 54.77 | 8.00 | 28.00 | 6.09 | 48.68 | -- | -- | -- | -- | -- | -- | -- | -- |
| 1/30/2003 | -- | | 54.77 | 8.00 | 28.00 | 3.89 | 50.88 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/28/2003 | -- | | 54.77 | 8.00 | 28.00 | 3.33 | 51.44 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/6/2003 | -- | | 54.77 | 8.00 | 28.00 | 5.05 | 49.72 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/14/2003 | -- | | 54.77 | 8.00 | 28.00 | 6.01 | 48.76 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2004 | -- | g | 59.18 | 8.00 | 28.00 | 3.88 | 55.30 | -- | -- | -- | -- | -- | -- | -- | -- |

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #4931, 731 West MacArthur Blvd., Oakland, CA

| Well and Sample Date | P/NP | Comments | TOC (feet msl) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet bgs) | Water Level Elevation (feet msl) | Concentrations in (µg/L) | | | | | DO (mg/L) | pH | |
|----------------------|------|----------|----------------|------------------------|---------------------------|----------------|----------------------------------|--------------------------|---------|---------|---------------|---------------|-----------|----|------|
| | | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | | | MTBE |
| AR-2 Cont. | | | | | | | | | | | | | | | |
| 05/04/2004 | -- | | 59.18 | 8.00 | 28.00 | 6.01 | 53.17 | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/02/2004 | -- | | 59.18 | 8.00 | 28.00 | 5.65 | 53.53 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/10/2004 | -- | | 59.18 | 8.00 | 28.00 | 5.48 | 53.70 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2005 | -- | | 59.18 | 8.00 | 28.00 | 2.62 | 56.56 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/09/2005 | -- | | 59.18 | 8.00 | 28.00 | 2.84 | 56.34 | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/2005 | -- | | 59.18 | 8.00 | 28.00 | 4.33 | 54.85 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/18/2005 | -- | | 59.18 | 8.00 | 28.00 | 5.34 | 53.84 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/15/2006 | -- | | 59.18 | 8.00 | 28.00 | 2.49 | 56.69 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/30/2006 | -- | | 59.18 | 8.00 | 28.00 | 3.02 | 56.16 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/11/2006 | -- | | 59.18 | 8.00 | 28.00 | 4.32 | 54.86 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/1/2006 | -- | | 59.18 | 8.00 | 28.00 | 5.25 | 53.93 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/7/2007 | -- | | 59.18 | 8.00 | 28.00 | 4.64 | 54.54 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/9/2007 | -- | | 59.18 | 8.00 | 28.00 | 3.15 | 56.03 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/7/2007 | -- | | 59.18 | 8.00 | 28.00 | 4.55 | 54.63 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/14/2007 | -- | | 59.18 | 8.00 | 28.00 | 5.03 | 54.15 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/28/2008 | -- | | 59.18 | 8.00 | 28.00 | 1.82 | 57.36 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/23/2008 | -- | j | 59.18 | 8.00 | 28.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| AR-3 | | | | | | | | | | | | | | | |
| 6/21/2000 | -- | | 54.19 | 10.00 | 30.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9/20/2000 | -- | | 54.19 | 10.00 | 30.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/26/2000 | -- | | 54.19 | 10.00 | 30.00 | 9.70 | 44.49 | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/20/2001 | -- | | 54.19 | 10.00 | 30.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 6/12/2001 | -- | | 54.19 | 10.00 | 30.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9/23/2001 | -- | | 54.19 | 10.00 | 30.00 | 10.43 | 43.76 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/31/2001 | -- | | 54.19 | 10.00 | 30.00 | 5.18 | 49.01 | -- | -- | -- | -- | -- | -- | -- | -- |
| 3/21/2002 | -- | | 54.19 | 10.00 | 30.00 | 6.78 | 47.41 | -- | -- | -- | -- | -- | -- | -- | -- |
| 4/17/2002 | -- | | 54.19 | 10.00 | 30.00 | 8.06 | 46.13 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/12/2002 | -- | | 54.19 | 10.00 | 30.00 | 9.94 | 44.25 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/6/2002 | -- | | 54.19 | 10.00 | 30.00 | 9.99 | 44.20 | -- | -- | -- | -- | -- | -- | -- | -- |
| 1/30/2003 | -- | | 54.19 | 10.00 | 30.00 | 7.96 | 46.23 | -- | -- | -- | -- | -- | -- | -- | -- |

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #4931, 731 West MacArthur Blvd., Oakland, CA

| Well and Sample Date | P/NP | Comments | TOC (feet msl) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet bgs) | Water Level Elevation (feet msl) | Concentrations in (µg/L) | | | | | DO (mg/L) | pH | |
|----------------------|------|----------|----------------|------------------------|---------------------------|----------------|----------------------------------|--------------------------|---------|---------|---------------|---------------|-----------|----|------|
| | | | | | | | | GRO/TPHg | Benzene | Toluene | Ethyl-Benzene | Total Xylenes | | | MTBE |
| AR-3 Cont. | | | | | | | | | | | | | | | |
| 5/28/2003 | -- | | 54.19 | 10.00 | 30.00 | 8.94 | 45.25 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/6/2003 | -- | | 54.19 | 10.00 | 30.00 | 9.94 | 44.25 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/14/2003 | -- | | 54.19 | 10.00 | 30.00 | 10.03 | 44.16 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2004 | -- | g | 59.10 | 10.00 | 30.00 | 6.90 | 52.20 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/04/2004 | -- | | 59.10 | 10.00 | 30.00 | 9.12 | 49.98 | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/02/2004 | -- | | 59.10 | 10.00 | 30.00 | 10.15 | 48.95 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/10/2004 | -- | | 59.10 | 10.00 | 30.00 | 8.79 | 50.31 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/02/2005 | -- | | 59.10 | 10.00 | 30.00 | 7.30 | 51.80 | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/09/2005 | -- | | 59.10 | 10.00 | 30.00 | 7.71 | 51.39 | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/2005 | -- | | 59.10 | 10.00 | 30.00 | 9.54 | 49.56 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/18/2005 | -- | | 59.10 | 10.00 | 30.00 | 9.43 | 49.67 | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/15/2006 | -- | | 59.10 | 10.00 | 30.00 | 7.50 | 51.60 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/30/2006 | -- | | 59.10 | 10.00 | 30.00 | 8.82 | 50.28 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/11/2006 | -- | | 59.10 | 10.00 | 30.00 | 9.38 | 49.72 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/1/2006 | -- | | 59.10 | 10.00 | 30.00 | 9.75 | 49.35 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/7/2007 | -- | | 59.10 | 10.00 | 30.00 | 9.00 | 50.10 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/9/2007 | -- | | 59.10 | 10.00 | 30.00 | 8.12 | 50.98 | -- | -- | -- | -- | -- | -- | -- | -- |
| 8/7/2007 | -- | | 59.10 | 10.00 | 30.00 | 9.75 | 49.35 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/14/2007 | -- | | 59.10 | 10.00 | 30.00 | 8.91 | 50.19 | -- | -- | -- | -- | -- | -- | -- | -- |
| 2/28/2008 | -- | | 59.10 | 10.00 | 30.00 | 6.73 | 52.37 | -- | -- | -- | -- | -- | -- | -- | -- |
| 5/23/2008 | -- | j | 59.10 | 10.00 | 30.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

SYMBOLS AND ABBREVIATIONS:

-- = Not analyzed/applicable/measured/available
< = Not detected at or above laboratory reporting limit
DO = Dissolved oxygen
DTW = Depth to water in ft bgs
ft bgs = feet below ground surface
ft MSL = feet above mean sea level
GRO = Gasoline range organics
GWE = Groundwater elevation measured in ft MSL
mg/L = Milligrams per liter
MTBE = Methyl tert butyl ether
NP = Not purged prior to sampling
P = Purged prior to sampling
TOC = Top of casing measured in ft MSL
TPH-g = Total petroleum hydrocarbons as gasoline
µg/L = Micrograms per liter
BTEX = Benzene, toluene, ethylbenzene and xylenes

FOOTNOTES:

a = Hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel for GRO/TPH-g.
b = The concentration indicated for this analyte (MTBE) was an estimated value above the calibration range of the instrument.
c = This sample was analyzed beyond the EPA recommended holding time. The results may still be useful for their intended purpose.
d = ORC sock in well.
e = Well inaccessible; well paved over.
f = Sheen in well.
g = Well surveyed to NAVD '88 datum on January 28, 2004.
h = Possible low bias due to CCV falling outside acceptance criteria for GRO.
i = Hydrocarbon result partly due to individual peak(s) in quantitative range for GRO.
j = Well inaccessible.

NOTES:

Top and bottom of screen measurements for wells A-2 through A-5 were estimated from the EMCON sampling sheet.

Beginning in the first quarter 2003 (1/30/2003), groundwater samples were analyzed by EPA method 8260B for TPH-g, BTEX, and fuel oxygenates. Prior to 1/30/03, TPH-g was analyzed using EPA Method 8015B modified and MTBE by 8021B unless otherwise noted.

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential of non-TPHg analytes within the requested fuel range resulting in a higher concentration being reported.

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12.

Values for DO and pH were obtained through field measurements.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

**Table 2. Summary of Fuel Additives Analytical Data
Station #4931, 731 West MacArthur Blvd., Oakland, CA**

| Well and Sample Date | Concentrations in (µg/L) | | | | | | | | Comments |
|----------------------|--------------------------|--------|-------|-------|-------|-------|---------|-------|----------|
| | Ethanol | TBA | MTBE | DIPE | ETBE | TAME | 1,2-DCA | EDB | |
| A-2 | | | | | | | | | |
| 1/30/2003 | <40 | <20 | -- | <0.50 | <0.50 | <0.50 | -- | -- | a |
| 5/28/2003 | <100 | <20 | 1.1 | <0.50 | <0.50 | <0.50 | -- | -- | |
| 8/6/2003 | <100 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 09/02/2004 | <100 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 08/11/2005 | <100 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/11/2006 | <300 | <20 | 3.6 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/7/2007 | <300 | <20 | 3.4 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | b |
| A-3 | | | | | | | | | |
| 5/28/2003 | <100 | <20 | 43 | <0.50 | <0.50 | 24 | -- | -- | |
| 02/02/2004 | <100 | <20 | 13 | <0.50 | <0.50 | 4.6 | <0.50 | <0.50 | |
| 09/02/2004 | <500 | <100 | 62 | <2.5 | <2.5 | 15 | <2.5 | <2.5 | |
| 02/02/2005 | <100 | <20 | 6.8 | <0.50 | <0.50 | 2.4 | <0.50 | <0.50 | b |
| 08/11/2005 | <100 | <20 | 39 | <0.50 | <0.50 | 4.2 | <0.50 | <0.50 | |
| 02/15/2006 | <300 | <20 | 2.2 | <0.50 | <0.50 | 0.58 | <0.50 | <0.50 | |
| 8/11/2006 | <300 | <20 | 4.1 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 2/7/2007 | <300 | <20 | 0.58 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/7/2007 | <300 | <20 | 3.9 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | b |
| 2/28/2008 | <300 | <10 | 0.58 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| A-4 | | | | | | | | | |
| 1/30/2003 | <4,000 | <2,000 | 2,100 | <50 | <50 | 530 | -- | -- | a |
| 5/28/2003 | <10,000 | <2,000 | 2,500 | <50 | <50 | 590 | -- | -- | |
| 8/6/2003 | <5,000 | <1,000 | 2,500 | <25 | <25 | 560 | <25 | <25 | |
| 11/14/2003 | <1,000 | 320 | 310 | <5.0 | <5.0 | 76 | -- | -- | |
| 02/02/2004 | <5,000 | <1,000 | 1,500 | <25 | <25 | 350 | <25 | <25 | |
| 05/04/2004 | <10,000 | <2,000 | 2,300 | <50 | <50 | 510 | <50 | <50 | |
| 09/02/2004 | <5,000 | 1,200 | 1,200 | <25 | <25 | 280 | <25 | <25 | |
| 11/10/2004 | <2,000 | 910 | 1,100 | <10 | <10 | 270 | <10 | <10 | |
| 02/02/2005 | <2,000 | 2,100 | 1,700 | <10 | <10 | 430 | <10 | <10 | b |
| 05/09/2005 | <10,000 | 2,000 | 1,800 | <50 | <50 | 460 | <50 | <50 | |
| 08/11/2005 | <2,000 | 2,400 | 1,200 | <10 | <10 | 310 | <10 | <10 | |

**Table 2. Summary of Fuel Additives Analytical Data
Station #4931, 731 West MacArthur Blvd., Oakland, CA**

| Well and Sample Date | Concentrations in (µg/L) | | | | | | | | Comments |
|----------------------|--------------------------|--------------|--------------|---------------|---------------|------------|---------------|---------------|-------------------|
| | Ethanol | TBA | MTBE | DIPE | ETBE | TAME | 1,2-DCA | EDB | |
| A-4 Cont. | | | | | | | | | |
| 11/18/2005 | <500 | 1,400 | 310 | <2.5 | <2.5 | 98 | <2.5 | <2.5 | b |
| 02/15/2006 | <1,500 | 2,700 | 910 | <2.5 | <2.5 | 270 | <2.5 | <2.5 | |
| 5/30/2006 | <6,000 | 3,000 | 1,200 | <10 | <10 | 340 | <10 | <10 | |
| 8/11/2006 | <6,000 | 3,200 | 1,200 | <10 | <10 | 350 | <10 | <10 | |
| 11/1/2006 | <6,000 | 1,700 | 360 | <10 | <10 | 95 | <10 | -- | b |
| 2/7/2007 | <6,000 | 3,000 | 1,500 | <10 | <10 | 460 | <10 | <10 | |
| 5/9/2007 | <6,000 | 2,200 | 340 | <10 | <10 | 91 | <10 | <10 | |
| 8/7/2007 | <3,000 | 1,800 | 510 | <5.0 | <5.0 | 140 | <5.0 | <5.0 | b |
| 11/14/2007 | <300 | 600 | 280 | <0.50 | <0.50 | 90 | <0.50 | <0.50 | |
| 2/28/2008 | <300 | 1,600 | 350 | <0.50 | <0.50 | 73 | <0.50 | <0.50 | |
| 5/23/2008 | <12,000 | 2,500 | 1,000 | <20 | <20 | 270 | <20 | <20 | |
| A-5 | | | | | | | | | |
| 5/28/2003 | <10,000 | <2,000 | 1,500 | <50 | <50 | 620 | -- | -- | |
| 02/02/2004 | <500 | 170 | 140 | <2.5 | <2.5 | 54 | <2.5 | <2.5 | |
| 09/02/2004 | <500 | 150 | 66 | <2.5 | <2.5 | 29 | <2.5 | <2.5 | |
| 02/02/2005 | <100 | 840 | 17 | <0.50 | <0.50 | 7.6 | <0.50 | <0.50 | |
| 08/11/2005 | <100 | 530 | 6.8 | <0.50 | <0.50 | 7.1 | <0.50 | <0.50 | |
| 02/15/2006 | <300 | 460 | 5.1 | <0.50 | <0.50 | 4.2 | <0.50 | <0.50 | |
| 8/11/2006 | <300 | 1,100 | 12 | <0.50 | <0.50 | 5.0 | <0.50 | <0.50 | |
| 2/7/2007 | <300 | 600 | 1.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/7/2007 | <300 | 79 | 0.81 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | b |
| 2/28/2008 | <300 | 230 | 0.97 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| A-6 | | | | | | | | | |
| 11/14/2003 | -- | -- | -- | -- | -- | -- | -- | -- | Well inaccessible |
| 02/02/2004 | -- | -- | -- | -- | -- | -- | -- | -- | Well inaccessible |
| 05/04/2004 | -- | -- | -- | -- | -- | -- | -- | -- | Well inaccessible |
| 09/02/2004 | -- | -- | -- | -- | -- | -- | -- | -- | Well inaccessible |
| 11/10/2004 | -- | -- | -- | -- | -- | -- | -- | -- | Well inaccessible |
| 8/11/2005 | -- | -- | -- | -- | -- | -- | -- | -- | Well inaccessible |
| 8/11/2006 | -- | -- | -- | -- | -- | -- | -- | -- | Well inaccessible |

**Table 2. Summary of Fuel Additives Analytical Data
Station #4931, 731 West MacArthur Blvd., Oakland, CA**

| Well and Sample Date | Concentrations in (µg/L) | | | | | | | | Comments |
|----------------------|--------------------------|--------|-------|-------|-------|-------|---------|-------|----------|
| | Ethanol | TBA | MTBE | DIPE | ETBE | TAME | 1,2-DCA | EDB | |
| A-7 | | | | | | | | | |
| 5/28/2003 | <100 | <20 | 3.8 | <0.50 | <0.50 | 0.94 | -- | -- | |
| 09/02/2004 | <100 | <20 | 8.9 | <0.50 | <0.50 | 3.0 | <0.50 | <0.50 | |
| 08/11/2005 | <100 | <20 | 18 | <0.50 | <0.50 | 4.4 | <0.50 | <0.50 | |
| 8/11/2006 | <300 | <20 | 3.6 | <0.50 | <0.50 | 0.91 | 0.54 | <0.50 | |
| 8/7/2007 | <300 | <20 | 2.7 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | b |
| A-8 | | | | | | | | | |
| 1/30/2003 | <8,000 | <4,000 | 2,200 | <100 | <100 | 900 | -- | -- | a |
| 5/28/2003 | <10,000 | <2,000 | 2,100 | <50 | <50 | 1,100 | -- | -- | |
| 8/6/2003 | <10,000 | <2,000 | 3,000 | <50 | <50 | 1,200 | <50 | <50 | |
| 11/14/2003 | <1,000 | <200 | 850 | <5.0 | <5.0 | 320 | -- | -- | |
| 02/02/2004 | <5,000 | <1,000 | 1,100 | <25 | <25 | 380 | <25 | <25 | |
| 05/04/2004 | <10,000 | <2,000 | 1,600 | <50 | <50 | 440 | <50 | <50 | |
| 09/02/2004 | <5,000 | <1,000 | 680 | <25 | <25 | 170 | <25 | <25 | |
| 11/10/2004 | <500 | <100 | 290 | <2.5 | <2.5 | 66 | <2.5 | <2.5 | |
| 02/02/2005 | <5,000 | <1,000 | 1,900 | <25 | <25 | 510 | <25 | <25 | b |
| 05/09/2005 | <100 | <20 | 66 | <0.50 | <0.50 | 2.9 | <0.50 | <0.50 | |
| 08/11/2005 | <2,500 | <500 | 1,100 | <12 | <12 | 310 | <12 | <12 | |
| 11/18/2005 | <1,000 | <200 | 340 | <5.0 | <5.0 | 120 | <5.0 | <5.0 | b |
| 02/15/2006 | <6,000 | 880 | 1,100 | <10 | <10 | 330 | <10 | <10 | |
| 5/30/2006 | <1,500 | <100 | 140 | <2.5 | <2.5 | 43 | <2.5 | <2.5 | |
| 8/11/2006 | <3,000 | <200 | 290 | <5.0 | <5.0 | 92 | <5.0 | <5.0 | |
| 11/1/2006 | <3,000 | 1,200 | 910 | <5.0 | <5.0 | 250 | <5.0 | <5.0 | |
| 2/7/2007 | <15,000 | <1,000 | 1,200 | <25 | <25 | 330 | <25 | <25 | |
| 5/9/2007 | <1,500 | <100 | 55 | <2.5 | <2.5 | 16 | <2.5 | <2.5 | |
| 8/7/2007 | <1,500 | 140 | 430 | <2.5 | <2.5 | 160 | <2.5 | <2.5 | b |
| 11/14/2007 | <300 | 28 | 100 | <0.50 | <0.50 | 44 | <0.50 | <0.50 | |
| 2/28/2008 | <3,000 | 230 | 220 | <5.0 | <5.0 | 72 | <5.0 | <5.0 | |
| 5/23/2008 | -- | -- | -- | -- | -- | -- | -- | -- | c |
| A-9 | | | | | | | | | |
| 1/30/2003 | <40 | <20 | 1.1 | <0.50 | <0.50 | <0.50 | -- | -- | |

**Table 2. Summary of Fuel Additives Analytical Data
Station #4931, 731 West MacArthur Blvd., Oakland, CA**

| Well and Sample Date | Concentrations in (µg/L) | | | | | | | | Comments |
|----------------------|--------------------------|------|-------|-------|-------|-------|---------|-------|----------|
| | Ethanol | TBA | MTBE | DIPE | ETBE | TAME | 1,2-DCA | EDB | |
| A-9 Cont. | | | | | | | | | |
| 5/28/2003 | <100 | <20 | 0.74 | <0.50 | <0.50 | <0.50 | -- | -- | |
| 8/6/2003 | <100 | <20 | 1.8 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 09/02/2004 | <100 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 08/11/2005 | <100 | <20 | 1.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/11/2006 | <300 | <20 | 1.6 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/7/2007 | <300 | <20 | 0.64 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | b |
| A-10 | | | | | | | | | |
| 09/02/2004 | <1,000 | <200 | 270 | <5.0 | <5.0 | 44 | <5.0 | <5.0 | |
| 08/11/2005 | <100 | <20 | 97 | <0.50 | <0.50 | 14 | <0.50 | <0.50 | |
| 8/11/2006 | <300 | <20 | 46 | <0.50 | <0.50 | 7.3 | <0.50 | <0.50 | |
| 8/7/2007 | <300 | <20 | 8.9 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | b |
| A-11 | | | | | | | | | |
| 5/28/2003 | <100 | <20 | 0.53 | <0.50 | <0.50 | <0.50 | -- | -- | |
| 09/02/2004 | <100 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 08/11/2005 | <100 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/11/2006 | <300 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 8/7/2007 | <300 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | b |
| A-12 | | | | | | | | | |
| 5/28/2003 | <100 | <20 | 10 | <0.50 | <0.50 | 2.5 | -- | -- | |
| 02/02/2004 | <100 | <20 | 0.91 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| 09/02/2004 | <100 | <20 | 6.2 | <0.50 | <0.50 | 1.7 | <0.50 | <0.50 | |
| 02/02/2005 | <100 | <20 | 8.3 | <0.50 | <0.50 | 2.2 | <0.50 | <0.50 | b |
| 08/11/2005 | <100 | <20 | 5.4 | <0.50 | <0.50 | 1.1 | <0.50 | <0.50 | |
| 8/11/2006 | <300 | <20 | 7.4 | <0.50 | <0.50 | 2.5 | <0.50 | <0.50 | |
| 8/7/2007 | <300 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | b |
| A-13 | | | | | | | | | |
| 5/28/2003 | <100 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | |
| 09/02/2004 | <100 | <20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| AR-1 | | | | | | | | | |

**Table 2. Summary of Fuel Additives Analytical Data
Station #4931, 731 West MacArthur Blvd., Oakland, CA**

| Well and Sample Date | Concentrations in (µg/L) | | | | | | | | Comments |
|-------------------------|--------------------------|-----|------|------|------|------|---------|-----|----------|
| | Ethanol | TBA | MTBE | DIPE | ETBE | TAME | 1,2-DCA | EDB | |
| AR-2 | | | | | | | | | |
| AR-3 | | | | | | | | | |

ABBREVIATIONS:

-- = Not analyzed/applicable/measured/available

< = Not detected at or above the laboratory reporting limit

1,2-DCA = 1,2-Dichloroethane

DIPE = Di-isopropyl ether

EDB = 1,2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

µg/L = Micrograms per Liter

FOOTNOTES:

a = The result for TBA was reported with a possible high bias due to the continuing calibration verification falling outside acceptance criteria.

b = The calibration verification for ethanol was within the method limits but outside the contract limits.

c = Well Inaccessible.

NOTES:

All volatile organic compounds analyzed using EPA Method 8260B.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

**Table 3. Historical Ground-Water Flow Direction and Gradient
Station #4931, 731 West MacArthur Blvd., Oakland, CA**

| Date Sampled | Approximate Flow Direction | Approximate Hydraulic Gradient |
|---------------------|-----------------------------------|---------------------------------------|
| 6/21/2000 | West-Southwest | 0.031 |
| 9/20/2000 | Southwest | 0.013 |
| 12/26/2000 | West | 0.028 |
| 3/20/2001 | West | 0.046 |
| 6/12/2001 | West | 0.014 |
| 9/23/2001 | West | 0.012 |
| 12/31/2001 | West | 0.024 |
| 3/21/2002 | West | 0.047 |
| 4/17/2002 | West | 0.03 |
| 8/12/2002 | West | 0.016 |
| 12/6/2002 | West | 0.015 |
| 1/30/2003 | West | Variable |
| 5/28/2003 | West | 0.022 a |
| 8/6/2003 | West-Southwest | 0.018 |
| 11/14/2003 | West | 0.02 |
| 2/2/2004 | West | 0.04 |
| 5/4/2004 | West to North | 0.025 to 0.033 |
| 9/2/2004 | West | 0.033 |
| 11/10/2004 | West | 0.031 |
| 2/2/2005 | West-Southwest | 0.04 |
| 5/9/2005 | Northwest-Southwest | 0.04 |
| 8/11/2005 | West | 0.02 |
| 11/18/2005 | West | 0.03 |
| 2/15/2006 | Southwest | 0.04 |
| 5/30/2006 | West | 0.05 |
| 8/11/2006 | West | 0.01 |
| 11/1/2006 | West | 0.01 |
| 2/7/2007 | West | 0.02 |
| 5/9/2007 | West | 0.05 |
| 8/7/2007 | West | 0.02 |
| 11/14/2007 | West | 0.02 |
| 2/28/2008 | West | 0.05 |
| 5/23/2008 | West | 0.03 |

FOOTNOTES:

a = Using wells AR-1 and A-9

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

APPENDIX A

**STRATUS GROUND-WATER SAMPLING DATA PACKAGE
(INCLUDES FIELD DATA SHEETS, LABORATORY ANALYTICAL REPORT WITH
CHAIN-OF-CUSTODY DOCUMENTATION, AND FIELD PRODEDURES)**



3330 Cameron Park Drive, Ste 550
Cameron Park, California 95682
(530) 676-6004 ~ Fax: (530) 676-6005

June 17, 2008

Mr. Rob Miller
Broadbent & Associates, Inc.
2000 Kirman Avenue
Reno, NV 89502

Re: Groundwater Sampling Data Package, ARCO Service Station No. 4931, located at
731 W. MacArthur Boulevard, Oakland, California.

General Information

Data Submittal Prepared / Reviewed by: Becky Carroll / Jay Johnson

Phone Number: (530) 676-6000

On-Site Supplier Representative: Jerry Gonzales

Sampling Date: May 23, 2008

Arrival: 12:50 *Departure:* 14:05

Weather Conditions: Partly Cloudy

Unusual Field Conditions: None noted.


Scope of Work Performed: Quarterly monitoring and sampling.

Variations from Work Scope: Wells A-8, A-9, AR-1, AR-2 and AR-3 are located within a large well box (>24" diameter cover) and therefore was not accessed for sampling and gauging during this event.


This submittal presents the tabulation of data collected in association with routine groundwater monitoring. The attachments include field data sheets, chain of custody documentation, certified analytical results, and field procedures for groundwater sampling documentation. The information is being provided to BP-ARCO's Scoping Supplier for use in preparing a report for regulatory submittal. This submittal is limited to presentation of collected data and does not include data interpretation or conclusions or recommendations. Any questions concerning this submittal should be addressed to the Preparer/Reviewer identified above.

Sincerely,

STRATUS ENVIRONMENTAL, INC.



Jay R. Johnson, P.G.
Project Manager



Attachments:

- Field Data Sheets
- Chain of Custody Documentation
- Certified Analytical Results
- Field Procedures for Groundwater Sampling

CC: Mr. Paul Supple, BP/ARCO

BP Alameda Portfolio

HYDROLOGIC DATA SHEET

AK-1250 DP 14:05

Gauge Date: 5/23/09

Project Name: 731 MacArthur Blvd, Oakland

Field Technician: J. Kelly

Project Number: 4931

TOC = Top of Well Casing Elevation
 TOS = Depth to Top of Screen
 DTW = Depth to Groundwater Below TOC
 DTB = Depth to Bottom of Well Casing Below TOC

DIA = Well Casing Diameter
 ELEV = Groundwater Elevation
 DUP = Duplicate

| WELL OR LOCATION | TIME | MEASUREMENT | | | | | | PURGE & SAMPLE | SHEEN CONFIRMATION (w/bailer) | COMMENTS |
|------------------|-------|-------------|-----|------|-------|-----|------|----------------|-------------------------------|----------|
| | | TOC | TOS | DTW | DTB | DIA | ELEV | | | |
| A-2 | 1328 | | | 8.80 | 19.05 | | | | | |
| A-3 | 1335 | | | 9.10 | 16.04 | | | | | |
| A-4 | 1342 | | | 9.40 | 19.53 | | | | | |
| A-5 | 1325 | | | 8.97 | 24.30 | | | | | |
| A-7 | 13:21 | | | 8.74 | 22.02 | | | | | |
| A-8 | | | | | | | | | Did not open 36x36 | |
| A-9 | | | | | | | | | Did not open 36x36 | |
| A-10 | 1330 | | | 9.94 | | | | | | |
| A-11 | 13.19 | | | 9.77 | | | | | | |
| A-12 | 1310 | | | 9.00 | | | | | | |
| A-13 | 13:16 | | | 9.67 | | | | | | |
| AK-1 | | | | | | | | | Did not open 36x36 | |
| AK-2 | | | | | | | | | 36x36 | |
| AK-3 | | | | | | | | | 36x36 | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

FWD Alameda Hydrologist

pH/Conductivity/temperature Meter - YSI Model 63

DO Meter - YSI 55 Series (DO is always measured before purge)

Please refer to groundwater sampling field procedures

Calibration Date

pH 5/23/09

Conductivity 5/23/09

DO 5/23/09

BP ALAMEDA PORTFOLIO
WATER SAMPLE FIELD DATA SHEET

PROJECT #: 4931 PURGED BY: JS WELL I.D.: MU-109
 CLIENT NAME: _____ SAMPLED BY: JS SAMPLE I.D.: NA-11
 LOCATION: Oakland, 731 W. MacArthur Blvd. QA SAMPLES: _____

DATE PURGED 5/23/08 START (2400hr) 1350 END (2400hr) 1551
 DATE SAMPLED 5/23/08 SAMPLE TIME (2400hr) 1351
 SAMPLE TYPE: Groundwater Surface Water _____ Treatment Effluent _____ Other _____

CASING DIAMETER: 2" 3" _____ 4" _____ 5" _____ 6" _____ 8" _____ Other _____
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

DEPTH TO BOTTOM (feet) = 17.52 CASING VOLUME (gal) = 1.7
 DEPTH TO WATER (feet) = 9.40 CALCULATED PURGE (gal) = 5.1
 WATER COLUMN HEIGHT (feet) = 10.1 ACTUAL PURGE (gal) = 0 NP

FIELD MEASUREMENTS

| DATE | TIME (2400hr) | VOLUME (gal) | TEMP. (degrees F) | CONDUCTIVITY (umhos/cm) | pH (units) | COLOR (visual) | TURBIDITY (NTU) |
|----------------|---------------|--------------|-------------------|-------------------------|-------------|----------------|-----------------|
| <u>5/23/08</u> | <u>1351</u> | <u>0</u> | <u>21.2</u> | <u>1187</u> | <u>6.58</u> | <u>Clear</u> | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

SAMPLE DEPTH TO WATER: 9.40 SAMPLE INFORMATION SAMPLE TURBIDITY: Clear

80% RECHARGE: YES NO ANALYSES: SW-0
 ODOR: NO SAMPLE VESSEL / PRESERVATIVE: 6 Vol-MCC

PURGING EQUIPMENT

SAMPLING EQUIPMENT

Bladder Pump _____ Bailer (Teflon) _____
 Centrifugal Pump _____ Bailer (PVC) _____
 Submersible Pump _____ Bailer (Stainless Steel) _____
 Peristaltic Pump _____ Dedicated _____
 Other: _____
 Pump Depth:

Bladder Pump _____ Bailer (Teflon) _____
 Centrifugal Pump _____ Bailer (PVC or disposable) _____
 Submersible Pump _____ Bailer (Stainless Steel) _____
 Peristaltic Pump _____ Dedicated _____
 Other: _____

WELL INTEGRITY: Good LOCK#: MSTU
 REMARKS: DO 1.28

SIGNATURE: [Signature] Page of

WELLHEAD OBSERVATION FORM



Site Name/Number: 49-31

Date: 5/25/06

Technician: J. J. [unclear]

| Well I.D. | Box in Good Condition? | Lock Missing? | Water in Wellbox? | Water Level Relative to Cap? | Well Cap? | Bolts Missing? | Bolts Stripped? | Bolt Holes Stripped? | Cracked or Broken Lid? | Cracked or Broken Box? | Grout Level more than 1ft below TOC? | Additional Comments <small>(such as missing lid, excessive needs replacement, or other - explain)</small> |
|-----------|------------------------|---------------------------------|-----------------------|---|--|-----------------------|-----------------------|-----------------------|------------------------|------------------------|--------------------------------------|--|
| | X = Yes Blank = No | X = Yes (explain) Blank = No | X = Yes Blank = No | A = Above cap B = Below cap L = Level w/cap | 1 = Intact H = Missing or Compromised (explain) | X = Yes Blank = No | X = Yes Blank = No | X = Yes Blank = No | X = Yes Blank = No | X = Yes Blank = No | X = Yes Blank = No | |
| A-2 | Y | | | | 1 | | | | | | | |
| A-3 | Y | | | | 1 | | | | | | | |
| A-4 | Y | | | | 1 | | | | | | | |
| A-5 | Y | | | | 1 | | | | | | | |
| A-7 | Y | | | | 1 | | | | | | | |
| A-8 | Y | | | | | | | | | | | |
| A-9 | Y | | | | | | | | | | | |
| A-10 | Y | | X | A | 1 | | | | | | | |
| A-11 | Y | | | | 1 | | | | | | | |
| A-12 | Y | | | | 1 | | | | | | | |
| A-13 | Y | | | | 1 | | | | | | | |
| AA-1 | | | | | | | | | | | | |
| AA-2 | | | | | | | | | | | | |
| AA-3 | | | | | | | | | | | | |

DRUM INVENTORY

Drums on site? Yes No (circle)
 Type and # Steel: _____ Plastic: _____

Note whether drums are full or empty, solids or liquids:

 Drum label info (description, date, contact info):

GENERAL SITE CONDITIONS

Make notes on housekeeping conditions (such as trash around remediation system enclosure/compound, bent or missing bollards, signs missing from compound fences, graffiti on compound, etc.)

Facility: 4931
 Address: 731 W MacArthur Boulevard, Oakland
 County: Alameda

Sampler: Douglas
 RT Mileage: 224
 QM Entos #: G0C9C-0018
 Global ID #: T0800100110

Last sampled: Feb-08
 Sample Month: 2
 System: None

| Well ID | Sample Order | WELL SAMPLING SCHEDULE | | | | Purge Method | FIELD TESTING | | | WELL CONSTRUCTION AND SAMPLING VOLUMES | | | | | | | |
|---------|--------------|------------------------|------|------|------|--------------|-----------------|----|-------|--|------------------------|-------------|--------------|--------------------|----------|------------|-----------------|
| | | 1Q | 2Q | 3Q | 4Q | | pH/ temp/ cond. | DO | Redox | well dia. (in) | top of screen (ft bgs) | TD (ft bgs) | DTW (ft bgs) | Purge volume (gal) | FP | Fire Watch | Traffic Control |
| A-2 | | -- | -- | GBOE | -- | TBD | Y | Y | N | 4.0 | 5.0 | 18.41 | 9.03 | 20.32 | N | Y | N |
| A-3 | | GBOE | -- | GBOE | -- | TBD | Y | Y | N | 4.0 | 5.0 | 16.18 | 9.27 | 13.52 | N | Y | N |
| A-4 | | GBOE | GBOE | GBOE | GBOE | TBD | Y | Y | N | 4.0 | 5.0 | 10.40 | 9.50 | 19.38 | Possible | Y | N |
| A-5 | | GBOE | -- | GBOE | -- | TBD | Y | Y | N | 3.0 | 3.0 | 24.31 | 8.90 | 16.97 | N | Y | N |
| A-7 | | -- | -- | GBOE | -- | TBD | Y | Y | N | 3.0 | 3.0 | 22.43 | 8.90 | 14.90 | N | Y | N |
| A-8 | | GBOE | GBOE | GBOE | GBOE | TBD | Y | Y | N | 3.0 | 3.0 | 17.76 | 8.29 | 10.53 | N | Y | N |
| A-9 | | -- | -- | GBOE | -- | TBD | Y | Y | N | 3.0 | 3.0 | 37.55 | 9.88 | 121.85 | N | Y | N |
| A-10 | | -- | -- | GBOE | -- | TBD | Y | Y | N | 3.0 | 5.0 | 29.67 | 10.33 | 21.29 | N | N | Y |
| A-11 | | -- | -- | GBOE | -- | TBD | Y | Y | N | 3.0 | 5.0 | 29.86 | 9.55 | 22.36 | N | N | Y |
| A-12 | | -- | -- | GBOE | -- | TBD | Y | Y | N | 6.0 | 10.0 | 29.02 | 9.69 | 85.13 | N | N | N |
| A-13 | | -- | -- | -- | -- | -- | Y | Y | N | 6.0 | 6.0 | 29.36 | 7.32 | 97.15 | N | N | N |
| AR-1 | | -- | -- | -- | -- | -- | Y | Y | N | 4.0 | 10.0 | 29.07 | 9.38 | 39.71 | N | N | N |
| AR-2 | | -- | -- | -- | -- | -- | | | | | | | | | | | |
| AR-3 | | -- | -- | -- | -- | -- | | | | | | | | | | | |

Take Post Purge D.O readings (in a cup) on all sampled wells

Analyses:

GBOE = GRO/BTEX/5 FO + EDB, 1,2-DCA, Ethanol all by 8200
 QA/QC = Trip & Temp blanks to be submitted with all sampling events Contact coordinator if blanks are not supplied with bottle set
 Trip blanks to be submit "ON HOLD". TB ID = TB - "site#" - "MMDDYYYY" (ex. TB - 4931 - 01012007)

Gauging: All wells quarterly

Regulatory Agency: Alameda County Environmental Health, Parosh Khatri (510) 777-2478.

Purge Method:

P = Purge
 NP = No Purge
 TBD = To Be Determined based on DTW vs. Top of Screen

Tenant:
Owner: Nick Goyal, nick@vintnersdist.com

Notification:

Permits:

Comments/Notes:

A-3, A-4 Deulators, A-6 paved over, A-4 gauge winterface probe, A-7 collect (B) voas
 "Buddy System" Site: Two technicians will be scheduled at this site due to location of station and issues with public on site. Work together as a team off of one truck. Lock and secure other truck on site. Do not leave any wells unsecured unless emergency. If at any time you do feel threatened, leave

For Internal Use only

Status Submittal Date:
 SH - 03/14/08

Broadbent Approval Date:
 TV - 3/25/08

2008

NO. 666740

NON-HAZARDOUS WASTE DATA FORM

SITE:

EPA I.D. NO.

NOT RECEIVED

NAME ELI WEST WASTE PRODUCTS, LLC 4500 #

PROFILE NO.

ADDRESS P.O. BOX 500 AS

RANCHO SANTA MARGARITA

CITY, STATE, ZIP CA 92688

PHONE NO. _____

CONTAINERS, No. _____ VOLUME 1 WEIGHT _____

TYPE: TANK TRUCK DUMP TRUCK DRUMS CARTONS OTHER _____

WASTE DESCRIPTION: NON-HAZARDOUS WATER GENERATING PROCESS: LI DRUGGING/DECON WATER
COMPONENTS OF WASTE PPM % COMPONENTS OF WASTE PPM %

1. WATER 99-100% 5. _____

2. TIN <1% 6. _____

3. _____ 7. RESIDUE

4. _____ 8. _____

PROPERTIES: 7-20 SOLID LIQUID SLUDGE SLURRY OTHER _____

HANDLING INSTRUCTIONS: WEAR ALL APPROPRIATE PROTECTIVE CLOTHING

THE GENERATOR CERTIFIES THAT THE WASTE AS DESCRIBED IS 100% NON-HAZARDOUS.

Larry Woodall TYPED OR PRINTED FULL NAME & SIGNATURE DATE

TO BE COMPLETED BY GENERATOR

TRANSPORTER

NAME Transporter #1 STRATUS ENVIRONMENTAL Transporter #2 EPA I.D. NO. _____ DATE _____

ADDRESS 2220 CAMERON PARK DR SERVICE ORDER NO. _____

CITY, STATE, ZIP CAMERON PARK, CA 95602 PICK UP DATE _____

PHONE NO. 530-676-2031

TRUCK UNIT, I.D. NO. _____ TYPED OR PRINTED FULL NAME & SIGNATURE _____ DATE _____

NAME INSTRAT, INC EPA I.D. NO. _____ DISPOSAL METHOD _____

ADDRESS 1105 AIRPORT RD #C LANDFILL OTHER _____

CITY, STATE, ZIP RIO VISTA, CA 94571

PHONE NO. 531-753-1879

TYPED OR PRINTED FULL NAME & SIGNATURE _____ DATE _____

TSD FACILITY

| | | | | |
|-------|---------|------|------|------|
| GEN | OLD/NEW | L | A | TONS |
| TRANS | | S | B | |
| C/O | | RECO | HWDF | NONE |

DISCREPANCY



Chain of Custody Record

Project Name: BP 4931
 BP BU/AR Region/Enfos Segment: BP > Americas > West > Retail > CA > Alameda > 4931
 State or Lead Regulatory Agency: _____
 Requested Due Date (mm/dd/yy): _____


| | |
|--------------------------------------|---------------------|
| On-site Time: <u>12:50</u> | Temp: <u>23</u> |
| Off-site Time: <u>14:05</u> | Temp: <u>27</u> |
| Sky Conditions: <u>partly cloudy</u> | |
| Meteorological Events: <u>ALP</u> | |
| Wind Speed: <u>5</u> | Direction: <u>N</u> |

| | | |
|---|--|---|
| Lab Name: <u>Calscience</u> | BP/AR Facility No.: <u>4931</u> | Consultant/Contractor: <u>Stratus Environmental, Inc.</u> |
| Address: <u>7440 Lincoln Way</u> <u>Garden Grove, CA 92841</u> | BP/AR Facility Address: <u>731 W. MacArthur Blvd., Oakland</u> | Address: <u>3330 Cameron Park Drive, Suite 550</u> <u>Cameron Park, CA 95682</u> |
| Lab PM: <u>Linda Scharpenberg</u> | Site Lat/Long: _____ | Consultant/Contractor Project No.: _____ |
| Tele/Fax: <u>714-895-3494 714-895-7501(fax)</u> | California Global ID #: <u>T0600100110</u> | Consultant/Contractor PM: <u>Jay Johnson</u> |
| BP/AR PM Contact: <u>Paul Supple</u> | Enfos Project No.: <u>G0C8C-0018</u> | Tele/Fax: <u>(530) 676-6000 / (530) 676-6005</u> |
| Address: <u>2010 Crow Canyon Place, Suite 150</u> <u>San Ramon, CA</u> | Provision or RCOP (circle one) <u>Provision</u> | Report Type & QC Level: <u>Level 1 w/ah EDF</u> |
| Tele/Fax: <u>925-275-3506</u> | Phase/WBS: <u>04-Monitoring</u> | E-mail EDD To: <u>shayes@stratusinc.net</u> |
| | Sub Phase/Task: <u>03-Analytical</u> | Invoice to: <u>Atlantic Richfield Co</u> |
| | Cost Element: <u>01-Contractor labor</u> | |

| Item No. | Sample Description | Time | Date | Matrix | | | Laboratory No. | No. of Containers | Preservative | | | | | Requested Analysis | | | | | Sample Point Lat/Long and Comments *Oxy = MTBD, TAME, ETBE, DIPE, TBA | |
|----------|-------------------------|------|---------|------------|--------------|-----|----------------|-------------------|--------------|--------------------------------|------------------|-----|----------|--------------------|---------|---------|-----|---------------|--|--|
| | | | | Soil/Solid | Water/Liquid | Air | | | Unpreserved | H ₂ SO ₄ | HNO ₃ | HCl | Methanol | BTEX/Oxy* by 8260 | 1,2 DCA | Ethanol | EDB | GRO by 801.5m | | |
| 1 | A-4 | 1351 | 5/23/08 | X | | | | 6 | | | | | | X | X | X | X | X | | |
| 2 | A-8 | | | X | | | | | | | | | | X | X | X | X | X | | |
| 3 | TB 4931 <u>05232001</u> | 500 | 5/23/08 | X | | | | | | | | | | X | X | X | X | X | | |
| 4 | | | | | | | | | | | | | | X | X | X | X | X | | |
| 5 | | | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | | | | | |

| | | | | | | |
|---|--------------------------------------|-------------|-------------|----------------------------------|-------------|-------------|
| Sampler's Name: <u>Jerry Gonzalez</u> | Relinquished By / Affiliation: _____ | Date: _____ | Time: _____ | Accepted By / Affiliation: _____ | Date: _____ | Time: _____ |
| Sampler's Company: <u>Douglas Env</u> | | | | | | |
| Shipment Date: _____ | | | | | | |
| Shipment Method: _____ | | | | | | |
| Shipment Tracking No: _____ | | | | | | |
| Special Instructions: <u>Please cc results to: rmiller@broadbentinc.com</u> | | | | | | |

Custody Seals In Place: Yes / No | Temp Blank: Yes / No | Cooler Temp on Receipt: _____ °F/C | Trip Blank: Yes / No | MS/MSD Sample Submitted: Yes / No



June 09, 2008

Jay Johnson
Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Subject: **Calscience Work Order No.: 08-05-2374**
Client Reference: BP 4931

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 5/27/2008 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Calscience Environmental
Laboratories, Inc.
Linda Scharpenberg
Project Manager

CASE NARRATIVE – 08-05-2374


Data Qualifiers - EPA 8260:


080603S02:

The RPD for toluene and ethanol were outside criteria in the MS/MSD. The RPD was within criteria in the LCS/LCSD. The MS/MSD has been flagged “4” within the report.

“4” = BA, AY

BA – Relative Percent Difference out of Control
AY = Matrix Interference Suspected



**Analytical Report**

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 05/27/08
Work Order No: 08-05-2374
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: BP 4931

Page 1 of 1


| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| A-4 | 08-05-2374-1-D | 05/23/08 13:51 | Aqueous | GC 29 | 06/03/08 | 06/03/08 21:34 | 080602B04 |

| Parameter | Result | RL | DF | Qual | Units |
|----------------------------------|----------------|-----------------------|----|-------------|-------|
| Gasoline Range Organics (C6-C12) | 1900 | 50 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| 1,4-Bromofluorobenzene | 126 | 38-134 | | | |

| | | | | | | | |
|---------------------|-----------------------|------------|----------------|--------------|-----------------|---------------------------|------------------|
| Method Blank | 099-12-695-156 | N/A | Aqueous | GC 29 | 06/03/08 | 06/03/08 19:53 | 080602B04 |
|---------------------|-----------------------|------------|----------------|--------------|-----------------|---------------------------|------------------|

| Parameter | Result | RL | DF | Qual | Units |
|----------------------------------|----------------|-----------------------|----|-------------|-------|
| Gasoline Range Organics (C6-C12) | ND | 50 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| 1,4-Bromofluorobenzene | 70 | 38-134 | | | |

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 05/27/08
Work Order No: 08-05-2374
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: BP 4931

Page 1 of 1


| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| A-4 | 08-05-2374-1-B | 05/23/08 13:51 | Aqueous | GC/MS BB | 06/03/08 | 06/04/08 11:13 | 080603L02 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------|----------------|-----------------------|----|-------------|-------------------------------|----------------|-----------------------|----|-------------|
| Benzene | 75 | 20 | 40 | | Methyl-t-Butyl Ether (MTBE) | 1000 | 20 | 40 | |
| 1,2-Dibromoethane | ND | 20 | 40 | | Tert-Butyl Alcohol (TBA) | 2500 | 400 | 40 | |
| 1,2-Dichloroethane | ND | 20 | 40 | | Diisopropyl Ether (DIPE) | ND | 20 | 40 | |
| Ethylbenzene | ND | 20 | 40 | | Ethyl-t-Butyl Ether (ETBE) | ND | 20 | 40 | |
| Toluene | ND | 20 | 40 | | Tert-Amyl-Methyl Ether (TAME) | 270 | 20 | 40 | |
| Xylenes (total) | ND | 20 | 40 | | Ethanol | ND | 12000 | 40 | |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> |
| 1,2-Dichloroethane-d4 | 123 | 73-157 | | | Dibromofluoromethane | 113 | 82-142 | | |
| Toluene-d8 | 99 | 82-112 | | | 1,4-Bromofluorobenzene | 91 | 75-105 | | |

| Method Blank | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|--------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| | 099-12-703-258 | N/A | Aqueous | GC/MS BB | 06/03/08 | 06/04/08 03:43 | 080603L02 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------|----------------|-----------------------|----|-------------|-------------------------------|----------------|-----------------------|----|-------------|
| Benzene | ND | 0.50 | 1 | | Methyl-t-Butyl Ether (MTBE) | ND | 0.50 | 1 | |
| 1,2-Dibromoethane | ND | 0.50 | 1 | | Tert-Butyl Alcohol (TBA) | ND | 10 | 1 | |
| 1,2-Dichloroethane | ND | 0.50 | 1 | | Diisopropyl Ether (DIPE) | ND | 0.50 | 1 | |
| Ethylbenzene | ND | 0.50 | 1 | | Ethyl-t-Butyl Ether (ETBE) | ND | 0.50 | 1 | |
| Toluene | ND | 0.50 | 1 | | Tert-Amyl-Methyl Ether (TAME) | ND | 0.50 | 1 | |
| Xylenes (total) | ND | 0.50 | 1 | | Ethanol | ND | 300 | 1 | |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> |
| 1,2-Dichloroethane-d4 | 124 | 73-157 | | | Dibromofluoromethane | 114 | 82-142 | | |
| Toluene-d8 | 97 | 82-112 | | | 1,4-Bromofluorobenzene | 83 | 75-105 | | |

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861


Date Received: 05/27/08
 Work Order No: 08-05-2374
 Preparation: EPA 5030B
 Method: EPA 8015B (M)

Project BP 4931

| Quality Control Sample ID | Matrix | Instrument | Date Prepared | Date Analyzed | MS/MSD Batch Number |
|---------------------------|---------|------------|---------------|---------------|---------------------|
| A-4 | Aqueous | GC 29 | 06/03/08 | 06/03/08 | 080602S04 |

| <u>Parameter</u> | <u>MS %REC</u> | <u>MSD %REC</u> | <u>%REC CL</u> | <u>RPD</u> | <u>RPD CL</u> | <u>Qualifiers</u> |
|----------------------------------|----------------|-----------------|----------------|------------|---------------|-------------------|
| Gasoline Range Organics (C6-C12) | 98 | 67 | 38-134 | 17 | 0-25 | |

RPD - Relative Percent Difference, CL - Control Limit



Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 05/27/08
Work Order No: 08-05-2374
Preparation: EPA 5030B
Method: EPA 8260B

Project BP 4931

| Quality Control Sample ID | Matrix | Instrument | Date Prepared | Date Analyzed | MS/MSD Batch Number |
|---------------------------|---------|------------|---------------|---------------|---------------------|
| 08-06-0103-4 | Aqueous | GC/MS BB | 06/03/08 | 06/04/08 | 080603S02 |

| <u>Parameter</u> | <u>MS %REC</u> | <u>MSD %REC</u> | <u>%REC CL</u> | <u>RPD</u> | <u>RPD CL</u> | <u>Qualifiers</u> |
|-------------------------------|----------------|-----------------|----------------|------------|---------------|-------------------|
| Benzene | 106 | 107 | 86-122 | 1 | 0-8 | |
| Carbon Tetrachloride | 109 | 108 | 78-138 | 1 | 0-9 | |
| Chlorobenzene | 101 | 104 | 90-120 | 3 | 0-9 | |
| 1,2-Dibromoethane | 98 | 106 | 70-130 | 8 | 0-30 | |
| 1,2-Dichlorobenzene | 101 | 100 | 89-119 | 1 | 0-10 | |
| 1,1-Dichloroethene | 110 | 96 | 52-142 | 13 | 0-23 | |
| Ethylbenzene | 108 | 107 | 70-130 | 0 | 0-30 | |
| Toluene | 103 | 91 | 85-127 | 13 | 0-12 | 4 |
| Trichloroethene | 97 | 95 | 78-126 | 2 | 0-10 | |
| Vinyl Chloride | 95 | 87 | 56-140 | 8 | 0-21 | |
| Methyl-t-Butyl Ether (MTBE) | 109 | 95 | 64-136 | 14 | 0-28 | |
| Tert-Butyl Alcohol (TBA) | 105 | 109 | 27-183 | 4 | 0-60 | |
| Diisopropyl Ether (DIPE) | 112 | 96 | 78-126 | 15 | 0-16 | |
| Ethyl-t-Butyl Ether (ETBE) | 109 | 94 | 67-133 | 14 | 0-21 | |
| Tert-Amyl-Methyl Ether (TAME) | 103 | 100 | 63-141 | 2 | 0-21 | |
| Ethanol | 45 | 90 | 11-167 | 67 | 0-64 | 4 |

RPD - Relative Percent Difference, CL - Control Limit



Quality Control - LCS/LCS Duplicate

Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861


Date Received: N/A
 Work Order No: 08-05-2374
 Preparation: EPA 5030B
 Method: EPA 8015B (M)

Project: BP 4931

| Quality Control Sample ID | Matrix | Instrument | Date Prepared | Date Analyzed | LCS/LCSD Batch Number |
|---------------------------|---------|------------|---------------|---------------|-----------------------|
| 099-12-695-156 | Aqueous | GC 29 | 06/03/08 | 06/03/08 | 080602B04 |

| Parameter | LCS %REC | LCSD %REC | %REC CL | RPD | RPD CL | Qualifiers |
|----------------------------------|----------|-----------|---------|-----|--------|------------|
| Gasoline Range Organics (C6-C12) | 103 | 101 | 78-120 | 2 | 0-20 | |

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: N/A
Work Order No: 08-05-2374
Preparation: EPA 5030B
Method: EPA 8260B

Project: BP 4931

| Quality Control Sample ID | Matrix | Instrument | Date Prepared | Date Analyzed | LCS/LCSD Batch Number |
|---------------------------|---------|------------|---------------|---------------|-----------------------|
| 099-12-703-258 | Aqueous | GC/MS BB | 06/03/08 | 06/04/08 | 080603L02 |

| Parameter | LCS %REC | LCSD %REC | %REC CL | RPD | RPD CL | Qualifiers |
|-------------------------------|----------|-----------|---------|-----|--------|------------|
| Benzene | 100 | 100 | 87-117 | 0 | 0-7 | |
| Carbon Tetrachloride | 107 | 108 | 78-132 | 0 | 0-8 | |
| Chlorobenzene | 98 | 99 | 88-118 | 0 | 0-8 | |
| 1,2-Dibromoethane | 102 | 102 | 80-120 | 0 | 0-20 | |
| 1,2-Dichlorobenzene | 98 | 102 | 88-118 | 3 | 0-8 | |
| 1,1-Dichloroethene | 105 | 104 | 71-131 | 1 | 0-14 | |
| Ethylbenzene | 102 | 105 | 80-120 | 3 | 0-20 | |
| Toluene | 100 | 97 | 85-127 | 3 | 0-7 | |
| Trichloroethene | 108 | 110 | 85-121 | 2 | 0-11 | |
| Vinyl Chloride | 95 | 94 | 64-136 | 0 | 0-10 | |
| Methyl-t-Butyl Ether (MTBE) | 110 | 103 | 67-133 | 6 | 0-16 | |
| Tert-Butyl Alcohol (TBA) | 95 | 107 | 34-154 | 11 | 0-19 | |
| Diisopropyl Ether (DIPE) | 111 | 105 | 80-122 | 6 | 0-8 | |
| Ethyl-t-Butyl Ether (ETBE) | 109 | 105 | 73-127 | 3 | 0-11 | |
| Tert-Amyl-Methyl Ether (TAME) | 103 | 98 | 69-135 | 5 | 0-12 | |
| Ethanol | 82 | 83 | 34-124 | 2 | 0-44 | |

RPD - Relative Percent Difference , CL - Control Limit



Glossary of Terms and Qualifiers

Work Order Number: 08-05-2374

| <u>Qualifier</u> | <u>Definition</u> |
|------------------|---|
| * | See applicable analysis comment. |
| 1 | Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification. |
| 2 | Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification. |
| 3 | Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification. |
| 4 | The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification. |
| 5 | The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required. |
| A | Result is the average of all dilutions, as defined by the method. |
| B | Analyte was present in the associated method blank. |
| C | Analyte presence was not confirmed on primary column. |
| E | Concentration exceeds the calibration range. |
| H | Sample received and/or analyzed past the recommended holding time. |
| J | Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated. |
| N | Nontarget Analyte. |
| ND | Parameter not detected at the indicated reporting limit. |
| Q | Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater. |
| U | Undetected at the laboratory method detection limit. |
| X | % Recovery and/or RPD out-of-range. |
| Z | Analyte presence was not confirmed by second column or GC/MS analysis. |

Atlantic Richfield Company

bp
A BP affiliated company

Chain of Custody Record

Project Name: BP 4931
 BP BU/AR Region/Enfos Segment: BP > Americas > West > Retail > CA > Alameda > 4931
 State or Lead Regulatory Agency: _____
 Requested Due Date (mm/dd/yy): _____

2374


| | |
|--------------------------------------|---------------------|
| On-site Time: <u>12:50</u> | Temp: <u>73</u> |
| Off-site Time: <u>19:05</u> | Temp: <u>79</u> |
| Sky Conditions: <u>partly cloudy</u> | |
| Meteorological Events: <u>none</u> | |
| Wind Speed: <u>5</u> | Direction: <u>N</u> |

| | | |
|---|--|---|
| Lab Name: <u>Calscience</u> | BP/AR Facility No.: <u>4931</u> | Consultant/Contractor: <u>Stratus Environmental, Inc.</u> |
| Address: <u>7440 Lincoln Way</u> <u>Garden Grove, CA 92841</u> | BP/AR Facility Address: <u>731 W. MacArthur Blvd., Oakland</u> | Address: <u>3330 Cameron Park Drive, Suite 550</u> <u>Cameron Park, CA 95682</u> |
| Lab PM: <u>Linda Scharpenberg</u> | Site Lat/Long: | Consultant/Contractor Project No.: |
| Tele/Fax: <u>714-895-5494 714-895-7501(fax)</u> | California Global ID #: <u>T0600100110</u> | Consultant/Contractor PM: <u>Jay Johnson</u> |
| BP/AR PM Contact: <u>Paul Supple</u> | Enfos Project No.: <u>G0C8C-0018</u> | Tele/Fax: <u>(530) 676-6000 / (530) 676-6005</u> |
| Address: <u>2010 Crow Canyon Place, Suite 150</u> <u>San Ramon, CA</u> | Provision or RCOP (circle one) <u>Provision</u> | Report Type & QC Level: <u>Level 1 with EDF</u> |
| Tele/Fax: <u>925-275-3506</u> | Phase/WBS: <u>04-Monitoring</u> | E-mail EDD To: <u>shaves@stratusinc.net</u> |
| | Sub Phase/Task: <u>03-Analytical</u> | Invoice to: <u>Atlantic Richfield Co.</u> |
| | Cost Element: <u>01-Contractor labor</u> | |

| Item No. | Sample Description | Time | Date | Matrix | | | Laboratory No. | No. of Containers | Preservative | | | | | Requested Analysis | | | | | Sample Point Lat/Long and Comments *Oxy = MTBD, TAME, ETBE, DIPE, TBA | | | |
|----------|--------------------|------|---------|------------|--------------|-----|----------------|-------------------|--------------|--------------------------------|------------------|-----|----------|--------------------|---------|---------|-----|--------------|--|--|--|------|
| | | | | Soil/Solid | Water/Liquid | Air | | | Unpreserved | H ₂ SO ₄ | HNO ₃ | HCl | Methanol | BTEX/Oxy* by 8260 | 1,2 DCA | Ethanol | EDB | GRO by 8015m | | | | |
| 1 | A-4 | 1351 | 5/23/08 | X | | | | 6 | | | X | | | | X | X | X | X | X | | | |
| 2 | A-8 | | | X | | | | | | | X | | | | X | X | X | X | X | | | |
| 2 | TB 4931 05282001 | 500 | 5/27/08 | X | | | | | | | X | | | | X | X | X | X | X | | | HOLD |
| 4 | | | | | | | | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | |
|---|---|-------|-------|---|----------------|-------------|
| Sampler's Name: <u>Jerry Gunzak</u> | Relinquished By / Affiliation: <u>[Signature]</u> | Date: | Time: | Accepted By / Affiliation: <u>[Signature]</u> | Date: | Time: |
| Sampler's Company: <u>Bentons Inc</u> | | | | | | |
| Shipment Date: | | | | | | |
| Shipment Method: | | | | | | |
| Shipment Tracking No: <u>G50 105748744</u> | | | | | | |
| Special Instructions: <u>Please cc results to: rmler@broadbentinc.com</u> | | | | | <u>5/27/08</u> | <u>1032</u> |

Custody Seals In Place: Yes / No | Temp Blank: Yes / No | Cooler Temp on Receipt: °F/C | Trip Blank: Yes / No | MS/MSD Sample Submitted: Yes / No



WORK ORDER #: 08 - 05 - 2374

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: Stratus

DATE: 5/28/08

TEMPERATURE - SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

Chilled, cooler with temperature blank provided.

Chilled, cooler without temperature blank.

Chilled and placed in cooler with wet ice.

Ambient and placed in cooler with wet ice.

Ambient temperature.

°C Temperature blank.

LABORATORY (Other than Calscience Courier):

3.8 °C Temperature blank.

°C IR thermometer.

Ambient temperature.

Initial: JR

CUSTODY SEAL INTACT:

Sample(s): _____ Cooler: No (Not Intact) : _____ . Not Present: _____

Initial: JR

SAMPLE CONDITION:

| | Yes | No | N/A |
|---|-------------------------------------|--------------------------|-------------------------------------|
| Chain-Of-Custody document(s) received with samples..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Sampler's name indicated on COC..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Sample container label(s) consistent with custody papers..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Sample container(s) intact and good condition..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Correct containers and volume for analyses requested..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Proper preservation noted on sample label(s)..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| VOA vial(s) free of headspace. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Tedlar bag(s) free of condensation..... | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Initial: JR

COMMENTS:

ATTACHMENT

FIELD PROCEDURES FOR GROUNDWATER SAMPLING

The sampling procedures for groundwater monitoring events are contained in this appendix.

Equipment Calibration

Standard groundwater sampling equipment – pH/Conductivity/Temperature meter, and dissolved oxygen (DO) meters are calibrated prior to all field work. All calibration is conducted in accordance with equipment manufacturer's recommended procedure and buffer solutions. MSDS for all buffer solutions are maintained in Stratus vehicles. Calibration is completed everyday prior to field work and also once a week. The pH probe is calibrated for a pH of 7.0 daily and for 4.0, 7.0 and 10.0 weekly. The conductivity probe is calibrated for 1413 μs daily and 1413 μs and 447 μs weekly. The temperature probe is calibrated weekly with a NIST-traceable thermometer. The DO probe is calibrated for 100% oxygen daily and 0% and 100% oxygen weekly. All calibration logs are maintained in the Stratus office.

Groundwater and Liquid-Phase Petroleum Hydrocarbon Depth Assessment

Prior to measuring the depth to liquid in the well, the well caps are removed and the liquid level allowed to stabilize. A water/hydrocarbon interface probe is used to assess the liquid-phase petroleum hydrocarbon (LPH) thickness, if present, and a water level indicator is used to measure the groundwater depth in monitoring wells that do not contain LPH. Depth to groundwater or LPH is measured from a datum point at the top of each monitoring well casing. The datum point is typically a notch cut in the north side of the casing edge. If a water level indicator is used, the tip is subjectively analyzed for hydrocarbon sheen.

Subjective Analysis of Groundwater

Prior to purging, a water sample is collected from the monitoring well for subjective assessment. The sample is retrieved by gently lowering a clean, disposable bailer to approximately one-half the bailer length past the air/liquid interface. The bailer is then retrieved, and the sample contained within the bailer is examined for floating LPH and the appearance of a LPH sheen.

Monitoring Well Sampling

In many cases, determining whether to purge or not to purge wells prior to sample collection is made in the field and is often based on depth to water relative to the screen interval of the well. Site-specific field data sheets present details associated with the purge method and equipment used.

Monitoring wells, when purged, use a pump or bailer until pH, temperature, and conductivity of the purge water has stabilized and a minimum of three well volumes of water has been removed. Field measuring equipment is calibrated and maintained according to the manufacturer's instructions. If three well volumes cannot be removed in one half hour's time the well is allowed to recharge to 80% of original level. After recharging, a groundwater sample is then collected from each of the wells using disposable bailers.

A Teflon bailer, electric submersible or bladder pump will be the only equipment used for well sampling. When samples for volatile organic analysis are being collected, the pump flow will be regulated at approximately 100 milliliters per minute to minimize pump effluent turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa will be used in sampling for volatile organics. These bottles will be filled completely to prevent air accumulation in the bottle. A positive meniscus forms when the bottle is completely full. A convex Teflon septum will be placed over the positive meniscus to eliminate air. After the bottle is capped, it is inverted and tapped to verify that it contains no air bubbles. The sample containers for other parameters will be filled, filtered as required, and capped. Glass and plastic bottles used by Stratus to collect groundwater samples are supplied by the laboratory.

Groundwater Sample Labeling and Preservation

Samples are collected in appropriate containers supplied by the laboratory. All required chemical preservation is added to the bottles prior to delivery to Stratus. Sample label information includes a unique sample identification number, job identification number, date, and time. After labeling, all groundwater samples are placed in a Ziploc[®] type bag and placed in an ice chest cooled to approximately 4° Celsius. Upon arriving at Stratus' office the samples are transferred to a locked refrigerator cooled to approximately 4° Celsius. Chemical preservation is controlled by the required analysis and is noted on the chain-of-custody form. Trip and temperature blanks supplied by the laboratory accompany the groundwater sample containers and groundwater samples.

Sample Identification and Chain-of-Custody Procedures

Sample identification and chain-of-custody procedures document sample possession from the time of collection to ultimate disposal. Each sample container submitted for analysis has a label affixed to identify the job number, sampler, date and time of sample collection, and a sample number unique to that sample. This information, in addition to a description of the sample, field measurements made, sampling methodology, names of on-site personnel, and any other pertinent field observations, is recorded in the field records. The samples are analyzed by a California-certified laboratory.

A chain-of-custody form is used to record possession of the sample from time of collection to its arrival at the laboratory. When the samples are shipped, the person in custody of them relinquishes the samples by signing the chain-of-custody form and noting the time. The sample-control officer at the laboratory verifies sample integrity and confirms that the samples are collected in the proper containers, preserved correctly, and

contain adequate volumes for analysis. These conditions are noted on a Laboratory Sample Receipt Checklist that becomes part of the laboratory report upon request.

If these conditions are met, each sample is assigned a unique log number for identification throughout analysis and reporting. The log number is recorded on the chain-of-custody form and in the legally-required log book maintained by the laboratory. The sample description, date received, client's name, and other relevant information is also recorded.

Equipment Cleaning

All reusable sampling equipments are cleaned using phosphate-free detergents and rinsed with de-ionized water.

APPENDIX B

HISTORICAL GROUND-WATER DATA

Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)

ARCO Service Station 4931
731 West MacArthur Boulevard, Oakland, California

| Well Number | Date Gauged/ Sampled | Well Elevation (feet, MSL) | Depth to Water (feet, TOB) | Groundwater Elevation (feet, MSL) | TPH Gasoline (ppb) | Benzene (ppb) | Toluene (ppb) | Ethyl- benzene (ppb) | Total Xylenes (ppb) | MTBE 8021B* (ppb) | MTBE 8260 (ppb) | Dissolved Oxygen (ppm) | Purged/ Not Purged (P/NP) |
|-------------|-------------------------|-------------------------------|-------------------------------|--------------------------------------|--|------------------|------------------|----------------------------|---------------------------|-------------------------|-----------------------|------------------------------|---------------------------------|
| A-2 | 03/26/96 | 55.48 | 5.37 | 50.11 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | NA | NA | NM | |
| A-2 | 05/22/96 | 55.48 | 5.25 | 50.23 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | NA | NA | NM | |
| A-2 | 08/22/96 | 55.48 | 10.45 | 45.03 | <50 | 1.1 | 1.8 | <0.5 | 1.3 | <2.5 | NA | NM | |
| A-2 | 12/19/96 | 55.48 | 5.53 | 49.95 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2.7 | NA | NM | |
| A-2 | 04/01/97 | 55.48 | 8.77 | 46.71 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | NM | |
| A-2 | 05/27/97 | 55.48 | 9.87 | 45.61 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 4.6 | NA | NM | |
| A-2 | 08/12/97 | 55.48 | 11.11 | 44.37 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 5.6 | NA | NM | |
| A-2 | 11/14/97 | 55.48 | 10.63 | 44.85 | <50 | 0.9 | 2.8 | <0.5 | 2.4 | 27 | NA | 2.6 | |
| A-2 | 03/18/98 | 55.48 | 3.58 | 51.90 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | NM | |
| A-2 | 05/19/98 | 55.48 | 4.82 | 50.66 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | 1.30 | P |
| A-2 | 07/29/98 | 55.48 | 8.94 | 46.54 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | 1.2 | NP |
| A-2 | 10/09/98 | 55.48 | 10.82 | 44.66 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | 0.5 | NP |
| A-2 | 02/19/99 | 55.48 | 4.46 | 51.02 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | 3.0 | P |
| A-2 | 06/02/99 | 55.48 | 5.59 | 49.89 | <50 | <0.5 | 0.6 | <0.5 | <0.5 | <3 | NA | 5.35 | NP |
| A-2 | 08/26/99 | 55.48 | 10.67 | 44.81 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | 0.79 | NP |
| A-2 | 10/26/99 | 55.48 | 4.61 | 50.87 | <50 | <0.5 | <0.5 | <0.5 | <1 | <3 | NA | 2.14 | P |
| A-2 | 02/25/00 | 55.48 | 3.10 | 52.38 | <50 | <0.5 | <0.5 | <0.5 | <1 | <3 | NA | 4.21 | NP |
| A-3 | 03/26/96 | 54.66 | 7.20 | 47.46 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-3 | 05/22/96 | 54.66 | 7.70 | 46.96 | <50 | 1.2 | 1.9 | 0.7 | 1.3 | NA | NA | NM | |
| A-3 | 08/22/96 | 54.66 | 10.88 | 43.78 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-3 | 12/19/96 | 54.66 | 7.70 | 46.96 | 5,900 | <25 | <25 | <25 | <25 | NA | 5,300 | NM | |
| A-3 | 04/01/97 | 54.66 | 9.78 | 44.88 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-3 | 05/27/97 | 54.66 | 10.55 | 44.11 | 2,300 | <20 | <20 | <20 | <20 | 3,800 | NA | NM | |
| A-3 | 08/12/97 | 54.66 | 11.12 | 43.54 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-3 | 11/14/97 | 54.66 | 8.24 | 46.42 | <1,000 | <10 | <10 | <10 | <10 | 1,500 | NA | 3.8 | |
| A-3 | 03/18/98 | 54.66 | 5.05 | 49.61 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-3 | 05/19/98 | 54.66 | 9.00 | 45.66 | <250 | <2.5 | <2.5 | <2.5 | <2.5 | 220 | NA | 4.60 | P |
| A-3 | 07/29/98 | 54.66 | 9.86 | 44.80 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-3 | 10/09/98 | 54.66 | 11.36 | 43.30 | <250 | <2.5 | <2.5 | <2.5 | <2.5 | 260 | NA | 1.0 | NP |
| A-3 | 02/19/99 | 54.66 | 6.19 | 48.47 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | 2.5 | NP |
| A-3 | 06/02/99 | 54.66 | 10.82 | 43.84 | 120 | <1 | <1 | <1 | <1 | 160 | NA | 2.78 | NP |

Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)

ARCO Service Station 4931
731 West MacArthur Boulevard, Oakland, California

| Well Number | Date Gauged/ Sampled | Well Elevation (feet, MSL) | Depth to Water (feet, TOB) | Groundwater Elevation (feet, MSL) | TPH Gasoline (ppb) | Benzene (ppb) | Toluene (ppb) | Ethyl- benzene (ppb) | Total Xylenes (ppb) | MTBE 8021B* (ppb) | MTBE 8260 (ppb) | Dissolved Oxygen (ppm) | Purged/ Not Purged (P/NP) | |
|-------------|-------------------------|-------------------------------|-------------------------------|--------------------------------------|--|------------------|------------------|----------------------------|---------------------------|-------------------------|-----------------------|------------------------------|---------------------------------|--|
| A-3 | 08/26/99 | 54.66 | 10.73 | 43.93 | Not Sampled: Well Sampled Semiannually | | | | | | | | 0.95 | |
| A-3 | 10/26/99 | 54.66 | 6.58 | 48.08 | <50 | <0.5 | <0.5 | <0.5 | <1 | 32 | NA | 2.06 | NP | |
| A-3 | 02/25/00 | 54.66 | 5.41 | 49.25 | Not Sampled: Well Sampled Semiannually | | | | | | | | | |
| A-4 | 03/26/96 | 54.73 | 7.95 | 46.78 | 8,900 | 1,200 | 21 | 200 | 220 | NA | NA | NM | | |
| A-4 | 05/22/96 | 54.73 | 8.35 | 46.38 | 5,300 | 700 | <10 | 170 | 130 | NA | NA | NM | | |
| A-4 | 08/22/96 | 54.73 | 11.03 | 43.70 | 3,000 | 480 | <5.0 | 75 | 26 | 150 | NA | NM | | |
| A-4 | 12/19/96 | 54.73 | 8.67 | 46.06 | <2,000 | <20 | <20 | <20 | <20 | NA | 15,000 | NM | | |
| A-4 | 04/01/97 | 54.73 | 11.95 | 42.78 | 8,900 | 1,700 | 22 | 310 | 260 | 6,900 | NA | NM | | |
| A-4 | 05/27/97 | 54.73 | 10.80 | 43.93 | 7,100 | 960 | <20 | 150 | 74 | 7,900 | NA | NM | | |
| A-4 | 08/12/97 | 54.73 | 11.38 | 43.35 | 4,300 | 670 | 12 | 51 | 27 | 2,800 | NA | NM | | |
| A-4 | 11/14/97 | 54.73 | 7.74 | 46.99 | <20,000 | 300 | 500 | <200 | <200 | 27,000 | NA | 2.2 | | |
| A-4 | 03/18/98 | 54.73 | 6.80 | 47.93 | 4,700 | 600 | <20 | 99 | 94 | 1,200 | NA | 1.0 | | |
| A-4 | 05/19/98 | 54.73 | 9.06 | 45.67 | <2000 | <20 | <20 | <20 | 720 | 2,000 | NA | 1.28 | P | |
| A-4 | 07/29/98 | 54.73 | 10.05 | 44.68 | 8,400 | 1,300 | <20 | 290 | 130 | 1,800 | NA | 0.7 | NP | |
| A-4 | 10/09/98 | 54.73 | 11.20 | 43.53 | 3,500 | 400 | <20 | 54 | <20 | 1,700 | NA | 1.0 | NP | |
| A-4 | 02/19/99 | 54.73 | 6.85 | 47.88 | <1,000 | <10 | <10 | <10 | 12 | 650 | NA | 0.1 | NP | |
| A-4 | 06/02/99 | 54.73 | 11.00 | 43.73 | 6,100 | 760 | 16 | 260 | 89 | 2,300 | NA | 1.12 | NP | |
| A-4 | 08/26/99 | 54.73 | 10.80 | 43.93 | 1,100 | 68 | 5 | 8 | 4 | 1,400 | NA | 1.15 | NP | |
| A-4 | 10/26/99 | 54.73 | 10.11 | 44.62 | 1,500 | 39 | 2.3 | 9.0 | 5 | 1,700 | NA | 10.12 | NP | |
| A-4 | 02/25/00 | 54.73 | 5.90 | 48.83 | 870 | 53 | 1.1 | 4.6 | 20 | 600 | NA | 1.72 | NP | |
| A-5 | 03/26/96 | 54.17 | 7.93 | 46.24 | Not Sampled: Well Sampled Semiannually | | | | | | | | | |
| A-5 | 05/22/96 | 54.17 | 8.20 | 45.97 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | NA | NA | NM | | |
| A-5 | 08/22/96 | 54.17 | 10.70 | 43.47 | Not Sampled: Well Sampled Semiannually | | | | | | | | | |
| A-5 | 12/19/96 | 54.17 | 8.39 | 45.78 | 9,900 | 1,100 | 330 | 230 | 700 | NA | 24 | NM | | |
| A-5 | 04/01/97 | 54.17 | 10.83 | 43.34 | Not Sampled: Well Sampled Semiannually | | | | | | | | | |
| A-5 | 05/27/97 | 54.17 | 10.65 | 43.52 | 100 | <0.5 | <0.5 | <0.5 | <0.5 | 120 | NA | NM | | |
| A-5 | 08/12/97 | 54.17 | 11.05 | 43.12 | Not Sampled: Well Sampled Semiannually | | | | | | | | | |
| A-5 | 11/14/97 | 54.17 | 10.51 | 43.66 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 41 | NA | 4.8 | | |
| A-5 | 03/18/98 | 54.17 | 8.10 | 46.07 | Not Sampled: Well Sampled Semiannually | | | | | | | | | |
| A-5 | 05/19/98 | 54.17 | 9.31 | 44.86 | 590 | <5 | <5 | <5 | <5 | 710 | NA | 2.48 | P | |

Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)

ARCO Service Station 4931
731 West MacArthur Boulevard, Oakland, California

| Well Number | Date Gauged/ Sampled | Well Elevation (feet, MSL) | Depth to Water (feet, TOB) | Groundwater Elevation (feet, MSL) | TPH Gasoline (ppb) | Benzene (ppb) | Toluene (ppb) | Ethyl- benzene (ppb) | Total Xylenes (ppb) | MTBE 8021B* (ppb) | MTBE 8260 (ppb) | Dissolved Oxygen (ppm) | Purged/ Not Purged (P/NP) |
|-------------|-------------------------|-------------------------------|-------------------------------|--------------------------------------|--|------------------|------------------|----------------------------|---------------------------|-------------------------|-----------------------|------------------------------|---------------------------------|
| A-5 | 07/29/98 | 54.17 | 9.89 | 44.28 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-5 | 10/09/98 | 54.17 | 11.02 | 43.15 | 690 | <5 | <5 | <5 | <5 | 710 | NA | 1.0 | NP |
| A-5 | 02/19/99 | 54.17 | 6.82 | 47.35 | <2,000 | <20 | <20 | <20 | <20 | 2,300 | NA | 0.6 | NP |
| A-5 | 06/02/99 | 54.17 | 10.82 | 43.35 | 1,500 | <0.5 | 2.3 | <0.5 | <0.5 | 2,400 | NA | 2.81 | NP |
| A-5 | 08/26/99 | 54.17 | 10.65 | 43.52 | Not Sampled: Well Sampled Semiannually | | | | | | | | 0.49 |
| A-5 | 10/26/99 | 54.17 | 10.35 | 43.82 | 380 | <0.5 | <0.5 | <0.5 | <1 | 440 | NA | 1.55 | NP |
| A-5 | 02/25/00 | 54.17 | 6.89 | 47.28 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-6 | 03/26/96 | 55.17 | 7.15 | 48.02 | 52 | 2.7 | <0.5 | 1.1 | 2.0 | NA | NA | NM | |
| A-6 | 05/22/96 | 55.17 | 7.35 | 47.82 | <50 | 2.4 | <0.5 | 0.88 | 1.7 | NA | NA | NM | |
| A-6 | 08/22/96 | 55.17 | 10.12 | 45.05 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | NM | |
| A-6 | 12/19/96 | 55.17 | 7.43 | 47.74 | <50 | 1.7 | <0.5 | 0.78 | 1.5 | <2.5 | NA | NM | |
| A-6 | 04/01/97 | 55.17 | 9.97 | 45.20 | <50 | 4.7 | <0.5 | 1.9 | 3.2 | <2.5 | NA | NM | |
| A-6 | 05/27/97 | 55.17 | 9.66 | 45.51 | <50 | 0.69 | <0.5 | <0.5 | <0.5 | <2.5 | NA | NM | |
| A-6 | 08/12/97 | 55.17 | 10.43 | 44.74 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | NM | |
| A-6 | 11/14/97 | 55.17 | 9.76 | 45.41 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | <1.0 | |
| A-6 | 03/18/98 | 55.17 | 7.00 | 48.17 | <50 | 6.2 | 0.5 | 2.3 | 2.6 | <3 | NA | 3.0 | |
| A-6 | 05/19/98 | 55.17 | 8.27 | 46.90 | <50 | <0.5 | <0.5 | 1.3 | 4.7 | <3 | NA | 2.16 | P |
| A-6 | 07/29/98 | 55.17 | 8.96 | 46.21 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | 0.8 | NP |
| A-6 | 10/09/98 | 55.17 | 10.23 | 44.94 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | 1.0 | NP |
| A-6 | 02/19/99 | 55.17 | 5.79 | 49.38 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 5 | NA | 0.4 | NP |
| A-6 | 06/02/99 | 55.17 | 9.71 | 45.46 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | 2.00 | NP |
| A-6 | 08/26/99 | 55.17 | 9.79 | 45.38 | <50 | <0.5 | <0.5 | <0.5 | 0.7 | <3 | NA | 0.66 | NP |
| A-6 | 10/26/99 | 55.17 | 9.70 | 45.47 | <50 | <0.5 | <0.5 | <0.5 | <1 | <3 | NA | 1.66 | NP |
| A-6 | 02/25/00 | 55.17 | 5.68 | 49.49 | <50 | <0.5 | <0.5 | <0.5 | <1 | <3 | NA | 1.22 | NP |
| A-7 | 03/26/96 | 54.71 | 6.90 | 47.81 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-7 | 05/22/96 | 54.71 | 8.27 | 46.44 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | NA | NA | NM | |
| A-7 | 08/22/96 | 54.71 | 9.80 | 44.91 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-7 | 12/19/96 | 54.71 | 7.19 | 47.52 | Not Sampled: Well Sampled Annually | | | | | | | | |
| A-7 | 04/01/97 | 54.71 | 9.63 | 45.08 | Not Sampled: Well Sampled Annually | | | | | | | | |
| A-7 | 05/27/97 | 54.71 | 9.34 | 45.37 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | NM | |

Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)

ARCO Service Station 4931
731 West MacArthur Boulevard, Oakland, California

| Well Number | Date Gauged/ Sampled | Well Elevation (feet, MSL) | Depth to Water (feet, TOB) | Groundwater Elevation (feet, MSL) | TPH Gasoline (ppb) | Benzene (ppb) | Toluene (ppb) | Ethyl- benzene (ppb) | Total Xylenes (ppb) | MTBE 8021B* (ppb) | MTBE 8260 (ppb) | Dissolved Oxygen (ppm) | Purged/ Not Purged (P/NP) |
|-------------|-------------------------|-------------------------------|-------------------------------|--------------------------------------|--|------------------|------------------|----------------------------|---------------------------|-------------------------|-----------------------|------------------------------|---------------------------------|
| A-7 | 08/12/97 | 54.71 | 10.10 | 44.61 | Not Sampled: Well Sampled Annually | | | | | | | | |
| A-7 | 11/14/97 | 54.71 | 9.35 | 45.36 | Not Sampled: Well Sampled Annually | | | | | | | | |
| A-7 | 03/18/98 | 54.71 | 6.75 | 47.96 | Not Sampled: Well Sampled Annually | | | | | | | | |
| A-7 | 05/19/98 | 54.71 | 8.85 | 45.86 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | 1.82 | P |
| A-7 | 07/29/98 | 54.71 | 8.84 | 45.87 | Not Sampled: Well Sampled Annually | | | | | | | | |
| A-7 | 10/09/98 | 54.71 | 10.05 | 44.66 | Not Sampled: Well Sampled Annually | | | | | | | | |
| A-7 | 02/19/99 | 54.71 | 5.57 | 49.14 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | 4.7 | NP |
| A-7 | 06/02/99 | 54.71 | 9.56 | 45.15 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | 2.17 | NP |
| A-7 | 08/26/99 | 54.71 | 9.66 | 45.05 | Not Sampled: Well Sampled Annually | | | | | | | | |
| A-7 | 10/26/99 | 54.71 | 9.54 | 45.17 | Not Sampled: Well Sampled Annually | | | | | | | | |
| A-7 | 02/25/00 | 54.71 | 5.60 | 49.11 | Not Sampled: Well Sampled Annually | | | | | | | | |
| A-8 | 03/26/96 | 53.77 | 7.10 | 46.67 | 48,000 | 2,600 | <100 | 650 | 1,100 | NA | NA | NM | |
| A-8 | 05/22/96 | 53.77 | 7.20 | 46.57 | 14,000 | 2,800 | 160 | 320 | 190 | NA | NA | NM | |
| A-8 | 08/22/96 | 53.77 | 11.57 | 42.20 | 8,000 | 1,000 | 76 | 150 | 96 | 4,300 | NA | NM | |
| A-8 | 12/19/96 | 53.77 | 8.04 | 45.73 | 12,000 | 450 | 110 | 210 | 230 | <500 | NA | NM | |
| A-8 | 04/01/97 | 53.77 | 9.98 | 43.79 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-8 | 05/27/97 | 53.77 | 11.45 | 42.32 | 11,000 | 1,600 | 100 | 220 | 210 | 2,300 | NA | NM | |
| A-8 | 08/12/97 | 53.77 | 11.59 | 42.18 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-8 | 11/14/97 | 53.77 | 9.85 | 43.92 | 26,000 | 2,300 | <200 | 400 | 400 | 4,100 | NA | 2.2 | |
| A-8 | 03/18/98 | 53.77 | 7.80 | 45.97 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-8 | 05/19/98 | 53.77 | 8.78 | 44.99 | 88,000 | 4,200 | 150 | 640 | 600 | 6,700 | NA | 1.36 | P |
| A-8 | 07/29/98 | 53.77 | 9.59 | 44.18 | 46,000 | 4,900 | 160 | 620 | 580 | 13,000 | NA | 0.5 | NP |
| A-8 | 10/09/98 | 53.77 | 11.23 | 42.54 | 130,000 | 3,700 | 110 | 500 | 770 | 7,300 | NA | 1.0 | NP |
| A-8 | 02/19/99 | 53.77 | 6.51 | 47.26 | <1,000 | 39 | <10 | <10 | <10 | 840 | NA | 0.2 | NP |
| A-8 | 06/02/99 | 53.77 | 10.68 | 43.09 | 8,500 | 1,300 | 32 | 180 | 110 | 6,700 | NA | 1.31 | NP |
| A-8 | 08/26/99 | 53.77 | 10.43 | 43.34 | 6,200 | 870 | 17 | 64 | 60 | 3,700 | NA | 0.69 | NP |
| A-8 | 10/26/99 | 53.77 | 10.23 | 43.54 | 15,000 | 2,800 | 140 | 370 | 360 | 480 | NA | 0.62 | NP |
| A-8 | 02/25/00 | 53.77 | 5.93 | 47.84 | 2,600 | 330 | 6.6 | 18 | 26 | 1,100 | NA | 1.43 | NP |
| A-9 | 03/26/96 | 53.04 | 7.05 | 45.99 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | NA | NA | NM | |
| A-9 | 05/22/96 | 53.04 | 7.20 | 45.84 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | NA | NA | NM | |

Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)

ARCO Service Station 4931
731 West MacArthur Boulevard, Oakland, California

| Well Number | Date Gauged/ Sampled | Well Elevation (feet, MSL) | Depth to Water (feet, TOB) | Groundwater Elevation (feet, MSL) | TPH | | | | Total Xylenes (ppb) | MTBE 8021B* (ppb) | MTBE 8260 (ppb) | Dissolved Oxygen (ppm) | Purged/ Not Purged (P/NP) |
|-------------|-------------------------|-------------------------------|-------------------------------|--------------------------------------|---|------------------|------------------|----------------------------|------------------------|----------------------|--------------------|---------------------------|---------------------------------|
| | | | | | Gasoline (ppb) | Benzene (ppb) | Toluene (ppb) | Ethyl- benzene (ppb) | | | | | |
| A-9 | 08/22/96 | 53.04 | 9.68 | 43.36 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 8.5 | NA | NM | |
| A-9 | 12/19/96 | 53.04 | 7.43 | 45.61 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2.6 | NA | NM | |
| A-9 | 04/01/97 | 53.04 | 9.95 | 43.09 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-9 | 05/27/97 | 53.04 | 9.56 | 43.48 | <50 | 2.3 | <0.5 | <0.5 | <0.5 | 45 | NA | NM | |
| A-9 | 08/12/97 | 53.04 | 10.15 | 42.89 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-9 | 11/14/97 | 53.04 | 8.64 | 44.40 | <200 | <2.0 | <2.0 | <2.0 | <2.0 | 190 | NA | 9.6 | |
| A-9 | 03/18/98 | 53.04 | 6.45 | 46.59 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-9 | 05/19/98 | 53.04 | 8.35 | 44.69 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 7 | NA | 1.27 | P |
| A-9 | 07/29/98 | 53.04 | 8.74 | 44.30 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | 0.99 | NP |
| A-9 | 10/09/98 | 53.04 | 10.05 | 42.99 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | 1.0 | NP |
| A-9 | 02/19/99 | 53.04 | 6.91 | 46.13 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | 2.0 | NP |
| A-9 | 06/02/99 | 53.04 | 9.72 | 43.32 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 16 | NA | 2.32 | NP |
| A-9 | 08/26/99 | 53.04 | 9.48 | 43.56 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | 0.71 | NP |
| A-9 | 10/26/99 | 53.04 | 9.17 | 43.87 | 1,500 | 6.2 | 0.7 | 78 | 11 | 91 | NA | 2.15 | NP |
| A-9 | 02/25/00 | 53.04 | 5.84 | 47.20 | <50 | <0.5 | <0.5 | <0.5 | <1 | <3 | NA | 1.55 | NP |
| A-10 | 03/26/96 | 54.26 | 8.28 | 45.98 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| A-10 | 05/22/96 | 54.26 | 8.60 | 45.66 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| A-10 | 08/22/96 | 54.26 | 10.98 | 43.28 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| A-10 | 12/19/96 | 54.26 | 8.80 | 45.46 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| A-10 | 04/01/97 | 54.26 | 11.15 | 43.11 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| A-10 | 05/27/97 | 54.26 | 10.90 | 43.36 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| A-10 | 08/12/97 | 54.26 | 11.30 | 42.96 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| A-10 | 11/14/97 | 54.26 | 10.80 | 43.46 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| A-10 | 03/18/98 | | | | ----- Well Removed from Survey Program ----- | | | | | | | | |
| A-11 | 03/26/96 | 53.74 | 8.10 | 45.64 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-11 | 05/22/96 | 53.74 | 8.25 | 45.49 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | NA | NA | NM | |
| A-11 | 08/22/96 | 53.74 | 10.58 | 43.16 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-11 | 12/19/96 | 53.74 | 8.37 | 45.37 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | NM | |
| A-11 | 04/01/97 | 53.74 | 10.95 | 42.79 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-11 | 05/27/97 | 53.74 | 10.60 | 43.14 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3.1 | NA | NM | |

Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)

ARCO Service Station 4931
731 West MacArthur Boulevard, Oakland, California

| Well Number | Date Gauged/ Sampled | Well Elevation (feet, MSL) | Depth to Water (feet, TOB) | Groundwater Elevation (feet, MSL) | TPH Gasoline (ppb) | Benzene (ppb) | Toluene (ppb) | Ethyl- benzene (ppb) | Total Xylenes (ppb) | MTBE 8021B* (ppb) | MTBE 8260 (ppb) | Dissolved Oxygen (ppm) | Purged/ Not Purged (P/NP) |
|-------------|-------------------------|-------------------------------|-------------------------------|--------------------------------------|--|---------------|---------------|-------------------------|---------------------|-------------------|-----------------|------------------------|------------------------------|
| A-11 | 08/12/97 | 53.74 | 11.07 | 42.67 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-11 | 11/14/97 | 53.74 | 10.58 | 43.16 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | 1.6 | |
| A-11 | 03/18/98 | 53.74 | 8.14 | 45.60 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-11 | 05/19/98 | 53.74 | 9.40 | 44.34 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | 1.13 | P |
| A-11 | 07/29/98 | 53.74 | 10.32 | 43.42 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-11 | 10/09/98 | 53.74 | 10.91 | 42.83 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | 2.0 | NP |
| A-11 | 02/19/99 | 53.74 | 6.77 | 46.97 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | 1.8 | NP |
| A-11 | 06/02/99 | 53.74 | 10.95 | 42.79 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 6 | NA | 1.38 | NP |
| A-11 | 08/26/99 | 53.74 | 11.05 | 42.69 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-11 | 10/26/99 | 53.74 | 10.81 | 42.93 | <50 | <0.5 | <0.5 | <0.5 | <1 | 4 | NA | 0.49 | |
| A-11 | 02/25/00 | 53.74 | 6.70 | 47.04 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-12 | 03/26/96 | 52.05 | 7.83 | 44.22 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-12 | 05/22/96 | 52.05 | 7.80 | 44.25 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | NA | NA | NM | |
| A-12 | 08/22/96 | 52.05 | 9.97 | 42.08 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-12 | 12/19/96 | 52.05 | 8.18 | 43.87 | 85 | <0.5 | <0.5 | <0.5 | <0.5 | 170 | NA | NM | |
| A-12 | 04/01/97 | 52.05 | 10.30 | 41.75 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-12 | 05/27/97 | 52.05 | 10.05 | 42.00 | 50 | 12 | <0.5 | <0.5 | <0.5 | 96 | NA | NM | |
| A-12 | 08/12/97 | 52.05 | 10.46 | 41.59 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-12 | 11/14/97 | 52.05 | 9.70 | 42.35 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 75 | NA | 7.0 | |
| A-12 | 03/18/98 | 52.05 | 8.15 | 43.90 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-12 | 05/19/98 | 52.05 | 9.15 | 42.90 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 29 | NA | 1.47 | P |
| A-12 | 07/29/98 | 52.05 | 9.38 | 42.67 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-12 | 10/09/98 | 52.05 | 10.21 | 41.84 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 7 | NA | 2.0 | NP |
| A-12 | 02/19/99 | 52.05 | 6.96 | 45.09 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <3 | NA | 5.2 | NP |
| A-12 | 06/02/99 | 52.05 | 10.25 | 41.80 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 7 | NA | 1.38 | NP |
| A-12 | 08/26/99 | 52.05 | 9.91 | 42.14 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-12 | 10/26/99 | 52.05 | 9.73 | 42.32 | <50 | <0.5 | <0.5 | <0.5 | <1 | 12 | NA | 0.51 | |
| A-12 | 02/25/00 | 52.05 | 6.97 | 45.08 | Not Sampled: Well Sampled Semiannually | | | | | | | | |
| A-13 | 03/26/96 | 55.11 | | | ----- Well Inaccessible ----- | | | | | | | | |
| A-13 | 05/22/96 | 55.11 | | | ----- Well Inaccessible ----- | | | | | | | | |

Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)

ARCO Service Station 4931
731 West MacArthur Boulevard, Oakland, California

| Well Number | Date Gauged/ Sampled | Well Elevation (feet, MSL) | Depth to Water (feet, TOB) | Groundwater Elevation (feet, MSL) | TPH Gasoline (ppb) | Benzene (ppb) | Toluene (ppb) | Ethyl- benzene (ppb) | Total Xylenes (ppb) | MTBE 8021B* (ppb) | MTBE 8260 (ppb) | Dissolved Oxygen (ppm) | Purged/ Not Purged (P/NP) |
|-------------|-------------------------|-------------------------------|-------------------------------|--------------------------------------|---|------------------|------------------|----------------------------|------------------------|----------------------|--------------------|---------------------------|---------------------------------|
| A-13 | 08/22/96 | 55.11 | | ----- | | | | | | | | | Well Inaccessible |
| A-13 | 12/19/96 | 55.11 | | ----- | | | | | | | | | Well Inaccessible |
| A-13 | 04/01/97 | 55.11 | | ----- | | | | | | | | | Well Inaccessible |
| A-13 | 05/27/97 | 55.11 | | ----- | | | | | | | | | Well Inaccessible |
| A-13 | 08/12/97 | 55.11 | | ----- | | | | | | | | | Well Inaccessible |
| A-13 | 11/14/97 | 55.11 | | ----- | | | | | | | | | Well Inaccessible |
| A-13 | 03/18/98 | 55.11 | | ----- | | | | | | | | | Well Inaccessible |
| A-13 | 05/19/98 | 55.11 | | ----- | | | | | | | | | Well Inaccessible |
| A-13 | 07/29/98 | 55.11 | | ----- | | | | | | | | | Well Inaccessible |
| A-13 | 10/09/98 | 55.11 | | ----- | | | | | | | | | Well Inaccessible |
| A-13 | 02/19/99 | 55.11 | | ----- | | | | | | | | | Well Inaccessible |
| A-13 | 06/02/99 | 55.11 | | ----- | | | | | | | | | Well Inaccessible |
| A-13 | 08/26/99 | 55.11 | | ----- | | | | | | | | | Well Inaccessible |
| A-13 | 10/26/99 | 55.11 | | ----- | | | | | | | | | Well Inaccessible |
| A-13 | 02/25/00 | 55.11 | | ----- | | | | | | | | | Well Inaccessible |
| AR-1 | 03/26/96 | 54.72 | 8.13 | 46.59 | 6,200 | 110 | 64 | 38 | 520 | NA | NA | NM | |
| AR-1 | 05/22/96 | 54.72 | 8.57 | 46.15 | NS | NS | NS | NS | NS | NS | NS | NM | |
| AR-1 | 08/22/96 | 54.72 | 10.97 | 43.75 | 5,600 | 100 | 28 | 29 | 310 | 960 | NA | NM | |
| AR-1 | 12/19/96 | 54.72 | 8.93 | 45.79 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-1 | 04/01/97 | 54.72 | 11.78 | 42.94 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-1 | 05/27/97 | 54.72 | 10.76 | 43.96 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-1 | 08/12/97 | 54.72 | 11.40 | 43.32 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-1 | 11/14/97 | 54.72 | 10.80 | 43.92 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-1 | 03/18/98 | 54.72 | NM | NM | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-1 | 05/19/98 | 54.72 | NM | NM | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-1 | 07/29/98 | 54.72 | 10.17 | 44.55 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-1 | 10/09/98 | 54.72 | 11.25 | 43.47 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-1 | 02/19/99 | 54.72 | 7.02 | 47.70 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-1 | 06/02/99 | 54.72 | 11.00 | 43.72 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-1 | 08/26/99 | 54.72 | 10.96 | 43.76 | Not Sampled: Well Removed from Sampling Program | | | | | | | | 0.39 |
| AR-1 | 10/26/99 | 54.72 | 10.68 | 44.04 | Not Sampled: Well Removed from Sampling Program | | | | | | | | 1.39 |

Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)

ARCO Service Station 4931
731 West MacArthur Boulevard, Oakland, California

| Well Number | Date Gauged/ Sampled | Well Elevation (feet, MSL) | Depth to Water (feet, TOB) | Groundwater Elevation (feet, MSL) | TPH | | | | Total Xylenes (ppb) | MTBE 8021B* (ppb) | MTBE 8260 (ppb) | Dissolved Oxygen (ppm) | Purged/ Not Purged (P/NP) |
|-------------|-------------------------|-------------------------------|-------------------------------|--------------------------------------|---|------------------|------------------|----------------------------|------------------------|----------------------|--------------------|---------------------------|---------------------------------|
| | | | | | Gasoline (ppb) | Benzene (ppb) | Toluene (ppb) | Ethyl- benzene (ppb) | | | | | |
| AR-1 | 02/25/00 | 54.72 | 7.15 | 47.57 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-2 | 03/26/96 | 54.77 | 4.93 | 49.84 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | NA | NA | NM | |
| AR-2 | 05/22/96 | 54.77 | 5.65 | 49.12 | NS | NS | NS | NS | NS | NS | NS | NM | |
| AR-2 | 08/22/96 | 54.77 | 7.27 | 47.50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 200 | NA | NM | |
| AR-2 | 12/19/96 | 54.77 | 7.78 | 46.99 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-2 | 04/01/97 | 54.77 | 6.80 | 47.97 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-2 | 05/27/97 | 54.77 | 6.32 | 48.45 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-2 | 08/12/97 | 54.77 | 7.43 | 47.34 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-2 | 11/14/97 | 54.77 | 8.95 | 45.82 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-2 | 03/18/98 | 54.77 | NM | NM | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-2 | 05/19/98 | 54.77 | NM | NM | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-2 | 07/29/98 | 54.77 | 4.47 | 50.30 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-2 | 10/09/98 | 54.77 | 6.90 | 47.87 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-2 | 02/19/99 | 54.77 | 3.80 | 50.97 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-2 | 06/02/99 | 54.77 | 4.61 | 50.16 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-2 | 08/26/99 | 54.77 | 5.22 | 49.55 | Not Sampled: Well Removed from Sampling Program | | | | | | | | 0.44 |
| AR-2 | 10/26/99 | 54.77 | 3.20 | 51.57 | Not Sampled: Well Removed from Sampling Program | | | | | | | | 1.79 |
| AR-2 | 02/25/00 | 54.77 | 2.33 | 52.44 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-3 | 03/26/96 | 54.19 | 7.95 | 46.24 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | NA | NA | NM | |
| AR-3 | 05/22/96 | 54.19 | 8.30 | 45.89 | NS | NS | NS | NS | NS | NS | NS | NM | |
| AR-3 | 08/22/96 | 54.19 | 10.84 | 43.35 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-3 | 12/19/96 | 54.19 | 8.56 | 45.63 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-3 | 04/01/97 | 54.19 | 11.24 | 42.95 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-3 | 05/27/97 | 54.19 | 10.67 | 43.52 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-3 | 08/12/97 | 54.19 | 11.10 | 43.09 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-3 | 11/14/97 | 54.19 | 10.60 | 43.59 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-3 | 03/18/98 | 54.19 | NM | NM | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-3 | 05/19/98 | 54.19 | NM | NM | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-3 | 07/29/98 | 54.19 | 9.95 | 44.24 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-3 | 10/09/98 | 54.19 | 11.20 | 42.99 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |

Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)

ARCO Service Station 4931
731 West MacArthur Boulevard, Oakland, California

| Well Number | Date Gauged/ Sampled | Well Elevation (feet, MSL) | Depth to Water (feet, TOB) | Groundwater Elevation (feet, MSL) | TPH Gasoline | Benzene | Toluene | Ethyl- benzene | Total Xylenes | MTBE 8021B* | MTBE 8260 | Dissolved Oxygen | Purged/ Not Purged (P/NP) |
|-------------|-------------------------|-------------------------------|-------------------------------|--------------------------------------|---|---------|---------|-------------------|------------------|----------------|--------------|---------------------|---------------------------------|
| AR-3 | 02/19/99 | 54.19 | 6.98 | 47.21 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-3 | 06/02/99 | 54.19 | 10.80 | 43.39 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-3 | 08/26/99 | 54.19 | 10.69 | 43.50 | Not Sampled: Well Removed from Sampling Program | | | | | | | | 0.40 |
| AR-3 | 10/26/99 | 54.19 | NM | NM | Not Sampled: Well Removed from Sampling Program | | | | | | | | |
| AR-3 | 02/25/00 | 54.19 | 7.21 | 46.98 | Not Sampled: Well Removed from Sampling Program | | | | | | | | |

TPH = Total petroleum hydrocarbons by modified EPA method 801
 BTEX = Benzene, toluene, ethylbenzene, total xylenes by EPA method 8021B. (EPA method 8020 prior to 10/26/99)
 MTBE = Methyl tert-butyl ether
 * = EPA method 8020 prior to 10/26/99
 MSL = Mean sea level
 TOB = Top of box
 ppb = Parts per billion
 ppm = Parts per million
 < = Less than laboratory detection limit stated to the right
 NA = Not analyzed
 NM = Not measured
 NS = Not sampled

APPENDIX C

GEOTRACKER UPLOAD CONFIRMATION

Electronic Submittal Information

[Main Menu](#) | [View/Add Facilities](#) | [Upload EDD](#) | [Check EDD](#)

UPLOADING A GEO_WELL FILE

Processing is complete. No errors were found!
Your file has been successfully submitted!

| | |
|-----------------------------|----------------------|
| Submittal Title: | 2Q08 GEO_WELL 4931 |
| Facility Global ID: | T0600100110 |
| Facility Name: | ARCO #04931 |
| Submittal Date/Time: | 6/30/2008 3:47:14 PM |
| Confirmation Number: | 4250687122 |

[Back to Main Menu](#)

Logged in as BROADBENT-C
(CONTRACTOR)

CONTACT SITE [ADMINISTRATOR](#).

Electronic Submittal Information

[Main Menu](#) | [View/Add Facilities](#) | [Upload EDD](#) | [Check EDD](#)

Your EDF file has been successfully uploaded!

Confirmation Number: 4603618621
Date/Time of Submittal: 6/30/2008 3:49:10 PM
Facility Global ID: T0600100110
Facility Name: ARCO #04931
Submittal Title: 2Q08 GW Monitoring
Submittal Type: GW Monitoring Report

[Click here](#) to view the detections report for this upload.

| | |
|--------------------|---|
| ARCO #04931 | Regional Board - Case #: 01-0118 |
| 731 MACARTHUR | SAN FRANCISCO BAY RWQCB (REGION 2) - (CCM) |
| OAKLAND, CA 94609 | Local Agency (lead agency) - Case #: RO0000076 |
| | ALAMEDA COUNTY LOP - (PK) |

| <u>CONF #</u> | <u>TITLE</u> | <u>QUARTER</u> |
|------------------------------|--------------------|----------------|
| 4603618621 | 2Q08 GW Monitoring | Q2 2008 |
| <u>SUBMITTED BY</u> | <u>SUBMIT DATE</u> | <u>STATUS</u> |
| Broadbent & Associates, Inc. | 6/30/2008 | PENDING REVIEW |

SAMPLE DETECTIONS REPORT

| | |
|---|-------|
| # FIELD POINTS SAMPLED | 1 |
| # FIELD POINTS WITH DETECTIONS | 1 |
| # FIELD POINTS WITH WATER SAMPLE DETECTIONS ABOVE MCL | 1 |
| SAMPLE MATRIX TYPES | WATER |

METHOD QA/QC REPORT

| | |
|-------------------------------|---------------|
| METHODS USED | M8015,SW8260B |
| TESTED FOR REQUIRED ANALYTES? | Y |
| LAB NOTE DATA QUALIFIERS | Y |

QA/QC FOR 8021/8260 SERIES SAMPLES

| | |
|---|---|
| TECHNICAL HOLDING TIME VIOLATIONS | 0 |
| METHOD HOLDING TIME VIOLATIONS | 0 |
| LAB BLANK DETECTIONS ABOVE REPORTING DETECTION LIMIT | 0 |
| LAB BLANK DETECTIONS | 0 |
| DO ALL BATCHES WITH THE 8021/8260 SERIES INCLUDE THE FOLLOWING? | |
| - LAB METHOD BLANK | Y |
| - MATRIX SPIKE | Y |
| - MATRIX SPIKE DUPLICATE | Y |
| - BLANK SPIKE | Y |
| - SURROGATE SPIKE | Y |

WATER SAMPLES FOR 8021/8260 SERIES

| | |
|---|----------|
| MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) % RECOVERY BETWEEN 65-135% | Y |
| MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) RPD LESS THAN 30% | Y |
| SURROGATE SPIKES % RECOVERY BETWEEN 85-115% | N |
| BLANK SPIKE / BLANK SPIKE DUPLICATES % RECOVERY BETWEEN 70-130% | Y |

SOIL SAMPLES FOR 8021/8260 SERIES

| | |
|---|-----|
| MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) % RECOVERY BETWEEN 65-135% | n/a |
| MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) RPD LESS THAN 30% | n/a |

SURROGATE SPIKES % RECOVERY BETWEEN 70-125% n/a
BLANK SPIKE / BLANK SPIKE DUPLICATES % RECOVERY BETWEEN 70-130% n/a

FIELD QC SAMPLES

| <u>SAMPLE</u> | <u>COLLECTED</u> | <u>DETECTIONS > REPD</u> |
|---------------|------------------|-----------------------------|
| QCTB SAMPLES | N | 0 |
| QCEB SAMPLES | N | 0 |
| QCAB SAMPLES | N | 0 |

Logged in as BROADBENT-C (CONTRACTOR)

CONTACT SITE [ADMINISTRATOR](#).