



DEC 31 2001

3164 Gold Camp Drive
Suite 200
Rancho Cordova, CA 95670-6021
U.S.A.
916/638-2085
FAX: 916/638-8385

December 21, 2001

Pro 78

Mr. Paul Supple
ARCO Products Company
P.O. Box 6549
Moraga, CA 94570

Subject: *Quarterly Groundwater Monitoring Report, Third Quarter 2001*
ARCO Service Station No. 374
6407 Telegraph Avenue
Oakland, California
Delta Project No. D000-302

Dear Mr. Supple:

Delta Environmental Consultants, Inc. is submitting the attached report that presents the results of the third quarter 2001 groundwater monitoring program at ARCO Products Company Service Station No. 374, located at 6407 Telegraph Avenue, Oakland, California. The monitoring program complies with the California Regional Water Quality Control Board requirements regarding underground tank investigations.

The interpretations contained in this report represent our professional opinions and are based, in part, on information supplied by the client. These opinions are based on currently available information and are arrived at in accordance with currently accepted hydrogeological and engineering practices at this time and location. Other than this, no warranty is implied or intended.

If you have any questions concerning this project, please contact Steven W. Meeks at (916) 536-2613.

Sincerely,

DELTA ENVIRONMENTAL CONSULTANTS, INC.

Trevor L. Atkinson for
Trevor L. Atkinson
Project Engineer

Steven W. Meeks
Steven W. Meeks, P.E.
Project Manager
California Registered Civil Engineer No. C057461



12/21/01

TLA (LRP005.302.doc)
Enclosures

cc: Ms. Susan Hugo – Alameda County Health Care Services
Mr. John Kaiser – California Regional Water Quality Control Board, San Francisco Bay Region

Date: December 21, 2001

ARCO QUARTERLY GROUNDWATER MONITORING REPORT

Station No.:	374	Address:	6407 Telegraph Avenue, Oakland, CA
ARCO Environmental Engineer/Phone No.:			Paul Supple 925-299-8891
Consulting Co./Contact Person			Delta Environmental Consultants, Inc. Steven W. Meeks, P.E.
Consultant Project No.:	D000-302		
Primary Agency/Regulatory ID No.			California Regional Water Quality Control Board San Francisco Bay Region

WORK PERFORMED THIS QUARTER

1. Performed quarterly groundwater monitoring for the third quarter 2001.
2. Prepared and submitted quarterly groundwater monitoring report for second quarter 2001.

WORK PROPOSED FOR NEXT QUARTER

1. Prepare and submit quarterly groundwater monitoring report for the third quarter 2001.
2. Perform quarterly groundwater monitoring and sampling for the fourth quarter 2001.

QUARTERLY MONITORING:

Current Phase of Project	Monitoring
Frequency of Groundwater Sampling:	Annual (2 nd Quarter): MW-1, MW-2, MW-6 Semi-annual (2 nd /4 th Quarter): MW-3, MW-4 Quarterly: MW-5
Frequency of Groundwater Monitoring:	Quarterly
Is Free Product (FP) Present On-Site:	No
FP Recovered this Quarter:	None
Cumulative FP Recovered to Date:	None
Bulk Soil Removed This Quarter:	None
Bulk Soil Removed to Date:	None
Current Remediation Techniques:	Intrinsic Bioremediation
Approximate Depth to Groundwater:	7.88 feet
Groundwater Gradient:	0.029 ft/ft toward southwest

DISCUSSION:

- Benzene and TPH as gasoline were not detected at or above the laboratory reporting limits in the collected samples.
- MTBE was not detected at or above the laboratory reporting in the collected samples.

ATTACHMENTS:

- Table 1 Groundwater Elevation and Analytical Data
- Table 2 Groundwater Flow Direction and Gradient
- Figure 1 Groundwater Analytical Summary Map
- Figure 2 Groundwater Elevation Contour Map
- Appendix A Sampling and Analysis Procedures
- Appendix B Historical Groundwater Elevation Analytical Data Table
Groundwater Flow Direction and Gradient Table
Intrinsic Bioremediation Evaluation and Enhancement Data
- Appendix C Certified Analytical Reports with Chain-of-Custody Documentation
- Appendix D Field Data Sheet

TABLE 1

GROUNDWATER ANALYTICAL DATA

ARCO Service Station 374
6407 Telegraph Avenue
Oakland, California

Well Number	Date Sampled	Top of Riser Elevation (ft)	Depth to Groundwater (ft)	Groundwater Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as Gasoline (µg/L)	MTBE (µg/L)
MW-1	6/20/2000	158.91	6.86	152.05	NS	NS	NS	NS	NS	NS
	9/28/2000		7.50	151.41	NS	NS	NS	NS	NS	NS
	12/17/2000		7.49	151.42	NS	NS	NS	NS	NS	NS
	3/23/2001		5.90	153.01	<0.5	<0.5	<0.5	<0.5	<50	2,710
	6/21/2001		7.45	151.46	NS	NS	NS	NS	NS	NS
	9/23/2001		8.46	150.45	NS	NS	NS	NS	NS	NS
MW-2	6/20/2000	157.92	7.67	150.25	NS	NS	NS	NS	NS	NS
	9/28/2000		8.51	149.41	NS	NS	NS	NS	NS	NS
	12/17/2000		8.14	149.78	NS	NS	NS	NS	NS	NS
	3/23/2001		7.21	150.71	<0.5	<0.5	<0.5	<0.5	<50	<2.5
	6/21/2001		7.99	149.93	NS	NS	NS	NS	NS	NS
	9/23/2001		8.52	149.40	NS	NS	NS	NS	NS	NS
MW-3	6/20/2000	153.64	6.42	147.22	<0.5	<0.5	<0.5	<1.0	<50	<10
	9/28/2000		7.31	146.33	NS	NS	NS	NS	NS	NS
	12/17/2000		6.45	147.19	<0.5	<0.5	<0.5	<0.5	<50	<2.5
	3/23/2001		6.01	147.63	NS	NS	NS	NS	NS	NS
	6/21/2001		6.80	146.84	5.5	<0.5	5.4	4.1	110	2.5
	9/23/2001		7.32	146.32	NS	NS	NS	NS	NS	NS
MW-4	6/20/2000	156.53	7.50	149.03	5,100	440	1,000	1,700	20,000	<250
	9/28/2000		8.20	148.33	NS	NS	NS	NS	NS	NS
	12/17/2000		8.11	148.42	1240	<20	27.2	249	4,320	<100
	3/23/2001		6.69	149.84	NS	NS	NS	NS	NS	NS
	6/21/2001		8.01	148.52	470	16	19	160	2,800	130
	9/23/2001		8.91	147.62	NS	NS	NS	NS	NS	NS

TABLE 1

GROUNDWATER ANALYTICAL DATA

ARCO Service Station 374
6407 Telegraph Avenue
Oakland, California

Well Number	Date Sampled	Top of Riser Elevation (ft)	Depth to Groundwater (ft)	Groundwater Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as Gasoline (µg/L)	MTBE (µg/L)
MW-5	6/20/2000	151.33	7.84	143.49	<0.5	<0.5	<0.5	<1.0	<50	<10
	9/28/2000		8.37	142.96	<0.5	<0.5	<0.5	<0.5	<50	<2.5
	12/17/2000		8.36	142.97	< 0.5	< 0.5	< 0.5	< 0.5	<50	<2.5
	3/23/2001		7.55	143.78	< 0.5	< 0.5	< 0.5	< 0.5	<50	<2.5
	6/21/2001		8.20	143.13	< 0.5	< 0.5	< 0.5	< 0.5	<50	<2.5
	9/23/2001		8.68	142.65	<0.5	< 0.5	< 0.5	< 0.5	<50	<2.5
MW-6	6/20/2000	153.84	4.79	149.05	NS	NS	NS	NS	NS	NS
	9/28/2000		5.39	148.45	NS	NS	NS	NS	NS	NS
	12/17/2000		4.71	149.13	NS	NS	NS	NS	NS	NS
	3/23/2001		4.69	149.15	< 0.5	< 0.5	< 0.5	< 0.5	<50	<2.5
	6/21/2001		5.22	148.62	NS	NS	NS	NS	NS	NS
	9/23/2001		5.40	148.44	NS	NS	NS	NS	NS	NS

TPH = Total Petroleum Hydrocarbons

MTBE = Methyl tertiary butyl ether analyzed by EPA Method 8021B unless otherwise noted

µg/L = Micrograms per liter

NM = Not measured

NC = Not calculated

NS = Not sampled

Note: Please Refer to Appendix B for Historical Groundwater Elevation and Analytical Data Tables developed by IT


TABLE 2

GROUNDWATER FLOW DIRECTION AND GRADIENT

ARCO Service Station No. 374
6407 Telegraph Avenue
Oakland, California

Date Measured	Average Flow Direction	Average Hydraulic Gradient
06/20/00	Southwest	0.035
09/28/00	Southwest	0.034
12/17/00	Southwest	0.032
03/23/01	Southwest	0.034
06/21/01	Southwest	0.032
09/23/01	Southwest	0.029

Note: Please refer to Appendix B for Historical Groundwater Elevation and Analytical Data
Tables developed by IT Corporation



<50
<0.5
<2.5

MW-5

LEGEND:

- MW-1 MONITORING WELL LOCATION
- W-1 TANK PIT MONITORING WELL LOCATION

<50	TPH AS GASOLINE IN MICROGRAMS PER LITER
<0.5	BENZENE IN MICROGRAMS PER LITER
<2.5	MTBE IN MICROGRAMS PER LITER


NS NOT SAMPLED

NOTE: SITE MAP ADAPTED FROM IT CORPORATION FIGURES
SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.

FIGURE 1
GROUND WATER ANALYTICAL SUMMARY
THIRD QUARTER 2001 (9/23/01)
ARCO STATION NO. 374
6407 TELEGRAPH AVENUE
OAKLAND, CALIFORNIA

PROJECT NO. D000-302	DRAWN BY TLA 12/11/01
FILE NO 374-1	PREPARED BY TLA
REVISION NO. 1	REVIEWED BY





LEGEND.

- MW-1 MONITORING WELL LOCATION
- ⊕ W-1 TANK PIT MONITORING WELL LOCATION
- (150.45) GROUND WATER ELEVATION IN FEET ABOVE MEAN SEA LEVEL (MSL)
- - 149.0 - - WATER TABLE CONTOUR IN FEET ABOVE MSL
- GROUND WATER FLOW DIRECTION
- APPROXIMATE GROUND WATER FLOW GRADIENT

NOTE: SITE MAP ADAPTED FROM IT CORPORATION FIGURES.
SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.

FIGURE 2 GROUND WATER ELEVATION CONTOUR MAP THIRD QUARTER 2001 (9/23/01) ARCO STATION NO. 374 6407 TELEGRAPH AVENUE OAKLAND, CALIFORNIA	
PROJECT NO. D000-302	DRAWN BY TLA 12/11/01
FILE NO 374-1	PREPARED BY TLA
REVISION NO. 1	REVIEWED BY



APPENDIX A

Sampling and Analysis Procedures

FIELD METHODS AND PROCEDURES

1.0 GROUND WATER AND LIQUID-PHASE HYDROCARBON DEPTH ASSESSMENT

A water/liquid-phase hydrocarbon (LPH) interface probe was used to assess the thickness of LPH, if present, and a water level indicator was used to measure ground water depth in monitoring wells that did not contain LPH. Depth to ground water was measured from the top of each monitoring well casing. The tip of the water level indicator was subjectively analyzed for LPH sheen. All measurements and physical observations were recorded in the field.

2.0 SUBJECTIVE ANALYSIS OF GROUND WATER

Prior to purging, a water sample was collected from the monitoring well for subjective analysis. The sample was retrieved by gently lowering a clean, disposable bailer to approximately one-half the bailer length past the air/liquid interface. The bailer was then retrieved and the sample contained within the bailer was examined for LPH and the appearance of a LPH sheen.

3.0 MONITORING WELL PURGING AND SAMPLING

Monitoring wells were purged using a centrifugal pump or disposable bailers until pH, temperature, and conductivity of the purge water had stabilized and a minimum of three to four well volumes of water had been removed. Ground water removed from the wells was stored in 55-gallon barrels at the site. The barrels were labeled with corresponding monitoring well numbers and the date of purging. After purging, ground water levels were allowed to stabilize. A ground water sample was then removed from each of the wells using a dedicated disposable bailer. If the well was purged dry, it was allowed to sufficiently recharge and a sample was collected. Samples were collected in air-tight vials, appropriately labeled, and stored on ice from the time of collection through the time of delivery to the laboratory. A chain-of-custody form was completed to document possession of the samples. Ground water samples were transported to the laboratory and analyzed within the EPA-specified holding times for the requested analyses. Purge water will be collected from the storage barrels in a vacuum truck and transported to an appropriate facility for treatment and/or disposal.

If the depth to groundwater was above the top of screens of the monitoring wells, then the wells were purged. Before sampling occurred, a polyvinyl chloride (PVC) bailer, centrifugal pump, low-flow submersible pump, or Teflon bailer was used to purge standing water in the casing and gravel pack from the monitoring well. Monitoring wells were purged according to the protocol previously stated in the first paragraph of this sub-section. In most monitoring wells, the amount of water purged before sampling was greater than or equal to three casing volumes. Some monitoring wells were expected to be evacuated to dryness after removing fewer than three casing volumes. These low-yield monitoring wells were allowed to recharge for up to 24 hours. Samples were obtained as soon as the monitoring wells recharged to a level sufficient for sample collection. If insufficient water recharged after 24 hours, the monitoring well was recorded as dry for the sampling event.

APPENDIX B

IT Corporation

Historical Groundwater Elevation and Analytical Data Table

Groundwater Flow Direction and Gradient Table

Intrinsic Bioremediation Evaluation and Enhancement Data

Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)

ARCO Service Station 0374
6407 Telegraph Avenue, Oakland, California

Well Number	Date Gauged/ Sampled	Well Elevation (feet, MSL)	Depth to Water (feet, TOC)	Groundwater Elevation (feet, MSL)	TPPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Total Xylenes (ppb)	MTBE (ppb)	Dissolved Oxygen (ppm)	Purged/ Not Purged (P/NP)
MW-1	01/31/96	158.91	6.34	152.57	Not Sampled: Well Sampled Annually							
MW-1	04/10/96	158.91	5.82	153.09	Not Sampled: Well Sampled Annually							
MW-1	07/16/96	158.91	7.23	151.68	<50	<0.5	<0.5	<0.5	<0.5	340	NM	
MW-1	10/14/96	158.91	8.34	150.57	Not Sampled: Well Sampled Annually							
MW-1	03/27/97	158.91	6.37	152.54	Not Sampled: Well Sampled Annually							
MW-1	05/27/97	158.91	7.30	151.61	Not Sampled: Well Sampled Annually							
MW-1	08/12/97	158.91	8.22	150.69	<50	<0.5	<0.5	<0.5	<0.5	620	NM	
MW-1	11/17/97	158.91	7.98	150.93	Not Sampled: Well Sampled Annually							
MW-1	03/16/98	158.91	4.94	153.97	Not Sampled: Well Sampled Annually							
MW-1	05/12/98	158.91	5.28	153.63	Not Sampled: Well Sampled Annually							
MW-1	07/27/98	158.91	6.84	152.07	<500	<5	<5	<5	<5	580	0.6	P
MW-1	10/15/98	158.91	7.32	151.59	Not Sampled: Well Sampled Annually							
MW-1	02/18/99	158.91	6.28	152.63	Not Sampled: Well Sampled Annually							
MW-1	05/24/99	158.91	6.45	152.46	<50	<0.5	<0.5	<0.5	<0.5	1,300	2.0	NP
MW-1	08/27/99	158.91	7.86	151.05	<50	<0.5	<0.5	<0.5	<0.5	1,500	1.65	NP
MW-1	10/26/99	158.91	8.43	150.48	Not Sampled: Well Sampled Annually							
MW-1	02/03/00	158.91	7.28	151.63	<50	<0.5	<0.5	<0.5	<1	4,000	1.0	NP
MW-2	01/31/96	157.92	6.51	151.41	Not Sampled: Well Sampled Annually							
MW-2	04/10/96	157.92	6.94	150.98	Not Sampled: Well Sampled Annually							
MW-2	07/16/96	157.92	7.73	150.19	<50	1.2	<0.5	<0.5	<0.5	33	NM	
MW-2	10/14/96	157.92	8.35	149.57	Not Sampled: Well Sampled Annually							
MW-2	03/27/97	157.92	7.40	150.52	Not Sampled: Well Sampled Annually							
MW-2	05/27/97	157.92	7.82	150.10	Not Sampled: Well Sampled Annually							
MW-2	08/12/97	157.92	8.29	149.63	<50	<0.5	<0.5	<0.5	<0.5	23	NM	
MW-2	11/17/97	157.92	8.05	149.87	Not Sampled: Well Sampled Annually							
MW-2	03/16/98	157.92	6.45	151.47	Not Sampled: Well Sampled Annually							

Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)

ARCO Service Station 0374
6407 Telegraph Avenue, Oakland, California

Well Number	Date Gauged/ Sampled	Well Elevation (feet, MSL)	Depth to Water (feet, TOC)	Groundwater Elevation (feet, MSL)	TPPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Total Xylenes (ppb)	MTBE (ppb)	Dissolved Oxygen (ppm)	Purged/ Not Purged (P/NP)
MW-2	05/12/98	157.92	6.93	150.99	Not Sampled: Well Sampled Annually							
MW-2	07/27/98	157.92	7.39	150.53	<50	<0.5	<0.5	<0.5	<0.5	<3	0.85	NP
MW-2	10/15/98	157.92	7.67	150.25	Not Sampled: Well Sampled Annually							
MW-2	02/18/99	157.92	6.63	151.29	Not Sampled: Well Sampled Annually							
MW-2	05/24/99	157.92	7.43	150.49	<50	6.3	<0.5	0.7	<0.5	29	3.0	P
MW-2	08/27/99	157.92	8.22	149.70	<50	<0.5	<0.5	<0.5	<0.5	<3	0.95	NP
MW-2	10/26/99	157.92	8.46	149.46	Not Sampled: Well Sampled Annually							
MW-2	02/03/00	157.92	7.75	150.17	<50	<0.5	<0.5	<0.5	<1	<3	1.0	NP
MW-3 *	01/31/96	153.64	7.02	146.62	140	20	0.87	11	14	NA	NM	
MW-3 *	04/10/96	153.64	7.82	145.82	84	2.4	<0.5	1.9	1.1	NA	NM	
MW-3 *	07/16/96	153.64	6.80	146.84	<50	2.2	<0.5	<0.5	<0.5	<2.5	NM	
MW-3 *	10/14/96	153.64	7.67	145.97	<50	1.2	<0.5	<0.5	0.81	2.9	NM	
MW-3 *	03/27/97	153.64	7.62	146.02	<50	0.94	<0.5	0.9	0.63	<2.5	NM	
MW-3 *	05/27/97	153.64	6.72	146.92	Not Sampled: Well Sampled Semiannually							
MW-3 *	08/12/97	153.64	8.20	145.44	<50	<0.5	<0.5	<0.5	<0.5	<2.5	NM	
MW-3 *	11/17/97	153.64	7.64	146.00	Not Sampled: Well Sampled Semiannually							
MW-3 *	03/18/98	153.64	5.14	148.50	<50	<0.5	<0.5	<0.5	<0.5	<3	4.0	P
MW-3 *	05/12/98	153.64	5.53	148.11	Not Sampled: Well Sampled Semiannually							
MW-3 *	07/27/98	153.64	7.63	146.01	74	<0.5	<0.5	<0.5	<0.5	<3	1.7	NP
MW-3 *	10/15/98	153.64	7.46	146.18	Not Sampled: Well Sampled Semiannually							
MW-3 *	02/18/99	153.64	5.85	147.79	Not Sampled							
MW-3 *	05/24/99	153.64	7.00	146.64	<50	<0.5	<0.5	<0.5	<0.5	4	6.0	NP
MW-3 *	08/27/99	153.64	7.16	146.48	<50	<0.5	<0.5	<0.5	<0.5	<3	16.57	NP
MW-3 *	10/26/99	153.64	7.79	145.85	<50	<0.5	<0.5	<0.5	<1	<3	14.86	NP
MW-3 *	02/03/00	153.64	7.11	146.53	<50	<0.5	<0.5	<0.5	<1	<3	1.0	NP

Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)

ARCO Service Station 0374
6407 Telegraph Avenue, Oakland, California

Well Number	Date Gauged/ Sampled	Well Elevation (feet, MSL)	Depth to Water (feet, TOC)	Groundwater Elevation (feet, MSL)	TPPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Total Xylenes (ppb)	MTBE (ppb)	Dissolved Oxygen (ppm)	Purged/ Not Purged (P/NP)	
MW-4	01/31/96	156.53	5.64	150.89	230	23	2.2	3.7	32	NA	NM		
MW-4	04/10/96	156.53	6.66	149.87	7,300	1,600	350	350	830	NA	NM		
MW-4	07/16/96	156.53	7.73	148.80	5,600	1,100	160	240	520	150	NM		
MW-4	10/14/96	156.53	8.55	147.98	4,500	860	72	160	340	<62	NM		
MW-4	03/27/97	156.53	7.15	149.38	25,000	5,200	760	850	2,600	<250	NM		
MW-4	05/27/97	156.53	7.75	148.78	Not Sampled: Well Sampled Semiannually								
MW-4	08/12/97	156.53	8.46	148.07	4,800	950	40	140	210	170	NM		
MW-4	11/17/97	156.53	8.24	148.29	Not Sampled: Well Sampled Semiannually								
MW-4	03/16/98	156.53	5.32	151.21	<50	<0.5	<0.5	<0.5	<0.5	<3	1.5	P	
MW-4	05/12/98	156.53	6.38	150.15	Not Sampled: Well Sampled Semiannually								
MW-4	07/27/98	156.53	7.36	149.17	21,000	6,100	390	810	1,600	<300	0.5	NP	
MW-4 *	10/15/98	156.53	8.30	148.23	Not Sampled: Well Sampled Semiannually								
MW-4 *	02/18/99	156.53	4.39	152.14	Not Sampled								
MW-4 *	05/24/99	156.53	7.45	149.08	18,000	5,600	350	410	1,300	<300	1.0	NP	
MW-4 *	08/27/99	156.53	8.07	148.46	12,000	3,200	170	490	810	65	1.32	NP	
MW-4 *	10/26/99	156.53	8.72	147.81	12,000	3,100	130	450	680	12	1.39	NP	
MW-4 *	02/03/00	156.53	7.41	149.12	9,300	2,800	96	330	400	73	1.0	NP	
MW-5	01/31/96	151.33	8.64	142.69	<50	<0.5	<0.5	<0.5	<0.5	NA	NM		
MW-5	04/10/96	151.33	N/A	--	<50	<0.5	<0.5	<0.5	<0.5	NA	NM		
MW-5	07/16/96	151.33	8.15	143.18	<50	0.79	1.3	<0.5	<0.5	<2.5	NM		
MW-5	10/14/96	151.33	7.92	143.41	<50	<0.5	<0.5	<0.5	<0.5	<2.5	NM		
MW-5	03/27/97	151.33	7.75	143.58	<50	<0.5	<0.5	<0.5	<0.5	<2.5	NM		
MW-5	05/27/97	151.33	8.16	143.17	<50	<0.5	<0.5	<0.5	<0.5	<2.5	NM		
MW-5	08/12/97	151.33	----- Well Inaccessible -----										
MW-5	11/17/97	151.33	8.75	142.58	<50	<0.5	<0.5	<0.5	<0.5	<2.5	4.0	NP	
MW-5	03/16/98	151.33	6.90	144.43	<50	<0.5	<0.5	<0.5	<0.5	<3	1.5	P	

Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)

ARCO Service Station 0374
6407 Telegraph Avenue, Oakland, California

Well Number	Date Gauged/ Sampled	Well Elevation (feet, MSL)	Depth to Water (feet, TOC)	Groundwater Elevation (feet, MSL)	TPPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Total Xylenes (ppb)	MTBE (ppb)	Dissolved Oxygen (ppm)	Purged/ Not Purged (P/NP)	
MW-5	05/12/98	151.33	7.24	144.09	<50	<0.5	<0.5	<0.5	<0.5	<3	2.2	P	
MW-5	07/27/98	151.33	7.91	143.42	<50	<0.5	<0.5	<0.5	<0.5	<3	1.3	P	
MW-5	10/15/98	151.33	8.31	143.02	<50	<0.5	<0.5	<0.5	0.6	<3	3.0	P	
MW-5	02/18/99	151.33	7.25	144.08	<50	<0.5	<0.5	<0.5	<0.5	<3	2.0	P	
MW-5	05/24/99	151.33	7.52	143.81	<50	<0.5	<0.5	<0.5	<0.5	<3	2.0	NP	
MW-5	08/27/99	151.33	8.31	143.02	<50	<0.5	<0.5	<0.5	<0.5	<3	2.28	P	
MW-5	10/26/99	151.33	8.61	142.72	<50	<0.5	<0.5	<0.5	<1	<3	1.99	P	
MW-5	02/03/00	151.33	10.09	141.24	<50	<0.5	<0.5	<0.5	<1	<3	1.0	NP	
MW-6	01/31/96	153.84	5.15	148.69	Not Sampled: Well Sampled Annually								
MW-6	04/10/96	153.84	4.58	149.26	Not Sampled: Well Sampled Annually								
MW-6	07/16/96	153.84	4.96	148.88	<50	<0.5	<0.5	<0.5	<0.5	150		NM	
MW-6	10/14/96	153.84	6.15	147.69	Not Sampled: Well Sampled Annually								
MW-6	03/27/97	153.84	4.40	149.44	Not Sampled: Well Sampled Annually								
MW-6	05/27/97	153.84	4.90	148.94	Not Sampled: Well Sampled Annually								
MW-6	08/12/97	153.84	5.43	148.41	<50	<0.5	<0.5	<0.5	<0.5	39		NM	
MW-6	11/17/97	153.84	5.87	147.97	Not Sampled: Well Sampled Annually								
MW-6	03/16/98	153.84	4.52	149.32	Not Sampled: Well Sampled Annually								
MW-6	05/12/98	153.84	4.42	149.42	Not Sampled: Well Sampled Annually								
MW-6	07/27/98	153.84	4.75	149.09	<50	<0.5	<0.5	<0.5	<0.5	18	0.9	P	
MW-6	10/15/98	153.84	5.75	148.09	Not Sampled: Well Sampled Annually								
MW-6	02/18/99	153.84	3.93	149.91	Not Sampled: Well Sampled Annually								
MW-6	05/24/99	153.84	4.32	149.52	<50	<0.5	<0.5	<0.5	<0.5	6	2.0	NP	
MW-6	08/27/99	153.84	5.72	148.12	<50	<0.5	<0.5	<0.5	<0.5	8	1.02	NP	
MW-6	10/26/99	153.84	5.94	147.90	Not Sampled: Well Sampled Annually							2.51	
MW-6	02/03/00	153.84	5.44	148.40	<50	<0.5	<0.5	<0.5	<1	<3	1.0	NP	

Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)

ARCO Service Station 0374
6407 Telegraph Avenue, Oakland, California

Well Number	Date Gauged/ Sampled	Well Elevation (feet, MSL)	Depth to Water (feet, TOC)	Groundwater Elevation (feet, MSL)	TPPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Total Xylenes (ppb)	MTBE (ppb)	Dissolved Oxygen (ppm)	Purged/ Not Purged (P/NP)
<p>MSL = Mean sea level. TOC = Top of casing TPPH = Total purgeable petroleum hydrocarbons by modified EPA method 8015. BTEX = Benzene, toluene, ethylbenzene, total xylenes by EPA method 8021B (EPA method 8020 prior to 10/26/99) MTBE = Methyl tert -Butyl Ether by EPA method 8021B. (EPA method 8020 prior to 10/26/99). ppb = Parts per billion. ppm = Parts per million. < = Less than laboratory detection limit stated to the right. NA = Not analyzed. NM = Not measured. N/A = Not available. * = ORCs installed in well MW-3 beginning 11/14/95 and in well MW-4 beginning 09/29/98. Please refer to Appendix D for details.</p>												

**Table 2
Groundwater Flow Direction and Gradient**

**ARCO Service Station 0374
6407 Telegraph Avenue, Oakland, California**

Date Measured	Average Flow Direction	Average Hydraulic Gradient
01-31-96	Southwest	0.04
04-10-96	Southwest	0.04
07-16-96	Southwest	0.03
10-14-96	Southwest	0.03
03-27-97	Southwest	0.04
05-27-97	Southwest	0.03
08-12-97	Southwest	0.04
11-17-97	Southwest	0.03
03-16-98	Southwest	0.03
05-12-98	Southwest	0.04
07-27-98	Southwest	0.04
10-15-98	Southwest	0.02
02-18-99	Southwest	0.05
05-24-99	Southwest	0.03
08-27-99	Southwest	0.03
10-26-99	Southwest	0.03
02-03-00	Southwest	0.047

Table D-1
Intrinsic Bioremediation Evaluation and Enhancement Data

ARCO Service Station 0374
6407 Telegraph Avenue, Oakland, California

Well	Date Sampled	Field Analyses					Laboratory Analyses										
		Groundwater Temperature (deg F)	pH (units)	Conductivity (µmhos)	D.O. (mg/L)	Ferrous Iron (mg/L)	Total Alkalinity (mg CaCO ₃ /L)	B.O.D. (mg/L)	Carbon Dioxide (mg/L)	C.O.D. (mg/L)	Methane (%)	Nitrate as Nitrate (mg/L)	Nitrite as Nitrite (mg/L)	Sulfate (mg/L)	TPH as Gasoline (µg/L)	Total BTEX (µg/L)	
MW-3	11/14/95	** 65.5*	6.76*	508*	7.17	N/A	NS	NS	NS	NS	NS	6.6	<1.0	NS	140	46	
MW-3	06/06/96	** 66.2	7.38	700	12.28	N/A	NS	NS	NS	NS	NS	NS	NS	NS	84†	5.4†	
MW-3	07/16/96	67.8	7.08	1,010	8.73	0.0	280	1.8	270	44	<0.020	<1.0	NS	78	<50	2.2	
MW-3	01/21/97	** 59	N/A	N/A	11.15	0.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
MW-3	08/12/97	** 74.4	6.65	600	6.7	1.6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
MW-3	11/17/97	N/A	N/A	N/A	12.0	0.2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
MW-3	03/16/98	68.5	7.75	806	4.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND	
MW-3	05/12/98	NM	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-3	07/27/98	68.1	6.81	904	1.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	74	ND	
MW-3	09/29/98	**	ORC installed														
MW-3	10/15/98		NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-3	02/18/99		NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-3	05/24/99		66.2	7.24	799	6.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND	
MW-3	07/26/99	**	ORC installed														
MW-3	08/27/99		69.0	7.97	782	16.57	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND	
MW-3	10/26/99		66.5	5.93	794	14.86	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND	
MW-3	02/03/00		62.0	7.42	7,877	1.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND	
MW-4	07/16/96		69.5	6.72	1,370	3.20	420	NS	470	NS	0.11	<1.0	NS	18	5,600	2,020	
MW-4	03/16/98		66.2	6.89	1,411	1.50	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND	
MW-4	05/12/98		NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-4	07/27/98		70.5	6.34	1,434	0.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	21,000	8,900	
MW-4	09/29/98	**	ORC installed														
MW-4	10/15/98		NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-4	02/18/99		NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-4	05/24/99		67.6	6.72	1,509	1.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18,000	7,660	
MW-4	07/26/99	**	ORC installed														

**Table D-1
Intrinsic Bioremediation Evaluation and Enhancement Data**

**ARCO Service Station 0374
6407 Telegraph Avenue, Oakland, California**

Well	Date Sampled	Field Analyses					Laboratory Analyses									
		Groundwater Temperature (deg F)	pH (units)	Conductivity (µmhos)	D.O. (mg/L)	Ferrous Iron (mg/L)	Total Alkalinity (mg CaCO ₃ /L)	B.O.D. (mg/L)	Carbon Dioxide (mg/L)	C.O.D. (mg/L)	Methane (%)	Nitrate as Nitrate (mg/L)	Nitrite as Nitrite (mg/L)	Sulfate (mg/L)	TPH as Gasoline (µg/L)	Total BTEX (µg/L)
MW-4	08/27/99	70.5	7.09	1,469	1.32	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,000	4,670
MW-4	10/26/99	66.8	7.05	1,565	1.39	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,000	4,360
MW-4	02/03/00	64.1	7.27	1,506	1.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,300	3,626
MW-5	07/16/96	70.4	6.85	690	6.80	0.0	170	NS	180	NS	<0.020	<1.0	NS	35	<50	1.1
MW-5	03/16/98	69.5	7.19	584	1.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-5	05/12/98	65.9	7.04	619	2.2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-5	07/27/98	73.6	7.39	569	1.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-5	10/15/98	65.8	6.88	626	3.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	0.6
MW-5	02/18/99	63.4	6.98	616	2.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-5	05/24/99	66.7	6.70	591	2.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-5	08/27/99	72.6	7.10	624	2.28	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-5	10/26/99	70.4	5.95	601	1.99	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-5	02/03/00	62.1	7.31	6,072	1.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-6	06/06/96	N/A	N/A	N/A	3.47	N/A	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-6	03/16/98	N/A	N/A	N/A	N/A	N/A	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-6	05/12/98	NM	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-6	07/27/98	70.3	6.67	638	0.9	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-6	10/15/98	NM	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-6	02/18/99	NM	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-6	05/24/99	65.5	6.62	713	2.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-6	08/27/99	73.0	7.12	589	1.02	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND
MW-6	10/26/99	NM	NM	NM	2.51	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-6	02/03/00	61.7	7.32	5,091	1.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	ND	ND

**Table D-1
Intrinsic Bioremediation Evaluation and Enhancement Data**

**ARCO Service Station 0374
6407 Telegraph Avenue, Oakland, California**

Well	Date Sampled	<u>Field Analyses</u>					<u>Laboratory Analyses</u>								
		Groundwater Temperature (deg F)	pH (units)	Conductivity (μ mhos)	D.O. (mg/L)	Ferrous Iron (mg/L)	Total Alkalinity (mg CaCO ₃ /L)	B.O.D. (mg/L)	Carbon Dioxide (mg/L)	C.O.D. (mg/L)	Methane (%)	Nitrate as Nitrate (mg/L)	Nitrite as Nitrite (mg/L)	Sulfate (mg/L)	TPH as Gasoline (μ g/L)
		D.O = Dissolved oxygen B.O.D = Biochemical oxygen demand C.O.D = Chemical oxygen demand TPPH = Total purgeable petroleum hydrocarbons BTEX = Benzene, toluene, ethylbenzene, and xylenes deg F = Degrees Fahrenheit μ mhos = Micromhos mg/L = Milligrams per liter					μ g/L = Micrograms per liter NM = not measured NS = Not sampled ND = Not detected N/A = Not available * = Field measurements collected on November 2, 1995. ** = ORC installed † = From April 10, 1996 groundwater monitoring event.								

APPENDIX C

Certified Analytical Reports
And
Chain-of-Custody Documentation



**Sequoia
Analytical**

819 Striker Avenue, Suite 8
Sacramento, CA 95834
(916) 921-9600
FAX (916) 921-0100
www.sequoialabs.com

2 October, 2001

Steven Meeks
Delta Environmental Consultants(Rancho Cordova)
3164 Gold Camp Drive Ste. 200
Rancho Cordova, CA 95670

RE: ARCO 374, Oakland, CA
Sequoia Report: S109360

Enclosed are the results of analyses for samples received by the laboratory on 09/25/01 09:30. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Ron Chew
Client Services Representative

Lito Diaz
Laboratory Director

CA ELAP Certificate #1624



Delta Environmental Consultants(Rancho Cordova)
3164 Gold Camp Drive Ste. 200
Rancho Cordova CA, 95670

Project: ARCO 374, Oakland, CA
Project Number: N/A
Project Manager: Steven Meeks

Reported:
10/02/01 17:36

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-5-8	S109360-01	Water	09/23/01 13:58	09/25/01 09:30
TB	S109360-02	Water	09/23/01 06:00	09/25/01 09:30

Sequoia Analytical - Sacramento

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Ron Chew, Client Services Representative



Delta Environmental Consultants(Rancho Cordova)
3164 Gold Camp Drive Ste. 200
Rancho Cordova CA, 95670

Project: ARCO 374, Oakland, CA
Project Number: N/A
Project Manager: Steven Meeks

Reported:
10/02/01 17:36

**Total Purgeable Hydrocarbon, BTEX and MTBE by DHS LUFT
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-5-8 (S109360-01) Water Sampled: 09/23/01 13:58 Received: 09/25/01 09:30									
Purgeable Hydrocarbons	ND	50	ug/l	1	1090312	09/27/01	09/27/01	DHS LUFT	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	2.5	"	"	"	"	"	"	
<i>Surrogate: a.a.a-Trifluorotoluene</i>		86.6 %	60-140		"	"	"	"	
TB (S109360-02) Water Sampled: 09/23/01 06:00 Received: 09/25/01 09:30									
Purgeable Hydrocarbons	ND	50	ug/l	1	1090312	09/27/01	09/27/01	DHS LUFT	A-01
Benzene	ND	0.50	"	"	"	"	"	"	A-01
Toluene	1.5	0.50	"	"	"	"	"	"	A-01
Ethylbenzene	ND	0.50	"	"	"	"	"	"	A-01
Xylenes (total)	0.78	0.50	"	"	"	"	"	"	A-01
Methyl tert-butyl ether	4.5	2.5	"	"	"	"	"	"	A-01
<i>Surrogate: a.a.a-Trifluorotoluene</i>		94.1 %	60-140		"	"	"	"	A-01



Delta Environmental Consultants(Rancho Cordova)
3164 Gold Camp Drive Ste. 200
Rancho Cordova CA, 95670

Project: ARCO 374, Oakland, CA
Project Number: N/A
Project Manager: Steven Meeks

Reported:
10/02/01 17:36

**Total Purgeable Hydrocarbon, BTEX and MTBE by DHS LUFT - Quality Control
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1090312 - EPA 5030B (P/T)										
Blank (1090312-BLK1) Prepared & Analyzed: 09/27/01										
Purgeable Hydrocarbons	ND	50	ug/l							
Benzene	ND	0.50	"							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	2.5	"							
<i>Surrogate: a,a,a-Trifluorotoluene</i>	8.85		"	10.0		88.5	60-140			
LCS (1090312-BS1) Prepared & Analyzed: 09/27/01										
Benzene	9.65	0.50	ug/l	10.0		96.5	70-130			
Toluene	9.29	0.50	"	10.0		92.9	70-130			
Ethylbenzene	9.37	0.50	"	10.0		93.7	70-130			
Xylenes (total)	27.7	0.50	"	30.0		92.3	70-130			
Methyl tert-butyl ether	10.9	2.5	"	10.0		109	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	9.22		"	10.0		92.2	60-140			
Matrix Spike (1090312-MS1) Source: S109360-02 Prepared & Analyzed: 09/27/01										
Benzene	10.4	0.50	ug/l	10.0	ND	104	60-140			
Toluene	11.2	0.50	"	10.0	1.5	97.0	60-140			
Ethylbenzene	10.2	0.50	"	10.0	ND	102	60-140			
Xylenes (total)	30.7	0.50	"	30.0	0.78	99.7	60-140			
Methyl tert-butyl ether	16.7	2.5	"	10.0	4.5	122	60-140			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	9.32		"	10.0		93.2	60-140			
Matrix Spike Dup (1090312-MSD1) Source: S109360-02 Prepared & Analyzed: 09/27/01										
Benzene	10.0	0.50	ug/l	10.0	ND	100	60-140	3.92	25	
Toluene	10.8	0.50	"	10.0	1.5	93.0	60-140	3.64	25	
Ethylbenzene	9.76	0.50	"	10.0	ND	97.6	60-140	4.41	25	
Xylenes (total)	29.4	0.50	"	30.0	0.78	95.4	60-140	4.33	25	
Methyl tert-butyl ether	16.7	2.5	"	10.0	4.5	122	60-140	0.00	25	
<i>Surrogate: a,a,a-Trifluorotoluene</i>	9.08		"	10.0		90.8	60-140			



Delta Environmental Consultants(Rancho Cordova)
3164 Gold Camp Drive Ste. 200
Rancho Cordova CA, 95670

Project: ARCO 374, Oakland, CA
Project Number: N/A
Project Manager: Steven Meeks

Reported:
10/02/01 17:36

Notes and Definitions

A-01 Sample confirmed on alternate column on 9/27/01.
DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference

APPENDIX D

Field Data Sheets



3164 Gold Camp Drive, Suite 200
 Rancho Cordova, California 95670
 Direct: (916) 638-2085
 Fax: (916) 638-8385

Arco Site Address: **6407 Telegraph Avenue**
Oakland, California

Arco Site Number: **374**
 Delta Project No.: **D000-302**
 Delta Project PM: **Steven W. Meeks**
 Date Sampled: **09/23/01**

Arco Project Manager: **Paul Supple**
 Site Sampled By: **Doulos Environmental**

Site Contact & Phone Number: _____

Water Level Data						Purge Volume Calculations					Sampling Analytes				Sample Record			
Well ID	Time	Depth to Water (feet)	Top of Screen Interval (feet)	Total Depth of Well (feet)	Check if Purge Not Required	Casing Water Column (A)	Well Diameter (inches)	Multiplier Value (B)	Three Casing Volumes (gallons)	Actual Water Purged (gallons)	BTEX (8020) VOA	TPH-g (8015M) VOA	MTBE (8020) VOA	Other	Dissolved Oxygen (mg/L)	Sample Frequency (A, S, Q)	Sample I.D.	Sample Time
MW-1	13:38	8.46	7.0	26.3	<input type="checkbox"/>	17.85	4 inch	2.0	35.7	N/A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NM	A/2		
MW-2	13:34	8.52	7.0	25.9	<input type="checkbox"/>	17.36	4 inch	2.0	34.7	N/A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NM	A/2		
MW-3	13:22	7.32	7.0	26.5	<input type="checkbox"/>	19.13	4 inch	2.0	38.3	N/A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NM	S/5,11		
MW-4	13:30	8.91	7.0	26.6	<input type="checkbox"/>	17.65	4 inch	2.0	35.3	N/A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NM	S/5,11		
MW-5	13:18	8.68	10.0	22.7	<input type="checkbox"/>	14.00	4 inch	2.0	28.0	28	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1.33	Q/2,5,8,11	MW-5	13:58
MW-6	13:26	5.40	5.0	14.5	<input type="checkbox"/>	9.10	4 inch	2.0	18.2	N/A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NM	A/2		
Note: Purge Wells if ORC is present					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				

(A)-Casing Water Column: Depth to Bottom - Depth to Water (B)-Multiplier Values: (2" Well: 0.5) (4" Well: 2.0) (6" Well: 4.4) Sampling Sequence: Annual: MW-1, MW-2, MW-3; Semi-Annual: MW-3, MW-4 Quarterly: MW-5

Sampling Notes: List depth of Sample on C.O.C. [I.e. MW-1(30)]. Make Sure to Note on C.O.C. "Provide Lowest Reporting Limit Available." Original Copies of Field Sampling Sheets are Located in Project File
 If the water level is below the top of the screen, take a grab sample and check box for NO PURGE (NP). If the water level is above the screen, purge as normal.



3164 Gold Camp Drive, Suite 200
 Rancho Cordova, California 95670
 Direct: (916) 638-2085
 Fax: (916) 638-8385

Arco Site Address: 6407 Telegraph Avenue
Oakland, California

Arco Site Number: 374
 Delta Project No.: D000-302

Arco Project Manager: Paul Supple

Delta Project PM: Steven W. Meeks

Site Contact & Phone Number: _____

Site Sampled By: Doulos Environmental

Date Sampled: 09/23/01

Well ID	Time	Temp °F	pH Units	Cond.	Gallons	Well ID	Time	Temp °F	pH Units	Cond.	Gallons	Well ID	Time	Temp °F	pH Units	Cond.	Gallons
MW-1	Not Sampled																
MW-2	Not Sampled																
MW-3	Not Sampled																
MW-4	Not Sampled																
MW-5	13:45	67.2	7.48	1,176	9												
	13:48	67.3	7.42	1,102	18												
	13:51	67.1	7.41	1,109	27												
MW-6	Not Sampled																

Notes: NP = NO PURGE

Original Copies of Field Sampling Sheets are Located in Project File