

RECEIVED

By Alameda County Environmental Health at 3:03 pm, May 30, 2014

Atlantic Richfield Company

Chuck Carmel

Remediation Management Project Manager

PO Box 1257
San Ramon, CA 94583
Phone: (925) 275-3804
Mobile: (510) 798-8314
E-Mail: chuck.carmel@bp.com

April 30, 2014

Re: First Quarter 2014 Groundwater Monitoring Report
Former Richfield Oil Company Station #402
1450 Fruitvale Avenue, Oakland, California
ACEH Case #RO0000307

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct."


Submitted by,



Chuck Carmel

Remediation Management Project Manager

Attachment:



April 30, 2013

Project No. 06-88-602

Atlantic Richfield Company
P.O. Box 1257
San Ramon, CA 94583
Submitted via ENFOS


Attn.: Mr. Chuck Carmel


Re: First Quarter 2014 Monitoring Report, Atlantic Richfield Company Station #374,
6407 Telegraph Avenue, Oakland, Alameda County, California
ACEH Case #RO0000078


Dear Mr. Carmel

Attached is the *First Quarter 2014 Monitoring Report* for Atlantic Richfield Company (a BP affiliated company) for Station #374 located at 6407 Telegraph Avenue, Oakland, California (Site). Should you have questions regarding the work performed or results obtained, please do not hesitate to contact us at (707) 455-7290.

Sincerely,
BROADBENT & ASSOCIATES, INC.


Sarah Jones
Staff Geologist


Kristene Tidwell, P.G., C.H.G.
Senior Geologist



Enclosures

cc: Ms. Karol Detterman, Alameda County Environmental Health (Submitted via ACEH ftp site)
Electronic copy uploaded to GeoTracker

**FIRST QUARTER 2014
MONITORING REPORT
ATLANTIC RICHFIELD COMPANY STATION #374
OAKLAND, CALIFORNIA**

Broadbent & Associates, Inc. (Broadbent) is pleased to present this *First Quarter 2014 Monitoring Report* on behalf of Atlantic Richfield Company (ARC, a BP affiliated company) for Station #374 located at 6407 Telegraph Avenue, Oakland, Alameda County, California (the Site). Monitoring activities at the Site were performed in accordance with an agency directive issued by the Alameda County Environmental Health (ACEH). Details of work performed, discussion of results, and recommendations are provided below.

Facility Name / Address:	Station #374 / 6407 Telegraph Avenue, Oakland, California
Client Project Manager / Title:	Mr. Chuck Carmel / Operations Project Manager
Broadbent Contact:	Ms. Kristene Tidwell, P.G., C.HG.
Broadbent Project No.:	06-88-602
Primary Regulatory Agency / ID No.:	ACEH / Case #RO0000078
Current phase of project:	Monitoring
List of Acronyms / Abbreviations:	See end of report text for list of acronyms/abbreviations used in report.

WORK PERFORMED THIS QUARTER (First Quarter 2014):

1. Submitted *Fourth Quarter 2013 Status Report* on January 30, 2014.
2. Broadbent conducted First Quarter 2014 groundwater monitoring and sampling event on February 11, 2014.
3. Submitted Report documenting recent soil vapor sampling activities on March 28, 2014. This report also included a request for case closure.

WORK SCHEDULED FOR NEXT QUARTER (Second Quarter 2013):

1. Submit *First Quarter 2013 Monitoring Report* (contained herein).
2. No sampling or environmental activities are scheduled at the Site during Second Quarter 2013.

QUARTERLY MONITORING PLAN SUMMARY:

Groundwater level gauging:	MW-1 through MW-9	(Semi-Annually, 1Q & 3Q)
Groundwater sample collection:	MW-1, MW-2, MW-4, MW-7, MW-8, and MW-9	(Semi-Annually, 1Q & 3Q)
	MW-3, MW-5, and MW-6	(Annually, 3Q)

QUARTERLY RESULTS SUMMARY:

LNAPL

LNAPL observed this quarter:	No	(yes/no)
LNAPL recovered this quarter:	None	(gal)
Cumulative LNAPL recovered:	None	(gal)

Groundwater Elevation and Gradient:

Depth to groundwater:	4.67 (MW-6) to 7.75 (MW-1)	(ft below TOC)
Gradient direction:	Southwest	(compass direction)
Gradient magnitude:	0.03	(ft/ft)
Average change in elevation:	-0.52	(ft since last measurement)

Laboratory Analytical Data

Summary:

Analytical results are as follows:

- GRO was detected in two wells at a maximum concentration of 250 µg/L in well MW-9
 - Benzene was detected in one well at a concentration of 800 µg/L in well MW-4
 - MTBE was detected in five wells at a maximum concentration of 78 µg/L in well MW-8
 - TAME was detected in one well at a concentration of 0.83 µg/L in well MW-8
 - Ethylbenzene was detected in one well at a concentration of 84 µg/L in well MW-4
 - Total xylenes were detected in one well at a concentration of 230 µg/L in well MW-4
 - Toluene was detected in one well at a concentration of 80 µg/L in well MW-4
-

ACTIVITIES CONDUCTED & RESULTS:

First Quarter 2014 groundwater monitoring was conducted on February 11, 2014 in accordance with the monitoring plan summary presented above. No irregularities were noted during water level gauging. Collected depth to water measurements ranged from 4.67 ft in monitoring well MW-6 to 7.75 ft in monitoring well MW-1. Resulting groundwater surface elevations ranged from 149.29 ft bgs in well MW-5 to 157.43 ft bgs in well MW-7. Groundwater elevations are summarized in Table 1. Water level elevations yielded a potentiometric groundwater gradient to the southwest at approximately 0.03 ft/ft. Historical groundwater gradient direction and magnitude data are summarized in Table 3. Field methods used during groundwater monitoring are provided in Appendix A. Field data sheets are included in Appendix B.

Groundwater samples collected from monitoring wells MW-1, MW-2, MW-4, and MW-7 through MW-9 were submitted to Test America Laboratories, Inc. (Test America) of Irvine, California for analysis of GRO, by EPA Method 8015B; BTEX, MTBE, ETBE, TAME, DIPE, TBA, EDB, 1,2-DCA, and ethanol by EPA Method 8260B. No significant irregularities were encountered during analysis of the samples. Laboratory analytical report and chain of custody record are provided in Appendix C.

Results of this sampling event are included in the laboratory analytical data summary presented above. These results indicate that the highest overall petroleum concentrations are present in well MW-4. The analytes detected this quarter are within historical concentration ranges. Further discussion of these results are presented below.

DISCUSSION:

Review of historical groundwater gradient data indicates that the gradient measured during First Quarter 2014 monitoring is consistent with predominant measurements observed historically at the Site. During First Quarter 2014, groundwater elevations decreased an average of 0.52 feet across the Site relative to measurements collected during Third Quarter 2013.

Review of historical groundwater results indicate that well MW-4 contains the highest residual concentrations of petroleum compounds due to its location near the former Underground Storage Tank (UST). Petroleum hydrocarbon concentrations from the First Quarter 2014 monitoring event were within historical ranges. Historical analytical data indicates decreasing trends for all Site wells.

Groundwater levels in many Site wells are currently above the top of their respective screen intervals. Ideally, groundwater samples would not be collected from wells where screens are flooded. In general, wells with flooded screens are older wells, where water levels over time may have risen. Additionally, these wells only periodically have flooded screens. For example, well MW-4 is one of the oldest Site wells, and has elevated residual petroleum concentrations.

The screen in this well is periodically flooded, with the concentrations noted during events when the screen is not flooded are comparable to those where the screen is flooded. Additionally, data from wells with lower hydrocarbon concentrations is comparable to site wells without flooded screens. For these reasons, the data reported herein appears valid despite the occurrence of flooded screens at the Site.

RECOMMENDATIONS:

Recently a case closure request was submitted dated March 28, 2014. The results of the recent soil vapor investigation indicates no vapor intrusion risk from site petroleum compounds. Upon concurrence from the ACEH, with the request for case closure, wells will be decommissioned and final site closure activities will be carried out.

LIMITATIONS:

The findings presented in this report are based upon observations of field personnel, points investigated, results of laboratory tests performed by Test America and our understanding of ACEH guidelines. Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of Atlantic Richfield Company (a BP affiliated company). It is possible that variations in soil or groundwater conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

ATTACHMENTS:

Drawing 1: Site Location Map

Drawing 2: Groundwater Elevation Contour and Analytical Summary Map

Table 1: Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

Table 2: Summary of Fuel Additives Analytical Data

Table 3: Historical Groundwater Gradient - Direction and Magnitude

Appendix A: Field Methods

Appendix B: Field Data Sheets and Non-Hazardous Waste Data Form

Appendix C: Laboratory Report and Chain-of-Custody Documentation

Appendix D: GeoTracker Upload Confirmation Receipts

LIST OF COMMONLY USED ACRONYMS/ABBREVIATIONS:

ACEH	Alameda County Environmental Health	gal:	Gallons
ARC:	Atlantic Richfield Company	GRO:	Gasoline Range Organics (C6-12)
BAI:	Broadbent & Associates, Inc.	LNAPL:	Light Non-Aqueous Phase Liquid
BTEX:	Benzene, Toluene, Ethylbenzene, Total Xylenes	MTBE:	Methyl Tertiary Butyl Ether
1,2-DCA:	1,2-Dichloroethane	TAME:	Tert-Amyl Methyl Ether
DIPE:	Di-Isopropyl Ether	TBA:	Tert-Butyl Alcohol
EDB:	1,2-Dibromomethane	TOC:	Top Of Casing
ft/ft:	Feet Per Foot	µg/L:	Micrograms Per Liter
UST:	Underground Storage Tank	ft bgs:	Feet Below Ground Surface






IMAGE SOURCE: USGS


BROADBENT
 875 Cotting Lane, Suite G
 Vacaville, California 95688
 Project No.: 06-88-602 Date: 3/8/2013

Station #374
 6407 Telegraph Ave.
 Oakland, California

Site Location Map

Drawing

1



MW-6
154.74
NS
NS
NS
SA(1,3)

MW-4
155.35
140
800
<5.0
SA(1,3)

MW-1
156.70
<50
<0.50
26
SA(1,3)

MW-9
156.70
<50
<0.50
19
SA(1,3)


MW-7
157.43
<50
<0.50
12
SA(1,3)

MW-3
153.42
NS
NS
NS
A(3)

MW-8
156.58
<50
<0.50
78
SA(1,3)

MW-2
156.37
<50
<0.50
7.5
SA(1,3)

MW-5
149.29
NS
NS
NS
A(3)



LEGEND

- Monitor Well Location
- Tank Pit Monitor Well Location
- Groundwater Elevation Contour (Feet Above Site Datum)
- Groundwater Gradient (ft/ft)
- A(3) Sampled Annually - Third Quarter
- SA(1,3) Sampled Semi-Annually - First and Third Quarter

WELL	Well Designation
ELEV	Groundwater Elevation (ft)
GRO	GRO, Benzene, and MTBE
BZ	Concentrations (µg/L)
MTBE	
A/SA/Q	Sampling Frequency

NS Not Sampled



NOTE: SITE MAP ADAPTED FROM IT CORPORATION FIGURES. SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
ESL - DW							100	1.0	40	30	20	5.0			
ESL - NDW							210	46	130	43	100	1,800			
MW-1															
6/20/2000	--	158.91	7.00	27.00	6.86	152.05	--	--	--	--	--	--	--	--	
9/28/2000	--		7.00	27.00	7.50	151.41	--	--	--	--	--	--	--	--	
12/17/2000	--		7.00	27.00	7.49	151.42	--	--	--	--	--	--	--	--	
3/23/2001	--		7.00	27.00	5.90	153.01	<50	<0.5	<0.5	<0.5	<0.5	2,710	--	--	
6/21/2001	--		7.00	27.00	7.45	151.46	--	--	--	--	--	--	--	--	
9/23/2001	--		7.00	27.00	8.46	150.45	--	--	--	--	--	--	--	--	
12/31/2001	--		7.00	27.00	5.50	153.41	--	--	--	--	--	--	--	--	
3/21/2002	--		7.00	27.00	4.71	154.20	<5,000	<50	<50	<50	<50	2,000	--	--	
4/17/2002	--		7.00	27.00	5.54	153.37	--	--	--	--	--	--	--	--	
8/12/2002	--		7.00	27.00	7.77	151.14	--	--	--	--	--	--	--	--	
12/6/2002	--		7.00	27.00	7.65	151.26	--	--	--	--	--	--	--	--	
1/29/2003	--		7.00	27.00	5.88	153.03	--	--	--	--	--	--	--	--	b
5/23/2003	--		7.00	27.00	5.62	153.29	<10,000	<100	<100	<100	<100	1,600	1.3	7.1	
9/4/2003	--		7.00	27.00	7.85	151.06	--	--	--	--	--	--	--	--	
11/20/2003	P		7.00	27.00	8.17	150.74	1,600	<10	<10	<10	<10	1,500	1.7	6.7	
2/2/2004	P	164.57	7.00	27.00	6.71	157.86	--	--	--	--	--	--	1.0	--	f
5/14/2004	P		7.00	27.00	7.08	157.49	<2,500	<25	<25	<25	<25	1,200	1.4	6.6	
9/2/2004	P		7.00	27.00	8.12	156.45	580	<5.0	<5.0	<5.0	<5.0	660	3.8	6.7	
11/4/2004	P		7.00	27.00	7.38	157.19	1,700	<10	<10	<10	<10	580	6.0	6.5	
2/8/2005	P		7.00	27.00	6.60	157.97	<1,000	<10	<10	<10	<10	610	0.71	6.5	
5/9/2005	P		7.00	27.00	6.84	157.73	540	<5.0	<5.0	<5.0	5.5	620	3.12	6.6	e
8/11/2005	P		7.00	27.00	7.36	157.21	540	<2.5	<2.5	<2.5	4.0	390	0.8	6.6	
11/18/2005	P		7.00	27.00	8.02	156.55	350	<2.5	<2.5	<2.5	<2.5	340	2.6	6.7	e
2/16/2006	P		7.00	27.00	6.44	158.13	350	<2.5	<2.5	<2.5	<2.5	340	1.6	6.7	e
5/30/2006	P		7.00	27.00	6.87	157.70	270	<2.5	<2.5	<2.5	<2.5	420	4.73	6.4	
8/24/2006	P		7.00	27.00	7.75	156.82	95	<5.0	<5.0	<5.0	<5.0	180	0.65	6.9	
11/1/2006	P		7.00	27.00	8.28	156.29	120	<5.0	<5.0	<5.0	<5.0	220	1.65	7.07	
2/7/2007	NP		7.00	27.00	7.40	157.17	120	<5.0	<5.0	<5.0	<5.0	190	1.88	7.45	e

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
ESL - DW							100	1.0	40	30	20	5.0			
ESL - NDW							210	46	130	43	100	1,800			
MW-1 Cont.															
5/8/2007	P	164.57	7.00	27.00	6.50	158.07	<500	<5.0	<5.0	<5.0	<5.0	420	1.21	6.94	
8/8/2007	NP		7.00	27.00	8.17	156.40	82	<0.50	<0.50	<0.50	<0.50	110	1.16	7.00	e
11/14/2007	NP		7.00	27.00	8.01	156.56	170	<2.5	<2.5	<2.5	<2.5	210	1.92	6.49	
2/22/2008	P		7.00	27.00	6.00	158.57	<50	<0.50	<0.50	<0.50	<0.50	250	2.57	6.65	
5/24/2008	NP		7.00	27.00	7.58	156.99	<50	<5.0	<5.0	<5.0	<5.0	380	2.28	6.81	
8/21/2008	NP		7.00	27.00	8.60	155.97	<50	<2.5	<2.5	<2.5	<2.5	170	2.16	6.98	
11/19/2008	NP		7.00	27.00	8.88	155.69	<50	<0.50	<0.50	<0.50	<0.50	30	2.12	7.27	
2/23/2009	P		7.00	27.00	6.40	158.17	78	<2.5	<2.5	<2.5	<2.5	240	2.19	6.03	
5/14/2009	P		7.00	27.00	6.67	157.90	53	<0.50	<0.50	<0.50	<0.50	200	1.75	6.69	
8/20/2009	NP		7.00	27.00	8.25	156.32	150	<2.0	<2.0	<2.0	<2.0	170	2.14	6.25	i (GRO)
2/19/2010	P		7.00	27.00	6.07	158.50	<50	<0.50	<0.50	<0.50	<0.50	170	0.92	6.66	
8/10/2010	NP		7.00	27.00	7.58	156.99	<50	<2.5	<2.5	<2.5	<2.5	230	3.86	7.1	
12/16/2010	P	164.45	7.00	27.00	6.64	157.81	<50	<2.0	<2.0	<2.0	<2.0	140	1.20	6.86	j
2/14/2011	NP		7.00	27.00	7.10	157.35	<50	<2.5	<2.5	<2.5	<2.5	170	1.18	6.7	
5/20/2011	--		7.00	27.00	6.38	158.07	--	--	--	--	--	--	--	--	
8/15/2011	NP		7.00	27.00	7.24	157.21	<50	<2.5	<2.5	<2.5	<2.5	130	2.54	6.9	
2/2/2012	P		7.00	27.00	7.32	157.13	<50	<1.0	<1.0	<1.0	<1.0	66	1.01	7.1	
8/9/2012	P		7.00	27.00	6.69	157.76	<50	<0.50	<0.50	<0.50	<1.0	170	1.65	6.99	
2/14/2013	P		7.00	27.00	5.97	158.48	<50	<0.50	<0.50	<0.50	<1.0	140	1.74	7.20	
8/22/2013	P		7.00	27.00	7.87	156.58	<50	<0.50	<0.50	<0.50	<1.0	91	5.69	7.21	
2/11/2014	P		7.00	27.00	7.75	156.70	<50	<0.50	<0.50	<0.50	<1.0	26	2.02	7.04	
MW-2															
6/20/2000	--	157.92	7.00	27.00	7.67	150.25	--	--	--	--	--	--	--	--	
9/28/2000	--		7.00	27.00	8.51	149.41	--	--	--	--	--	--	--	--	
12/17/2000	--		7.00	27.00	8.14	149.78	--	--	--	--	--	--	--	--	
3/23/2001	--		7.00	27.00	7.21	150.71	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
6/21/2001	--		7.00	27.00	7.99	149.93	--	--	--	--	--	--	--	--	
9/23/2001	--		7.00	27.00	8.52	149.40	--	--	--	--	--	--	--	--	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
ESL - DW							100	1.0	40	30	20	5.0			
ESL - NDW							210	46	130	43	100	1,800			
MW-2 Cont.															
12/31/2001	--	157.92	7.00	27.00	6.01	151.91	--	--	--	--	--	--	--	--	
3/21/2002	--		7.00	27.00	5.95	151.97	<50	<0.5	<0.5	<0.5	<0.5	45	--	--	
4/17/2002	--		7.00	27.00	6.45	151.47	--	--	--	--	--	--	--	--	
8/12/2002	--		7.00	27.00	8.08	149.84	--	--	--	--	--	--	--	--	
12/6/2002	--		7.00	27.00	8.29	149.63	--	--	--	--	--	--	--	--	
1/29/2003	--		7.00	27.00	7.22	150.70	--	--	--	--	--	--	--	--	b
5/23/2003	--		7.00	27.00	6.85	151.07	<50	<0.50	<0.50	<0.50	<0.50	55	1.4	7.2	
9/4/2003	--		7.00	27.00	7.94	149.98	--	--	--	--	--	--	--	--	
11/20/2003	--		7.00	27.00	8.05	149.87	--	--	--	--	--	--	--	--	
2/2/2004	P	163.46	7.00	27.00	7.00	156.46	74	<0.50	<0.50	<0.50	<0.50	37	1.1	8.9	f
5/14/2004	--		7.00	27.00	7.97	155.49	--	--	--	--	--	--	--	--	
9/2/2004	P		7.00	27.00	8.19	155.27	<250	<2.5	<2.5	<2.5	<2.5	67	2.7	6.9	
11/4/2004	--		7.00	27.00	7.54	155.92	--	--	--	--	--	--	--	--	
2/8/2005	P		7.00	27.00	6.72	156.74	<50	<0.50	<0.50	<0.50	<0.50	30	0.86	6.7	
5/9/2005	--		7.00	27.00	7.16	156.30	--	--	--	--	--	--	--	--	
8/11/2005	P		7.00	27.00	7.85	155.61	<50	<0.50	<0.50	<0.50	<0.50	35	1.0	6.6	
11/18/2005	--		7.00	27.00	8.23	155.23	--	--	--	--	--	--	--	--	
2/16/2006	P		7.00	27.00	6.82	156.64	<50	<0.50	<0.50	<0.50	<0.50	39	1.3	7.0	
5/30/2006	--		7.00	27.00	7.23	156.23	--	--	--	--	--	--	--	--	
8/24/2006	P		7.00	27.00	8.00	155.46	60	<0.50	<0.50	<0.50	<0.50	25	0.90	6.8	
11/1/2006	--		7.00	27.00	8.38	155.08	--	--	--	--	--	--	--	--	
2/7/2007	NP		7.00	27.00	7.88	155.58	<50	0.50	<0.50	<0.50	<0.50	7.2	0.94	7.39	
5/8/2007	--		7.00	27.00	7.28	156.18	--	--	--	--	--	--	--	--	
8/8/2007	NP		7.00	27.00	8.38	155.08	88	3.2	<0.50	<0.50	<0.50	7.2	0.94	7.75	
11/14/2007	--		7.00	27.00	8.10	155.36	--	--	--	--	--	--	--	--	
2/22/2008	P		7.00	27.00	6.75	156.71	<50	<0.50	<0.50	<0.50	<0.50	24	2.18	7.02	
5/24/2008	--		7.00	27.00	7.98	155.48	--	--	--	--	--	--	--	--	
8/21/2008	NP		7.00	27.00	8.58	154.88	<50	2.6	<0.50	<0.50	<0.50	4.9	2.20	7.11	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
ESL - DW							100	1.0	40	30	20	5.0			
ESL - NDW							210	46	130	43	100	1,800			
MW-2 Cont.															
11/19/2008	--	163.46	7.00	27.00	8.66	154.80	--	--	--	--	--	--	--	--	
2/23/2009	P		7.00	27.00	6.67	156.79	74	1.0	<0.50	<0.50	<0.50	24	2.25	6.16	
5/14/2009	--		7.00	27.00	7.02	156.44	--	--	--	--	--	--	--	--	
8/20/2009	NP		7.00	27.00	8.41	155.05	82	2.4	<0.50	<0.50	<0.50	8.4	2.19	6.37	
2/19/2010	NP		7.00	27.00	7.36	156.10	<50	<0.50	<0.50	<0.50	<0.50	22	0.81	6.90	
8/10/2010	NP		7.00	27.00	7.69	155.77	<50	<0.50	<0.50	<0.50	<0.50	23	2.40	7.67	
12/16/2010	P	163.49	7.00	27.00	7.12	156.37	<50	<0.50	<0.50	<0.50	<0.50	17	0.69	7.06	j
2/14/2011	NP		7.00	27.00	7.35	156.14	<50	<0.50	<0.50	<0.50	<0.50	11	0.87	7.0	
5/20/2011	--		7.00	27.00	7.02	156.47	--	--	--	--	--	--	--	--	
8/15/2011	NP		7.00	27.00	7.62	155.87	<50	<0.50	<0.50	<0.50	<0.50	1.7	1.45	7.1	
2/2/2012	P		7.00	27.00	7.56	155.93	<50	<0.50	<0.50	<0.50	<0.50	1.8	0.85	7.3	
8/9/2012	P		7.00	27.00	6.31	157.18	<50	<0.50	<0.50	<0.50	<1.0	73	1.28	7.15	
2/14/2013	P		7.00	27.00	6.03	157.46	<50	<0.50	<0.50	<0.50	<1.0	46	1.71	7.48	
8/22/2013	P		7.00	27.00	7.79	155.70	<50	<0.50	<0.50	<0.50	<1.0	82	4.16	7.23	
2/11/2014	P		7.00	27.00	7.12	156.37	<50	<0.50	<0.50	<0.50	<1.0	7.5	2.32	6.65	
MW-3															
6/20/2000	--	153.64	7.00	27.00	6.42	147.22	<50	<0.5	<0.5	<0.5	<1.0	<10	--	--	
9/28/2000	--		7.00	27.00	7.31	146.33	--	--	--	--	--	--	--	--	
12/17/2000	--		7.00	27.00	6.45	147.19	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
3/23/2001	--		7.00	27.00	6.01	147.63	--	--	--	--	--	--	--	--	
6/21/2001	--		7.00	27.00	6.80	146.84	110	5.5	<0.5	5.4	4.1	2.5	--	--	
9/23/2001	--		7.00	27.00	7.32	146.32	--	--	--	--	--	--	--	--	
12/31/2001	--		7.00	27.00	4.48	149.16	<50	<0.5	<0.5	<0.5	<0.5	4.9	--	--	
3/21/2002	--		7.00	27.00	4.36	149.28	--	--	--	--	--	--	--	--	
4/17/2002	--		7.00	27.00	5.31	148.33	<50	<0.5	<0.5	<0.5	<0.5	8.7	--	--	
8/12/2002	--		7.00	27.00	7.00	146.64	--	--	--	--	--	--	--	--	
12/6/2002	--		7.00	27.00	7.32	146.32	<50	<0.5	<0.5	<0.5	<0.5	6.2	1.4	6.7	
1/29/2003	--		7.00	27.00	6.07	147.57	--	--	--	--	--	--	--	--	b

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
ESL - DW							100	1.0	40	30	20	5.0			
ESL - NDW							210	46	130	43	100	1,800			
MW-3 Cont.															
5/23/2003	--	153.64	7.00	27.00	6.45	147.19	<50	<0.50	<0.50	<0.50	<0.50	1.6	0.9	7.7	
9/4/2003	--		7.00	27.00	6.93	146.71	--	--	--	--	--	--	--	--	c
11/20/2003	--		7.00	27.00	7.04	146.60	--	--	--	--	--	--	--	--	c
2/2/2004	--	159.21	7.00	27.00	5.92	153.29	--	--	--	--	--	--	--	--	f
5/14/2004	--		7.00	27.00	7.52	151.69	--	--	--	--	--	--	--	--	
9/2/2004	P		7.00	27.00	7.19	152.02	<50	<0.50	<0.50	<0.50	<0.50	6.5	9.3	8.9	
11/4/2004	--		7.00	27.00	6.40	152.81	--	--	--	--	--	--	--	--	
2/8/2005	--		7.00	27.00	6.01	153.20	--	--	--	--	--	--	--	--	
5/9/2005	--		7.00	27.00	6.74	152.47	--	--	--	--	--	--	--	--	
8/11/2005	P		7.00	27.00	6.77	152.44	<50	<0.50	<0.50	<0.50	<0.50	11	1.9	6.5	
11/18/2005	--		7.00	27.00	7.83	151.38	--	--	--	--	--	--	--	--	
2/16/2006	--		7.00	27.00	7.26	151.95	--	--	--	--	--	--	--	--	
5/30/2006	--		7.00	27.00	5.82	153.39	--	--	--	--	--	--	--	--	
8/24/2006	P		7.00	27.00	7.00	152.21	<50	<0.50	<0.50	<0.50	<0.50	7.6	1.15	6.4	
11/1/2006	--		7.00	27.00	7.50	151.71	--	--	--	--	--	--	--	--	
2/7/2007	--		7.00	27.00	6.90	152.31	--	--	--	--	--	--	--	--	
5/8/2007	--		7.00	27.00	5.95	153.26	--	--	--	--	--	--	--	--	
8/8/2007	NP		7.00	27.00	7.47	151.74	<50	<0.50	<0.50	<0.50	<0.50	1.2	1.21	6.93	
11/14/2007	--		7.00	27.00	7.05	152.16	--	--	--	--	--	--	--	--	
2/22/2008	--		7.00	27.00	5.50	153.71	--	--	--	--	--	--	--	--	
5/24/2008	--		7.00	27.00	7.03	152.18	--	--	--	--	--	--	--	--	
8/21/2008	NP		7.00	27.00	7.80	151.41	<50	<0.50	<0.50	<0.50	<0.50	3.1	2.11	6.84	
11/19/2008	--		7.00	27.00	7.69	151.52	--	--	--	--	--	--	--	--	
2/23/2009	--		7.00	27.00	7.28	151.93	--	--	--	--	--	--	--	--	
5/14/2009	--		7.00	27.00	6.17	153.04	--	--	--	--	--	--	--	--	
8/20/2009	NP		7.00	27.00	7.38	151.83	<50	<0.50	<0.50	<0.50	<0.50	2.2	2.05	7.01	
2/19/2010	--		7.00	27.00	5.31	153.90	--	--	--	--	--	--	--	--	
8/10/2010	NP		7.00	27.00	7.12	152.09	<50	<0.50	<0.50	<0.50	<0.50	1.6	1.27	7.33	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
ESL - DW							100	1.0	40	30	20	5.0			
ESL - NDW							210	46	130	43	100	1,800			
MW-3 Cont.															
12/16/2010	--	159.21	7.00	27.00	5.65	153.56	--	--	--	--	--	--	--	--	j
2/14/2011	--		7.00	27.00	6.20	153.01	--	--	--	--	--	--	--	--	
5/20/2011	--		7.00	27.00	5.77	153.44	--	--	--	--	--	--	--	--	
8/15/2011	P		7.00	27.00	6.41	152.80	<50	<0.50	<0.50	<0.50	<0.50	1.2	1.04	7.0	
2/2/2012	--		7.00	27.00	6.34	152.87	--	--	--	--	--	--	--	--	
8/9/2012	P		7.00	27.00	6.62	152.59	<50	<0.50	<0.50	<0.50	<1.0	2.0	1.16	6.71	
2/14/2013	--		7.00	27.00	6.09	153.12	--	--	--	--	--	--	--	--	
8/22/2013	P		7.00	27.00	7.15	152.06	<50	<0.50	<0.50	<0.50	<1.0	1.4	4.35	6.72	
2/11/2014	--		7.00	27.00	5.79	153.42	--	--	--	--	--	--	--	--	
MW-4															
6/20/2000	--	156.53	7.00	27.00	7.50	149.03	20,000	5,100	440	1,000	1,700	<250	--	--	c
9/28/2000	--		7.00	27.00	8.20	148.33	--	--	--	--	--	--	--	--	
12/17/2000	--		7.00	27.00	8.11	148.42	4,320	1,240	<20	27.2	249	<100	--	--	
3/23/2001	--		7.00	27.00	6.69	149.84	--	--	--	--	--	--	--	--	
6/21/2001	--		7.00	27.00	8.01	148.52	2,800	470	16	19	160	130	--	--	
9/23/2001	--		7.00	27.00	8.91	147.62	--	--	--	--	--	--	--	--	
12/31/2001	--		7.00	27.00	4.42	152.11	4,600	1,500	100	160	210	160	--	--	
3/21/2002	--		7.00	27.00	4.98	151.55	--	--	--	--	--	--	--	--	
4/17/2002	--		7.00	27.00	6.23	150.30	7,100	2,200	110	290	450	<250	--	--	
8/12/2002	--		7.00	27.00	8.24	148.29	--	--	--	--	--	--	--	--	
12/6/2002	--		7.00	27.00	8.42	148.11	1,500	410	6.8	20	29	43	1.1	6.7	a
1/29/2003	--		7.00	27.00	7.20	149.33	--	--	--	--	--	--	--	--	b
5/23/2003	--		7.00	27.00	7.18	149.35	< 5,000	1,300	89	210	260	<50	1.4	6.9	
9/4/2003	--		7.00	27.00	8.15	148.38	--	--	--	--	--	--	--	--	c
11/20/2003	--		7.00	27.00	8.73	147.80	--	--	--	--	--	--	--	--	c
2/2/2004	P	163.25	7.00	27.00	6.25	157.00	980	280	21	29	38	29	1.4	10.6	c, f, g
5/14/2004	--		7.00	27.00	8.38	154.87	--	--	--	--	--	--	--	--	g
9/2/2004	P		7.00	27.00	8.36	154.89	260	11	<1.0	5.5	14	28	2.4	7.4	g

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
ESL - DW							100	1.0	40	30	20	5.0			
ESL - NDW							210	46	130	43	100	1,800			
MW-4 Cont.															
11/4/2004	--	163.25	7.00	27.00	7.71	155.54	--	--	--	--	--	--	--	--	c, g
2/8/2005	P		7.00	27.00	6.27	156.98	7,500	1,700	320	480	920	45	0.65	6.5	g
5/9/2005	--		7.00	27.00	5.90	157.35	--	--	--	--	--	--	--	--	g
8/11/2005	P		7.00	27.00	7.96	155.29	3,100	1,100	41	160	110	32	0.6	6.5	g
11/18/2005	--		7.00	27.00	8.57	154.68	--	--	--	--	--	--	--	--	g
2/16/2006	P		7.00	27.00	6.28	156.97	9,400	1,800	130	600	420	35	0.5	6.8	g
5/30/2006	--	162.47	7.00	27.00	7.02	155.45	--	--	--	--	--	--	--	--	g
8/24/2006	P		7.00	27.00	8.26	154.21	3,600	1,400	21	110	70	39	1.00	6.8	
11/1/2006	--		7.00	27.00	8.67	153.80	--	--	--	--	--	--	--	--	
2/7/2007	NP		7.00	27.00	8.02	154.45	3,100	570	17	170	110	67	0.95	7.07	
5/8/2007	--		7.00	27.00	7.03	155.44	--	--	--	--	--	--	--	--	
8/8/2007	NP		7.00	27.00	8.60	153.87	2,900	630	22	67	57	72	0.93	6.79	
11/14/2007	--		7.00	27.00	8.53	153.94	--	--	--	--	--	--	--	--	
2/22/2008	P		7.00	27.00	6.25	156.22	3,900	880	39	180	92	70	2.31	6.87	
5/24/2008	--		7.00	27.00	--	--	--	--	--	--	--	--	--	--	d
8/21/2008	NP		7.00	27.00	8.96	153.51	3,700	1,100	26	85	130	53	2.26	6.80	
11/19/2008	--		7.00	27.00	9.20	153.27	--	--	--	--	--	--	--	--	
2/23/2009	P		7.00	27.00	6.35	156.12	3,000	220	9.1	23	19	39	2.21	6.51	
5/14/2009	--		7.00	27.00	7.00	155.47	--	--	--	--	--	--	--	--	
8/20/2009	NP		7.00	27.00	8.05	154.42	5,700	1,100	35	110	100	23	2.17	6.81	
2/19/2010	P		7.00	27.00	5.71	156.76	12,000	1,200	120	230	390	<5.0	0.81	6.70	i
8/10/2010	NP		7.00	27.00	7.59	154.88	9,700	1,500	120	400	400	<20	3.81	6.8	
12/16/2010	P	162.48	7.00	27.00	6.83	155.65	15,000	1,800	82	270	210	<25	0.49	6.81	j
2/14/2011	NP		7.00	27.00	7.33	155.15	260	<0.50	<0.50	2.7	11	13	0.80	7.10	
5/20/2011	--		7.00	27.00	6.89	155.59	--	--	--	--	--	--	--	--	
8/15/2011	P		7.00	27.00	7.59	154.89	8,600	2,100	86	250	210	<12	1.02	7.0	l
2/2/2012	P		7.00	27.00	7.71	154.77	4,600	1,000	34	23	33	<12	0.60	7.2	
8/9/2012	P		7.00	27.00	6.57	155.91	3,200	660	44	53	57	<5.0	1.09	7.05	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
ESL - DW							100	1.0	40	30	20	5.0			
ESL - NDW							210	46	130	43	100	1,800			
MW-4 Cont.															
2/14/2013	P	162.48	7.00	27.00	6.26	156.22	7,200	1,400	150	390	700	<10	1.20	7.51	
8/22/2013	P		7.00	27.00	7.59	154.89	6,900	1,600	100	120	330	<10	4.50	6.98	
2/11/2014	P		7.00	27.00	7.13	155.35	140	800	80	84	230	<5.0	1.03	6.65	
MW-5															
6/20/2000	--	151.33	10.00	23.00	7.84	143.49	<50	<0.5	<0.5	<0.5	<1.0	<10	--	--	
9/28/2000	--		10.00	23.00	8.37	142.96	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
12/17/2000	--		10.00	23.00	8.36	142.97	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
3/23/2001	--		10.00	23.00	7.55	143.78	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
6/21/2001	--		10.00	23.00	8.20	143.13	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
9/23/2001	--		10.00	23.00	8.68	142.65	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
12/31/2001	--		10.00	23.00	7.57	143.76	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
3/21/2002	--		10.00	23.00	6.12	145.21	<50	<0.5	<0.5	<0.5	<0.5	3.2	--	--	
4/17/2002	--		10.00	23.00	6.61	144.72	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
8/12/2002	--		10.00	23.00	8.14	143.19	<50	<0.5	<0.5	<0.5	<0.5	<2.5	4.1	7.6	
12/6/2002	--		10.00	23.00	8.65	142.68	<50	<0.5	<0.5	<0.5	<0.5	<2.5	1.1	6.8	
1/29/2003	--		10.00	23.00	7.22	144.11	<50	<0.5	<0.5	<0.5	<0.5	<0.50	1	6.6	b
5/23/2003	--		10.00	23.00	7.31	144.02	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.1	6.6	
9/4/2003	--		10.00	23.00	9.50	141.83	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.2	6.7	
11/20/2003	--		10.00	23.00	8.31	143.02	--	--	--	--	--	--	--	--	
2/2/2004	--		10.00	23.00	6.92	144.41	--	--	--	--	--	--	--	--	c, f, h
5/14/2004	--		10.00	23.00	8.56	142.77	--	--	--	--	--	--	--	--	h
9/2/2004	P		10.00	23.00	8.79	142.54	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.5	6.8	h
11/4/2004	--		10.00	23.00	8.33	143.00	--	--	--	--	--	--	--	--	c, h
2/8/2005	--		10.00	23.00	7.28	144.05	--	--	--	--	--	--	--	--	h
5/9/2005	--		10.00	23.00	8.19	143.14	--	--	--	--	--	--	--	--	h
8/11/2005	P		10.00	23.00	8.39	142.94	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.2	6.6	h
11/18/2005	--		10.00	23.00	11.25	140.08	--	--	--	--	--	--	--	--	h
2/16/2006	--		10.00	23.00	9.22	142.11	--	--	--	--	--	--	--	--	h

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
ESL - DW							100	1.0	40	30	20	5.0			
ESL - NDW							210	46	130	43	100	1,800			
MW-5 Cont.															
5/30/2006	--	151.33	10.00	23.00	7.52	143.81	--	--	--	--	--	--	--	--	h
8/24/2006	P		10.00	23.00	7.95	143.38	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.60	6.6	
11/1/2006	--		10.00	23.00	8.32	143.01	--	--	--	--	--	--	--	--	
2/7/2007	--		10.00	23.00	8.25	143.08	--	--	--	--	--	--	--	--	
5/8/2007	--		10.00	23.00	7.60	143.73	--	--	--	--	--	--	--	--	
8/8/2007	P		10.00	23.00	8.12	143.21	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.26	7.31	
11/14/2007	--		10.00	23.00	9.10	142.23	--	--	--	--	--	--	--	--	
2/22/2008	--		10.00	23.00	7.48	143.85	--	--	--	--	--	--	--	--	
5/24/2008	--		10.00	23.00	8.12	143.21	--	--	--	--	--	--	--	--	
8/21/2008	P		10.00	23.00	8.65	142.68	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.14	6.54	
11/19/2008	--		10.00	23.00	11.86	139.47	--	--	--	--	--	--	--	--	
2/23/2009	--		10.00	23.00	10.20	141.13	--	--	--	--	--	--	--	--	
5/14/2009	--		10.00	23.00	9.63	141.70	--	--	--	--	--	--	--	--	
8/20/2009	P		10.00	23.00	8.52	142.81	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.01	6.47	
2/19/2010	--		10.00	23.00	--	--	--	--	--	--	--	--	--	--	d
8/10/2010	P		10.00	23.00	8.05	143.28	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.15	7.1	
12/16/2010	--	156.90	10.00	23.00	8.10	148.80	--	--	--	--	--	--	--	--	j
2/14/2011	--		10.00	23.00	--	--	--	--	--	--	--	--	--	--	d
5/20/2011	--		10.00	23.00	--	--	--	--	--	--	--	--	--	--	d
8/15/2011	P		10.00	23.00	7.91	148.99	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.46	7.4	
2/2/2012	--		10.00	23.00	8.08	148.82	--	--	--	--	--	--	--	--	
8/9/2012	P		10.00	23.00	8.02	148.88	<50	<0.50	<0.50	<0.50	<1.0	<0.50	1.25	6.99	
2/14/2013	--		10.00	23.00	7.54	149.36	--	--	--	--	--	--	--	--	
8/22/2013	P		10.00	23.00	8.34	148.56	<50	<0.50	<0.50	<0.50	<1.0	<0.50	4.33	6.95	
2/11/2014	--		10.00	23.00	7.61	149.29	--	--	--	--	--	--	--	--	
MW-6															
6/20/2000	--	153.84	5.00	15.00	4.79	149.05	--	--	--	--	--	--	--	--	
9/28/2000	--		5.00	15.00	5.39	148.45	--	--	--	--	--	--	--	--	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
ESL - DW							100	1.0	40	30	20	5.0			
ESL - NDW							210	46	130	43	100	1,800			
MW-6 Cont.															
12/17/2000	--	153.84	5.00	15.00	4.71	149.13	--	--	--	--	--	--	--	--	
3/23/2001	--		5.00	15.00	4.69	149.15	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
6/21/2001	--		5.00	15.00	5.22	148.62	--	--	--	--	--	--	--	--	
9/23/2001	--		5.00	15.00	5.40	148.44	--	--	--	--	--	--	--	--	
12/31/2001	--		5.00	15.00	3.95	149.89	--	--	--	--	--	--	--	--	
3/21/2002	--		5.00	15.00	2.94	150.90	<50	<0.5	<0.5	<0.5	<0.5	5.2	--	--	
4/17/2002	--		5.00	15.00	5.11	148.73	--	--	--	--	--	--	--	--	
8/12/2002	--		5.00	15.00	5.23	148.61	--	--	--	--	--	--	--	--	
12/6/2002	--		5.00	15.00	5.29	148.55	--	--	--	--	--	--	--	--	
1/29/2003	--		5.00	15.00	4.79	149.05	--	--	--	--	--	--	--	--	b
5/23/2003	--		5.00	15.00	4.31	149.53	<50	<0.50	<0.50	<0.50	<0.50	9.4	1	6.7	
9/4/2003	--		5.00	15.00	--	--	--	--	--	--	--	--	--	--	d
11/20/2003	--		5.00	15.00	6.31	147.53	--	--	--	--	--	--	--	--	
2/2/2004	--	159.41	5.00	15.00	4.78	154.63	--	--	--	--	--	--	--	--	f
5/14/2004	--		5.00	15.00	6.29	153.12	--	--	--	--	--	--	--	--	
9/2/2004	--		5.00	15.00	5.79	153.62	--	--	--	--	--	--	--	--	d
11/4/2004	--		5.00	15.00	--	--	--	--	--	--	--	--	--	--	d
2/8/2005	--		5.00	15.00	5.13	154.28	--	--	--	--	--	--	--	--	
5/9/2005	--		5.00	15.00	4.52	154.89	--	--	--	--	--	--	--	--	
8/11/2005	P		5.00	15.00	5.02	154.39	<50	<0.50	<0.50	<0.50	<0.50	7.9	2.1	6.6	
11/18/2005	--		5.00	15.00	6.31	153.10	--	--	--	--	--	--	--	--	
2/16/2006	--		5.00	15.00	4.24	155.17	--	--	--	--	--	--	--	--	
5/30/2006	--		5.00	15.00	4.45	154.96	--	--	--	--	--	--	--	--	
8/24/2006	P		5.00	15.00	5.18	154.23	<50	<0.50	<0.50	<0.50	<0.50	12	3.4	6.8	
11/1/2006	--		5.00	15.00	6.05	153.36	--	--	--	--	--	--	--	--	
2/7/2007	--		5.00	15.00	5.00	154.41	--	--	--	--	--	--	--	--	
5/8/2007	--		5.00	15.00	4.30	155.11	--	--	--	--	--	--	--	--	
8/8/2007	NP		5.00	15.00	5.51	153.90	<50	<0.50	<0.50	<0.50	<0.50	0.57	2.94	6.87	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
ESL - DW							100	1.0	40	30	20	5.0			
ESL - NDW							210	46	130	43	100	1,800			
MW-6 Cont.															
11/14/2007	--	159.41	5.00	15.00	5.38	154.03	--	--	--	--	--	--	--	--	
2/22/2008	--		5.00	15.00	4.70	154.71	--	--	--	--	--	--	--	--	
5/24/2008	--		5.00	15.00	5.25	154.16	--	--	--	--	--	--	--	--	
8/21/2008	NP		5.00	15.00	6.14	153.27	<50	<0.50	<0.50	<0.50	<0.50	1.9	1.99	7.13	
11/19/2008	--		5.00	15.00	5.94	153.47	--	--	--	--	--	--	--	--	
2/23/2009	--		5.00	15.00	5.00	154.41	--	--	--	--	--	--	--	--	
5/14/2009	--		5.00	15.00	4.60	154.81	--	--	--	--	--	--	--	--	
8/20/2009	NP		5.00	15.00	5.65	153.76	<50	<0.50	<0.50	<0.50	<0.50	2.0	1.98	6.81	
2/19/2010	--		5.00	15.00	7.28	152.13	--	--	--	--	--	--	--	--	
8/10/2010	NP		5.00	15.00	5.02	154.39	<50	<0.50	<0.50	<0.50	<0.50	4.3	1.99	6.93	
12/16/2010	--		5.00	15.00	4.50	154.91	--	--	--	--	--	--	--	--	j
2/14/2011	--		5.00	15.00	4.80	154.61	--	--	--	--	--	--	--	--	
5/20/2011	--		5.00	15.00	4.29	155.12	--	--	--	--	--	--	--	--	
8/15/2011	P		5.00	15.00	4.52	154.89	<50	<0.50	<0.50	<0.50	<0.50	2.2	1.55	7.1	
2/2/2012	--		5.00	15.00	--	--	--	--	--	--	--	--	--	--	d
8/9/2012	P		5.00	15.00	4.65	154.76	<50	<0.50	<0.50	<0.50	<1.0	3.6	1.14	6.89	
2/14/2013	--		5.00	15.00	--	--	--	--	--	--	--	--	--	--	d
8/22/2013	--		5.00	15.00	--	--	--	--	--	--	--	--	--	--	d
2/11/2014	--		5.00	15.00	4.67	154.74	--	--	--	--	--	--	--	--	
MW-7															
12/16/2010	P	164.80	5.00	20.00	6.52	158.28	700	<0.50	<0.50	15	32	62	--	7.08	j
2/14/2011	NP		5.00	20.00	6.77	158.03	7,100	1,700	98	260	210	<20	1.02	6.8	
5/20/2011	NP		5.00	20.00	5.84	158.96	570	<0.50	<0.50	37	25	4.6	1.66	6.7	1 (GRO)
8/15/2011	P		5.00	20.00	6.96	157.84	420	<1.0	<1.0	49	6.7	14	0.58	6.9	
2/2/2012	P		5.00	20.00	7.15	157.65	<50	<0.50	<0.50	<0.50	<0.50	6.2	0.45	7.5	
8/9/2012	P		5.00	20.00	5.05	159.75	85	<0.50	<0.50	5.8	1.1	7.0	1.04	7.25	
2/14/2013	P		5.00	20.00	4.38	160.42	310	1.2	<0.50	1.6	6.3	5.1	1.31	7.64	
8/22/2013	P		5.00	20.00	7.39	157.41	78	<0.50	<0.50	3.9	<1.0	3.1	4.01	7.00	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
ESL - DW							100	1.0	40	30	20	5.0			
ESL - NDW							210	46	130	43	100	1,800			
MW-7 Cont.															
2/11/2014	P	164.80	5.00	20.00	7.37	157.43	<50	<0.50	<0.50	<0.50	<1.0	12	1.90	6.94	
MW-8															
12/16/2010	P	164.14	5.00	20.00	6.85	157.29	520	43	<0.50	4.1	21	150	0.46	7.12	j
2/14/2011	NP		5.00	20.00	7.30	156.84	<50	<2.0	<2.0	<2.0	<2.0	110	1.07	6.7	
5/20/2011	NP		5.00	20.00	6.88	157.26	<50	<2.0	<2.0	<2.0	<2.0	88	1.35	6.5	
8/15/2011	P		5.00	20.00	6.00	158.14	<50	5.2	<1.0	9.7	<1.0	57	0.51	6.7	
2/2/2012	P		5.00	20.00	7.57	156.57	<50	<0.50	<0.50	<0.50	<0.50	3.9	0.68	7.1	
8/9/2012	P		5.00	20.00	6.08	158.06	110	67	<0.50	<0.50	<1.0	150	1.16	6.98	
2/14/2013	P		5.00	20.00	5.70	158.44	720	350	<2.0	<2.0	<4.0	240	1.23	7.40	
8/22/2013	P		5.00	20.00	7.95	156.19	<50	1.5	<0.50	<0.50	<1.0	180	3.96	6.88	
2/11/2014	P		5.00	20.00	7.56	156.58	<50	<0.50	<0.50	<0.50	<1.0	78	1.93	6.72	
MW-9															
12/16/2010	P	163.77	5.00	20.00	6.63	157.14	330	18	<0.50	11	38	390	0.57	6.97	j
2/14/2011	NP		5.00	20.00	6.85	156.92	<50	<4.0	<4.0	<4.0	<4.0	270	0.98	6.9	
5/20/2011	NP		5.00	20.00	6.39	157.38	66	<4.0	<4.0	<4.0	<4.0	280	1.64	6.7	1 (GRO)
8/15/2011	NP		5.00	20.00	7.09	156.68	<50	<2.0	<2.0	<2.0	<2.0	120	0.88	7.1	
2/2/2012	P		5.00	20.00	7.18	156.59	<50	<0.50	<0.50	<0.50	<0.50	34	0.65	7.2	
8/9/2012	P		5.00	20.00	5.68	158.09	82	1.9	<0.50	<0.50	<1.0	19	1.61	7.13	
2/14/2013	P		5.00	20.00	5.27	158.50	250	5.2	<0.50	<0.50	1.4	25	1.23	7.51	
8/22/2013	P		5.00	20.00	7.46	156.31	290	0.71	<0.50	<0.50	1.4	31	4.71	7.07	
2/11/2014	P		5.00	20.00	7.07	156.70	250	<0.50	<0.50	<0.50	<1.0	39	1.12	7.07	

Symbols & Abbreviations:

-- = Not analyzed/applicable/measured/available
< = Not detected at or above laboratory reporting limit
DO = Dissolved oxygen
DTW = Depth to water in ft below TOC
ft bgs = Feet below ground surface
GRO = Gasoline range organics
GWE = Groundwater elevation measured in ft
mg/L = Milligrams per liter
MTBE = Methyl tert-butyl ether
NP = Well was not purged prior to sampling
P = Well was purged prior to sampling
TOC = Top of casing measured in ft
TPH-g = Total petroleum hydrocarbons as gasoline
µg/L = Micrograms per liter
BTEX = Benzene, toluene, ethylbenzene and xylenes

ESL - DW = Environmental Screening Levels (ESLs), shallow soils (<3 meters bgs), groundwater is a current or potential source of drinking water, for residential land use. Ref. California Regional Water Quality Control Board, San Francisco Bay Region (CRWQCB-SFBR), Screening for Environmental Concerns at Sites with Contaminated Soil & Groundwater, Interim Final-November 2007 (Revised May 2008).

ESL - NDW = Environmental Screening Levels (ESLs), shallow soils (<3 meters bgs), groundwater is NOT a current or potential source of drinking water, for residential land use. Ref. California Regional Water Quality Control Board, San Francisco Bay Region (CRWQCB-SFBR), Screening for Environmental Concerns at Sites with Contaminated Soil & Groundwater, Interim Final-November 2007 (Revised May 2008).

NE = ESL not established

Footnotes:

a = Chromatogram pattern: Gasoline C6-C10 for GRO/TPH-g
b = Beginning this quarter, groundwater samples were analyzed by EPA method 8260B for TPH-g, BTEX, and fuel oxygenates
c = Wells gauged with ORC sock in well
d = Well inaccessible
e = The hydrocarbon result for GRO was partly due to individual peaks in the quantitative range
f = Well resurveyed on 1/27/2004 to NAVD88
g = Upon review of survey data (1/27/2004), TOC elevation for MW-4 is actually 162.47 ft.
h = Upon review of survey data (1/27/2004), MW-5 was not surveyed from the TOC. MW-5 was surveyed from the pavement due to inaccessibility to the TOC. Therefore, survey data for MW-5 from the TOC is unavailable. Historic data prior to 5/30/2006 (change in consultant) not modified
i = Quantitation of unknown hydrocarbon(s) in sample based on gasoline
j = Surveyed 12/9/2010
k = Grab groundwater sample
l = Quantitated against gasoline

Notes:

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12

Values for DO and pH were obtained through field measurements

The DTW's and TOC's for wells MW-5 and MW-6 were taken from Delta Environmental sampling sheets because the well logs were not available

GRO analysis was completed by EPA method 8260B (C4-C12) for samples collected from the time period April 2006 through February 4, 2008. The analysis for GRO was changed to EPA method 8015B (C6-C12) for samples collected from the time period February 5, 2008 through the present

The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
ESL - DW	NE	12	5.0	NE	NE	NE	0.5	0.05	
ESL - NDW	NE	18,000	1,800	NE	NE	NE	200	150	
MW-1									
3/23/2001	--	--	2,710	--	--	--	--	--	
3/21/2002	--	--	2,000	--	--	--	--	--	
5/23/2003	<20,000	<4,000	1,600	<100	<100	<100	--	--	
11/20/2003	<2,000	<400	1,500	<10	<10	<10	--	--	a
5/14/2004	<5,000	<1,000	1,200	<25	<25	<25	<25	<25	
9/2/2004	<1,000	<200	660	<5.0	<5.0	<5.0	<5.0	<5.0	
11/4/2004	<2,000	<400	580	<10	<10	<10	<10	<10	
2/8/2005	<2,000	<400	610	<10	<10	<10	<10	<10	
5/9/2005	<1,000	<200	620	<5.0	<5.0	<5.0	<5.0	<5.0	a
8/11/2005	<500	250	390	<2.5	<2.5	2.6	<2.5	<2.5	a
11/18/2005	<500	<100	340	<2.5	<2.5	<2.5	<2.5	<2.5	a
2/16/2006	<1,500	<100	340	<2.5	<2.5	<2.5	<2.5	<2.5	
5/30/2006	<1,500	<100	420	<2.5	<2.5	<2.5	<2.5	<2.5	a
8/24/2006	<3,000	<200	180	<5.0	<5.0	<5.0	<5.0	<5.0	
11/1/2006	<3,000	<200	220	<5.0	<5.0	<5.0	<5.0	<5.0	a
2/7/2007	<3,000	<200	190	<5.0	<5.0	<5.0	<5.0	<5.0	
5/8/2007	<3,000	<200	420	<5.0	<5.0	<5.0	<5.0	<5.0	
8/8/2007	<300	<20	110	<0.50	<0.50	<0.50	<0.50	<0.50	
11/14/2007	<1,500	<100	210	<2.5	<2.5	<2.5	<2.5	<2.5	
2/22/2008	<300	<10	250	<0.50	<0.50	1.5	<0.50	<0.50	
5/24/2008	<3,000	<100	380	<5.0	<5.0	<5.0	<5.0	<5.0	
8/21/2008	<1,500	<50	170	<2.5	<2.5	<2.5	<2.5	<2.5	
11/19/2008	<300	<10	30	<0.50	<0.50	<0.50	<0.50	<0.50	
2/23/2009	<1,500	<50	240	<2.5	<2.5	<2.5	<2.5	<2.5	
5/14/2009	<300	<10	200	<0.50	<0.50	1.3	<0.50	<0.50	
8/20/2009	<1,200	<40	170	<2.0	<2.0	<2.0	<2.0	<2.0	
2/19/2010	<300	<10	170	<0.50	<0.50	1.2	<0.50	<0.50	
8/10/2010	<1,500	<50	230	<2.5	<2.5	<2.5	<2.5	<2.5	
12/16/2010	<1,200	<40	140	<2.0	<2.0	<2.0	<2.0	<2.0	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
ESL - DW	NE	12	5.0	NE	NE	NE	0.5	0.05	
ESL - NDW	NE	18,000	1,800	NE	NE	NE	200	150	
MW-1 Cont.									
2/14/2011	<1,500	<50	170	<2.5	<2.5	<2.5	<2.5	<2.5	
8/15/2011	<1,500	<50	130	<2.5	<2.5	<2.5	<2.5	<2.5	
2/2/2012	<600	<20	66	<1.0	<1.0	<1.0	<1.0	<1.0	
8/9/2012	<150	<10	170	<0.50	<0.50	0.78	<0.50	<0.50	
2/14/2013	<150	<10	140	<0.50	<0.50	0.58	<0.50	<0.50	
8/22/2013	<150	<10	91	<0.50	<0.50	<0.50	<0.50	<0.50	
2/11/2014	<150	<10	26	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-2									
3/23/2001	--	--	<2.5	--	--	--	--	--	
3/21/2002	--	--	45	--	--	--	--	--	
5/23/2003	<100	<20	55	<0.50	<0.50	0.53	--	--	
2/2/2004	<100	<20	37	<0.50	<0.50	<0.50	<0.50	<0.50	
9/2/2004	<500	<100	67	<2.5	<2.5	<2.5	<2.5	<2.5	
2/8/2005	<100	<20	30	<0.50	<0.50	<0.50	<0.50	<0.50	
8/11/2005	<100	<20	35	<0.50	<0.50	<0.50	<0.50	<0.50	a
2/16/2006	<300	<20	39	<0.50	<0.50	<0.50	<0.50	<0.50	
8/24/2006	<300	<20	25	<0.50	<0.50	<0.50	<0.50	<0.50	
2/7/2007	<300	<20	7.2	<0.50	<0.50	<0.50	<0.50	<0.50	
8/8/2007	<300	<20	7.2	<0.50	<0.50	<0.50	<0.50	<0.50	
2/22/2008	<300	<10	24	<0.50	<0.50	<0.50	<0.50	<0.50	
8/21/2008	<300	<10	4.9	<0.50	<0.50	<0.50	<0.50	<0.50	
2/23/2009	<300	<10	24	<0.50	<0.50	<0.50	<0.50	<0.50	
8/20/2009	<300	<10	8.4	<0.50	<0.50	<0.50	<0.50	<0.50	
2/19/2010	<300	<10	22	<0.50	<0.50	<0.50	<0.50	<0.50	
8/10/2010	<300	<10	23	<0.50	<0.50	<0.50	<0.50	<0.50	
12/16/2010	<300	<10	17	<0.50	<0.50	<0.50	<0.50	<0.50	
2/14/2011	<300	<10	11	<0.50	<0.50	<0.50	<0.50	<0.50	
8/15/2011	<300	<10	1.7	<0.50	<0.50	<0.50	<0.50	<0.50	
2/2/2012	<300	<10	1.8	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
ESL - DW	NE	12	5.0	NE	NE	NE	0.5	0.05	
ESL - NDW	NE	18,000	1,800	NE	NE	NE	200	150	
MW-2 Cont.									
8/9/2012	<150	<10	73	<0.50	<0.50	0.61	<0.50	<0.50	
2/14/2013	<150	<10	46	<0.50	<0.50	<0.50	<0.50	<0.50	
8/22/2013	<150	<10	82	<0.50	<0.50	1.1	<0.50	<0.50	
2/11/2014	<150	<10	7.5	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-3									
6/20/2000	--	--	<10	--	--	--	--	--	
12/17/2000	--	--	<2.5	--	--	--	--	--	
6/21/2001	--	--	2.5	--	--	--	--	--	
12/31/2001	--	--	4.9	--	--	--	--	--	
4/17/2002	--	--	8.7	--	--	--	--	--	
12/6/2002	--	--	6.2	--	--	--	--	--	
5/23/2003	<100	<20	1.6	<0.50	<0.50	<0.50	--	--	
9/2/2004	<100	<20	6.5	<0.50	<0.50	<0.50	<0.50	<0.50	
8/11/2005	<100	<20	11	<0.50	<0.50	<0.50	<0.50	<0.50	a
8/24/2006	<300	<20	7.6	<0.50	<0.50	<0.50	<0.50	<0.50	
8/8/2007	<300	<20	1.2	<0.50	<0.50	<0.50	<0.50	<0.50	
8/21/2008	<300	<10	3.1	<0.50	<0.50	<0.50	<0.50	<0.50	
8/20/2009	<300	<10	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	
8/10/2010	<300	<10	1.6	<0.50	<0.50	<0.50	<0.50	<0.50	
8/15/2011	<300	<10	1.2	<0.50	<0.50	<0.50	<0.50	<0.50	
8/9/2012	<150	<10	2.0	<0.50	<0.50	<0.50	<0.50	<0.50	
8/22/2013	<150	<10	1.4	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-4									
6/20/2000	--	--	<250	--	--	--	--	--	
12/17/2000	--	--	<100	--	--	--	--	--	
6/21/2001	--	--	130	--	--	--	--	--	
12/31/2001	--	--	160	--	--	--	--	--	
4/17/2002	--	--	<250	--	--	--	--	--	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
ESL - DW	NE	12	5.0	NE	NE	NE	0.5	0.05	
ESL - NDW	NE	18,000	1,800	NE	NE	NE	200	150	
MW-4 Cont.									
12/6/2002	--	--	43	--	--	--	--	--	
5/23/2003	<10,000	<2,000	<50	<50	<50	<50	--	--	
2/2/2004	<500	<100	29	<2.5	<2.5	2.6	<2.5	<2.5	
9/2/2004	<200	<40	28	<1.0	<1.0	<1.0	<1.0	<1.0	
2/8/2005	<5,000	<1,000	45	<25	<25	<25	<25	<25	
8/11/2005	<2,000	<400	32	<10	<10	<10	<10	<10	
2/16/2006	<6,000	<400	35	<10	<10	<10	<10	<10	
8/24/2006	<1,500	<100	39	<2.5	<2.5	<2.5	<2.5	<2.5	
2/7/2007	<6,000	<400	67	<10	<10	<10	<10	<10	
8/8/2007	<6,000	<400	72	<10	<10	<10	<10	<10	
2/22/2008	<6,000	<200	70	<10	<10	<10	<10	<10	
8/21/2008	<12,000	<400	53	<20	<20	<20	<20	<20	
2/23/2009	<3,000	<100	39	<5.0	<5.0	<5.0	<5.0	<5.0	
8/20/2009	<12,000	<400	23	<20	<20	<20	<20	<20	
2/19/2010	<3,000	<100	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
8/10/2010	<12,000	<400	<20	<20	<20	<20	<20	<20	
12/16/2010	<15,000	<500	<25	<25	<25	<25	<25	<25	
2/14/2011	<300	<10	13	<0.50	<0.50	<0.50	<0.50	<0.50	
8/15/2011	<7,500	<250	<12	<12	<12	<12	<12	<12	
2/2/2012	<7,500	<250	<12	<12	<12	<12	<12	<12	
8/9/2012	<1,500	<100	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
2/14/2013	<3,000	<200	<10	<10	<10	<10	<10	<10	
8/22/2013	<3,000	<200	<10	<10	<10	<10	<10	<10	
2/11/2014	<1,500	<100	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
MW-5									
6/20/2000	--	--	<10	--	--	--	--	--	
9/28/2000	--	--	<2.5	--	--	--	--	--	
12/17/2000	--	--	<2.5	--	--	--	--	--	
3/23/2001	--	--	<2.5	--	--	--	--	--	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
ESL - DW	NE	12	5.0	NE	NE	NE	0.5	0.05	
ESL - NDW	NE	18,000	1,800	NE	NE	NE	200	150	
MW-5 Cont.									
6/21/2001	--	--	<2.5	--	--	--	--	--	
9/23/2001	--	--	<2.5	--	--	--	--	--	
12/31/2001	--	--	<2.5	--	--	--	--	--	
3/21/2002	--	--	3.2	--	--	--	--	--	
4/17/2002	--	--	<2.5	--	--	--	--	--	
8/12/2002	--	--	<2.5	--	--	--	--	--	
12/6/2002	--	--	<2.5	--	--	--	--	--	
1/29/2003	<40	<20	<0.50	<0.50	<0.50	<0.50	--	--	
5/23/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
9/4/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/2/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/11/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/24/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/8/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/21/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/20/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/10/2010	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/15/2011	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/9/2012	<150	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/22/2013	<150	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-6									
3/23/2001	--	--	<2.5	--	--	--	--	--	
3/21/2002	--	--	5.2	--	--	--	--	--	
5/23/2003	<100	<20	9.4	<0.50	<0.50	<0.50	--	--	
8/11/2005	<100	<20	7.9	<0.50	<0.50	<0.50	<0.50	<0.50	a
8/24/2006	<300	<20	12	<0.50	<0.50	<0.50	<0.50	<0.50	
8/8/2007	<300	<20	0.57	<0.50	<0.50	<0.50	<0.50	<0.50	
8/21/2008	<300	<10	1.9	<0.50	<0.50	<0.50	<0.50	<0.50	
8/20/2009	<300	<10	2.0	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
ESL - DW	NE	12	5.0	NE	NE	NE	0.5	0.05	
ESL - NDW	NE	18,000	1,800	NE	NE	NE	200	150	
MW-6 Cont.									
8/10/2010	<300	<10	4.3	<0.50	<0.50	<0.50	<0.50	<0.50	
8/15/2011	<300	<10	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	
8/9/2012	<150	<10	3.6	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-7									
12/16/2010	<300	<10	62	<0.50	<0.50	<0.50	<0.50	<0.50	
2/14/2011	<1,2000	<400	<20	<20	<20	<20	<20	<20	
5/20/2011	<300	<10	4.6	<0.50	<0.50	<0.50	<0.50	<0.50	
8/15/2011	<600	<20	14	<1.0	<1.0	<1.0	<1.0	<1.0	
2/2/2012	<300	<10	6.2	<0.50	<0.50	<0.50	<0.50	<0.50	
8/9/2012	<150	<10	7.0	<0.50	<0.50	<0.50	<0.50	<0.50	
2/14/2013	<150	<10	5.1	<0.50	<0.50	<0.50	<0.50	<0.50	
8/22/2013	<150	<10	3.1	<0.50	<0.50	<0.50	<0.50	<0.50	
2/11/2014	<150	<10	12	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-8									
12/16/2010	<300	<10	150	<0.50	<0.50	1.7	<0.50	<0.50	
2/14/2011	<1,200	<40	110	<2.0	<2.0	<2.0	<2.0	<2.0	
5/20/2011	<1,200	<40	88	<2.0	<2.0	<2.0	<2.0	<2.0	
8/15/2011	<600	<20	57	<1.0	<1.0	<1.0	<1.0	<1.0	
2/2/2012	<300	<10	3.9	<0.50	<0.50	<0.50	<0.50	<0.50	
8/9/2012	<150	31	150	<0.50	<0.50	2.0	<0.50	<0.50	
2/14/2013	<600	150	240	<2.0	<2.0	5.2	<2.0	<2.0	
8/22/2013	<150	39	180	<0.50	<0.50	2.8	<0.50	<0.50	
2/11/2014	<150	<10	78	<0.50	<0.50	0.83	<0.50	<0.50	
MW-9									
12/16/2010	<300	40	390	<0.50	<0.50	4.1	<0.50	<0.50	
2/14/2011	<2,400	<80	270	<4.0	<4.0	<4.0	<4.0	<4.0	
5/20/2011	<2,400	<80	280	<4.0	<4.0	<4.0	<4.0	<4.0	
8/15/2011	<1,200	<40	120	<2.0	<2.0	<2.0	<2.0	<2.0	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
ESL - DW	NE	12	5.0	NE	NE	NE	0.5	0.05	
ESL - NDW	NE	18,000	1,800	NE	NE	NE	200	150	
MW-9 Cont.									
2/2/2012	<300	<10	34	<0.50	<0.50	<0.50	<0.50	<0.50	
8/9/2012	<150	<10	19	<0.50	<0.50	<0.50	<0.50	<0.50	
2/14/2013	<150	<10	25	<0.50	<0.50	<0.50	<0.50	<0.50	
8/22/2013	<150	<10	31	<0.50	<0.50	0.55	<0.50	<0.50	
2/11/2014	<150	<10	39	<0.50	<0.50	<0.50	<0.50	<0.50	

Symbols & Abbreviations:

-- = Not analyzed/applicable/measured/available

< = Not detected at or above the laboratory reporting limit

1,2-DCA = 1,2-Dichloroethane

ether

EDB = 1,2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

µg/L = Micrograms per Liter

ESL - DW = Environmental Screening Levels (ESLs), shallow soils (<3 meters bgs), groundwater is a current or potential source of drinking water, for residential land use. Ref. California Regional Water Quality Control Board, San Francisco Bay Region (CRWQCB-SFBR), Screening for Environmental Concerns at Sites with Contaminated Soil & Groundwater, Interim Final-November 2007 (Revised May 2008).

ESL - NDW = Environmental Screening Levels (ESLs), shallow soils (<3 meters bgs), groundwater is NOT a current or potential source of drinking water, for residential land use. Ref. California Regional Water Quality Control Board, San Francisco Bay Region (CRWQCB-SFBR), Screening for Environmental Concerns at Sites with Contaminated Soil & Groundwater, Interim Final-November 2007 (Revised May 2008).

NE = ESL not established

Footnotes:

a = The continuing calibration verification for ethanol was outside of client contractual limits, however, it was within method acceptance limits. The data should still be useful for its intended purpose

Notes:

All volatile organic compounds analyzed using EPA Method 8260B

The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information

Table 3. Summary of Groundwater Gradient - Direction and Magnitude

ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Date Measured	Approximate Gradient Direction	Approximate Gradient Magnitude (ft/ft)
1/31/1996	Southwest	0.04
4/10/1996	Southwest	0.04
7/16/1996	Southwest	0.03
10/14/1996	Southwest	0.03
3/27/1997	Southwest	0.04
5/27/1997	Southwest	0.03
8/12/1997	Southwest	0.04
11/17/1997	Southwest	0.03
3/16/1998	Southwest	0.03
5/12/1998	Southwest	0.04
7/27/1998	Southwest	0.04
10/15/1998	Southwest	0.02
2/18/1999	Southwest	0.05
5/24/1999	Southwest	0.03
8/27/1999	Southwest	0.03
10/26/1999	Southwest	0.03
2/3/2000	Southwest	0.047
6/20/2000	Southwest	0.035
9/28/2000	Southwest	0.034
12/17/2000	Southwest	0.032
3/23/2001	Southwest	0.034
6/21/2001	Southwest	0.032
9/23/2001	Southwest	0.029
12/31/2001	Southwest	0.043
3/21/2002	Southwest	0.038
4/17/2002	Southwest	0.031
8/12/2002	Southwest	0.032
12/6/2002	Southwest	0.020
1/29/2003	Southwest	0.027
5/23/2003	Southwest	0.039
9/4/2003	Southwest	0.033
11/20/2003	Southwest	0.029
2/2/2004	Southwest	0.043 (a)
5/14/2004	Southwest	0.037 (a)
9/2/2004	Southwest	0.027 (a)
11/4/2004	Southwest	0.034 (a)
2/8/2005	Southwest	0.061 (a)
5/9/2005	Southwest	0.08 (a)
8/11/2005	Southwest	0.06 (a)
11/18/2005	Southwest	0.07 (a)
2/16/2006	Southwest	0.09 (a)
5/30/2006	Southwest	0.06 (a)
8/24/2006	Southwest	0.03
11/1/2006	Southwest	0.02
2/7/2007	Southwest	0.03

Table 3. Summary of Groundwater Gradient - Direction and Magnitude
ARCO Service Station #0374, 6407 Telegraph Ave., Oakland, CA

Date Measured	Approximate Gradient Direction	Approximate Gradient Magnitude (ft/ft)
5/8/2007	Southwest	0.03
8/8/2007	Southwest	0.03
11/14/2007	Southwest	0.03
2/22/2008	Southwest	0.03
5/24/2008	Southwest	0.03
8/21/2008	Southwest	0.03
11/19/2008	Southwest	0.03
2/23/2009	Southwest	0.04
5/14/2009	Southwest	0.03
8/20/2009	Southwest	0.03
2/19/2010	West-Southwest	0.05
8/10/2010	Southwest	0.03
12/16/2010	Southwest	0.03
2/14/2011	Southwest	0.03
5/20/2011	Southwest	0.03
8/15/2011	Southwest	0.03
2/2/2012	Southwest	0.03
8/9/2012	Southwest	0.03
2/14/2013	Southwest	0.04
8/22/2013	Southwest	0.03
2/11/2014	Southwest	0.03

Footnotes:

a = Gradients potentially suspect due to error in MW-4 and MW-5 TOC measuring point elevations discovered third quarter 2006

Notes:

The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information

APPENDIX A

FIELD METHODS

QUALITY ASSURANCE/QUALITY CONTROL FIELD METHODS

Field methods discussed herein were implemented to provide for accuracy and reliability of field activities, data collection, sample collection, and handling. Discussion of these methods is provided below.

1.0 Equipment Calibration

Equipment calibration was performed per equipment manufacturer specifications before use.

2.0 Depth to Groundwater and Light Non-Aqueous Phase Liquid Measurement

Depth to groundwater was measured in wells identified for gauging in the scope of work using a decontaminated water level indicator. The depth to water measurement was taken from a cut notch or permanent mark at the top of the well casing to which the well head elevation was originally surveyed.

Once depth to water was measured, an oil/water interface meter or a new disposable bailer was utilized to evaluate the presence and, if present, to measure the “apparent” thickness of light non-aqueous phase liquid (LNAPL) in the well. If LNAPL was present in the well, groundwater purging and sampling were not performed, unless sampling procedures in the scope of work specified collection of samples in the presence of LNAPL. Otherwise, time allowing, LNAPL was bailed from the well using either a new disposable bailer, or the disposal bailer previously used for initial LNAPL assessment. Bailing of LNAPL continued until the thickness of LNAPL (or volume) stabilized in each bailer pulled from the well, or LNAPL was no longer present. After LNAPL thickness either stabilized or was eliminated, periodic depth to water and depth to LNAPL measurements were collected as product came back into the well to evaluate product recovery rate and to aid in further assessment of LNAPL in the subsurface. LNAPL thickness measurements were recorded as “apparent.” If a bailer was used for LNAPL thickness measurement, the field sampler noted the bailer entry diameter and chamber diameter to enable correction of thickness measurements. Recovered LNAPL was stored on-site in a labeled steel drum(s) or other appropriate container(s) prior to disposal.

3.0 Well Purging and Groundwater Sample Collection

Well purging and groundwater sampling were performed in wells specified in the scope of work after measuring depth to groundwater and evaluating the presence of LNAPL. Purging and sampling were performed using one of the methods detailed below. The method used was noted in the field records. Purge water was stored on-site in labeled steel drum(s) or other appropriate container(s) prior to disposal or on-site treatment (in cases where treatment using an on-site system is authorized).

3.1 Purging a Predetermined Well Volume

Purging a predetermined well volume is performed per ASTM International (ASTM) D4448-01. This purging method has the objective of removing a predetermined volume of stagnant water from the well prior to sampling. The volume of stagnant water is defined as either the volume of water contained within the well casing, or the volume within the well casing and sand/gravel in the annulus if natural flow through these is deemed insufficient to keep them flushed out.

This purging method involves removal of a minimum of three stagnant water volumes from the well using a decontaminated pump with new disposable plastic discharge or suction tubing, dedicated well tubing, or using a new disposable or decontaminated reusable bailer. If a new disposable bailer was used for assessment of LNAPL, that bailer may be used for purging. The withdrawal rate used is one that minimizes drawdown while satisfying time constraints.

To evaluate when purging is complete, one or more groundwater stabilization parameters are monitored and recorded during purging activities until stabilization is achieved. Most commonly, stabilization parameters include temperature, conductivity, and pH, but field procedures detailed in the scope of work may also include monitoring of dissolved oxygen concentrations, oxidation reduction potential, and/or turbidity¹. Parameters are considered stable when two (2) consecutive readings recorded three (3) minutes apart fall within ranges provided below in Table 1. In the event that the parameters have not stabilized and five (5) well casing volumes have been removed, purging activities will cease and be considered complete. Once the well is purged, a groundwater sample(s) is collected from the well using a new disposable bailer. If a new disposable bailer was used for purging, that bailer may be used to collect the sample(s). A sample is not collected if the well is inadvertently purged dry.

Table 1. Criteria for Defining Stabilization of Water-Quality Indicator Parameters

Parameter	Stabilization Criterion
Temperature	± 0.2°C (± 0.36°F)
pH	± 0.1 standard units
Conductivity	± 3%
Dissolved oxygen	± 10%
Oxidation reduction potential	± 10 mV
Turbidity ¹	± 10% or 1.0 NTU (whichever is greater)

3.2 Low-Flow Purging and Sampling

“Low-Flow”, “Minimal Drawdown”, or “Low-Stress” purging is performed per ASTM D6771-02. It is a method of groundwater removal from within a well’s screened interval that is intended to

¹ As stated in ASTM D6771-02, turbidity is not a chemical parameter and not indicative of when formation-quality water is being purged; however, turbidity may be helpful in evaluating stress on the formation during purging. Turbidity measurements are taken at the same time that stabilization parameter measurements are made, or, at a minimum, once when purging is initiated and again just prior to sample collection, after stabilization parameters have stabilized. To avoid artifacts in sample analysis, turbidity should be as low as possible when samples are collected. If turbidity values are persistently high, the withdrawal rate is lowered until turbidity decreases. If high turbidity persists even after lowering the withdrawal rate, the purging is stopped for a period of time until turbidity settles, and the purging process is then restarted. If this fails to solve the problem, the purging/sampling process for the well is ceased, and well maintenance or redevelopment is considered.

minimize drawdown and mixing of the water column in the well casing. This is accomplished by pumping the well using a decontaminated pump with new disposable plastic discharge or suction tubing or dedicated well tubing at a low flow rate while evaluating the groundwater elevation during pumping.

The low flow pumping rate is well specific and is generally established at a volume that is less than or equal to the natural recovery rate of the well. A pump with adjustable flow rate control is positioned with the intake at or near the mid-point of the submerged well screen. The pumping rate used during low-flow purging is low enough to minimize mobilization of particulate matter and drawdown (stress) of the water column. Low-flow purging rates will vary based on the individual well characteristics; however, the purge rate should not exceed 1.0 Liter per minute (L/min) or 0.25 gallon per minute (gal/min). Low-flow purging should begin at a rate of approximately 0.1 L/min (0.03 gal/min)², or the lowest rate possible, and be adjusted based on an evaluation of drawdown. Water level measurements should be recorded at approximate one (1) to two (2) minute intervals until the low-flow rate has been established, and drawdown is minimized. As a general rule, drawdown should not exceed 25% of the distance between the top of the water column and the pump in-take.

To evaluate when purging is complete, one or more groundwater stabilization parameters are monitored and recorded during purging activities until stabilization is achieved. Most commonly, stabilization parameters include temperature, conductivity, and pH, but field procedures detailed in the scope of work may also include monitoring of dissolved oxygen concentrations, oxidation reduction potential, and/or turbidity¹. The frequency between measurements will be at an interval of one (1) to three (3) minutes; however, if a flow cell is used, the frequency will be determined based on the time required to evacuate one cell volume. Stabilization is defined as three (3) consecutive readings recorded several minutes apart falling within ranges provided in Table 1. Samples will be collected by filling appropriate containers from the pump discharge tubing at a rate not to exceed the established pumping rate.

3.3 Minimal Purge, Discrete Depth, and Passive Sampling

Per ASTM D4448-01, sampling techniques that do not rely on purging, or require only minimal purging, may be used if a particular zone within a screened interval is to be sampled or if a well is not capable of yielding sufficient groundwater for purging. To properly use these sampling techniques, a water sample is collected within the screened interval with little or no mixing of the water column within the casing. These techniques include minimal purge sampling which uses a dedicated sampling pump capable of pumping rates of less than 0.1 L/min (0.03 gal/min)², discrete depth sampling using a bailer that allows groundwater entry at a controlled depth (e.g. differential pressure bailer), or passive (diffusion) sampling. These techniques are based on certain studies referenced in ASTM D4448-01 that indicate that under certain conditions, natural groundwater flow is laminar and horizontal with little or no mixing within the well screen.

² According to ASTM D4448-01, studies have indicated that at flow rates of 0.1 L/min, low-density polyethylene (LDPE) and plasticized polypropylene tubing materials are prone to sorption. Therefore, TFE-fluorocarbon or other appropriate tubing material is used, particularly when tubing lengths of 50 feet or longer are used.

4.0 Decontamination

Reusable groundwater sampling equipment were cleaned using a solution of Alconox or other acceptable detergent, rinsed with tap water, and finally rinsed with distilled water prior to use in each well. Decontamination water was stored on-site in labeled steel drum(s) or other appropriate container(s) prior to disposal.

5.0 Sample Containers, Labeling, and Storage

Samples were collected in laboratory prepared containers with appropriate preservative (if preservative was required). Samples were properly labeled (site name, sample I.D., sampler initials, date, and time of collection) and stored chilled (refrigerator or ice chest with ice) until delivery to a certified laboratory, under chain of custody procedures.

6.0 Chain of Custody Record and Procedure

The field sampler was personally responsible for care and custody of the samples collected until they were properly transferred to another party. To document custody and transfer of samples, a Chain of Custody Record was prepared. The Chain of Custody Record provided identification of the samples corresponding to sample labels and specified analyses to be performed by the laboratory. The original Chain of Custody Record accompanied the shipment, and a copy of the record was stored in the project file. When the samples were transferred, the individuals relinquishing and receiving them signed, dated, and noted the time of transfer on the record.

7.0 Field Records

Daily Report and data forms were completed by staff personnel to provide daily record of significant events, observations, and measurements. Field records were signed, dated, and stored in the project file.

APPENDIX B

FIELD DATA SHEETS
AND
NON-HAZARDOUS WASTE DATA FORM



DAILY REPORT

Page 1 of 1

Project: BP 374 Project No.: 06-88-602

Field Representative(s): A. Martinez / S. Jones Day: Tuesday Date: 2/11/14

Time Onsite: From: 0700 To: 1115 ; From: To: ; From: To:

- Signed HASP Safety Glasses Hard Hat Steel Toe Boots Safety Vest
UST Emergency System Shut-off Switches Located Proper Gloves
Proper Level of Barricading Other PPE (describe)

Weather: Partly Cloudy

Equipment In Use: Peri pump, H2o meter, US2 meter, LEL meter

Visitors: None

TIME:

WORK DESCRIPTION:

Table with 2 columns: TIME and WORK DESCRIPTION. Rows include: 0700 Arrive onsite / conducted tailgate, 0735 Set up for sampling @ Mw-1, 0815 Set up @ Mw-2, 0845 Set up @ Mw-9, 0910 Set up @ Mw-8, 0940 Set up @ Mw-7, 1010 Set up @ Mw-4, 1115 Completed fieldwork @ offsite.

Signature: [Handwritten Signature]



GROUNDWATER SAMPLING DATA SHEET

Page 2 of 7

Project: BP 374 Project No.: 06-88-602 Date: 2/11/14

Field Representative: AM/SJ

Well ID: MW-1 Start Time: - End Time: - Total Time (minutes): -

PURGE EQUIPMENT: Disp. Bailer, 120V Pump, Flow Cell, Disp. Tubing, 12V Pump, Peristaltic Pump

WELL HEAD INTEGRITY: Good Improvement Needed (circle one) Comments:

PURGING/SAMPLING METHOD: Predetermined Well Volume, Low-Flow, Other: (circle one)

PREDETERMINED WELL VOLUME and LOW-FLOW sections with calculations for Total Well Depth, Initial Depth to Water, Water Column Height, Water Column Volume, and Pump Depth. Includes a well diagram with points 'a' and 'b'.

GROUNDWATER STABILIZATION PARAMETER RECORD

Table with 9 columns: Time (24:00), Cumulative Vol. (gal or L), Temperature (°C), pH, Conductivity (µS or mS), DO (mg/L), ORP (mV), Turbidity (NTU), NOTES (Odor, color, sheen or other). Contains 6 rows of data.

Previous Stabilized Parameters

PURGE COMPLETION RECORD: Low Flow & Parameters Stable, 3 Casing Volumes & Parameters Stable, 5 Casing Volumes, Other:

SAMPLE COLLECTION RECORD and GEOCHEMICAL PARAMETERS

Table with 4 columns: Parameter, Time, Measurement. Includes fields for Depth to Water at Sampling (8.13 ft), Sample Collected Via (Disp. Pump Tubing), Sample ID (MW-1), Sample Collection Time (0805 (24:00)), and Containers (#) (6 VOA, X preserved).

Signature: Alex Mack



GROUNDWATER SAMPLING DATA SHEET

Project: BP 374 Project No.: 06-88-602 Date: 2/11/14

Field Representative: AM/SJ


Well ID: MW-2 Start Time: End Time: Total Time (minutes):

PURGE EQUIPMENT Disp. Bailer 120V Pump Flow Cell
Disp. Tubing 12V Pump Peristaltic Pump Other/ID#:

WELL HEAD INTEGRITY (cap, lock, vault, etc.) Comments:
Good Improvement Needed (circle one)

PURGING/SAMPLING METHOD Predetermined Well Volume Low-Flow Other: (circle one)

PREDETERMINED WELL VOLUME LOW-FLOW
Casing Diameter | Unit Volume (gal/ft) (circle one)
Previous Low-Flow Purge Rate: (lpm)
Total Well Depth (a): 26.35 (ft)
Initial Depth to Water (b): 7.12 (ft)
Pump In-take Depth = b + (a-b)/2: 16.73 (ft)
Maximum Allowable Drawdown = (a-b)/8: 2.40 (ft)
Low-Flow Purge Rate: 0.25 (Lpm)*



GROUNDWATER STABILIZATION PARAMETER RECORD

Table with 9 columns: Time (24:00), Cumulative Vol. gal or l, Temperature °C, pH, Conductivity µS or mS, DO mg/L, ORP mV, Turbidity NTU, NOTES. Includes handwritten data for five samples.

Previous Stabilized Parameters

PURGE COMPLETION RECORD Low Flow & Parameters Stable 3 Casing Volumes & Parameters Stable 5 Casing Volumes
Other:

SAMPLE COLLECTION RECORD GEOCHEMICAL PARAMETERS

Depth to Water at Sampling: 7.36 (ft)
Sample Collected Via: Disp. Pump Tubing
Sample ID: MW-2 Sample Collection Time: 0835 (24:00)
Containers (#): 6 VOA (X preserved or un preserved) Liter Amber

Signature: [Handwritten Signature]



GROUNDWATER SAMPLING DATA SHEET

Project: BP 374 Project No.: 06-88-602 Date: 2/11/14
Field Representative: AM/ST
Well ID: MW-4 Start Time: - End Time: - Total Time (minutes): -

PURGE EQUIPMENT: Disp. Bailer, 120V Pump, Flow Cell, Disp. Tubing, 12V Pump, Peristaltic Pump, Other/ID#:

WELL HEAD INTEGRITY (cap, lock, vault, etc.) Comments:
Good Improvement Needed (circle one)

PURGING/SAMPLING METHOD: Predetermined Well Volume, Low-Flow, Other: (circle one)

PREDETERMINED WELL VOLUME and LOW-FLOW sections with tables for casing diameters, depths, and purge rates. Includes a well diagram with points 'a' and 'b'.

GROUNDWATER STABILIZATION PARAMETER RECORD

Table with 9 columns: Time (24:00), Cumulative Vol. gal or L, Temperature °C, pH, Conductivity μS or mS, DO mg/L, ORP mV, Turbidity NTU, NOTES. Contains 5 rows of data.

Previous Stabilized Parameters

PURGE COMPLETION RECORD: X Low Flow & Parameters Stable, 3 Casing Volumes & Parameters Stable, 5 Casing Volumes, Other:

SAMPLE COLLECTION RECORD and GEOCHEMICAL PARAMETERS

Table for sample collection details including depth to water, collection method, sample ID, and geochemical parameters like DO, Ferrous Iron, Redox Potential, and Alkalinity.

Signature: Alex Marks



GROUNDWATER SAMPLING DATA SHEET

Page 5 of 7

Project: BP 374 Project No.: 06-88-602 Date: 2/11/14
Field Representative: AM/SJ
Well ID: MW-7 Start Time: - End Time: - Total Time (minutes): -

PURGE EQUIPMENT: Disp. Bailer, 120V Pump, Flow Cell, Disp. Tubing, 12V Pump, Peristaltic Pump, Other/ID#:

WELL HEAD INTEGRITY (cap, lock, vault, etc.) Comments: Good Improvement Needed (circle one)

PURGING/SAMPLING METHOD: Predetermined Well Volume, Low-Flow, Other: (circle one)

PREDETERMINED WELL VOLUME and LOW-FLOW sections with diagrams and calculations for well depth, water column, and purge rate.

GROUNDWATER STABILIZATION PARAMETER RECORD table with columns for Time, Cumulative Vol., Temperature, pH, Conductivity, DO, ORP, Turbidity, and NOTES.

PURGE COMPLETION RECORD: Low Flow & Parameters Stable, 3 Casing Volumes & Parameters Stable, 5 Casing Volumes, Other:

SAMPLE COLLECTION RECORD and GEOCHEMICAL PARAMETERS table with columns for Depth to Water, Sample Collected Via, Sample ID, Containers, and various chemical parameters.

Signature: Alex Mack



GROUNDWATER SAMPLING DATA SHEET

Page 6 of 7

Project: BD 374 Project No.: 06-88-602 Date: 2/11/14
Field Representative: AM/SJ
Well ID: MW-8 Start Time: - End Time: - Total Time (minutes): -

PURGE EQUIPMENT: Disp. Bailer, 120V Pump, Flow Cell, Disp. Tubing, 12V Pump, Peristaltic Pump, Other/ID#:

WELL HEAD INTEGRITY (cap, lock, vault, etc.) Comments:
Good Improvement Needed (circle one)

PURGING/SAMPLING METHOD: Predetermined Well Volume, Low-Flow, Other: (circle one)

PREDETERMINED WELL VOLUME and LOW-FLOW sections with diagrams and calculations for well depth, water column, and purge rate.

GROUNDWATER STABILIZATION PARAMETER RECORD

Table with 9 columns: Time (24:00), Cumulative Vol. (gal or l), Temperature (°C), pH, Conductivity (µS or mS), DO (mg/L), ORP (mV), Turbidity (NTU), NOTES. Includes handwritten data for the first five rows.

Previous Stabilized Parameters

PURGE COMPLETION RECORD: X Low Flow & Parameters Stable, 3 Casing Volumes & Parameters Stable, 5 Casing Volumes, Other:

SAMPLE COLLECTION RECORD and GEOCHEMICAL PARAMETERS

Form fields for sample collection details (depth, time, containers) and geochemical parameters (DO, Ferrous Iron, Redox Potential, Alkalinity).

Signature: Alex [Signature]



GROUNDWATER SAMPLING DATA SHEET

Project: BP 374 Project No.: 06-88-602 Date: 2/11/14
Field Representative: AM/SJ
Well ID: Mw-9 Start Time: End Time: Total Time (minutes):

PURGE EQUIPMENT: Disp. Bailer, 120V Pump, Flow Cell, Disp. Tubing, 12V Pump, Peristaltic Pump, Other/ID#:

WELL HEAD INTEGRITY (cap, lock, vault, etc.): Good Improvement Needed (circle one) Comments:

PURGING/SAMPLING METHOD: Predetermined Well Volume, Low-Flow, Other: (circle one)

PREDETERMINED WELL VOLUME and LOW-FLOW sections including casing diameter tables, well depth measurements, and flow rate calculations.

GROUNDWATER STABILIZATION PARAMETER RECORD

Table with 9 columns: Time (24:00), Cumulative Vol. gal or L, Temperature °C, pH, Conductivity µS or mS, DO mg/L, ORP mV, Turbidity NTU, NOTES. Contains 5 rows of data.

Previous Stabilized Parameters

PURGE COMPLETION RECORD: Low Flow & Parameters Stable, 3 Casing Volumes & Parameters Stable, 5 Casing Volumes, Other:

SAMPLE COLLECTION RECORD and GEOCHEMICAL PARAMETERS

Table with 3 columns: Parameter, Time, Measurement. Includes DO, Ferrous Iron, Redox Potential, Alkalinity, and other parameters.

Signature: Aly Mack



Laboratory Management Program LAMP Chain of Custody Record

BP Site Node Path: 06-88-602
BP Facility No: 374

Req Due Date (mm/dd/yy):
Lab Work Order Number:

Rush TAT: Yes No

Lab Name: Test America
Facility Address: 6407 Telegraph Avenue
Consultant/Contractor: Broadbent and Associates, Inc.
Lab Address: 17461 Derian Avenue Suite #100, Irvine, CA 92614
City, State, ZIP Code: Oakland, CA
Consultant/Contractor Project No: 06-88-602
Lab PM: Kathleen Robb
Lead Regulatory Agency: ACEH
Address: 875 Cotting Lane, Suite G, Vacaville, CA 95688
Lab Phone: 949-261-1022
California Global ID No.: T0600100106
Consultant/Contractor PM: Kristene Tidwell
Lab Shipping Acct: 1103-6633-7
Enfos Proposal No: 005TP-0001
Phone: 707-455-7290 Fax: 707-455-7295
Lab Bottle Order No:
Accounting Mode: Provision X OOC-BU OOC-RM
Email EDD To: ktidwell@broadbeninc.com and to lab.enfosdoc@bp.com
Other Info:
Stage: Execute (40) Activity: Project Spend (80)
Invoice To: BP x Contractor

Table with columns: Lab No., Sample Description, Date, Time, Matrix (Soil/Solid, Water/Liquid, Air/Vapor), No. Containers/Preservative (Unpreserved, H2SO4, HNO3, HCl, Methanol), Requested Analyses (GRO by 8015M, BTEX/5 FO + EDB by 8260, 1,2-DCA & Ethanol by 8260), Report Type & QC Level (Standard, Full Data Package), Comments. Includes rows for MW-1 through MW-9 and TB-374-02112014.

Sampler's Name: Alex Martinez
Relinquished By / Affiliation: Alex Martinez BAI
Date: 2/11/14 Time: 1700
Accepted By / Affiliation:
Date: Time:
Sampler's Company: Broadbent and Associates
Shipment Method: Fed Ex Ship Date: 2/11/2014
Shipment Tracking No: 8025 2344 1835

Special Instructions:
THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes / No
Temp Blank: Yes / No
Cooler Temp on Receipt: °F/C
Trip Blank: Yes / No
MS/MSD Sample Submitted: Yes / No

APPENDIX C

LABORATORY REPORT
AND CHAIN-OF-CUSTODY DOCUMENTATION

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Irvine
17461 Derian Ave
Suite 100
Irvine, CA 92614-5817
Tel: (949)261-1022

TestAmerica Job ID: 440-70171-1
Client Project/Site: ARCO 0374, Oakland

For:
Broadbent & Associates, Inc.
875 Cotting Lane
Suite G
Vacaville, California 95688

Attn: Kristene Tidwell



*Authorized for release by:
2/27/2014 9:39:19 AM*

Kathleen Robb, Project Manager II
(949)261-1022
kathleen.robbs@testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

12

13



Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	4
Client Sample Results	5
Method Summary	11
Lab Chronicle	12
QC Sample Results	14
QC Association Summary	17
Definitions/Glossary	18
Certification Summary	19
Chain of Custody	20
Receipt Checklists	21

Sample Summary

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-70171-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
440-70171-1	MW-1	Water	02/11/14 08:05	02/12/14 10:00
440-70171-2	MW-2	Water	02/11/14 08:35	02/12/14 10:00
440-70171-3	MW-4	Water	02/11/14 10:30	02/12/14 10:00
440-70171-4	MW-7	Water	02/11/14 10:05	02/12/14 10:00
440-70171-5	MW-8	Water	02/11/14 09:35	02/12/14 10:00
440-70171-6	MW-9	Water	02/11/14 09:05	02/12/14 10:00



Case Narrative

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-70171-1

Job ID: 440-70171-1

Laboratory: TestAmerica Irvine

Narrative

Job Narrative
440-70171-1

Comments

No additional comments.

Receipt

The samples were received on 2/12/2014 10:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.6° C.

GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

GC VOA

Method(s) 8015B: The Gasoline Range Organics (GRO) concentration reported for the following sample(s) is due to the presence of discrete peaks: MW-8 (440-70171-5).

No other analytical or quality issues were noted.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-70171-1

Client Sample ID: MW-1

Lab Sample ID: 440-70171-1

Date Collected: 02/11/14 08:05

Matrix: Water

Date Received: 02/12/14 10:00

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane (EDB)	ND		0.50	ug/L			02/17/14 09:44	1
1,2-Dichloroethane	ND		0.50	ug/L			02/17/14 09:44	1
Benzene	ND		0.50	ug/L			02/17/14 09:44	1
Ethanol	ND		150	ug/L			02/17/14 09:44	1
Ethylbenzene	ND		0.50	ug/L			02/17/14 09:44	1
Ethyl-t-butyl ether (ETBE)	ND		0.50	ug/L			02/17/14 09:44	1
Isopropyl Ether (DIPE)	ND		0.50	ug/L			02/17/14 09:44	1
m,p-Xylene	ND		1.0	ug/L			02/17/14 09:44	1
Methyl-t-Butyl Ether (MTBE)	26		0.50	ug/L			02/17/14 09:44	1
o-Xylene	ND		0.50	ug/L			02/17/14 09:44	1
Tert-amyl-methyl ether (TAME)	ND		0.50	ug/L			02/17/14 09:44	1
tert-Butyl alcohol (TBA)	ND		10	ug/L			02/17/14 09:44	1
Toluene	ND		0.50	ug/L			02/17/14 09:44	1
Xylenes, Total	ND		1.0	ug/L			02/17/14 09:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		80 - 120		02/17/14 09:44	1
Dibromofluoromethane (Surr)	95		76 - 132		02/17/14 09:44	1
Toluene-d8 (Surr)	108		80 - 128		02/17/14 09:44	1

Method: 8015B/5030B - Gasoline Range Organics (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	ND		50	ug/L			02/19/14 11:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		65 - 140		02/19/14 11:06	1

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-70171-1

Client Sample ID: MW-2

Lab Sample ID: 440-70171-2

Date Collected: 02/11/14 08:35

Matrix: Water

Date Received: 02/12/14 10:00

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane (EDB)	ND		0.50	ug/L			02/17/14 11:09	1
1,2-Dichloroethane	ND		0.50	ug/L			02/17/14 11:09	1
Benzene	ND		0.50	ug/L			02/17/14 11:09	1
Ethanol	ND		150	ug/L			02/17/14 11:09	1
Ethylbenzene	ND		0.50	ug/L			02/17/14 11:09	1
Ethyl-t-butyl ether (ETBE)	ND		0.50	ug/L			02/17/14 11:09	1
Isopropyl Ether (DIPE)	ND		0.50	ug/L			02/17/14 11:09	1
m,p-Xylene	ND		1.0	ug/L			02/17/14 11:09	1
Methyl-t-Butyl Ether (MTBE)	7.5		0.50	ug/L			02/17/14 11:09	1
o-Xylene	ND		0.50	ug/L			02/17/14 11:09	1
Tert-amyl-methyl ether (TAME)	ND		0.50	ug/L			02/17/14 11:09	1
tert-Butyl alcohol (TBA)	ND		10	ug/L			02/17/14 11:09	1
Toluene	ND		0.50	ug/L			02/17/14 11:09	1
Xylenes, Total	ND		1.0	ug/L			02/17/14 11:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		80 - 120		02/17/14 11:09	1
Dibromofluoromethane (Surr)	101		76 - 132		02/17/14 11:09	1
Toluene-d8 (Surr)	109		80 - 128		02/17/14 11:09	1

Method: 8015B/5030B - Gasoline Range Organics (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	ND		50	ug/L			02/19/14 17:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		65 - 140		02/19/14 17:07	1

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-70171-1

Client Sample ID: MW-4

Lab Sample ID: 440-70171-3

Date Collected: 02/11/14 10:30

Matrix: Water

Date Received: 02/12/14 10:00

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane (EDB)	ND		5.0	ug/L			02/17/14 11:37	10
1,2-Dichloroethane	ND		5.0	ug/L			02/17/14 11:37	10
Benzene	800		5.0	ug/L			02/17/14 11:37	10
Ethanol	ND		1500	ug/L			02/17/14 11:37	10
Ethylbenzene	84		5.0	ug/L			02/17/14 11:37	10
Ethyl-t-butyl ether (ETBE)	ND		5.0	ug/L			02/17/14 11:37	10
Isopropyl Ether (DIPE)	ND		5.0	ug/L			02/17/14 11:37	10
m,p-Xylene	220		10	ug/L			02/17/14 11:37	10
Methyl-t-Butyl Ether (MTBE)	ND		5.0	ug/L			02/17/14 11:37	10
o-Xylene	8.6		5.0	ug/L			02/17/14 11:37	10
Tert-amyl-methyl ether (TAME)	ND		5.0	ug/L			02/17/14 11:37	10
tert-Butyl alcohol (TBA)	ND		100	ug/L			02/17/14 11:37	10
Toluene	80		5.0	ug/L			02/17/14 11:37	10
Xylenes, Total	230		10	ug/L			02/17/14 11:37	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		80 - 120		02/17/14 11:37	10
Dibromofluoromethane (Surr)	101		76 - 132		02/17/14 11:37	10
Toluene-d8 (Surr)	108		80 - 128		02/17/14 11:37	10

Method: 8015B/5030B - Gasoline Range Organics (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	140		50	ug/L			02/19/14 17:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		65 - 140		02/19/14 17:35	1

Client Sample Results

Client: Broadbent & Associates, Inc.
 Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-70171-1

Client Sample ID: MW-7

Lab Sample ID: 440-70171-4

Date Collected: 02/11/14 10:05

Matrix: Water

Date Received: 02/12/14 10:00

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane (EDB)	ND		0.50	ug/L			02/17/14 12:05	1
1,2-Dichloroethane	ND		0.50	ug/L			02/17/14 12:05	1
Benzene	ND		0.50	ug/L			02/17/14 12:05	1
Ethanol	ND		150	ug/L			02/17/14 12:05	1
Ethylbenzene	ND		0.50	ug/L			02/17/14 12:05	1
Ethyl-t-butyl ether (ETBE)	ND		0.50	ug/L			02/17/14 12:05	1
Isopropyl Ether (DIPE)	ND		0.50	ug/L			02/17/14 12:05	1
m,p-Xylene	ND		1.0	ug/L			02/17/14 12:05	1
Methyl-t-Butyl Ether (MTBE)	12		0.50	ug/L			02/17/14 12:05	1
o-Xylene	ND		0.50	ug/L			02/17/14 12:05	1
Tert-amyl-methyl ether (TAME)	ND		0.50	ug/L			02/17/14 12:05	1
tert-Butyl alcohol (TBA)	ND		10	ug/L			02/17/14 12:05	1
Toluene	ND		0.50	ug/L			02/17/14 12:05	1
Xylenes, Total	ND		1.0	ug/L			02/17/14 12:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		80 - 120		02/17/14 12:05	1
Dibromofluoromethane (Surr)	98		76 - 132		02/17/14 12:05	1
Toluene-d8 (Surr)	105		80 - 128		02/17/14 12:05	1

Method: 8015B/5030B - Gasoline Range Organics (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	ND		50	ug/L			02/19/14 18:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		65 - 140		02/19/14 18:04	1

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-70171-1

Client Sample ID: MW-8

Lab Sample ID: 440-70171-5

Date Collected: 02/11/14 09:35

Matrix: Water

Date Received: 02/12/14 10:00

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane (EDB)	ND		0.50	ug/L			02/17/14 12:33	1
1,2-Dichloroethane	ND		0.50	ug/L			02/17/14 12:33	1
Benzene	ND		0.50	ug/L			02/17/14 12:33	1
Ethanol	ND		150	ug/L			02/17/14 12:33	1
Ethylbenzene	ND		0.50	ug/L			02/17/14 12:33	1
Ethyl-t-butyl ether (ETBE)	ND		0.50	ug/L			02/17/14 12:33	1
Isopropyl Ether (DIPE)	ND		0.50	ug/L			02/17/14 12:33	1
m,p-Xylene	ND		1.0	ug/L			02/17/14 12:33	1
Methyl-t-Butyl Ether (MTBE)	78		0.50	ug/L			02/17/14 12:33	1
o-Xylene	ND		0.50	ug/L			02/17/14 12:33	1
Tert-amyl-methyl ether (TAME)	0.83		0.50	ug/L			02/17/14 12:33	1
tert-Butyl alcohol (TBA)	ND		10	ug/L			02/17/14 12:33	1
Toluene	ND		0.50	ug/L			02/17/14 12:33	1
Xylenes, Total	ND		1.0	ug/L			02/17/14 12:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		80 - 120		02/17/14 12:33	1
Dibromofluoromethane (Surr)	102		76 - 132		02/17/14 12:33	1
Toluene-d8 (Surr)	109		80 - 128		02/17/14 12:33	1

Method: 8015B/5030B - Gasoline Range Organics (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	ND		50	ug/L			02/19/14 18:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		65 - 140		02/19/14 18:33	1

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-70171-1

Client Sample ID: MW-9

Lab Sample ID: 440-70171-6

Date Collected: 02/11/14 09:05

Matrix: Water

Date Received: 02/12/14 10:00

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane (EDB)	ND		0.50	ug/L			02/17/14 13:01	1
1,2-Dichloroethane	ND		0.50	ug/L			02/17/14 13:01	1
Benzene	ND		0.50	ug/L			02/17/14 13:01	1
Ethanol	ND		150	ug/L			02/17/14 13:01	1
Ethylbenzene	ND		0.50	ug/L			02/17/14 13:01	1
Ethyl-t-butyl ether (ETBE)	ND		0.50	ug/L			02/17/14 13:01	1
Isopropyl Ether (DIPE)	ND		0.50	ug/L			02/17/14 13:01	1
m,p-Xylene	ND		1.0	ug/L			02/17/14 13:01	1
Methyl-t-Butyl Ether (MTBE)	39		0.50	ug/L			02/17/14 13:01	1
o-Xylene	ND		0.50	ug/L			02/17/14 13:01	1
Tert-amyl-methyl ether (TAME)	ND		0.50	ug/L			02/17/14 13:01	1
tert-Butyl alcohol (TBA)	ND		10	ug/L			02/17/14 13:01	1
Toluene	ND		0.50	ug/L			02/17/14 13:01	1
Xylenes, Total	ND		1.0	ug/L			02/17/14 13:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	119		80 - 120		02/17/14 13:01	1
Dibromofluoromethane (Surr)	99		76 - 132		02/17/14 13:01	1
Toluene-d8 (Surr)	107		80 - 128		02/17/14 13:01	1

Method: 8015B/5030B - Gasoline Range Organics (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	250		50	ug/L			02/19/14 19:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		65 - 140		02/19/14 19:01	1

Method Summary

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-70171-1

Method	Method Description	Protocol	Laboratory
8260B/5030B	Volatile Organic Compounds (GC/MS)	SW846	TAL IRV
8015B/5030B	Gasoline Range Organics (GC)	SW846	TAL IRV

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022



Lab Chronicle

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-70171-1

Client Sample ID: MW-1

Date Collected: 02/11/14 08:05

Date Received: 02/12/14 10:00

Lab Sample ID: 440-70171-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/5030B		1	10 mL	10 mL	162590	02/17/14 09:44	MM1	TAL IRV
Total/NA	Analysis	8015B/5030B		1	10 mL	10 mL	163102	02/19/14 11:06	TL	TAL IRV

Client Sample ID: MW-2

Date Collected: 02/11/14 08:35

Date Received: 02/12/14 10:00

Lab Sample ID: 440-70171-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/5030B		1	10 mL	10 mL	162590	02/17/14 11:09	MM1	TAL IRV
Total/NA	Analysis	8015B/5030B		1	10 mL	10 mL	163102	02/19/14 17:07	TL	TAL IRV

Client Sample ID: MW-4

Date Collected: 02/11/14 10:30

Date Received: 02/12/14 10:00

Lab Sample ID: 440-70171-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/5030B		10	10 mL	10 mL	162590	02/17/14 11:37	MM1	TAL IRV
Total/NA	Analysis	8015B/5030B		1	10 mL	10 mL	163102	02/19/14 17:35	TL	TAL IRV

Client Sample ID: MW-7

Date Collected: 02/11/14 10:05

Date Received: 02/12/14 10:00

Lab Sample ID: 440-70171-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/5030B		1	10 mL	10 mL	162590	02/17/14 12:05	MM1	TAL IRV
Total/NA	Analysis	8015B/5030B		1	10 mL	10 mL	163102	02/19/14 18:04	TL	TAL IRV

Client Sample ID: MW-8

Date Collected: 02/11/14 09:35

Date Received: 02/12/14 10:00

Lab Sample ID: 440-70171-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/5030B		1	10 mL	10 mL	162590	02/17/14 12:33	MM1	TAL IRV
Total/NA	Analysis	8015B/5030B		1	10 mL	10 mL	163102	02/19/14 18:33	TL	TAL IRV

Client Sample ID: MW-9

Date Collected: 02/11/14 09:05

Date Received: 02/12/14 10:00

Lab Sample ID: 440-70171-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/5030B		1	10 mL	10 mL	162590	02/17/14 13:01	MM1	TAL IRV

TestAmerica Irvine

Lab Chronicle

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-70171-1

Client Sample ID: MW-9

Lab Sample ID: 440-70171-6

Date Collected: 02/11/14 09:05

Matrix: Water

Date Received: 02/12/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015B/5030B		1	10 mL	10 mL	163102	02/19/14 19:01	TL	TAL IRV

Laboratory References:

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

QC Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-70171-1

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 440-162590/4

Matrix: Water

Analysis Batch: 162590

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane (EDB)	ND		0.50	ug/L			02/17/14 08:12	1
1,2-Dichloroethane	ND		0.50	ug/L			02/17/14 08:12	1
Benzene	ND		0.50	ug/L			02/17/14 08:12	1
Ethanol	ND		150	ug/L			02/17/14 08:12	1
Ethylbenzene	ND		0.50	ug/L			02/17/14 08:12	1
Ethyl-t-butyl ether (ETBE)	ND		0.50	ug/L			02/17/14 08:12	1
Isopropyl Ether (DIPE)	ND		0.50	ug/L			02/17/14 08:12	1
m,p-Xylene	ND		1.0	ug/L			02/17/14 08:12	1
Methyl-t-Butyl Ether (MTBE)	ND		0.50	ug/L			02/17/14 08:12	1
o-Xylene	ND		0.50	ug/L			02/17/14 08:12	1
Tert-amyl-methyl ether (TAME)	ND		0.50	ug/L			02/17/14 08:12	1
tert-Butyl alcohol (TBA)	ND		10	ug/L			02/17/14 08:12	1
Toluene	ND		0.50	ug/L			02/17/14 08:12	1
Xylenes, Total	ND		1.0	ug/L			02/17/14 08:12	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		80 - 120		02/17/14 08:12	1
Dibromofluoromethane (Surr)	92		76 - 132		02/17/14 08:12	1
Toluene-d8 (Surr)	107		80 - 128		02/17/14 08:12	1

Lab Sample ID: LCS 440-162590/5

Matrix: Water

Analysis Batch: 162590

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,2-Dibromoethane (EDB)	25.0	25.4		ug/L		102	70 - 130
1,2-Dichloroethane	25.0	24.6		ug/L		99	57 - 138
Benzene	25.0	23.1		ug/L		92	68 - 130
Ethanol	250	226		ug/L		90	50 - 149
Ethylbenzene	25.0	24.9		ug/L		100	70 - 130
Ethyl-t-butyl ether (ETBE)	25.0	20.7		ug/L		83	60 - 136
Isopropyl Ether (DIPE)	25.0	20.5		ug/L		82	58 - 139
m,p-Xylene	50.0	48.8		ug/L		98	70 - 130
Methyl-t-Butyl Ether (MTBE)	25.0	21.8		ug/L		87	63 - 131
o-Xylene	25.0	24.4		ug/L		97	70 - 130
Tert-amyl-methyl ether (TAME)	25.0	20.9		ug/L		84	57 - 139
tert-Butyl alcohol (TBA)	125	124		ug/L		99	70 - 130
Toluene	25.0	23.1		ug/L		92	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	106		80 - 120
Dibromofluoromethane (Surr)	94		76 - 132
Toluene-d8 (Surr)	110		80 - 128

TestAmerica Irvine

QC Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-70171-1

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 440-70171-1 MS

Matrix: Water

Analysis Batch: 162590

Client Sample ID: MW-1

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec. Limits
	Result	Qualifier		Result	Qualifier				
1,2-Dibromoethane (EDB)	ND		25.0	27.6		ug/L		110	70 - 131
1,2-Dichloroethane	ND		25.0	26.0		ug/L		104	56 - 146
Benzene	ND		25.0	24.1		ug/L		97	66 - 130
Ethanol	ND		250	224		ug/L		90	54 - 150
Ethylbenzene	ND		25.0	27.6		ug/L		110	70 - 130
Ethyl-t-butyl ether (ETBE)	ND		25.0	23.3		ug/L		93	70 - 130
Isopropyl Ether (DIPE)	ND		25.0	23.5		ug/L		94	64 - 138
m,p-Xylene	ND		50.0	53.4		ug/L		107	70 - 133
Methyl-t-Butyl Ether (MTBE)	26		25.0	54.1		ug/L		111	70 - 130
o-Xylene	ND		25.0	26.5		ug/L		106	70 - 133
Tert-amyl-methyl ether (TAME)	ND		25.0	23.9		ug/L		96	68 - 133
tert-Butyl alcohol (TBA)	ND		125	134		ug/L		107	70 - 130
Toluene	ND		25.0	24.8		ug/L		99	70 - 130

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	110		80 - 120
Dibromofluoromethane (Surr)	99		76 - 132
Toluene-d8 (Surr)	111		80 - 128

Lab Sample ID: 440-70171-1 MSD

Matrix: Water

Analysis Batch: 162590

Client Sample ID: MW-1

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MSD	MSD	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
	Result	Qualifier		Result	Qualifier						
1,2-Dibromoethane (EDB)	ND		25.0	27.6		ug/L		110	70 - 131	0	25
1,2-Dichloroethane	ND		25.0	25.8		ug/L		103	56 - 146	1	20
Benzene	ND		25.0	23.9		ug/L		96	66 - 130	1	20
Ethanol	ND		250	218		ug/L		87	54 - 150	3	30
Ethylbenzene	ND		25.0	27.7		ug/L		111	70 - 130	1	20
Ethyl-t-butyl ether (ETBE)	ND		25.0	22.9		ug/L		92	70 - 130	2	25
Isopropyl Ether (DIPE)	ND		25.0	23.0		ug/L		92	64 - 138	2	25
m,p-Xylene	ND		50.0	52.5		ug/L		105	70 - 133	2	25
Methyl-t-Butyl Ether (MTBE)	26		25.0	52.1		ug/L		103	70 - 130	4	25
o-Xylene	ND		25.0	26.7		ug/L		107	70 - 133	1	20
Tert-amyl-methyl ether (TAME)	ND		25.0	23.2		ug/L		93	68 - 133	3	30
tert-Butyl alcohol (TBA)	ND		125	133		ug/L		106	70 - 130	1	25
Toluene	ND		25.0	24.8		ug/L		99	70 - 130	0	20

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	109		80 - 120
Dibromofluoromethane (Surr)	98		76 - 132
Toluene-d8 (Surr)	105		80 - 128

TestAmerica Irvine

QC Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-70171-1

Method: 8015B/5030B - Gasoline Range Organics (GC)

Lab Sample ID: MB 440-163102/30

Matrix: Water

Analysis Batch: 163102

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	ND		50	ug/L			02/19/14 10:38	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		65 - 140				02/19/14 10:38	1

Lab Sample ID: LCS 440-163102/29

Matrix: Water

Analysis Batch: 163102

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
GRO (C4-C12)	800	809		ug/L		101	80 - 120
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	100		65 - 140				

Lab Sample ID: 440-70171-1 MS

Matrix: Water

Analysis Batch: 163102

Client Sample ID: MW-1

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
GRO (C4-C12)	ND		800	756		ug/L		91	65 - 140
Surrogate	MS %Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	108		65 - 140						

Lab Sample ID: 440-70171-1 MSD

Matrix: Water

Analysis Batch: 163102

Client Sample ID: MW-1

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
GRO (C4-C12)	ND		800	794		ug/L		96	65 - 140	5	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	106		65 - 140								

TestAmerica Irvine

QC Association Summary

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-70171-1

GC/MS VOA

Analysis Batch: 162590

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-70171-1	MW-1	Total/NA	Water	8260B/5030B	
440-70171-1 MS	MW-1	Total/NA	Water	8260B/5030B	
440-70171-1 MSD	MW-1	Total/NA	Water	8260B/5030B	
440-70171-2	MW-2	Total/NA	Water	8260B/5030B	
440-70171-3	MW-4	Total/NA	Water	8260B/5030B	
440-70171-4	MW-7	Total/NA	Water	8260B/5030B	
440-70171-5	MW-8	Total/NA	Water	8260B/5030B	
440-70171-6	MW-9	Total/NA	Water	8260B/5030B	
LCS 440-162590/5	Lab Control Sample	Total/NA	Water	8260B/5030B	
MB 440-162590/4	Method Blank	Total/NA	Water	8260B/5030B	

GC VOA

Analysis Batch: 163102

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-70171-1	MW-1	Total/NA	Water	8015B/5030B	
440-70171-1 MS	MW-1	Total/NA	Water	8015B/5030B	
440-70171-1 MSD	MW-1	Total/NA	Water	8015B/5030B	
440-70171-2	MW-2	Total/NA	Water	8015B/5030B	
440-70171-3	MW-4	Total/NA	Water	8015B/5030B	
440-70171-4	MW-7	Total/NA	Water	8015B/5030B	
440-70171-5	MW-8	Total/NA	Water	8015B/5030B	
440-70171-6	MW-9	Total/NA	Water	8015B/5030B	
LCS 440-163102/29	Lab Control Sample	Total/NA	Water	8015B/5030B	
MB 440-163102/30	Method Blank	Total/NA	Water	8015B/5030B	

Definitions/Glossary

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-70171-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Certification Summary

Client: Broadbent & Associates, Inc.
 Project/Site: ARCO 0374, Oakland

TestAmerica Job ID: 440-70171-1

Laboratory: TestAmerica Irvine

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alaska	State Program	10	CA01531	06-30-14
Arizona	State Program	9	AZ0671	10-13-14
California	LA Cty Sanitation Districts	9	10256	01-31-15
California	State Program	9	2706	06-30-14
Guam	State Program	9	Cert. No. 12.002r	01-23-14 *
Hawaii	State Program	9	N/A	01-29-15 *
Nevada	State Program	9	CA015312007A	07-31-14
New Mexico	State Program	6	N/A	01-31-14 *
Northern Mariana Islands	State Program	9	MP0002	01-31-14 *
Oregon	NELAP	10	4005	01-29-15
USDA	Federal		P330-09-00080	06-06-14
USEPA UCMR	Federal	1	CA01531	01-31-15

* Expired certification is currently pending renewal and is considered valid.





Laboratory Management Program LaMP Chain of Custody Record

Page 1 of 1

BP Site Node Path: 06-88-602

Req Due Date (mm/dd/yy):

Rush TAT: Yes No

BP Facility No: 374

Lab Work Order Number:

Lab Name: Test America	Facility Address: 6407 Telegraph Avenue	Consultant/Contractor: Broadbent and Associates, Inc.
Lab Address: 17461 Derian Avenue Suite #100, Irvine, CA 92614	City, State, ZIP Code: Oakland, CA	Consultant/Contractor Project No: 06-88-602
Lab PM: Kathleen Robb	Lead Regulatory Agency: ACEH	Address: 875 Cotting Lane, Suite G, Vacaville, CA 95688
Lab Phone: 949-261-1022	California Global ID No.: T0600100106	Consultant/Contractor PM: Kristene Tidwell
Lab Shipping Acont: 1103-6633-7	Enfos Proposal No: 005TP-0001	Phone: 707-455-7290 Fax: 707-455-7295
Lab Bottle Order No:	Accounting Mode: Provision <input checked="" type="checkbox"/> OOC-BU ___ OOC-RM ___	Email EDD To: ktidwell@broadbentinc.com and to lab_enfosdoc@bp.com
Other Info:	Stage: Execute (40) Activity: Project Spend (80)	Invoice To: BP <input checked="" type="checkbox"/> Contractor ___

Lab No.	Sample Description	Date	Time	Matrix				No. Containers / Preservative							Requested Analyses			Report Type & QC Level		Comments				
				Soil / Solid	Water / Liquid	Air / Vapor	Is this location a well?	Total Number of Containers	Unpreserved	H2SO4	HNO3	HCl	Methanol	GRO by 8015M	BTEX/5 FO + EDB by 8260	1,2-DCA & Ethanol by 8260	Standard	Full Data Package						
MW-1		2/11/2014	0805	x		y	6																	
MW-2		2/11/2014	0835	x		y	6																	
MW-4		2/11/2014	1030	x		y	6																	
MW-7		2/11/2014	1005	x		y	6																	
MW-8		2/11/2014	0935	x		y	6																	
MW-9		2/11/2014	0905	x		y	6																	
TB-374-02112014		-	-	x		n	2																	On Hold



Sampler's Name: Alex Martinez	Relinquished By / Affiliation: <i>Alex Martinez</i> BAI	Date: 2/11/14	Time: 1700	Accepted By / Affiliation: <i>Subarna TAC</i>	Date: 2/12/14	Time: 10100
Sampler's Company: Broadbent and Associates						
Shipment Method: Fed Ex Ship Date: 2/11/2014						
Shipment Tracking No: 8025 2344 1835						

Special Instructions:

THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes / No Temp Blank: Yes / No Cooler Temp on Receipt: 23/26 °C Trip Blank: Yes / No MS/MSD Sample Submitted: Yes / No

IR-54 Fed: 8025 2344 1835

Page 20 of 21

2/27/2014



Login Sample Receipt Checklist

Client: Broadbent & Associates, Inc.

Job Number: 440-70171-1

Login Number: 70171

List Number: 1

Creator: Gonzales, Steve

List Source: TestAmerica Irvine

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



APPENDIX D

GEOTRACKER UPLOAD CONFIRMATION RECEIPTS

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A EDF FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	EDF
<u>Report Title:</u>	First Quarter 2014 Groundwater Monitoring Report
<u>Report Type:</u>	Monitoring Report - Semi-Annually
<u>Facility Global ID:</u>	T0600100106
<u>Facility Name:</u>	ARCO #0374
<u>File Name:</u>	440-70171-1_27 Feb 14 1032_EDF.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	69.170.11.178
<u>Submittal Date/Time:</u>	4/23/2014 4:46:51 PM
<u>Confirmation Number:</u>	7115068554

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)

Copyright © 2014 State of California

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A GEO_WELL FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	GEO_WELL
<u>Report Title:</u>	First Quarter 2014 Groundwater Monitoring Report
<u>Facility Global ID:</u>	T0600100106
<u>Facility Name:</u>	ARCO #0374
<u>File Name:</u>	geo_well.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	69.170.11.178
<u>Submittal Date/Time:</u>	4/23/2014 4:51:20 PM
<u>Confirmation Number:</u>	4909837841

Copyright © 2014 State of California