

**From:** [Deborah Castles](#)  
**To:** [Plunkett, Steven, Env. Health](#)  
**Cc:** [Cheung, Robert](#)  
**Subject:** FW: Fuel Leak Case No R079  
**Date:** Monday, December 07, 2009 2:45:10 PM

---

Steven: It has been over 60 days since AMEC prepared and uploaded responses to the 7/13/09 directive. We haven't been notified of a meeting date ( per our request in September and October) nor have we received a written response from ACEH. Will you please provide me an update of when a written response will be delivered and when a meeting can be scheduled? Thank you, Deborah Castles

---

**From:** Deborah Castles  
**Sent:** Wednesday, October 28, 2009 1:38 PM  
**To:** 'Plunkett, Steven, Env. Health'  
**Cc:** 'Cheung, Robert'; Drogos, Donna, Env. Health; Terry McGrath  
**Subject:** FW: Fuel Leak Case No R079

Steven:

1. Terry McGrath's email is [terry@mcgrathproperties.com](mailto:terry@mcgrathproperties.com);
2. Our meeting request is as stated in the 9/30/09 request of Robert Cheung ( attached) and reiterated on 10/22/09 by me. We have abandoned any hope of scheduling a meeting with ACEH to discuss a possible school use of the site for the foreseeable future.
3. We request that ACEH review the ACEH letter and be prepared to discuss its contents with Robert Cheung, Terry McGrath and myself in the month of November. As stated in Mr. Cheung's email, the approach of the winter weather season makes the scheduling of this discussion sooner rather than later makes the scheduling of our meeting a critical path conversation.

Thank you, Deborah Castles

---

**From:** Cheung, Robert [mailto:Robert.Cheung@amec.com]  
**Sent:** Wednesday, September 30, 2009 5:35 PM  
**To:** [steven.plunkett@acgov.org](mailto:steven.plunkett@acgov.org)  
**Cc:** Deborah Castles; Gallardo, Susan  
**Subject:** Fuel Leak Case No R079

Good afternoon Mr. Plunkett,

On behalf of 1001 42<sup>nd</sup> Street, LLC, AMEC Geomatrix has prepared for your review the attached responses to comments, which were presented in the Alameda County Environmental Health (ACEH) directive letter dated July 13, 2009. The attachment also includes a Work Plan to perform vacuum extraction pilot test studies. As indicated in my voice message to you, these documents are DRAFTS as we would like to get your feedback on the technical responses and proposed actions before we finalize the documents. Because the winter season is approaching, AMEC recommends that the proposed actions described in our responses be completed as soon as possible. As such, we are available to discuss at your earliest convenience.

Respectfully,

**Robert H. Cheung** | Senior Toxicologist Risk Assessor  
AMEC Geomatrix, Inc.  
2101 Webster Street, Suite 1200 | Oakland, CA 94612

510.663.4299 (direct) | 510.663.4141 (fax) | 510.529.5948 (cell) | [robert.cheung@amec.com](mailto:robert.cheung@amec.com)

The materials transmitted by this electronic mail are confidential, are only for the use of the intended recipient, and may also be subject to applicable privileges. Any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please immediately notify the sender. Please also remove this message from your hard drive, diskette, and any other storage device.

The information contained in this e-mail is intended only for the individual or entity to whom it is addressed.

Its contents (including any attachments) may contain confidential and/or privileged information.

If you are not an intended recipient you must not use, disclose, disseminate, copy or print its contents.

If you receive this e-mail in error, please notify the sender by reply e-mail and delete and destroy the message.