



**CONESTOGA-ROVERS
& ASSOCIATES**

5900 Hollis Street, Suite A, Emeryville, California 94608
Telephone: 510-420-0700 Facsimile: 510-420-9170
www.CRAworld.com

September 7, 2010

Reference No. 521000

Ms. Barbara Jakub
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502

RECEIVED

9:28 am, Sep 10, 2010

Alameda County
Environmental Health

Dear Ms. Jakub:

Re: Request for a Reduction in Groundwater Monitoring Analytes
1137-1167 65th Street
Oakland, California 94608
Agency Case No. RO0000082

On behalf of Mr. John Nady (Nady), Conestoga-Rovers & Associates (CRA) submits this request for a reduction in the analytic suite for groundwater samples to be collected on September 13, 2010 and in subsequent sampling events.

A review of historical analytical results suggest that the elimination of analysis of benzene, toluene, ethylbenzene and xylenes by EPA Method 8021B is justified as the historically reported concentrations from all wells indicate either non-detected or very low levels of each constituent. A review of the attached Table 2-Petroleum Hydrocarbons in Groundwater, documents these analytic results. Additionally, CRA requests the elimination of Halogenated Volatile Organic Compound (HVOC) analysis by EPA Method 8260B of groundwater samples for all wells. Results of HVOC analyses of groundwater are shown on the attached Table 4. The historically reported results of 8260B analyses from all wells indicate that all compounds reported by this method are either below detection limits or, if detected, have been consistently reported at levels below established ESLs. The ESLs are contained on Table F-1b - Groundwater Screening Levels (groundwater is not a current or potential future drinking water resource) from the RWQCB document, *Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater, Interim Final - November 2007 (Revised May 2008)*. The one exception to this is chlorobenzene in well MW-3A. A chlorobenzene concentration of 82 µg/L was reported in September 2009, and a maximum reported concentration of 98 µg/L was reported in June 2008. This concentration is above the final groundwater screening level for chlorobenzene of 25 µg/L. The final groundwater screening level is established as the lowest ESL among three scenarios considered. These scenarios are the gross contamination (nuisance odor) ceiling level with an ESL of 500 µg/L, the ESL established as protective against vapor intrusion into buildings at a concentration of 13,000 µg/L and the aquatic habitat ESL, protective of aquatic life if discharged to surface water. The aquatic habitat ESL is 25 µg/L. Thus, the final groundwater screening level is established as this concentration. The groundwater underlying the subject site will

Equal
Employment
Opportunity Employer



**CONESTOGA-ROVERS
& ASSOCIATES**

September 7, 2010

Reference No. 521000

- 2 -

never impact aquatic habitat and therefore this comparison is not valid. For this reason, CRA requests the elimination of analyses by 8260B. A copy of Table F-1b is attached for your reference.


In summary, CRA requests ACEH concurrence with elimination of laboratory analysis of groundwater samples from all wells by EPA Methods 8021B for BTEX and 8260B for HVOCs. Please contact me at (510) 420-3348 if you have any questions or comments regarding this proposed reduction of analytes.

Sincerely,
CONESTOGA-ROVERS & ASSOCIATES

Robert Foss

Robert Foss, P.G.

RCF/doh/12



c.c.: Mr. Frederic Schrag, Nady Systems, Inc.

I declare under penalty of perjury that the information and/or recommendations contained in this document is true and correct to the best of my knowledge.

Nady Trust U/D/T dated 1/21/1997

John Nady

John Nady, trustee

TABLE 2

MONITORING WELL GROUNDWATER ANALYTICAL RESULTS: PETROLEUM HYDROCARBONS
JOHN NADY
1137-1167 65TH STREET
OAKLAND, CALIFORNIA

| <i>Well ID (TOC)</i> | <i>Date Sampled</i> | <i>Groundwater Zone</i> | <i>Groundwater Elevation (ft msl)</i> | <i>Depth to Water (ft, TOC)</i> | <i>TPHss (µg/L)</i> | <i>TPHd (µg/L)</i> | <i>TPHmo (µg/L)</i> | <i>TPHg (µg/L)</i> | <i>Benzene (µg/L)</i> | <i>Toluene (µg/L)</i> | <i>Ethylbenzene (µg/L)</i> | <i>Xylenes (µg/L)</i> | <i>MTBE (µg/L)</i> | <i>Notes</i> |
|--------------------------|-------------------------|-----------------------------|---|---|-------------------------|------------------------|-------------------------|------------------------|---------------------------|---------------------------|--------------------------------|---------------------------|------------------------|--------------|
| MW-1A | 6/3/2004 | Zone A | 35.14 | 4.50 | 2,500 | 1,300 | 260 | 1,400 | ND<0.5 | ND<0.5 | 2.0 | 11 | ND<5.0 | |
| 39.64 | 11/23/2004 | | 36.54 | 3.10 | 2,800 | 1,400 | ND<250 | 2,300 | 0.64 | ND<0.5 | 2.5 | 9.7 | 6.8 | a,b,c |
| | 3/14/2005 | | 37.02 | 2.62 | 6,000 | 3,200 | ND<250 | 4,800 | 0.68 | ND<0.5 | 2.0 | 6.8 | ND<5.0 | d,e |
| | 6/15/2005 | | 35.14 | 4.50 | 3,400 | 2,500 | ND<250 | 2,800 | ND<2.5 | ND<2.5 | ND<2.5 | 5.9 | ND<25 | a,b,h,i,c |
| | 9/19/2005 | | 33.14 | 6.50 | 6,000 | 2,800 | ND<250 | 4,100 | ND<1.0 | ND<1.0 | 3.3 | 6.2 | ND<10 | a,b,i,c |
| | 12/12/2005 | | 35.14 | 4.50 | 3,100 | 2,500 | ND<250 | 2,600 | ND<1.7 | ND<1.7 | 2.7 | 6.5 | ND<17 | a,b,c,h,i |
| | 3/13/2006 | | 37.74 | 1.90 | 2,400 | 2,300 | ND<250 | 2,000 | 0.51 | ND<0.5 | 1.9 | 3.5 | -- | a,b,c,i |
| | 6/19/2006 | | 35.94 | 3.70 | 3,500 | 2,600 | ND<250 | 2,200 | 0.52 | ND<0.5 | 2.9 | 6.7 | -- | m,b,c |
| | 9/20/2006 | | 34.19 | 5.45 | 2,400 | 2,400 | ND<250 | 2,200 | ND<2.5 | ND<2.5 | 3.0 | 9.7 | -- | a,b,c,i |
| | 12/20/2006 | | 37.02 | 2.62 | 1,400 | 1,900 | ND<250 | 1,300 | 0.52 | ND<0.5 | 2.9 | 7.6 | -- | a,e,h |
| | 3/29/2007 | | 37.04 | 2.60 | 2,100 | 1,200 | ND<250 | 1,800 | ND<0.5 | ND<0.5 | 2.2 | 6.4 | ND<5.0 | a,b,c |
| | 6/11/2007 | | 35.72 | 3.92 | 2,200 | 2,200 | ND<250 | 3,200 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | a,b,c |
| | 9/7/2007 | | 33.90 | 5.74 | 1,700 | 1,800 | ND<250 | 2,300 | ND<0.5 | ND<0.5 | 2.2 | 4.6 | ND<5.0 | a,b,c |
| | 12/12/2007 | | 36.53 | 3.11 | 3,400 | 2,500 | ND<250 | 3,100 | ND<5.0 | ND<5.0 | ND<5.0 | 12 | ND<50 | a,c |
| | 3/7/2008 | | 37.23 | 2.41 | 1,600 | 1,700 | ND<250 | 2,200 | ND<0.5 | ND<0.5 | 2.3 | 8.9 | -- | a,c |
| | 6/9/2008 | | 34.69 | 4.95 | 2,500 | 2,000 | ND<250 | 2,200 | ND<2.5 | ND<2.5 | 3.4 | 8.1 | ND<25 | a,b,c,i |
| | 9/5/2008 | | 33.58 | 6.06 | 2,600 | 1,400 | ND<250 | 2,300 | ND<5.0 | ND<5.0 | ND<5.0 | 6.4 | ND<50 | a,c |
| | 12/18/2008 | | 36.68 | 2.96 | 1,900 | 1,800 | ND<250 | 1,600 | ND<0.5 | ND<0.5 | 3.3 | ND<0.5 | -- | a,b,c |
| | 3/30/2009 | | 37.28 | 2.36 | 3,100 | 1,800 | ND<250 | 2,000 | 1.7 | ND<1.0 | 3.4 | 5.3 | ND<10 | b,c,m |
| | 9/21-22/2009 | | 34.87 | 4.77 | 2,900 | 4,600 | ND<250 | 2,600 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | a,c,h |
| | 3/8/2010 | | 38.09 | 1.55 | 1,200 | 920 | ND<250 | 1,100 | ND<0.5 | ND<0.5 | 0.88 | 1.6 | -- | a,b,c |
| MW-2A | 6/3/2004 | Zone A | 36.48 | 4.24 | 3,500 | 2,900 | ND<250 | 1,700 | ND<0.5 | 3.5 | 4.9 | 5.1 | ND<5.0 | |
| 40.72 | 11/23/2004 | | 37.83 | 2.89 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | |
| | 3/14/2005 | | 39.02 | 1.70 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/15/2005 | | -- | -- | 260 | 560 | 450 | 360 | ND<0.5 | 2.5 | ND<0.5 | ND<0.5 | ND<5.0 | e,d,g,i |
| | 6/15/2005 | | 37.91 | 2.81 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/16/2005 | | -- | -- | 430 | 470 | 330 | 480 | ND<0.5 | 2.9 | ND<0.5 | ND<0.5 | ND<5.0 | a,b,i,g,e |
| | 9/19/2005 | | 35.46 | 5.26 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/20/2005 | | -- | -- | 960 | 2,100 | 870 | 960 | ND<0.5 | 4.7 | 2.9 | ND<0.5 | ND<5.0 | e,g,b,i,l |
| | 12/12/2005 | | 37.66 | 3.06 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/13/2005 | | -- | -- | 510 | 700 | 470 | 670 | ND<0.5 | 5.9 | ND<0.5 | ND<0.5 | ND<5.0 | a,b,e,g,i |
| | 3/13/2006 | | 40.33 | 0.39 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |

TABLE 2

MONITORING WELL GROUNDWATER ANALYTICAL RESULTS: PETROLEUM HYDROCARBONS
JOHN NADY
1137-1167 65TH STREET
OAKLAND, CALIFORNIA

| Well ID (TOC) | Date Sampled | Groundwater Zone | Groundwater Elevation (ft msl) | Depth to Water (ft, TOC) | TPH _{ss} (µg/L) | TPH _d (µg/L) | TPH _{mo} (µg/L) | TPH _g (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | Notes |
|------------------|-----------------|---------------------|--------------------------------------|--------------------------------|-----------------------------|----------------------------|-----------------------------|----------------------------|-------------------|-------------------|------------------------|-------------------|----------------|-------------|
| MW-2A cont. | 3/14/2006 | | -- | -- | 81 | 81 | ND<250 | 100 | ND<0.5 | 1.5 | ND<0.5 | ND<0.5 | -- | a,b,c,i |
| | 6/19/2006 | | 37.31 | 3.41 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/20/2006 | | -- | -- | 180 | 530 | 420 | 270 | ND<0.5 | 1.7 | ND<0.5 | ND<0.5 | -- | e,g,i,l |
| | 9/20/2006 | | 34.65 | 6.07 | 1,700 | 800 | 730 | 1,700 | ND<2.5 | 5.5 | ND<2.5 | ND<2.5 | -- | a,b,d,e,g,i |
| | 12/20/2006 | | 38.57 | 2.15 | 61 | 190 | 300 | 94 | ND<0.5 | 1.5 | ND<0.5 | ND<0.5 | -- | e,g,m,n |
| | 3/29/2007 | | 38.22 | 2.50 | 240 | 200 | ND<250 | 260 | ND<0.5 | 2.7 | ND<0.5 | ND<0.5 | ND<5.0 | a,b,c |
| | 6/11/2007 | | 37.14 | 3.58 | 94 | 200 | ND<250 | 180 | ND<0.5 | 1.7 | ND<0.5 | ND<0.5 | -- | a,b,c,i |
| | 9/7/2007 | | 35.04 | 5.68 | 180 | 190 | ND<250 | 240 | ND<0.5 | 0.98 | ND<0.5 | ND<0.5 | ND<5.0 | a,b,c,i |
| | 12/12/2007 | | 37.82 | 2.90 | 140 | 220 | 360 | 190 | ND<0.5 | 2.9 | ND<0.5 | ND<0.5 | ND<5.0 | a,b,g,e |
| | 3/7/2008 | | 38.79 | 1.93 | ND<50 | 90 | ND<250 | 100 | ND<0.5 | 1.2 | ND<0.5 | ND<0.5 | -- | e,b |
| | 6/9/2008 | | 36.18 | 4.54 | 180 | 150 | ND<250 | 180 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | a,b,e,i |
| | 9/5/2008 | | 34.46 | 6.26 | 220 | 180 | 310 | 300 | ND<0.5 | 1.2 | 0.59 | ND<0.5 | ND<5.0 | e,g,i,l |
| | 12/18/2008 | | 37.55 | 3.17 | 93 | 170 | 320 | 140 | ND<0.5 | 2.7 | ND<0.5 | ND<0.5 | -- | a,b,c,d,g,i |
| | 3/30/2009 | | 38.76 | 1.96 | ND<50 | 99 | ND<250 | 96 | ND<0.5 | 3.2 | ND<0.5 | ND<0.5 | ND<5.0 | b,d,e |
| | 9/21-22/2009 | | 35.99 | 4.73 | 83 | 75 | ND<250 | 92 | ND<0.5 | 0.88 | ND<0.5 | ND<0.5 | -- | c,i,l |
| 3/8/2010 | | 39.76 | 0.96 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | -- | |
| MW-3A 40.88 | 6/3/2004 | Zone A | 36.56 | 4.32 | 12,000 | 90,000 | 6,000 | 4,800 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<50 | |
| | 11/23/2004 | | 37.89 | 2.99 | 5,700 | 22,000 | ND<2,500 | 3,800 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<50 | a,c,d |
| | 3/14/2005 | | 37.28 | 3.60 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/15/2005 | | -- | -- | 3,500 | 37,000 | ND<2,500 | 2,400 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<17 | e,d,i |
| | 6/15/2005 | | 36.78 | 4.10 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/16/2005 | | -- | -- | 3,300 | 15,000 | ND<1,200 | 2,100 | ND<1.7 | ND<1.7 | ND<1.7 | 2.4 | ND<17 | a,c,d,h,i |
| | 9/19/2005 | | 35.93 | 4.95 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/20/2005 | | -- | -- | 8,000 | 55,000 | ND<5,000 | 4,700 | ND<1.0 | ND<1.0 | 2.6 | 6.8 | ND<10 | a,b,c,d,i |
| | 12/12/2005 | | 36.72 | 4.16 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/13/2005 | | -- | -- | 1,600 | 34,000 | ND<12,000 | 1,100 | ND<1.7 | ND<1.7 | ND<1.7 | 2.3 | ND<17 | a,b,c,d,h,i |
| | 3/13/2006 | | 37.42 | 3.46 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/14/2006 | | -- | -- | 3,300 | 21,000 | 1,600 | 2,200 | ND<0.5 | ND<0.5 | 1.1 | ND<0.5 | -- | a,c,d,g,h |
| | 6/19/2006 | | 36.48 | 4.40 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/20/2006 | | -- | -- | 16,000 | 19,000 | 1,000 | 8,000 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | c,d,g,h,m |
| | 9/20/2006 | | 35.78 | 5.10 | 3,300 | 13,000 | 1,300 | 2,500 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | a,c,d,g,h,i |

TABLE 2

MONITORING WELL GROUNDWATER ANALYTICAL RESULTS: PETROLEUM HYDROCARBONS
JOHN NADY
1137-1167 65TH STREET
OAKLAND, CALIFORNIA

| <i>Well ID (TOC)</i> | <i>Date Sampled</i> | <i>Groundwater Zone</i> | <i>Groundwater Elevation (ft msl)</i> | <i>Depth to Water (ft, TOC)</i> | <i>TPHss (µg/L)</i> | <i>TPHd (µg/L)</i> | <i>TPHmo (µg/L)</i> | <i>TPHg (µg/L)</i> | <i>Benzene (µg/L)</i> | <i>Toluene (µg/L)</i> | <i>Ethylbenzene (µg/L)</i> | <i>Xylenes (µg/L)</i> | <i>MTBE (µg/L)</i> | <i>Notes</i> |
|--------------------------|-------------------------|-----------------------------|---|---|-------------------------|------------------------|-------------------------|------------------------|---------------------------|---------------------------|--------------------------------|---------------------------|------------------------|----------------|
| | 12/20/2006 | | 36.78 | 4.10 | 3,500 | 15,000 | 670 | 2,600 | ND<2.5 | ND<2.5 | ND<2.5 | 7.6 | -- | e,g,h,n |
| | 3/29/2007 | | 36.82 | 4.06 | 3,400 | 21,000 | 940 | 2,600 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<50 | a,c,d,h |
| | 6/11/2007 | | 36.52 | 4.36 | 3,500 | 13,000 | 730 | 5,200 | ND<10 | ND<10 | ND<10 | ND<10 | -- | a,d,h |
| | 9/7/2007 | | 35.98 | 4.90 | 15,000 | 36,000 | 1,600 | 11,000 | ND<10 | ND<10 | ND<10 | ND<10 | ND<100 | a,c,d,h |
| | 12/12/2007 | | 36.54 | 4.34 | 13,000 | 41,000 | ND<2,500 | 9,500 | ND<5.0 | 7.1 | ND<5.0 | 32 | ND<50 | a,c,h, |
| | 3/7/2008 | | 36.87 | 4.01 | 2,800 | 26,000 | 1,200 | 3,200 | ND<2.5 | ND<2.5 | ND<2.5 | 2.5 | -- | a,h,c |
| | 6/9/2008 | | 36.03 | 4.85 | 16,000 | 20,000 | ND<1,200 | 7,500 | ND<25 | ND<25 | ND<25 | ND<25 | ND<250 | a,c,h,i |
| | 9/5/2008 | | 35.78 | 5.10 | 19,000 | 17,000 | 1,200 | 15,000 | ND<25 | ND<25 | ND<25 | ND<25 | ND<250 | a,c,h |
| | 12/18/2008 | | 36.65 | 4.23 | 6,600 | 25,000 | ND<2,500 | 4,700 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | c,m,h |
| | 3/30/2009 | | 37.19 | 3.69 | 15,000 | 31,000 | ND<2,500 | 8,300 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<50 | c,h,m |
| | 9/21-22/2009 | | 36.56 | 4.32 | 11,000 | 31,000 | 1,300 | 7,500 | 5.8 | 7.5 | ND<5.0 | ND<5.0 | -- | a,c,d,i |
| | 3/8/2010 | | 37.31 | 3.57 | 22,000 | 22,000 | 1,500 | 12,000 | ND<10 | ND<10 | ND<10 | 26 | -- | a,b,c,h |
| MW-4A | 6/3/2004 | Zone A | 36.26 | 2.45 | ND<50 | 270 | 440 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | |
| 38.71 | 11/23/2004 | | 37.13 | 1.58 | ND<50 | 73 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | d |
| MW-4A | 3/14/2005 | | 36.66 | 2.05 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| cont. | 3/15/2005 | | -- | -- | ND<50 | 210 | 300 | ND<50 | 0.91 | 1.7 | ND<0.5 | 1.9 | ND<5.0 | g,d,f,i |
| | 6/15/2005 | | 36.38 | 2.33 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/16/2005 | | -- | -- | 75 | 99 | ND<250 | 59 | 1.0 | 1.9 | ND<0.5 | 2.1 | ND<5.0 | j,d,f |
| | 9/19/2005 | | 35.01 | 3.70 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/20/2005 | | -- | -- | ND<50 | 87 | ND<250 | ND<50 | 1.2 | 2.1 | 0.51 | 2.4 | ND<5.0 | d,f |
| | 12/12/2005 | | 36.39 | 2.32 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/13/2005 | | -- | -- | ND<50 | 71 | ND<250 | ND<50 | 0.67 | 1.4 | ND<0.5 | 1.9 | ND<5.0 | d,f,i |
| | 3/13/2006 | | 36.75 | 1.96 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/14/2006 | | -- | -- | ND<50 | 68 | ND<250 | ND<50 | 0.60 | 1.3 | ND<0.5 | 1.8 | -- | d,f |
| | 6/19/2006 | | 36.15 | 2.56 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/20/2006 | | -- | -- | ND<50 | 72 | ND<250 | ND<50 | 0.53 | 1.1 | ND<0.5 | 1.6 | -- | f |
| | 9/20/2006 | | 35.10 | 3.61 | 88 | 160 | ND<250 | 110 | 1.2 | 2.5 | 0.61 | 3.9 | -- | a,d,f,i |
| | 12/20/2006 | | 36.39 | 2.32 | ND<50 | 97 | ND<250 | ND<50 | 0.99 | 2.1 | 0.52 | 2.9 | -- | f |
| | 3/29/2007 | | 36.46 | 2.25 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | 0.93 | ND<0.5 | 1.3 | ND<5.0 | |
| | 6/11/2007 | | 36.14 | 2.57 | ND<50 | 66 | ND<250 | ND<50 | ND<0.5 | 0.92 | ND<0.5 | 1.6 | -- | d,f |
| | 9/7/2007 | | 35.34 | 3.37 | ND<50 | 78 | ND<250 | ND<50 | 0.74 | 1.3 | ND<0.5 | 1.9 | ND<5.0 | f |

TABLE 2

MONITORING WELL GROUNDWATER ANALYTICAL RESULTS: PETROLEUM HYDROCARBONS
JOHN NADY
1137-1167 65TH STREET
OAKLAND, CALIFORNIA

| <i>Well ID (TOC)</i> | <i>Date Sampled</i> | <i>Groundwater Zone</i> | <i>Groundwater Elevation (ft msl)</i> | <i>Depth to Water (ft, TOC)</i> | <i>TPHss (µg/L)</i> | <i>TPHd (µg/L)</i> | <i>TPHmo (µg/L)</i> | <i>TPHg (µg/L)</i> | <i>Benzene (µg/L)</i> | <i>Toluene (µg/L)</i> | <i>Ethylbenzene (µg/L)</i> | <i>Xylenes (µg/L)</i> | <i>MTBE (µg/L)</i> | <i>Notes</i> |
|--------------------------|-------------------------|-----------------------------|---|---|-------------------------|------------------------|-------------------------|------------------------|---------------------------|---------------------------|--------------------------------|---------------------------|------------------------|------------------|
| | 12/12/2007 | | 36.25 | 2.46 | 62 | 68 | ND<250 | 86 | 0.62 | 1.8 | ND<0.5 | 2.4 | ND<5.0 | j,d,f |
| | 3/7/2008 | | 36.46 | 2.25 | ND<50 | 71 | ND<250 | ND<50 | ND<0.5 | 1.0 | ND<0.5 | 1.5 | -- | l,f |
| | 6/9/2008 | | 35.49 | 3.22 | ND<50 | 66 | ND<250 | ND<50 | ND<0.5 | 0.94 | ND<0.5 | 1.5 | ND<5.0 | d,f |
| | 9/5/2008 | | 34.79 | 3.92 | 69 | 100 | ND<250 | 90 | 0.61 | 1.2 | ND<0.5 | 2.0 | ND<5.0 | d,h,j |
| | 12/18/2008 | | 36.55 | 2.16 | ND<50 | 73 | ND<250 | ND<50 | 0.67 | 1.4 | ND<0.5 | 2.3 | -- | d,f |
| | 3/30/2009 | | 36.43 | 2.28 | 70 | 89 | ND<250 | 75 | 0.64 | 1.4 | ND<0.5 | 2.4 | ND<5.0 | d,j |
| | 9/21-22/2009 | | 36.14 | 2.57 | ND<50 | 66 | ND<250 | ND<50 | ND<0.5 | 0.83 | <0.5 | 1.9 | -- | f,i |
| | 3/8/2010 | | 36.61 | 2.10 | ND<50 | 65 | ND<250 | 58 | 0.83 | 1.1 | ND<0.5 | 2.0 | -- | d,e,j |
| MW-6A | 6/3/2004 | Zone A | 31.98 | 6.00 | 2,400 | 3,500 | 340 | 970 | ND<0.5 | ND<0.5 | ND<0.5 | 2.1 | ND<5.0 | |
| 37.98 | 11/23/2004 | | 33.13 | 4.85 | 3,000 | 1,400 | ND<250 | 1,900 | ND<0.5 | ND<0.5 | ND<0.5 | 3.0 | ND<5.0 | a,c |
| | 3/14/2005 | | 35.03 | 2.95 | 2,600 | 5,900 | ND<250 | 2,900 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<50 | e,d,i |
| | 6/15/2005 | | 33.28 | 4.70 | 3,400 | 6,100 | ND<250 | 2,200 | ND<0.5 | ND<0.5 | 0.60 | 4.4 | ND<10 | a,i,c,d |
| | 9/19/2005 | | 32.07 | 5.91 | 3,900 | 2,600 | ND<250 | 2,200 | ND<1.0 | ND<1.0 | 1.4 | 7.6 | ND<10 | a,b,c |
| | 12/12/2005 | | 33.12 | 4.86 | 4,500 | 4,600 | ND<250 | 2,900 | ND<0.5 | ND<0.5 | 1.6 | 8.9 | ND<5.0 | a,c,h,i |
| | 3/13/2006 | | 36.05 | 1.93 | 3,000 | 4,300 | ND<250 | 1,900 | ND<0.5 | ND<0.5 | ND<0.5 | 4.3 | -- | a,c,d,h |
| | 6/19/2006 | | 32.59 | 5.39 | 4,600 | 7,800 | 260 | 2,300 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | -- | c,g,h,m |
| | 9/20/2006 | | 31.96 | 6.02 | 1,200 | 2,600 | ND<250 | 960 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | -- | a,c,i |
| | 12/20/2006 | | 33.57 | 4.41 | 3,200 | 4,100 | ND<250 | 2,400 | ND<5.0 | ND<5.0 | ND<5.0 | 8.1 | -- | e,h,n |
| | 3/29/2007 | | 33.67 | 4.31 | 2,700 | 2,900 | ND<250 | 2,200 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<50 | a,c |
| | 6/11/2007 | | 32.95 | 5.03 | 3,700 | 6,400 | ND<250 | 4,300 | ND<0.5 | ND<0.5 | 2.1 | 9.5 | -- | a,c |
| | 9/7/2007 | | 32.32 | 5.66 | 1,400 | 5,800 | ND<250 | 1,600 | ND<1.0 | ND<1.0 | ND<1.0 | 3.1 | ND<10 | a,b,c,d,h |
| | 12/12/2007 | | 33.50 | 4.48 | 4,400 | 9,600 | ND<250 | 3,300 | ND<5.0 | ND<5.0 | ND<5.0 | 8.4 | ND<50 | a,c,d |
| MW-6A | 3/7/2008 | | 34.30 | 3.68 | 3,700 | 6,200 | 280 | 4,100 | ND<2.5 | ND<2.5 | ND<2.5 | 6.9 | -- | a,h,c |
| cont. | 6/9/2008 | | 32.30 | 5.68 | 16,000 | 7,200 | 290 | 7,900 | ND<10 | ND<10 | ND<10 | ND<10 | ND<100 | a,c,h,i |
| | 9/5/2008 | | 32.05 | 5.93 | 11,000 | 3,200 | ND<250 | 8,700 | ND<10 | ND<10 | ND<10 | ND<10 | ND<100 | a,c,h |
| | 12/18/2008 | | 33.98 | 4.00 | 4,300 | 11,000 | 460 | 3,000 | ND<1.0 | ND<1.0 | 1.2 | ND<1.0 | -- | a,c,d,h |
| | 3/30/2009 | | 34.06 | 3.92 | 3,100 | 11,000 | 430 | 2,300 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<50 | a,c,h,j |
| | 9/21-22/2009 | | 32.30 | 5.68 | 2,800 | 7,300 | 300 | 2,100 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | a,c,d,h |
| | 3/8/2010 | | 35.88 | 2.10 | 5,500 | 6,800 | 420 | 2,400 | ND<0.5 | ND<0.5 | 0.66 | 3.9 | -- | a,b,c,d,h |
| MW-7A | 6/3/2004 | Zone A | 36.08 | 4.50 | 9,900 | -- | -- | 3,900 | ND<5.0 | ND<5.0 | ND<5.0 | 6.6 | ND<50 | |
| 40.58 | 11/23/2004 | | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |

TABLE 2

MONITORING WELL GROUNDWATER ANALYTICAL RESULTS: PETROLEUM HYDROCARBONS
JOHN NADY
1137-1167 65TH STREET
OAKLAND, CALIFORNIA

| <i>Well ID (TOC)</i> | <i>Date Sampled</i> | <i>Groundwater Zone</i> | <i>Groundwater Elevation (ft msl)</i> | <i>Depth to Water (ft, TOC)</i> | <i>TPHss (µg/L)</i> | <i>TPHd (µg/L)</i> | <i>TPHmo (µg/L)</i> | <i>TPHg (µg/L)</i> | <i>Benzene (µg/L)</i> | <i>Toluene (µg/L)</i> | <i>Ethylbenzene (µg/L)</i> | <i>Xylenes (µg/L)</i> | <i>MTBE (µg/L)</i> | <i>Notes</i> |
|--------------------------|-------------------------|-----------------------------|---|---|-------------------------|------------------------|-------------------------|------------------------|---------------------------|---------------------------|--------------------------------|---------------------------|------------------------|----------------|
| | 3/14/2005 | | 37.03 | 3.55 | 3,700 | 14,000 | 620 | 3,900 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<50 | c,d,h |
| | 6/15/2005 | | 36.41 | 4.17 | 3,900 | 24,000 | ND<1,200 | 2,500 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<50 | a,c,d,h,i |
| | 9/19/2005 | | 35.25 | 5.33 | 13,000 | 43,000 | ND<5,000 | 7,000 | ND<10 | ND<10 | ND<10 | ND<10 | ND<100 | a,c,i |
| | 12/12/2005 | | 36.15 | 4.43 | 2,500 | 10,000 | ND<1,200 | 1,700 | ND<1.0 | ND<1.0 | 1.4 | 2.4 | ND<10 | a,c,d,h,i |
| | 3/13/2006 | | 36.76 | 3.82 | 2,300 | 31,000 | 1,100 | 1,600 | ND<0.5 | ND<0.5 | 0.93 | 9.1 | -- | a,c,d,g,h,i |
| | 6/19/2006 | | 35.78 | 4.80 | 44,000 | 36,000 | 1,300 | 26,000 | ND<5.0 | ND<5.0 | 10 | ND<5.0 | -- | c,d,g,h,i,m |
| | 9/20/2006 | | 35.03 | 5.55 | 69,000 | 36,000 | ND<5,000 | 49,000 | ND<50 | ND<50 | ND<50 | ND<50 | -- | a,c,h,i |
| | 12/20/2006 | | 36.35 | 4.23 | 53,000 | 14,000 | ND<1,200 | 38,000 | ND<50 | ND<50 | ND<50 | 150 | -- | e,h,n |
| | 3/29/2007 | | 36.06 | 4.52 | 5,600 | 34,000 | 890 | 4,100 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<50 | a,h,c,d |
| | 6/11/2007 | | 36.02 | 4.56 | 3,400 | 32,000 | ND<1,200 | 3,800 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | a,c,d,h,i |
| | 9/7/2007 | | 35.18 | 5.40 | 19,000 | 57,000 | ND<2,500 | 21,000 | ND<10 | ND<10 | ND<10 | 54 | ND<100 | a,b,c,d,h |
| | 12/12/2007 | | 35.96 | 4.62 | 16,000 | 45,000 | 1,400 | 13,000 | ND<25 | ND<25 | ND<25 | ND<25 | ND<250 | a,c,d |
| | 3/7/2008 | | 36.28 | 4.30 | 3,500 | 56,000 | 1,600 | 3,800 | ND<2.5 | ND<2.5 | ND<2.5 | 3.7 | -- | a,h,i,c |
| | 6/9/2008 | | 35.35 | 5.23 | 68,000 | 150,000 | ND<12,000 | 35,000 | ND<25 | ND<25 | ND<25 | ND<25 | ND<250 | a,c,h,i |
| | 9/5/2008 | | 35.00 | 5.58 | 13,000 | 63,000 | 2,700 | 9,800 | ND<25 | ND<25 | ND<25 | ND<25 | ND<250 | a,c,h,i |
| | 12/18/2008 | | 35.95 | 4.63 | 9,100 | 28,000 | ND<2,500 | 6,200 | ND<2.5 | ND<2.5 | 2.7 | ND<2.5 | -- | a,c,h |
| | 3/30/2009 | | 36.38 | 4.20 | 16,000 | 110,000 | ND<12,000 | 11,000 | ND<25 | ND<25 | ND<25 | ND<25 | ND<250 | a,c,h |
| | 9/21-22/2009 | | 35.77 | 4.81 | 6,400 | 84,000 | ND<5,000 | 4,500 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | a,c,h |
| | 3/9/2010 | | 36.66 | 3.92 | 27,000 | 110,000 | ND<5,000 | 19,000 | ND<25 | ND<25 | ND<25 | 46 | -- | a,b,c,h |
| MW-1B | 6/3/2004 | Zone B | 25.10 | 14.40 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | |
| 39.50 | 11/23/2004 | | 26.24 | 13.26 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | |
| | 3/14/2005 | | 33.97 | 5.53 | ND<50 | 52 | ND<250 | ND<50 | 0.60 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | d,i |
| | 6/15/2005 | | 31.87 | 7.63 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | i |
| | 9/19/2005 | | 30.35 | 9.15 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | i |
| | 12/12/2005 | | 30.39 | 9.11 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | i |
| | 3/13/2006 | | 32.15 | 7.35 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/19/2006 | | 22.99 | 16.51 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/20/2006 | | 30.32 | 9.18 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/20/2006 | | 31.60 | 7.90 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-1B | 3/29/2007 | | 24.63 | 14.87 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| cont. | 6/11/2007 | | 26.39 | 13.11 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |

TABLE 2

MONITORING WELL GROUNDWATER ANALYTICAL RESULTS: PETROLEUM HYDROCARBONS
JOHN NADY
1137-1167 65TH STREET
OAKLAND, CALIFORNIA

| <i>Well ID (TOC)</i> | <i>Date Sampled</i> | <i>Groundwater Zone</i> | <i>Groundwater Elevation (ft msl)</i> | <i>Depth to Water (ft, TOC)</i> | <i>TPHss (µg/L)</i> | <i>TPHd (µg/L)</i> | <i>TPHmo (µg/L)</i> | <i>TPHg (µg/L)</i> | <i>Benzene (µg/L)</i> | <i>Toluene (µg/L)</i> | <i>Ethylbenzene (µg/L)</i> | <i>Xylenes (µg/L)</i> | <i>MTBE (µg/L)</i> | <i>Notes</i> |
|--------------------------|-------------------------|-----------------------------|---|---|-------------------------|------------------------|-------------------------|------------------------|---------------------------|---------------------------|--------------------------------|---------------------------|------------------------|--------------|
| | 9/7/2007 | | 28.42 | 11.08 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/12/2007 | | 30.60 | 8.90 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/7/2008 | | 32.48 | 7.02 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/9/2008 | | 30.50 | 9.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/5/2008 | | 30.11 | 9.39 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/18/2008 | | 30.34 | 9.16 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/30/2009 | | 32.09 | 7.41 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/21-22/2009 | | 30.42 | 9.08 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/8/2010 | | 32.97 | 6.53 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-3B | 9/21-22/2009 | Zone B | 31.69 | 8.93 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | -- | i |
| 40.62 | 3/8/2010 | | 35.00 | 5.62 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | -- | i |
| MW-4B | 6/3/2004 | Zone B | 33.52 | 5.02 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | |
| 38.54 | 11/23/2004 | | 34.65 | 3.89 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | |
| | 3/14/2005 | | 34.78 | 3.76 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/15/2005 | | -- | -- | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | i |
| | 6/15/2005 | | 33.98 | 4.56 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/16/2005 | | -- | -- | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | i |
| | 9/19/2005 | | 32.57 | 5.97 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/20/2005 | | -- | -- | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | i |
| | 12/12/2005 | | 33.65 | 4.89 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/13/2005 | | -- | -- | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | i |
| | 3/13/2006 | | 34.61 | 3.93 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/19/2006 | | 33.86 | 4.68 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/20/2006 | | 32.58 | 5.96 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/20/2006 | | 33.92 | 4.62 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/29/2007 | | 33.96 | 4.58 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/11/2007 | | 34.03 | 4.51 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/7/2007 | | 33.22 | 5.32 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/12/2007 | | 33.85 | 4.69 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/7/2008 | | 34.58 | 3.96 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/9/2008 | | 33.45 | 5.09 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |

TABLE 2

MONITORING WELL GROUNDWATER ANALYTICAL RESULTS: PETROLEUM HYDROCARBONS
JOHN NADY
1137-1167 65TH STREET
OAKLAND, CALIFORNIA

| Well ID (TOC) | Date Sampled | Groundwater Zone | Groundwater Elevation (ft msl) | Depth to Water (ft, TOC) | TPH _{ss} (µg/L) | TPH _d (µg/L) | TPH _{mo} (µg/L) | TPH _g (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | Notes |
|------------------|-----------------|---------------------|--------------------------------------|--------------------------------|-----------------------------|----------------------------|-----------------------------|----------------------------|-------------------|-------------------|------------------------|-------------------|----------------|-------|
| | 9/5/2008 | | 32.64 | 5.90 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/18/2008 | | 33.39 | 5.15 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/30/2009 | | 34.33 | 4.21 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/21-22/2009 | | 33.34 | 5.20 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/8/2010 | | 31.96 | 6.58 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-5B 38.98 | 6/3/2004 | Zone B | 30.16 | 8.82 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | |
| | 11/23/2004 | | 31.32 | 7.66 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | |
| | 3/14/2005 | | 32.71 | 6.27 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/15/2005 | | -- | -- | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | i |
| | 6/15/2005 | | 31.20 | 7.78 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | i |
| | 9/19/2005 | | 28.68 | 10.30 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/20/2005 | | -- | -- | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | |
| | 12/12/2005 | | 30.65 | 8.33 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | i |
| | 3/13/2006 | | 32.87 | 6.11 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/19/2006 | | 30.97 | 8.01 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/20/2006 | | 29.68 | 9.30 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/20/2006 | | 31.21 | 7.77 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/29/2007 | | 31.40 | 7.58 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/11/2007 | | 31.02 | 7.96 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/7/2007 | | 30.02 | 8.96 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/12/2007 | | 30.88 | 8.10 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/7/2008 | | 32.55 | 6.43 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/9/2008 | | 30.34 | 8.64 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/5/2008 | | 29.50 | 9.48 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/18/2008 | | 30.34 | 8.64 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/30/2009 | | 32.10 | 6.88 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/21-22/2009 | | 29.97 | 9.01 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/8/2010 | | 33.23 | 5.75 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-6B 37.66 | 6/3/2004 | Zone B | 29.36 | 8.30 | 2,900 | 2,300 | ND<250 | 1,100 | ND<0.5 | ND<0.5 | ND<0.5 | 1.4 | ND<5.0 | |
| | 11/23/2004 | | 30.53 | 7.13 | 700 | 280 | ND<250 | 500 | ND<0.5 | ND<0.5 | ND<0.5 | 1.6 | ND<5.0 | a,c |
| | 3/14/2005 | | 31.86 | 5.80 | 1,200 | 5,200 | 340 | 1,300 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | e,d,i |

TABLE 2

MONITORING WELL GROUNDWATER ANALYTICAL RESULTS: PETROLEUM HYDROCARBONS
JOHN NADY
1137-1167 65TH STREET
OAKLAND, CALIFORNIA

| <i>Well ID (TOC)</i> | <i>Date Sampled</i> | <i>Groundwater Zone</i> | <i>Groundwater Elevation (ft msl)</i> | <i>Depth to Water (ft, TOC)</i> | <i>TPHss (µg/L)</i> | <i>TPHd (µg/L)</i> | <i>TPHmo (µg/L)</i> | <i>TPHg (µg/L)</i> | <i>Benzene (µg/L)</i> | <i>Toluene (µg/L)</i> | <i>Ethylbenzene (µg/L)</i> | <i>Xylenes (µg/L)</i> | <i>MTBE (µg/L)</i> | <i>Notes</i> |
|--------------------------|-------------------------|-----------------------------|---|---|-------------------------|------------------------|-------------------------|------------------------|---------------------------|---------------------------|--------------------------------|---------------------------|------------------------|----------------|
| | 6/15/2005 | | 30.17 | 7.49 | 1,300 | 1,700 | ND<250 | 900 | ND<0.5 | ND<0.5 | ND<0.5 | 1.9 | ND<5.0 | a,c |
| | 9/19/2005 | | 28.83 | 8.83 | 2,000 | 2,700 | ND<250 | 1,200 | 1.0 | 1.4 | ND<1.0 | 5.0 | ND<20 | a,b,c |
| | 12/12/2005 | | 29.85 | 7.81 | 1,200 | 4,100 | ND<250 | 840 | ND<0.5 | ND<0.5 | ND<0.5 | 3.3 | ND<5.0 | a,c,h,i |
| | 3/13/2006 | | 32.31 | 5.35 | 2,000 | 6,900 | 270 | 1,400 | ND<0.5 | ND<0.5 | ND<0.5 | 4.7 | -- | a,c,d,h,i |
| | 6/19/2006 | | 29.88 | 7.78 | 3,300 | 7,700 | 310 | 1,700 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | -- | c,g,h,m |
| | 9/20/2006 | | 28.78 | 8.88 | 4,200 | 16,000 | 740 | 3,200 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | a,c,d,g,h,i |
| | 12/20/2006 | | 30.34 | 7.32 | 77,000 | 16,000 | ND<1,200 | 55,000 | ND<50 | ND<50 | ND<50 | 130 | -- | e,g,h,n |
| | 3/29/2007 | | 30.44 | 7.22 | 4,300 | 24,000 | 650 | 3,400 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<50 | a,h,c,d |
| | 6/11/2007 | | 29.93 | 7.73 | 2,100 | 29,000 | ND<1,200 | 2,600 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | a,c,d,h |
| | 9/7/2007 | | 28.95 | 8.71 | 3,800 | 32,000 | ND<1,200 | 4,500 | ND<5.0 | ND<5.0 | ND<5.0 | 11 | ND<50 | a,b,c,d,h |
| | 12/12/2007 | | 30.00 | 7.66 | 15,000 | 36,000 | 1,000 | 12,000 | ND<25 | ND<25 | ND<25 | ND<25 | ND<250 | a,h,c,d |
| | 3/7/2008 | | 31.70 | 5.96 | 2,700 | 27,000 | 1,100 | 3,100 | ND<2.5 | ND<2.5 | ND<2.5 | 6.1 | -- | a,h,k |
| | 6/9/2008 | | 29.36 | 8.30 | 20,000 | 81,000 | ND<5,000 | 9,500 | ND<25 | ND<25 | ND<25 | ND<25 | ND<250 | a,c,h |
| MW-6B | 9/5/2008 | | 28.66 | 9.00 | 17,000 | 40,000 | ND<2500 | 13,000 | ND<10 | ND<10 | ND<10 | ND<10 | ND<100 | a,c,h |
| cont. | 12/18/2008 | | 29.68 | 7.98 | 7,400 | 29,000 | ND<2,500 | 5,200 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | a,c,h |
| | 3/30/2009 | | 31.31 | 6.35 | 13,000 | 34,000 | ND<2,500 | 10,000 | ND<25 | ND<25 | ND<25 | ND<25 | ND<250 | c,h,m |
| | 9/21-22/2009 | | 28.94 | 8.72 | 2,900 | 15,000 | 610 | 2,200 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | a,c,d,h |
| | 3/8/2010 | | 32.96 | 4.70 | 4,200 | 23,000 | ND<2,500 | 3,200 | ND<10 | ND<10 | ND<10 | ND<10 | -- | a,b,c,h |
| MW-7B | 9/21-22/2009 | Zone B | 30.73 | 9.32 | 1,700 | 6,300 | ND<500 | 1,300 | ND<0.5 | ND<0.5 | ND<0.5 | 2.3 | -- | a,c,h |
| 40.05 | 3/9/2010 | | 33.52 | 6.53 | 1,800 | 4,300 | ND<250 | 1,300 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | a,c,i |
| MW-1C | 6/3/2004 | Zone C | 30.07 | 9.42 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | |
| 39.49 | 11/23/2004 | | 31.30 | 8.19 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | |
| | 3/14/2005 | | 32.58 | 6.91 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | f |
| | 6/15/2005 | | 30.89 | 8.60 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | |
| | 9/19/2005 | | 29.19 | 10.30 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | i |
| | 12/12/2005 | | 30.54 | 8.95 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | i |
| | 3/13/2006 | | 32.99 | 6.50 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/19/2006 | | 30.66 | 8.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/20/2006 | | 29.53 | 9.96 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/20/2006 | | 31.13 | 8.36 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/29/2007 | | 31.19 | 8.30 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |

**MONITORING WELL GROUNDWATER ANALYTICAL RESULTS: PETROLEUM HYDROCARBONS
JOHN NADY
1137-1167 65TH STREET
OAKLAND, CALIFORNIA**

| <i>Well ID (TOC)</i> | <i>Date Sampled</i> | <i>Groundwater Zone</i> | <i>Groundwater Elevation (ft msl)</i> | <i>Depth to Water (ft, TOC)</i> | <i>TPHss (µg/L)</i> | <i>TPHd (µg/L)</i> | <i>TPHmo (µg/L)</i> | <i>TPHg (µg/L)</i> | <i>Benzene (µg/L)</i> | <i>Toluene (µg/L)</i> | <i>Ethylbenzene (µg/L)</i> | <i>Xylenes (µg/L)</i> | <i>MTBE (µg/L)</i> | <i>Notes</i> | |
|--------------------------|--|-----------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 6/11/2007 | | 30.63 | 8.86 | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 9/7/2007 | | 29.60 | 9.89 | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 12/12/2007 | | 30.61 | 8.88 | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 3/7/2008 | | 32.46 | 7.03 | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 6/9/2008 | | 30.07 | 9.42 | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 9/5/2008 | | 29.34 | 10.15 | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 12/18/2008 | | 30.28 | 9.21 | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 3/30/2009 | | 32.12 | 7.37 | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 9/21-22/2009 | | 29.59 | 9.90 | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 3/8/2010 | | 33.74 | 5.75 | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| MW-3C 41.00 | 9/21-22/2009 3/8/2010 | Zone C | 29.52 33.09 | 11.48 7.91 | ND<50 ND<50 | 79 ND<50 | ND<250 ND<250 | ND<50 ND<50 | ND<0.5 ND<0.5 | ND<0.5 ND<0.5 | ND<0.5 ND<0.5 | ND<0.5 ND<0.5 | -- -- | f,i i | |
| MW-4C 38.50 | 6/3/2004 11/23/2004 3/14/2005 3/15/2005 6/15/2005 6/16/2005 9/19/2005 | Zone C | 30.10 31.31 33.15 -- 30.85 -- 25.97 | 8.40 7.19 5.35 -- 7.65 -- 12.53 | ND<50 ND<50 -- ND<50 -- ND<50 -- | ND<50 ND<50 -- ND<50 -- ND<50 -- | ND<250 ND<250 -- ND<250 -- ND<250 -- | ND<50 ND<50 -- ND<50 -- ND<50 -- | ND<0.5 ND<0.5 -- ND<0.5 -- ND<0.5 -- | ND<0.5 ND<0.5 -- ND<0.5 -- ND<0.5 -- | ND<0.5 ND<0.5 -- ND<0.5 -- ND<0.5 -- | ND<0.5 ND<0.5 -- ND<0.5 -- ND<0.5 -- | ND<5.0 ND<5.0 -- ND<5.0 -- ND<5.0 -- | -- -- -- ND<5.0 -- ND<5.0 -- | |
| MW-4C cont. | 9/20/2005 12/12/2005 12/13/2005 3/13/2006 6/19/2006 9/20/2006 12/20/2006 3/29/2007 6/11/2007 9/7/2007 12/12/2007 3/7/2008 | | -- 30.00 -- 31.18 30.90 29.91 31.21 31.29 30.93 30.20 31.10 32.25 | -- 8.50 -- 7.32 7.60 8.59 7.29 7.21 7.57 8.30 7.40 6.25 | ND<50 -- ND<50 -- -- -- -- -- -- -- -- -- | ND<50 -- ND<50 -- -- -- -- -- -- -- -- -- | ND<250 -- ND<250 -- -- -- -- -- -- -- -- -- -- | ND<50 -- ND<50 -- -- -- -- -- -- -- -- -- -- | ND<0.5 -- ND<0.5 -- -- -- -- -- -- -- -- -- -- | ND<0.5 -- ND<0.5 -- -- -- -- -- -- -- -- -- -- | ND<0.5 -- ND<0.5 -- -- -- -- -- -- -- -- -- -- | ND<5.0 -- ND<5.0 -- -- -- -- -- -- -- -- -- -- | -- -- ND<5.0 -- -- -- -- -- -- -- -- -- -- | | |

TABLE 2

MONITORING WELL GROUNDWATER ANALYTICAL RESULTS: PETROLEUM HYDROCARBONS
JOHN NADY
1137-1167 65TH STREET
OAKLAND, CALIFORNIA

| Well ID (TOC) | Date Sampled | Groundwater Zone | Groundwater Elevation (ft msl) | Depth to Water (ft, TOC) | TPHss (µg/L) | TPHd (µg/L) | TPHmo (µg/L) | TPHg (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | Notes |
|------------------|-----------------|---------------------|--------------------------------------|--------------------------------|-----------------|----------------|------------------|----------------|-------------------|-------------------|------------------------|-------------------|----------------|--------------|
| | 6/9/2008 | | 30.35 | 8.15 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/5/2008 | | 29.62 | 8.88 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/18/2008 | | 30.31 | 8.19 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/30/2009 | | 31.59 | 6.91 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/21-22/2009 | | 30.08 | 8.42 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/8/2010 | | 32.64 | 5.86 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-6C 37.59 | 6/3/2004 | Zone C | 27.89 | 9.70 | 340 | 240 | ND<250 | 160 | ND<0.5 | ND<0.5 | ND<0.5 | 1.1 | ND<5.0 | |
| | 11/23/2004 | | 29.21 | 8.38 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | |
| | 3/14/2005 | | 31.79 | 5.80 | ND<50 | 60 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | d |
| | 6/15/2005 | | 30.14 | 7.45 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | |
| | 9/19/2005 | | 28.79 | 8.80 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | |
| | 12/12/2005 | | 29.81 | 7.78 | ND<50 | ND<50 | ND<250 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | |
| | 3/13/2006 | | 32.09 | 5.50 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/19/2006 | | 29.84 | 7.75 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/20/2006 | | 28.74 | 8.85 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/20/2006 | | 30.29 | 7.30 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/29/2007 | | 30.39 | 7.20 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/11/2007 | | 29.86 | 7.73 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/7/2007 | | 28.92 | 8.67 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/12/2007 | | 29.94 | 7.65 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/7/2008 | | 31.63 | 5.96 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/9/2008 | | 29.32 | 8.27 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/5/2008 | | 28.60 | 8.99 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/18/2008 | | 29.64 | 7.95 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/30/2009 | | 31.26 | 6.33 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/21-22/2009 | | 28.89 | 8.70 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/8/2010 | | 32.92 | 4.67 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-7C 40.44 | 9/21-22/2009 | Zone C | 29.53 | 10.91 | 2,300 | 1,900 | ND<250 | 1,600 | ND<0.5 | ND<0.5 | ND<0.5 | ND<2.0 | -- | a,c,h |
| | 3/9/2010 | | 32.47 | 7.97 | 890 | 1,400 | ND<250 | 660 | ND<0.5 | ND<0.5 | ND<0.5 | 4.1 | -- | a,c,i |

**MONITORING WELL GROUNDWATER ANALYTICAL RESULTS: PETROLEUM HYDROCARBONS
JOHN NADY
1137-1167 65TH STREET
OAKLAND, CALIFORNIA**

| <i>Well ID (TOC)</i> | <i>Date Sampled</i> | <i>Groundwater Zone</i> | <i>Groundwater Elevation (ft msl)</i> | <i>Depth to Water (ft, TOC)</i> | <i>TPHss (µg/L)</i> | <i>TPHd (µg/L)</i> | <i>TPHmo (µg/L)</i> | <i>TPHg (µg/L)</i> | <i>Benzene (µg/L)</i> | <i>Toluene (µg/L)</i> | <i>Ethylbenzene (µg/L)</i> | <i>Xylenes (µg/L)</i> | <i>MTBE (µg/L)</i> | <i>Notes</i> |
|--------------------------|-------------------------|-----------------------------|---|---|-------------------------|------------------------|-------------------------|------------------------|---------------------------|---------------------------|--------------------------------|---------------------------|------------------------|--------------|
|--------------------------|-------------------------|-----------------------------|---|---|-------------------------|------------------------|-------------------------|------------------------|---------------------------|---------------------------|--------------------------------|---------------------------|------------------------|--------------|

Abbreviations and Notes:

µg/L = micrograms per liter - approximately equal to parts per billion = ppb

(TOC) = Top of casing elevation in feet above mean sea level (msl)

ft = measured in feet

TPHd = Total petroleum hydrocarbons as diesel by EPA Method SW8015C with silica gel cleanup (C10-C23)

TPHg = Total petroleum hydrocarbons as gasoline by EPA Method SW8015C (C6-C12).

TPHmo = Total petroleum hydrocarbons as motor oil by EPA Method SW8015C with silica gel cleanup (C18-C36)

TPHss = Total petroleum hydrocarbons as stoddard solvent by EPA Method SW8015C (C9-C12)

Benzene, toluene, ethylbenzene, and xylenes by EPA Method SW8021B.

MTBE = Methyl tertiary-butyl ether by EPA Method SW8021B (EPA Method SW8260B).

ND<50 = Not Detected above detection limit cited.

-- = Not available, not applicable, not analyzed, not measured

a = TPH pattern that does not appear to be derived from gasoline

(stoddard solvent/mineral spirit?).

b = No recognizable pattern.

c = Stoddard solvent/mineral spirit.

d = Diesel range compounds are significant; no recognizable pattern.

e = Gasoline range compounds are significant.

f = One to a few isolated peaks present

g = Oil range compounds are significant.

h = Lighter than water immiscible sheen/product is present.

i = Liquid sample contains greater than ~1 vol. % sediment.

j = Unmodified or weakly modified gasoline is significant

k = TPHg range non-target isolated peaks subtracted out of the TPHg concentration

l = Heavier gasoline compounds are significant (aged gasoline?)

m = Strongly aged gasoline or diesel range compounds are significant

n = Diesel range compounds are significant

TABLE 4

MONITORING WELL GROUNDWATER ANALYTICAL RESULTS:
 HALOGENATED VOLATILE ORGANIC COMPOUNDS
 JOHN NA/DY
 1137-1167 65TH STREET
 OAKLAND, CALIFORNIA

| Well ID (TOC) | Date Sampled | Groundwater Zone | Groundwater Elevation (ft amsl) | Depth to Water (ft, TOC) | Chlorobenzene (µg/L) | Chloroethane (µg/L) | Chloroform (µg/L) | 1,1,2,2,-Tetra- chloroethane (µg/L) | (PCE) Tetrachloroethene (µg/L) | (TCE) Trichloroethene (µg/L) | 1,2- Dichlorobenzene (µg/L) | cis-1,2- Dichloroethene (µg/L) | trans-1,2- Dichloroethene (µg/L) | 1,1- Dichloroethane (µg/L) | (1,2-DCA) 1,2- Dichloroethane (µg/L) | Vinyl Chloride (µg/L) | Notes | |
|------------------|-----------------|---------------------|---------------------------------------|--------------------------------|-------------------------|------------------------|----------------------|---|--------------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--|----------------------------------|--|-----------------------------|--------|---|
| MW-1A 39.64 | 6/3/2004 | Zone A | 35.14 | 4.50 | -- | ND<2.5 | ND<2.5 | ND<2.5 | 55 | 16 | ND<2.5 | 36 | ND<2.5 | ND<2.5 | ND<2.5 | 6.3 | | |
| | 11/23/2004 | | 36.54 | 3.10 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | 38 | 11 | ND<1.0 | 51 | 2.4 | 2.8 | ND<1.0 | 9.5 | | |
| | 3/14/2005 | | 37.02 | 2.62 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | 42 | 12 | 2.0 | 32 | 2.2 | 2.4 | ND<1.0 | 8.0 | | |
| | 6/15/2005 | | 35.14 | 4.50 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | 62 | 19 | 2.6 | 24 | 2.4 | 3.0 | ND<1.0 | 10 | h,i | |
| | 9/19/2005 | | 33.14 | 6.50 | ND<1.2 | ND<1.2 | ND<1.2 | ND<1.2 | 55 | 18 | 2.3 | 28 | 2.0 | 2.6 | ND<1.2 | 9.4 | i | |
| | 12/12/2005 | | 35.14 | 4.50 | ND<1.0 | ND<1.0 | ND<1.0 | 16 | 60 | 17 | 2.0 | 22 | 2.3 | 2.5 | ND<1.0 | 12 | h,i | |
| | 3/13/2006 | | 37.74 | 1.90 | ND<1.2 | ND<1.2 | ND<1.2 | 14 | 30 | 17 | ND<1.2 | 16 | 1.4 | 2.0 | ND<1.2 | 4.0 | i | |
| | 6/19/2006 | | 35.94 | 3.70 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 33 | 9.0 | ND<0.5 | 15 | 1.1 | 1.8 | ND<0.5 | 3.2 | | |
| | 9/20/2006 | | 34.19 | 5.45 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 34 | 15 | ND<0.5 | 21 | 1.6 | 2.3 | ND<0.5 | 5.4 | i | |
| | 12/20/2006 | | 37.02 | 2.62 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 27 | 15 | ND<0.5 | 16 | 1.3 | 1.7 | ND<0.5 | 5.2 | | |
| | 3/29/2007 | | 37.04 | 2.60 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 29 | 16 | ND<0.5 | 13 | 1.2 | 1.4 | ND<0.5 | ND<0.5 | | |
| | 6/11/2007 | | 35.72 | 3.92 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 26 | 17 | ND<0.5 | 13 | 1.6 | 1.9 | ND<0.5 | 2.3 | | |
| | 9/7/2007 | | 33.90 | 5.74 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 25 | 15 | ND<0.5 | 17 | 1.4 | 2.0 | ND<0.5 | 2.3 | | |
| | 12/12/2007 | | 36.53 | 3.11 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 15 | 10 | ND<0.5 | 14 | 1.2 | 2.1 | ND<0.5 | 1.5 | | |
| | 3/7/2008 | | 37.23 | 2.41 | ND<0.5 | ND<0.5 | ND<0.5 | 17 | 9.0 | 9.3 | 1.3 | 13 | 1.2 | 1.7 | ND<0.5 | 1.7 | | |
| | 6/9/2008 | | 34.69 | 4.95 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 11 | 9.0 | ND<0.5 | 11 | 1.1 | 1.8 | ND<0.5 | 2.4 | i | |
| | 9/5/2008 | | 33.58 | 6.06 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 12 | 13 | ND<0.5 | 13 | 1.3 | 1.7 | ND<0.5 | 1.5 | | |
| | 12/18/2008 | | 36.68 | 2.96 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 8.6 | 8.6 | ND<0.5 | 13 | 0.99 | 1.5 | ND<0.5 | 2.7 | | |
| | 3/30/2009 | | 37.28 | 2.36 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 11 | 10 | ND<0.5 | 9.8 | 1.1 | 1.5 | ND<0.5 | 2.5 | | |
| | 9/21-22/2009 | | 34.87 | 4.77 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | 5.7 | 2.2 | ND<1.0 | 9.2 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | h |
| 3/8/2010 | 38.09 | 1.55 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| MW-2A 40.72 | 6/3/2004 | Zone A | 36.48 | 4.24 | -- | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | | |
| | 11/23/2004 | | 37.83 | 2.89 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | |
| | 3/14/2005 | | 39.02 | 1.70 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/15/2005 | | -- | -- | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i |
| | 6/15/2005 | | 37.91 | 2.81 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/16/2005 | | -- | -- | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i |
| | 9/19/2005 | | 35.46 | 5.26 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/20/2005 | | -- | -- | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i |
| | 12/12/2005 | | 37.66 | 3.06 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/13/2005 | | -- | -- | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i |
| | 3/13/2006 | | 40.33 | 0.39 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/19/2006 | | 37.31 | 3.41 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/20/2006 | | 34.65 | 6.07 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/20/2006 | | 38.57 | 2.15 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/29/2007 | | 38.22 | 2.50 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/11/2007 | | 37.14 | 3.58 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/7/2007 | | 35.04 | 5.68 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/12/2007 | | 37.82 | 2.90 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/7/2008 | | 38.79 | 1.93 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/9/2008 | | 36.18 | 4.54 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 9/5/2008 | 34.46 | 6.26 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | | |
| 12/18/2008 | 37.55 | 3.17 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | | |
| 3/30/2009 | 38.76 | 1.96 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | | |
| 9/21-22/2009 | 35.99 | 4.73 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | | |
| 3/8/2010 | 39.76 | 0.96 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |

TABLE 4

MONITORING WELL GROUNDWATER ANALYTICAL RESULTS:
 HALOGENATED VOLATILE ORGANIC COMPOUNDS
 JOHN NADY
 1137-1167 65TH STREET
 OAKLAND, CALIFORNIA

| Well ID (TOC) | Date Sampled | Groundwater Zone | Groundwater Elevation (ft amsl) | Depth to Water (ft, TOC) | Chlorobenzene (µg/L) | Chloroethane (µg/L) | Chloroform (µg/L) | 1,1,2,2,-Tetra- chloroethane (µg/L) | (PCE) Tetrachloroethene (µg/L) | (TCE) Trichloroethene (µg/L) | 1,2- Dichlorobenzene (µg/L) | cis-1,2- Dichloroethene (µg/L) | trans-1,2- Dichloroethene (µg/L) | 1,1- Dichloroethane (µg/L) | (1,2-DCA) 1,2- Dichloroethane (µg/L) | Vinyl Chloride (µg/L) | Notes | | |
|------------------|-----------------|---------------------|---------------------------------------|--------------------------------|-------------------------|------------------------|----------------------|---|--------------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--|----------------------------------|--|-----------------------------|--------|--------|---|
| MW-3A 40.88 | 6/3/2004 | Zone A | 36.56 | 4.32 | -- | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | a | | |
| 11/23/2004 | 37.89 | | 2.99 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | | | |
| 3/14/2005 | 37.28 | | 3.60 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 3/15/2005 | -- | | -- | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | 43 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | j, i | |
| 6/15/2005 | 36.78 | | 4.10 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 6/16/2005 | -- | | -- | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | 52 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | h, i | |
| 9/19/2005 | 35.93 | | 4.95 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 9/20/2005 | -- | | -- | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | 51 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | i | |
| 12/12/2005 | 36.72 | | 4.16 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 12/13/2005 | -- | | -- | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | 26 | ND<1.0 | ND<1.0 | ND<1.0 | 43 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | h, i | |
| 3/13/2006 | 37.42 | | 3.46 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 3/14/2006 | -- | | -- | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | i | |
| 6/19/2006 | 36.48 | | 4.40 | 3.7 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 6/20/2006 | -- | | -- | 9.8 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | h | |
| 9/20/2006 | 35.78 | | 5.10 | 31 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | h, i | |
| 12/20/2006 | 36.78 | | 4.10 | 31 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | h | |
| 3/29/2007 | 36.82 | | 4.06 | 55 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | | |
| 6/11/2007 | 36.52 | | 4.36 | 68 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | h | |
| 9/7/2007 | 35.98 | | 4.90 | 82 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | h | |
| 12/12/2007 | 36.54 | | 4.34 | 72 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | h | |
| 3/7/2008 | 36.87 | | 4.01 | 74 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | 19 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | h | |
| 6/9/2008 | 36.03 | | 4.85 | 98 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | 22 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | h, i | |
| 9/5/2008 | 35.78 | | 5.10 | 92 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | 16 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | ND<1.7 | h | |
| 12/18/2008 | 36.65 | | 4.23 | 95 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | h | |
| 3/30/2009 | 37.19 | | 3.69 | 85 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | h | |
| 9/21-22/2009 | 36.56 | | 4.32 | 82 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | h, i | |
| 3/8/2010 | 37.31 | | 3.57 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| MW-4A 38.71 | 6/3/2004 | | Zone A | 36.26 | 2.45 | -- | ND<0.5 | ND<0.5 | ND<0.5 | 1.7 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | | |
| 11/23/2004 | 37.13 | | | 1.58 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 1.9 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | | |
| 3/14/2005 | 36.66 | | | 2.05 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/15/2005 | -- | | | -- | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 1.1 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i |
| 6/15/2005 | 36.38 | | | 2.33 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 6/16/2005 | -- | -- | | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 1.4 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | | |
| 9/19/2005 | 35.01 | 3.70 | | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 9/20/2005 | -- | -- | | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 1.3 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | | |
| 12/12/2005 | 36.39 | 2.32 | | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 12/13/2005 | -- | -- | | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 2.0 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i | |
| 3/13/2006 | 36.75 | 1.96 | | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 6/19/2006 | 36.15 | 2.56 | | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 9/20/2006 | 35.10 | 3.61 | | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 12/20/2006 | 36.39 | 2.32 | | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 3/29/2007 | 36.46 | 2.25 | | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 6/11/2007 | 36.14 | 2.57 | | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 9/7/2007 | 35.34 | 3.37 | | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 12/12/2007 | 36.25 | 2.46 | | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 3/7/2008 | 36.46 | 2.25 | | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 6/9/2008 | 35.49 | 3.22 | | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |

TABLE 4

MONITORING WELL GROUNDWATER ANALYTICAL RESULTS:
 HALOGENATED VOLATILE ORGANIC COMPOUNDS
 JOHN NA/DY
 1137-1167 65TH STREET
 OAKLAND, CALIFORNIA

| Well ID (TOC) | Date Sampled | Groundwater Zone | Groundwater Elevation (ft amsl) | Depth to Water (ft, TOC) | Chlorobenzene (µg/L) | Chloroethane (µg/L) | Chloroform (µg/L) | 1,1,2,2-Tetrachloroethane (µg/L) | (PCE) Tetrachloroethene (µg/L) | (TCE) Trichloroethene (µg/L) | 1,2-Dichlorobenzene (µg/L) | cis-1,2-Dichloroethene (µg/L) | trans-1,2-Dichloroethene (µg/L) | 1,1-Dichloroethane (µg/L) | (1,2-DCA) 1,2-Dichloroethane (µg/L) | Vinyl Chloride (µg/L) | Notes |
|---------------|--------------|------------------|---------------------------------|--------------------------|----------------------|---------------------|-------------------|----------------------------------|--------------------------------|------------------------------|----------------------------|-------------------------------|---------------------------------|---------------------------|-------------------------------------|-----------------------|-------|
| MW-4A | 9/5/2008 | | 34.79 | 3.92 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| cont. | 12/18/2008 | | 36.55 | 2.16 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/30/2009 | | 36.43 | 2.28 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/21-22/2009 | | 36.14 | 2.57 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/8/2010 | | 36.61 | 2.10 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-6A | 6/3/2004 | Zone A | 31.98 | 6.00 | -- | 4.7 | 0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 1.8 | 2.1 | ND<0.5 | 6.7 | |
| 37.98 | 11/23/2004 | | 33.13 | 4.85 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | |
| | 3/14/2005 | | 35.03 | 2.95 | ND<0.5 | 0.61 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i |
| | 6/15/2005 | | 33.28 | 4.70 | ND<0.5 | 6.9 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 3.3 | ND<0.5 | 2.5 | 1.5 | ND<0.5 | 3.2 | i |
| | 9/19/2005 | | 32.07 | 5.91 | ND<0.5 | 21 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 2.6 | ND<0.5 | 6.7 | 4.7 | 0.59 | 5.0 | |
| | 12/12/2005 | | 33.12 | 4.86 | ND<0.5 | 13 | ND<0.5 | 8.7 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 1.1 | 0.82 | ND<0.5 | ND<0.5 | h,i |
| | 3/13/2006 | | 36.05 | 1.93 | ND<0.5 | 1.7 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h |
| | 6/19/2006 | | 32.59 | 5.39 | ND<0.5 | 9.4 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 1.0 | 1.1 | ND<0.5 | 1.3 | h |
| | 9/20/2006 | | 31.96 | 6.02 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 1.6 | 1.9 | 0.57 | ND<0.5 | i |
| | 12/20/2006 | | 33.57 | 4.41 | ND<0.5 | 12 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h |
| | 3/29/2007 | | 33.67 | 4.31 | ND<0.5 | 8.0 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 0.69 | 0.71 | ND<0.5 | ND<0.5 | |
| | 6/11/2007 | | 32.95 | 5.03 | ND<5.0 | 9.8 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | |
| | 9/7/2007 | | 32.32 | 5.66 | ND<0.5 | 24 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h |
| | 12/12/2007 | | 33.50 | 4.48 | ND<0.5 | 4.1 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | |
| | 3/7/2008 | | 34.30 | 3.68 | ND<0.5 | 1.0 | ND<0.5 | 9.5 | ND<0.5 | ND<0.5 | 2.4 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h |
| | 6/9/2008 | | 32.30 | 5.68 | 0.53 | 11 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h,i |
| | 9/5/2008 | | 32.05 | 5.93 | 1.0 | 8.0 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 2.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h |
| | 12/18/2008 | | 33.98 | 4.00 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | b,h |
| | 3/30/2009 | | 34.06 | 3.92 | ND<0.5 | 0.83 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h |
| | 9/21-22/2009 | | 32.30 | 5.68 | 0.93 | 5.2 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h |
| | 3/8/2010 | | 35.88 | 2.10 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-7A | 6/3/2004 | Zone A | 36.08 | 4.50 | -- | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 2.0 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | |
| 40.58 | 11/23/2004 | | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/14/2005 | | 37.03 | 3.55 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 2.6 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h |
| | 6/15/2005 | | 36.41 | 4.17 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 1.8 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h,i |
| | 9/19/2005 | | 35.25 | 5.33 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 1.6 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i |
| | 12/12/2005 | | 36.15 | 4.43 | ND<0.5 | ND<0.5 | ND<0.5 | 21 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h,i |
| | 3/13/2006 | | 36.76 | 3.82 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h,i |
| | 6/19/2006 | | 35.78 | 4.80 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h,i |
| | 9/20/2006 | | 35.03 | 5.55 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h,i |
| | 12/20/2006 | | 36.35 | 4.23 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h |
| | 3/29/2007 | | 36.06 | 4.52 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | |
| | 6/11/2007 | | 36.02 | 4.56 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | j,h,i |
| | 9/7/2007 | | 35.18 | 5.40 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h |
| | 12/12/2007 | | 35.96 | 4.62 | 0.70 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | |
| | 3/7/2008 | | 36.28 | 4.30 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 2.6 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h,i |
| | 6/9/2008 | | 35.35 | 5.23 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | j,h,i |
| | 9/5/2008 | | 35.00 | 5.58 | 0.71 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | h, i |
| | 12/18/2008 | | 35.95 | 4.63 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | b |
| | 3/30/2009 | | 36.38 | 4.20 | 1.4 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h |

TABLE 4

MONITORING WELL GROUNDWATER ANALYTICAL RESULTS:
HALOGENATED VOLATILE ORGANIC COMPOUNDS
JOHN NA/DY
1137-1167 65TH STREET
OAKLAND, CALIFORNIA

| Well ID (TOC) | Date Sampled | Groundwater Zone | Groundwater Elevation (ft amsl) | Depth to Water (ft, TOC) | Chlorobenzene (µg/L) | Chloroethane (µg/L) | Chloroform (µg/L) | 1,1,2,2,-Tetra- chloroethane (µg/L) | (PCE) Tetrachloroethene (µg/L) | (TCE) Trichloroethene (µg/L) | 1,2- Dichlorobenzene (µg/L) | cis-1,2- Dichloroethene (µg/L) | trans-1,2- Dichloroethene (µg/L) | 1,1- Dichloroethane (µg/L) | (1,2-DCA) 1,2- Dichloroethane (µg/L) | Vinyl Chloride (µg/L) | Notes |
|------------------|-----------------|---------------------|---------------------------------------|--------------------------------|-------------------------|------------------------|----------------------|---|--------------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--|----------------------------------|--|-----------------------------|-------|
| MW-7A | 9/21-22/2009 | | 35.77 | 4.81 | 0.8 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h |
| cont. | 3/9/2010 | | 36.66 | 3.92 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-1B | 6/3/2004 | Zone B | 25.10 | 14.40 | -- | ND<0.5 | 8.3 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 3.9 | ND<0.5 | 8.1 | 7.9 | ND<0.5 | |
| 39.50 | 11/23/2004 | | 26.24 | 13.26 | ND<0.5 | ND<0.5 | 6.2 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 2.5 | ND<0.5 | 8.4 | 8.8 | ND<0.5 | |
| | 3/14/2005 | | 33.97 | 5.53 | ND<0.5 | 1.1 | 1.9 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 3.8 | ND<0.5 | 5.2 | 12 | ND<0.5 | i |
| | 6/15/2005 | | 31.87 | 7.63 | ND<0.5 | ND<0.5 | 1.3 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 3.3 | ND<0.5 | 8.8 | 9.9 | ND<0.5 | i |
| | 9/19/2005 | | 30.35 | 9.15 | ND<0.5 | 0.98 | 0.87 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 3.0 | ND<0.5 | 7.1 | 11 | ND<0.5 | i |
| | 12/12/2005 | | 30.39 | 9.11 | ND<0.5 | 1.5 | 0.75 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 3.7 | ND<0.5 | 7.0 | 12 | ND<0.5 | i |
| | 3/13/2006 | | 32.15 | 7.35 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 6.1 | ND<0.5 | 6.8 | 5.2 | ND<0.5 | i |
| | 6/19/2006 | | 22.99 | 16.51 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 7.0 | ND<0.5 | 7.8 | 6.2 | ND<0.5 | |
| | 9/20/2006 | | 30.32 | 9.18 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 9.9 | ND<0.5 | 11 | 10 | ND<0.5 | i |
| | 12/20/2006 | | 31.60 | 7.90 | ND<0.5 | 2.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 9.9 | ND<0.5 | 7.7 | 7.8 | ND<0.5 | |
| | 3/29/2007 | | 24.63 | 14.87 | ND<0.5 | 1.6 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 9.0 | ND<0.5 | 9.7 | 8.7 | ND<0.5 | |
| | 6/11/2007 | | 26.39 | 13.11 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 8.5 | ND<0.5 | 8.0 | 6.5 | ND<0.5 | i |
| | 9/7/2007 | | 28.42 | 11.08 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 9.8 | ND<0.5 | 8.6 | 7.0 | ND<0.5 | |
| | 12/12/2007 | | 30.60 | 8.90 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 11 | ND<0.5 | 7.2 | 7.5 | ND<0.5 | |
| | 3/7/2008 | | 32.48 | 7.02 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 7.5 | ND<0.5 | 8.8 | 5.6 | ND<0.5 | |
| | 6/9/2008 | | 30.50 | 9.00 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 11 | ND<0.5 | 8.9 | 5.3 | ND<0.5 | i |
| | 9/5/2008 | | 30.11 | 9.39 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 13 | ND<0.5 | 8.1 | 6.7 | ND<0.5 | |
| | 12/18/2008 | | 30.34 | 9.16 | ND<0.5 | 1.2 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 16 | ND<0.5 | 8.2 | 9.3 | ND<0.5 | i |
| | 3/30/2009 | | 32.09 | 7.41 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 10 | ND<0.5 | 10 | 5.8 | ND<0.5 | |
| | 9/21-22/2009 | | 30.42 | 9.08 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 12 | ND<0.5 | 11 | 8 | ND<1.0 | |
| | 3/8/2010 | | 32.97 | 6.53 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-3B | 9/21-22/2009 | Zone B | 31.69 | 8.93 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i |
| 40.62 | 3/8/2010 | | 35.00 | 5.62 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i |
| MW-4B | 6/3/2004 | Zone B | 33.52 | 5.02 | -- | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | |
| 38.54 | 11/23/2004 | | 34.65 | 3.89 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | |
| | 3/14/2005 | | 34.78 | 3.76 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/15/2005 | | -- | -- | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i |
| | 6/15/2005 | | 33.98 | 4.56 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/16/2005 | | -- | -- | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i |
| | 9/19/2005 | | 32.57 | 5.97 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/20/2005 | | -- | -- | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i |
| | 12/12/2005 | | 33.65 | 4.89 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/13/2005 | | -- | -- | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i |
| | 3/13/2006 | | 34.61 | 3.93 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/19/2006 | | 33.86 | 4.68 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/20/2006 | | 32.58 | 5.96 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/20/2006 | | 33.92 | 4.62 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/29/2007 | | 33.96 | 4.58 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/11/2007 | | 34.03 | 4.51 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/7/2007 | | 33.22 | 5.32 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | i |
| | 12/12/2007 | | 33.85 | 4.69 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/7/2008 | | 34.58 | 3.96 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/9/2008 | | 33.45 | 5.09 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/5/2008 | | 32.64 | 5.90 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |

TABLE 4

MONITORING WELL GROUNDWATER ANALYTICAL RESULTS:
 HALOGENATED VOLATILE ORGANIC COMPOUNDS
 JOHN NA/DY
 1137-1167 65TH STREET
 OAKLAND, CALIFORNIA

| Well ID (TOC) | Date Sampled | Groundwater Zone | Groundwater Elevation (ft amsl) | Depth to Water (ft, TOC) | Chlorobenzene (µg/L) | Chloroethane (µg/L) | Chloroform (µg/L) | 1,1,2,2,-Tetra- chloroethane (µg/L) | (PCE) Tetrachloroethene (µg/L) | (TCE) Trichloroethene (µg/L) | 1,2- Dichlorobenzene (µg/L) | cis-1,2- Dichloroethene (µg/L) | trans-1,2- Dichloroethene (µg/L) | 1,1- Dichloroethane (µg/L) | (1,2-DCA) 1,2- Dichloroethane (µg/L) | Vinyl Chloride (µg/L) | Notes | |
|-------------------|-------------------|---------------------|---------------------------------------|--------------------------------|-------------------------|------------------------|----------------------|---|--------------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--|----------------------------------|--|-----------------------------|--------|--|
| MW-4B | 12/18/2008 | | 33.39 | 5.15 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 3/30/2009 | | 34.33 | 4.21 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 9/21-22/2009 | | 33.34 | 5.20 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | cont. 3/8/2010 | | 31.96 | 6.58 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| MW-5B 38.98 | 6/3/2004 | Zone B | 30.16 | 8.82 | -- | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | | |
| | 11/23/2004 | | 31.32 | 7.66 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | | |
| | 3/14/2005 | | 32.71 | 6.27 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 3/15/2005 | | -- | -- | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i | |
| | 6/15/2005 | | 31.20 | 7.78 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i | |
| | 9/19/2005 | | 28.68 | 10.30 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 9/20/2005 | | -- | -- | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | | |
| | 12/12/2005 | | 30.65 | 8.33 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i | |
| | 3/13/2006 | | 32.87 | 6.11 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 6/19/2006 | | 30.97 | 8.01 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 9/20/2006 | | 29.68 | 9.30 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 12/20/2006 | | 31.21 | 7.77 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 3/29/2007 | | 31.40 | 7.58 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 6/11/2007 | | 31.02 | 7.96 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 9/7/2007 | | 30.02 | 8.96 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 12/12/2007 | | 30.88 | 8.10 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 3/7/2008 | | 32.55 | 6.43 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 6/9/2008 | | 30.34 | 8.64 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 9/5/2008 | | 29.50 | 9.48 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 12/18/2008 | | 30.34 | 8.64 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 3/30/2009 | | 32.10 | 6.88 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | | |
| 9/21-22/2009 | | 29.97 | 9.01 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | | |
| cont. 3/8/2010 | | 33.23 | 5.75 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| MW-6B 37.66 | 6/3/2004 | Zone B | 29.36 | 8.30 | -- | 0.65 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | | |
| | 11/23/2004 | | 30.53 | 7.13 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 0.89 | ND<0.5 | ND<0.5 | |
| | 3/14/2005 | | 31.86 | 5.80 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 1.1 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 3.5 | i | |
| | 6/15/2005 | | 30.17 | 7.49 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 1.4 | ND<0.5 | ND<0.5 | ND<0.5 | 0.66 | ND<0.5 | 0.55 | |
| | 9/19/2005 | | 28.83 | 8.83 | ND<0.5 | 1.4 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 1.0 | 1.2 | ND<0.5 | 1.1 | ND<0.5 | 1.1 | | |
| | 12/12/2005 | | 29.85 | 7.81 | ND<0.5 | 2.3 | ND<0.5 | 11 | ND<0.5 | ND<0.5 | ND<0.5 | 1.3 | ND<0.5 | 1.3 | ND<0.5 | ND<0.5 | h,i | |
| | 3/13/2006 | | 32.31 | 5.35 | ND<0.5 | 0.73 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h | |
| | 6/19/2006 | | 29.88 | 7.78 | ND<0.5 | 0.91 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 0.52 | ND<0.5 | h | |
| | 9/20/2006 | | 28.78 | 8.88 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | j,h,i | |
| | 12/20/2006 | | 30.34 | 7.32 | ND<0.5 | 2.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 1.2 | ND<0.5 | ND<0.5 | 0.69 | ND<0.5 | h | |
| | 3/29/2007 | | 30.44 | 7.22 | ND<0.5 | 1.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 0.76 | ND<0.5 | ND<0.5 | |
| | 6/11/2007 | | 29.93 | 7.73 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | j,h | |
| | 9/7/2007 | | 28.95 | 8.71 | ND<0.5 | 1.3 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 1.9 | ND<0.5 | 0.66 | ND<0.5 | ND<0.5 | h | |
| | 12/12/2007 | | 30.00 | 7.66 | ND<0.5 | 0.77 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 1.4 | ND<0.5 | 0.62 | ND<0.5 | ND<0.5 | h | |
| | 3/7/2008 | | 31.70 | 5.96 | ND<0.5 | 1.1 | ND<0.5 | 16 | ND<0.5 | ND<0.5 | 1.2 | 1.0 | ND<0.5 | 0.58 | ND<0.5 | ND<0.5 | h | |
| | 6/9/2008 | | 29.36 | 8.30 | ND<1.0 | 1.8 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | 2.5 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | h | |
| | 9/5/2008 | | 28.66 | 9.00 | ND<5.0 | 0.80 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 2.1 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h | |
| 12/18/2008 | | 29.68 | 7.98 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | b,h | | |
| 3/30/2009 | | 31.31 | 6.35 | ND<0.5 | 0.96 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 0.80 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h | | |

TABLE 4

MONITORING WELL GROUNDWATER ANALYTICAL RESULTS:
 HALOGENATED VOLATILE ORGANIC COMPOUNDS
 JOHN NA/DY
 1137-1167 65TH STREET
 OAKLAND, CALIFORNIA

| Well ID (TOC) | Date Sampled | Groundwater Zone | Groundwater Elevation (ft amsl) | Depth to Water (ft, TOC) | Chlorobenzene (µg/L) | Chloroethane (µg/L) | Chloroform (µg/L) | 1,1,2,2,-Tetra- chloroethane (µg/L) | (PCE) Tetrachloroethene (µg/L) | (TCE) Trichloroethene (µg/L) | 1,2- Dichlorobenzene (µg/L) | cis-1,2- Dichloroethene (µg/L) | trans-1,2- Dichloroethene (µg/L) | 1,1- Dichloroethane (µg/L) | (1,2-DCA) 1,2- Dichloroethane (µg/L) | Vinyl Chloride (µg/L) | Notes | |
|------------------|-----------------|---------------------|---------------------------------------|--------------------------------|-------------------------|------------------------|----------------------|---|--------------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--|----------------------------------|--|-----------------------------|----------|---|
| | 9/21-22/2009 | | 28.94 | 8.72 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 1.40 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h | |
| | 3/8/2010 | | 32.96 | 4.70 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| MW-7B 40.05 | 9/21-22/2009 | Zone B | 30.73 | 9.32 | 0.82 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h | |
| | 3/9/2010 | | 33.52 | 6.53 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i | |
| MW-1C 39.49 | 6/3/2004 | Zone C | 30.07 | 9.42 | -- | ND<0.5 | 0.57 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | | |
| | 11/23/2004 | | 31.30 | 8.19 | ND<0.5 | ND<0.5 | 0.56 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | |
| | 3/14/2005 | | 32.58 | 6.91 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i |
| | 6/15/2005 | | 30.89 | 8.60 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | |
| | 9/19/2005 | | 29.19 | 10.30 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i |
| | 12/12/2005 | | 30.54 | 8.95 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i |
| | 3/13/2006 | | 32.99 | 6.50 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/19/2006 | | 30.66 | 8.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/20/2006 | | 29.53 | 9.96 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/20/2006 | | 31.13 | 8.36 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/29/2007 | | 31.19 | 8.30 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/11/2007 | | 30.63 | 8.86 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/7/2007 | | 29.60 | 9.89 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/12/2007 | | 30.61 | 8.88 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/7/2008 | | 32.46 | 7.03 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/9/2008 | | 30.07 | 9.42 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/5/2008 | | 29.34 | 10.15 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/18/2008 | | 30.28 | 9.21 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/30/2009 | | 32.12 | 7.37 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/21-22/2009 | | 29.59 | 9.90 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/8/2010 | 33.74 | 5.75 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| MW-3C 41.00 | 9/21-22/2009 | Zone C | 29.52 | 11.48 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i | |
| | 3/8/2010 | | 33.09 | 7.91 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i | |
| MW-4C 38.50 | 6/3/2004 | Zone C | 30.10 | 8.40 | -- | ND<0.5 | 0.84 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | | |
| | 11/23/2004 | | 31.31 | 7.19 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | |
| | 3/14/2005 | | 33.15 | 5.35 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/15/2005 | | -- | -- | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i |
| | 6/15/2005 | | 30.85 | 7.65 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/16/2005 | | -- | -- | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | |
| | 9/19/2005 | | 25.97 | 12.53 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/20/2005 | | -- | -- | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | |
| | 12/12/2005 | | 30.00 | 8.50 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/13/2005 | | -- | -- | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i |
| | 3/13/2006 | | 31.18 | 7.32 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/19/2006 | | 30.90 | 7.60 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/20/2006 | | 29.91 | 8.59 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/20/2006 | | 31.21 | 7.29 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/29/2007 | 31.29 | 7.21 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 6/11/2007 | 30.93 | 7.57 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 9/7/2007 | 30.20 | 8.30 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| | 12/12/2007 | 31.10 | 7.40 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |

TABLE 4

MONITORING WELL GROUNDWATER ANALYTICAL RESULTS:
 HALOGENATED VOLATILE ORGANIC COMPOUNDS
 JOHN NA/DY
 1137-1167 65TH STREET
 OAKLAND, CALIFORNIA

| Well ID (TOC) | Date Sampled | Groundwater Zone | Groundwater Elevation (ft amsl) | Depth to Water (ft, TOC) | Chlorobenzene (µg/L) | Chloroethane (µg/L) | Chloroform (µg/L) | 1,1,2,2-Tetra-chloroethane (µg/L) | (PCE) Tetrachloroethene (µg/L) | (TCE) Trichloroethene (µg/L) | 1,2-Dichlorobenzene (µg/L) | cis-1,2-Dichloroethene (µg/L) | trans-1,2-Dichloroethene (µg/L) | 1,1-Dichloroethane (µg/L) | (1,2-DCA) 1,2-Dichloroethane (µg/L) | Vinyl Chloride (µg/L) | Notes |
|---------------|-----------------|------------------|---------------------------------|--------------------------|----------------------|---------------------|-------------------|-----------------------------------|--------------------------------|------------------------------|----------------------------|-------------------------------|---------------------------------|---------------------------|-------------------------------------|-----------------------|-------|
| | 3/7/2008 | | 32.25 | 6.25 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/9/2008 | | 30.35 | 8.15 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/5/2008 | | 29.62 | 8.88 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 12/18/2008 | | 30.31 | 8.19 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/30/2009 | | 31.59 | 6.91 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/21-22/2009 | | 30.08 | 8.42 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 3/8/2010 | | 32.64 | 5.86 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-6C | 6/3/2004 | Zone C | 27.89 | 9.70 | -- | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 2.8 | ND<0.5 | 0.61 | ND<0.5 | ND<0.5 | |
| 37.59 | 11/23/2004 | | 29.21 | 8.38 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | |
| | 3/14/2005 | | 31.79 | 5.80 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 1.8 | 1.9 | ND<0.5 | 12 | ND<0.5 | 1.1 | ND<0.5 | 2.3 | |
| | 6/15/2005 | | 30.14 | 7.45 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 3.1 | 3.1 | ND<0.5 | 20 | 0.64 | 1.4 | ND<0.5 | 5.7 | |
| | 9/19/2005 | | 28.79 | 8.80 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 2.9 | 3.0 | ND<0.5 | 18 | 0.57 | 1.3 | ND<0.5 | 6.8 | |
| | 12/12/2005 | | 29.81 | 7.78 | ND<0.5 | 0.66 | ND<0.5 | ND<0.5 | 3.2 | 3.0 | ND<0.5 | 19 | 0.61 | 1.4 | ND<0.5 | 10 | |
| | 3/13/2006 | | 32.09 | 5.50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 3.2 | 3.9 | ND<0.5 | 26 | 0.61 | 0.95 | ND<0.5 | 5.1 | |
| | 6/19/2006 | | 29.84 | 7.75 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 4.0 | 3.4 | ND<0.5 | 32 | 0.78 | 0.96 | ND<0.5 | 11 | |
| | 9/20/2006 | | 28.74 | 8.85 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 3.7 | 4.6 | ND<0.5 | 23 | 0.76 | 1.0 | ND<0.5 | 9.4 | i |
| | 12/20/2006 | | 30.29 | 7.30 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 4.1 | 4.6 | ND<0.5 | 36 | 0.88 | 0.92 | ND<0.5 | 13 | |
| | 3/29/2007 | | 30.39 | 7.20 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 6.0 | 6.4 | ND<0.5 | 35 | 1.2 | 1.1 | ND<0.5 | 5.3 | |
| | 6/11/2007 | | 29.86 | 7.73 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 6.1 | 6.4 | ND<0.5 | 26 | 0.99 | 0.85 | ND<0.5 | 4.0 | |
| | 9/7/2007 | | 28.92 | 8.67 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 7.0 | 6.9 | ND<0.5 | 32 | 0.99 | 0.90 | ND<0.5 | 4.2 | |
| | 12/12/2007 | | 29.94 | 7.65 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 5.0 | 5.2 | ND<0.5 | 29 | 0.84 | 0.87 | ND<0.5 | 3.8 | |
| | 3/7/2008 | | 31.63 | 5.96 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 5.1 | 5.5 | ND<0.5 | 28 | 0.90 | 0.78 | ND<0.5 | 3.2 | |
| | 6/9/2008 | | 29.32 | 8.27 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 4.5 | 5.5 | ND<0.5 | 23 | 0.72 | 0.71 | ND<0.5 | 3.5 | |
| | 9/5/2008 | | 28.60 | 8.99 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 3.3 | 4.2 | ND<0.5 | ND<0.5 | ND<0.5 | 0.57 | ND<0.5 | 1.2 | |
| | 12/18/2008 | | 29.64 | 7.95 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 3.7 | 4.1 | ND<0.5 | 18 | ND<0.5 | 0.58 | ND<0.5 | 2.8 | |
| | 3/30/2009 | | 31.26 | 6.33 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 4.6 | 5.0 | ND<0.5 | 22 | 0.58 | 0.57 | ND<0.5 | 3.5 | |
| | 9/21-22/2009 | | 28.89 | 8.70 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 3.1 | 3.4 | ND<0.5 | 17 | ND<0.5 | 0.56 | ND<0.5 | 1.3 | |
| | 3/8/2010 | | 32.92 | 4.67 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-7C | 9/21-22/2009 | Zone C | 29.53 | 10.91 | 2.8 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 1.1 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | h |
| 40.44 | 3/9/2010 | | 32.47 | 7.97 | 0.78 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | i |

Abbreviations and Notes:

µg/L = micrograms per liter; equivalent to parts per billion

ft = measured in feet

ft amsl = measured in feet above mean sea level

TOC = Top of casing elevation in feet above mean sea level (msl)

Halogenated Volatile Organic Compounds analyzed by EPA Method SW8260B, reported EPA Method 8010 basic target list.

ND<0.5 = Not Detected above detection limit cited.

-- = Not available, not applicable, not analyzed, not measured

b = sample diluted due to high organic content

i = liquid sample that contains greater than ~1 vol. % sediment

h = lighter than water immiscible sheen/product is present

j = sample diluted due to high organic content/matrix interference

Table F-1b. Groundwater Screening Levels
 (groundwater is not a current or potential drinking water resource)
 (µg/L)

| Chemical | Final Groundwater Screening Level | Basis | Gross Contamination Ceiling Value (Odors, etc.) | Vapor Intrusion Into Buildings | Aquatic Habitat Goal (Chronic) |
|------------------------------|-----------------------------------|----------------------|---|--------------------------------|--------------------------------|
| | | | Table I-2 | Table E-1a | Table F-4a |
| Acenaphthene | 2.3E+01 | Aquatic Habitat Goal | 2.0E+02 | 4.2E+03 | 2.3E+01 |
| Acenaphthylene | 3.0E+01 | Aquatic Habitat Goal | 2.0E+03 | (Use soil gas) | 3.0E+01 |
| Acetone | 1.5E+03 | Aquatic Habitat Goal | 5.0E+04 | 5.3E+07 | 1.5E+03 |
| Aldrin | 1.3E-01 | Aquatic Habitat Goal | 8.5E+00 | | 1.3E-01 |
| Anthracene | 7.3E-01 | Aquatic Habitat Goal | 2.2E+01 | 4.3E+01 | 7.3E-01 |
| Antimony | 3.0E+01 | Aquatic Habitat Goal | 5.0E+04 | | 3.0E+01 |
| Arsenic | 3.6E+01 | Aquatic Habitat Goal | 5.0E+04 | | 3.6E+01 |
| Barium | 1.0E+03 | Aquatic Habitat Goal | 5.0E+04 | | 1.0E+03 |
| Benzene | 4.6E+01 | Aquatic Habitat Goal | 2.0E+04 | 5.4E+02 | 4.6E+01 |
| Benzo(a)anthracene | 2.7E-02 | Aquatic Habitat Goal | 5.0E+00 | | 2.7E-02 |
| Benzo(b)fluoranthene | 2.9E-02 | Aquatic Habitat Goal | 7.0E+00 | | 2.9E-02 |
| Benzo(k)fluoranthene | 4.0E-01 | Ceiling Value | 4.0E-01 | | 3.7E+00 |
| Benzo(g,h,i)perylene | 1.0E-01 | Aquatic Habitat Goal | 1.3E-01 | | 1.0E-01 |
| Benzo(a)pyrene | 1.4E-02 | Aquatic Habitat Goal | 1.9E+00 | | 1.4E-02 |
| Beryllium | 5.3E-01 | Aquatic Habitat Goal | 5.0E+04 | | 5.3E-01 |
| 1,1-Biphenyl | 5.0E+00 | Ceiling Value | 5.0E+00 | (Use soil gas) | 1.4E+01 |
| Bis(2-chloroethyl) ether | 1.2E+01 | Aquatic Habitat Goal | 3.6E+03 | 6.5E+01 | 1.2E+01 |
| Bis(2-chloroisopropyl) ether | 1.2E+01 | Aquatic Habitat Goal | 3.2E+03 | (Use soil gas) | 1.2E+01 |
| Bis(2-ethylhexyl) phthalate | 3.2E+01 | Aquatic Habitat Goal | 6.5E+02 | | 3.2E+01 |
| Boron | 1.6E+00 | Aquatic Habitat Goal | 5.0E+04 | | 1.6E+00 |
| Bromodichloromethane | 1.7E+02 | Indoor Air Impacts | 5.0E+04 | 1.7E+02 | 1.1E+03 |
| Bromoform (Tribromomethane) | 1.1E+03 | Aquatic Habitat Goal | 5.1E+03 | | 1.1E+03 |
| Bromomethane | 1.6E+02 | Aquatic Habitat Goal | 5.0E+04 | 5.8E+02 | 1.6E+02 |
| Cadmium | 2.5E-01 | Aquatic Habitat Goal | 5.0E+04 | | 2.5E-01 |
| Carbon tetrachloride | 9.3E+00 | Indoor Air Impacts | 5.2E+03 | 9.3E+00 | 9.8E+00 |
| Chlordane | 4.0E-03 | Aquatic Habitat Goal | 2.5E+01 | | 4.0E-03 |
| p-Chloroaniline | 5.0E+00 | Aquatic Habitat Goal | 5.0E+04 | | 5.0E+00 |
| Chlorobenzene | 2.5E+01 | Aquatic Habitat Goal | 5.0E+02 | 1.3E+04 | 2.5E+01 |
| Chloroethane | 1.2E+01 | Aquatic Habitat Goal | 1.6E+02 | 8.2E+02 | 1.2E+01 |
| Chloroform | 3.3E+02 | Indoor Air Impacts | 2.4E+04 | 3.3E+02 | 6.2E+02 |
| Chloromethane | 4.1E+01 | Indoor Air Impacts | 5.0E+04 | 4.1E+01 | 1.1E+03 |
| 2-Chlorophenol | 1.8E+00 | Ceiling Value | 1.8E+00 | 5.3E+03 | 4.4E+02 |
| Chromium (total) | 1.8E+02 | Aquatic Habitat Goal | 5.0E+04 | | 1.8E+02 |
| Chromium III | 1.8E+02 | Aquatic Habitat Goal | 5.0E+04 | | 1.8E+02 |

Table F-1b. Groundwater Screening Levels
 (groundwater is not a current or potential drinking water resource)
 (µg/L)

| Chemical | Final Groundwater Screening Level | Basis | Gross Contamination Ceiling Value (Odors, etc.) | Vapor Intrusion Into Buildings | Aquatic Habitat Goal (Chronic) |
|---------------------------------------|-----------------------------------|----------------------|---|--------------------------------|--------------------------------|
| | | | Table I-2 | Table E-1a | Table F-4a |
| Chromium VI | 1.1E+01 | Aquatic Habitat Goal | 5.0E+04 | | 1.1E+01 |
| Chrysene | 3.5E-01 | Aquatic Habitat Goal | 8.0E-01 | (Use soil gas) | 3.5E-01 |
| Cobalt | 3.0E+00 | Aquatic Habitat Goal | 5.0E+04 | | 3.0E+00 |
| Copper | 3.1E+00 | Aquatic Habitat Goal | 5.0E+04 | | 3.1E+00 |
| Cyanide | 1.0E+00 | Aquatic Habitat Goal | 1.7E+03 | (Use soil gas) | 1.0E+00 |
| Dibenz(a,h)anthracene | 2.5E-01 | Ceiling Value | 2.5E-01 | | 7.5E+00 |
| Dibromochloromethane | 1.7E+02 | Indoor Air Impacts | 5.0E+04 | 1.7E+02 | 1.1E+03 |
| 1,2-dibromo-3-chloropropane | 2.0E-01 | Aquatic Habitat Goal | 1.0E+02 | (Use soil gas) | 2.0E-01 |
| 1,2-Dibromoethane | 1.5E+02 | Indoor Air Impacts | 5.0E+04 | 1.5E+02 | 1.4E+03 |
| 1,2-Dichlorobenzene | 1.4E+01 | Aquatic Habitat Goal | 1.0E+02 | 7.7E+04 | 1.4E+01 |
| 1,3-Dichlorobenzene | 6.5E+01 | Aquatic Habitat Goal | 5.0E+04 | (Use soil gas) | 6.5E+01 |
| 1,4-Dichlorobenzene | 1.5E+01 | Aquatic Habitat Goal | 1.1E+02 | 3.4E+02 | 1.5E+01 |
| 3,3-Dichlorobenzidine | 2.5E+02 | Aquatic Habitat Goal | 1.6E+03 | | 2.5E+02 |
| Dichlorodiphenyldichloroethane (DDD) | 1.0E-03 | Aquatic Habitat Goal | 8.0E+01 | | 1.0E-03 |
| Dichlorodiphenyldichloroethene (DDE) | 1.0E-03 | Aquatic Habitat Goal | 2.0E+01 | | 1.0E-03 |
| Dichlorodiphenyltrichloroethane (DDT) | 1.0E-03 | Aquatic Habitat Goal | 1.5E+00 | | 1.0E-03 |
| 1,1-Dichloroethane | 4.7E+01 | Aquatic Habitat Goal | 5.0E+04 | 1.0E+03 | 4.7E+01 |
| 1,2-Dichloroethane | 2.0E+02 | Indoor Air Impacts | 5.0E+04 | 2.0E+02 | 2.0E+03 |
| 1,1-Dichloroethene | 2.5E+01 | Aquatic Habitat Goal | 1.5E+04 | 6.3E+03 | 2.5E+01 |
| cis-1,2-Dichloroethene | 5.9E+02 | Aquatic Habitat Goal | 5.0E+04 | 6.2E+03 | 5.9E+02 |
| trans-1,2-Dichloroethene | 5.9E+02 | Aquatic Habitat Goal | 2.6E+03 | 6.7E+03 | 5.9E+02 |
| 2,4-Dichlorophenol | 3.0E+00 | Ceiling Value | 3.0E+00 | | 3.7E+01 |
| 1,2-Dichloropropane | 1.0E+02 | Ceiling Value | 1.0E+02 | 2.8E+02 | 1.5E+03 |
| 1,3-Dichloropropene | 2.4E+01 | Aquatic Habitat Goal | 5.0E+04 | 5.3E+01 | 2.4E+01 |
| Dieldrin | 1.9E-03 | Aquatic Habitat Goal | 9.3E+01 | | 1.9E-03 |
| Diethyl phthalate | 1.5E+00 | Aquatic Habitat Goal | 5.0E+04 | | 1.5E+00 |
| Dimethyl phthalate | 1.5E+00 | Aquatic Habitat Goal | 5.0E+04 | | 1.5E+00 |
| 2,4-Dimethylphenol | 1.1E+02 | Aquatic Habitat Goal | 4.0E+03 | 2.5E+06 | 1.1E+02 |
| 2,4-Dinitrophenol | 1.5E+01 | Aquatic Habitat Goal | 5.0E+04 | | 1.5E+01 |
| 2,4-Dinitrotoluene | 1.2E+02 | Aquatic Habitat Goal | 5.0E+04 | | 1.2E+02 |
| 1,4-Dioxane | 5.0E+04 | Ceiling Value | 5.0E+04 | | 3.4E+05 |
| Dioxin (2,3,7,8-TCDD) | 1.0E-06 | Aquatic Habitat Goal | 7.0E+03 | | 1.0E-06 |
| Endosulfan | 8.7E-03 | Aquatic Habitat Goal | 7.5E+01 | | 8.7E-03 |
| Endrin | 2.3E-03 | Aquatic Habitat Goal | 1.3E+02 | | 2.3E-03 |

Table F-1b. Groundwater Screening Levels
 (groundwater is not a current or potential drinking water resource)
 (µg/L)

| Chemical | Final Groundwater Screening Level | Basis | Gross Contamination Ceiling Value (Odors, etc.) | Vapor Intrusion Into Buildings | Aquatic Habitat Goal (Chronic) |
|-----------------------------------|-----------------------------------|----------------------|---|--------------------------------|--------------------------------|
| | | | Table I-2 | Table E-1a | Table F-4a |
| Ethylbenzene | 4.3E+01 | Aquatic Habitat Goal | 3.0E+02 | 1.7E+05 | 4.3E+01 |
| Fluoranthene | 8.0E+00 | Aquatic Habitat Goal | 1.3E+02 | | 8.0E+00 |
| Fluorene | 3.9E+00 | Aquatic Habitat Goal | 9.5E+02 | 1.9E+03 | 3.9E+00 |
| Heptachlor | 3.6E-03 | Aquatic Habitat Goal | 2.8E+01 | | 3.6E-03 |
| Heptachlor epoxide | 3.6E-03 | Aquatic Habitat Goal | 1.8E+02 | | 3.6E-03 |
| Hexachlorobenzene | 3.7E+00 | Aquatic Habitat Goal | 5.5E+01 | | 3.7E+00 |
| Hexachlorobutadiene | 9.3E-01 | Aquatic Habitat Goal | 6.0E+01 | | 9.3E-01 |
| γ-Hexachlorocyclohexane (Lindane) | 1.6E-02 | Aquatic Habitat Goal | 3.5E+03 | | 1.6E-02 |
| Hexachloroethane | 1.2E+01 | Aquatic Habitat Goal | 1.0E+02 | | 1.2E+01 |
| Indeno(1,2,3-c,d)pyrene | 4.8E-02 | Aquatic Habitat Goal | 2.7E-01 | | 4.8E-02 |
| Lead | 2.5E+00 | Aquatic Habitat Goal | 5.0E+04 | | 2.5E+00 |
| Mercury (elemental) | 2.5E-02 | Aquatic Habitat Goal | 5.0E+04 | (Use soil gas) | 2.5E-02 |
| Methoxychlor | 3.0E-03 | Aquatic Habitat Goal | 2.0E+01 | | 3.0E-03 |
| Methylene chloride | 2.2E+03 | Aquatic Habitat Goal | 5.0E+04 | 2.4E+03 | 2.2E+03 |
| Methyl ethyl ketone | 1.4E+04 | Aquatic Habitat Goal | 5.0E+04 | 2.4E+07 | 1.4E+04 |
| Methyl isobutyl ketone | 1.7E+02 | Aquatic Habitat Goal | 1.3E+04 | 3.0E+06 | 1.7E+02 |
| Methyl mercury | 3.0E-03 | Aquatic Habitat Goal | 5.0E+04 | | 3.0E-03 |
| 2-Methylnaphthalene | 2.1E+00 | Aquatic Habitat Goal | 1.0E+02 | 2.6E+04 | 2.1E+00 |
| tert-Butyl methyl ether | 1.8E+03 | Ceiling Value | 1.8E+03 | 2.4E+04 | 8.0E+03 |
| Molybdenum | 2.4E+02 | Aquatic Habitat Goal | 5.0E+04 | | 2.4E+02 |
| Naphthalene | 2.4E+01 | Aquatic Habitat Goal | 2.1E+02 | 3.2E+03 | 2.4E+01 |
| Nickel | 8.2E+00 | Aquatic Habitat Goal | 5.0E+04 | | 8.2E+00 |
| Pentachlorophenol | 7.9E+00 | Aquatic Habitat Goal | 5.9E+03 | | 7.9E+00 |
| Perchlorate | 6.0E+02 | Aquatic Habitat Goal | 5.0E+04 | | 6.0E+02 |
| Phenanthrene | 4.6E+00 | Aquatic Habitat Goal | 4.1E+02 | (Use soil gas) | 4.6E+00 |
| Phenol | 2.6E+02 | Aquatic Habitat Goal | 5.0E+04 | | 2.6E+02 |
| Polychlorinated biphenyls (PCBs) | 1.4E-02 | Aquatic Habitat Goal | 1.6E+01 | | 1.4E-02 |
| Pyrene | 2.0E+00 | Aquatic Habitat Goal | 6.8E+01 | 1.4E+02 | 2.0E+00 |
| Selenium | 5.0E+00 | Aquatic Habitat Goal | 5.0E+04 | | 5.0E+00 |
| Silver | 1.9E-01 | Aquatic Habitat Goal | 5.0E+04 | | 1.9E-01 |
| Styrene | 1.0E+02 | Aquatic Habitat Goal | 1.1E+02 | 3.1E+05 | 1.0E+02 |
| tert-Butyl alcohol | 1.8E+04 | Aquatic Habitat Goal | 5.0E+04 | (Use soil gas) | 1.8E+04 |
| 1,1,1,2-Tetrachloroethane | 9.3E+02 | Aquatic Habitat Goal | 5.0E+04 | (Use soil gas) | 9.3E+02 |
| 1,1,2,2-Tetrachloroethane | 1.9E+02 | Indoor Air Impacts | 5.0E+03 | 1.9E+02 | 2.4E+02 |

Table F-1b. Groundwater Screening Levels
(groundwater is not a current or potential drinking water resource)
(µg/L)

| Chemical | ¹ Final Groundwater Screening Level | Basis | Gross Contamination Ceiling Value (Odors, etc.) | Vapor Intrusion Into Buildings | Aquatic Habitat Goal (Chronic) |
|--------------------------|--|----------------------|--|-----------------------------------|--------------------------------------|
| | | | Table I-2 | Table E-1a | Table F-4a |
| Tetrachloroethene | 1.2E+02 | Aquatic Habitat Goal | 3.0E+03 | 1.2E+02 | 1.2E+02 |
| Thallium | 4.0E+00 | Aquatic Habitat Goal | 5.0E+04 | | 4.0E+00 |
| Toluene | 1.3E+02 | Aquatic Habitat Goal | 4.0E+02 | 3.8E+05 | 1.3E+02 |
| Toxaphene | 2.0E-04 | Aquatic Habitat Goal | 1.4E+02 | | 2.0E-04 |
| TPH (gasolines) | 2.1E+02 | Aquatic Habitat Goal | 5.0E+03 | (Use soil gas) | 2.1E+02 |
| TPH (middle distillates) | 2.1E+02 | Aquatic Habitat Goal | 2.5E+03 | (Use soil gas) | 2.1E+02 |
| TPH (residual fuels) | 2.1E+02 | Aquatic Habitat Goal | 2.5E+03 | | 2.1E+02 |
| 1,2,4-Trichlorobenzene | 2.5E+01 | Aquatic Habitat Goal | 3.0E+04 | 2.5E+03 | 2.5E+01 |
| 1,1,1-Trichloroethane | 6.2E+01 | Aquatic Habitat Goal | 5.0E+04 | 1.3E+05 | 6.2E+01 |
| 1,1,2-Trichloroethane | 3.5E+02 | Indoor Air Impacts | 5.0E+04 | 3.5E+02 | 9.4E+02 |
| Trichloroethene | 3.6E+02 | Aquatic Habitat Goal | 5.0E+04 | 5.3E+02 | 3.6E+02 |
| 2,4,5-Trichlorophenol | 1.1E+01 | Aquatic Habitat Goal | 2.0E+03 | 8.3E+05 | 1.1E+01 |
| 2,4,6-Trichlorophenol | 9.7E+01 | Aquatic Habitat Goal | 1.0E+03 | | 9.7E+01 |
| Vanadium | 1.9E+01 | Aquatic Habitat Goal | 5.0E+04 | | 1.9E+01 |
| Vinyl chloride | 3.8E+00 | Indoor Air Impacts | 3.4E+04 | 3.8E+00 | 7.8E+02 |
| Xylenes | 1.0E+02 | Aquatic Habitat Goal | 5.3E+03 | 1.6E+05 | 1.0E+02 |
| Zinc | 8.1E+01 | Aquatic Habitat Goal | 5.0E+04 | | 8.1E+01 |

Notes:

1. Lowest of groundwater Ceiling Value, Indoor-Air Impact goal and Aquatic Habitat Goal. Used to develop soil leaching levels for protection of groundwater quality.

NV: No Value. Use of soil gas screening levels recommended for chemicals with inadequate physio-chemical constant data for groundwater models.

TPH -Total Petroleum Hydrocarbons. See text for discussion of different TPH categories.

sol - solubility threshold

Category includes groundwater that does not meet drinking water quality requirements under natural conditions (e.g., excessive total dissolved solids) AND/OR situated in strata that lack adequate aquifer characteristics AND is not likely to otherwise directly impact a source of drinking water.

Ceiling Level: Odor threshold, 1/2 solubility or 50000 µg/L maximum, whichever is lower. Intended to limit nuisances and general resource degradation.

Odor-thresholds assume ten-fold dilution of groundwater upon mixing with surface water.

Indoor Air Impact: Addresses potential emission of volatile chemicals from groundwater and subsequent impact on indoor air.

Value for permeable (e.g., coarse-grained soils).

Aquatic Life Protection: Addresses potential discharge of groundwater to surface waterbody and subsequent impact on aquatic life; screening levels assume no dilution upon discharge to surface water unless otherwise noted.