

FACSIMILE TRANSMITTAL

| | |
|--------------|---------------------|
| TO | OFSA |
| ATTENTION | STEPHEN CRAFOIRD |
| FROM | DAVE KLETTE |
| DATE & TIME | FRI. 5/21/99 9:00am |
| FAX NUMBER | 238-7761 |
| NO. OF PAGES | 13 |

COMMENTS: RESULTS OF SOIL/H₂O SAMPLING
FOR MF8/9/10. PLEASE TRANSFER TO ALCODED.
MOIA SOUTH FIELD, TAXIWAY U



PORT OF OAKLAND

Environmental Health &
Safety Compliance
530 Water Street, 2nd Floor
Oakland, CA 94607

FAX: (510) 451-5916
PHONE: (510) 272-1529



Sequoia Analytical

690 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8
1455 McDowell Blvd, North, Ste. D
1551 Industrial Road

Redwood City, CA 94061 (650) 364-9600 FAX (650) 364-9233
Walnut Creek, CA 94598 (925) 988-9600 FAX (925) 988-9673
Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100
Petaluma, CA 94954 (707) 792-1865 FAX (707) 792-0342
San Carlos, CA 94070-4111 (650) 232-9600 FAX (650) 232-9612

Port of Oakland
530 Water Street
Oakland, CA 94607
Attention: Dale Klettke

Client Project ID: N/A
Sample Matrix: Water
Analysis Method: EPA 5030/8015 Mod./8020
First Sample #: 904-2660

Sampled: Apr 30, 1999
Received: Apr 30, 1999
Reported: May 17, 1999

QC Batch Number: GC050699 GC050699
802004A 802004A

TOTAL PURGEABLE PETROLEUM HYDROCARBONS with BTEX / MTBE

| Analyte | Reporting Limit µg/L | Sample I.D. 904-2660 Gas Pit | Sample I.D. 904-2661 Diesel Pit |
|------------------------|-------------------------|------------------------------------|---------------------------------------|
| Purgeable Hydrocarbons | 50 | 42,000 | 120,000 |
| Benzene | 0.50 | 620 | N.D. |
| Toluene | 0.50 | 3,100 | N.D. |
| Ethyl Benzene | 0.50 | 270 | N.D. |
| Total Xylenes | 0.50 | 8,900 | N.D. |
| MTBE | 2.5 | 15,000 | N.D. |

*AFTER 2 PURGING
FINAL RESULTS*

Chromatogram Pattern: Gasoline Unidentified Hydrocarbons >C7

Quality Control Data

| | | |
|---|--------|--------|
| Report Limit Multiplication Factor: | 400 | 1,000 |
| Date Analyzed: | 5/6/99 | 5/6/99 |
| Instrument Identification: | HP-4 | HP-4 |
| Surrogate Recovery. %: (QC Limits = 70-130%) | 91 | 89 |

Purgeable Hydrocarbons are quantitated against a fresh gasoline standard.
Analytes reported as N.D. were not detected above the stated reporting limit.

SEQUOIA ANALYTICAL, #1271

Melissa A. Brewer

Melissa A. Brewer
Project Manager





Sequoia Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8
1455 McDowell Blvd. North, Ste. D
1351 Industrial Road

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834
Petaluma, CA 94954
San Carlos, CA 94070-4111

(650) 364-9600
(925) 988-9600
(916) 921-9600
(707) 792-1865
(650) 232-9600

FAX (650) 364-9233
FAX (925) 988-9673
FAX (916) 921-0100
FAX (707) 792-0342
FAX (650) 232-9612

| | | |
|---|--|---|
| Port of Oakland 530 Water Street Oakland, CA 94607 Attention: Dale Klettke | Client Project ID: N/A Sample Matrix: Water Analysis Method: EPA 3510/3630/8015 Mod. First Sample #: 904-2660 | Sampled: Apr 30, 1999 Received: Apr 30, 1999 Reported: May 17, 1999 |
| QC Batch Number: | SP050399 SP050399 8015EXB 8015EXB | |

TOTAL EXTRACTABLE PETROLEUM HYDROCARBONS WITH SILICA GEL CLEANUP

| Analyte | Reporting Limit µg/L | Sample I.D. 904-2660 Gas Pit | Sample I.D. 904-2661 Diesel Pit |
|--------------------------|-------------------------|------------------------------------|---------------------------------------|
| Extractable Hydrocarbons | 50 | 1,700 | 54,000 |

*AFTER 2 PURGINGS
FINAL RESULTS*

Chromatogram Pattern: Unidentified Hydrocarbons C9 - C24 Diesel

Quality Control Data

| | | |
|-------------------------------------|---------|---------|
| Report Limit Multiplication Factor: | 5.0 | 20 |
| Date Extracted: | 5/3/99 | 5/3/99 |
| Date Analyzed: | 5/11/99 | 5/11/99 |
| Instrument Identification: | HP-3A | HP-3A |

Extractable Hydrocarbons are quantitated against a fresh diesel standard.
Analytes reported as N.D. were not detected above the stated reporting limit.

SEQUOIA ANALYTICAL, #1271

Melissa A. Brewer

Melissa A. Brewer
Project Manager



20F4



Sequoia Analytical

600 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8
1455 McDowell Blvd. North, Ste D
1551 Industrial Road

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834
Petaluma, CA 94954
San Carlos, CA 94070-4111

(650) 364-9600 FAX (650) 364-9233
(925) 988-9600 FAX (925) 988-9673
(916) 921-9600 FAX (916) 921-0100
(707) 792-1865 FAX (707) 792-0342
(650) 232-9600 FAX (650) 232-9612

Port of Oakland
530 Water Street
Oakland, CA 94607
Attention: Dale Klettke

Client Project ID: N/A
Sample Descript: Water, Gas Pit
Analysis Method: EPA 8260
Lab Number: 904-2660

Sampled: Apr 30, 1999
Received: Apr 30, 1999
Analyzed: May 13, 1999
Reported: May 17, 1999

QC Batch Number: MS0512998260S2A
Instrument ID: GC/MS-2

MTBE by EPA 8260

| Analyte | Detection Limit µg/L | Sample Results µg/L |
|-----------------------------|-------------------------|----------------------------|
| Methyl T-Butyl Ether (MTBE) | 400 | 20,000 VS 15,000 (8020) |
| Surrogates | Control Limit % | % Recovery |
| Dibromofluoromethane | 50 | 150 |
| | | 102 |

Analytes reported as N.D. were not present above the stated limit of detection. Because matrix effects and/or other factors required additional sample dilution, detection limits for this sample have been raised

SEQUOIA ANALYTICAL, #1271

Melissa A. Brewer

Melissa A. Brewer
Project Manager



30F 4



SEQUOIA ANALYTICAL CHAIN OF CUSTODY

J 819 Striker Ave., Suite 8 • Sacramento, CA 95834 • (916) 921-9600 FAX (916) 921-0100
 J 404 N. Wiget Lane • Walnut Creek, CA 94598 • (925) 988-9600 FAX (925) 988-9673
 J 1455 McDowell Blvd, North, Suite D • Petaluma, CA 94954 • (707) 792-1865 FAX (707) 792-0342
 J 1551 Industrial Road • San Carlos, CA 94070 • (650) 232-9600 FAX (650) 232-9612

05/17/99 12:49 :06/06 NO:504

925 988 9673

SEQUOIA ANALYTICAL

4064

| | | | |
|--------------------------------------|----------------------|---|----------------|
| Company Name: <u>Port of Oak</u> | | Project Name: | |
| Mailing Address: <u>530 Water St</u> | | Billing Address (if different): | |
| City: <u>Oakland</u> | State: <u>CA</u> | Zip Code: | <u>9904716</u> |
| Telephone: <u>(510) 272-1118</u> | | FAX #: | P.O. #: |
| Report To: | Sampler: <u>Kent</u> | QC Data: <input type="checkbox"/> Level II (Standard) <input type="checkbox"/> Chromatograms <input type="checkbox"/> Level III <input type="checkbox"/> Level IV | |

| | | | | |
|------------------|--|--|--|--------------------|
| Turnaround Time: | <input checked="" type="checkbox"/> Standard 10-15 Working Days <input type="checkbox"/> 7 Working Days <input type="checkbox"/> 5 Working Days <input type="checkbox"/> 3 Working Days | <input type="checkbox"/> 2 Working Days <input type="checkbox"/> 1 Working Day <input type="checkbox"/> ASAP | <input type="checkbox"/> Drinking Water <input checked="" type="checkbox"/> Waste Water <input type="checkbox"/> Other | Analyses Requested |
|------------------|--|--|--|--------------------|


| Client Sample I.D. | Date/Time Sampled | Matrix Desc. | # of Cont | Cont. Type | Sequoia's Sample # | IPHG | IPHD | BTEx | MTBE | Comments |
|-----------------------|--------------------|--------------|-----------|------------|--------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------|
| 1. gas pit | 4/30/99 9:30 AM | W | 1 | Jar | 9042660 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | 8260 IF Hit |
| 2. gas pit | 4/30/99 9:30 | W | 3 | var | A-D | | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | on MTBE |
| 3. Diesel pit | 4/30/99 9:20 | W | 1 | Tar | 9042661 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | 2.0 hrs |
| 4. Diesel pit | 4/30/99 9:20 AM | W | 3 | var | A-D | | | <input checked="" type="checkbox"/> | | |
| 5. | | | | | | | | | | |
| 6. | | | | | | | | | | |
| 7. | | | | | | | | | | |
| 8. | | | | | | | | | | |
| 9. | | | | | | | | | | |
| 10. | | | | | | | | | | |

Pink - Client

Yellow - Sequoia

White - Sequoia

| | | | | | |
|-------------------------------------|----------------------|----------------------|--|----------------------|----------------------|
| Relinquished By: <u>[Signature]</u> | Date: <u>4/30/99</u> | Time: <u>9:35 AM</u> | Received By: <u>[Signature]</u> | Date: <u>4/30/99</u> | Time: <u>9:35 AM</u> |
| Relinquished By: <u>[Signature]</u> | Date: <u>4/30/99</u> | Time: <u>12:00</u> | Received By: | Date: | Time: |
| Relinquished By: | Date: | Time: | Received By Lab: <u>Ronald C. Jensen</u> | Date: <u>4/30/99</u> | Time: <u>12:00</u> |



MOBILE CHEM LABS INC.

1678 Reñez Valley Road • Lafayette, CA 94549
Phone (510) 945-1266 • Fax (510) 943-6884

OAKLAND AIRPORT

INITIAL SAMPLING
BEFORE UST REMOVALS


Date Reported: 4/22/99

Reported By: CHOSKE

Lab Cert: 2131 RT-8700

ppb -or- ppm

| SAMPLE DES. | SAMPLE # | TPH | B | T | X | E | M |
|-------------|----------|--------|----------|---------|--------|----------|----------|
| 101 | V049004 | TPH 42 | B <0.005 | T 0.039 | X 0.41 | E 0.036 | M <0.005 |
| 102 | 005 | TPH 17 | B <0.005 | T 0.025 | X 0.86 | E <0.005 | M <0.005 |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |
| | | TPH | B | T | X | E | M |

| | |
|---|---|
|  McCAMPBELL ANALYTICAL INC. | : 110 2nd Avenue South, #D7, Pacheco, CA 94553-5560 Telephone : 925-798-1620 Fax : 925-798-1622 http://www.mccampbell.com E-mail: main@mccampbell.com |
|---|---|

| | | |
|---|------------------------------------|--------------------------|
| EnviroClean, Inc. 2820 E. 18 th Street Antioch, CA 94509 | Client Project ID: Oakland Airport | Date Sampled: 04/26/99 |
| | | Date Received: 04/27/99 |
| | Client Contact: Dianne Summers | Date Extracted: 04/27/99 |
| | Client P.O: | Date Analyzed: 04/27/99 |

05/04/99


Dear Dianne:

Enclosed are:

- 1). the results of 8 samples from your Oakland Airport project,
- 2). a QC report for the above samples
- 3). a copy of the chain of custody, and
- 4). a bill for analytical services.


All analyses were completed satisfactorily and all QC samples were found to be within our control limits. If you have any questions please contact me. McCampbell Analytical Laboratories strives for excellence in quality, service and cost. Thank you for your business and I look forward to working with you again.

Yours truly,



Edward Hamilton, Lab Director

CONFIRMATION
SOIL SAMPLING
AFTER JST REMOVALS
Pg. 1 OF 5

| | |
|---|---|
|  McCAMPBELL ANALYTICAL INC. | 110 2nd Avenue South, #D7, Pacheco, CA 94553-5560 Telephone : 925-798-1620 Fax : 925-798-1622 http://www.mccampbell.com E-mail: main@mccampbell.com |
|---|---|

| | | |
|---|------------------------------------|-------------------------------|
| EnviroClean, Inc. 2820 E. 18 th Street Antioch, CA 94509 | Client Project ID: Oakland Airport | Date Sampled: 04/26/99 |
| | Client Contact: Dianne Summers | Date Received: 04/27/99 |
| | Client P.O: | Date Extracted: 04/27/99 |
| | | Date Analyzed: 04/27-04/28/99 |

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline*, with Methyl tert-Butyl Ether* & BTEX*
 EPA methods 5030, modified 8015, and 8020 or 602; California RWQCB (SF Bay Region) method GCFID(5030)


| Lab ID | Client ID | Matrix | TPH(g)* | MTBE | Benzene | Toluene | Ethylbenzene | Xylenes | % Recovery Surrogate |
|--|-----------|-----------|---------|-------|---------|---------|--------------|---------|----------------------|
| 09971 | T1-A | S | ND | ND | ND | ND | ND | ND | 97 |
| 09972 | T1-B | S | ND | ND | ND | ND | ND | ND | 95 |
| 09973 | T1-C | S | 4300,b | ND<3 | 1.4 | 87 | 65 | 540 | 98 |
| 09974 | T1-D | S | 4100,bj | 5.5 | 1.4 | 48 | 45 | 420 | 98 |
| 09975 | T3-A | S | ND | ND | ND | ND | ND | ND | 99 |
| 09976 | T3-B | S | ND | ND | ND | ND | ND | ND | 92 |
| 09977 | T2-A | S | 3000,g | ND<1 | ND<0.05 | 1.2 | 3.4 | 38 | 106 |
| 09978 | T2-B | S | 680,g | ND<2 | ND<0.1 | 1.5 | 2.3 | 20 | 91 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Reporting Limit unless otherwise stated; ND means not detected above the reporting limit | W | 50 ug/L | 5.0 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | |
| | S | 1.0 mg/kg | 0.05 | 0.005 | 0.005 | 0.005 | 0.005 | 0.005 | |

* water and vapor samples are reported in ug/L, wipe samples in ug/wipe, soil and sludge samples in mg/kg, and all TCLP and SPLP extracts in ug/L


* cluttered chromatogram; sample peak coelutes with surrogate peak

* The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (?); f) one to a few isolated peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen is present; i) liquid sample that contains greater than ~5 vol. % sediment; j) no recognizable pattern.

DHS Certification No. 1644

 Edward Hamilton, Lab Director

CONFIRMATION
 SOIL SAMPLING
 pg. 2 of 5

| | |
|---|---|
|  McCAMPBELL ANALYTICAL INC. | 110 2nd Avenue South, #D7, Pacheco, CA 94553-5560 Telephone : 925-798-1620 Fax : 925-798-1622 http://www.mccampbell.com E-mail: main@mccampbell.com |
| | (blank space) |

| | | |
|---|------------------------------------|-------------------------------|
| EnviroClean, Inc. 2820 E. 18 th Street Antioch, CA 94509 | Client Project ID: Oakland Airport | Date Sampled: 04/26/99 |
| | | Date Received: 04/27/99 |
| | Client Contact: Dianne Summers | Date Extracted: 04/27/99 |
| | Client P.O: | Date Analyzed: 04/27-04/30/99 |

Diesel Range (C10-C23) Extractable Hydrocarbons as Diesel *
 EPA methods modified 8015, and 3550 or 3510; California RWQCB (SF Bay Region) method GCFID(3550) or GCFID(3510)

| Lab ID | Client ID | Matrix | TPH(d) ⁺ | % Recovery Surrogate |
|--|-----------|--------|---------------------|----------------------|
| 09971 | T1-A | S | ND | 101 |
| 09972 | T1-B | S | ND | 99 |
| 09973 | T1-C | S | 3200,d,b,g | 115 |
| 09974 | T1-D | S | 6200,d,b,g | 110 |
| 09975 | T3-A | S | ND | 99 |
| 09976 | T3-B | S | 3.9,b | 99 |
| 09977 | T2-A | S | 39,000,a,d,g | 108 |
| 09978 | T2-B | S | 23,000,a,d,g | 104 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Reporting Limit unless otherwise stated; ND means not detected above the reporting limit | W | | 50 ug/L | |
| | S | | 1.0 mg/kg | |

* water and vapor samples are reported in ug/L, wipe samples in ug/wipe, soil and sludge samples in mg/kg, and all TCLP/STLC/SPLP extracts in ug/L

† cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

**The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified diesel is significant; b) diesel range compounds are significant; no recognizable pattern; c) aged diesel? is significant; d) gasoline range compounds are significant; e) medium boiling point pattern that does not match diesel (?); f) one to a few isolated peaks present; g) oil range compounds are significant; h) lighter than water immiscible sheen is present; i) liquid sample that contains greater than ~5 vol. % sediment.

DHS Certification No. 1644

EHM Edward Hamilton, Lab Director

*SOIL SAMPLING
pg. 30 of 5*

| | |
|----------------------------|--|
| McCAMPBELL ANALYTICAL INC. | 110 2nd Avenue South, #D7, Pacheco, CA 94553 Tele: 925-798-1620 Fax: 925-798-1622 |
|----------------------------|--|

QC REPORT FOR HYDROCARBON ANALYSES

Date: 04/27/99

Matrix: SOIL

| Analyte | Concentration (mg/kg) Sample (#01961) | | | Amount Spiked | % Recovery | | RPD |
|--------------------------|---|-------|-------|------------------|------------|-----|-----|
| | MS | MSD | MSD | | MS | MSD | |
| TPH (gas) | 0.000 | 2.017 | 1.976 | 2.03 | 99 | 97 | 2.1 |
| Benzene | 0.000 | 0.204 | 0.216 | 0.2 | 102 | 108 | 5.7 |
| Toluene | 0.000 | 0.212 | 0.222 | 0.2 | 106 | 111 | 4.6 |
| Ethylbenzene | 0.000 | 0.206 | 0.212 | 0.2 | 103 | 106 | 2.9 |
| Xylenes | 0.000 | 0.606 | 0.624 | 0.6 | 101 | 104 | 2.9 |
| TPH(diesel) | 0 | 324 | 307 | 300 | 108 | 102 | 5.3 |
| TRPH (oil and grease) | 0.0 | 22.7 | 22.8 | 20.8 | 109 | 110 | 0.4 |

$\% \text{ Rec.} = (\text{MS} - \text{Sample}) / \text{amount spiked} \times 100$

$\text{RPD} = (\text{MS} - \text{MSD}) / (\text{MS} + \text{MSD}) \times 2 \times 100$

SOIL SAMPLING
Pg. 4 OF 5



Helding Law & Associates
 343 Fourth Street, Third Floor
 Oakland, California 94607
 (510) 484-1001

(925) 779-9501

CHAIN OF CUSTODY FORM

14868 zel.doc Lab: Nº 2161

ENVIROCLEAN, Inc.
 2820 EAST 18TH ST
 ANTIPOCH, CA 94509

Job Number: _____

Name/Location: OAKLAND AIRPORT

Project Manager: DIANNE SUMMERS
 Cell (510) 715-3251

Recorder: [Signature]
 (Signature Required)

| SOURCE CODE | MATRIX | | | | | # CONTAINERS & PRESERV. | | | | SAMPLE NUMBER OR LAB NUMBER | | | DATE | | | | |
|-------------|--------|----------|------|-----|--|-------------------------|------------------|------------------|-----|-----------------------------|----|----|------|----|----|------|------|
| | Water | Sediment | Soil | Oil | | Unpres. | H ₂ O | HNO ₃ | HCL | Ice | Yr | Wk | Seq | Yr | Mo | Day | Time |
| | | | | | | | | | | | | | | | | | |
| | | X | X | | | 1 | | | | | | | 99 | 04 | 26 | 1500 | |
| | | X | X | | | 1 | | | | | | | 99 | 04 | 26 | 1502 | |
| | | X | X | | | 1 | | | | | | | 99 | 04 | 26 | 1509 | |
| | | X | X | | | 1 | | | | | | | 99 | 04 | 26 | 1510 | |
| | | X | X | | | 1 | | | | | | | | | | 1519 | |
| | | X | X | | | 1 | | | | | | | | | | 1529 | |
| | | X | X | | | 1 | | | | | | | | | | 1515 | |
| | | X | X | | | 1 | | | | | | | | | | 1532 | |

STATION DESCRIPTION/NOTES

| ANALYSIS REQUESTED | | | | | |
|--------------------|--------------|--------------|--------------|------------------|---|
| EPA 801/8010 | EPA 602/8020 | EPA 624/8240 | EPA 625/8270 | METALS | |
| | | | | EPA 8015M (TRig) | X |
| | | | | EPA 8020 (TE) | X |
| | | | | EPA 8015M (PHid) | X |
| | | | | +MTB | X |

| LAB NUMBER | | | DEPTH IN FEET | COL MTD CD | QA CODE | MISCELLANEOUS |
|------------|----|-----|---------------|------------|---------|--|
| Yr | Wk | Seq | | | | |
| | | | | | | STANDARD TURN AROUND TIME PHONE (FAX) (925) 779-9502 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| CHAIN OF CUSTODY RECORD | | | |
|--|--|----------------------------------|-----------|
| RELINQUISHED BY: (Signature) <u>[Signature]</u> | RECEIVED BY: (Signature) <u>[Signature]</u> | DATE/TIME 4-27-99 11:47 | |
| RELINQUISHED BY: (Signature) <u>[Signature]</u> | RECEIVED BY: (Signature) | DATE/TIME | |
| RELINQUISHED BY: (Signature) | RECEIVED BY: (Signature) | DATE/TIME | |
| RELINQUISHED BY: (Signature) | RECEIVED BY: (Signature) | DATE/TIME | |
| DISPATCHED BY: (Signature) | DATE/TIME | RECEIVED FOR LAB BY: (Signature) | DATE/TIME |
| SAMPLE CONDITION WHEN RECEIVED BY THE LABORATORY | | | |

ICE: GOOD CONDITION
 HEADSPACE ABSENT
 PRESERVATION APPROPRIATE CONTAINERS

Laboratory Copy White
 Project Office Copy Yellow
 Field or Office Copy Pink

(510) 614-1900

09. 5015

FROM : ENVIROCLEAN, Inc. PHONE NO. : 510 779 9502 May. 19 1999 12:53PM P6