

1900 Powell Street, 12th Floor Emeryville, California 94608-1827 (510) 652-4500, FAX (510) 652-2246 FAX TRANSMISSION: This cover page plus 1 page.

Date	February 28, 1997
Time	1:27PM
From	Shellie Fletcher
Project No.	

Deliver To	Name Of Firm	FAX Number
Ed Herbst	Herbst Engineering	916-422-3506
Amy Leach	Alameda County Health	337-9335
	Department	

THE INFORMATION CONTAINED IN THIS FACSIMILE IS CONFIDENTIAL AND IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED. IF YOU ARE NOT THE INTENDED RECIPIENT, OR THE PERSON RESPONSIBLE FOR DELIVERING IT TO THE INTENDED RECIPIENT, DO NOT USE OR DISCLOSE THIS FACSIMILE. IF YOU HAVE RECEIVED THIS FACSIMILE IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE AND RETURN THE ORIGINAL TO LEVINE-FRICKE-RECON VIA THE U.S. POSTAL SERVICE. THANK YOU,

Comments:

Ed and Amy - I am faxing over the analytical data for the soil and water samples collected at Mr. Doug Day's property located at East 14th Street, Oakland.

Ed - Please transmit a copy of the analytical report to your client, Mr. Day. I will send you a hard copy in the mail for your and Mr. Days files. Please remember that Levine-Fricke-Recon Inc. (LFR) is not providing regulatory interface for this project, therefore, I will not be contacting Amy in regards to the content of this data or the status of the project. I will be on vacation until March 18, 1997. If you should need any samples collected during that time, please contact Jym Schwartz. Please give me a call if you have any questions.

- Shellie



Certificate of Analysis

DOHS Certification: 1172____

AIHA Accreditation: 11134

PAGE 1

LEVINE-FRICKE-RECON 1900 POWELL ST. 12TH FL. EMERYVILLE, CA 94608

ATTN: SHELLIE FLETCHER CLIENT PROJ. ID: 5827.00

CLIENT PROJ. ID: 5827.00 CLIENT PROJ. NAME: E. 14TH STREET

C.O.C. NUMBER: 1079

REPORT DATE: 02/10/97

DATE(\$) SAMPLED: 01/16/97

DATE RECEIVED: 01/17/97

AEN WORK ORDER: 9701158

PROJECT SUMMARY:

On January 17, 1997, this laboratory received (1 water sample(s).

Client requested sample(s) be analyzed for chemical parameters. Results of analysis are summarized on the following page(s). Please see quality control report for a summary of QC data pertaining to this project.

Samples will be stored for 30 days after completion of analysis, then disposed of in accordance with State and Federal regulations. Samples may be archived by prior arrangement.

If you have any questions, please contact Client Services at (510) 930-9090.

Larra Klein

Laboratory Director

PAGE 2

LEVINE-FRICKE-RECON

SAMPLE ID: EXGW AEN LAB NO: 9701158-01

AEN WORK ORDER: 9701158 CLIENT PROJ. ID: 5827.00 DATE SAMPLED: 01/16/97 DATE RECEIVED: 01/17/97 REPORT DATE: 02/10/97

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT	UNITS	DATE ANALYZED
BTEX & Gasoline HCs Benzene Toluene Ethylbenzene	EPA 8020 71-43-2 108-88-3 100-41-4	ND ND ND	0.5	ug/L ug/L ug/L	01/27/97 01/27/97 01/27/97
Xylenes, Total Purgeable HCs as Gasoline Methyl t-Butyl Ether	1330-20-7 5030/GCFID 1634-04-4	ND 1.1 * ND	0.05	ug/L	01/27/97 01/27/97 01/27/97
#Extraction for TPH	EPA 3510	-		Extrn Date	01/27/97
TPH as Diesel	GC-FID	3.8 *	0.2	mg/L	01/31/97
Volatile Organic Compounds Acetone Benzene Bromodichloromethane Bromomethane Bromomethane 2-Butanone Carbon Disulfide Carbon Tetrachloride Chlorobenzene Chloroethane 2-Chloroethyl Vinyl Ether Chloroform Chloromethane Dibromochloromethane 1.1-Dichloroethane	EPA 8240 67-64-1 71-43-2 75-27-4 75-25-2 74-83-9 78-93-3 75-15-0 56-23-5 108-90-7 75-00-3 110-75-8 67-66-3 74-87-3 124-48-1 75-34-3	ND ND ND ND ND ND ND ND ND ND	5 5 10 100 10 5 10 5 10 5 5	ug/L ug/L ug/L ug/L ug/L ug/L ug/L ug/L	01/27/97 01/27/97 01/27/97 01/27/97 01/27/97 01/27/97 01/27/97 01/27/97 01/27/97 01/27/97 01/27/97 01/27/97
1,2-Dichloroethane 1,1-Dichloroethene cis-1,2-Dichloroethene trans-1,2-Dichloroethene 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Ethylbenzene 2-Hexanone Methylene Chloride 4-Methyl-2-pentanone Styrene 1,1,2,2-Tetrachloroethane Tetrachloroethene	107-06-2 75-35-4 156-59-2 156-60-5 78-87-5 10061-01-5 10061-02-6 100-41-4 591-78-6 75-09-2 108-10-1 100-42-5 79-34-5 127-18-4	ND ND ND ND ND ND ND ND ND ND ND ND	555555500555 500555	ug/L ug/L ug/L ug/L ug/L ug/L ug/L ug/L	01/27/97 01/27/97 01/27/97 01/27/97 01/27/97 01/27/97 01/27/97 01/27/97 01/27/97 01/27/97 01/27/97

PAGE 3

LEVINE-FRICKE-RECON

SAMPLE ID: EXGW

AEN LAB NO: 9701158-01 AEN WORK ORDER: 9701158 CLIENT PROJ. ID: 5827.00

DATE SAMPLED: 01/16/97 DATE RECEIVED: 01/17/97 REPORT DATE: 02/10/97

ANALYTE	METHOD/ CAS#	RESULT	REPORTING LIMIT UNITS	DATE ANALYZED
Toluene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethene Vinyl Acetate Vinyl Chloride Xylenes, Total	108-88-3 71-55-6 79-00-5 79-01-6 108-05-4 75-01-4 1330-20-7	ND ND ND ND ND ND	5 ug/L 5 ug/L 5 ug/L 5 ug/L 50 ug/L 10 ug/L	01/27/97 01/27/97 01/27/97 01/27/97 01/27/97 01/27/97
#Water Extrn for HCs		-	Extrn' Date	01/29/97
Hydrocarbons (IR)	SM 5520F	3.5 *	0.5 mg/L	01/31/97
Oil & Grease (IR)	SM 5520C	4.1 *	0.5 mg/L	01/31/97

Reporting limit elevated for diesel due to high level of target compound. Sample run at dilution.

ND = Not detected at or above the reporting limit
* = Value at or above reporting limit

PAGE 4

AEN (CALIFORNIA) QUALITY CONTROL REPORT

AEN JOB NUMBER: 9701158

CLIENT PROJECT ID: 5827.00

Quality Control Summary

All laboratory quality control parameters were found to be within established limits.

Definitions

Laboratory Control Sample (LCS)/Method Spike(s): Control samples of known composition. LCS and Method Spike data are used to validate batch enalytical results.

Matrix Spike(s): Aliquet of a sample (aqueous or solid) with added quantities of specific compounds and subjected to the entire analytical procedure. Matrix spike and matrix spike duplicate QC data are advisory.

Method Blank: An analytical control consisting of all reagents, internal standards, and surrogate standards carried through the entire analytical process. Used to monitor laboratory background and reagent contamination.

Not Detected (ND): Not detected at or above the reporting limit.

Relative Percent Difference (RPD): An indication of method precision based on duplicate analysis.

Reporting Limit (RL): The lowest concentration routinely determined during laboratory operations. The RL is generally 1 to 10 times the Method Detection Limit (MDL). Reporting limits are matrix, method, and dependent and take into account any dilutions performed as part of the analysis.

Surrogates: Organic compounds which are similar to analytes of interest in chemical behavior, but are not found in environmental samples. Surrogates are added to all blanks, calibration and check standards, samples, and spiked samples. Surrogate recovery is monitored as an indication of acceptable sample preparation and instrumental performance.

- D: Surrogates diluted out.
- #: Indicates result outside of established laboratory OC limits.

PAGE 5

QUALITY CONTROL DATA

METHOD: SM 5520

AEN JOB NO: 9701158

DATE EXTRACTED: 01/29/97
DATE ANALYZED: 01/31/97
SAMPLE SPIKED: LCS
INSTRUMENT: IR

MATRIX: WATER

Laboratory Control Sample

			OC 1 imite
	O 41.		QC Limits
Analyte	Spike Added (mg/L)	Percent Recovery	Percent Recovery
Oil	6.91	90	73-112

Method Blank Result

Lab Id.	Hydrocarbons (mg/L)
012997-BLANK	ND
Reporting Limit	0.5

PAGE 6

QUALITY CONTROL DATA

METHOD: EPA 3510 GCF1D

AEN JOB NO: 9701158 AEN LAB NO: 0127-BLANK DATE EXTRACTED: 01/27/97 DATE ANALYZED: 01/29/97

INSTRUMENT: C MATRIX: WATER

Method Blank

	Result (mg/L)	Reporting Limit (mg/L)
Diesel	ND	0.05

PAGE 7

QUALITY CONTROL DATA

METHOD: EPA 3510 GCFID

AEN JOB NO: 9701158 DATE EXTRACTED: 01/27/97

INSTRUMENT: C MATRIX: WATER

Surrogate Standard Recovery Summary

Date Analyzed	Client Id.	Lab Id.	Percent Recovery n-Pentacosane
01/31/97	EXGW	01	88
QC Limits:			65-125

DATE EXTRACTED: 01/27/97 DATE ANALYZED: 01/29/97 SAMPLE SPIKED: 9612108-01 01/29/97 9612108-01

INSTRUMENT: C

Matrix Spike Recovery Summary

				QC Limit	S
Analyte	Spike Added (mg/L)	Percent Recovery	RPD	Percent Recovery	RPD
Diesel	4.00	103	2	60-110	15

PAGE 8

QUALITY CONTROL DATA

METHOD: EPA 8020, 5030 GCFID

AEN JOB NO: 9701158 AEN LAB NO: 0127-BLANK DATE ANALYZED: 01/27/97 INSTRUMENT: E

MATRIX: WATER

Method Blank

Analyte	CAS #	Result (ug/L)	Reporting Limit (ug/L)
Benzene	71-43-2	ND	0.5
Toluene	108-88-3	ND	0.5
Ethylbenzene	100-41-4	. ND	0.5
Xylenes, Total HCs as Gasoline	1330-20-7	ND ND mg/L	0.05 mg/L
Methyl t-Butyl Ether	1634-04-4	ND	5

PAGE 9

QUALITY CONTROL DATA

METHOD: EPA 8020, 5030 GCFID

AEN JOB NO: 9701158 INSTRUMENT: E

MATRIX: WATER

Surrogate Standard Recovery Summary

Date Analyzed	Client Id.	Lab Id.	Percent Recovery Fluorobenzene
01/27/97	EXGW	01	99
QC Limits:			70-130

DATE ANALYZED: 01/27/97 SAMPLE SPIKED: INSTRUMENT: E 9701225-03

Matrix Spike Recovery Summary

				QC Limi	ts
Analyte	Spike Added (ug/L)	Percent Recovery	RPD	Percent Recovery	RPD
Benzene Toluene	16.2 55.5	108 107	3 2	85-109 87-111	17 16
Hydrocarbons as Gasoline	500	108	5	66-117	19

PAGE 10

QUALITY CONTROL DATA

METHOD: EPA 8240

AEN JOB NO: 9701158 AEN LAB NO: 0126-BLANK DATE ANALYZED: 01/26/97 INSTRUMENT: 13

MATRIX: WATER

Method Blank

Analyte	CAS #	Result (ug/L)	Reporting Limit (ug/L)
Acetone	67-64-1 71-43-2	МD ND	100
Benzene Bromodichloromethane	75-27-4	ND	5 5 5
Bromoform	75-25-2	ND	5
Bromomethane	74-83-9	ND	10
2-Butanone	78-93-3	ND	100
Carbon Disulfide	75-15-0	ND	10
Carbon Tetrachloride	56-23-5	ND	5 5 10
Chlorobenzene	108-90-7	ND	.5
Chloroethane	75-00-3	ND	01
2-Chloroethyl Vinyl Ether	110-75-8	ND	10
Chloroform	67-66-3	ND ND	5 10
Chloromethane	74-87-3 124-48-1	ND	- TO
Dibromochloromethane 1.1-Dichloroethane	75-34-3	ND	š
1,2-Dichloroethane	107-06-2	ND	50 10 55 55 55 55 50 50
1,1-Dichloroethene	75-35-4	ND	5
cis-1,2-Dichloroethene	156-59-2	П	5
trans-1.2-Dichloroethene	156-60-5	ND	5
1.2-Dichloropropane	78-87-5	ND	5
cis-1,3-Dichloropropene	10061-01-5	ND	5
trans-1,3-Dichloropropene	10061-02-6	ND	5
Ethylbenzene	100-41-4	ND ND	5
2-Hexanone	591-78-6	DM DN	20 20
Methylene Chloride	75-09-2 108-10-1	ND ND	50 50
4-Methyl-2-pentanone	100-42-5	ND	š
Styrene 1.1,2.2-Tetrachloroethane	79-34-5	ND	5
Tetrachloroethene	127-18-4	ND	50 5 5 5 5 5 5
Toluene	108-88-3	ND	5
1.1.1-Trichloroethane	71-55-6	ND	5
1.1.2-Trichloroethane	79-00-5	ND	5 5
Trichloroethene	79-01-6	ND	_5
Vinyl Acetate	108-05-4	ND	50
Vinyl Chloride	75-01-4	ND	10
Xylenes. Total	1330-20-7	ОИ	10

PAGE 11

QUALITY CONTROL DATA

METHOD: EPA 8240

AEN JOB NO: 970 INSTRUMENT: 13 9701158

MATRIX: WATER

Surrogate Standard Recovery Summary

			Percent Recovery							
Date Analyzed	Client Id.	Lab Id.	1,2-Dichloro- ethane-d ₄	Toluene-d ₈	p-Bromofluoro- benzene					
01/27/97	EXGW	01	110	94	8 6					
QC Limits:			76-114	88-110	86-115					

DATE ANALYZED: 01/26/97 SAMPLE SPIKED: 9701226-01 INSTRUMENT: 13

Matrix Spike Recovery Summary

- +			QC Limits			
ded Pe				ď		
50 50 50	98	7 72 6 3 6 4	9-155 2 1-157 2 7-151 2 7-150 2	555555		
		ded Percent g/L) Recovery R 50 108 50 114 50 102 50 98	ded Percent Percent g/L) Recovery RPD Recovery 50 108 6 50 50 114 7 70 50 102 6 3 50 98 6 4	ded Percent Percent g/L) Recovery RPD Recovery RF 50 108 6 59-155 2 50 114 7 71-157 2 50 102 6 37-151 2 50 98 6 47-150 2		

 R^{-3} , S^{-3} R^{-1} , S^{-4} R^{-1} , S

Project No.:	58	32	7.00		Project Lo	cation:	() q	Kla	$\sim d$	Da	ate.	16/96	Serial No.	
Project Name:	4028	E.	14th 5tm	et	Field Logi	ook No.:							N₀	1079
Sampler (Signa		KA	in Ben	bae	·				ANA	ALYSES			Samplers:	PWB
			SAMPLES	.,					/ /	/ /		/x/		
SAMPLE NO.	DATE	TIME	LAB SAMPLE, NO. 23	NO. OF CON-	SAMPLE	/*/	//	//		//	YOU)		REMARK	
EXGW	1/16/91	1622	OIA-HE	5	Hres							for san	Shelly f	lateher s
												. 3	VOA Ambres	181
												FAY tra	sec attac usnússion greguest	autch
									-				U	UK
										7			1	1
RELINQUISHED (Signalure)	8v:	14	Balan	, 0,	116/16	TIME:30	(Si	EIVED BY gnalure)		Star			DATE 42-97	16-00
RELINOUISHED (Signature)	BY: L	IN.	MARKET	- 0/	17 PG	B. H	RECI	EIVED BY gnature)	Tu	ren	Poll	wordh	DATE /97	TIME /6:50
RELINQUISHED (Signature)		2.	/	D/	NTE.	TIME	REC (Si	EIVED Ø ignature)	7				DATE	TIME
METHOD OF SE	HIPMENT:			D	NTE	TIME	LAB	COMMEN	ITS:					
Sample Collec	etor:	1900 P Emery	FRICKE•RECC owell Street, 120 ille, California 9 52-4500	n Floor	,		Ana	lytical La	boratory	At	5 /V			

PAGE.013

×