



## RECEIVED

1:13 pm, Oct 12, 2009

Alameda County  
Environmental Health

---

### Foundry/Corporate Office

7825 San Leandro Street  
Oakland, CA 94621-2598  
510/632-3467  
510/632-8035 Fax

### Los Angeles Service Center

15006 Nelson Avenue  
City of Industry, CA 91744-4331  
626/333-4882  
626/333-8681 Fax

October 7, 2009

Mr. Jerry Wickham  
Hazardous Materials Specialist  
Alameda County Environmental Health  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

**Subject: Fuel Leak Case No. RO0000092 and Geotracker Global ID T0600100065 Enhanced Aerobic Biodegradation Pilot Study Report, AB&I Foundry, 7825 San Leandro Street, Oakland California 94621**

Dear Mr. Wickham:

AB&I respectfully submits the attached Enhanced Aerobic Biodegradation Pilot Study Report for the AB&I Foundry Site located at 7825 San Leandro Street, Oakland, California.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document are true and correct to the best of my knowledge.

Sincerely,

Dave Robinson  
Engineering Manager

Attachment: Enhanced Aerobic Biodegradation Pilot Study Report, AB&I Foundry, 7825 San Leandro Street, Oakland, California

**Enhanced Aerobic Biodegradation Pilot Study  
Report – Former Three 10,000-Gallon USTs Area**

**AB&I Foundry  
7825 San Leandro Street  
Oakland, California**

01-ABI.001

Prepared For:



**AB& I Foundry  
7825 San Leandro Street  
Oakland, California**

Prepared By:



**3451-C Vincent Road  
Pleasant Hill, California 94523**

October 7, 2009

Prepared By:

A handwritten signature in blue ink, appearing to read "Nathan Colton".  
**Nathan Colton**  
Senior Staff Scientist

Reviewed By:

A handwritten signature in blue ink, appearing to read "Kent R. Reynolds".  
**Kent R. Reynolds**  
Principal Geologist  
  
A handwritten signature in blue ink, appearing to read "Jon Philipp".  
**Jon Philipp, PG, C.Hg.**  
Senior Hydrogeologist

## TABLE OF CONTENTS

	PAGE
<b>LIST OF FIGURES .....</b>	iii
<b>CERTIFICATON.....</b>	IV
<b>1.0 INTRODUCTION .....</b>	1-1
<b>2.0 BACKGROUND.....</b>	2-1
2.1 Site Description and History .....	2-1
2.2 Hydrogeological Setting.....	2-3
<b>3.0 ENHANCED AEROBIC BIODEGRADATION ACTIVITIES .....</b>	3-1
3.1 Prefield Activities .....	3-1
3.2 EAB Field Activities .....	3-1
3.3 Effectiveness Monitoring.....	3-2
3.4 Equipment Decontamination.....	3-2
3.5 Waste Management .....	3-2
3.6 EAB Monitoring Results.....	3-2
3.6.1 Pre-Injection Baseline Sample Results – May 21, 2009 .....	3-3
3.6.2 Post-Injection Sample Results – July 1, 2009 .....	3-3
3.6.3 Post-Injection Sample Results – August 7, 2009.....	3-3
3.6.4 Post-Injection Sample Results – September 10, 2009 .....	3-3
<b>4.0 EVALUATION OF PILOT STUDY TEST .....</b>	4-1
<b>5.0 CONCLUSIONS .....</b>	5-1
<b>6.0 REFERENCES .....</b>	6-1

## **LIST OF FIGURES**

- Figure 1 Site Location Map
- Figure 2 Site Plan
- Figure 3 EAB Injection Locations
- Figure 4 TPH and BTEX Concentrations in MW-9

## **LIST OF TABLES**


- Table 1 Enhanced Aerobic Biodegradation Monitoring Results

## **LIST OF APPENDICES**

- Appendix A Enhanced Aerobic Biodegradation Injection Logs, Vironex, Inc.
- Appendix B Field Sampling Sheets
- Appendix C Laboratory Report and Chain of Custody Records

## CERTIFICATION

All hydrogeologic and geologic information in this document regarding the AB&I Foundry Site have been prepared under the supervision of and reviewed by the certified professional whose signature appears below.



Jon Philipp, P.G., C.HG.  
Senior Hydrogeologist  
**The Source Group, Inc.**



## 1.0 INTRODUCTION

On behalf of AB&I Foundry (AB&I), The Source Group. Inc. (SGI) has prepared this Enhanced Aerobic Biodegradation (EAB) Pilot Study Report (Report) for the AB&I Foundry Site located at 7825 San Leandro Street in Oakland, California (Figure 1; Site). This Report details the progress and results of implementing the scope of work outlined in SGI's "Work Plan for Enhanced Aerobic Biodegradation Pilot Study – Former Three 10,000-Gallon USTs Area", dated March 12, 2009 (SGI 2009). This Report was prepared for submittal to the Alameda County Environmental Health Department (ACEH).

## 2.0 BACKGROUND

### 2.1 Site Description and History

The Site is located at 7825 San Leandro Street, east of the intersection with 77<sup>th</sup> Avenue, in a light industrial area of Oakland (Figures 1 and 2). The Site is bounded by commercial/industrial properties to the north, south, east, and west. Union Pacific Railroad is located immediately adjacent to and west of the Site. Oakland Truck Stop is located immediately adjacent to and east of the Site. Elmhurst Creek is located along the southeast corner of the property (Figure 2). San Leandro Bay is located approximately one mile west of the Site.

AB&I has been operating at its present location since at least 1930 (BSK Associates [BSK], 1993). Business activities include the manufacture of cast pipe and fittings. The facility accepts scrap iron and steel, which it stockpiles on-site, and uses during manufacturing activities. The Site encompasses an area of approximately 11.8 acres. The Site contains various warehouses, manufacturing and office buildings. The entire Site is covered with buildings and asphalt and concrete pavement. Seven underground storage tanks (USTs) were previously located on the Site. The USTs included one 8,000-gallon UST used for storing unleaded gasoline, one 8,000-gallon UST used for the storage of mineral spirits and later 1,1,1-trichloroethane (1,1,1-TCA), one 550-gallon UST used for storing regular leaded gasoline, one 10,000-gallon UST used for storing diesel, and three 10,000-gallon USTs used for storing gasoline. All UST have been removed from the Site. UST removal activities were initiated in 1982 and completed in the early 1990s.

Following the removal of the seven USTs, various investigations were conducted at the Site to characterize the presence and extent of contaminated soil and groundwater associated with the former USTs. In July 2006, a soil and groundwater assessment was conducted as part of a property transfer. According to BSK, groundwater samples were collected from each of the existing monitoring wells (MW-1, MW-3, and MW-4) and submitted for chemical analysis for polycyclic aromatic hydrocarbons (PAHs) using U.S. Environmental Protection Agency (EPA) Method 8270C, total petroleum hydrocarbons as gasoline (TPHg) and total petroleum hydrocarbons as diesel (TPHd) using EPA Method 8015M as well as benzene, toluene, ethylbenzene, and xylenes (BTEX) using EPA Method 8020. All samples were also analyzed for volatile organic compounds (VOCs) including fuel oxygenates, using EPA Method 8260B. Well MW-2 was found to be damaged beyond repair, and therefore was not sampled. On August 13, 2006 monitoring well MW-2, was abandoned (BSK, 2007).

On August 12, 13, and 18, 2006, six new groundwater monitoring wells (MW-2R, and MW-5 through MW-9) were installed. Between August 17 and August 23, 2006, water levels were measured and groundwater samples were collected from the three existing and six new monitoring wells. One groundwater sample from each of the previously existing wells (MW-1, MW-3, and MW-4) was analyzed for PAHs. Groundwater samples from the six newly installed wells (MW-2R, MW-5, MW-6, MW-7, MW-8 and MW-9) were submitted for chemical analysis for TPHg TPHd, BTEX, VOCs including fuel

oxygenates, and PAHs. In addition, soil samples were collected at various depth intervals during the installation of monitoring wells MW-5, MW-6, MW-7, and MW-8 and were analyzed for metals and VOCs using EPA Methods 6020 and EPA Method 8260B, respectively.

Results of the July/August 2006 sampling event indicated that five of the nine wells had concentrations of at least one compound that exceeded their respective EPA maximum contaminant level (MCL) or California Regional Water Quality Control Board – San Francisco Bay Region (CRWQCB-SF) Environmental Screening Levels (ESLs) for groundwater that is a current or potential source of drinking water (BSK, 2007).

In 2007 and 2008, SGI conducted soil and groundwater investigations on the Site. These investigations included the investigation of both shallow groundwater (less than 30 feet below ground surface [bgs]) and deep groundwater (greater than 30 feet bgs), and the collection of soil vapor samples. The results of these investigations indicated that shallow groundwater in the vicinity of the Parking Lot Area (located in the vicinity and northwest of well MW-8; Figure 3) is impacted with chlorinated VOCs, including 1,1,1-TCA, 1,1-dichloroethane (1,1-DCA), 1,1-dichloroethene (1,1-DCE), chloroethane, cis and trans 1,2-dichloroethene (1,2-DCE), and vinyl chloride. Shallow groundwater in the vicinity of the Former Three 10,000 Gallon USTs Area (located in the vicinity of well MW-9 and downgradient of the three former 10,000 gallon USTs) is impacted with petroleum fuels (TPH) including BTEX, TPHg, and TPHd. Of the compounds detected, only vinyl chloride exceeded its respective ESL for vapor intrusion from groundwater into indoor air under the commercial land use scenario. Results of the soil vapor analysis indicated that two of soil gas samples had ESL exceedences for indoor air vapor intrusion for vinyl chloride and PCE under the commercial land use scenario. In addition, two soil gas samples had ESL exceedences for indoor air vapor intrusion for benzene and ethylbenzene (one location) under the commercial land use scenario. Further details can be found in SGI's reports titled, "Site Investigation Report" and "Additional Site Investigation Report" (SGI 2008a; SGI 2008b).

On November 4, 2008, ACEH submitted a letter to AB&I stating that "the mass of residual fuel hydrocarbons present below the water table constitutes on ongoing source of groundwater contamination" in the area of the former three 10,000-gallon USTs. Therefore, ACEH requested that AB&I "implement cleanup to reduce the mass of residual fuel hydrocarbons in the source area." In addition, ACEH expressed concern regarding the apparent recalcitrance of chlorinated VOCs in groundwater, associated with releases from the former 8,000-gallon mineral spirits/1,1,1-TCA UST, to further breakdown, which could promote the accumulation of vinyl chloride. To address these issues, ACEH requested that AB&I submit work plans to conduct pilot test studies of remediation technologies to remediate chlorinated VOCs associated with releases from the former 8,000-gallon mineral spirits/1,1,1-TCA UST and petroleum hydrocarbons in the area of the former three 10,000-gallon USTs (ACEH 2008).

On March 26, 2009, ACEH approved SGI's work plan titled, "Work Plan for Enhanced Aerobic Biodegradation Pilot Study – Former Three 10,000-Gallon USTs Area" with the following comments (ACEH 2009):

- “The proposed groundwater monitoring is generally acceptable. However, it should be noted that evaluation of the effectiveness of the enhanced aerobic biodegradation pilot study depends almost exclusively upon results from well MW-9. Depending on the initial results of the pilot study, additional monitoring may be necessary to evaluate the effectiveness of the proposed remedial method” (ACEH 2009).

## 2.2 Hydrogeological Setting

The Site is located near the San Francisco Bay within an area identified as the East Bay Plain. The East Bay Plain is situated on the east side of the San Francisco Bay depression. The alluvial sediments of the East Bay Plain consist of a mixture of gravel, sand and clay deposited by coalescing alluvial fans. In the vicinity of the Site, fluvial and near shore deposits have been mapped (Helle et. al., 1979). The fluvial deposits are described as unconsolidated, moderately sorted, fine sand and silt, with clayey silt and occasional thin beds of coarse sand (Muir, 1993). The near-shore deposits are described as a well-sorted, fine to medium grained sand and silt, with lenses of sandy clay and clay. Regional groundwater flow in the vicinity of the Site is interpreted to be towards the west - southwest toward San Leandro Bay.

The Site is underlain by a mixture of sandy/silty clay to a depth of at least 20-feet below ground surface (bgs). Groundwater has been encountered in borings and excavations at depths ranging from 8 to 12-feet bgs at the Site. Based on groundwater monitoring data from on-site monitoring wells for the December 2008 sampling event, groundwater flows to the northwest at a gradient of 0.006 feet per foot (ft/ft; SGI 2009).

Based on the Water Quality Control Plan for the San Francisco Bay Basin (Basin Plan) (RWQCB, 1995), groundwater beneath the Site is part of the East Bay Plain basin, which has beneficial uses for municipal and domestic drinking water supply, industrial process and service water supply, and agricultural water supply. That said, East Bay Municipal Utility District (EBMUD) provides water for these uses to the Site and vicinity from Sierra-fed surface-water sources. Development of the shallow water-bearing zones beneath the Site for beneficial uses is remote due to uneconomically low, sustainable well yields, and the presence of regional contamination (e.g., coliform from leaking sanitary sewer lines, unrelated chemical plumes), and presence of more productive water-bearing zones at depth (RWQCB, 1999). In addition, State regulations require sealing of at least the upper 50 feet of subsurface for public/industrial water supply wells (Department of Water Resources, 1991).

### **3.0 ENHANCED AEROBIC BIODEGRADATION ACTIVITIES**

The primary purpose of the pilot study was to evaluate the ability to reduce the mass of petroleum hydrocarbons in the Former Three 10,000-Gallon USTs Area through the use of EAB. EAB was promoted through the in-situ addition of Oxygen Releasing Compound (ORC) and Regenox solution (ORC/Regenox), both of which were manufactured by Regenesis. The location and application volume of each injection was based on the nature and extent of petroleum-impacted groundwater at the Site as identified during previous sampling events and are discussed below.

#### **3.1 Prefield Activities**

Prior to field activities a soil-boring permit was obtained from Alameda County Public Works Department and underground service alert (USA) was notified at least 48 hours prior to the commencement of field activities.

#### **3.2 EAB Field Activities**

On June 10 through June 12, 2009, nine injections (WH-1 through WH-9) were advanced in the warehouse located adjacent to the Former Three 10,000-Gallon USTs Area (Figure 3). Vironex, Inc., a licensed drilling contractor, was contracted to perform the injections. Each point consisted of a two-inch diameter stainless steel casing driven into the subsurface via a direct-push-type rig. Hollow sections of steel casing were then added and advanced until the designed injection depth(s) were reached. Injections were conducted using a ‘bottom-up’ injection approach starting at a depth of 20 feet and ending at a depth of five feet, or until “daylighting” of ORC/Regenox was observed. After the hollow steel rods were driven to the desired injection depth, the points were connected to the ORC/Regenox pumping and injection equipment. ORC and Regenox were initially mixed in 200 gallons batches at a ratio of approximately one pound of ORC per eight pounds of Regenox. Following injection difficulties described below, the ratio of ORC to Regenox was increased to one pound of ORC per four pounds of Regenox. The final mixture was then diluted with water at a ratio between 6 to 9 percent (%) by weight. Upon completion of the injection event, the points were removed.

During field activities, difficulties with the injections were encountered such as “daylighting”, low flow rates, and high injection pressures. The volume of ORC/Regenox solution injected into each location varied depending on site conditions from a high of 640 gallons injected into WH-1 to a low of 53 gallons injected into WH-9. During the injections, injection pressures fluctuated from 10 to 60 pounds per square inch (psi) with an average pressure of around 35 psi at an average flow rate of approximately 3 gallons per minute (gpm). Field injection forms are included as Appendix A.

### **3.3 Effectiveness Monitoring**

The effectiveness of the treatment was monitored by analyzing groundwater samples for reductions in TPH and VOCs concentrations in well MW-9. Prior to the injection event, baseline samples were collected from well MW-9 on May 21, 2009 as part of the May 2009 semi-annual monitoring event. Following the injection event, post-injection samples were collected from well MW-9 on July 1, August 7, and September 10, 2009. Baseline and post-injection groundwater samples were analyzed for the following:

- TPHg and TPHd using EPA Method 8015M; and
- VOCs using EPA Method 8260B.

In addition, field measurements were taken for dissolved oxygen (DO), water temperature, pH, electric conductivity (EC), and oxidation-reduction potential (ORP). Groundwater monitoring wells were sampled in accordance with the procedures and methodologies outlined in SGI's work plan titled, "Revised Site Investigation Work Plan", dated September 17, 2007 (SGI 2007). Field sample logs are included as Appendix B.

### **3.4 Equipment Decontamination**

Soil sampling equipment, such as small tools and disposable gloves, were decontaminated or disposed of after each use. The decontamination procedure consisted of:

- Wash in a phosphate-free soap and water mixture;
- Rinse thoroughly in distilled water following washing; and
- Final rinse using distilled water.

Decontamination of larger drilling equipment will be conducted using a steam cleaner supplied by subcontractor selected for injection work.

### **3.5 Waste Management**

Soil cuttings and decon water generated during the injection activities were stored on Site in properly labeled containers pending proper disposal.

### **3.6 EAB Monitoring Results**

Well MW-9 was sampled to monitor the effectiveness of EAB injection activities. Well MW-9 is located downgradient of EAB injection locations, and therefore, is most reflective of groundwater conditions. Results for each sampling event are discussed below. Copies of the laboratory analytical reports are included as Appendix C and summarized in Table 1.

### **3.6.1 Pre-Injection Baseline Sample Results – May 21, 2009**

TPHg, TPHd, and BTEX concentrations were similar to historical results. TPHg and TPHd were detected at concentrations of 3,500 and 250 micrograms per liter (ug/L), respectively. Benzene, toluene, ethylbenzene, and xylene were detected at concentrations of 180, 2.9, 3.9, and 1.7 ug/L, respectively.

### **3.6.2 Post-Injection Sample Results – July 1, 2009**

TPH concentrations were generally similar to May 2009 concentrations with the exception of benzene. Benzene concentrations decreased from 180 ug/L (May 2009) to 53 ug/L.

### **3.6.3 Post-Injection Sample Results – August 7, 2009**

TPH concentrations were generally similar to July 2009 concentrations with the exception of TPHg, benzene, and toluene. TPHg concentrations decreased from 3,400 ug/L (July 2009) to 2,400 ug/L. Benzene concentrations decreased from 53 ug/L (July 2009) to 9.1 ug/L, and toluene concentrations decreased from 2 ug/L (July 2009) to 0.5 ug/L.

### **3.6.4 Post-Injection Sample Results – September 10, 2009**

TPH concentrations were generally similar to August 2009 concentrations with the exception of TPHg, benzene, and toluene. TPHg concentrations increased from 2,400 ug/L (August 2009) to 3,100 ug/L. Benzene concentrations decreased from 9.1 ug/L (August 2009) to 5.7 ug/L, and toluene concentrations increased from 0.5 ug/L (August 2009) to 0.63 ug/L.

## 4.0 EVALUATION OF PILOT STUDY TEST

The performance objectives for the EAB program were as follows:

- Ensure that EAB is compatible with site-specific conditions.
- Evaluate effectiveness of EAB injections.
- Evaluate longevity of EAB Injections.

### Evaluate that EAB is Compatible with Site-Specific Conditions

This objective seeks to evaluate if sufficient quantities of ORC/Regenox were injected based on site lithology. As mentioned in section 3.0, problems with injecting in the warehouse were encountered. A total of 8,000 pounds of ORC/Regenox was scheduled to be injected into a total of 15 injection locations based on groundwater contaminant concentrations. However, of that amount, approximately 1,200 pounds was injected into a total of nine injection points. Problems encountered included “daylighting” of ORC/Regenox and low flow rates (less than 1 gpm) combined with high injection pressures (greater than 50 psi). Based on the problems encountered, EAB through the addition of ORC/Regenox is not suitable to site conditions.

### Evaluate Effectiveness of EAB injections

Data collected during the three-month monitoring period suggest that ORC/Regenox is effective in reducing benzene and toluene concentrations at the Site, but further monitoring is needed to determine its effectiveness in reducing TPHd and TPHg concentrations. Benzene and toluene decreased from pre-injection concentrations of 180 ug/L and 2.9 ug/L, respectively (May 2009) to 5.7 and 0.36 ug/L, respectively (September 2009). TPHg and TPHd concentrations have remained relatively stable during post-injection monitoring. A graph illustrating TPH concentrations for well MW-9 is included as Figure 4.

### Evaluate Longevity of EAB Injections

This objective seeks to evaluate if ORC/Regenox has sufficient longevity to treat the required contamination within the target area. DO concentrations in well MW-9 were approximately 0.96 milligrams per liter (mg/L) prior to injection activities (May 2009). Following injection activities, DO concentrations increased to 88.53 mg/L (July 2009) and then decreased to 55.00 mg/L (August 2009) and 25.75 mg/L (September 2009) indicating that ORC/Regenox appears to be effective in maintaining elevated DO concentrations. Further monitoring is needed to determine how long concentrations remain elevated in the injection area.


## 5.0 CONCLUSIONS

In June 2009, an EAB pilot study was conducted in the warehouse to promote the breakdown of TPH through addition of ORC and Regenox. A total of 1,200 lbs of ORC/Regenox were injected into nine locations in the warehouse. Data collected over three months suggests that injection activities were effective in raising DO levels and reducing benzene and toluene concentrations. However, TPHg and TPHd concentrations remained relatively stable. Further monitoring will be required to evaluate TPHg and TPHd concentrations trends and to confirm that DO levels remain elevated over time.

## 6.0 REFERENCES

- Alameda County Department of Environmental Health (ACEH 2008). Letter regarding, "Fuel Leak Case No. RO0000092, American Brass & Iron Foundry, 7825 San Leandro Street, Oakland, California", November 4.
- Alameda County Department of Environmental Health (ACEH 2009). Letter regarding, "Fuel Leak Case No. RO0000092, American Brass & Iron Foundry, 7825 San Leandro Street, Oakland, California", March 26.
- BSK Associates, Inc. (BSK). 1993. "Report Shallow Soil and Groundwater Investigation American Brass & Iron Foundry", April 30.
- BSK Associates, Inc. (BSK). 2007. "Preliminary Groundwater Investigation Report AB&I Foundry", June 11.
- California Department of Water Resources, 1991. California Well Standards. Bulletin 74-90. June.
- California Regional Water Quality Control Board (CRWQCB). 2007. Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater. Interim Final. November.
- Holley, E.J., K.R. Lajoie, W.E. Spangle, and M.L. Blair. 1979. Flatland Deposits of the San Francisco Bay Region, California, Their Geology and Engineering Properties, and Their Importance to Comprehensive Planning. U.S. Geological Survey Professional Paper 943. Washington D.C.
- Muir, K.S., 1993. Geologic Framework of the East Bay Plain Groundwater Basin, Alameda County, California.
- The Source Group, Inc. (SGI 2007). "Revised Site Investigation Work Plan", AB&I Foundry, 7825 San Leandro Street, Oakland, California, September 17.
- The Source Group, Inc. (SGI 2008a). "Site Investigation Report", AB&I Foundry, 7825 San Leandro Street, Oakland, California, February 14.
- The Source Group, Inc. (SGI 2008b). "Report for Additional Site Investigation", AB&I Foundry, 7825 San Leandro Street, Oakland, California, September 25.
- The Source Group, Inc. (SGI 2009). "Work Plan for Enhanced Aerobic Biodegradation Pilot Study – Former Three 10,000-Gallon USTs Area", AB&I Foundry, 7825 San Leandro Street, Oakland, California, March 12.
- USEPA, 1989. Risk Assessment Guidance for Superfund, Human Health Evaluation Manual, Part A. Interim Final. Solid Waste and Emergency Response. December.

## **FIGURES**



**THE  
SOURCE GROUP, INC.**

3451-C VINCENT ROAD  
PLEASANT HILL, CA 94523

SOURCE: U.S.G.S. 7.5' QUAD SHEET  
OAKLAND EAST, CALIFORNIA  
PHOTOREVISED 1997

SCALE:

0 FEET 2000  
SCALE

**SITE LOCATION MAP**

CLIENT:

AB&I FOUNDRY


DATE:


6/27/07

LOCATION: 7825 San Leandro Street  
Oakland, California


FIGURE:

1





**Figure 4**  
**TPH and BTEX Concentrations in MW-9**



## **TABLES**

**Table 1**  
**Enhanced Aerobic Biodegradation Monitoring Results**  
 AB&I Foundry  
 7825 San Leandro Street  
 Oakland, California

<b>Well Number</b>	<b>Date</b>	<b>TPH-Diesel</b>	<b>Naphthalene</b>	<b>TPH-Gasoline</b>	<b>Benzene</b>	<b>Toluene</b>	<b>Ethylbenzene</b>	<b>Xylenes</b>
MW-9	05/22/09	250	2.2	3,500	180	2.9	3.9	1.7
	07/01/09	470	3.3	3,400	53	2.0	9.5	0.28
	08/07/09	340	0.82	2,400	9.1	0.51	2.2	1.5
	09/10/09	460	0.87	3,100	5.7	0.36	1.4	1.7

**Notes:**

- TPH - Total Petroleum Hydrocarbons
- All concentrations reported in micrograms per liter (ug/L)

## **APPENDIX A**

**ENHANCED AEROBIC BIODEGRADATION INJECTION LOGS, VIRONEX, INC.**

# Injection Services Report



June 25, 2009



***"Bringing Chemistry and Contaminants Together"***  
***For the Consulting Community***

***"Expect Performance"***

Reproduction and distribution of this document without the express  
written consent of VIRONEX is strictly prohibited. The methodology and  
approaches presented herein are proprietary to VIRONEX.



## Table of Contents

---

<b>Page</b>	
1	Table of Contents
2	Project Background
3	Project Summary
4	Project Photos
5	Summary
6	Injection Field Log



## Project Background

### Location:

The Source requested Vironex provide In-situ injection services at the AB&I Foundry site in Oakland CA.

### Product:

EOS emulsified oil and RegenOx mixed with ORC-A were the products requested by The Source Group. All reagents were delivered and staged at the AB& I Foundry.

### Treatment Area:

The EOS treatment area was comprised of fifteen (15) injection points . The treatment zone was from (20) feet to (5) feet bgs.

The RegenOx treatment area was comprised of fifteen (15) injection points . The treatment zone was from (20) feet to (5) feet bgs.

### Geology / Hydrogeology:

The site lithology consists of silt and silty clay.

Groundwater is first encountered at depths of approximately (4) feet bgs.

### Contaminants:

Contaminants of concern consist of TCA on the EOS portion and Gas, Diesel, and BTEX on the RegenOx/ORC-A portion.



## Project Summary

### Project Name:

AB&I Foundry, 7617 San Leandro Street, Oakland, CA.

### Project Dates:

6/4/09 - 6/5/09 and  
6/9/09 - 6/12/09

### Mobilization:

Vironex mobilized one (1) direct push rig and one (1) injection rig to the site accompanied by two (2) team members.

### Injection Services - EOS and RegenOx/ORC-A

Vironex provided the following services:

Direct push bottom-up injection at fifteen (15) locations of a 15% EOS solution while targeting a one foot treatment interval in the injection zone from 20 feet to 5 feet bgs in the chlorinated solvent impacted area. Direct push bottom-up injection at nine (9) location of a 6% to 8% RegenOx/ORC-A solution while targeting a one foot treatment interval in the injection zone form 20 feet to 5 feet bgs in the Gasoline/Diesel/BTEX impacted area.

### Summary:

This injection event was conducted starting on June 4 and continuing through June 12, 2009. The general area of the EOS injection event was under a canopy and in the parking lot on the North side of the Foundry. The general area of the RegenOx/ORC-A injection event was inside a warehouse directly South of the EOS injection area.

Based on injection results, the formation readily accepted EOS injections at pressures ranging from 10 to 50 psi, and volumes of 365 gallons at 15% per point with no day lighting. The warehouse area accepted RegenOx and ORC-A injections at pressures ranging from 10 to 60 psi, volumes ranging from 53 gallons to 640 gallons at concentrations ranging from 8% to 6%. Vironex was following the direction provided by Regenesis on-site personell when day lighting was observed on several of the RegenOx/ORC-A locations up the borehole, around the tooling and in some cases as far away as 10 to 15 feet from the injection location through cracks in the concrete floor. The day lighting was controlled through the use of shop vacuums and absorbent pads and socks.

Vironex utilized a custom designed injection system to complete all injection activities. All locations were tremie grouted post injection.



Water for mixing and injection was provided from onsite hose bibs.



EOS injections under the canopy.



EOS injection in the parking lot area.



RegenOx/ORC-A injections inside the warehouse area.



Regenesis offered support on site during RegenOx injections.



Vironex crew member controls day lighting with a vacuum and socks.



## Injection Summary

EOS	Date	Injection Points Completed	Total Reagent Injected
Thursday	6/4/2009	3	1095
Friday	6/5/2009	4	1460
EOS	Date	Injection Points Completed	Total Reagent Injected
Monday	6/8/2009	4	1460
Tuesday	6/9/2009	4	1460
	TOTAL	15	TOTAL 5475 Gallons
RegenOx / ORC-A	Date	Injection Points Completed	Total Reagent Injected
Wednesday	6/10/2009	3	903
Thursday	6/11/2009	3	630
Friday	6/12/2009	3	485
	TOTAL	9	TOTAL 2018 Gallons



# DAILY INJECTION FIELD LOG SHEET

Crew Chief Jeremy Cecaci

Project Name:	TSG-AB&I Foundary			SOW	<input type="checkbox"/> Check Here if same as previous borings						
Injection SOW		Pump	Moyno	Max Pressure psi	40	Max Flow gpm	4.69				
		Reagent Concentration%		15%	Total Lbs		Total Gals		365		
		Target Interval		20 ft	5 ft	Lbs per __ ft			Gals per __ ft	24.3	
		Simult. Locations		1	1	Injection Tool	bottom up		Tool Diameter "	1.5"	
Boring ID No.	Date	Start Time	End Time	Inject Int Feet To	Inject Int Feet	Average PSI	Average Flow Rate (gpm)	Reagent Per Interval (Gals)	Total Reagent Per Boring (Gals) Running Total	Injection Site Notes	
PL-1	6/4/09	10:00:00 AM	11:40:00 AM	20	19	40	4.02	24.3	24.3	Minor daylighting noted, flow slowed and injections continued with out incident.	
				19	18	25	2.77	24.3	48.6		
				18	17	25	3.01	24.3	72.9		
				17	16	20	2.99	24.3	97.2		
				16	15	20	3.13	24.3	212.5		
				15	14	25	3.45	24.3	245.8		
				14	13	25	3.5	24.3	170.1		
				13	12	23	3.69	24.3	194.4		
				12	11	23	3.89	24.3	218.7		
				11	10	23	3.97	24.3	243		
				10	9	23	4.01	24.3	267.3	55 gallons of EOS, 1 gallon of EOS activator, and 16 oz. B12 mixed with 310 gallons of water.	
				9	8	25	4	24.3	291.6		
				8	7	25	4.53	24.3	315.9		
				7	6	15	4.69	24.3	340.2		
				6	5	15	4	24.3	365		
								<b>Total Gallons</b>	<b>365</b>		
Reconciliation		Design	Actual	Difference	Reconciliation Method						
		<b>Total lbs</b>									
		<b>Total Gallons</b>	365	365	0	Batching/totalizer					

Notes:

1 boring per log sheet



## DAILY INJECTION FIELD LOG SHEET

Crew Chief Jeremy Cecaci

Project Name:	TSG-AB&I Foundry			SOW	<input type="checkbox"/> Check Here if same as previous borings					
Injection SOW	Pump	Moyno	Reagent Concentration%	Max Pressure psi	45	Max Flow gpm	6.28			
			15%	Total Lbs	45	Total Gals	365			
Target Interv.	20 ft	to	5 ft	Lbs per __ ft	45	Gals per __ ft	24.3			
				1 Injection Tool	bottom up	Tool Diameter "	1.5"			
Boring ID No.	Date	Start Time	End Time	Inject Int Feet To	Inject Int Feet	Average PSI	Average Flow Rate (gpm)	Reagent Per Interval (Gals)	Total Reagent Per Boring (Gals)	Injection Site Notes
PL-4	6/4/09	12:57:00 PM	2:40:00 PM	20	19	40	6.26	24.3	24.3	
				19	18	45	5.01	24.3	48.6	
				18	17	45	4.26	24.3	72.9	
				17	16	40	4.71	24.3	97.2	
				16	15	40	5.36	24.3	212.5	
				15	14	40	5	24.3	245.8	
				14	13	40	4.97	24.3	170.1	
				13	12	40	5.1	24.3	194.4	
				12	11	40	4.99	24.3	218.7	
				11	10	35	4.97	24.3	243	
				10	9	5	2.97	24.3	267.3	Gravity feed @ 2.67 gpm 0-5 psi
				9	8	10	3.01	24.3	291.6	
				8	7	10	3.02	24.3	315.9	
				7	6	15	3	24.3	340.2	
				6	5	15	3.57	24.3	365	
								Total Gallons		
									365	55 gallons of EOS, 1 gallon of EOS activator, and 16 oz. B12 mixed with 310 gallons of water.
Reconciliation		Design	Actual	Difference	Reconciliation Method					
	Total lbs									
	Total Gallons	365	365	0	Batching/totalizer					

Notes:  
1 boring per log sheet



**DAILY INJECTION FIELD LOG SHEET** Crew Chief Jeremy Cecaci

Project Name:	TSG-AB&I Boundary			SOW	<input type="checkbox"/> Check Here if same as previous borings						
Injection SOW	Pump	Moyno		Max Pressure psi	50	Max Flow gpm	5.16				
	Reagent Concentration%			Total Lbs		Total Gals	365				
Target Inte	20 ft	to	5 ft	Lbs per __ ft		Gals per __ ft	24.3				
	Simult. Locations			1	Injection Tool	bottom up	1.5"				
<b>Boring ID No.</b>	<b>Date</b>	<b>Start Time</b>	<b>End Time</b>	<b>Inject Int Feet To</b>	<b>Inject Int Feet</b>	<b>Average PSI</b>	<b>Average Flow Rate (gpm)</b>	<b>Reagent Per Interval (Gals)</b>	<b>Total Reagent Per Boring (Gals) Running Total</b>	<b>Injection Site Notes</b>	
PL-5	6/4/09	3:45:00 PM	5:05:00 PM	20	19	50	3.34	24.3	24.3		
				19	18	50	3.4	24.3	48.6		
				18	17	45	3.43	24.3	72.9		
				17	16	40	4.03	24.3	97.2		
				16	15	40	4.37	24.3	212.5		
				15	14	40	4.99	24.3	245.8		
				14	13	40	4.97	24.3	170.1		
				13	12	40	4.89	24.3	194.4		
				12	11	35	4.99	24.3	218.7		
				11	10	35	5.16	24.3	243		
				10	9	10	3.51	24.3	267.3		
				9	8	10	3.99	24.3	291.6		
				8	7	15	4.94	24.3	315.9	minor daylighting noted around rods, gpm slowed and injections continued without incident.	
				7	6	15	5.01	24.3	340.2		
				6	5	15	3	24.3	365	PL-4 and PL-5 noted decrease in PSI and increase in gpm, slowed flow as precaution.	
<b>Reconciliation</b>											
	<b>Design</b>	<b>Actual</b>	<b>Difference</b>	<b>Reconciliation Method</b>							
	<b>Total lbs</b>										
	<b>Total Gallons</b>	365	365	0	Batching/totalizer						

Notes:  
1 boring per log sheet



## DAILY INJECTION FIELD LOG SHEET

Crew Chief\_ Jeremy Cecaci \_\_\_\_\_

Project Name:	TSG-AB&I Foundry			SOW	<input checked="" type="checkbox"/> Check Here if same as previous borings					
Injection SOW	Pump	Moyno		Max Pressure psi	45	Max Flow gpm	5.59			
Reagent Concentration%	15%		Total Lbs			Total Gals	365			
Target Interval	20 ft	to	Lbs per __ ft			Gals per __ ft	24.3			
			1	Injection Tool	bottom up	Tool Diameter *	1.5"			
<b>Boring ID No.</b>	<b>Date</b>	<b>Start Time</b>	<b>End Time</b>	<b>Inject Int Feet To</b>	<b>Inject Int Feet</b>	<b>Average PSI</b>	<b>Average Flow Rate (gpm)</b>	<b>Reagent Per Interval (Gals)</b>	<b>Total Reagent Per Boring (Gals)</b>	<b>Injection Site Notes</b>
PL-8	6/5/09	9:10:00 AM	10:35:00 AM	20	19	35	4.07	24.3	24.3	No surfacing noted.
				19	18	40	2.7	24.3	48.6	
				18	17	40	3.71	24.3	72.9	
				17	16	45	4.74	24.3	97.2	
				16	15	40	4.97	24.3	212.5	
				15	14	45	5.01	24.3	245.8	
				14	13	39	4.26	24.3	170.1	
				13	12	40	4.71	24.3	194.4	
				12	11	30	5.59	24.3	218.7	
				11	10	30	5.57	24.3	243	
				10	9	15	5.43	24.3	267.3	
				9	8	15	5.01	24.3	291.6	
				8	7	15	4.98	24.3	315.9	
				7	6	15	4.71	24.3	340.2	
				6	5	20	4.37	24.3	365	
								<b>Total Gallons</b>	<b>365</b>	
Reconciliation										Design      Actual      Difference      Reconciliation Method
<b>Total lbs</b>										
<b>Total Gallons</b>		365		365		0		Batching/totalizer		

Notes:  
1 boring per log sheet



## DAILY INJECTION FIELD LOG SHEET

Crew Chief Jeremy Cecaci

Project Name:	TSG-AB&I Foundary			SOW	<input checked="" type="checkbox"/> Check Here if same as previous borings					
Injection SOW	Pump <u>Moyno</u>	Reagent Concentration%	Max Pressure psi	50	Max Flow gpm	5.59				
Target Interval	<u>20 ft</u>	<u>to</u>	Total Lbs	365	Total Gals	365				
			Lbs per <u>  </u> ft	24.3	Gals per <u>  </u> ft	24.3				
			5 ft		bottom up	Tool Diameter "				
			1	1.5"						
Boring ID No.	Date	Start Time	End Time	Inject Int Feet To	Inject Int Feet	Average PSI	Average Flow Rate (gpm)	Reagent Per Interval (Gals)	Total Reagent Per Boring (Gals) Running Total	Injection Site Notes
PL-3	6/5/09	11:13:00 AM	12:40:00 PM	20	19	50	3.7	24.3	24.3	
				19	18	40	4.14	24.3	48.6	
				18	17	40	5.03	24.3	72.9	
				17	16	40	4.49	24.3	97.2	
				16	15	40	4.01	24.3	212.5	
				15	14	40	4.64	24.3	245.8	
				14	13	40	4.39	24.3	170.1	
				13	12	40	4.71	24.3	194.4	
				12	11	35	5.59	24.3	218.7	
				11	10	35	5.57	24.3	243	
				10	9	35	5.43	24.3	267.3	
				9	8	20	5.01	24.3	291.6	
				8	7	15	4.98	24.3	315.9	
				7	6	20	4.71	24.3	340.2	
				6	5	15	4.37	24.3	365	
								Total Gallons	365	
Reconciliation		Design	Actual	Difference	Reconciliation Method					
		Total lbs								
		365	365	0	Batching/totalizer					

Notes:  
1 boring per log sheet

No surfacing noted.

55 gallons of EOS, 1 gallon of EOS activator, and 16 oz. B12 mixed with 310 gallons of water.



**DAILY INJECTION FIELD LOG SHEET** Crew Chief Jeremy Cecaci

Project Name:	TSG-AB&I Foundry			SOW	<input checked="" type="checkbox"/> Check Here if same as previous borings					
Injection SOW	Pump	Moyno	Reagent Concentration%	Max Pressure psi	50	Max Flow gpm	6.21			
Target Interval	20 ft	to	15% Total Lbs	5 ft	Total Gals	365				
			Lbs per __ ft		Gals per __ ft	24.3				
			Simult. Locations	1	Tool Diameter "	1.5"				
				bottom up						
Boring ID No.	Date	Start Time	End Time	Inject Int Feet To	Inject Int Feet	Average PSI	Average Flow Rate (gpm)	Reagent Per Interval (Gals)	Total Reagent Per Boring (Gals) Running	Injection Site Notes
PL-9	6/5/09	1:33:00 PM	2:50:00 PM	20	19	40	4.14	24.3	24.3	Minimal surfacing noted during 15-14 foot zone around the tools, reduced flow and continued without incident.
				19	18	50	3.7	24.3	48.6	
				18	17	50	4.57	24.3	72.9	
				17	16	50	5.91	24.3	97.2	
				16	15	50	6.21	24.3	212.5	
				15	14	50	4.01	24.3	245.8	
				14	13	30	4.16	24.3	170.1	
				13	12	30	4.97	24.3	194.4	
				12	11	30	4.71	24.3	218.7	55 gallons of EOS, 1 gallon of EOS activator, and 16 oz. B12 mixed with 310 gallons of water. Client requested we increase flow and keep PSI below 40 if possible.
				11	10	30	4.87	24.3	243	
				10	9	20	4.27	24.3	267.3	
				9	8	20	4.97	24.3	291.6	
				8	7	20	4.99	24.3	315.9	
				7	6	20	4.07	24.3	340.2	
				6	5	15	4.11	24.3	365	
								Total Gallons	365	

	Design	Actual	Difference	Reconciliation Method
<b>Reconciliation</b>				
<b>Total lbs</b>				
<b>Total Gallons</b>	365	365	0	Batching/totalizer

Notes:  
1 boring per log sheet



## DAILY INJECTION FIELD LOG SHEET

Crew Chief Jeremy Cecaci

Project Name:

TSG-AB&amp;I Foundry

SOW

 Check Here if same as previous borings

Injection SOW

Pump	Moyno
Reagent Concentration%	15%
Target Interval	20 ft
	to
	5 ft
	Simult. Locations

Max Pressure psi	50	Max Flow gpm	6.73
Total Lbs		Total Gals	365
Lbs per ___ ft		Gals per ___ ft	24.3
Injection Tool	bottom up	Tool Diameter "	1.5"

Boring ID No.	Date	Start Time	End Time	Inject Int Feet To	Inject Int Feet	Average	PSI	Average Flow Rate (gpm)	Reagent Per Interval (Gals)	Total Reagent Per Boring (Gals)	Injection Site Notes
PL-2	6/5/09	3:15:00 PM	4:20:00 PM	20	19	50	3.06	24.3	24.3	24.3	No surfacing noted
				19	18	45	4.11	24.3	48.6	48.6	
				18	17	40	5.01	24.3	72.9	72.9	
				17	16	40	5.13	24.3	97.2	97.2	
				16	15	40	5.16	24.3	212.5	212.5	
				15	14	40	5.13	24.3	245.8	245.8	
				14	13	40	5.67	24.3	170.1	170.1	
				13	12	40	5.39	24.3	194.4	194.4	
				12	11	40	6.13	24.3	218.7	218.7	
				11	10	40	6.37	24.3	243	243	
Reconciliation				10	9	30	5.97	24.3	267.3	267.3	55 gallons of EOS, 1 gallon of EOS activator, and 16 oz. B12 mixed with 310 gallons of water.
				9	8	30	6.73	24.3	291.6	291.6	
				8	7	15	5.97	24.3	315.9	315.9	
				7	6	15	6.37	24.3	340.2	340.2	
				6	5	15	6.71	24.3	365	365	
								Total Gallons	365	365	

Notes:  
1 boring per log sheet



## DAILY INJECTION FIELD LOG SHEET

Crew Chief\_ Jeremy Cecaci\_\_\_\_\_

Project Name:	TSG-AB&I Foundry			SOW	<input checked="" type="checkbox"/> Check Here if same as previous borings						
Injection SOW	Pump	Moyno		Max Pressure psi	45	Max Flow gpm	5.91				
	Reagent Concentration%	15%		Total Lbs		Total Gals	365				
Target Interval	20 ft	to	5 ft	Lbs per __ ft		Gals per __ ft	24.3				
				Injection Tool	bottom up	Tool Diameter "	1.5"				
<b>Boring ID No.</b>	<b>Date</b>	<b>Start Time</b>	<b>End Time</b>	<b>Inject Int Feet To</b>	<b>Inject Int Feet</b>	<b>Average PSI</b>	<b>Average Flow Rate (gpm)</b>	<b>Reagent Per Interval (Gals)</b>	<b>Total Reagent Per Boring (Gals) Running</b>	<b>Injection Site Notes</b>	
PL-6	6/8/09	8:50:00 AM	10:00:00 AM	20	19	45	3.97	24.3	24.3		
				19	18	40	5.71	24.3	48.6		
				18	17	40	5.91	24.3	72.9	bubbling noted around rods at 16 to 15 foot zone, flow reduced and injections continued with out incident.	
				17	16	40	5.87	24.3	97.2		
				16	15	40	5.77	24.3	212.5		
				15	14	40	4.87	24.3	245.8		
				14	13	40	5.01	24.3	170.1		
				13	12	35	5.29	24.3	194.4		
				12	11	35	5.3	24.3	218.7		
				11	10	35	5.37	24.3	243		
				10	9	30	5.11	24.3	267.3		
				9	8	30	5.07	24.3	291.6		
				8	7	15	4.99	24.3	315.9	55 gallons of EOS, 1 gallon of EOS activator, and 16 oz. B12 mixed with 310 gallons of water.	
				7	6	15	5	24.3	340.2		
				6	5	15	5.13	24.3	365		
										Total Gallons 365	
<b>Reconciliation</b>	<b>Design</b>	<b>Actual</b>	<b>Difference</b>	<b>Reconciliation Method</b>							
	Total lbs										
	Total Gallon	365	365	0	Batching/totalizer						

Notes:  
1 boring per log sheet



## DAILY INJECTION FIELD LOG SHEET Crew Chief\_ Jeremy Cecaci

Project Name:

TSG-AB&I Boundary			SOW	<input checked="" type="checkbox"/> Check Here if same as previous borings
Injection SOW	Pump	Moyno	Max Pressure psi	45
	Reagent Concentration%	15%	Total Lbs	5.01
Target Interval	20 ft	to	5 ft	365
			Lbs per __ ft	24.3
			1 Injection Tool	1.5"
			bottom up	
			Tool Diameter "	

Boring ID No.	Date	Start Time	End Time	Inject Int Feet To	Inject Int Feet	Average PSI	Average Flow Rate (gpm)	Reagent Per Interval (Gals)	Total Reagent Per Boring (Gals)	Injection Site Notes
PL-7	6/8/09	10:30:00 AM	11:43:00 AM	20	19	40	3.97	24.3	24.3	
				19	18	45	4.01	24.3	48.6	
				18	17	40	3.95	24.3	72.9	
				17	16	40	4.95	24.3	97.2	
				16	15	40	4.33	24.3	212.5	
				15	14	40	4.67	24.3	245.8	
				14	13	40	4.83	24.3	170.1	
				13	12	40	5.01	24.3	194.4	
				12	11	40	4.71	24.3	218.7	
				11	10	40	4.81	24.3	243	
				10	9	30	4.97	24.3	267.3	
				9	8	30	5.01	24.3	291.6	
				8	7	30	4.37	24.3	315.9	
				7	6	15	4.29	24.3	340.2	
				6	5	15	4.37	24.3	365	
								Total Gallons	365	

Reconciliation

Design	Actual	Difference	Reconciliation Method
Total lbs			
Total Gallons	365	365	Batching/totalizer

Notes:  
1 boring per log sheet

No surfacing noted.

55 gallons of EOS, 1 gallon of EOS activator, and 16 oz. B12 mixed with 310 gallons of water.



**DAILY INJECTION FIELD LOG SHEET**

Crew Chief Jeremy Cecaci

Project Name:	TSG-AB&I Foundary			SOW	<input checked="" type="checkbox"/> Check Here if same as previous borings																				
Injection SOW	Pump	Moyno	Reagent Concentration%	Max Pressure psi	40	Max Flow gpm	5.37																		
	Target Interval	20 ft	to	Total Lbs		Total Gals	365																		
		5 ft	Lbs per ___ ft		Gals per ___ ft	24.3																			
		Simult. Locations	1	Injection Tool	bottom up	Tool Diameter "	1.5"																		
Boring ID No.	Date	Start Time	End Time	Inject Int Feet To	Inject Int Feet	Average PSI	Average Flow Rate (gpm)	Reagent Per Interval (Gals)	Total Reagent Per Boring (Gals) Running	Injection Site Notes															
PL-10	6/8/09	12:40:00 PM	2:00:00 PM	20	19	40	5.17	24.3	24.3	No surfacing noted.  55 gallons of EOS, 1 gallon of EOS activator, and 16 oz. B12 mixed with 310 gallons of water.															
				19	18	40	4.94	24.3	48.6																
				18	17	40	4.97	24.3	72.9																
				17	16	40	5	24.3	97.2																
				16	15	40	4.67	24.3	212.5																
				15	14	40	4.97	24.3	245.8																
				14	13	40	4.69	24.3	170.1																
				13	12	35	4.84	24.3	194.4																
				12	11	30	4.95	24.3	218.7																
				11	10	30	5.04	24.3	243																
				10	9	30	5.37	24.3	267.3																
				9	8	30	5.06	24.3	291.6																
				8	7	30	5.13	24.3	315.9																
					7	6	20	5.13	24.3	340.2															
					6	5	20	4.99	24.3	365															
								<b>Total Gallons</b>	<b>365</b>																
<b>Reconciliation</b> <table border="1"> <thead> <tr> <th></th> <th>Design</th> <th>Actual</th> <th>Difference</th> <th>Reconciliation Method</th> </tr> </thead> <tbody> <tr> <td><b>Total lbs</b></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td><b>Total Gallon</b></td> <td>365</td> <td>365</td> <td>0</td> <td>Batching/totalizer</td> </tr> </tbody> </table>												Design	Actual	Difference	Reconciliation Method	<b>Total lbs</b>					<b>Total Gallon</b>	365	365	0	Batching/totalizer
	Design	Actual	Difference	Reconciliation Method																					
<b>Total lbs</b>																									
<b>Total Gallon</b>	365	365	0	Batching/totalizer																					

Notes:  
1 boring per log sheet



**DAILY INJECTION FIELD LOG SHEET**

Crew Chief Jeremy Cecaci

Project Name:	TSG-AB&I Foundary			SOW	<input checked="" type="checkbox"/> Check Here if same as previous borings						
Injection SOW	Pump	Moyno	Reagent Concentration%	Max Pressure psi	40	Max Flow gpm	5.27				
	Target Interval	20 ft	to	Total Lbs		Total Gals	365				
		5 ft	Lbs per ___ ft		Gals per ___ ft	24.3					
		Simult. Locations	1	Injection Tool	bottom up	Tool Diameter "	1.5"				
Boring ID No.	Date	Start Time	End Time	Inject Int Feet To	Inject Int Feet	Average PSI	Average Flow Rate (gpm)	Reagent Per Interval (Gals)	Total Reagent Per Boring (Gals) Running	Injection Site Notes	
PL-11	6/8/09	2:35:00 PM	4:00:00 PM	20	19	40	2.99	24.3	24.3	No surfacing noted.  55 gallons of EOS, 1 gallon of EOS activator, and 16 oz. B12 mixed with 310 gallons of water.	
				19	18	40	3.97	24.3	48.6		
				18	17	40	4.41	24.3	72.9		
				17	16	40	4.37	24.3	97.2		
				16	15	35	5	24.3	212.5		
				15	14	35	5.13	24.3	245.8		
				14	13	35	5.27	24.3	170.1		
				13	12	40	5.03	24.3	194.4		
				12	11	30	4.94	24.3	218.7		
				11	10	30	4.96	24.3	243		
				10	9	30	5.01	24.3	267.3		
				9	8	30	5.04	24.3	291.6		
				8	7	20	4.99	24.3	315.9		
					7	6	20	4.94	24.3	340.2	
					6	5	20	4.97	24.3	365	
								<b>Total Gallons</b>	<b>365</b>		
Reconciliation											
		Design	Actual	Difference	Reconciliation Method						
		<b>Total lbs</b>	<b>365</b>	<b>0</b>						Batching/totalizer	
		<b>Total Gallon</b>	<b>365</b>	<b>0</b>							

Notes:  
1 boring per log sheet



**DAILY INJECTION FIELD LOG SHEET**

Crew Chief Jeremy Cecaci

Project Name:	TSG-AB&I Foundary			SOW	<input checked="" type="checkbox"/> Check Here if same as previous borings						
Injection SOW	Pump	Moyno	Reagent Concentration%	Max Pressure psi	45	Max Flow gpm	5.71				
	Target Interval	20 ft	to	15% Total Lbs		Total Gals	365				
			5 ft	Lbs per ___ ft		Gals per ___ ft	24.3				
				1 Simult. Locations	bottom up	Tool Diameter "	1.5"				
Boring ID No.	Date	Start Time	End Time	Inject Int Feet To	Inject Int Feet	Average PSI	Average Flow Rate (gpm)	Reagent Per Interval (Gals)	Total Reagent Per Boring (Gals) Running	Injection Site Notes	
PL-12	6/8/09	2:35:00 PM	4:00:00 PM	20	19	40	1.57	24.3	24.3	No surfacing noted.  55 gallons of EOS, 1 gallon of EOS activator, and 16 oz. B12 mixed with 310 gallons of water.	
				19	18	40	4.97	24.3	48.6		
				18	17	40	4.69	24.3	72.9		
				17	16	40	4.67	24.3	97.2		
				16	15	40	4.54	24.3	212.5		
				15	14	40	4.67	24.3	245.8		
				14	13	40	4.94	24.3	170.1		
				13	12	40	4.96	24.3	194.4		
				12	11	40	4.94	24.3	218.7		
				11	10	40	4.95	24.3	243		
				10	9	30	4.91	24.3	267.3		
				9	8	20	5.03	24.3	291.6		
				8	7	25	4.83	24.3	315.9		
					7	6	25	5.01	24.3	340.2	
					6	5	25	5.71	24.3	365	
								<b>Total Gallons</b>	<b>365</b>		
Reconciliation											
		Design	Actual	Difference	Reconciliation Method						
		Total lbs									
		Total Gallon	365	365	Batching/totalizer						

Notes:  
1 boring per log sheet



**DAILY INJECTION FIELD LOG SHEET**

Crew Chief Jeremy Cecaci

Project Name:	TSG-AB&I Foundary			SOW	<input checked="" type="checkbox"/> Check Here if same as previous borings						
Injection SOW	Pump	Moyno	Reagent Concentration%	Max Pressure psi	45	Max Flow gpm	5.91				
Target Interval	15%	Total Lbs				Total Gals	365				
	20 ft	5 ft	Lbs per ___ ft			Gals per ___ ft	24.3				
	to	Simult. Locations	1	Injection Tool	bottom up	Tool Diameter "	1.5"				
Boring ID No.	Date	Start Time	End Time	Inject Int Feet To	Inject Int Feet	Average PSI	Average Flow Rate (gpm)	Reagent Per Interval (Gals)	Total Reagent Per Boring (Gals) Running	Injection Site Notes	
PL-13	6/9/09	10:43:00 AM	11:55:00 AM	20	19	45	5.46	24.3	24.3	No surfacing noted.  55 gallons of EOS, 1 gallon of EOS activator, and 16 oz. B12 mixed with 310 gallons of water.	
				19	18	40	5.44	24.3	48.6		
				18	17	40	5.37	24.3	72.9		
				17	16	40	5.51	24.3	97.2		
				16	15	40	5.62	24.3	212.5		
				15	14	40	4.99	24.3	245.8		
				14	13	40	5.37	24.3	170.1		
				13	12	40	5.29	24.3	194.4		
				12	11	40	5.31	24.3	218.7		
				11	10	40	5.33	24.3	243		
				10	9	30	5.37	24.3	267.3		
				9	8	25	5.91	24.3	291.6		
				8	7	20	5.79	24.3	315.9		
					7	6	25	5.6	24.3	340.2	
					6	5	25	5.69	24.3	365	
								<b>Total Gallons</b>	<b>365</b>		
Reconciliation											
		Design	Actual	Difference	Reconciliation Method						
		Total lbs									
		Total Gallon	365	365	Batching/totalizer						

Notes:  
1 boring per log sheet



**DAILY INJECTION FIELD LOG SHEET**

Crew Chief Jeremy Cecaci

Project Name:	TSG-AB&I Foundary			SOW	<input checked="" type="checkbox"/> Check Here if same as previous borings																				
Injection SOW	Pump	Moyno	Reagent Concentration%	Max Pressure psi	40	Max Flow gpm	5.97																		
	Target Interval	20 ft	to	Total Lbs		Total Gals	365																		
		5 ft	Lbs per ___ ft		Gals per ___ ft	24.3																			
	Simult. Locations	1	Injection Tool	bottom up	Tool Diameter "	1.5"																			
Boring ID No.	Date	Start Time	End Time	Inject Int Feet To	Inject Int Feet	Average PSI	Average Flow Rate (gpm)	Reagent Per Interval (Gals)	Total Reagent Per Boring (Gals) Running	Injection Site Notes															
PL-14	6/9/09	12:57:00 PM	2:15:00 PM	20	19	40	5.25	24.3	24.3	No surfacing noted.  55 gallons of EOS, 1 gallon of EOS activator, and 16 oz. B12 mixed with 310 gallons of water.															
				19	18	40	5.75	24.3	48.6																
				18	17	40	5.59	24.3	72.9																
				17	16	40	0.61	24.3	97.2																
				16	15	40	5.97	24.3	212.5																
				15	14	40	5.71	24.3	245.8																
				14	13	40	5.69	24.3	170.1																
				13	12	30	5.44	24.3	194.4																
				12	11	30	5.32	24.3	218.7																
				11	10	30	5.61	24.3	243																
				10	9	30	5.63	24.3	267.3																
				9	8	15	5.12	24.3	291.6																
				8	7	10	5.71	24.3	315.9																
					7	6	10	5.31	24.3	340.2															
					6	5	10	5	24.3	365															
								<b>Total Gallons</b>	<b>365</b>																
<b>Reconciliation</b> <table border="1"> <thead> <tr> <th></th> <th>Design</th> <th>Actual</th> <th>Difference</th> <th>Reconciliation Method</th> </tr> </thead> <tbody> <tr> <td><b>Total lbs</b></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td><b>Total Gallon</b></td> <td>365</td> <td>365</td> <td>0</td> <td>Batching/totalizer</td> </tr> </tbody> </table>												Design	Actual	Difference	Reconciliation Method	<b>Total lbs</b>					<b>Total Gallon</b>	365	365	0	Batching/totalizer
	Design	Actual	Difference	Reconciliation Method																					
<b>Total lbs</b>																									
<b>Total Gallon</b>	365	365	0	Batching/totalizer																					

Notes:  
1 boring per log sheet



**DAILY INJECTION FIELD LOG SHEET**      Crew Chief Jeremy Cecaci

Project Name:	TSG-AB&I Foundary			SOW	<input checked="" type="checkbox"/> Check Here if same as previous borings						
Injection SOW	Pump	Moyno	Reagent Concentration%	Max Pressure psi	45	Max Flow gpm	6.91				
Target Interval	15%	Total Lbs				Total Gals	365				
	20 ft	5 ft	Lbs per ___ ft			Gals per ___ ft	24.3				
	to	Simult. Locations	1	Injection Tool	bottom up	Tool Diameter "	1.5"				
Boring ID No.	Date	Start Time	End Time	Inject Int Feet To	Inject Int Feet	Average PSI	Average Flow Rate (gpm)	Reagent Per Interval (Gals)	Total Reagent Per Boring (Gals) Running	Injection Site Notes	
PL-15	6/9/09	2:36:00 PM	3:42:00 PM	20	19	45	4.97	24.3	24.3	No surfacing noted.  55 gallons of EOS, 1 gallon of EOS activator, and 16 oz. B12 mixed with 310 gallons of water.	
				19	18	40	5.01	24.3	48.6		
				18	17	40	5.62	24.3	72.9		
				17	16	40	5.41	24.3	97.2		
				16	15	40	5.39	24.3	212.5		
				15	14	35	5.61	24.3	245.8		
				14	13	30	5.79	24.3	170.1		
				13	12	30	5.87	24.3	194.4		
				12	11	30	6.01	24.3	218.7		
				11	10	25	6.13	24.3	243		
				10	9	15	6	24.3	267.3		
				9	8	15	6.13	24.3	291.6		
				8	7	20	6	24.3	315.9		
					7	6	15	5.98	24.3	340.2	
					6	5	10	5	24.3	365	
								<b>Total Gallons</b>	<b>365</b>		
Reconciliation											
		Design	Actual	Difference	Reconciliation Method						
		<b>Total lbs</b>	<b>365</b>	<b>0</b>	Batching/totalizer						
		<b>Total Gallon</b>	<b>365</b>	<b>0</b>							

Notes:  
1 boring per log sheet



**DAILY INJECTION FIELD LOG SHEET** Crew Chief Jeremy Cecaci

Project Name:	TSG-AB&I Foundary			SOW	<input type="checkbox"/> Check Here if same as previous borings		
Injection SOW RegenOx and ORC-A	Pump	Moyno	Reagent Concentration%	Max Pressure psi	60	Max Flow gpm	5.79
Target Interval	20 ft	to	8%-6%	Total Lbs		Total Gals	210
			5 ft	Lbs per __ ft		Gals per __ ft	30
			Simult. Locations	1	Injection Tool	bottom up	Tool Diameter " 1.5"

Boring ID No.	Date	Start Time	End Time	Inject Int Feet To	Inject Int Feet	Average PSI	Average Flow Rate (gpm)	Reagent Per Interval (Gals)	Total Reagent Per Boring (Gals)	Injection Site Notes
WH-2	6/10/09	10:00:00 AM	11:00:00 AM	20	19	50	4.97	30	30	
				19	18	50	5.01	30	60	
				18	17	55	5.62	30	90	
				17	16	60	5.41	30	120	
				16	15	50	5.39	30	150	
				15	14	50	5.61	30	180	
				14	13	50	5.79	30	210	
				13	12					
				12	11					
				11	10					
				10	9					
				9	8					
				8	7					
				7	6					
				6	5					
								Total Gallons	210	

Reconciliation	Design	Actual	Difference	Reconciliation Method
	Total lbs			
	Total Gallons	600	210	390
				Batching/totalizer

Notes:  
1 boring per log sheet

Surfacing noted up the bore hole along side the tools. Boring called

8 buckets of Part A & Part B with 600 gallons of water and 2 buckets of ORC-A



## DAILY INJECTION FIELD LOG SHEET

Crew Chief Jeremy Cecaci

Project Name: **TSG-AB&I Foundary**      SOW  Check Here if same as previous borings

Injection SOW RegenOx and ORC-A		Pump <b>Moyno</b>	Max Pressure psi	60	Max Flow gpm	11.31
		Reagent Concentration% <b>8%-6%</b>	Total Lbs		Total Gals	640
Target Interval	<b>20 ft</b>	to <b>5 ft</b>	Lbs per <u>  </u> ft		Gals per <u>  </u> ft	53.3
	Simult. Locations <b>1</b>		Injection Tool	bottom up	Tool Diameter "	<b>1.5"</b>

Boring ID No.	Date	Start Time	End Time	Inject Int Feet To	Inject Int Feet	Average PSI	Average Flow Rate (gpm)	Reagent Per Interval (Gals)	Total Reagent Per Boring (Gals) Running Total	Injection Site Notes
WH-1	6/10/09	10:00:00 AM	1:30:00 PM	20	19	50	5.19	53.3	53.3	surfacing noted along cracks near injection point, flow slowed and injection continued. Surfacing noted again during 14-13 foot zone our of cracks, flow decreased and injectons continued. 11-10 foot zone client requested we increase flow. Surfacing out of WH-2 boring called.
				19	18	50	10.71	53.3	106.6	
				18	17	55	11.31	53.3	159.9	
				17	16	50	10.07	53.3	213.2	
				16	15	60	4.99	53.3	266.5	
				15	14	60	4.87	53.3	319.8	
				14	13	55	4.95	53.3	373.1	
				13	12	25	3.01	53.3	426.4	8 buckets of Part A & Part B with 800 gallons of water and 2 buckets of ORC-A
				12	11	30	3.21	53.3	479.7	
				11	10	30	3.57	53.3	533	
				10	9	35	6.01	53.3	586.3	
				9	8	35	6.16	53.3	640	
				8	7					
				7	6					
				6	5					
								<b>Total Gallons</b>	<b>640</b>	

Reconciliation	Design	Actual	Difference	Reconciliation Method		
	<b>Total lbs</b>					
	<b>Total Gallons</b>	800	640	160	Batching/totalizer	

Notes:

1 boring per log sheet



**DAILY INJECTION FIELD LOG SHEET**      Crew Chief Jeremy Cecaci

**Project Name:**

TSG-AB1 Boundary		SOW	Check Here if same as previous borings		
genOx and ORC-A	Pump Moyno	Max Pressure psi	45	Max Flow gpm	3.1
	Reagent Concentration%	Total Lbs		Total Gals	5.0
Target Interval	20 ft to Simult. Locations	5 ft	Lbs per ____ ft	Gals per ____ ft	26.0
			1 Injection Tool	Tool Diameter	1.5"
			bottom up		

Notes:



**DAILY INJECTION FIELD LOG SHEET** Crew Chief Jeremy Cecaci

Project Name:	TSG-AB&I Foundary			SOW	<input type="checkbox"/> Check Here if same as previous borings																									
Injection SOW RegenOx and ORC-A	Pump	Moyno	Reagent Concentration%	Max Pressure psi	45	Max Flow gpm	4.14																							
Target Interval	20 ft	to	8%-6%	Total Lbs		Total Gals	270																							
			5 ft	Lbs per __ ft		Gals per __ ft	26.6																							
			Simult. Locations	1	Injection Tool	Tool Diameter "	1.5"																							
Boring ID No.	Date	Start Time	End Time	Inject Int Feet To	Inject Int Feet	Average PSI manifold/in line	Average Flow Rate (gpm)	Reagent Per Interval (Gals)	Total Reagent Per Boring (Gals)	Injection Site Notes																				
WH-3	6/11/09	8:40:00 AM	10:50:00 AM	20	19	30/20	<1	15	15																					
				19	18	28/20	<1	0	15																					
				18	17	30/20	<1	20	35	Surfacing noted while pulling from 9-8 foot zone																				
				17	16	35/30	2.31	25	60	client called the boring																				
				16	15	45/30	3.82	30	90																					
				15	14	50/25	4.14	30	120																					
				14	13	50/25	4.01	30	150																					
				13	12	40/28	3.85	30	180																					
				12	11	40/28	3.14	30	210	Client requested we keep the PSI @ or below 30																				
				11	10	35/20	2.99	30	240																					
				10	9	25/20	2.87	30	270																					
				9	8																									
				8	7																									
				7	6																									
				6	5																									
								Total Gallons	270																					
<table border="1"> <thead> <tr> <th></th> <th>Design</th> <th>Actual</th> <th>Difference</th> <th>Reconciliation Method</th> </tr> </thead> <tbody> <tr> <td><b>Reconciliation</b></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td><b>Total lbs</b></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td><b>Total Gallons</b></td> <td>400</td> <td>270</td> <td>130</td> <td>Batching/totalizer</td> </tr> </tbody> </table>												Design	Actual	Difference	Reconciliation Method	<b>Reconciliation</b>					<b>Total lbs</b>					<b>Total Gallons</b>	400	270	130	Batching/totalizer
	Design	Actual	Difference	Reconciliation Method																										
<b>Reconciliation</b>																														
<b>Total lbs</b>																														
<b>Total Gallons</b>	400	270	130	Batching/totalizer																										

Notes:  
1 boring per log sheet



**DAILY INJECTION FIELD LOG SHEET** Crew Chief Jeremy Cecaci

Project Name:	TSG-AB&I Foundary			SOW	<input type="checkbox"/> Check Here if same as previous borings		
Injection SOW RegenOx and ORC-A	Pump	Moyno	Reagent Concentration%	Max Pressure psi	50/30	Max Flow gpm	4.89
Target Interval	20 ft	to	7%-6%	Total Lbs		Total Gals	215
			5 ft	Lbs per ___ ft		Gals per ___ ft	30-35
			Simult. Locations	1	Injection Tool	bottom up	1.5"

Boring ID No.	Date	Start Time	End Time	Inject Int Feet To	Inject Int Feet	Average PSI manifold/in line	Average Flow Rate (gpm)	Reagent Per Interval (Gals)	Total Reagent Per Boring (Gals)	Injection Site Notes
WH-5	6/11/09	11:59:00 AM	1:35:00 PM	20	19	45/30	0	0	0	
				19	18	40/30	0	0	0	
				18	17	45/30	0	0	0	Surfacing noted while pulling from 10-9 foot zone
				17	16	50/25	1.78	35	35	client called the boring
				16	15	30/15	4.89	35	70	
				15	14	25/10	4.75	30	100	
				14	13	30/15	4.36	30	130	
				13	12	30/15	4.67	30	160	
				12	11	20/10	2.5	30	190	
				11	10	20/10	3.27	25	215	Client requested we keep the PSI @ or below 30
				10	9					
				9	8					
				8	7					
				7	6					
				6	5					
								Total Gallons	215	

Reconciliation	Design	Actual	Difference	Reconciliation Method
<b>Total lbs</b>				
<b>Total Gallons</b>	345	215	130	Batching/totalizer

Notes:  
1 boring per log sheet



**DAILY INJECTION FIELD LOG SHEET**      Crew Chief Jeremy Cecaci

Project Name: TSG-AB&I Foundary				SOW	Check Here if same as previous borings							
Injection SOW RegenOx and ORC-A  Target Interval	Pump	Moyno		Max Pressure psi	50/30	Max Flow gpm	4.31					
	Reagent Concentration%	7%-6%		Total Lbs		Total Gals	100					
	20 ft	to	5 ft	Lbs per ___ ft		Gals per ___ ft	30-35					
	Simult. Locations		11	Injection Tool	bottom up	Tool Diameter "	1.5"					
Boring ID No.	Date	Start Time	End Time	Inject Int Feet To	Inject Int Feet	Average PSI manifold/in line	Average Flow Rate (gpm)	Reagent Per Interval (Gals)	Total Reagent Per Boring (Gals)	Injection Site Notes		
WH-7	6/11/09	2:30:00 PM	3:45:00 PM	20	19	45/30	0	0	0	Surfacing noted while pulling from 8-7 foot zone client called the boring		
				19	18	45/30	0	0	0			
				18	17	45/30	0	0	0			
				17	16	50/35	0	0	0			
				16	15	45/25	3.97	30	30			
				15	14	35/25	4.29	30	60			
				14	13	35/25	4.31	30	90			
				13	12	45/30	0	0	90			
				12	11	45/30	0	0	90			
				11	10	45/30	0	0	90	Client requested we keep the PSI @ or below 30  4 buckets of Part A & Part B with 345 gallons of water and 2 buckets of ORC-A		
				10	9	50/50	0	0	90			
				9	8	35/25	0	0	90			
				8	7	30/15	3.71	10	100			
				7	6							
				6	5							
								Total Gallons	215			
				Design	Actual	Difference	Reconciliation Method					
Reconciliation		Total lbs										
		Total Gallons	345	100	245		Batching/totalizer					

Notes:



**DAILY INJECTION FIELD LOG SHEET**      Crew Chief Jeremy Cecaci

Project Name: TSG-AB&I Foundary			SOW	Check Here if same as previous borings						
Injection SOW RegenOx and ORC-A	Pump	Moyno	Max Pressure psi	45/30	Max Flow gpm	5.1				
Reagent Concentration%	7%-6%		Total Lbs		Total Gals	145				
Target Interval	20 ft	to Simult. Locations	Lbs per __ ft		Gals per __ ft	30-35				
			11njection Tool	bottom up	Tool Diameter "	1.5"				
Boring ID No.	Date	Start Time	End Time	Inject Int Feet To	Inject Int Feet	Average PSI manifold/in line	Average Flow Rate (gpm)	Reagent Per Interval (Gals)		Injection Site Notes
WH-7A	6/11/09	4:17:00 AM	4:35:00 AM	20	19					
				19	18					
				18	17					
				17	16					
				16	15					
				15	14					
				14	13					
				13	12	45/30	5.1	45	145	Pushed tools to 16 foot and pulled back to 12 feet bgs. Surfacing noted around borehole.
				12	11					
				11	10					
				10	9					
				9	8					
				8	7					
				7	6					
				6	5					
								Total Gallons	145	4 buckets of Part A & Part B with 345 gallons of water and 2 buckets of ORC-A
Reconciliation				Design	Actual	Difference	Reconciliation Method			
				Total lbs						
				Total Gallons	345	145	Batching/totalizer			

Notes:



**DAILY INJECTION FIELD LOG SHEET**      Crew Chief Jeremy Cecaci

**Project Name:**

TSG-AB1 Boundary		SOW	Check Here if same as previous borings	
benOx and ORC-A	Pump Moyno	Max Pressure psi	50/50	Max Flow gpm
	Reagent Concentration%	7%-6%	Total Lbs	190
Target Interval	20 ft	to	5 ft	Gals per ____ ft
			Lbs per ____ ft	30-35
			Injection Tool	Tool Diameter "
			bottom up	1.5"

Boring ID No.	Date	Start Time	End Time	Inject Int Feet To	Inject Int Feet	Average PSI manifold/in line	Average Flow Rate (gpm)	Reagent Per Interval (Gals)	Total Reagent Per Boring (Gals)	Injection Site Notes	
WH-6	6/12/09	8:40:00 AM	10:25:00 AM	20	19	50/30	0	0	0	No surfacing noted.	
				19	18	50/30	0	0	0		
				18	17	45/30	0	0	0		
				17	16	45/25	2.71	30	30		
				16	15	45/15	0	0	30		
				15	14	30/10	4.4	35	65		
				14	13	30/15	5	35	100		
				13	12	45/15	0	0	100		
				12	11	45/10	0	0	100		
				11	10	30/10	0	0	100		
				10	9	30/20	0	0	100	Client requested we inject as much as possible at a 7 foot interval.	
				9	8	30/20	0	0	100		
				8	7	30/20	3.1	95	195		
				7	6						
				6	5						
								Total Gallons	195		
Design		Actual	Difference	Reconciliation Method							

Notes:



**DAILY INJECTION FIELD LOG SHEET**      Crew Chief Jeremy Cecaci

Project Name:	TSG-AB&I Foundary			SOW	<input type="checkbox"/> Check Here if same as previous borings																									
Injection SOW RegenOx and ORC-A	Pump	Moyno	Reagent Concentration%	Max Pressure psi	35	Max Flow gpm	5.01																							
Target Interval	20 ft	to	7%-6%	Total Lbs		Total Gals	140																							
			5 ft	Lbs per __ ft		Gals per __ ft	30-35																							
			Simult. Locations	1	Injection Tool	Tool Diameter "	1.5"																							
Boring ID No.	Date	Start Time	End Time	Inject Int Feet To	Inject Int Feet	Average PSI manifold/in line	Average Flow Rate (gpm)	Reagent Per Interval (Gals)	Total Reagent Per Boring (Gals)	Injection Site Notes																				
WH-8	6/12/09	11:10:00 AM	12:00:00 PM	20	19	30	0	0	0																					
				19	18	30	0	0	0																					
				18	17	35	2.51	35	35																					
				17	16	35	5.01	35	70																					
				16	15	35	4.04	35	105																					
				15	14	35	4.17	35	145																					
				14	13																									
				13	12																									
				12	11																									
				11	10																									
				10	9																									
				9	8																									
				8	7																									
				7	6																									
				6	5																									
								Total Gallons	145																					
<table border="1"> <thead> <tr> <th></th> <th>Design</th> <th>Actual</th> <th>Difference</th> <th>Reconciliation Method</th> </tr> </thead> <tbody> <tr> <td><b>Reconciliation</b></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td><b>Total lbs</b></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td><b>Total Gallons</b></td> <td>400</td> <td>145</td> <td>260</td> <td>Batching/totalizer</td> </tr> </tbody> </table>												Design	Actual	Difference	Reconciliation Method	<b>Reconciliation</b>					<b>Total lbs</b>					<b>Total Gallons</b>	400	145	260	Batching/totalizer
	Design	Actual	Difference	Reconciliation Method																										
<b>Reconciliation</b>																														
<b>Total lbs</b>																														
<b>Total Gallons</b>	400	145	260	Batching/totalizer																										

Notes:  
1 boring per log sheet

Surfacing noted around the rods and out the bore hole at the 15-14 foot zone. Boring called.

4 buckets of Part A & Part B with 400 gallons of water and 2 buckets of ORC-A



## DAILY INJECTION FIELD LOG SHEET

Crew Chief Jeremy Cecaci

Project Name: **TSG-AB&I Foundary**      SOW  Check Here if same as previous borings

Injection SOW RegenOx and ORC-A	Pump	<b>Moyno</b>	Max Pressure psi	35	Max Flow gpm	5.01
	Reagent Concentration%	7%-6%		Total Lbs	Total Gals	150
Target Interval	20 ft	to	5 ft	Lbs per __ ft	Gals per __ ft	30-35
Simult. Locations	1	Injection Tool	bottom up	Injection Tool	Tool Diameter "	1.5"

Boring ID No.	Date	Start Time	End Time	Inject Int Feet To	Inject Int Feet	Average PSI manifold/in line	Average Flow Rate (gpm)	Reagent Per Interval (Gals)	Total Reagent Per Boring (Gals) Running Total	Injection Site Notes
WH-4	6/12/09	1:00:00 PM	2:10:00 PM	20	19	45	0	0	0	Surfacing noted at 9 feet bgs.
				19	18	45	0	0	0	
				18	17	40	0	0	0	
				17	16	45	0	0	0	
				16	15	35	4.45	35	35	
				15	14	45	4.14	30	65	
				14	13	50	4.01	30	95	
				13	12	50	0	0	95	4 buckets of Part A & Part B with 400 gallons of water and 2 buckets of ORC-A
				12	11	40	3.23	35	130	
				11	10	45	3.97	20	150	
				10	9	40	0	0	150	
				9	8	35	0	0	150	
				8	7	40	0	0	150	
				7	6					
				6	5					
								Total Gallons	150	

Reconciliation	Design	Actual	Difference	Reconciliation Method
	Total lbs			
	Total Gallons	400	150	250 Batching/totalizer

Notes:

1 boring per log sheet

**APPENDIX B**

**FIELD SAMPLING SHEETS**

**MAY 2009**

**FIELD SAMPLING SHEET**

**Groundwater Monitoring Well**  
**Field Sampling Form**  
**The Source Group, Inc.**

PROJECT NAME: AB&I

PROJECT NO.: 01-ABI-001

TASK NO.: \_\_\_\_\_

WELL ID: MW-9

PURGE DATE: 5/22/09

SAMPLE TIME: 0940

SAMPLE DATE: 5/22/09

PERSONNEL: M.C.H.

PURGE LOG: (circle) (check units!)

DTW	Time (24 hr)	Flow Rate (ml/min)	pH	EC (mS/cm)	Temp. (C)	Dissolved Oxygen (mg/L)	REDOX (mV)	Color	Turbidity	Other Observations
4.25	921	200	6.86	1308	16.68	2.03	-76.5	slidy	4.5	petroleum odor
4.32	928	220	6.87	1307	16.83	1.05	-149.2	"	2.7	" "
4.32	933	220	6.87	1306	16.88	0.97	-148.5	"	0.2	" "
4.32	938	220	6.87	1305	16.90	0.96	-148.5	"	0.0	" "

Total Gallons Purged: 2.0  
2"

Purging  
Method

Submersibl  
e Bladder  
Pump

12 Volt  
Pump

Peristaltic  
Pump

Bailer

**WELL SAMPLING:**

DTW at Time of Sampling: 4.32

Sampling  
Method

Submersibl  
e Bladder  
Pump

12 Volt  
Pump

Peristaltic  
Pump

Bailer

SAMPLE ID: MW-9

**QA/QC SAMPLING:**

WAS QA/QC SAMPLE COLLECTED AFTER THIS WELL?

YES / NO

IF SO, SAMPLE ID: \_\_\_\_\_

TYPE: Rinsate Blank

Duplicate Field Blank

**COMMENTS:**

- slowest speed on pump ~ 400 ml/min
- pump slowed to 200 ml/min - seems to alternating speeds @ random
- black residue sticking to H<sub>2</sub>O. Possible oil residue?

**JULY 2009**

**FIELD SAMPLING SHEET**

**Groundwater Monitoring Well**  
**Field Sampling Form**  
**The Source Group, Inc.**

PROJECT NAME: AB&I \_\_\_\_\_

PROJECT NO.: 01-ABI-001 \_\_\_\_\_

TASK NO.: \_\_\_\_\_

WELL ID: MW-9

PURGE DATE: 9/1/09

SAMPLE TIME: 10:00

SAMPLE DATE: 7/1/09

PERSONNEL: N.C. 1tn

PURGE LOG: (circle)

(check units!)

DTW	Time (24 hr)	Flow Rate (ml/min)	pH	EC (mS/cm)	Temp. (C)	Disolved Oxygen (mg/L)	REDOX (mV)	Color	Turbidity	Other Observations
5.11	943	-	11.01	8189	17.61	88.53	-92.1	clear	50.8	-
5.21	950	-	10.90	6852	17.87	81.47	-84.4	clear	46.6	-
5.25	955	-	10.83	6142	17.92	80.82	-81.1	clear	41.8	slight pet. odor
5.29	1000	-	10.76	5511	17.94	79.58	-82.2	clear	35.1	" " "
5.29	1005	-	10.74	5132	18.02	78.00	-80.0	clear	29.3	" " "

Total Gallons Purged: 1.5  
2"

Purging  
Method

Submersible  
Bladder  
Pump

12 Volt  
Pump

Peristaltic  
Pump

Bailer

WELL SAMPLING:

DTW at Time of Sampling: 5.29

Sampling  
Method

Submersible  
Bladder  
Pump

12 Volt  
Pump

Peristaltic  
Pump

Bailer

SAMPLE ID: MW-9

QA/QC SAMPLING:

WAS QA/QC SAMPLE COLLECTED AFTER THIS WELL?

YES / NO

IF SO, SAMPLE ID: \_\_\_\_\_

TYPE: Rinsate Blank

Duplicate Field Blank

COMMENTS:

**AUGUST 2009**

**FIELD SAMPLING SHEET**

# Groundwater Monitoring Well

## Field Sampling Form

### The Source Group, Inc.

PROJECT NAME: AB&I \_\_\_\_\_

PROJECT NO.: 01-ABI-001 \_\_\_\_\_

TASK NO.: \_\_\_\_\_

WELL ID: MW-9 \_\_\_\_\_

PURGE DATE: 8/7/09 \_\_\_\_\_

SAMPLE TIME: 9:55 \_\_\_\_\_

SAMPLE DATE: 8/7/09 \_\_\_\_\_

INITIAL DTW (ft): 449 \_\_\_\_\_

DEPTH TO BOTTOM (ft): \_\_\_\_\_

WELL DIAM. (in): 2 \_\_\_\_\_

PUMP INTAKE DEPTH (ft): \_\_\_\_\_

3 VOLUMES (gals): \_\_\_\_\_

$h^3 \times 0.064$  (1.25");  $h^3 \times 0.16$  (2");  $h^3 \times 0.26$  (2.5");  
 $h^3 \times 0.38$  (3");  $h^3 \times 0.65$  (4");  $h^3 \times 1.5$  (6")

PURGE LOG: (circle) \_\_\_\_\_

(check units!)

DTW	Time (24 hr)	Flow Rate (ml/min)	pH	EC (mS/cm)	Temp. (C)	Dissolved Oxygen (mg/L)	REDOX (mV)	Color	Turbidity	Other Observations
5.01	9:30	190	10.36	4012	18.12	37.18	169.6	cloudy	45.4	milky white
5.21	9:43	-	10.04	3498	17.96	38.77	152.9	"	12.4	" "
5.16	9:48	-	9.96	3405	17.94	37.70	153.8	"	12.3	" "
5.12	9:53	-	9.96	3370	17.91	38.34	153.1	"	12.3	" "

Total Gallons Purged: 1.5  
2"

Purging  
Method

Submersibl  
e Bladder  
Pump

12 Volt  
Pump

Peristaltic  
Pump

Bailer

#### WELL SAMPLING:

DTW at Time of Sampling: 5:12

Sampling  
Method

2"  
Submersibl  
e Bladder  
Pump

12 Volt  
Pump

Peristaltic  
Pump

Bailer

SAMPLE ID: MW-9

#### QA/QC SAMPLING:

WAS QA/QC SAMPLE COLLECTED AFTER THIS WELL?

YES / NO

IF SO, SAMPLE ID: \_\_\_\_\_

TYPE: Rinsate Blank

Duplicate Field Blank

#### COMMENTS:

---

---

---

---

---

---

---

**SEPTEMBER 2009**

**FIELD SAMPLING SHEET**

**Groundwater Monitoring Well**  
**Field Sampling Form**  
**The Source Group, Inc.**

PROJECT NAME: AB&I \_\_\_\_\_

PROJECT NO.: 01-ABI-001 \_\_\_\_\_

TASK NO.: \_\_\_\_\_

WELL ID: MW-9

PURGE DATE: 9/10/09

SAMPLE TIME: 835

SAMPLE DATE: 9/10/09

PERSONNEL: N.C.H.

PURGE LOG: (circle)

(check units!)

DTW	Time (24 hr)	Flow Rate (ml/min)	pH	EC (mS/cm)	Temp. (C)	Dissolved Oxygen (mg/L)	REDOX (mV)	Color	Turbidity	Other Observations
5.03	831	MWD-	-	2646	18.06	29.74	28.3	cloudy	34.0	-
5.02	839	-	9.43	2566	18.09	27.77	32.6	"	26.6	-
5.00	845	-	9.29	2523	18.16	26.50	35.5	"	21.9	-
5.00	851	-	9.22	2523	18.16	25.73	38.7	"	19.0	-
5.00	855	-	9.18	2494	18.20					

Total Gallons Purged: 1.5  
2"

Purging  
Method

Submersibl  
e Bladder  
Pump

12 Volt  
Pump

Peristaltic  
Pump

Bailer

**WELL SAMPLING:**

DTW at Time of Sampling: 5.00  
2"

Sampling  
Method

Submersibl  
e Bladder  
Pump

12 Volt  
Pump

Peristaltic  
Pump

Bailer

SAMPLE ID: MW-9

**QA/QC SAMPLING:**

WAS QA/QC SAMPLE COLLECTED AFTER THIS WELL?

YES / NO

IF SO, SAMPLE ID: \_\_\_\_\_

TYPE: Rinsate Blank

Duplicate Field Blank

**COMMENTS:**

**APPENDIX C**

**LABORATORY REPORT AND CHAIN OF CUSTODY RECORDS**

**MAY 2009 ANALYTICAL DATA**

June 02, 2009



Kent Reynolds  
The Source Group Inc.  
3451 Vincent Dr., Suite C  
Pleasant Hill, CA 94523

TEL: (925) 944-2856  
FAX: (925) 944-2859

ELAP No.: 1838  
NELAP No.: 02107CA  
NEVADA.: CA-401  
CSDLAC No.: 10196

Workorder No.: 105633

RE: AB&I Foundry, 01-ABI.001

Attention: Kent Reynolds

Enclosed are the results for sample(s) received on May 23, 2009 by Advanced Technology Laboratories . The sample(s) are tested for the parameters as indicated in the enclosed chain of custody in accordance with the applicable laboratory certifications.

Thank you for the opportunity to service the needs of your company.

Please feel free to call me at (562)989-4045 if I can be of further assistance to your company.

Sincerely,

A handwritten signature in black ink, appearing to read "Eddie F. Rodriguez".

Eddie F. Rodriguez  
Laboratory Director

The cover letter and the case narrative are an integral part of this analytical report and cannot be reproduced in part or in its entirety without written permission from the client and Advanced Technology Laboratories.

**CLIENT:** The Source Group Inc.  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab Order:** 105633

**CASE NARRATIVE**

The samples for RSK-175 analysis were subcontracted to Air Technology Laboratory.

**Analytical Comments for EPA 8015B(M) (DRO)**

Per client's request, Silica Gel Cleanup was performed on the samples prior to analysis.

**Analytical Comments for EPA 8260B**

Results were J-Flag. "J" is used to flag those results that are between the PQL (Practical Quantitation Limit) and the calculated MDL (Method Detection Limit). Results that are "J" Flagged are estimated values since it becomes difficult to accurately quantitate the analyte near the MDL.

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 105633-001A

**Client Sample ID:** MW-3  
**Collection Date:** 5/21/2009 11:20:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS2_090527A	QC Batch: Q09VW098			PrepDate:		Analyst: SLL
1,1,1,2-Tetrachloroethane	ND	2.3	2.5	µg/L	5	5/27/2009 12:42 PM
1,1,1-Trichloroethane	ND	1.3	2.5	µg/L	5	5/27/2009 12:42 PM
1,1,2,2-Tetrachloroethane	ND	1.7	2.5	µg/L	5	5/27/2009 12:42 PM
1,1,2-Trichloroethane	ND	2.2	2.5	µg/L	5	5/27/2009 12:42 PM
1,1-Dichloroethane	220	0.83	2.5	µg/L	5	5/27/2009 12:42 PM
1,1-Dichloroethene	1000	9.5	25	µg/L	50	5/26/2009 04:01 PM
1,1-Dichloropropene	ND	1.5	2.5	µg/L	5	5/27/2009 12:42 PM
1,2,3-Trichlorobenzene	ND	2.4	2.5	µg/L	5	5/27/2009 12:42 PM
1,2,3-Trichloropropane	ND	1.2	2.5	µg/L	5	5/27/2009 12:42 PM
1,2,4-Trichlorobenzene	ND	2.2	2.5	µg/L	5	5/27/2009 12:42 PM
1,2,4-Trimethylbenzene	ND	2.2	2.5	µg/L	5	5/27/2009 12:42 PM
1,2-Dibromo-3-chloropropane	ND	1.8	2.5	µg/L	5	5/27/2009 12:42 PM
1,2-Dibromoethane	ND	1.9	2.5	µg/L	5	5/27/2009 12:42 PM
1,2-Dichlorobenzene	ND	1.4	2.5	µg/L	5	5/27/2009 12:42 PM
1,2-Dichloroethane	ND	0.82	2.5	µg/L	5	5/27/2009 12:42 PM
1,2-Dichloropropane	ND	1.0	2.5	µg/L	5	5/27/2009 12:42 PM
1,3,5-Trimethylbenzene	ND	1.8	2.5	µg/L	5	5/27/2009 12:42 PM
1,3-Dichlorobenzene	ND	1.4	2.5	µg/L	5	5/27/2009 12:42 PM
1,3-Dichloropropane	ND	1.6	2.5	µg/L	5	5/27/2009 12:42 PM
1,4-Dichlorobenzene	ND	1.2	2.5	µg/L	5	5/27/2009 12:42 PM
2,2-Dichloropropane	ND	1.6	2.5	µg/L	5	5/27/2009 12:42 PM
2-Chlorotoluene	ND	1.5	2.5	µg/L	5	5/27/2009 12:42 PM
4-Chlorotoluene	ND	1.2	2.5	µg/L	5	5/27/2009 12:42 PM
4-Isopropyltoluene	ND	1.8	2.5	µg/L	5	5/27/2009 12:42 PM
Benzene	ND	0.85	2.5	µg/L	5	5/27/2009 12:42 PM
Bromobenzene	ND	1.1	2.5	µg/L	5	5/27/2009 12:42 PM
Bromodichloromethane	ND	1.9	2.5	µg/L	5	5/27/2009 12:42 PM
Bromoform	ND	1.5	2.5	µg/L	5	5/27/2009 12:42 PM
Bromomethane	ND	1.6	2.5	µg/L	5	5/27/2009 12:42 PM
Carbon tetrachloride	ND	1.9	2.5	µg/L	5	5/27/2009 12:42 PM
Chlorobenzene	ND	1.4	2.5	µg/L	5	5/27/2009 12:42 PM
Chloroethane	ND	1.8	2.5	µg/L	5	5/27/2009 12:42 PM
Chloroform	ND	1.2	2.5	µg/L	5	5/27/2009 12:42 PM
Chloromethane	ND	1.6	2.5	µg/L	5	5/27/2009 12:42 PM
cis-1,2-Dichloroethene	10	0.74	2.5	µg/L	5	5/27/2009 12:42 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 105633-001A

**Client Sample ID:** MW-3  
**Collection Date:** 5/21/2009 11:20:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS2_090527A	QC Batch: Q09VW098			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	1.4	2.5	µg/L	5	5/27/2009 12:42 PM
Dibromochloromethane	ND	2.0	2.5	µg/L	5	5/27/2009 12:42 PM
Dibromomethane	ND	0.93	2.5	µg/L	5	5/27/2009 12:42 PM
Dichlorodifluoromethane	ND	1.6	2.5	µg/L	5	5/27/2009 12:42 PM
Ethylbenzene	ND	1.1	2.5	µg/L	5	5/27/2009 12:42 PM
Hexachlorobutadiene	ND	1.4	2.5	µg/L	5	5/27/2009 12:42 PM
Isopropylbenzene	ND	1.5	2.5	µg/L	5	5/27/2009 12:42 PM
m,p-Xylene	ND	2.5	5.0	µg/L	5	5/27/2009 12:42 PM
Methylene chloride	ND	5.0	5.0	µg/L	5	5/27/2009 12:42 PM
n-Butylbenzene	ND	1.5	2.5	µg/L	5	5/27/2009 12:42 PM
n-Propylbenzene	ND	1.8	2.5	µg/L	5	5/27/2009 12:42 PM
Naphthalene	ND	1.8	2.5	µg/L	5	5/27/2009 12:42 PM
o-Xylene	ND	1.3	2.5	µg/L	5	5/27/2009 12:42 PM
sec-Butylbenzene	ND	1.6	2.5	µg/L	5	5/27/2009 12:42 PM
Styrene	ND	1.9	2.5	µg/L	5	5/27/2009 12:42 PM
tert-Butylbenzene	ND	1.8	2.5	µg/L	5	5/27/2009 12:42 PM
Tetrachloroethene	ND	0.97	2.5	µg/L	5	5/27/2009 12:42 PM
Toluene	1.8	1.1	2.5	J µg/L	5	5/27/2009 12:42 PM
trans-1,2-Dichloroethene	1.2	1.1	2.5	J µg/L	5	5/27/2009 12:42 PM
Trichloroethene	ND	0.74	2.5	µg/L	5	5/27/2009 12:42 PM
Trichlorofluoromethane	ND	1.3	2.5	µg/L	5	5/27/2009 12:42 PM
Vinyl chloride	8.4	1.7	2.5	µg/L	5	5/27/2009 12:42 PM
Surr: 1,2-Dichloroethane-d4	121	0	70-130	%REC	5	5/27/2009 12:42 PM
Surr: 1,2-Dichloroethane-d4	93.7	0	70-130	%REC	50	5/26/2009 04:01 PM
Surr: 4-Bromofluorobenzene	101	0	70-130	%REC	5	5/27/2009 12:42 PM
Surr: 4-Bromofluorobenzene	83.0	0	70-130	%REC	50	5/26/2009 04:01 PM
Surr: Dibromofluoromethane	124	0	70-130	%REC	5	5/27/2009 12:42 PM
Surr: Dibromofluoromethane	92.9	0	70-130	%REC	50	5/26/2009 04:01 PM
Surr: Toluene-d8	95.1	0	70-130	%REC	50	5/26/2009 04:01 PM
Surr: Toluene-d8	107	0	70-130	%REC	5	5/27/2009 12:42 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 105633-002A

**Client Sample ID:** MW-8  
**Collection Date:** 5/21/2009 12:33:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS11_090526A	QC Batch: A09VW103			PrepDate:		Analyst: SLL
1,1,1,2-Tetrachloroethane	ND	4.5	5.0	µg/L	10	5/26/2009 04:21 PM
1,1,1-Trichloroethane	1900	27	50	µg/L	100	5/26/2009 04:40 PM
1,1,2,2-Tetrachloroethane	ND	3.5	5.0	µg/L	10	5/26/2009 04:21 PM
1,1,2-Trichloroethane	ND	4.3	5.0	µg/L	10	5/26/2009 04:21 PM
1,1-Dichloroethane	1500	17	50	µg/L	100	5/26/2009 04:40 PM
1,1-Dichloroethene	1900	19	50	µg/L	100	5/26/2009 04:40 PM
1,1-Dichloropropene	ND	3.0	5.0	µg/L	10	5/26/2009 04:21 PM
1,2,3-Trichlorobenzene	ND	4.8	5.0	µg/L	10	5/26/2009 04:21 PM
1,2,3-Trichloropropane	ND	2.4	5.0	µg/L	10	5/26/2009 04:21 PM
1,2,4-Trichlorobenzene	ND	4.3	5.0	µg/L	10	5/26/2009 04:21 PM
1,2,4-Trimethylbenzene	ND	4.4	5.0	µg/L	10	5/26/2009 04:21 PM
1,2-Dibromo-3-chloropropane	ND	3.5	5.0	µg/L	10	5/26/2009 04:21 PM
1,2-Dibromoethane	ND	3.7	5.0	µg/L	10	5/26/2009 04:21 PM
1,2-Dichlorobenzene	ND	2.7	5.0	µg/L	10	5/26/2009 04:21 PM
1,2-Dichloroethane	ND	1.6	5.0	µg/L	10	5/26/2009 04:21 PM
1,2-Dichloropropane	ND	2.0	5.0	µg/L	10	5/26/2009 04:21 PM
1,3,5-Trimethylbenzene	ND	3.6	5.0	µg/L	10	5/26/2009 04:21 PM
1,3-Dichlorobenzene	ND	2.8	5.0	µg/L	10	5/26/2009 04:21 PM
1,3-Dichloropropane	ND	3.2	5.0	µg/L	10	5/26/2009 04:21 PM
1,4-Dichlorobenzene	ND	2.4	5.0	µg/L	10	5/26/2009 04:21 PM
2,2-Dichloropropane	ND	3.2	5.0	µg/L	10	5/26/2009 04:21 PM
2-Chlorotoluene	ND	3.1	5.0	µg/L	10	5/26/2009 04:21 PM
4-Chlorotoluene	ND	2.3	5.0	µg/L	10	5/26/2009 04:21 PM
4-Isopropyltoluene	ND	3.6	5.0	µg/L	10	5/26/2009 04:21 PM
Benzene	2.9	1.7	5.0	µg/L	10	5/26/2009 04:21 PM
Bromobenzene	ND	2.1	5.0	µg/L	10	5/26/2009 04:21 PM
Bromodichloromethane	ND	3.9	5.0	µg/L	10	5/26/2009 04:21 PM
Bromoform	ND	3.0	5.0	µg/L	10	5/26/2009 04:21 PM
Bromomethane	ND	3.2	5.0	µg/L	10	5/26/2009 04:21 PM
Carbon tetrachloride	ND	3.8	5.0	µg/L	10	5/26/2009 04:21 PM
Chlorobenzene	ND	2.8	5.0	µg/L	10	5/26/2009 04:21 PM
Chloroethane	320	3.5	5.0	µg/L	10	5/26/2009 04:21 PM
Chloroform	ND	2.3	5.0	µg/L	10	5/26/2009 04:21 PM
Chloromethane	ND	3.2	5.0	µg/L	10	5/26/2009 04:21 PM
cis-1,2-Dichloroethene	ND	1.5	5.0	µg/L	10	5/26/2009 04:21 PM

<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike/Surrogate outside of limits due to matrix interference
		Results are wet unless otherwise specified	DO	Surrogate Diluted Out



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 105633-002A

**Client Sample ID:** MW-8  
**Collection Date:** 5/21/2009 12:33:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS11_090526A	QC Batch: A09VW103			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	2.9	5.0	µg/L	10	5/26/2009 04:21 PM
Dibromochloromethane	ND	4.0	5.0	µg/L	10	5/26/2009 04:21 PM
Dibromomethane	ND	1.9	5.0	µg/L	10	5/26/2009 04:21 PM
Dichlorodifluoromethane	ND	3.3	5.0	µg/L	10	5/26/2009 04:21 PM
Ethylbenzene	ND	2.2	5.0	µg/L	10	5/26/2009 04:21 PM
Hexachlorobutadiene	ND	2.8	5.0	µg/L	10	5/26/2009 04:21 PM
Isopropylbenzene	5.3	3.0	5.0	µg/L	10	5/26/2009 04:21 PM
m,p-Xylene	ND	4.9	10	µg/L	10	5/26/2009 04:21 PM
Methylene chloride	ND	10	10	µg/L	10	5/26/2009 04:21 PM
n-Butylbenzene	ND	3.0	5.0	µg/L	10	5/26/2009 04:21 PM
n-Propylbenzene	ND	3.6	5.0	µg/L	10	5/26/2009 04:21 PM
Naphthalene	ND	3.5	5.0	µg/L	10	5/26/2009 04:21 PM
o-Xylene	ND	2.7	5.0	µg/L	10	5/26/2009 04:21 PM
sec-Butylbenzene	ND	3.3	5.0	µg/L	10	5/26/2009 04:21 PM
Styrene	ND	3.8	5.0	µg/L	10	5/26/2009 04:21 PM
tert-Butylbenzene	ND	3.5	5.0	µg/L	10	5/26/2009 04:21 PM
Tetrachloroethene	ND	1.9	5.0	µg/L	10	5/26/2009 04:21 PM
Toluene	ND	2.2	5.0	µg/L	10	5/26/2009 04:21 PM
trans-1,2-Dichloroethene	ND	2.2	5.0	µg/L	10	5/26/2009 04:21 PM
Trichloroethene	ND	1.5	5.0	µg/L	10	5/26/2009 04:21 PM
Trichlorofluoromethane	ND	2.6	5.0	µg/L	10	5/26/2009 04:21 PM
Vinyl chloride	16	3.4	5.0	µg/L	10	5/26/2009 04:21 PM
Surr: 1,2-Dichloroethane-d4	93.8	0	70-130	%REC	10	5/26/2009 04:21 PM
Surr: 1,2-Dichloroethane-d4	94.4	0	70-130	%REC	100	5/26/2009 04:40 PM
Surr: 4-Bromofluorobenzene	84.0	0	70-130	%REC	10	5/26/2009 04:21 PM
Surr: 4-Bromofluorobenzene	82.4	0	70-130	%REC	100	5/26/2009 04:40 PM
Surr: Dibromofluoromethane	93.6	0	70-130	%REC	10	5/26/2009 04:21 PM
Surr: Dibromofluoromethane	96.0	0	70-130	%REC	100	5/26/2009 04:40 PM
Surr: Toluene-d8	95.6	0	70-130	%REC	100	5/26/2009 04:40 PM
Surr: Toluene-d8	96.0	0	70-130	%REC	10	5/26/2009 04:21 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 105633-003A

**Client Sample ID:** MW-98  
**Collection Date:** 5/21/2009 12:33:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS2_090527A	QC Batch: Q09VW098			PrepDate:		Analyst: SLL
1,1,1,2-Tetrachloroethane	ND	4.5	5.0	µg/L	10	5/27/2009 01:03 PM
1,1,1-Trichloroethane	1900	27	50	µg/L	100	5/27/2009 01:25 PM
1,1,2,2-Tetrachloroethane	ND	3.5	5.0	µg/L	10	5/27/2009 01:03 PM
1,1,2-Trichloroethane	ND	4.3	5.0	µg/L	10	5/27/2009 01:03 PM
1,1-Dichloroethane	1700	17	50	µg/L	100	5/27/2009 01:25 PM
1,1-Dichloroethene	2000	19	50	µg/L	100	5/27/2009 01:25 PM
1,1-Dichloropropene	ND	3.0	5.0	µg/L	10	5/27/2009 01:03 PM
1,2,3-Trichlorobenzene	ND	4.8	5.0	µg/L	10	5/27/2009 01:03 PM
1,2,3-Trichloropropane	ND	2.4	5.0	µg/L	10	5/27/2009 01:03 PM
1,2,4-Trichlorobenzene	ND	4.3	5.0	µg/L	10	5/27/2009 01:03 PM
1,2,4-Trimethylbenzene	ND	4.4	5.0	µg/L	10	5/27/2009 01:03 PM
1,2-Dibromo-3-chloropropane	ND	3.5	5.0	µg/L	10	5/27/2009 01:03 PM
1,2-Dibromoethane	ND	3.7	5.0	µg/L	10	5/27/2009 01:03 PM
1,2-Dichlorobenzene	ND	2.7	5.0	µg/L	10	5/27/2009 01:03 PM
1,2-Dichloroethane	ND	1.6	5.0	µg/L	10	5/27/2009 01:03 PM
1,2-Dichloropropane	ND	2.0	5.0	µg/L	10	5/27/2009 01:03 PM
1,3,5-Trimethylbenzene	ND	3.6	5.0	µg/L	10	5/27/2009 01:03 PM
1,3-Dichlorobenzene	ND	2.8	5.0	µg/L	10	5/27/2009 01:03 PM
1,3-Dichloropropane	ND	3.2	5.0	µg/L	10	5/27/2009 01:03 PM
1,4-Dichlorobenzene	ND	2.4	5.0	µg/L	10	5/27/2009 01:03 PM
2,2-Dichloropropane	ND	3.2	5.0	µg/L	10	5/27/2009 01:03 PM
2-Chlorotoluene	ND	3.1	5.0	µg/L	10	5/27/2009 01:03 PM
4-Chlorotoluene	ND	2.3	5.0	µg/L	10	5/27/2009 01:03 PM
4-Isopropyltoluene	ND	3.6	5.0	µg/L	10	5/27/2009 01:03 PM
Benzene	2.8	1.7	5.0	J µg/L	10	5/27/2009 01:03 PM
Bromobenzene	ND	2.1	5.0	µg/L	10	5/27/2009 01:03 PM
Bromodichloromethane	ND	3.9	5.0	µg/L	10	5/27/2009 01:03 PM
Bromoform	ND	3.0	5.0	µg/L	10	5/27/2009 01:03 PM
Bromomethane	ND	3.2	5.0	µg/L	10	5/27/2009 01:03 PM
Carbon tetrachloride	ND	3.8	5.0	µg/L	10	5/27/2009 01:03 PM
Chlorobenzene	ND	2.8	5.0	µg/L	10	5/27/2009 01:03 PM
Chloroethane	410	3.5	5.0	µg/L	10	5/27/2009 01:03 PM
Chloroform	ND	2.3	5.0	µg/L	10	5/27/2009 01:03 PM
Chloromethane	ND	3.2	5.0	µg/L	10	5/27/2009 01:03 PM
cis-1,2-Dichloroethene	ND	1.5	5.0	µg/L	10	5/27/2009 01:03 PM

<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	E Value above quantitation range
H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits	
ND Not Detected at the Reporting Limit	S Spike/Surrogate outside of limits due to matrix interference	
Results are wet unless otherwise specified	DO Surrogate Diluted Out	

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 105633-003A

**Client Sample ID:** MW-98  
**Collection Date:** 5/21/2009 12:33:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS2_090527A	QC Batch: Q09VW098			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	2.9	5.0	µg/L	10	5/27/2009 01:03 PM
Dibromochloromethane	ND	4.0	5.0	µg/L	10	5/27/2009 01:03 PM
Dibromomethane	ND	1.9	5.0	µg/L	10	5/27/2009 01:03 PM
Dichlorodifluoromethane	ND	3.3	5.0	µg/L	10	5/27/2009 01:03 PM
Ethylbenzene	ND	2.2	5.0	µg/L	10	5/27/2009 01:03 PM
Hexachlorobutadiene	ND	2.8	5.0	µg/L	10	5/27/2009 01:03 PM
Isopropylbenzene	5.4	3.0	5.0	µg/L	10	5/27/2009 01:03 PM
m,p-Xylene	ND	4.9	10	µg/L	10	5/27/2009 01:03 PM
Methylene chloride	ND	10	10	µg/L	10	5/27/2009 01:03 PM
n-Butylbenzene	ND	3.0	5.0	µg/L	10	5/27/2009 01:03 PM
n-Propylbenzene	ND	3.6	5.0	µg/L	10	5/27/2009 01:03 PM
Naphthalene	ND	3.5	5.0	µg/L	10	5/27/2009 01:03 PM
o-Xylene	ND	2.7	5.0	µg/L	10	5/27/2009 01:03 PM
sec-Butylbenzene	ND	3.3	5.0	µg/L	10	5/27/2009 01:03 PM
Styrene	ND	3.8	5.0	µg/L	10	5/27/2009 01:03 PM
tert-Butylbenzene	ND	3.5	5.0	µg/L	10	5/27/2009 01:03 PM
Tetrachloroethene	ND	1.9	5.0	µg/L	10	5/27/2009 01:03 PM
Toluene	ND	2.2	5.0	µg/L	10	5/27/2009 01:03 PM
trans-1,2-Dichloroethene	ND	2.2	5.0	µg/L	10	5/27/2009 01:03 PM
Trichloroethene	ND	1.5	5.0	µg/L	10	5/27/2009 01:03 PM
Trichlorofluoromethane	ND	2.6	5.0	µg/L	10	5/27/2009 01:03 PM
Vinyl chloride	16	3.4	5.0	µg/L	10	5/27/2009 01:03 PM
Surr: 1,2-Dichloroethane-d4	114	0	70-130	%REC	10	5/27/2009 01:03 PM
Surr: 1,2-Dichloroethane-d4	115	0	70-130	%REC	100	5/27/2009 01:25 PM
Surr: 4-Bromofluorobenzene	97.3	0	70-130	%REC	10	5/27/2009 01:03 PM
Surr: 4-Bromofluorobenzene	96.1	0	70-130	%REC	100	5/27/2009 01:25 PM
Surr: Dibromofluoromethane	118	0	70-130	%REC	10	5/27/2009 01:03 PM
Surr: Dibromofluoromethane	117	0	70-130	%REC	100	5/27/2009 01:25 PM
Surr: Toluene-d8	99.7	0	70-130	%REC	100	5/27/2009 01:25 PM
Surr: Toluene-d8	98.4	0	70-130	%REC	10	5/27/2009 01:03 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 105633-004A

**Client Sample ID:** MW-4  
**Collection Date:** 5/21/2009 1:35:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS2_090527A	QC Batch: Q09VW098			PrepDate:		Analyst: SLL
1,1,1,2-Tetrachloroethane	ND	0.45	0.50	µg/L	1	5/27/2009 10:36 AM
1,1,1-Trichloroethane	ND	0.27	0.50	µg/L	1	5/27/2009 10:36 AM
1,1,2,2-Tetrachloroethane	ND	0.35	0.50	µg/L	1	5/27/2009 10:36 AM
1,1,2-Trichloroethane	ND	0.43	0.50	µg/L	1	5/27/2009 10:36 AM
1,1-Dichloroethane	ND	0.17	0.50	µg/L	1	5/27/2009 10:36 AM
1,1-Dichloroethene	ND	0.19	0.50	µg/L	1	5/27/2009 10:36 AM
1,1-Dichloropropene	ND	0.30	0.50	µg/L	1	5/27/2009 10:36 AM
1,2,3-Trichlorobenzene	ND	0.48	0.50	µg/L	1	5/27/2009 10:36 AM
1,2,3-Trichloropropane	ND	0.24	0.50	µg/L	1	5/27/2009 10:36 AM
1,2,4-Trichlorobenzene	ND	0.43	0.50	µg/L	1	5/27/2009 10:36 AM
1,2,4-Trimethylbenzene	ND	0.44	0.50	µg/L	1	5/27/2009 10:36 AM
1,2-Dibromo-3-chloropropane	ND	0.35	0.50	µg/L	1	5/27/2009 10:36 AM
1,2-Dibromoethane	ND	0.37	0.50	µg/L	1	5/27/2009 10:36 AM
1,2-Dichlorobenzene	ND	0.27	0.50	µg/L	1	5/27/2009 10:36 AM
1,2-Dichloroethane	ND	0.16	0.50	µg/L	1	5/27/2009 10:36 AM
1,2-Dichloropropane	ND	0.20	0.50	µg/L	1	5/27/2009 10:36 AM
1,3,5-Trimethylbenzene	ND	0.36	0.50	µg/L	1	5/27/2009 10:36 AM
1,3-Dichlorobenzene	ND	0.28	0.50	µg/L	1	5/27/2009 10:36 AM
1,3-Dichloropropane	ND	0.32	0.50	µg/L	1	5/27/2009 10:36 AM
1,4-Dichlorobenzene	ND	0.24	0.50	µg/L	1	5/27/2009 10:36 AM
2,2-Dichloropropane	ND	0.32	0.50	µg/L	1	5/27/2009 10:36 AM
2-Chlorotoluene	ND	0.31	0.50	µg/L	1	5/27/2009 10:36 AM
4-Chlorotoluene	ND	0.23	0.50	µg/L	1	5/27/2009 10:36 AM
4-Isopropyltoluene	ND	0.36	0.50	µg/L	1	5/27/2009 10:36 AM
Benzene	ND	0.17	0.50	µg/L	1	5/27/2009 10:36 AM
Bromobenzene	ND	0.21	0.50	µg/L	1	5/27/2009 10:36 AM
Bromodichloromethane	ND	0.39	0.50	µg/L	1	5/27/2009 10:36 AM
Bromoform	ND	0.30	0.50	µg/L	1	5/27/2009 10:36 AM
Bromomethane	ND	0.32	0.50	µg/L	1	5/27/2009 10:36 AM
Carbon tetrachloride	ND	0.38	0.50	µg/L	1	5/27/2009 10:36 AM
Chlorobenzene	ND	0.28	0.50	µg/L	1	5/27/2009 10:36 AM
Chloroethane	ND	0.35	0.50	µg/L	1	5/27/2009 10:36 AM
Chloroform	ND	0.23	0.50	µg/L	1	5/27/2009 10:36 AM
Chloromethane	ND	0.32	0.50	µg/L	1	5/27/2009 10:36 AM
cis-1,2-Dichloroethene	ND	0.15	0.50	µg/L	1	5/27/2009 10:36 AM

<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike/Surrogate outside of limits due to matrix interference
		Results are wet unless otherwise specified	DO	Surrogate Diluted Out



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.

**Lab Order:** 105633

**Project:** AB&I Foundry, 01-ABI.001

**Lab ID:** 105633-004A

**Client Sample ID:** MW-4

**Collection Date:** 5/21/2009 1:35:00 PM

**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS2_090527A	QC Batch: Q09VW098			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	0.29	0.50	µg/L	1	5/27/2009 10:36 AM
Dibromochloromethane	ND	0.40	0.50	µg/L	1	5/27/2009 10:36 AM
Dibromomethane	ND	0.19	0.50	µg/L	1	5/27/2009 10:36 AM
Dichlorodifluoromethane	ND	0.33	0.50	µg/L	1	5/27/2009 10:36 AM
Ethylbenzene	ND	0.22	0.50	µg/L	1	5/27/2009 10:36 AM
Hexachlorobutadiene	ND	0.28	0.50	µg/L	1	5/27/2009 10:36 AM
Isopropylbenzene	ND	0.30	0.50	µg/L	1	5/27/2009 10:36 AM
m,p-Xylene	ND	0.49	1.0	µg/L	1	5/27/2009 10:36 AM
Methylene chloride	ND	1.0	1.0	µg/L	1	5/27/2009 10:36 AM
n-Butylbenzene	ND	0.30	0.50	µg/L	1	5/27/2009 10:36 AM
n-Propylbenzene	ND	0.36	0.50	µg/L	1	5/27/2009 10:36 AM
Naphthalene	ND	0.35	0.50	µg/L	1	5/27/2009 10:36 AM
o-Xylene	ND	0.27	0.50	µg/L	1	5/27/2009 10:36 AM
sec-Butylbenzene	ND	0.33	0.50	µg/L	1	5/27/2009 10:36 AM
Styrene	ND	0.38	0.50	µg/L	1	5/27/2009 10:36 AM
tert-Butylbenzene	ND	0.35	0.50	µg/L	1	5/27/2009 10:36 AM
Tetrachloroethene	ND	0.19	0.50	µg/L	1	5/27/2009 10:36 AM
Toluene	ND	0.22	0.50	µg/L	1	5/27/2009 10:36 AM
trans-1,2-Dichloroethene	ND	0.22	0.50	µg/L	1	5/27/2009 10:36 AM
Trichloroethene	ND	0.15	0.50	µg/L	1	5/27/2009 10:36 AM
Trichlorofluoromethane	ND	0.26	0.50	µg/L	1	5/27/2009 10:36 AM
Vinyl chloride	ND	0.34	0.50	µg/L	1	5/27/2009 10:36 AM
Surr: 1,2-Dichloroethane-d4	111	0	70-130	%REC	1	5/27/2009 10:36 AM
Surr: 4-Bromofluorobenzene	104	0	70-130	%REC	1	5/27/2009 10:36 AM
Surr: Dibromofluoromethane	118	0	70-130	%REC	1	5/27/2009 10:36 AM
Surr: Toluene-d8	103	0	70-130	%REC	1	5/27/2009 10:36 AM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 105633-005A

**Client Sample ID:** MW-6  
**Collection Date:** 5/21/2009 2:33:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS2_090527A	QC Batch: Q09VW098			PrepDate:		Analyst: SLL
1,1,1,2-Tetrachloroethane	ND	0.45	0.50	µg/L	1	5/27/2009 10:57 AM
1,1,1-Trichloroethane	ND	0.27	0.50	µg/L	1	5/27/2009 10:57 AM
1,1,2,2-Tetrachloroethane	ND	0.35	0.50	µg/L	1	5/27/2009 10:57 AM
1,1,2-Trichloroethane	ND	0.43	0.50	µg/L	1	5/27/2009 10:57 AM
1,1-Dichloroethane	ND	0.17	0.50	µg/L	1	5/27/2009 10:57 AM
1,1-Dichloroethene	ND	0.19	0.50	µg/L	1	5/27/2009 10:57 AM
1,1-Dichloropropene	ND	0.30	0.50	µg/L	1	5/27/2009 10:57 AM
1,2,3-Trichlorobenzene	ND	0.48	0.50	µg/L	1	5/27/2009 10:57 AM
1,2,3-Trichloropropane	ND	0.24	0.50	µg/L	1	5/27/2009 10:57 AM
1,2,4-Trichlorobenzene	ND	0.43	0.50	µg/L	1	5/27/2009 10:57 AM
1,2,4-Trimethylbenzene	ND	0.44	0.50	µg/L	1	5/27/2009 10:57 AM
1,2-Dibromo-3-chloropropane	ND	0.35	0.50	µg/L	1	5/27/2009 10:57 AM
1,2-Dibromoethane	ND	0.37	0.50	µg/L	1	5/27/2009 10:57 AM
1,2-Dichlorobenzene	ND	0.27	0.50	µg/L	1	5/27/2009 10:57 AM
1,2-Dichloroethane	ND	0.16	0.50	µg/L	1	5/27/2009 10:57 AM
1,2-Dichloropropane	ND	0.20	0.50	µg/L	1	5/27/2009 10:57 AM
1,3,5-Trimethylbenzene	ND	0.36	0.50	µg/L	1	5/27/2009 10:57 AM
1,3-Dichlorobenzene	ND	0.28	0.50	µg/L	1	5/27/2009 10:57 AM
1,3-Dichloropropane	ND	0.32	0.50	µg/L	1	5/27/2009 10:57 AM
1,4-Dichlorobenzene	ND	0.24	0.50	µg/L	1	5/27/2009 10:57 AM
2,2-Dichloropropane	ND	0.32	0.50	µg/L	1	5/27/2009 10:57 AM
2-Chlorotoluene	ND	0.31	0.50	µg/L	1	5/27/2009 10:57 AM
4-Chlorotoluene	ND	0.23	0.50	µg/L	1	5/27/2009 10:57 AM
4-Isopropyltoluene	ND	0.36	0.50	µg/L	1	5/27/2009 10:57 AM
Benzene	ND	0.17	0.50	µg/L	1	5/27/2009 10:57 AM
Bromobenzene	ND	0.21	0.50	µg/L	1	5/27/2009 10:57 AM
Bromodichloromethane	ND	0.39	0.50	µg/L	1	5/27/2009 10:57 AM
Bromoform	ND	0.30	0.50	µg/L	1	5/27/2009 10:57 AM
Bromomethane	ND	0.32	0.50	µg/L	1	5/27/2009 10:57 AM
Carbon tetrachloride	ND	0.38	0.50	µg/L	1	5/27/2009 10:57 AM
Chlorobenzene	ND	0.28	0.50	µg/L	1	5/27/2009 10:57 AM
Chloroethane	ND	0.35	0.50	µg/L	1	5/27/2009 10:57 AM
Chloroform	ND	0.23	0.50	µg/L	1	5/27/2009 10:57 AM
Chloromethane	ND	0.32	0.50	µg/L	1	5/27/2009 10:57 AM
cis-1,2-Dichloroethene	ND	0.15	0.50	µg/L	1	5/27/2009 10:57 AM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.

**Lab Order:** 105633

**Project:** AB&I Foundry, 01-ABI.001

**Lab ID:** 105633-005A

**Client Sample ID:** MW-6

**Collection Date:** 5/21/2009 2:33:00 PM

**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS2_090527A	QC Batch: Q09VW098			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	0.29	0.50	µg/L	1	5/27/2009 10:57 AM
Dibromochloromethane	ND	0.40	0.50	µg/L	1	5/27/2009 10:57 AM
Dibromomethane	ND	0.19	0.50	µg/L	1	5/27/2009 10:57 AM
Dichlorodifluoromethane	ND	0.33	0.50	µg/L	1	5/27/2009 10:57 AM
Ethylbenzene	ND	0.22	0.50	µg/L	1	5/27/2009 10:57 AM
Hexachlorobutadiene	ND	0.28	0.50	µg/L	1	5/27/2009 10:57 AM
Isopropylbenzene	ND	0.30	0.50	µg/L	1	5/27/2009 10:57 AM
m,p-Xylene	ND	0.49	1.0	µg/L	1	5/27/2009 10:57 AM
Methylene chloride	ND	1.0	1.0	µg/L	1	5/27/2009 10:57 AM
n-Butylbenzene	ND	0.30	0.50	µg/L	1	5/27/2009 10:57 AM
n-Propylbenzene	ND	0.36	0.50	µg/L	1	5/27/2009 10:57 AM
Naphthalene	ND	0.35	0.50	µg/L	1	5/27/2009 10:57 AM
o-Xylene	ND	0.27	0.50	µg/L	1	5/27/2009 10:57 AM
sec-Butylbenzene	ND	0.33	0.50	µg/L	1	5/27/2009 10:57 AM
Styrene	ND	0.38	0.50	µg/L	1	5/27/2009 10:57 AM
tert-Butylbenzene	ND	0.35	0.50	µg/L	1	5/27/2009 10:57 AM
Tetrachloroethene	ND	0.19	0.50	µg/L	1	5/27/2009 10:57 AM
Toluene	ND	0.22	0.50	µg/L	1	5/27/2009 10:57 AM
trans-1,2-Dichloroethene	ND	0.22	0.50	µg/L	1	5/27/2009 10:57 AM
Trichloroethene	ND	0.15	0.50	µg/L	1	5/27/2009 10:57 AM
Trichlorofluoromethane	ND	0.26	0.50	µg/L	1	5/27/2009 10:57 AM
Vinyl chloride	ND	0.34	0.50	µg/L	1	5/27/2009 10:57 AM
Surr: 1,2-Dichloroethane-d4	99.8	0	70-130	%REC	1	5/27/2009 10:57 AM
Surr: 4-Bromofluorobenzene	92.5	0	70-130	%REC	1	5/27/2009 10:57 AM
Surr: Dibromofluoromethane	104	0	70-130	%REC	1	5/27/2009 10:57 AM
Surr: Toluene-d8	95.3	0	70-130	%REC	1	5/27/2009 10:57 AM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 105633-006A

**Client Sample ID:** MW-5  
**Collection Date:** 5/21/2009 3:20:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS2_090527A	QC Batch: Q09VW098			PrepDate:		Analyst: SLL
1,1,1,2-Tetrachloroethane	ND	0.45	0.50	µg/L	1	5/27/2009 11:19 AM
1,1,1-Trichloroethane	ND	0.27	0.50	µg/L	1	5/27/2009 11:19 AM
1,1,2,2-Tetrachloroethane	ND	0.35	0.50	µg/L	1	5/27/2009 11:19 AM
1,1,2-Trichloroethane	ND	0.43	0.50	µg/L	1	5/27/2009 11:19 AM
1,1-Dichloroethane	0.70	0.17	0.50	µg/L	1	5/27/2009 11:19 AM
1,1-Dichloroethene	0.71	0.19	0.50	µg/L	1	5/27/2009 11:19 AM
1,1-Dichloropropene	ND	0.30	0.50	µg/L	1	5/27/2009 11:19 AM
1,2,3-Trichlorobenzene	ND	0.48	0.50	µg/L	1	5/27/2009 11:19 AM
1,2,3-Trichloropropane	ND	0.24	0.50	µg/L	1	5/27/2009 11:19 AM
1,2,4-Trichlorobenzene	ND	0.43	0.50	µg/L	1	5/27/2009 11:19 AM
1,2,4-Trimethylbenzene	ND	0.44	0.50	µg/L	1	5/27/2009 11:19 AM
1,2-Dibromo-3-chloropropane	ND	0.35	0.50	µg/L	1	5/27/2009 11:19 AM
1,2-Dibromoethane	ND	0.37	0.50	µg/L	1	5/27/2009 11:19 AM
1,2-Dichlorobenzene	ND	0.27	0.50	µg/L	1	5/27/2009 11:19 AM
1,2-Dichloroethane	ND	0.16	0.50	µg/L	1	5/27/2009 11:19 AM
1,2-Dichloropropane	ND	0.20	0.50	µg/L	1	5/27/2009 11:19 AM
1,3,5-Trimethylbenzene	ND	0.36	0.50	µg/L	1	5/27/2009 11:19 AM
1,3-Dichlorobenzene	ND	0.28	0.50	µg/L	1	5/27/2009 11:19 AM
1,3-Dichloropropane	ND	0.32	0.50	µg/L	1	5/27/2009 11:19 AM
1,4-Dichlorobenzene	ND	0.24	0.50	µg/L	1	5/27/2009 11:19 AM
2,2-Dichloropropane	ND	0.32	0.50	µg/L	1	5/27/2009 11:19 AM
2-Chlorotoluene	ND	0.31	0.50	µg/L	1	5/27/2009 11:19 AM
4-Chlorotoluene	ND	0.23	0.50	µg/L	1	5/27/2009 11:19 AM
4-Isopropyltoluene	ND	0.36	0.50	µg/L	1	5/27/2009 11:19 AM
Benzene	ND	0.17	0.50	µg/L	1	5/27/2009 11:19 AM
Bromobenzene	ND	0.21	0.50	µg/L	1	5/27/2009 11:19 AM
Bromodichloromethane	ND	0.39	0.50	µg/L	1	5/27/2009 11:19 AM
Bromoform	ND	0.30	0.50	µg/L	1	5/27/2009 11:19 AM
Bromomethane	ND	0.32	0.50	µg/L	1	5/27/2009 11:19 AM
Carbon tetrachloride	ND	0.38	0.50	µg/L	1	5/27/2009 11:19 AM
Chlorobenzene	ND	0.28	0.50	µg/L	1	5/27/2009 11:19 AM
Chloroethane	ND	0.35	0.50	µg/L	1	5/27/2009 11:19 AM
Chloroform	ND	0.23	0.50	µg/L	1	5/27/2009 11:19 AM
Chloromethane	ND	0.32	0.50	µg/L	1	5/27/2009 11:19 AM
cis-1,2-Dichloroethene	3.3	0.15	0.50	µg/L	1	5/27/2009 11:19 AM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out

# Advanced Technology Laboratories

# ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.

**Lab Order:** 105633

**Project:** AB&I Foundry, 01-ABI.001

**Lab ID:** 105633-006A

**Client Sample ID:** MW-5

**Collection Date:** 5/21/2009 3:20:00 PM

**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

## VOLATILE ORGANIC COMPOUNDS BY GC/MS

### EPA 8260B

RunID: MS2_090527A	QC Batch: Q09VW098			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	0.29	0.50	µg/L	1	5/27/2009 11:19 AM
Dibromochloromethane	ND	0.40	0.50	µg/L	1	5/27/2009 11:19 AM
Dibromomethane	ND	0.19	0.50	µg/L	1	5/27/2009 11:19 AM
Dichlorodifluoromethane	ND	0.33	0.50	µg/L	1	5/27/2009 11:19 AM
Ethylbenzene	ND	0.22	0.50	µg/L	1	5/27/2009 11:19 AM
Hexachlorobutadiene	ND	0.28	0.50	µg/L	1	5/27/2009 11:19 AM
Isopropylbenzene	ND	0.30	0.50	µg/L	1	5/27/2009 11:19 AM
m,p-Xylene	ND	0.49	1.0	µg/L	1	5/27/2009 11:19 AM
Methylene chloride	ND	1.0	1.0	µg/L	1	5/27/2009 11:19 AM
n-Butylbenzene	ND	0.30	0.50	µg/L	1	5/27/2009 11:19 AM
n-Propylbenzene	ND	0.36	0.50	µg/L	1	5/27/2009 11:19 AM
Naphthalene	ND	0.35	0.50	µg/L	1	5/27/2009 11:19 AM
o-Xylene	ND	0.27	0.50	µg/L	1	5/27/2009 11:19 AM
sec-Butylbenzene	ND	0.33	0.50	µg/L	1	5/27/2009 11:19 AM
Styrene	ND	0.38	0.50	µg/L	1	5/27/2009 11:19 AM
tert-Butylbenzene	ND	0.35	0.50	µg/L	1	5/27/2009 11:19 AM
Tetrachloroethene	ND	0.19	0.50	µg/L	1	5/27/2009 11:19 AM
Toluene	ND	0.22	0.50	µg/L	1	5/27/2009 11:19 AM
trans-1,2-Dichloroethene	1.1	0.22	0.50	µg/L	1	5/27/2009 11:19 AM
Trichloroethene	ND	0.15	0.50	µg/L	1	5/27/2009 11:19 AM
Trichlorofluoromethane	ND	0.26	0.50	µg/L	1	5/27/2009 11:19 AM
Vinyl chloride	ND	0.34	0.50	µg/L	1	5/27/2009 11:19 AM
Surr: 1,2-Dichloroethane-d4	103	0	70-130	%REC	1	5/27/2009 11:19 AM
Surr: 4-Bromofluorobenzene	94.5	0	70-130	%REC	1	5/27/2009 11:19 AM
Surr: Dibromofluoromethane	107	0	70-130	%REC	1	5/27/2009 11:19 AM
Surr: Toluene-d8	95.9	0	70-130	%REC	1	5/27/2009 11:19 AM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 105633-007A

**Client Sample ID:** Trip Blank  
**Collection Date:**  
**Matrix:** WATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS11_090526A	QC Batch: A09VW103			PrepDate:		Analyst: SLL
1,1,1,2-Tetrachloroethane	ND	0.45	0.50	µg/L	1	5/26/2009 10:06 AM
1,1,1-Trichloroethane	ND	0.27	0.50	µg/L	1	5/26/2009 10:06 AM
1,1,2,2-Tetrachloroethane	ND	0.35	0.50	µg/L	1	5/26/2009 10:06 AM
1,1,2-Trichloroethane	ND	0.43	0.50	µg/L	1	5/26/2009 10:06 AM
1,1-Dichloroethane	ND	0.17	0.50	µg/L	1	5/26/2009 10:06 AM
1,1-Dichloroethene	ND	0.19	0.50	µg/L	1	5/26/2009 10:06 AM
1,1-Dichloropropene	ND	0.30	0.50	µg/L	1	5/26/2009 10:06 AM
1,2,3-Trichlorobenzene	ND	0.48	0.50	µg/L	1	5/26/2009 10:06 AM
1,2,3-Trichloropropane	ND	0.24	0.50	µg/L	1	5/26/2009 10:06 AM
1,2,4-Trichlorobenzene	ND	0.43	0.50	µg/L	1	5/26/2009 10:06 AM
1,2,4-Trimethylbenzene	ND	0.44	0.50	µg/L	1	5/26/2009 10:06 AM
1,2-Dibromo-3-chloropropane	ND	0.35	0.50	µg/L	1	5/26/2009 10:06 AM
1,2-Dibromoethane	ND	0.37	0.50	µg/L	1	5/26/2009 10:06 AM
1,2-Dichlorobenzene	ND	0.27	0.50	µg/L	1	5/26/2009 10:06 AM
1,2-Dichloroethane	ND	0.16	0.50	µg/L	1	5/26/2009 10:06 AM
1,2-Dichloropropane	ND	0.20	0.50	µg/L	1	5/26/2009 10:06 AM
1,3,5-Trimethylbenzene	ND	0.36	0.50	µg/L	1	5/26/2009 10:06 AM
1,3-Dichlorobenzene	ND	0.28	0.50	µg/L	1	5/26/2009 10:06 AM
1,3-Dichloropropane	ND	0.32	0.50	µg/L	1	5/26/2009 10:06 AM
1,4-Dichlorobenzene	ND	0.24	0.50	µg/L	1	5/26/2009 10:06 AM
2,2-Dichloropropane	ND	0.32	0.50	µg/L	1	5/26/2009 10:06 AM
2-Chlorotoluene	ND	0.31	0.50	µg/L	1	5/26/2009 10:06 AM
4-Chlorotoluene	ND	0.23	0.50	µg/L	1	5/26/2009 10:06 AM
4-Isopropyltoluene	ND	0.36	0.50	µg/L	1	5/26/2009 10:06 AM
Benzene	ND	0.17	0.50	µg/L	1	5/26/2009 10:06 AM
Bromobenzene	ND	0.21	0.50	µg/L	1	5/26/2009 10:06 AM
Bromodichloromethane	ND	0.39	0.50	µg/L	1	5/26/2009 10:06 AM
Bromoform	ND	0.30	0.50	µg/L	1	5/26/2009 10:06 AM
Bromomethane	ND	0.32	0.50	µg/L	1	5/26/2009 10:06 AM
Carbon tetrachloride	ND	0.38	0.50	µg/L	1	5/26/2009 10:06 AM
Chlorobenzene	ND	0.28	0.50	µg/L	1	5/26/2009 10:06 AM
Chloroethane	ND	0.35	0.50	µg/L	1	5/26/2009 10:06 AM
Chloroform	ND	0.23	0.50	µg/L	1	5/26/2009 10:06 AM
Chloromethane	ND	0.32	0.50	µg/L	1	5/26/2009 10:06 AM
cis-1,2-Dichloroethene	ND	0.15	0.50	µg/L	1	5/26/2009 10:06 AM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out

# Advanced Technology Laboratories

# ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 105633-007A

**Client Sample ID:** Trip Blank  
**Collection Date:**  
**Matrix:** WATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

## VOLATILE ORGANIC COMPOUNDS BY GC/MS

### EPA 8260B

RunID: MS11_090526A	QC Batch: A09VW103			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	0.29	0.50	µg/L	1	5/26/2009 10:06 AM
Dibromochloromethane	ND	0.40	0.50	µg/L	1	5/26/2009 10:06 AM
Dibromomethane	ND	0.19	0.50	µg/L	1	5/26/2009 10:06 AM
Dichlorodifluoromethane	ND	0.33	0.50	µg/L	1	5/26/2009 10:06 AM
Ethylbenzene	ND	0.22	0.50	µg/L	1	5/26/2009 10:06 AM
Hexachlorobutadiene	ND	0.28	0.50	µg/L	1	5/26/2009 10:06 AM
Isopropylbenzene	ND	0.30	0.50	µg/L	1	5/26/2009 10:06 AM
m,p-Xylene	ND	0.49	1.0	µg/L	1	5/26/2009 10:06 AM
Methylene chloride	ND	1.0	1.0	µg/L	1	5/26/2009 10:06 AM
n-Butylbenzene	ND	0.30	0.50	µg/L	1	5/26/2009 10:06 AM
n-Propylbenzene	ND	0.36	0.50	µg/L	1	5/26/2009 10:06 AM
Naphthalene	ND	0.35	0.50	µg/L	1	5/26/2009 10:06 AM
o-Xylene	ND	0.27	0.50	µg/L	1	5/26/2009 10:06 AM
sec-Butylbenzene	ND	0.33	0.50	µg/L	1	5/26/2009 10:06 AM
Styrene	ND	0.38	0.50	µg/L	1	5/26/2009 10:06 AM
tert-Butylbenzene	ND	0.35	0.50	µg/L	1	5/26/2009 10:06 AM
Tetrachloroethene	ND	0.19	0.50	µg/L	1	5/26/2009 10:06 AM
Toluene	ND	0.22	0.50	µg/L	1	5/26/2009 10:06 AM
trans-1,2-Dichloroethene	ND	0.22	0.50	µg/L	1	5/26/2009 10:06 AM
Trichloroethene	ND	0.15	0.50	µg/L	1	5/26/2009 10:06 AM
Trichlorofluoromethane	ND	0.26	0.50	µg/L	1	5/26/2009 10:06 AM
Vinyl chloride	ND	0.34	0.50	µg/L	1	5/26/2009 10:06 AM
Surr: 1,2-Dichloroethane-d4	90.8	0	70-130	%REC	1	5/26/2009 10:06 AM
Surr: 4-Bromofluorobenzene	82.6	0	70-130	%REC	1	5/26/2009 10:06 AM
Surr: Dibromofluoromethane	94.5	0	70-130	%REC	1	5/26/2009 10:06 AM
Surr: Toluene-d8	95.0	0	70-130	%REC	1	5/26/2009 10:06 AM

<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike/Surrogate outside of limits due to matrix interference
		Results are wet unless otherwise specified	DO	Surrogate Diluted Out



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 105633-008A

**Client Sample ID:** MW-9  
**Collection Date:** 5/22/2009 9:40:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS2_090527A	QC Batch: Q09VW098			PrepDate:		Analyst: SLL
1,1,1,2-Tetrachloroethane	ND	0.45	0.50	µg/L	1	5/27/2009 01:46 PM
1,1,1-Trichloroethane	ND	0.27	0.50	µg/L	1	5/27/2009 01:46 PM
1,1,2,2-Tetrachloroethane	ND	0.35	0.50	µg/L	1	5/27/2009 01:46 PM
1,1,2-Trichloroethane	ND	0.43	0.50	µg/L	1	5/27/2009 01:46 PM
1,1-Dichloroethane	ND	0.17	0.50	µg/L	1	5/27/2009 01:46 PM
1,1-Dichloroethene	ND	0.19	0.50	µg/L	1	5/27/2009 01:46 PM
1,1-Dichloropropene	ND	0.30	0.50	µg/L	1	5/27/2009 01:46 PM
1,2,3-Trichlorobenzene	ND	0.48	0.50	µg/L	1	5/27/2009 01:46 PM
1,2,3-Trichloropropane	0.28	0.24	0.50	J µg/L	1	5/27/2009 01:46 PM
1,2,4-Trichlorobenzene	ND	0.43	0.50	µg/L	1	5/27/2009 01:46 PM
1,2,4-Trimethylbenzene	ND	0.44	0.50	µg/L	1	5/27/2009 01:46 PM
1,2-Dibromo-3-chloropropane	ND	0.35	0.50	µg/L	1	5/27/2009 01:46 PM
1,2-Dibromoethane	ND	0.37	0.50	µg/L	1	5/27/2009 01:46 PM
1,2-Dichlorobenzene	ND	0.27	0.50	µg/L	1	5/27/2009 01:46 PM
1,2-Dichloroethane	ND	0.16	0.50	µg/L	1	5/27/2009 01:46 PM
1,2-Dichloropropane	ND	0.20	0.50	µg/L	1	5/27/2009 01:46 PM
1,3,5-Trimethylbenzene	ND	0.36	0.50	µg/L	1	5/27/2009 01:46 PM
1,3-Dichlorobenzene	ND	0.28	0.50	µg/L	1	5/27/2009 01:46 PM
1,3-Dichloropropane	ND	0.32	0.50	µg/L	1	5/27/2009 01:46 PM
1,4-Dichlorobenzene	ND	0.24	0.50	µg/L	1	5/27/2009 01:46 PM
2,2-Dichloropropane	ND	0.32	0.50	µg/L	1	5/27/2009 01:46 PM
2-Chlorotoluene	ND	0.31	0.50	µg/L	1	5/27/2009 01:46 PM
4-Chlorotoluene	ND	0.23	0.50	µg/L	1	5/27/2009 01:46 PM
4-Isopropyltoluene	1.6	0.36	0.50	µg/L	1	5/27/2009 01:46 PM
Benzene	180	1.7	5.0	µg/L	10	5/27/2009 02:07 PM
Bromobenzene	ND	0.21	0.50	µg/L	1	5/27/2009 01:46 PM
Bromodichloromethane	ND	0.39	0.50	µg/L	1	5/27/2009 01:46 PM
Bromoform	ND	0.30	0.50	µg/L	1	5/27/2009 01:46 PM
Bromomethane	ND	0.32	0.50	µg/L	1	5/27/2009 01:46 PM
Carbon tetrachloride	ND	0.38	0.50	µg/L	1	5/27/2009 01:46 PM
Chlorobenzene	ND	0.28	0.50	µg/L	1	5/27/2009 01:46 PM
Chloroethane	ND	0.35	0.50	µg/L	1	5/27/2009 01:46 PM
Chloroform	ND	0.23	0.50	µg/L	1	5/27/2009 01:46 PM
Chloromethane	ND	0.32	0.50	µg/L	1	5/27/2009 01:46 PM
cis-1,2-Dichloroethene	ND	0.15	0.50	µg/L	1	5/27/2009 01:46 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.

**Lab Order:** 105633

**Project:** AB&I Foundry, 01-ABI.001

**Lab ID:** 105633-008A

**Client Sample ID:** MW-9

**Collection Date:** 5/22/2009 9:40:00 AM

**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS2_090527A	QC Batch: Q09VW098			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	0.29	0.50	µg/L	1	5/27/2009 01:46 PM
Dibromochloromethane	ND	0.40	0.50	µg/L	1	5/27/2009 01:46 PM
Dibromomethane	ND	0.19	0.50	µg/L	1	5/27/2009 01:46 PM
Dichlorodifluoromethane	ND	0.33	0.50	µg/L	1	5/27/2009 01:46 PM
Ethylbenzene	3.9	0.22	0.50	µg/L	1	5/27/2009 01:46 PM
Hexachlorobutadiene	ND	0.28	0.50	µg/L	1	5/27/2009 01:46 PM
Isopropylbenzene	21	0.30	0.50	µg/L	1	5/27/2009 01:46 PM
m,p-Xylene	1.7	0.49	1.0	µg/L	1	5/27/2009 01:46 PM
Methylene chloride	ND	1.0	1.0	µg/L	1	5/27/2009 01:46 PM
n-Butylbenzene	2.2	0.30	0.50	µg/L	1	5/27/2009 01:46 PM
n-Propylbenzene	26	0.36	0.50	µg/L	1	5/27/2009 01:46 PM
Naphthalene	2.2	0.35	0.50	µg/L	1	5/27/2009 01:46 PM
o-Xylene	ND	0.27	0.50	µg/L	1	5/27/2009 01:46 PM
sec-Butylbenzene	2.4	0.33	0.50	µg/L	1	5/27/2009 01:46 PM
Styrene	ND	0.38	0.50	µg/L	1	5/27/2009 01:46 PM
tert-Butylbenzene	ND	0.35	0.50	µg/L	1	5/27/2009 01:46 PM
Tetrachloroethene	ND	0.19	0.50	µg/L	1	5/27/2009 01:46 PM
Toluene	2.9	0.22	0.50	µg/L	1	5/27/2009 01:46 PM
trans-1,2-Dichloroethene	ND	0.22	0.50	µg/L	1	5/27/2009 01:46 PM
Trichloroethene	ND	0.15	0.50	µg/L	1	5/27/2009 01:46 PM
Trichlorofluoromethane	ND	0.26	0.50	µg/L	1	5/27/2009 01:46 PM
Vinyl chloride	ND	0.34	0.50	µg/L	1	5/27/2009 01:46 PM
Surr: 1,2-Dichloroethane-d4	112	0	70-130	%REC	1	5/27/2009 01:46 PM
Surr: 1,2-Dichloroethane-d4	111	0	70-130	%REC	10	5/27/2009 02:07 PM
Surr: 4-Bromofluorobenzene	103	0	70-130	%REC	1	5/27/2009 01:46 PM
Surr: 4-Bromofluorobenzene	102	0	70-130	%REC	10	5/27/2009 02:07 PM
Surr: Dibromofluoromethane	114	0	70-130	%REC	1	5/27/2009 01:46 PM
Surr: Dibromofluoromethane	114	0	70-130	%REC	10	5/27/2009 02:07 PM
Surr: Toluene-d8	103	0	70-130	%REC	10	5/27/2009 02:07 PM
Surr: Toluene-d8	104	0	70-130	%REC	1	5/27/2009 01:46 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 105633-009A

**Client Sample ID:** MW-2R  
**Collection Date:** 5/22/2009 10:25:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS2_090527A	QC Batch: Q09VW098			PrepDate:		Analyst: SLL
1,1,1,2-Tetrachloroethane	ND	0.45	0.50	µg/L	1	5/27/2009 11:39 AM
1,1,1-Trichloroethane	ND	0.27	0.50	µg/L	1	5/27/2009 11:39 AM
1,1,2,2-Tetrachloroethane	ND	0.35	0.50	µg/L	1	5/27/2009 11:39 AM
1,1,2-Trichloroethane	ND	0.43	0.50	µg/L	1	5/27/2009 11:39 AM
1,1-Dichloroethane	ND	0.17	0.50	µg/L	1	5/27/2009 11:39 AM
1,1-Dichloroethene	ND	0.19	0.50	µg/L	1	5/27/2009 11:39 AM
1,1-Dichloropropene	ND	0.30	0.50	µg/L	1	5/27/2009 11:39 AM
1,2,3-Trichlorobenzene	ND	0.48	0.50	µg/L	1	5/27/2009 11:39 AM
1,2,3-Trichloropropane	ND	0.24	0.50	µg/L	1	5/27/2009 11:39 AM
1,2,4-Trichlorobenzene	ND	0.43	0.50	µg/L	1	5/27/2009 11:39 AM
1,2,4-Trimethylbenzene	ND	0.44	0.50	µg/L	1	5/27/2009 11:39 AM
1,2-Dibromo-3-chloropropane	ND	0.35	0.50	µg/L	1	5/27/2009 11:39 AM
1,2-Dibromoethane	ND	0.37	0.50	µg/L	1	5/27/2009 11:39 AM
1,2-Dichlorobenzene	ND	0.27	0.50	µg/L	1	5/27/2009 11:39 AM
1,2-Dichloroethane	ND	0.16	0.50	µg/L	1	5/27/2009 11:39 AM
1,2-Dichloropropane	ND	0.20	0.50	µg/L	1	5/27/2009 11:39 AM
1,3,5-Trimethylbenzene	ND	0.36	0.50	µg/L	1	5/27/2009 11:39 AM
1,3-Dichlorobenzene	ND	0.28	0.50	µg/L	1	5/27/2009 11:39 AM
1,3-Dichloropropane	ND	0.32	0.50	µg/L	1	5/27/2009 11:39 AM
1,4-Dichlorobenzene	ND	0.24	0.50	µg/L	1	5/27/2009 11:39 AM
2,2-Dichloropropane	ND	0.32	0.50	µg/L	1	5/27/2009 11:39 AM
2-Chlorotoluene	ND	0.31	0.50	µg/L	1	5/27/2009 11:39 AM
4-Chlorotoluene	ND	0.23	0.50	µg/L	1	5/27/2009 11:39 AM
4-Isopropyltoluene	ND	0.36	0.50	µg/L	1	5/27/2009 11:39 AM
Benzene	ND	0.17	0.50	µg/L	1	5/27/2009 11:39 AM
Bromobenzene	ND	0.21	0.50	µg/L	1	5/27/2009 11:39 AM
Bromodichloromethane	ND	0.39	0.50	µg/L	1	5/27/2009 11:39 AM
Bromoform	ND	0.30	0.50	µg/L	1	5/27/2009 11:39 AM
Bromomethane	ND	0.32	0.50	µg/L	1	5/27/2009 11:39 AM
Carbon tetrachloride	ND	0.38	0.50	µg/L	1	5/27/2009 11:39 AM
Chlorobenzene	ND	0.28	0.50	µg/L	1	5/27/2009 11:39 AM
Chloroethane	ND	0.35	0.50	µg/L	1	5/27/2009 11:39 AM
Chloroform	ND	0.23	0.50	µg/L	1	5/27/2009 11:39 AM
Chloromethane	ND	0.32	0.50	µg/L	1	5/27/2009 11:39 AM
cis-1,2-Dichloroethene	ND	0.15	0.50	µg/L	1	5/27/2009 11:39 AM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out

# Advanced Technology Laboratories

# ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.

**Lab Order:** 105633

**Project:** AB&I Foundry, 01-ABI.001

**Lab ID:** 105633-009A

**Client Sample ID:** MW-2R

**Collection Date:** 5/22/2009 10:25:00 AM

**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

## VOLATILE ORGANIC COMPOUNDS BY GC/MS

### EPA 8260B

RunID: MS2_090527A	QC Batch: Q09VW098			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	0.29	0.50	µg/L	1	5/27/2009 11:39 AM
Dibromochloromethane	ND	0.40	0.50	µg/L	1	5/27/2009 11:39 AM
Dibromomethane	ND	0.19	0.50	µg/L	1	5/27/2009 11:39 AM
Dichlorodifluoromethane	ND	0.33	0.50	µg/L	1	5/27/2009 11:39 AM
Ethylbenzene	ND	0.22	0.50	µg/L	1	5/27/2009 11:39 AM
Hexachlorobutadiene	ND	0.28	0.50	µg/L	1	5/27/2009 11:39 AM
Isopropylbenzene	ND	0.30	0.50	µg/L	1	5/27/2009 11:39 AM
m,p-Xylene	ND	0.49	1.0	µg/L	1	5/27/2009 11:39 AM
Methylene chloride	ND	1.0	1.0	µg/L	1	5/27/2009 11:39 AM
n-Butylbenzene	ND	0.30	0.50	µg/L	1	5/27/2009 11:39 AM
n-Propylbenzene	ND	0.36	0.50	µg/L	1	5/27/2009 11:39 AM
Naphthalene	ND	0.35	0.50	µg/L	1	5/27/2009 11:39 AM
o-Xylene	ND	0.27	0.50	µg/L	1	5/27/2009 11:39 AM
sec-Butylbenzene	ND	0.33	0.50	µg/L	1	5/27/2009 11:39 AM
Styrene	ND	0.38	0.50	µg/L	1	5/27/2009 11:39 AM
tert-Butylbenzene	ND	0.35	0.50	µg/L	1	5/27/2009 11:39 AM
Tetrachloroethene	ND	0.19	0.50	µg/L	1	5/27/2009 11:39 AM
Toluene	ND	0.22	0.50	µg/L	1	5/27/2009 11:39 AM
trans-1,2-Dichloroethene	ND	0.22	0.50	µg/L	1	5/27/2009 11:39 AM
Trichloroethene	ND	0.15	0.50	µg/L	1	5/27/2009 11:39 AM
Trichlorofluoromethane	ND	0.26	0.50	µg/L	1	5/27/2009 11:39 AM
Vinyl chloride	ND	0.34	0.50	µg/L	1	5/27/2009 11:39 AM
Surr: 1,2-Dichloroethane-d4	104	0	70-130	%REC	1	5/27/2009 11:39 AM
Surr: 4-Bromofluorobenzene	92.1	0	70-130	%REC	1	5/27/2009 11:39 AM
Surr: Dibromofluoromethane	107	0	70-130	%REC	1	5/27/2009 11:39 AM
Surr: Toluene-d8	91.7	0	70-130	%REC	1	5/27/2009 11:39 AM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 105633-010A

**Client Sample ID:** MW-7  
**Collection Date:** 5/22/2009 11:35:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS2_090527A	QC Batch: Q09VW098			PrepDate:		Analyst: SLL
1,1,1,2-Tetrachloroethane	ND	0.45	0.50	µg/L	1	5/27/2009 12:00 PM
1,1,1-Trichloroethane	ND	0.27	0.50	µg/L	1	5/27/2009 12:00 PM
1,1,2,2-Tetrachloroethane	ND	0.35	0.50	µg/L	1	5/27/2009 12:00 PM
1,1,2-Trichloroethane	ND	0.43	0.50	µg/L	1	5/27/2009 12:00 PM
1,1-Dichloroethane	ND	0.17	0.50	µg/L	1	5/27/2009 12:00 PM
1,1-Dichloroethene	ND	0.19	0.50	µg/L	1	5/27/2009 12:00 PM
1,1-Dichloropropene	ND	0.30	0.50	µg/L	1	5/27/2009 12:00 PM
1,2,3-Trichlorobenzene	ND	0.48	0.50	µg/L	1	5/27/2009 12:00 PM
1,2,3-Trichloropropane	ND	0.24	0.50	µg/L	1	5/27/2009 12:00 PM
1,2,4-Trichlorobenzene	ND	0.43	0.50	µg/L	1	5/27/2009 12:00 PM
1,2,4-Trimethylbenzene	ND	0.44	0.50	µg/L	1	5/27/2009 12:00 PM
1,2-Dibromo-3-chloropropane	ND	0.35	0.50	µg/L	1	5/27/2009 12:00 PM
1,2-Dibromoethane	ND	0.37	0.50	µg/L	1	5/27/2009 12:00 PM
1,2-Dichlorobenzene	ND	0.27	0.50	µg/L	1	5/27/2009 12:00 PM
1,2-Dichloroethane	ND	0.16	0.50	µg/L	1	5/27/2009 12:00 PM
1,2-Dichloropropane	ND	0.20	0.50	µg/L	1	5/27/2009 12:00 PM
1,3,5-Trimethylbenzene	ND	0.36	0.50	µg/L	1	5/27/2009 12:00 PM
1,3-Dichlorobenzene	ND	0.28	0.50	µg/L	1	5/27/2009 12:00 PM
1,3-Dichloropropane	ND	0.32	0.50	µg/L	1	5/27/2009 12:00 PM
1,4-Dichlorobenzene	ND	0.24	0.50	µg/L	1	5/27/2009 12:00 PM
2,2-Dichloropropane	ND	0.32	0.50	µg/L	1	5/27/2009 12:00 PM
2-Chlorotoluene	ND	0.31	0.50	µg/L	1	5/27/2009 12:00 PM
4-Chlorotoluene	ND	0.23	0.50	µg/L	1	5/27/2009 12:00 PM
4-Isopropyltoluene	ND	0.36	0.50	µg/L	1	5/27/2009 12:00 PM
Benzene	ND	0.17	0.50	µg/L	1	5/27/2009 12:00 PM
Bromobenzene	ND	0.21	0.50	µg/L	1	5/27/2009 12:00 PM
Bromodichloromethane	ND	0.39	0.50	µg/L	1	5/27/2009 12:00 PM
Bromoform	ND	0.30	0.50	µg/L	1	5/27/2009 12:00 PM
Bromomethane	ND	0.32	0.50	µg/L	1	5/27/2009 12:00 PM
Carbon tetrachloride	ND	0.38	0.50	µg/L	1	5/27/2009 12:00 PM
Chlorobenzene	ND	0.28	0.50	µg/L	1	5/27/2009 12:00 PM
Chloroethane	ND	0.35	0.50	µg/L	1	5/27/2009 12:00 PM
Chloroform	ND	0.23	0.50	µg/L	1	5/27/2009 12:00 PM
Chloromethane	ND	0.32	0.50	µg/L	1	5/27/2009 12:00 PM
cis-1,2-Dichloroethene	ND	0.15	0.50	µg/L	1	5/27/2009 12:00 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.

**Lab Order:** 105633

**Project:** AB&I Foundry, 01-ABI.001

**Lab ID:** 105633-010A

**Client Sample ID:** MW-7

**Collection Date:** 5/22/2009 11:35:00 AM

**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS2_090527A	QC Batch: Q09VW098			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	0.29	0.50	µg/L	1	5/27/2009 12:00 PM
Dibromochloromethane	ND	0.40	0.50	µg/L	1	5/27/2009 12:00 PM
Dibromomethane	ND	0.19	0.50	µg/L	1	5/27/2009 12:00 PM
Dichlorodifluoromethane	ND	0.33	0.50	µg/L	1	5/27/2009 12:00 PM
Ethylbenzene	ND	0.22	0.50	µg/L	1	5/27/2009 12:00 PM
Hexachlorobutadiene	ND	0.28	0.50	µg/L	1	5/27/2009 12:00 PM
Isopropylbenzene	ND	0.30	0.50	µg/L	1	5/27/2009 12:00 PM
m,p-Xylene	ND	0.49	1.0	µg/L	1	5/27/2009 12:00 PM
Methylene chloride	ND	1.0	1.0	µg/L	1	5/27/2009 12:00 PM
n-Butylbenzene	ND	0.30	0.50	µg/L	1	5/27/2009 12:00 PM
n-Propylbenzene	ND	0.36	0.50	µg/L	1	5/27/2009 12:00 PM
Naphthalene	ND	0.35	0.50	µg/L	1	5/27/2009 12:00 PM
o-Xylene	ND	0.27	0.50	µg/L	1	5/27/2009 12:00 PM
sec-Butylbenzene	ND	0.33	0.50	µg/L	1	5/27/2009 12:00 PM
Styrene	ND	0.38	0.50	µg/L	1	5/27/2009 12:00 PM
tert-Butylbenzene	ND	0.35	0.50	µg/L	1	5/27/2009 12:00 PM
Tetrachloroethene	ND	0.19	0.50	µg/L	1	5/27/2009 12:00 PM
Toluene	ND	0.22	0.50	µg/L	1	5/27/2009 12:00 PM
trans-1,2-Dichloroethene	ND	0.22	0.50	µg/L	1	5/27/2009 12:00 PM
Trichloroethene	ND	0.15	0.50	µg/L	1	5/27/2009 12:00 PM
Trichlorofluoromethane	ND	0.26	0.50	µg/L	1	5/27/2009 12:00 PM
Vinyl chloride	ND	0.34	0.50	µg/L	1	5/27/2009 12:00 PM
Surr: 1,2-Dichloroethane-d4	112	0	70-130	%REC	1	5/27/2009 12:00 PM
Surr: 4-Bromofluorobenzene	97.5	0	70-130	%REC	1	5/27/2009 12:00 PM
Surr: Dibromofluoromethane	113	0	70-130	%REC	1	5/27/2009 12:00 PM
Surr: Toluene-d8	99.9	0	70-130	%REC	1	5/27/2009 12:00 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 105633-011A

**Client Sample ID:** MW-1  
**Collection Date:** 5/22/2009 12:15:00 PM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS2_090527A	QC Batch: Q09VW098			PrepDate:		Analyst: SLL
1,1,1,2-Tetrachloroethane	ND	0.45	0.50	µg/L	1	5/27/2009 12:21 PM
1,1,1-Trichloroethane	ND	0.27	0.50	µg/L	1	5/27/2009 12:21 PM
1,1,2,2-Tetrachloroethane	ND	0.35	0.50	µg/L	1	5/27/2009 12:21 PM
1,1,2-Trichloroethane	ND	0.43	0.50	µg/L	1	5/27/2009 12:21 PM
1,1-Dichloroethane	0.41	0.17	0.50	J µg/L	1	5/27/2009 12:21 PM
1,1-Dichloroethene	ND	0.19	0.50	µg/L	1	5/27/2009 12:21 PM
1,1-Dichloropropene	ND	0.30	0.50	µg/L	1	5/27/2009 12:21 PM
1,2,3-Trichlorobenzene	ND	0.48	0.50	µg/L	1	5/27/2009 12:21 PM
1,2,3-Trichloropropane	ND	0.24	0.50	µg/L	1	5/27/2009 12:21 PM
1,2,4-Trichlorobenzene	ND	0.43	0.50	µg/L	1	5/27/2009 12:21 PM
1,2,4-Trimethylbenzene	ND	0.44	0.50	µg/L	1	5/27/2009 12:21 PM
1,2-Dibromo-3-chloropropane	ND	0.35	0.50	µg/L	1	5/27/2009 12:21 PM
1,2-Dibromoethane	ND	0.37	0.50	µg/L	1	5/27/2009 12:21 PM
1,2-Dichlorobenzene	ND	0.27	0.50	µg/L	1	5/27/2009 12:21 PM
1,2-Dichloroethane	ND	0.16	0.50	µg/L	1	5/27/2009 12:21 PM
1,2-Dichloropropane	ND	0.20	0.50	µg/L	1	5/27/2009 12:21 PM
1,3,5-Trimethylbenzene	ND	0.36	0.50	µg/L	1	5/27/2009 12:21 PM
1,3-Dichlorobenzene	ND	0.28	0.50	µg/L	1	5/27/2009 12:21 PM
1,3-Dichloropropane	ND	0.32	0.50	µg/L	1	5/27/2009 12:21 PM
1,4-Dichlorobenzene	ND	0.24	0.50	µg/L	1	5/27/2009 12:21 PM
2,2-Dichloropropane	ND	0.32	0.50	µg/L	1	5/27/2009 12:21 PM
2-Chlorotoluene	ND	0.31	0.50	µg/L	1	5/27/2009 12:21 PM
4-Chlorotoluene	ND	0.23	0.50	µg/L	1	5/27/2009 12:21 PM
4-Isopropyltoluene	ND	0.36	0.50	µg/L	1	5/27/2009 12:21 PM
Benzene	ND	0.17	0.50	µg/L	1	5/27/2009 12:21 PM
Bromobenzene	ND	0.21	0.50	µg/L	1	5/27/2009 12:21 PM
Bromodichloromethane	ND	0.39	0.50	µg/L	1	5/27/2009 12:21 PM
Bromoform	ND	0.30	0.50	µg/L	1	5/27/2009 12:21 PM
Bromomethane	ND	0.32	0.50	µg/L	1	5/27/2009 12:21 PM
Carbon tetrachloride	ND	0.38	0.50	µg/L	1	5/27/2009 12:21 PM
Chlorobenzene	ND	0.28	0.50	µg/L	1	5/27/2009 12:21 PM
Chloroethane	ND	0.35	0.50	µg/L	1	5/27/2009 12:21 PM
Chloroform	ND	0.23	0.50	µg/L	1	5/27/2009 12:21 PM
Chloromethane	ND	0.32	0.50	µg/L	1	5/27/2009 12:21 PM
cis-1,2-Dichloroethene	ND	0.15	0.50	µg/L	1	5/27/2009 12:21 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.

**Lab Order:** 105633

**Project:** AB&I Foundry, 01-ABI.001

**Lab ID:** 105633-011A

**Client Sample ID:** MW-1

**Collection Date:** 5/22/2009 12:15:00 PM

**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS2_090527A	QC Batch: Q09VW098			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	0.29	0.50	µg/L	1	5/27/2009 12:21 PM
Dibromochloromethane	ND	0.40	0.50	µg/L	1	5/27/2009 12:21 PM
Dibromomethane	ND	0.19	0.50	µg/L	1	5/27/2009 12:21 PM
Dichlorodifluoromethane	ND	0.33	0.50	µg/L	1	5/27/2009 12:21 PM
Ethylbenzene	ND	0.22	0.50	µg/L	1	5/27/2009 12:21 PM
Hexachlorobutadiene	ND	0.28	0.50	µg/L	1	5/27/2009 12:21 PM
Isopropylbenzene	ND	0.30	0.50	µg/L	1	5/27/2009 12:21 PM
m,p-Xylene	ND	0.49	1.0	µg/L	1	5/27/2009 12:21 PM
Methylene chloride	ND	1.0	1.0	µg/L	1	5/27/2009 12:21 PM
n-Butylbenzene	ND	0.30	0.50	µg/L	1	5/27/2009 12:21 PM
n-Propylbenzene	ND	0.36	0.50	µg/L	1	5/27/2009 12:21 PM
Naphthalene	ND	0.35	0.50	µg/L	1	5/27/2009 12:21 PM
o-Xylene	ND	0.27	0.50	µg/L	1	5/27/2009 12:21 PM
sec-Butylbenzene	ND	0.33	0.50	µg/L	1	5/27/2009 12:21 PM
Styrene	ND	0.38	0.50	µg/L	1	5/27/2009 12:21 PM
tert-Butylbenzene	ND	0.35	0.50	µg/L	1	5/27/2009 12:21 PM
Tetrachloroethene	ND	0.19	0.50	µg/L	1	5/27/2009 12:21 PM
Toluene	ND	0.22	0.50	µg/L	1	5/27/2009 12:21 PM
trans-1,2-Dichloroethene	ND	0.22	0.50	µg/L	1	5/27/2009 12:21 PM
Trichloroethene	ND	0.15	0.50	µg/L	1	5/27/2009 12:21 PM
Trichlorofluoromethane	ND	0.26	0.50	µg/L	1	5/27/2009 12:21 PM
Vinyl chloride	ND	0.34	0.50	µg/L	1	5/27/2009 12:21 PM
Surr: 1,2-Dichloroethane-d4	104	0	70-130	%REC	1	5/27/2009 12:21 PM
Surr: 4-Bromofluorobenzene	92.8	0	70-130	%REC	1	5/27/2009 12:21 PM
Surr: Dibromofluoromethane	107	0	70-130	%REC	1	5/27/2009 12:21 PM
Surr: Toluene-d8	94.2	0	70-130	%REC	1	5/27/2009 12:21 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.

**Client Sample ID:** MW-3

**Lab Order:** 105633

**Collection Date:** 5/21/2009 11:20:00 AM

**Project:** AB&I Foundry, 01-ABI.001

**Matrix:** GROUNDWATER

**Lab ID:** 105633-001

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>SILICA GEL CLEANUP DRO BY GC-FID</b>						
<b>EPA 3510C</b>					<b>EPA 8015B</b>	
RunID: GC16_090526A	QC Batch:	55511			PrepDate:	5/26/2009 Analyst: <b>CBR</b>
DRO	ND	0.050	mg/L	1		5/26/2009 02:52 PM
Surr: p-Terphenyl	63.6	35-131	%REC	1		5/26/2009 02:52 PM
<b>GASOLINE RANGE ORGANICS BY GC/FID</b>						
<b>EPA 8015B(M)</b>						
RunID: GC6_090526A	QC Batch:	I09VW081			PrepDate:	Analyst: <b>BD</b>
GRO	0.55	0.050	mg/L	1		5/26/2009 10:32 PM
Surr: Bromofluorobenzene (FID)	96.9	71-130	%REC	1		5/26/2009 10:32 PM
<b>TOTAL ORGANIC CARBON</b>						
<b>SM5310B</b>						
RunID: TOC1_090526A	QC Batch:	R109298			PrepDate:	Analyst: <b>JSD</b>
Organic Carbon, Total	7.4	6.0	mg/L	2		5/26/2009 03:26 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out

E Value above quantitation range  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified



*Advanced Technology  
Laboratories*

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.

**Client Sample ID:** MW-8

**Lab Order:** 105633

**Collection Date:** 5/21/2009 12:33:00 PM

**Project:** AB&I Foundry, 01-ABI.001

**Matrix:** GROUNDWATER

**Lab ID:** 105633-002

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>SILICA GEL CLEANUP DRO BY GC-FID</b>						
<b>EPA 3510C</b>					<b>EPA 8015B</b>	
RunID: GC16_090526A	QC Batch:	55511			PrepDate:	5/26/2009 Analyst: <b>CBR</b>
DRO	ND	0.050	mg/L	1		5/26/2009 03:01 PM
Surr: p-Terphenyl	64.4	35-131	%REC	1		5/26/2009 03:01 PM
<b>GASOLINE RANGE ORGANICS BY GC/FID</b>						
<b>EPA 8015B(M)</b>						
RunID: GC6_090526A	QC Batch:	I09VW081			PrepDate:	Analyst: <b>BD</b>
GRO	2.1	0.050	mg/L	1		5/26/2009 11:03 PM
Surr: Bromofluorobenzene (FID)	96.8	71-130	%REC	1		5/26/2009 11:03 PM
<b>TOTAL ORGANIC CARBON</b>						
<b>SM5310B</b>						
RunID: TOC1_090526A	QC Batch:	R109298			PrepDate:	Analyst: <b>JSD</b>
Organic Carbon, Total	ND	3.0	mg/L	1		5/26/2009 01:35 PM

<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	ND Not Detected at the Reporting Limit
	S Spike/Surrogate outside of limits due to matrix interference	Results are wet unless otherwise specified
	DO Surrogate Diluted Out	



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.

**Client Sample ID:** MW-98

**Lab Order:** 105633

**Collection Date:** 5/21/2009 12:33:00 PM

**Project:** AB&I Foundry, 01-ABI.001

**Matrix:** GROUNDWATER

**Lab ID:** 105633-003

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>SILICA GEL CLEANUP DRO BY GC-FID</b>						
<b>EPA 3510C</b>					<b>EPA 8015B</b>	
RunID: GC16_090526A	QC Batch:	55511			PrepDate:	5/26/2009 Analyst: <b>CBR</b>
DRO	ND	0.050	mg/L	1		5/26/2009 03:10 PM
Surrogate: p-Terphenyl	79.0	35-131	%REC	1		5/26/2009 03:10 PM
<b>GASOLINE RANGE ORGANICS BY GC/FID</b>						
<b>EPA 8015B(M)</b>						
RunID: GC6_090526A	QC Batch:	I09VW081			PrepDate:	Analyst: <b>BD</b>
GRO	2.1	0.050	mg/L	1		5/26/2009 11:33 PM
Surrogate: Bromofluorobenzene (FID)	95.7	71-130	%REC	1		5/26/2009 11:33 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out

E Value above quantitation range  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified



*Advanced Technology  
Laboratories*

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**Advanced Technology Laboratories****ANALYTICAL RESULTS**

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.**Client Sample ID:** MW-4**Lab Order:** 105633**Collection Date:** 5/21/2009 1:35:00 PM**Project:** AB&I Foundry, 01-ABI.001**Matrix:** GROUNDWATER**Lab ID:** 105633-004

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>SILICA GEL CLEANUP DRO BY GC-FID</b>						
<b>EPA 3510C</b>					<b>EPA 8015B</b>	
RunID: GC16_090526A	QC Batch:	55511			PrepDate:	5/26/2009 Analyst: <b>CBR</b>
DRO	ND	0.050	mg/L	1		5/26/2009 03:19 PM
Sur: p-Terphenyl	64.9	35-131	%REC	1		5/26/2009 03:19 PM
<b>GASOLINE RANGE ORGANICS BY GC/FID</b>						
<b>EPA 8015B(M)</b>						
RunID: GC6_090526A	QC Batch:	I09VW081			PrepDate:	Analyst: <b>BD</b>
GRO	ND	0.050	mg/L	1		5/26/2009 05:56 PM
Sur: Bromofluorobenzene (FID)	97.8	71-130	%REC	1		5/26/2009 05:56 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out

E Value above quantitation range  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified



**Advanced Technology  
Laboratories**

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.

**Client Sample ID:** MW-6

**Lab Order:** 105633

**Collection Date:** 5/21/2009 2:33:00 PM

**Project:** AB&I Foundry, 01-ABI.001

**Matrix:** GROUNDWATER

**Lab ID:** 105633-005

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>SILICA GEL CLEANUP DRO BY GC-FID</b>						
<b>EPA 3510C</b>					<b>EPA 8015B</b>	
RunID: GC16_090526A	QC Batch:	55511			PrepDate:	5/26/2009 Analyst: <b>CBR</b>
DRO	ND	0.050	mg/L	1		5/26/2009 03:28 PM
Surr: p-Terphenyl	56.9	35-131	%REC	1		5/26/2009 03:28 PM
<b>GASOLINE RANGE ORGANICS BY GC/FID</b>						
<b>EPA 8015B(M)</b>						
RunID: GC6_090526A	QC Batch:	I09VW081			PrepDate:	Analyst: <b>BD</b>
GRO	ND	0.050	mg/L	1		5/26/2009 06:26 PM
Surr: Bromofluorobenzene (FID)	95.6	71-130	%REC	1		5/26/2009 06:26 PM
<b>TOTAL ORGANIC CARBON</b>						
<b>SM5310B</b>						
RunID: TOC1_090526A	QC Batch:	R109298			PrepDate:	Analyst: <b>JSD</b>
Organic Carbon, Total	11	6.0	mg/L	2		5/26/2009 03:43 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out

E Value above quantitation range  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified



**Advanced Technology  
Laboratories**

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.

**Client Sample ID:** MW-5

**Lab Order:** 105633

**Collection Date:** 5/21/2009 3:20:00 PM

**Project:** AB&I Foundry, 01-ABI.001

**Matrix:** GROUNDWATER

**Lab ID:** 105633-006

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>SILICA GEL CLEANUP DRO BY GC-FID</b>						
<b>EPA 3510C</b>					<b>EPA 8015B</b>	
RunID: GC16_090526A	QC Batch:	55511			PrepDate:	5/26/2009 Analyst: <b>CBR</b>
DRO	ND	0.050	mg/L	1		5/26/2009 03:37 PM
Surr: p-Terphenyl	80.3	35-131	%REC	1		5/26/2009 03:37 PM
<b>GASOLINE RANGE ORGANICS BY GC/FID</b>						
<b>EPA 8015B(M)</b>						
RunID: GC6_090526A	QC Batch:	I09VW081			PrepDate:	Analyst: <b>BD</b>
GRO	ND	0.050	mg/L	1		5/26/2009 06:57 PM
Surr: Bromofluorobenzene (FID)	96.7	71-130	%REC	1		5/26/2009 06:57 PM
<b>TOTAL ORGANIC CARBON</b>						
<b>SM5310B</b>						
RunID: TOC1_090526A	QC Batch:	R109298			PrepDate:	Analyst: <b>JSD</b>
Organic Carbon, Total	ND	3.0	mg/L	1		5/26/2009 02:12 PM

<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.

**Client Sample ID:** MW-9

**Lab Order:** 105633

**Collection Date:** 5/22/2009 9:40:00 AM

**Project:** AB&I Foundry, 01-ABI.001

**Matrix:** GROUNDWATER

**Lab ID:** 105633-008

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>SILICA GEL CLEANUP DRO BY GC-FID</b>						
<b>EPA 3510C</b>					<b>EPA 8015B</b>	
RunID: GC16_090526A	QC Batch:	55511			PrepDate:	5/26/2009 Analyst: <b>CBR</b>
DRO	0.25	0.050	mg/L	1		5/26/2009 03:46 PM
Surrogate: p-Terphenyl	78.1	35-131	%REC	1		5/26/2009 03:46 PM
<b>GASOLINE RANGE ORGANICS BY GC/FID</b>						
<b>EPA 8015B(M)</b>						
RunID: GC6_090526A	QC Batch:	I09VW081			PrepDate:	Analyst: <b>BD</b>
GRO	3.5	0.050	mg/L	1		5/27/2009 12:04 AM
Surrogate: Bromofluorobenzene (FID)	97.7	71-130	%REC	1		5/27/2009 12:04 AM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out

E Value above quantitation range  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified



*Advanced Technology  
Laboratories*

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.

**Client Sample ID:** MW-2R

**Lab Order:** 105633

**Collection Date:** 5/22/2009 10:25:00 AM

**Project:** AB&I Foundry, 01-ABI.001

**Matrix:** GROUNDWATER

**Lab ID:** 105633-009

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>SILICA GEL CLEANUP DRO BY GC-FID</b>						
<b>EPA 3510C</b>					<b>EPA 8015B</b>	
RunID: GC16_090526A	QC Batch:	55511			PrepDate:	5/26/2009 Analyst: <b>CBR</b>
DRO	ND	0.050	mg/L	1		5/26/2009 03:56 PM
Surr: p-Terphenyl	74.5	35-131	%REC	1		5/26/2009 03:56 PM
<b>GASOLINE RANGE ORGANICS BY GC/FID</b>						
<b>EPA 8015B(M)</b>						
RunID: GC6_090526A	QC Batch:	I09VW081			PrepDate:	Analyst: <b>BD</b>
GRO	0.11	0.050	mg/L	1		5/26/2009 07:28 PM
Surr: Bromofluorobenzene (FID)	98.4	71-130	%REC	1		5/26/2009 07:28 PM
<b>TOTAL ORGANIC CARBON</b>						
<b>SM5310B</b>						
RunID: TOC1_090526A	QC Batch:	R109298			PrepDate:	Analyst: <b>JSD</b>
Organic Carbon, Total	ND	3.0	mg/L	1		5/26/2009 02:29 PM

<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	ND Not Detected at the Reporting Limit
	S Spike/Surrogate outside of limits due to matrix interference	Results are wet unless otherwise specified
	DO Surrogate Diluted Out	



**Advanced Technology  
Laboratories**

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 105633-010

**Client Sample ID:** MW-7  
**Collection Date:** 5/22/2009 11:35:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>SILICA GEL CLEANUP DRO BY GC-FID</b>						
<b>EPA 3510C</b>					<b>EPA 8015B</b>	
RunID: GC16_090526A	QC Batch:	55511			PrepDate:	5/26/2009 Analyst: <b>CBR</b>
DRO	ND	0.050	mg/L	1		5/26/2009 04:05 PM
Sur: p-Terphenyl	37.0	35-131	%REC	1		5/26/2009 04:05 PM
<b>GASOLINE RANGE ORGANICS BY GC/FID</b>						
<b>EPA 8015B(M)</b>						
RunID: GC6_090526A	QC Batch:	I09VW081			PrepDate:	Analyst: <b>BD</b>
GRO	ND	0.050	mg/L	1		5/26/2009 09:31 PM
Sur: Bromofluorobenzene (FID)	96.4	71-130	%REC	1		5/26/2009 09:31 PM

<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	ND Not Detected at the Reporting Limit
	S Spike/Surrogate outside of limits due to matrix interference	Results are wet unless otherwise specified
	DO Surrogate Diluted Out	



*Advanced Technology  
Laboratories*

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 02-Jun-09

**CLIENT:** The Source Group Inc.

**Client Sample ID:** MW-1

**Lab Order:** 105633

**Collection Date:** 5/22/2009 12:15:00 PM

**Project:** AB&I Foundry, 01-ABI.001

**Matrix:** GROUNDWATER

**Lab ID:** 105633-011

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>SILICA GEL CLEANUP DRO BY GC-FID</b>						
<b>EPA 3510C</b>					<b>EPA 8015B</b>	
RunID: GC16_090526A	QC Batch:	55511			PrepDate:	5/26/2009 Analyst: <b>CBR</b>
DRO	ND	0.050	mg/L	1		5/26/2009 04:15 PM
Surrogate: p-Terphenyl	52.7	35-131	%REC	1		5/26/2009 04:15 PM
<b>GASOLINE RANGE ORGANICS BY GC/FID</b>						
<b>EPA 8015B(M)</b>						
RunID: GC6_090526A	QC Batch:	I09VW081			PrepDate:	Analyst: <b>BD</b>
GRO	ND	0.050	mg/L	1		5/26/2009 10:01 PM
Surrogate: Bromofluorobenzene (FID)	93.9	71-130	%REC	1		5/26/2009 10:01 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out

E Value above quantitation range  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified



*Advanced Technology  
Laboratories*

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001

**ANALYTICAL QC SUMMARY REPORT****TestCode: 415.1\_5310B\_W**

Sample ID: MB-R109298	SampType: MBLK	TestCode: 415.1_5310B Units: mg/L			Prep Date:			RunNo: 109298			
Client ID: PBW	Batch ID: R109298	TestNo: SM5310B			Analysis Date: 5/26/2009			SeqNo: 1716626			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Organic Carbon, Total	ND	3.0									
Sample ID: LCS-R109298	SampType: LCS	TestCode: 415.1_5310B Units: mg/L			Prep Date:			RunNo: 109298			
Client ID: LCSW	Batch ID: R109298	TestNo: SM5310B			Analysis Date: 5/26/2009			SeqNo: 1716627			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Organic Carbon, Total	19.730	3.0	20.00	0	98.6	80	120				
Sample ID: MB-MS	SampType: MS	TestCode: 415.1_5310B Units: mg/L			Prep Date:			RunNo: 109298			
Client ID: ZZZZZZ	Batch ID: R109298	TestNo: SM5310B			Analysis Date: 5/26/2009			SeqNo: 1716628			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Organic Carbon, Total	20.320	3.0	20.00	0	102	70	130				
Sample ID: MB-MSD	SampType: MSD	TestCode: 415.1_5310B Units: mg/L			Prep Date:			RunNo: 109298			
Client ID: ZZZZZZ	Batch ID: R109298	TestNo: SM5310B			Analysis Date: 5/26/2009			SeqNo: 1716629			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Organic Carbon, Total	20.020	3.0	20.00	0	100	70	130	20.32	1.49	20	

**Qualifiers:**

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S Spike/Surrogate outside of limits due to matrix interference

DO Surrogate Diluted Out

Calculations are based on raw values

Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode: 8015\_W\_DSL\_LLSGT**

Sample ID: <b>MB-55511</b>	SampType: <b>MBLK</b>	TestCode: <b>8015_W_DSL</b>	Units: <b>mg/L</b>	Prep Date: <b>5/26/2009</b>	RunNo: <b>109299</b>
Client ID: <b>PBW</b>	Batch ID: <b>55511</b>	TestNo: <b>EPA 8015B</b>	<b>EPA 3510C</b>	Analysis Date: <b>5/26/2009</b>	SeqNo: <b>1716635</b>
<hr/>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
DRO	ND	0.050			
Surrogate: p-Terphenyl	0.047		0.08000		59.0
				35	131
Sample ID: <b>LCS-55511</b>	SampType: <b>LCS</b>	TestCode: <b>8015_W_DSL</b>	Units: <b>mg/L</b>	Prep Date: <b>5/26/2009</b>	RunNo: <b>109299</b>
Client ID: <b>LCSW</b>	Batch ID: <b>55511</b>	TestNo: <b>EPA 8015B</b>	<b>EPA 3510C</b>	Analysis Date: <b>5/26/2009</b>	SeqNo: <b>1716636</b>
<hr/>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
DRO	0.762	0.050	1.000	0	76.2
Surrogate: p-Terphenyl	0.038		0.08000		47.8
				35	131
Sample ID: <b>MB-55511MS</b>	SampType: <b>MS</b>	TestCode: <b>8015_W_DSL</b>	Units: <b>mg/L</b>	Prep Date: <b>5/26/2009</b>	RunNo: <b>109299</b>
Client ID: <b>ZZZZZZ</b>	Batch ID: <b>55511</b>	TestNo: <b>EPA 8015B</b>	<b>EPA 3510C</b>	Analysis Date: <b>5/26/2009</b>	SeqNo: <b>1716637</b>
<hr/>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
DRO	0.776	0.050	1.000	0	77.6
Surrogate: p-Terphenyl	0.047		0.08000		58.7
				35	131
Sample ID: <b>MB-55511MSD</b>	SampType: <b>MSD</b>	TestCode: <b>8015_W_DSL</b>	Units: <b>mg/L</b>	Prep Date: <b>5/26/2009</b>	RunNo: <b>109299</b>
Client ID: <b>ZZZZZZ</b>	Batch ID: <b>55511</b>	TestNo: <b>EPA 8015B</b>	<b>EPA 3510C</b>	Analysis Date: <b>5/26/2009</b>	SeqNo: <b>1716638</b>
<hr/>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
DRO	0.769	0.050	1.000	0	76.9
Surrogate: p-Terphenyl	0.042		0.08000		52.1
				35	131
					0.7763
					0.930
					20
					0
					0

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out


E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8015\_W\_GP LL

Sample ID: I090526MB1MS	SampType: MS	TestCode: 8015_W_GP	Units: mg/L	Prep Date:			RunNo: 109303				
Client ID: ZZZZZZ	Batch ID: I09VW081	TestNo: EPA 8015B(M)		Analysis Date: 5/26/2009			SeqNo: 1716693				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	0.823	0.050	1.000	0	82.3	69	125				
Surrogate: Bromofluorobenzene (FID)	92.937		100.0		92.9	71	130				
Sample ID: I090526LCS2	SampType: LCS	TestCode: 8015_W_GP	Units: mg/L	Prep Date:			RunNo: 109303				
Client ID: LCSW	Batch ID: I09VW081	TestNo: EPA 8015B(M)		Analysis Date: 5/26/2009			SeqNo: 1716694				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	0.734	0.050	1.000	0	73.4	69	125				
Surrogate: Bromofluorobenzene (FID)	94.695		100.0		94.7	71	130				
Sample ID: I090526MB1MSD	SampType: MSD	TestCode: 8015_W_GP	Units: mg/L	Prep Date:			RunNo: 109303				
Client ID: ZZZZZZ	Batch ID: I09VW081	TestNo: EPA 8015B(M)		Analysis Date: 5/26/2009			SeqNo: 1716695				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	0.903	0.050	1.000	0	90.3	69	125	0.8230	9.27	20	
Surrogate: Bromofluorobenzene (FID)	93.388		100.0		93.4	71	130		0	0	
Sample ID: I090526MB1	SampType: MBLK	TestCode: 8015_W_GP	Units: mg/L	Prep Date:			RunNo: 109303				
Client ID: PBW	Batch ID: I09VW081	TestNo: EPA 8015B(M)		Analysis Date: 5/26/2009			SeqNo: 1716696				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	ND	0.050									
Surrogate: Bromofluorobenzene (FID)	78.219		100.0		78.2	71	130				

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out


E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8260\_WP\_LL

Sample ID: A090526LCS1	SampType: LCS	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:			RunNo: 109292		
Client ID: LCSW	Batch ID: A09VW103	TestNo: EPA 8260B			Analysis Date: 5/26/2009			SeqNo: 1717210	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
1,1-Dichloroethene	19.640	0.50	20.00	0	98.2	70	130		
Benzene	37.860	0.50	40.00	0	94.6	70	130		
Chlorobenzene	18.360	0.50	20.00	0	91.8	70	130		
MTBE	19.600	0.50	20.00	0	98.0	70	130		
Toluene	38.170	0.50	40.00	0	95.4	70	130		
Trichloroethene	18.260	0.50	20.00	0	91.3	70	130		
Sur: 1,2-Dichloroethane-d4	23.280		25.00		93.1	70	130		
Sur: 4-Bromofluorobenzene	20.920		25.00		83.7	70	130		
Sur: Dibromofluoromethane	23.160		25.00		92.6	70	130		
Sur: Toluene-d8	24.080		25.00		96.3	70	130		
Sample ID: A090526MB2MS	SampType: MS	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:			RunNo: 109292		
Client ID: ZZZZZZ	Batch ID: A09VW103	TestNo: EPA 8260B			Analysis Date: 5/26/2009			SeqNo: 1717211	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
1,1-Dichloroethene	17.630	0.50	20.00	0	88.2	70	130		
Benzene	37.790	0.50	40.00	0	94.5	70	130		
Chlorobenzene	18.810	0.50	20.00	0	94.1	70	130		
Toluene	37.920	0.50	40.00	0	94.8	70	130		
Trichloroethene	18.080	0.50	20.00	0	90.4	70	130		
Sur: 1,2-Dichloroethane-d4	23.120		25.00		92.5	70	130		
Sur: 4-Bromofluorobenzene	21.270		25.00		85.1	70	130		
Sur: Dibromofluoromethane	23.180		25.00		92.7	70	130		
Sur: Toluene-d8	24.280		25.00		97.1	70	130		
Sample ID: A090526MB2MSD	SampType: MSD	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:			RunNo: 109292		
Client ID: ZZZZZZ	Batch ID: A09VW103	TestNo: EPA 8260B			Analysis Date: 5/26/2009			SeqNo: 1717212	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
1,1-Dichloroethene	18.880	0.50	20.00	0	94.4	70	130	17.63	6.85 20

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out


E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode: 8260\_WP\_LL**

Sample ID: <b>A090526MB2MSD</b>	SampType: <b>MSD</b>	TestCode: <b>8260_WP_LL</b>	Units: <b>µg/L</b>	Prep Date:			RunNo: <b>109292</b>		
Client ID: <b>ZZZZZZ</b>	Batch ID: <b>A09VW103</b>	TestNo: <b>EPA 8260B</b>			Analysis Date: <b>5/26/2009</b>			SeqNo: <b>1717212</b>	
<b>Analyte</b>									
Benzene	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
Benzene	36.760	0.50	40.00	0	91.9	70	130	37.79	2.76 20
Chlorobenzene	18.030	0.50	20.00	0	90.2	70	130	18.81	4.23 20
Toluene	37.040	0.50	40.00	0	92.6	70	130	37.92	2.35 20
Trichloroethene	17.660	0.50	20.00	0	88.3	70	130	18.08	2.35 20
Surr: 1,2-Dichloroethane-d4	22.940		25.00		91.8	70	130		0 20
Surr: 4-Bromofluorobenzene	21.030		25.00		84.1	70	130		0 20
Surr: Dibromofluoromethane	23.270		25.00		93.1	70	130		0 20
Surr: Toluene-d8	24.040		25.00		96.2	70	130		0 20
Sample ID: <b>A090526MB2</b>	SampType: <b>MBLK</b>	TestCode: <b>8260_WP_LL</b>	Units: <b>µg/L</b>	Prep Date:			RunNo: <b>109292</b>		
Client ID: <b>PBW</b>	Batch ID: <b>A09VW103</b>	TestNo: <b>EPA 8260B</b>			Analysis Date: <b>5/26/2009</b>			SeqNo: <b>1717213</b>	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
1,1,1,2-Tetrachloroethane	ND	0.50							
1,1,1-Trichloroethane	ND	0.50							
1,1,2,2-Tetrachloroethane	ND	0.50							
1,1,2-Trichloroethane	ND	0.50							
1,1-Dichloroethane	ND	0.50							
1,1-Dichloroethene	ND	0.50							
1,1-Dichloropropene	ND	0.50							
1,2,3-Trichlorobenzene	ND	0.50							
1,2,3-Trichloropropane	ND	0.50							
1,2,4-Trichlorobenzene	ND	0.50							
1,2,4-Trimethylbenzene	ND	0.50							
1,2-Dibromo-3-chloropropane	ND	0.50							
1,2-Dibromoethane	ND	0.50							
1,2-Dichlorobenzene	ND	0.50							
1,2-Dichloroethane	ND	0.50							
1,2-Dichloropropane	ND	0.50							
1,3,5-Trimethylbenzene	ND	0.50							

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out


E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001

**ANALYTICAL QC SUMMARY REPORT**  
**TestCode: 8260\_WP\_LL**

Sample ID: <b>A090526MB2</b>	SampType: <b>MBLK</b>	TestCode: <b>8260_WP_LL</b>	Units: <b>µg/L</b>	Prep Date:	RunNo: <b>109292</b>
Client ID: <b>PBW</b>	Batch ID: <b>A09VW103</b>	TestNo: <b>EPA 8260B</b>		Analysis Date: <b>5/26/2009</b>	SeqNo: <b>1717213</b>
<hr/>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
1,3-Dichlorobenzene	ND	0.50			
1,3-Dichloropropane	ND	0.50			
1,4-Dichlorobenzene	ND	0.50			
2,2-Dichloropropane	ND	0.50			
2-Chlorotoluene	ND	0.50			
4-Chlorotoluene	ND	0.50			
4-Isopropyltoluene	ND	0.50			
Benzene	ND	0.50			
Bromobenzene	ND	0.50			
Bromodichloromethane	ND	0.50			
Bromoform	ND	0.50			
Bromomethane	ND	0.50			
Carbon tetrachloride	ND	0.50			
Chlorobenzene	ND	0.50			
Chloroethane	ND	0.50			
Chloroform	ND	0.50			
Chloromethane	ND	0.50			
cis-1,2-Dichloroethene	ND	0.50			
cis-1,3-Dichloropropene	ND	0.50			
Dibromochloromethane	ND	0.50			
Dibromomethane	ND	0.50			
Dichlorodifluoromethane	ND	0.50			
Ethylbenzene	ND	0.50			
Hexachlorobutadiene	ND	0.50			
Isopropylbenzene	ND	0.50			
m,p-Xylene	ND	1.0			
Methylene chloride	ND	1.0			
n-Butylbenzene	ND	0.50			
n-Propylbenzene	ND	0.50			
Naphthalene	ND	0.50			

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out


E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001

**ANALYTICAL QC SUMMARY REPORT**  
**TestCode: 8260\_WP\_LL**

Sample ID: <b>A090526MB2</b>	SampType: <b>MBLK</b>	TestCode: <b>8260_WP_LL</b>	Units: <b>µg/L</b>	Prep Date:	RunNo: <b>109292</b>
Client ID: <b>PBW</b>	Batch ID: <b>A09VW103</b>	TestNo: <b>EPA 8260B</b>		Analysis Date: <b>5/26/2009</b>	SeqNo: <b>1717213</b>
<hr/>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
o-Xylene	ND	0.50			
sec-Butylbenzene	ND	0.50			
Styrene	ND	0.50			
tert-Butylbenzene	ND	0.50			
Tetrachloroethene	ND	0.50			
Toluene	ND	0.50			
trans-1,2-Dichloroethene	ND	0.50			
Trichloroethene	ND	0.50			
Trichlorofluoromethane	ND	0.50			
Vinyl chloride	ND	0.50			
Surr: 1,2-Dichloroethane-d4	22.480	25.00	89.9	70	130
Surr: 4-Bromofluorobenzene	20.590	25.00	82.4	70	130
Surr: Dibromofluoromethane	23.420	25.00	93.7	70	130
Surr: Toluene-d8	23.580	25.00	94.3	70	130

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out


E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562. 989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8260\_WP\_LL

Sample ID: Q090527LCS1	SampType: MSD	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:			RunNo: 109407		
Client ID: ZZZZZZ	Batch ID: Q09VW098	TestNo: EPA 8260B			Analysis Date: 5/27/2009			SeqNo: 1718371	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
1,1-Dichloroethene	18.590	0.50	20.00	0	93.0	70	130		
Benzene	33.860	0.50	40.00	0	84.6	70	130		
Chlorobenzene	17.320	0.50	20.00	0	86.6	70	130		
Toluene	34.720	0.50	40.00	0	86.8	70	130		
Trichloroethene	15.850	0.50	20.00	0	79.2	70	130		
Sur: 1,2-Dichloroethane-d4	27.910		25.00		112	70	130		
Sur: 4-Bromofluorobenzene	26.700		25.00		107	70	130		
Sur: Dibromofluoromethane	27.300		25.00		109	70	130		
Sur: Toluene-d8	26.990		25.00		108	70	130		
Sample ID: Q090527MB2MS	SampType: MS	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:			RunNo: 109407		
Client ID: ZZZZZZ	Batch ID: Q09VW098	TestNo: EPA 8260B			Analysis Date: 5/27/2009			SeqNo: 1718372	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
1,1-Dichloroethene	16.440	0.50	20.00	0	82.2	70	130	18.59	12.3 0
Benzene	30.730	0.50	40.00	0	76.8	70	130	33.86	9.69 0
Chlorobenzene	15.400	0.50	20.00	0	77.0	70	130	17.32	11.7 0
Toluene	31.270	0.50	40.00	0	78.2	70	130	34.72	10.5 0
Trichloroethene	14.200	0.50	20.00	0	71.0	70	130	15.85	11.0 0
Sur: 1,2-Dichloroethane-d4	28.000		25.00		112	70	130		0 0
Sur: 4-Bromofluorobenzene	25.910		25.00		104	70	130		0 0
Sur: Dibromofluoromethane	27.330		25.00		109	70	130		0 0
Sur: Toluene-d8	26.400		25.00		106	70	130		0 0
Sample ID: Q090527MB2MSD	SampType: LCS	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:			RunNo: 109407		
Client ID: LCSW	Batch ID: Q09VW098	TestNo: EPA 8260B			Analysis Date: 5/27/2009			SeqNo: 1718373	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
1,1-Dichloroethene	23.310	0.50	20.00	0	117	70	130		
Benzene	42.320	0.50	40.00	0	106	70	130		

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out

E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference

**CLIENT:** The Source Group Inc.  
**Work Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode: 8260\_WP\_LL**

Sample ID: <b>Q090527MB2MSD</b>	SampType: <b>LCS</b>	TestCode: <b>8260_WP_LL</b>	Units: <b>µg/L</b>	Prep Date:			RunNo: <b>109407</b>		
Client ID: <b>LCSW</b>	Batch ID: <b>Q09VW098</b>	TestNo: <b>EPA 8260B</b>			Analysis Date: <b>5/27/2009</b>			SeqNo: <b>1718373</b>	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
Chlorobenzene	21.470	0.50	20.00	0	107	70	130		
MTBE	22.480	0.50	20.00	0	112	70	130		
Toluene	41.860	0.50	40.00	0	105	70	130		
Trichloroethene	20.340	0.50	20.00	0	102	70	130		
Surr: 1,2-Dichloroethane-d4	24.780		25.00		99.1	70	130		
Surr: 4-Bromofluorobenzene	26.010		25.00		104	70	130		
Surr: Dibromofluoromethane	26.570		25.00		106	70	130		
Surr: Toluene-d8	25.170		25.00		101	70	130		
Sample ID: <b>Q090527MB2</b>	SampType: <b>MBLK</b>	TestCode: <b>8260_WP_LL</b>	Units: <b>µg/L</b>	Prep Date:			RunNo: <b>109407</b>		
Client ID: <b>PBW</b>	Batch ID: <b>Q09VW098</b>	TestNo: <b>EPA 8260B</b>			Analysis Date: <b>5/27/2009</b>			SeqNo: <b>1718374</b>	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
1,1,1,2-Tetrachloroethane	ND	0.50							
1,1,1-Trichloroethane	ND	0.50							
1,1,2,2-Tetrachloroethane	ND	0.50							
1,1,2-Trichloroethane	ND	0.50							
1,1-Dichloroethane	ND	0.50							
1,1-Dichloroethene	ND	0.50							
1,1-Dichloropropene	ND	0.50							
1,2,3-Trichlorobenzene	ND	0.50							
1,2,3-Trichloropropane	ND	0.50							
1,2,4-Trichlorobenzene	ND	0.50							
1,2,4-Trimethylbenzene	ND	0.50							
1,2-Dibromo-3-chloropropane	ND	0.50							
1,2-Dibromoethane	ND	0.50							
1,2-Dichlorobenzene	ND	0.50							
1,2-Dichloroethane	ND	0.50							
1,2-Dichloropropane	ND	0.50							
1,3,5-Trimethylbenzene	ND	0.50							

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out


E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8260\_WP\_LL

Sample ID: Q090527MB2	SampType: MBLK	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:	RunNo: 109407
Client ID: PBW	Batch ID: Q09VW098	TestNo: EPA 8260B		Analysis Date: 5/27/2009	SeqNo: 1718374
<hr/>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPD Limit Qual
1,3-Dichlorobenzene	ND	0.50			
1,3-Dichloropropane	ND	0.50			
1,4-Dichlorobenzene	ND	0.50			
2,2-Dichloropropane	ND	0.50			
2-Chlorotoluene	ND	0.50			
4-Chlorotoluene	ND	0.50			
4-Isopropyltoluene	ND	0.50			
Benzene	ND	0.50			
Bromobenzene	ND	0.50			
Bromodichloromethane	ND	0.50			
Bromoform	ND	0.50			
Bromomethane	ND	0.50			
Carbon tetrachloride	ND	0.50			
Chlorobenzene	ND	0.50			
Chloroethane	ND	0.50			
Chloroform	ND	0.50			
Chloromethane	ND	0.50			
cis-1,2-Dichloroethene	ND	0.50			
cis-1,3-Dichloropropene	ND	0.50			
Dibromochloromethane	ND	0.50			
Dibromomethane	ND	0.50			
Dichlorodifluoromethane	ND	0.50			
Ethylbenzene	ND	0.50			
Hexachlorobutadiene	ND	0.50			
Isopropylbenzene	ND	0.50			
m,p-Xylene	ND	1.0			
Methylene chloride	ND	1.0			
n-Butylbenzene	ND	0.50			
n-Propylbenzene	ND	0.50			
Naphthalene	ND	0.50			

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out


E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040



June 5, 2009



FL Cert #E87847/LA Cert #04140  
EPA Methods TO3, TO14A, TO15, 25C/3C  
RSK-175

TX Cert #T104704450-09-TX  
EPA Methods TO14A, TO15

AZ Dept of Health Services #AZ0737  
EPA Methods TO3, TO14A, TO15, 15, 16, 25C

Advanced Technology Labs, Inc.  
ATTN: Rachelle Arada  
3275 Walnut Ave.  
Signal Hill, CA 90755

### LABORATORY TEST RESULTS

Project Reference: 105633  
Lab Number: A9052606-01/05

Enclosed are results for sample(s) received 5/26/09 by Air Technology Laboratories. Analyses were performed according to specifications on the chain of custody provided with the sample(s).

#### Report Narrative:

- Sample analyses were performed within method performance criteria, and meet all requirements of the NELAC Standards.
- All results are reported without qualifications unless otherwise noted.

ATL appreciates the opportunity to provide testing services to your company. If you have any questions regarding these results, please call me at (626) 964-4032.

Sincerely,

A handwritten signature in black ink, appearing to read "Mark Johnson".

Mark Johnson  
Operations Manager  
[MJohnson@AirTechLabs.com](mailto:MJohnson@AirTechLabs.com)

Enclosures

Note: The cover letter is an integral part of this analytical report.

Client: Advanced Technology Laboratories  
Attn: Rachelle Arada

Page 2 of 3  
A9052606

Client's Project: 105633  
Date Received: 5/26/09  
Matrix: Water  
Units: ug/L

Dissolved Gases by EPA Procedure RSKSOP-175

Lab No.:	A9052606-01	A9052606-02	A9052606-03	A9052606-04	A9052606-05						
Client Sample I.D.:	105633-001E / MW-3	105633-002E / MW-8	105633-005E / MW-6	105633-006E / MW-5	105633-009E / MW-2R						
Date Sampled:	5/21/09	5/21/09	5/21/09	5/21/09	5/22/09						
Date Analyzed:	6/2/09	6/2/09	6/2/09	6/2/09	6/2/09						
Analyst Initials:	ZK	ZK	ZK	ZK	ZK						
Data File:	02jun008	02jun009	02jun010	02jun011	02jun012						
QC Batch:	090602GC8A1	090602GC8A1	090602GC8A1	090602GC8A1	090602GC8A1						
Dilution Factor:	1.0	1.0	1.0	1.0	1.0						
ANALYTE	PQL	RL	Results	RL	Results	RL	Results	RL	Results	RL	Results
Methane	1.0	1.0	300	1.0	1,100	1.0	5.2	1.0	15	1.0	180
Ethane	2.0	2.0	19	2.0	19	2.0	ND	2.0	ND	2.0	ND
Ethylene	3.0	3.0	ND	3.0	9.6	3.0	ND	3.0	ND	3.0	ND

PQL = Practical Quantitation Limit

ND = Not Detected (Below RL)

RL = PQL X Dilution Factor

Reviewed/Approved By:

Mark J. Johnson  
Operations Manager

Date: 6-5-09

The cover letter is an integral part of this analytical report



Air TECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No.: 090602GC8A1  
Matrix: Water  
Units: ug/L

Page 3 of 3  
A9052606

QC for Dissolved Gases by EPA Procedure RSKSOP-175

Lab No.:	Method Blank		LCS		LCSD				
Date Analyzed:	06/02/09		06/02/09		06/02/09				
Analyst Initials:	ZK		ZK		ZK				
Datafile:	02jun004		02jun002		02jun003				
Dilution Factor:	1.0		1.0		1.0				
ANALYTE	PQL	RL	Results	% Rec.	Criteria	% Rec.	Criteria	%RPD	Criteria
Methane	1.0	1.0	ND	98	70-130%	103	70-130%	4.9	<30
Ethane	2.0	2.0	ND	107	70-130%	126	70-130%	16	<30
Ethylene	3.0	3.0	ND	111	70-130%	122	70-130%	8.8	<30

PQL = Practical Quantitation Limit

ND = Not Detected (Below RL).

RL = PQL X Dilution Factor

Reviewed/Approved By:

  
Mark J. Johnson  
Operations Manager


Date: 6-5-09

The cover letter is an integral part of this analytical report



Air TECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832



# Advanced Technology Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755-5225

[www.atlglobal.com](http://www.atlglobal.com)

TEL: (562) 989-4045

FAX: (562) 989-4040

# CHAIN-OF-CUSTODY RECORD

Page 1 of 1

A9052606-0105

QC Level: RWQCB

Subcontractor:

Air Technology Laboratories  
18501 E. Gale Ave, Suite 130  
City of Industry, CA 91748

TEL: (626) 964-4032  
FAX: (626) 964-5832  
Acct #:

Field Sampler: Nathan Colton

26-May-09

	Sample ID	Matrix	Date Collected	Bottle Type	Requested Tests		
					RSK175		
01	105633-001E / MW-3	Groundwater	5/21/2009 11:20:00 AM	VOA	1		
02	105633-002E / MW-8	Groundwater	5/21/2009 12:33:00 PM	VOA	1		
03	105633-005E / MW-6	Groundwater	5/21/2009 2:33:00 PM	VOA	1		
04	105633-006E / MW-5	Groundwater	5/21/2009 3:20:00 PM	VOA	1		
05	105633-009E / MW-2R	Groundwater	5/22/2009 10:25:00 AM	VOA	1		

pH = 7  
pH = 7

General Comments: Please email sample receipt acknowledgement to the PM.

Please use PO#: SC04600

Please fax results by: NORMAL TAT

ANALYZE THE SAMPLES FOR METHANE, ETHENE & ETHANE BY RSK175

PLEASE SEND REPORT TO RACHELLE ARADA

4°C

Relinquished by:	<i>flawn</i>	Date/Time	<i>5/26/09</i>	Date/Time
Relinquished by:		Received by:	<i>J. Colton</i>	<i>Nathan Colton 5/26 1346</i>
Relinquished by:		Received by:		

**CLIENT:** The Source Group Inc.  
**Work Order:** 105633  
**Project:** AB&I Foundry, 01-ABI.001

**ANALYTICAL QC SUMMARY REPORT**  
**TestCode: 8260\_WP\_LL**

Sample ID: <b>Q090527MB2</b>	SampType: <b>MBLK</b>	TestCode: <b>8260_WP_LL</b>	Units: <b>µg/L</b>	Prep Date:	RunNo: <b>109407</b>
Client ID: <b>PBW</b>	Batch ID: <b>Q09VW098</b>	TestNo: <b>EPA 8260B</b>		Analysis Date: <b>5/27/2009</b>	SeqNo: <b>1718374</b>
<hr/>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
o-Xylene	ND	0.50			
sec-Butylbenzene	ND	0.50			
Styrene	ND	0.50			
tert-Butylbenzene	ND	0.50			
Tetrachloroethene	ND	0.50			
Toluene	ND	0.50			
trans-1,2-Dichloroethene	ND	0.50			
Trichloroethene	ND	0.50			
Trichlorofluoromethane	ND	0.50			
Vinyl chloride	ND	0.50			
Surr: 1,2-Dichloroethane-d4	28.590	25.00	114	70	130
Surr: 4-Bromofluorobenzene	26.010	25.00	104	70	130
Surr: Dibromofluoromethane	28.540	25.00	114	70	130
Surr: Toluene-d8	25.530	25.00	102	70	130

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out

E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference

# CHAIN OF CUSTODY RECORD

Pg 1 of 2

 <b>Advanced Technology Laboratories</b> 3275 Walnut Avenue Signal Hill, CA 90755 (562) 989-4045 • Fax (562) 989-4040		<b>FOR LABORATORY USE ONLY:</b> <table border="0" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">P.O.#: _____</td> <td style="width: 30%;">Method of Transport</td> <td style="width: 40%;">Sample Condition Upon Receipt</td> </tr> <tr> <td>Logged By: <i>J</i></td> <td>Client <input type="checkbox"/> ATL <input type="checkbox"/> CA OverN <input type="checkbox"/> FEDEX <input type="checkbox"/> Other: <u>ONTRAIL</u></td> <td>1. CHILLED 5.7, 4.1 Y <input checked="" type="checkbox"/> N <input type="checkbox"/> 4. SEALED Y <input type="checkbox"/> N <input type="checkbox"/></td> </tr> <tr> <td>Date: <u>5/23/09</u></td> <td>2. HEADSPACE (VOA)</td> <td>Y <input type="checkbox"/> N <input type="checkbox"/> 5. # OF SPLS MATCH COC Y <input type="checkbox"/> N <input type="checkbox"/></td> </tr> <tr> <td></td> <td>3. CONTAINER INTACT</td> <td>Y <input checked="" type="checkbox"/> N <input type="checkbox"/> 6. PRESERVED Y <input type="checkbox"/> N <input type="checkbox"/></td> </tr> </table>										P.O.#: _____	Method of Transport	Sample Condition Upon Receipt	Logged By: <i>J</i>	Client <input type="checkbox"/> ATL <input type="checkbox"/> CA OverN <input type="checkbox"/> FEDEX <input type="checkbox"/> Other: <u>ONTRAIL</u>	1. CHILLED 5.7, 4.1 Y <input checked="" type="checkbox"/> N <input type="checkbox"/> 4. SEALED Y <input type="checkbox"/> N <input type="checkbox"/>	Date: <u>5/23/09</u>	2. HEADSPACE (VOA)	Y <input type="checkbox"/> N <input type="checkbox"/> 5. # OF SPLS MATCH COC Y <input type="checkbox"/> N <input type="checkbox"/>		3. CONTAINER INTACT	Y <input checked="" type="checkbox"/> N <input type="checkbox"/> 6. PRESERVED Y <input type="checkbox"/> N <input type="checkbox"/>
P.O.#: _____	Method of Transport	Sample Condition Upon Receipt																					
Logged By: <i>J</i>	Client <input type="checkbox"/> ATL <input type="checkbox"/> CA OverN <input type="checkbox"/> FEDEX <input type="checkbox"/> Other: <u>ONTRAIL</u>	1. CHILLED 5.7, 4.1 Y <input checked="" type="checkbox"/> N <input type="checkbox"/> 4. SEALED Y <input type="checkbox"/> N <input type="checkbox"/>																					
Date: <u>5/23/09</u>	2. HEADSPACE (VOA)	Y <input type="checkbox"/> N <input type="checkbox"/> 5. # OF SPLS MATCH COC Y <input type="checkbox"/> N <input type="checkbox"/>																					
	3. CONTAINER INTACT	Y <input checked="" type="checkbox"/> N <input type="checkbox"/> 6. PRESERVED Y <input type="checkbox"/> N <input type="checkbox"/>																					
<b>Client:</b> <u>The Source Comp, Inc.</u> <b>Attn:</b> <u>Kent Reynolds</u>		<b>Address:</b> <u>3451-C Vincent Rd.</u> <b>City</b> <u>Pleasant Hill</u> <b>State</b> <u>CA</u> <b>Zip Code</b> <u>94523</u>		<b>TEL:</b> <u>(925) 944-2856</u> <b>FAX:</b> <u>(925) 944-2859</u>																			
<b>Project Name:</b> <u>ABT Foundry</u> <b>Project #:</b> <u>A-1-187.001</u>		<b>Sampler:</b> <u>Nathan C. Iton</u> <b>(Printed Name)</b> <u>N. C. Iton</u> <b>(Signature)</b> <u>N. C. Iton</u>																					
<b>Relinquished by:</b> <u>N. C. Iton</u> <b>Attn:</b> <u>Kent Reynolds</u> <b>Date:</b> <u>5/23/09</u> <b>Time:</b> <u>1500</u>		<b>Received by:</b> <u>N. C. Iton</u> <b>(Signature and Printed Name)</b> <u>N. C. Iton</u>		<b>Date:</b> <u>5/23/09</u> <b>Time:</b> <u>1035</u>																			
<b>Relinquished by:</b> <u>N. C. Iton</u> <b>Attn:</b> <u></u> <b>Date:</b> <u></u> <b>Time:</b> <u></u>		<b>Received by:</b> <u></u> <b>(Signature and Printed Name)</b> <u></u>																					
<b>Relinquished by:</b> <u>N. C. Iton</u> <b>Attn:</b> <u></u> <b>Date:</b> <u></u> <b>Time:</b> <u></u>		<b>Received by:</b> <u></u> <b>(Signature and Printed Name)</b> <u></u>																					
<b>I hereby authorize ATL to perform the work indicated below:</b> <b>Project Mgr /Submitter:</b> <u>Nathan C. Iton</u> <u>5/23/09</u> <b>Print Name</b> <b>Date</b>		<b>Send Report To:</b> <b>Attn:</b> <u>Kent Reynolds</u> <b>Co:</b> <u>The Source Comp, Inc.</u> <b>Address:</b> <u>3451-C Vincent</u> <b>City:</b> <u>Pleasant Hill</u> <b>State:</b> <u>CA</u> <b>Zip:</b> <u>94523</u>		<b>Bill To:</b> <b>Attn:</b> <u></u> <b>Co:</b> <u>STME</u> <b>Address:</b> <u></u> <b>City:</b> <u></u> <b>State:</b> <u></u> <b>Zip:</b> <u></u>																			
				<b>Special Instructions/Comments:</b> <u>0.5 reporting limits</u> <u>include EDD &amp; EDF reports</u> <u>ID: T0600100065</u>																			
<b>Sample/Records - Archival &amp; Disposal</b> Unless otherwise requested by client, all samples will be disposed 45 days after receipt and records will be disposed 1 year after submittal of final report.																							
<b>Storage Fees (applies when storage is requested):</b> <ul style="list-style-type: none"> <li>• Sample : \$2.00 / sample / mo (after 45 days)</li> <li>• Records : \$1.00 / ATL workorder / mo (after 1 year)</li> </ul>																							
I T E M	LAB USE ONLY: Batch #:		Sample Description									QA/QC RTNE <input type="checkbox"/> CT <input type="checkbox"/>  SWRCB <input type="checkbox"/> Logcode _____  OTHER _____	PRESERVATION										
	Lab No.	Sample I.D. / Location	Date	Time	TAT	#	Type																
	MW-3	5/21/09	1120	X	X	XXX		X					B	13									
	MW-8		1233	X	X	X	X	X						13									
	MW-98		1233	X	X		X							7									
	MW-4		1335	X	X		X							7									
	MW-6		1433	X	X	XX	XX							13									
	MW-5		1520	X	X	XX	XX							13									
	MW-9	5/22	940											7									
	Trip Blank			X				X						2									
• TAT starts 8 a.m. following day if samples received after 3 p.m.				<b>TAT: A=</b> Overnight ≤ 24 hr	<b>B=</b> Emergency Next workday	<b>C=</b> Critical 2 Workdays	<b>D=</b> Urgent 3 Workdays	<b>E=</b> Routine 7 Workdays	<b>Preservatives:</b> H=HCl N=NHO <sub>3</sub> S=H <sub>2</sub> SO <sub>4</sub> C=4°C Z=Zn(AC) <sub>2</sub> O=NaOH T=Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub>														
				Container Types: T=Tube V=VOA L=Liter P=Pint J=Jar B=Tedlar G=Glass P=Plastic M=Metal																			

DISTRIBUTION: White with report, Yellow to folder, Pink to submitter.

# CHAIN OF CUSTODY RECORD

 Pg 2 of 2

 <b>Advanced Technology Laboratories</b> 3275 Walnut Avenue Signal Hill, CA 90755 (562) 989-4045 • Fax (562) 989-4040		<b>FOR LABORATORY USE ONLY:</b>																							
		P.O. #: _____ Logged By: <u>J</u> Date: <u>5/23/09</u>			<b>Method of Transport</b> Client <input type="checkbox"/> ATL <input type="checkbox"/> CA OverN <input type="checkbox"/> FEDEX <input type="checkbox"/> Other: <u>ONTLAC</u>			<b>Sample Condition Upon Receipt</b> 1. CHILLED <input checked="" type="checkbox"/> N <input type="checkbox"/> 4. SEALED <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> 2. HEADSPACE (VOA) <input type="checkbox"/> N <input type="checkbox"/> 5. # OF SPLS MATCH COC <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> 3. CONTAINER INTACT <input checked="" type="checkbox"/> N <input type="checkbox"/> 6. PRESERVED <input type="checkbox"/> N <input type="checkbox"/>																	
<b>Client:</b> <u>The Source Group Inc.</u> <b>Attn:</b> <u>Kent Reynolds</u>		Address: <u>3451-C Vincent Ad.</u> City <u>Pleasant Hill</u> State <u>CA</u> Zip Code <u>94523</u>			TEL: <u>925 1944-2856</u> FAX: <u>(925) 1944-2859</u>																				
<b>Project Name:</b> <u>ABT I Foundry</u>		<b>Project #:</b> <u>01-ABT-air</u>			<b>Sampler:</b> (Printed Name) <u>Nathan Cition</u> (Signature)																				
<b>Relinquished by:</b> (Signature and Printed Name) <u>Nathan Cition</u> <u>5/22/09</u>		<b>Date:</b> <u>1500</u> <b>Time:</b>			<b>Received by:</b> (Signature and Printed Name) <u>Nathan Cition</u>			<b>Date:</b> <u>5/23/09</u> <b>Time:</b> <u>1035</u>																	
<b>Relinquished by:</b> (Signature and Printed Name)		<b>Date:</b> _____ <b>Time:</b> _____			<b>Received by:</b> (Signature and Printed Name)			<b>Date:</b> _____ <b>Time:</b> _____																	
<b>Relinquished by:</b> (Signature and Printed Name)		<b>Date:</b> _____ <b>Time:</b> _____			<b>Received by:</b> (Signature and Printed Name)			<b>Date:</b> _____ <b>Time:</b> _____																	
<b>I hereby authorize ATL to perform the work indicated below:</b> <b>Project Mgr /Submitter:</b> <u>Nathan Cition</u> <u>5/22/09</u> <small>Print Name Date</small> <u>JK W B</u> <small>Signature</small>		<b>Send Report To:</b> <b>Attn:</b> <u>Arent Reynolds</u> <b>Co:</b> <u>the Source Group Inc.</u> <b>Address:</b> <u>3451-C Vincent Ad.</u> <b>City:</b> <u>Pleasant Hill</u> <b>State:</b> <u>CA</u> <b>Zip:</b> <u>94523</u>			<b>Bill To:</b> <b>Attn:</b> _____ <b>Co:</b> <u>SAME</u> <b>Address:</b> _____ <b>City:</b> _____ <b>State:</b> _____ <b>Zip:</b> _____			<b>Special Instructions/Comments:</b> <u>0.5 reporting reporting limits</u> <u>- include EDD &amp; EDF reports</u> <u>- ID: T0600100065</u>																	
<b>Sample/Records - Archival &amp; Disposal</b> Unless otherwise requested by client, all samples will be disposed 45 days after receipt and records will be disposed 1 year after submittal of final report.																									
<b>Storage Fees (applies when storage is requested):</b> <ul style="list-style-type: none"> <li>• Sample : \$2.00 / sample / mo (after 45 days)</li> <li>• Records : \$1.00 / ATL workorder / mo (after 1 year)</li> </ul>																									
<b>I T E M</b>	<b>LAB USE ONLY:</b> <b>Batch #:</b>		<b>Sample Description</b>																						
	<b>Lab No.</b>	<b>Sample I.D. / Location</b>	<b>Date</b>	<b>Time</b>	<b>SPECIFY APPROPRIATE MATRIX</b>																				
					<small>8081A (Pesticides)</small>	<small>8082 (PCB)</small>	<small>8260B (Volatiles)</small>	<small>8270C (BNA)</small>	<small>6010B (Total Metal)</small>	<small>8015B (GRO) / 8020 (BTEX)</small>	<small>6015B (DRO)</small>	<small>8021 (STEX)</small>	<small>TITLE 22 / CAM 17 (6010-7000)</small>	<small>TAC</small>	<small>BSK-125</small>	<small>S-111 GEL 44</small>	<small>SOIL</small>	<small>WATER</small>	<small>GROUND WATER</small>	<small>WASTEWATER</small>	<small>Container(s)</small>	<small>TAT</small>	<small>#</small>	<small>Type</small>	<b>PRESERVATION</b>  <small>QA/QC</small> <small>RTNE</small> <input type="checkbox"/> <small>CT</small> <input type="checkbox"/>  <small>SWRCB</small> <input type="checkbox"/> <small>Logcode</small> _____  <small>OTHER</small> _____  <small>REMARKS</small> _____
					<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
<small>• TAT starts 8 a.m. following day if samples received after 3 p.m.</small>				<b>TAT: A=</b> Overnight ≤ 24 hr	<b>B=</b> Emergency Next workday	<b>C=</b> Critical 2 Workdays	<b>D=</b> Urgent 3 Workdays	<b>E=</b> Routine 7 Workdays	<b>Preservatives:</b> <small>H=HCl N=NHO<sub>3</sub> S=H<sub>2</sub>SO<sub>4</sub> C=4°C</small> <small>Z=Zn(AC)<sub>2</sub> O=NaOH T=Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub></small>																
<small>Container Types: T=Tube V=VOA L=Liter P=Pint J=Jar B=Tedlar G=Glass P=Plastic M=Metal</small>																									

DISTRIBUTION: White with report, Yellow to folder, Pink to submitter.

## Rachelle Arada

---

**From:** Nathan Colton [ncolton@thesourcegroup.net]  
**Sent:** Wednesday, May 27, 2009 9:47 AM  
**To:** Rachelle Arada  
**Subject:** AB&I Foundry project

Hi Rachelle,

I received a call yesterday regarding samples that arrived on Saturday morning for the AB&I Foundry site (7825 San Leandro Street). On the chain, I noted that I would like RSK-175 to be run for five of the samples but I did not specify the analyses. I would like the RSK-175 samples to be run for methane, ethane, and ethene. There are a total of five samples that require this analysis.

Let me know if you have any questions.

Thank you,

Nathan Colton  
Senior Staff Scientist  
ncolton@thesourcegroup.net  
**The Source Group, Inc.**  
Environmental Engineering, Hydrogeologic & Management Services  
3451-C Vincent Road  
Pleasant Hill, CA 94523  
925.944.2856 Ext.325  
[www.thesourcegroup.net](http://www.thesourcegroup.net)

*The materials transmitted by this electronic mail are confidential, are only for the use of the intended recipient, and may also be subject to applicable privileges. Any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please immediately notify the sender. Please also remove this message from your hard drive, diskette, and any other storage device.*



**JULY 2009 ANALYTICAL DATA**

July 13, 2009



Kent Reynolds  
The Source Group Inc.  
3451 Vincent Dr., Suite C  
Pleasant Hill, CA 94523  
  
TEL: (925) 944-2856  
FAX: (925) 944-2859

ELAP No.: 1838  
NELAP No.: 02107CA  
NEVADA.: CA-401  
CSDLAC No.: 10196  
  
Workorder No.: 106235

RE: AB&I Foundry, 01-ABI.001

Attention: Kent Reynolds

Enclosed are the results for sample(s) received on July 02, 2009 by Advanced Technology Laboratories . The sample(s) are tested for the parameters as indicated in the enclosed chain of custody in accordance with the applicable laboratory certifications.

Thank you for the opportunity to service the needs of your company.

Please feel free to call me at (562)989-4045 if I can be of further assistance to your company.

Sincerely,

A handwritten signature in black ink, appearing to read "Eddie F. Rodriguez".

Eddie F. Rodriguez  
Laboratory Director

The cover letter and the case narrative are an integral part of this analytical report and cannot be reproduced in part or in its entirety without written permission from the client and Advanced Technology Laboratories.

**CLIENT:** The Source Group Inc.  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab Order:** 106235

**CASE NARRATIVE**

The samples for RSK-175 analysis were subcontracted to Air Technology Laboratory.

**Analytical Comments for EPA 8015B(M) (DRO)**

1. Silica Gel Cleanup was performed on sample prior to the analysis, per client request.
2. Sample MB-56471MSD, Matrix Spike Duplicate (MSD) is outside recovery criteria; however, the analytical batch was validated by the Laboratory Control Sample (LCS).

**Analytical Comments for EPA 8260B**

Results were J-Flag. "J" is used to flag those results that are between the PQL (Practical Quantitation Limit) and the calculated MDL (Method Detection Limit). Results that are "J" Flagged are estimated values since it becomes difficult to accurately quantitate the analyte near the MDL.

**Advanced Technology Laboratories****ANALYTICAL RESULTS**

Print Date: 13-Jul-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 106235-001A

**Client Sample ID:** MW-9  
**Collection Date:** 7/1/2009 10:10:00 AM  
**Matrix:** GROUNDWATER

---

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

---

**VOLATILE ORGANIC COMPOUNDS BY GC/MS****EPA 8260B**

RunID: <b>MS2_090706B</b>	QC Batch: <b>Q09VW129</b>			PrepDate:		Analyst: <b>SL</b>
1,1,1,2-Tetrachloroethane	ND	0.45	0.50	µg/L	1	7/6/2009 11:55 PM
1,1,1-Trichloroethane	ND	0.27	0.50	µg/L	1	7/6/2009 11:55 PM
1,1,2,2-Tetrachloroethane	ND	0.35	0.50	µg/L	1	7/6/2009 11:55 PM
1,1,2-Trichloroethane	ND	0.43	0.50	µg/L	1	7/6/2009 11:55 PM
1,1-Dichloroethane	ND	0.17	0.50	µg/L	1	7/6/2009 11:55 PM
1,1-Dichloroethene	ND	0.19	0.50	µg/L	1	7/6/2009 11:55 PM
1,1-Dichloropropene	ND	0.30	0.50	µg/L	1	7/6/2009 11:55 PM
1,2,3-Trichlorobenzene	ND	0.48	0.50	µg/L	1	7/6/2009 11:55 PM
1,2,3-Trichloropropane	ND	0.24	0.50	µg/L	1	7/6/2009 11:55 PM
1,2,4-Trichlorobenzene	ND	0.43	0.50	µg/L	1	7/6/2009 11:55 PM
1,2,4-Trimethylbenzene	ND	0.44	0.50	µg/L	1	7/6/2009 11:55 PM
1,2-Dibromo-3-chloropropane	ND	0.35	0.50	µg/L	1	7/6/2009 11:55 PM
1,2-Dibromoethane	ND	0.37	0.50	µg/L	1	7/6/2009 11:55 PM
1,2-Dichlorobenzene	ND	0.27	0.50	µg/L	1	7/6/2009 11:55 PM
1,2-Dichloroethane	ND	0.16	0.50	µg/L	1	7/6/2009 11:55 PM
1,2-Dichloropropane	ND	0.20	0.50	µg/L	1	7/6/2009 11:55 PM
1,3,5-Trimethylbenzene	0.59	0.36	0.50	µg/L	1	7/6/2009 11:55 PM
1,3-Dichlorobenzene	ND	0.28	0.50	µg/L	1	7/6/2009 11:55 PM
1,3-Dichloropropane	ND	0.32	0.50	µg/L	1	7/6/2009 11:55 PM
1,4-Dichlorobenzene	ND	0.24	0.50	µg/L	1	7/6/2009 11:55 PM
2,2-Dichloropropane	ND	0.32	0.50	µg/L	1	7/6/2009 11:55 PM
2-Chlorotoluene	ND	0.31	0.50	µg/L	1	7/6/2009 11:55 PM
4-Chlorotoluene	ND	0.23	0.50	µg/L	1	7/6/2009 11:55 PM
4-Isopropyltoluene	4.9	0.36	0.50	µg/L	1	7/6/2009 11:55 PM
Benzene	53	0.17	0.50	µg/L	1	7/6/2009 11:55 PM
Bromobenzene	ND	0.21	0.50	µg/L	1	7/6/2009 11:55 PM
Bromodichloromethane	ND	0.39	0.50	µg/L	1	7/6/2009 11:55 PM
Bromoform	ND	0.30	0.50	µg/L	1	7/6/2009 11:55 PM
Bromomethane	ND	0.32	0.50	µg/L	1	7/6/2009 11:55 PM
Carbon tetrachloride	ND	0.38	0.50	µg/L	1	7/6/2009 11:55 PM
Chlorobenzene	ND	0.28	0.50	µg/L	1	7/6/2009 11:55 PM
Chloroethane	ND	0.35	0.50	µg/L	1	7/6/2009 11:55 PM
Chloroform	ND	0.23	0.50	µg/L	1	7/6/2009 11:55 PM
Chloromethane	ND	0.32	0.50	µg/L	1	7/6/2009 11:55 PM
cis-1,2-Dichloroethene	ND	0.15	0.50	µg/L	1	7/6/2009 11:55 PM

---

<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike/Surrogate outside of limits due to matrix interference
		Results are wet unless otherwise specified	DO	Surrogate Diluted Out

---



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 13-Jul-09

**CLIENT:** The Source Group Inc.

**Lab Order:** 106235

**Project:** AB&I Foundry, 01-ABI.001

**Lab ID:** 106235-001A

**Client Sample ID:** MW-9

**Collection Date:** 7/1/2009 10:10:00 AM

**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: <b>MS2_090706B</b>	QC Batch: <b>Q09VW129</b>			PrepDate:		Analyst: <b>SLL</b>
cis-1,3-Dichloropropene	ND	0.29	0.50	µg/L	1	7/6/2009 11:55 PM
Dibromochloromethane	ND	0.40	0.50	µg/L	1	7/6/2009 11:55 PM
Dibromomethane	ND	0.19	0.50	µg/L	1	7/6/2009 11:55 PM
Dichlorodifluoromethane	ND	0.33	0.50	µg/L	1	7/6/2009 11:55 PM
Ethylbenzene	9.5	0.22	0.50	µg/L	1	7/6/2009 11:55 PM
Hexachlorobutadiene	ND	0.28	0.50	µg/L	1	7/6/2009 11:55 PM
Isopropylbenzene	34	0.30	0.50	µg/L	1	7/6/2009 11:55 PM
m,p-Xylene	2.5	0.49	1.0	µg/L	1	7/6/2009 11:55 PM
Methylene chloride	ND	1.0	1.0	µg/L	1	7/6/2009 11:55 PM
n-Butylbenzene	5.7	0.30	0.50	µg/L	1	7/6/2009 11:55 PM
n-Propylbenzene	44	0.36	0.50	µg/L	1	7/6/2009 11:55 PM
Naphthalene	3.3	0.35	0.50	µg/L	1	7/6/2009 11:55 PM
o-Xylene	0.28	0.27	0.50	J µg/L	1	7/6/2009 11:55 PM
sec-Butylbenzene	5.9	0.33	0.50	µg/L	1	7/6/2009 11:55 PM
Styrene	ND	0.38	0.50	µg/L	1	7/6/2009 11:55 PM
tert-Butylbenzene	0.52	0.35	0.50	µg/L	1	7/6/2009 11:55 PM
Tetrachloroethene	ND	0.19	0.50	µg/L	1	7/6/2009 11:55 PM
Toluene	2.0	0.22	0.50	µg/L	1	7/6/2009 11:55 PM
trans-1,2-Dichloroethene	ND	0.22	0.50	µg/L	1	7/6/2009 11:55 PM
Trichloroethene	ND	0.15	0.50	µg/L	1	7/6/2009 11:55 PM
Trichlorofluoromethane	ND	0.26	0.50	µg/L	1	7/6/2009 11:55 PM
Vinyl chloride	ND	0.34	0.50	µg/L	1	7/6/2009 11:55 PM
Surr: 1,2-Dichloroethane-d4	107	0	70-130	%REC	1	7/6/2009 11:55 PM
Surr: 4-Bromofluorobenzene	93.0	0	70-130	%REC	1	7/6/2009 11:55 PM
Surr: Dibromofluoromethane	83.0	0	70-130	%REC	1	7/6/2009 11:55 PM
Surr: Toluene-d8	99.4	0	70-130	%REC	1	7/6/2009 11:55 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 13-Jul-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 106235-002A

**Client Sample ID:** MW-3  
**Collection Date:** 7/1/2009 11:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS2_090706B	QC Batch: Q09VW129			PrepDate:		Analyst: SLL
1,1,1,2-Tetrachloroethane	ND	2.3	2.5	µg/L	5	7/6/2009 10:08 PM
1,1,1-Trichloroethane	ND	1.3	2.5	µg/L	5	7/6/2009 10:08 PM
1,1,2,2-Tetrachloroethane	ND	1.7	2.5	µg/L	5	7/6/2009 10:08 PM
1,1,2-Trichloroethane	ND	2.2	2.5	µg/L	5	7/6/2009 10:08 PM
1,1-Dichloroethane	160	0.83	2.5	µg/L	5	7/6/2009 10:08 PM
1,1-Dichloroethene	620	9.5	25	µg/L	50	7/6/2009 10:29 PM
1,1-Dichloropropene	ND	1.5	2.5	µg/L	5	7/6/2009 10:08 PM
1,2,3-Trichlorobenzene	ND	2.4	2.5	µg/L	5	7/6/2009 10:08 PM
1,2,3-Trichloropropane	ND	1.2	2.5	µg/L	5	7/6/2009 10:08 PM
1,2,4-Trichlorobenzene	ND	2.2	2.5	µg/L	5	7/6/2009 10:08 PM
1,2,4-Trimethylbenzene	ND	2.2	2.5	µg/L	5	7/6/2009 10:08 PM
1,2-Dibromo-3-chloropropane	ND	1.8	2.5	µg/L	5	7/6/2009 10:08 PM
1,2-Dibromoethane	ND	1.9	2.5	µg/L	5	7/6/2009 10:08 PM
1,2-Dichlorobenzene	ND	1.4	2.5	µg/L	5	7/6/2009 10:08 PM
1,2-Dichloroethane	ND	0.82	2.5	µg/L	5	7/6/2009 10:08 PM
1,2-Dichloropropane	ND	1.0	2.5	µg/L	5	7/6/2009 10:08 PM
1,3,5-Trimethylbenzene	ND	1.8	2.5	µg/L	5	7/6/2009 10:08 PM
1,3-Dichlorobenzene	ND	1.4	2.5	µg/L	5	7/6/2009 10:08 PM
1,3-Dichloropropane	ND	1.6	2.5	µg/L	5	7/6/2009 10:08 PM
1,4-Dichlorobenzene	ND	1.2	2.5	µg/L	5	7/6/2009 10:08 PM
2,2-Dichloropropane	ND	1.6	2.5	µg/L	5	7/6/2009 10:08 PM
2-Chlorotoluene	ND	1.5	2.5	µg/L	5	7/6/2009 10:08 PM
4-Chlorotoluene	ND	1.2	2.5	µg/L	5	7/6/2009 10:08 PM
4-Isopropyltoluene	ND	1.8	2.5	µg/L	5	7/6/2009 10:08 PM
Benzene	ND	0.85	2.5	µg/L	5	7/6/2009 10:08 PM
Bromobenzene	ND	1.1	2.5	µg/L	5	7/6/2009 10:08 PM
Bromodichloromethane	ND	1.9	2.5	µg/L	5	7/6/2009 10:08 PM
Bromoform	ND	1.5	2.5	µg/L	5	7/6/2009 10:08 PM
Bromomethane	ND	1.6	2.5	µg/L	5	7/6/2009 10:08 PM
Carbon tetrachloride	ND	1.9	2.5	µg/L	5	7/6/2009 10:08 PM
Chlorobenzene	ND	1.4	2.5	µg/L	5	7/6/2009 10:08 PM
Chloroethane	ND	1.8	2.5	µg/L	5	7/6/2009 10:08 PM
Chloroform	ND	1.2	2.5	µg/L	5	7/6/2009 10:08 PM
Chloromethane	ND	1.6	2.5	µg/L	5	7/6/2009 10:08 PM
cis-1,2-Dichloroethene	7.5	0.74	2.5	µg/L	5	7/6/2009 10:08 PM

<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike/Surrogate outside of limits due to matrix interference
		Results are wet unless otherwise specified	DO	Surrogate Diluted Out

# Advanced Technology Laboratories

# ANALYTICAL RESULTS

Print Date: 13-Jul-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 106235-002A

**Client Sample ID:** MW-3  
**Collection Date:** 7/1/2009 11:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

## VOLATILE ORGANIC COMPOUNDS BY GC/MS

### EPA 8260B

RunID: MS2_090706B	QC Batch: Q09VW129			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	1.4	2.5	µg/L	5	7/6/2009 10:08 PM
Dibromochloromethane	ND	2.0	2.5	µg/L	5	7/6/2009 10:08 PM
Dibromomethane	ND	0.93	2.5	µg/L	5	7/6/2009 10:08 PM
Dichlorodifluoromethane	ND	1.6	2.5	µg/L	5	7/6/2009 10:08 PM
Ethylbenzene	ND	1.1	2.5	µg/L	5	7/6/2009 10:08 PM
Hexachlorobutadiene	ND	1.4	2.5	µg/L	5	7/6/2009 10:08 PM
Isopropylbenzene	ND	1.5	2.5	µg/L	5	7/6/2009 10:08 PM
m,p-Xylene	ND	2.5	5.0	µg/L	5	7/6/2009 10:08 PM
Methylene chloride	ND	5.0	5.0	µg/L	5	7/6/2009 10:08 PM
n-Butylbenzene	ND	1.5	2.5	µg/L	5	7/6/2009 10:08 PM
n-Propylbenzene	ND	1.8	2.5	µg/L	5	7/6/2009 10:08 PM
Naphthalene	ND	1.8	2.5	µg/L	5	7/6/2009 10:08 PM
o-Xylene	ND	1.3	2.5	µg/L	5	7/6/2009 10:08 PM
sec-Butylbenzene	ND	1.6	2.5	µg/L	5	7/6/2009 10:08 PM
Styrene	ND	1.9	2.5	µg/L	5	7/6/2009 10:08 PM
tert-Butylbenzene	ND	1.8	2.5	µg/L	5	7/6/2009 10:08 PM
Tetrachloroethene	ND	0.97	2.5	µg/L	5	7/6/2009 10:08 PM
Toluene	8.4	1.1	2.5	µg/L	5	7/6/2009 10:08 PM
trans-1,2-Dichloroethene	ND	1.1	2.5	µg/L	5	7/6/2009 10:08 PM
Trichloroethene	ND	0.74	2.5	µg/L	5	7/6/2009 10:08 PM
Trichlorofluoromethane	ND	1.3	2.5	µg/L	5	7/6/2009 10:08 PM
Vinyl chloride	6.7	1.7	2.5	µg/L	5	7/6/2009 10:08 PM
Surr: 1,2-Dichloroethane-d4	80.9	0	70-130	%REC	5	7/6/2009 10:08 PM
Surr: 1,2-Dichloroethane-d4	77.8	0	70-130	%REC	50	7/6/2009 10:29 PM
Surr: 4-Bromofluorobenzene	82.4	0	70-130	%REC	5	7/6/2009 10:08 PM
Surr: 4-Bromofluorobenzene	82.0	0	70-130	%REC	50	7/6/2009 10:29 PM
Surr: Dibromofluoromethane	80.6	0	70-130	%REC	5	7/6/2009 10:08 PM
Surr: Dibromofluoromethane	78.8	0	70-130	%REC	50	7/6/2009 10:29 PM
Surr: Toluene-d8	86.5	0	70-130	%REC	50	7/6/2009 10:29 PM
Surr: Toluene-d8	86.4	0	70-130	%REC	5	7/6/2009 10:08 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 13-Jul-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 106235-003A

**Client Sample ID:** MW-8  
**Collection Date:** 7/1/2009 11:55:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS2_090706B	QC Batch: Q09VW129			PrepDate:		Analyst: SLL
1,1,1,2-Tetrachloroethane	ND	2.3	2.5	µg/L	5	7/6/2009 10:50 PM
1,1,1-Trichloroethane	960	27	50	µg/L	100	7/7/2009 04:52 PM
1,1,2,2-Tetrachloroethane	ND	1.7	2.5	µg/L	5	7/6/2009 10:50 PM
1,1,2-Trichloroethane	ND	2.2	2.5	µg/L	5	7/6/2009 10:50 PM
1,1-Dichloroethane	1200	17	50	µg/L	100	7/7/2009 04:52 PM
1,1-Dichloroethene	1100	19	50	µg/L	100	7/7/2009 04:52 PM
1,1-Dichloropropene	ND	1.5	2.5	µg/L	5	7/6/2009 10:50 PM
1,2,3-Trichlorobenzene	ND	2.4	2.5	µg/L	5	7/6/2009 10:50 PM
1,2,3-Trichloropropane	ND	1.2	2.5	µg/L	5	7/6/2009 10:50 PM
1,2,4-Trichlorobenzene	ND	2.2	2.5	µg/L	5	7/6/2009 10:50 PM
1,2,4-Trimethylbenzene	ND	2.2	2.5	µg/L	5	7/6/2009 10:50 PM
1,2-Dibromo-3-chloropropane	ND	1.8	2.5	µg/L	5	7/6/2009 10:50 PM
1,2-Dibromoethane	ND	1.9	2.5	µg/L	5	7/6/2009 10:50 PM
1,2-Dichlorobenzene	ND	1.4	2.5	µg/L	5	7/6/2009 10:50 PM
1,2-Dichloroethane	1.3	0.82	2.5	J µg/L	5	7/6/2009 10:50 PM
1,2-Dichloropropane	ND	1.0	2.5	µg/L	5	7/6/2009 10:50 PM
1,3,5-Trimethylbenzene	ND	1.8	2.5	µg/L	5	7/6/2009 10:50 PM
1,3-Dichlorobenzene	ND	1.4	2.5	µg/L	5	7/6/2009 10:50 PM
1,3-Dichloropropane	ND	1.6	2.5	µg/L	5	7/6/2009 10:50 PM
1,4-Dichlorobenzene	ND	1.2	2.5	µg/L	5	7/6/2009 10:50 PM
2,2-Dichloropropane	ND	1.6	2.5	µg/L	5	7/6/2009 10:50 PM
2-Chlorotoluene	ND	1.5	2.5	µg/L	5	7/6/2009 10:50 PM
4-Chlorotoluene	ND	1.2	2.5	µg/L	5	7/6/2009 10:50 PM
4-Isopropyltoluene	ND	1.8	2.5	µg/L	5	7/6/2009 10:50 PM
Benzene	2.6	0.85	2.5	µg/L	5	7/6/2009 10:50 PM
Bromobenzene	ND	1.1	2.5	µg/L	5	7/6/2009 10:50 PM
Bromodichloromethane	ND	1.9	2.5	µg/L	5	7/6/2009 10:50 PM
Bromoform	ND	1.5	2.5	µg/L	5	7/6/2009 10:50 PM
Bromomethane	ND	1.6	2.5	µg/L	5	7/6/2009 10:50 PM
Carbon tetrachloride	170	1.9	2.5	µg/L	5	7/6/2009 10:50 PM
Chlorobenzene	ND	1.4	2.5	µg/L	5	7/6/2009 10:50 PM
Chloroethane	350	1.8	2.5	µg/L	5	7/6/2009 10:50 PM
Chloroform	ND	1.2	2.5	µg/L	5	7/6/2009 10:50 PM
Chloromethane	ND	1.6	2.5	µg/L	5	7/6/2009 10:50 PM
cis-1,2-Dichloroethene	ND	0.74	2.5	µg/L	5	7/6/2009 10:50 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

# ANALYTICAL RESULTS

Print Date: 13-Jul-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 106235-003A

**Client Sample ID:** MW-8  
**Collection Date:** 7/1/2009 11:55:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

## VOLATILE ORGANIC COMPOUNDS BY GC/MS

### EPA 8260B

RunID: MS2_090706B	QC Batch: Q09VW129			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	1.4	2.5	µg/L	5	7/6/2009 10:50 PM
Dibromochloromethane	ND	2.0	2.5	µg/L	5	7/6/2009 10:50 PM
Dibromomethane	ND	0.93	2.5	µg/L	5	7/6/2009 10:50 PM
Dichlorodifluoromethane	ND	1.6	2.5	µg/L	5	7/6/2009 10:50 PM
Ethylbenzene	ND	1.1	2.5	µg/L	5	7/6/2009 10:50 PM
Hexachlorobutadiene	ND	1.4	2.5	µg/L	5	7/6/2009 10:50 PM
Isopropylbenzene	ND	1.5	2.5	µg/L	5	7/6/2009 10:50 PM
m,p-Xylene	ND	2.5	5.0	µg/L	5	7/6/2009 10:50 PM
Methylene chloride	ND	5.0	5.0	µg/L	5	7/6/2009 10:50 PM
n-Butylbenzene	ND	1.5	2.5	µg/L	5	7/6/2009 10:50 PM
n-Propylbenzene	ND	1.8	2.5	µg/L	5	7/6/2009 10:50 PM
Naphthalene	ND	1.8	2.5	µg/L	5	7/6/2009 10:50 PM
o-Xylene	ND	1.3	2.5	µg/L	5	7/6/2009 10:50 PM
sec-Butylbenzene	ND	1.6	2.5	µg/L	5	7/6/2009 10:50 PM
Styrene	ND	1.9	2.5	µg/L	5	7/6/2009 10:50 PM
tert-Butylbenzene	ND	1.8	2.5	µg/L	5	7/6/2009 10:50 PM
Tetrachloroethene	ND	0.97	2.5	µg/L	5	7/6/2009 10:50 PM
Toluene	ND	1.1	2.5	µg/L	5	7/6/2009 10:50 PM
trans-1,2-Dichloroethene	ND	1.1	2.5	µg/L	5	7/6/2009 10:50 PM
Trichloroethene	ND	0.74	2.5	µg/L	5	7/6/2009 10:50 PM
Trichlorofluoromethane	ND	1.3	2.5	µg/L	5	7/6/2009 10:50 PM
Vinyl chloride	11	1.7	2.5	µg/L	5	7/6/2009 10:50 PM
Surr: 1,2-Dichloroethane-d4	84.6	0	70-130	%REC	5	7/6/2009 10:50 PM
Surr: 1,2-Dichloroethane-d4	93.2	0	70-130	%REC	100	7/7/2009 04:52 PM
Surr: 4-Bromofluorobenzene	82.2	0	70-130	%REC	5	7/6/2009 10:50 PM
Surr: 4-Bromofluorobenzene	108	0	70-130	%REC	100	7/7/2009 04:52 PM
Surr: Dibromofluoromethane	80.1	0	70-130	%REC	5	7/6/2009 10:50 PM
Surr: Dibromofluoromethane	98.8	0	70-130	%REC	100	7/7/2009 04:52 PM
Surr: Toluene-d8	118	0	70-130	%REC	100	7/7/2009 04:52 PM
Surr: Toluene-d8	86.2	0	70-130	%REC	5	7/6/2009 10:50 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**Advanced Technology Laboratories****ANALYTICAL RESULTS**

Print Date: 13-Jul-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 106235-004A

**Client Sample ID:** Trip Blank  
**Collection Date:**  
**Matrix:** WATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

**VOLATILE ORGANIC COMPOUNDS BY GC/MS****EPA 8260B**

RunID: <b>MS2_090706B</b>	QC Batch: <b>Q09VW129</b>			PrepDate:		Analyst: <b>SLL</b>
1,1,1,2-Tetrachloroethane	ND	0.45	0.50	µg/L	1	7/6/2009 09:48 PM
1,1,1-Trichloroethane	ND	0.27	0.50	µg/L	1	7/6/2009 09:48 PM
1,1,2,2-Tetrachloroethane	ND	0.35	0.50	µg/L	1	7/6/2009 09:48 PM
1,1,2-Trichloroethane	ND	0.43	0.50	µg/L	1	7/6/2009 09:48 PM
1,1-Dichloroethane	ND	0.17	0.50	µg/L	1	7/6/2009 09:48 PM
1,1-Dichloroethene	ND	0.19	0.50	µg/L	1	7/6/2009 09:48 PM
1,1-Dichloropropene	ND	0.30	0.50	µg/L	1	7/6/2009 09:48 PM
1,2,3-Trichlorobenzene	ND	0.48	0.50	µg/L	1	7/6/2009 09:48 PM
1,2,3-Trichloropropane	ND	0.24	0.50	µg/L	1	7/6/2009 09:48 PM
1,2,4-Trichlorobenzene	ND	0.43	0.50	µg/L	1	7/6/2009 09:48 PM
1,2,4-Trimethylbenzene	ND	0.44	0.50	µg/L	1	7/6/2009 09:48 PM
1,2-Dibromo-3-chloropropane	ND	0.35	0.50	µg/L	1	7/6/2009 09:48 PM
1,2-Dibromoethane	ND	0.37	0.50	µg/L	1	7/6/2009 09:48 PM
1,2-Dichlorobenzene	ND	0.27	0.50	µg/L	1	7/6/2009 09:48 PM
1,2-Dichloroethane	ND	0.16	0.50	µg/L	1	7/6/2009 09:48 PM
1,2-Dichloropropane	ND	0.20	0.50	µg/L	1	7/6/2009 09:48 PM
1,3,5-Trimethylbenzene	ND	0.36	0.50	µg/L	1	7/6/2009 09:48 PM
1,3-Dichlorobenzene	ND	0.28	0.50	µg/L	1	7/6/2009 09:48 PM
1,3-Dichloropropane	ND	0.32	0.50	µg/L	1	7/6/2009 09:48 PM
1,4-Dichlorobenzene	ND	0.24	0.50	µg/L	1	7/6/2009 09:48 PM
2,2-Dichloropropane	ND	0.32	0.50	µg/L	1	7/6/2009 09:48 PM
2-Chlorotoluene	ND	0.31	0.50	µg/L	1	7/6/2009 09:48 PM
4-Chlorotoluene	ND	0.23	0.50	µg/L	1	7/6/2009 09:48 PM
4-Isopropyltoluene	ND	0.36	0.50	µg/L	1	7/6/2009 09:48 PM
Benzene	ND	0.17	0.50	µg/L	1	7/6/2009 09:48 PM
Bromobenzene	ND	0.21	0.50	µg/L	1	7/6/2009 09:48 PM
Bromodichloromethane	ND	0.39	0.50	µg/L	1	7/6/2009 09:48 PM
Bromoform	ND	0.30	0.50	µg/L	1	7/6/2009 09:48 PM
Bromomethane	ND	0.32	0.50	µg/L	1	7/6/2009 09:48 PM
Carbon tetrachloride	ND	0.38	0.50	µg/L	1	7/6/2009 09:48 PM
Chlorobenzene	ND	0.28	0.50	µg/L	1	7/6/2009 09:48 PM
Chloroethane	ND	0.35	0.50	µg/L	1	7/6/2009 09:48 PM
Chloroform	ND	0.23	0.50	µg/L	1	7/6/2009 09:48 PM
Chloromethane	ND	0.32	0.50	µg/L	1	7/6/2009 09:48 PM
cis-1,2-Dichloroethene	ND	0.15	0.50	µg/L	1	7/6/2009 09:48 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

# ANALYTICAL RESULTS

Print Date: 13-Jul-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 106235-004A

**Client Sample ID:** Trip Blank  
**Collection Date:**  
**Matrix:** WATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

## VOLATILE ORGANIC COMPOUNDS BY GC/MS

### EPA 8260B

RunID: MS2_090706B	QC Batch: Q09VW129			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	0.29	0.50	µg/L	1	7/6/2009 09:48 PM
Dibromochloromethane	ND	0.40	0.50	µg/L	1	7/6/2009 09:48 PM
Dibromomethane	ND	0.19	0.50	µg/L	1	7/6/2009 09:48 PM
Dichlorodifluoromethane	ND	0.33	0.50	µg/L	1	7/6/2009 09:48 PM
Ethylbenzene	ND	0.22	0.50	µg/L	1	7/6/2009 09:48 PM
Hexachlorobutadiene	ND	0.28	0.50	µg/L	1	7/6/2009 09:48 PM
Isopropylbenzene	ND	0.30	0.50	µg/L	1	7/6/2009 09:48 PM
m,p-Xylene	ND	0.49	1.0	µg/L	1	7/6/2009 09:48 PM
Methylene chloride	ND	1.0	1.0	µg/L	1	7/6/2009 09:48 PM
n-Butylbenzene	ND	0.30	0.50	µg/L	1	7/6/2009 09:48 PM
n-Propylbenzene	ND	0.36	0.50	µg/L	1	7/6/2009 09:48 PM
Naphthalene	ND	0.35	0.50	µg/L	1	7/6/2009 09:48 PM
o-Xylene	ND	0.27	0.50	µg/L	1	7/6/2009 09:48 PM
sec-Butylbenzene	ND	0.33	0.50	µg/L	1	7/6/2009 09:48 PM
Styrene	ND	0.38	0.50	µg/L	1	7/6/2009 09:48 PM
tert-Butylbenzene	ND	0.35	0.50	µg/L	1	7/6/2009 09:48 PM
Tetrachloroethene	ND	0.19	0.50	µg/L	1	7/6/2009 09:48 PM
Toluene	ND	0.22	0.50	µg/L	1	7/6/2009 09:48 PM
trans-1,2-Dichloroethene	ND	0.22	0.50	µg/L	1	7/6/2009 09:48 PM
Trichloroethene	ND	0.15	0.50	µg/L	1	7/6/2009 09:48 PM
Trichlorofluoromethane	ND	0.26	0.50	µg/L	1	7/6/2009 09:48 PM
Vinyl chloride	ND	0.34	0.50	µg/L	1	7/6/2009 09:48 PM
Surr: 1,2-Dichloroethane-d4	78.2	0	70-130	%REC	1	7/6/2009 09:48 PM
Surr: 4-Bromofluorobenzene	80.8	0	70-130	%REC	1	7/6/2009 09:48 PM
Surr: Dibromofluoromethane	76.0	0	70-130	%REC	1	7/6/2009 09:48 PM
Surr: Toluene-d8	86.1	0	70-130	%REC	1	7/6/2009 09:48 PM

<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike/Surrogate outside of limits due to matrix interference
		Results are wet unless otherwise specified	DO	Surrogate Diluted Out



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**Advanced Technology Laboratories****ANALYTICAL RESULTS**

Print Date: 13-Jul-09

**CLIENT:** The Source Group Inc.**Client Sample ID:** MW-9**Lab Order:** 106235**Collection Date:** 7/1/2009 10:10:00 AM**Project:** AB&I Foundry, 01-ABI.001**Matrix:** GROUNDWATER**Lab ID:** 106235-001

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>SILICA GEL CLEANUP DRO BY GC-FID</b>						
<b>EPA 3510C</b>					<b>EPA 8015B</b>	
RunID: GC16_090709E	QC Batch:	56471			PrepDate:	7/8/2009 Analyst: <b>CBR</b>
DRO	0.47	0.050	mg/L	1		7/9/2009 07:29 PM
Surrogate: p-Terphenyl	71.1	35-131	%REC	1		7/9/2009 07:29 PM
<b>GASOLINE RANGE ORGANICS BY GC/FID</b>						
<b>EPA 8015B(M)</b>						
RunID: GC6_090710A	QC Batch:	I09VW0111			PrepDate:	Analyst: <b>BD</b>
GRO	3.4	0.050	mg/L	1		7/10/2009 11:51 AM
Surrogate: Bromofluorobenzene (FID)	101	71-130	%REC	1		7/10/2009 11:51 AM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out

E Value above quantitation range  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified



*Advanced Technology  
Laboratories*

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 13-Jul-09

**CLIENT:** The Source Group Inc.

**Client Sample ID:** MW-3

**Lab Order:** 106235

**Collection Date:** 7/1/2009 11:00:00 AM

**Project:** AB&I Foundry, 01-ABI.001

**Matrix:** GROUNDWATER

**Lab ID:** 106235-002

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

### TOTAL ORGANIC CARBON

**SM5310B**

RunID: TOC2\_090702A

QC Batch: R110470

PrepDate:

Analyst: **JSD**

Organic Carbon, Total

320

12

mg/L

4

7/2/2009 03:36 PM

<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	ND Not Detected at the Reporting Limit
	S Spike/Surrogate outside of limits due to matrix interference	Results are wet unless otherwise specified
	DO Surrogate Diluted Out	



**Advanced Technology  
Laboratories**

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 13-Jul-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 106235-003

**Client Sample ID:** MW-8  
**Collection Date:** 7/1/2009 11:55:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

### TOTAL ORGANIC CARBON

**SM5310B**

RunID: TOC2_090702A	QC Batch: R110470	PrepDate:	Analyst: <b>JSD</b>
Organic Carbon, Total	260	6.0	mg/L
			2
			7/2/2009 02:58 PM

<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	ND Not Detected at the Reporting Limit
	S Spike/Surrogate outside of limits due to matrix interference	Results are wet unless otherwise specified
	DO Surrogate Diluted Out	



**Advanced Technology  
Laboratories**

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001

**ANALYTICAL QC SUMMARY REPORT****TestCode: 415.1\_5310B\_W**

Sample ID: <b>MB-R110470</b>	SampType: <b>MBLK</b>	TestCode: <b>415.1_5310B</b>	Units: <b>mg/L</b>	Prep Date:	RunNo: <b>110470</b>
Client ID: <b>PBW</b>	Batch ID: <b>R110470</b>	TestNo: <b>SM5310B</b>		Analysis Date: <b>7/2/2009</b>	SeqNo: <b>1737837</b>
<b>Analyte</b>					
Organic Carbon, Total	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
0.253	3.0				
Sample ID: <b>LCS-R110470</b>	SampType: <b>LCS</b>	TestCode: <b>415.1_5310B</b>	Units: <b>mg/L</b>	Prep Date:	RunNo: <b>110470</b>
Client ID: <b>LCSW</b>	Batch ID: <b>R110470</b>	TestNo: <b>SM5310B</b>		Analysis Date: <b>7/2/2009</b>	SeqNo: <b>1737838</b>
<b>Analyte</b>					
Organic Carbon, Total	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
21.030	3.0	20.00	0.2528	104	80 120
Sample ID: <b>MB-MS</b>	SampType: <b>MS</b>	TestCode: <b>415.1_5310B</b>	Units: <b>mg/L</b>	Prep Date:	RunNo: <b>110470</b>
Client ID: <b>ZZZZZZ</b>	Batch ID: <b>R110470</b>	TestNo: <b>SM5310B</b>		Analysis Date: <b>7/2/2009</b>	SeqNo: <b>1737839</b>
<b>Analyte</b>					
Organic Carbon, Total	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
20.630	3.0	20.00	0.2528	102	70 130
Sample ID: <b>MB-MSD</b>	SampType: <b>MSD</b>	TestCode: <b>415.1_5310B</b>	Units: <b>mg/L</b>	Prep Date:	RunNo: <b>110470</b>
Client ID: <b>ZZZZZZ</b>	Batch ID: <b>R110470</b>	TestNo: <b>SM5310B</b>		Analysis Date: <b>7/2/2009</b>	SeqNo: <b>1737840</b>
<b>Analyte</b>					
Organic Carbon, Total	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
21.230	3.0	20.00	0.2528	105	70 130 20.63 2.87 20

**Qualifiers:**

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded


ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S Spike/Surrogate outside of limits due to matrix interference

DO Surrogate Diluted Out

Calculations are based on raw values



**CLIENT:** The Source Group Inc.  
**Work Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001

## **ANALYTICAL QC SUMMARY REPORT**

**TestCode: 8015 W DSL LLSGT**

Sample ID: MB-56471	SampType: MBLK	TestCode: 8015_W_DSL	Units: mg/L	Prep Date: 7/8/2009	RunNo: 110667
Client ID: PBW	Batch ID: 56471	TestNo: EPA 8015B	EPA 3510C	Analysis Date: 7/9/2009	SeqNo: 1742180
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
DRO	ND	0.050			
Surr: p-Terphenyl	0.037		0.08000		46.4 35 131
Sample ID: LCS-56471	SampType: LCS	TestCode: 8015_W_DSL	Units: mg/L	Prep Date: 7/8/2009	RunNo: 110667
Client ID: LCSW	Batch ID: 56471	TestNo: EPA 8015B	EPA 3510C	Analysis Date: 7/9/2009	SeqNo: 1742181
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
DRO	0.751	0.050	1.000	0	75.1 42 118
Surr: p-Terphenyl	0.031		0.08000		39.2 35 131
Sample ID: MB-56471MS	SampType: MS	TestCode: 8015_W_DSL	Units: mg/L	Prep Date: 7/8/2009	RunNo: 110667
Client ID: ZZZZZZ	Batch ID: 56471	TestNo: EPA 8015B	EPA 3510C	Analysis Date: 7/10/2009	SeqNo: 1742199
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
DRO	0.500	0.050	1.000	0	50.0 42 118
Surr: p-Terphenyl	0.034		0.08000		42.8 35 131
Sample ID: MB-56471MSD	SampType: MSD	TestCode: 8015_W_DSL	Units: mg/L	Prep Date: 7/8/2009	RunNo: 110667
Client ID: ZZZZZZ	Batch ID: 56471	TestNo: EPA 8015B	EPA 3510C	Analysis Date: 7/10/2009	SeqNo: 1742200
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
DRO	0.465	0.050	1.000	0	46.5 42 118 0.5000 7.16 20
Surr: p-Terphenyl	0.023		0.08000		28.4 35 131 0 0 S

## **Qualifiers:**

**B Analyte detected in the associated Method Blank**

ND Not Detected at the Reporting Limit

## DO Surrogate Diluted Out


#### E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

#### H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



**CLIENT:** The Source Group Inc.  
**Work Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode: 8015\_W\_GP LL**

Sample ID: <b>090710MB1MS</b>	SampType: <b>MS</b>	TestCode: <b>8015_W_GP</b>	Units: <b>mg/L</b>	Prep Date:			RunNo: <b>110675</b>		
Client ID: <b>ZZZZZZ</b>	Batch ID: <b>I09VW0111</b>	TestNo: <b>EPA 8015B(M)</b>			Analysis Date: <b>7/10/2009</b>			SeqNo: <b>1742083</b>	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
GRO	0.900	0.050	1.000	0	90.0	69	125		
Surrogate: Bromofluorobenzene (FID)	106.093		100.0		106	71	130		
Sample ID: <b>090710MB1MSD</b>	SampType: <b>MSD</b>	TestCode: <b>8015_W_GP</b>	Units: <b>mg/L</b>	Prep Date:			RunNo: <b>110675</b>		
Client ID: <b>ZZZZZZ</b>	Batch ID: <b>I09VW0111</b>	TestNo: <b>EPA 8015B(M)</b>			Analysis Date: <b>7/10/2009</b>			SeqNo: <b>1742084</b>	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
GRO	0.839	0.050	1.000	0	83.9	69	125	0.9000	7.02 20
Surrogate: Bromofluorobenzene (FID)	106.290		100.0		106	71	130		0 0
Sample ID: <b>090710MB1</b>	SampType: <b>MBLK</b>	TestCode: <b>8015_W_GP</b>	Units: <b>mg/L</b>	Prep Date:			RunNo: <b>110675</b>		
Client ID: <b>PBW</b>	Batch ID: <b>I09VW0111</b>	TestNo: <b>EPA 8015B(M)</b>			Analysis Date: <b>7/10/2009</b>			SeqNo: <b>1742085</b>	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
GRO	ND	0.050							
Surrogate: Bromofluorobenzene (FID)	104.361		100.0		104	71	130		
Sample ID: <b>090710LCS3</b>	SampType: <b>LCS</b>	TestCode: <b>8015_W_GP</b>	Units: <b>mg/L</b>	Prep Date:			RunNo: <b>110675</b>		
Client ID: <b>LCSW</b>	Batch ID: <b>I09VW0111</b>	TestNo: <b>EPA 8015B(M)</b>			Analysis Date: <b>7/10/2009</b>			SeqNo: <b>1742086</b>	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
GRO	0.869	0.050	1.000	0	86.9	69	125		
Surrogate: Bromofluorobenzene (FID)	109.163		100.0		109	71	130		

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out


E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8260\_WP\_LL

Sample ID: Q090706LCS2	SampType: LCS	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:			RunNo: 110533		
Client ID: LCSW	Batch ID: Q09VW129	TestNo: EPA 8260B			Analysis Date: 7/6/2009			SeqNo: 1739315	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
1,1-Dichloroethene	18.400	0.50	20.00	0	92.0	70	130		
Benzene	37.150	0.50	40.00	0	92.9	70	130		
Chlorobenzene	19.080	0.50	20.00	0	95.4	70	130		
MTBE	17.760	0.50	20.00	0	88.8	70	130		
Toluene	36.690	0.50	40.00	0	91.7	70	130		
Trichloroethene	17.680	0.50	20.00	0	88.4	70	130		
Surr: 1,2-Dichloroethane-d4	20.980		25.00		83.9	70	130		
Surr: 4-Bromofluorobenzene	21.490		25.00		86.0	70	130		
Surr: Dibromofluoromethane	20.850		25.00		83.4	70	130		
Surr: Toluene-d8	22.040		25.00		88.2	70	130		
Sample ID: Q090706MB4MS	SampType: MS	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:			RunNo: 110533		
Client ID: ZZZZZZ	Batch ID: Q09VW129	TestNo: EPA 8260B			Analysis Date: 7/6/2009			SeqNo: 1739316	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
1,1-Dichloroethene	15.590	0.50	20.00	0	78.0	70	130		
Benzene	38.590	0.50	40.00	0	96.5	70	130		
Chlorobenzene	19.930	0.50	20.00	0	99.7	70	130		
Toluene	37.930	0.50	40.00	0	94.8	70	130		
Trichloroethene	17.240	0.50	20.00	0	86.2	70	130		
Surr: 1,2-Dichloroethane-d4	20.870		25.00		83.5	70	130		
Surr: 4-Bromofluorobenzene	22.150		25.00		88.6	70	130		
Surr: Dibromofluoromethane	21.580		25.00		86.3	70	130		
Surr: Toluene-d8	22.850		25.00		91.4	70	130		
Sample ID: Q090706MB4MSD	SampType: MSD	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:			RunNo: 110533		
Client ID: ZZZZZZ	Batch ID: Q09VW129	TestNo: EPA 8260B			Analysis Date: 7/6/2009			SeqNo: 1739317	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
1,1-Dichloroethene	14.120	0.50	20.00	0	70.6	70	130	15.59	9.90 20

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out


E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode: 8260\_WP\_LL**

Sample ID: <b>Q090706MB4MSD</b>	SampType: <b>MSD</b>	TestCode: <b>8260_WP_LL</b>	Units: <b>µg/L</b>	Prep Date:			RunNo: <b>110533</b>		
Client ID: <b>ZZZZZZ</b>	Batch ID: <b>Q09VW129</b>	TestNo: <b>EPA 8260B</b>			Analysis Date: <b>7/6/2009</b>			SeqNo: <b>1739317</b>	
<b>Analyte</b>									
Benzene	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
Benzene	37.040	0.50	40.00	0	92.6	70	130	38.59	4.10 20
Chlorobenzene	19.470	0.50	20.00	0	97.4	70	130	19.93	2.34 20
Toluene	36.880	0.50	40.00	0	92.2	70	130	37.93	2.81 20
Trichloroethene	17.330	0.50	20.00	0	86.7	70	130	17.24	0.521 20
Surr: 1,2-Dichloroethane-d4	19.940		25.00		79.8	70	130		0 20
Surr: 4-Bromofluorobenzene	21.150		25.00		84.6	70	130		0 20
Surr: Dibromofluoromethane	20.390		25.00		81.6	70	130		0 20
Surr: Toluene-d8	21.890		25.00		87.6	70	130		0 20
Sample ID: <b>Q090706MB4</b>	SampType: <b>MBLK</b>	TestCode: <b>8260_WP_LL</b>	Units: <b>µg/L</b>	Prep Date:			RunNo: <b>110533</b>		
Client ID: <b>PBW</b>	Batch ID: <b>Q09VW129</b>	TestNo: <b>EPA 8260B</b>			Analysis Date: <b>7/6/2009</b>			SeqNo: <b>1739318</b>	
<b>Analyte</b>									
1,1,1,2-Tetrachloroethane	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
1,1,1-Trichloroethane	ND	0.50							
1,1,2,2-Tetrachloroethane	ND	0.50							
1,1,2-Trichloroethane	ND	0.50							
1,1-Dichloroethane	ND	0.50							
1,1-Dichloroethene	ND	0.50							
1,1-Dichloropropene	ND	0.50							
1,2,3-Trichlorobenzene	ND	0.50							
1,2,3-Trichloropropane	ND	0.50							
1,2,4-Trichlorobenzene	ND	0.50							
1,2,4-Trimethylbenzene	ND	0.50							
1,2-Dibromo-3-chloropropane	ND	0.50							
1,2-Dibromoethane	ND	0.50							
1,2-Dichlorobenzene	ND	0.50							
1,2-Dichloroethane	ND	0.50							
1,2-Dichloropropane	ND	0.50							
1,3,5-Trimethylbenzene	ND	0.50							

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out


E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8260\_WP\_LL

Sample ID: Q090706MB4	SampType: MBLK	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:	RunNo: 110533
Client ID: PBW	Batch ID: Q09VW129	TestNo: EPA 8260B		Analysis Date: 7/6/2009	SeqNo: 1739318
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
1,3-Dichlorobenzene	ND	0.50			
1,3-Dichloropropane	ND	0.50			
1,4-Dichlorobenzene	ND	0.50			
2,2-Dichloropropane	ND	0.50			
2-Chlorotoluene	ND	0.50			
4-Chlorotoluene	ND	0.50			
4-Isopropyltoluene	ND	0.50			
Benzene	ND	0.50			
Bromobenzene	ND	0.50			
Bromodichloromethane	ND	0.50			
Bromoform	ND	0.50			
Bromomethane	ND	0.50			
Carbon tetrachloride	ND	0.50			
Chlorobenzene	ND	0.50			
Chloroethane	ND	0.50			
Chloroform	ND	0.50			
Chloromethane	ND	0.50			
cis-1,2-Dichloroethene	ND	0.50			
cis-1,3-Dichloropropene	ND	0.50			
Dibromochloromethane	ND	0.50			
Dibromomethane	ND	0.50			
Dichlorodifluoromethane	ND	0.50			
Ethylbenzene	ND	0.50			
Hexachlorobutadiene	ND	0.50			
Isopropylbenzene	ND	0.50			
m,p-Xylene	ND	1.0			
Methylene chloride	ND	1.0			
n-Butylbenzene	ND	0.50			
n-Propylbenzene	ND	0.50			
Naphthalene	ND	0.50			

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out


E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001

**ANALYTICAL QC SUMMARY REPORT**  
**TestCode: 8260\_WP\_LL**


Sample ID: Q090706MB4	SampType: MBLK	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:	RunNo: 110533
Client ID: PBW	Batch ID: Q09VW129	TestNo: EPA 8260B		Analysis Date: 7/6/2009	SeqNo: 1739318
<hr/>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
o-Xylene	ND	0.50			
sec-Butylbenzene	ND	0.50			
Styrene	ND	0.50			
tert-Butylbenzene	ND	0.50			
Tetrachloroethene	ND	0.50			
Toluene	ND	0.50			
trans-1,2-Dichloroethene	ND	0.50			
Trichloroethene	ND	0.50			
Trichlorofluoromethane	ND	0.50			
Vinyl chloride	ND	0.50			
Surr: 1,2-Dichloroethane-d4	21.390	25.00	85.6	70	130
Surr: 4-Bromofluorobenzene	21.390	25.00	85.6	70	130
Surr: Dibromofluoromethane	20.000	25.00	80.0	70	130
Surr: Toluene-d8	22.050	25.00	88.2	70	130

**Qualifiers:**

B Analyte detected in the associated Method Blank  
ND Not Detected at the Reporting Limit  
DO Surrogate Diluted Out

E Value above quantitation range  
R RPD outside accepted recovery limits  
Calculations are based on raw values

H Holding times for preparation or analysis exceeded  
S Spike/Surrogate outside of limits due to matrix interference



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode: 8260\_WP\_LL**

Sample ID: <b>Q090707LCS1</b>	SampType: <b>LCS</b>	TestCode: <b>8260_WP_LL</b>	Units: <b>µg/L</b>	Prep Date:			RunNo: <b>110539</b>		
Client ID: <b>LCSW</b>	Batch ID: <b>Q09VW130</b>	TestNo: <b>EPA 8260B</b>			Analysis Date: <b>7/7/2009</b>			SeqNo: <b>1739453</b>	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
1,1-Dichloroethene	20.460	0.50	20.00	0	102	70	130		
Benzene	41.640	0.50	40.00	0	104	70	130		
Chlorobenzene	21.140	0.50	20.00	0	106	70	130		
MTBE	19.820	0.50	20.00	0	99.1	70	130		
Toluene	40.860	0.50	40.00	0	102	70	130		
Trichloroethene	19.820	0.50	20.00	0	99.1	70	130		
Surrogate: 1,2-Dichloroethane-d4	23.890		25.00		95.6	70	130		
Surrogate: 4-Bromofluorobenzene	27.790		25.00		111	70	130		
Surrogate: Dibromofluoromethane	26.360		25.00		105	70	130		
Surrogate: Toluene-d8	29.220		25.00		117	70	130		
Sample ID: <b>Q090707MB2MS</b>	SampType: <b>MS</b>	TestCode: <b>8260_WP_LL</b>	Units: <b>µg/L</b>	Prep Date:			RunNo: <b>110539</b>		
Client ID: <b>ZZZZZZ</b>	Batch ID: <b>Q09VW130</b>	TestNo: <b>EPA 8260B</b>			Analysis Date: <b>7/7/2009</b>			SeqNo: <b>1739454</b>	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
1,1-Dichloroethene	19.460	0.50	20.00	0	97.3	70	130		
Benzene	40.330	0.50	40.00	0	101	70	130		
Chlorobenzene	20.760	0.50	20.00	0	104	70	130		
Toluene	39.290	0.50	40.00	0	98.2	70	130		
Trichloroethene	19.930	0.50	20.00	0	99.7	70	130		
Surrogate: 1,2-Dichloroethane-d4	23.250		25.00		93.0	70	130		
Surrogate: 4-Bromofluorobenzene	26.840		25.00		107	70	130		
Surrogate: Dibromofluoromethane	26.360		25.00		105	70	130		
Surrogate: Toluene-d8	27.810		25.00		111	70	130		
Sample ID: <b>Q090707MB2MSD</b>	SampType: <b>MSD</b>	TestCode: <b>8260_WP_LL</b>	Units: <b>µg/L</b>	Prep Date:			RunNo: <b>110539</b>		
Client ID: <b>ZZZZZZ</b>	Batch ID: <b>Q09VW130</b>	TestNo: <b>EPA 8260B</b>			Analysis Date: <b>7/7/2009</b>			SeqNo: <b>1739455</b>	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
1,1-Dichloroethene	18.430	0.50	20.00	0	92.2	70	130	19.46	5.44 20

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out


E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode: 8260\_WP\_LL**

Sample ID: <b>Q090707MB2MSD</b>	SampType: <b>MSD</b>	TestCode: <b>8260_WP_LL</b>	Units: <b>µg/L</b>	Prep Date:				RunNo: <b>110539</b>			
Client ID: <b>ZZZZZZ</b>	Batch ID: <b>Q09VW130</b>	TestNo: <b>EPA 8260B</b>				Analysis Date: <b>7/7/2009</b>				SeqNo: <b>1739455</b>	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	41.160	0.50	40.00	0	103	70	130	40.33	2.04	20	
Chlorobenzene	21.200	0.50	20.00	0	106	70	130	20.76	2.10	20	
Toluene	40.750	0.50	40.00	0	102	70	130	39.29	3.65	20	
Trichloroethene	19.010	0.50	20.00	0	95.1	70	130	19.93	4.73	20	
Surr: 1,2-Dichloroethane-d4	22.720		25.00		90.9	70	130		0	20	
Surr: 4-Bromofluorobenzene	26.580		25.00		106	70	130		0	20	
Surr: Dibromofluoromethane	25.230		25.00		101	70	130		0	20	
Surr: Toluene-d8	28.880		25.00		116	70	130		0	20	
Sample ID: <b>Q090707MB2</b>	SampType: <b>MBLK</b>	TestCode: <b>8260_WP_LL</b>	Units: <b>µg/L</b>	Prep Date:				RunNo: <b>110539</b>			
Client ID: <b>PBW</b>	Batch ID: <b>Q09VW130</b>	TestNo: <b>EPA 8260B</b>				Analysis Date: <b>7/7/2009</b>				SeqNo: <b>1739456</b>	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	ND	0.50									
1,1,1-Trichloroethane	ND	0.50									
1,1,2,2-Tetrachloroethane	ND	0.50									
1,1,2-Trichloroethane	ND	0.50									
1,1-Dichloroethane	ND	0.50									
1,1-Dichloroethene	ND	0.50									
1,1-Dichloropropene	ND	0.50									
1,2,3-Trichlorobenzene	ND	0.50									
1,2,3-Trichloropropane	ND	0.50									
1,2,4-Trichlorobenzene	ND	0.50									
1,2,4-Trimethylbenzene	ND	0.50									
1,2-Dibromo-3-chloropropane	ND	0.50									
1,2-Dibromoethane	ND	0.50									
1,2-Dichlorobenzene	ND	0.50									
1,2-Dichloroethane	ND	0.50									
1,2-Dichloropropane	ND	0.50									
1,3,5-Trimethylbenzene	ND	0.50									

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out


E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8260\_WP\_LL

Sample ID: Q090707MB2	SampType: MBLK	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:	RunNo: 110539
Client ID: PBW	Batch ID: Q09VW130	TestNo: EPA 8260B		Analysis Date: 7/7/2009	SeqNo: 1739456
<hr/>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
1,3-Dichlorobenzene	ND	0.50			
1,3-Dichloropropane	ND	0.50			
1,4-Dichlorobenzene	ND	0.50			
2,2-Dichloropropane	ND	0.50			
2-Chlorotoluene	ND	0.50			
4-Chlorotoluene	ND	0.50			
4-Isopropyltoluene	ND	0.50			
Benzene	ND	0.50			
Bromobenzene	ND	0.50			
Bromodichloromethane	ND	0.50			
Bromoform	ND	0.50			
Bromomethane	ND	0.50			
Carbon tetrachloride	ND	0.50			
Chlorobenzene	ND	0.50			
Chloroethane	ND	0.50			
Chloroform	ND	0.50			
Chloromethane	ND	0.50			
cis-1,2-Dichloroethene	ND	0.50			
cis-1,3-Dichloropropene	ND	0.50			
Dibromochloromethane	ND	0.50			
Dibromomethane	ND	0.50			
Dichlorodifluoromethane	ND	0.50			
Ethylbenzene	ND	0.50			
Hexachlorobutadiene	ND	0.50			
Isopropylbenzene	ND	0.50			
m,p-Xylene	ND	1.0			
Methylene chloride	ND	1.0			
n-Butylbenzene	ND	0.50			
n-Propylbenzene	ND	0.50			
Naphthalene	ND	0.50			

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out


E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001

**ANALYTICAL QC SUMMARY REPORT**  
**TestCode: 8260\_WP\_LL**

Sample ID: <b>Q090707MB2</b>	SampType: <b>MBLK</b>	TestCode: <b>8260_WP_LL</b>	Units: <b>µg/L</b>	Prep Date:	RunNo: <b>110539</b>
Client ID: <b>PBW</b>	Batch ID: <b>Q09VW130</b>	TestNo: <b>EPA 8260B</b>		Analysis Date: <b>7/7/2009</b>	SeqNo: <b>1739456</b>
<hr/>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
o-Xylene	ND	0.50			
sec-Butylbenzene	ND	0.50			
Styrene	ND	0.50			
tert-Butylbenzene	ND	0.50			
Tetrachloroethene	ND	0.50			
Toluene	ND	0.50			
trans-1,2-Dichloroethene	ND	0.50			
Trichloroethene	ND	0.50			
Trichlorofluoromethane	ND	0.50			
Vinyl chloride	ND	0.50			
Surr: 1,2-Dichloroethane-d4	24.940	25.00	99.8	70	130
Surr: 4-Bromofluorobenzene	27.150	25.00	109	70	130
Surr: Dibromofluoromethane	25.980	25.00	104	70	130
Surr: Toluene-d8	29.270	25.00	117	70	130

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out

E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference

**CLIENT:** The Source Group Inc.  
**Work Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8260\_WU\_LL

Sample ID: Q090706LCS2	SampType: LCS	TestCode: 8260_WU_LL	Units: µg/L	Prep Date:			RunNo: 110533		
Client ID: LCSW	Batch ID: Q09VW129	TestNo: EPA 8260B			Analysis Date: 7/6/2009			SeqNo: 1739327	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
1,1-Dichloroethene	18.400	0.50	20.00	0	92.0	70	130		
Benzene	37.150	0.50	40.00	0	92.9	70	130		
Chlorobenzene	19.080	0.50	20.00	0	95.4	70	130		
MTBE	17.760	0.50	20.00	0	88.8	70	130		
Toluene	36.690	0.50	40.00	0	91.7	70	130		
Trichloroethene	17.680	0.50	20.00	0	88.4	70	130		
Surr: 1,2-Dichloroethane-d4	20.980		25.00		83.9	70	130		
Surr: 4-Bromofluorobenzene	21.490		25.00		86.0	70	130		
Surr: Dibromofluoromethane	20.850		25.00		83.4	70	130		
Surr: Toluene-d8	22.040		25.00		88.2	70	130		
Sample ID: Q090706MB4MS	SampType: MS	TestCode: 8260_WU_LL	Units: µg/L	Prep Date:			RunNo: 110533		
Client ID: ZZZZZZ	Batch ID: Q09VW129	TestNo: EPA 8260B			Analysis Date: 7/6/2009			SeqNo: 1739328	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
1,1-Dichloroethene	15.590	0.50	20.00	0	78.0	70	130		
Benzene	38.590	0.50	40.00	0	96.5	70	130		
Chlorobenzene	19.930	0.50	20.00	0	99.7	70	130		
Toluene	37.930	0.50	40.00	0	94.8	70	130		
Trichloroethene	17.240	0.50	20.00	0	86.2	70	130		
Surr: 1,2-Dichloroethane-d4	20.870		25.00		83.5	70	130		
Surr: 4-Bromofluorobenzene	22.150		25.00		88.6	70	130		
Surr: Dibromofluoromethane	21.580		25.00		86.3	70	130		
Surr: Toluene-d8	22.850		25.00		91.4	70	130		
Sample ID: Q090706MB4MSD	SampType: MSD	TestCode: 8260_WU_LL	Units: µg/L	Prep Date:			RunNo: 110533		
Client ID: ZZZZZZ	Batch ID: Q09VW129	TestNo: EPA 8260B			Analysis Date: 7/6/2009			SeqNo: 1739329	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
1,1-Dichloroethene	14.120	0.50	20.00	0	70.6	70	130	15.59	9.90 20

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out


E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8260\_WU\_LL

Sample ID: Q090706MB4MSD	SampType: MSD	TestCode: 8260_WU_LL	Units: µg/L	Prep Date:			RunNo: 110533				
Client ID: ZZZZZZ	Batch ID: Q09VW129	TestNo: EPA 8260B		Analysis Date: 7/6/2009			SeqNo: 1739329				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	37.040	0.50	40.00	0	92.6	70	130	38.59	4.10	20	
Chlorobenzene	19.470	0.50	20.00	0	97.4	70	130	19.93	2.34	20	
Toluene	36.880	0.50	40.00	0	92.2	70	130	37.93	2.81	20	
Trichloroethene	17.330	0.50	20.00	0	86.7	70	130	17.24	0.521	20	
Surr: 1,2-Dichloroethane-d4	19.940		25.00		79.8	70	130		0	20	
Surr: 4-Bromofluorobenzene	21.150		25.00		84.6	70	130		0	20	
Surr: Dibromofluoromethane	20.390		25.00		81.6	70	130		0	20	
Surr: Toluene-d8	21.890		25.00		87.6	70	130		0	20	
Sample ID: Q090706MB4	SampType: MBLK	TestCode: 8260_WU_LL	Units: µg/L	Prep Date:			RunNo: 110533				
Client ID: PBW	Batch ID: Q09VW129	TestNo: EPA 8260B		Analysis Date: 7/6/2009			SeqNo: 1739330				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	ND	0.50									
1,1,1-Trichloroethane	ND	0.50									
1,1,2,2-Tetrachloroethane	ND	0.50									
1,1,2-Trichloroethane	ND	0.50									
1,1-Dichloroethane	ND	0.50									
1,1-Dichloroethene	ND	0.50									
1,1-Dichloropropene	ND	0.50									
1,2,3-Trichlorobenzene	ND	0.50									
1,2,3-Trichloropropane	ND	0.50									
1,2,4-Trichlorobenzene	ND	0.50									
1,2,4-Trimethylbenzene	ND	0.50									
1,2-Dibromo-3-chloropropane	ND	0.50									
1,2-Dibromoethane	ND	0.50									
1,2-Dichlorobenzene	ND	0.50									
1,2-Dichloroethane	ND	0.50									
1,2-Dichloropropane	ND	0.50									
1,3,5-Trimethylbenzene	ND	0.50									

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out


E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8260\_WU\_LL

Sample ID: Q090706MB4	SampType: MBLK	TestCode: 8260_WU_LL	Units: µg/L	Prep Date:	RunNo: 110533
Client ID: PBW	Batch ID: Q09VW129	TestNo: EPA 8260B		Analysis Date: 7/6/2009	SeqNo: 1739330
<hr/>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPD Limit Qual
1,3-Dichlorobenzene	ND	0.50			
1,3-Dichloropropane	ND	0.50			
1,4-Dichlorobenzene	ND	0.50			
2,2-Dichloropropane	ND	0.50			
2-Chlorotoluene	ND	0.50			
4-Chlorotoluene	ND	0.50			
4-Isopropyltoluene	ND	0.50			
Benzene	ND	0.50			
Bromobenzene	ND	0.50			
Bromodichloromethane	ND	0.50			
Bromoform	ND	0.50			
Bromomethane	ND	0.50			
Carbon tetrachloride	ND	0.50			
Chlorobenzene	ND	0.50			
Chloroethane	ND	0.50			
Chloroform	ND	0.50			
Chloromethane	ND	0.50			
cis-1,2-Dichloroethene	ND	0.50			
cis-1,3-Dichloropropene	ND	0.50			
Dibromochloromethane	ND	0.50			
Dibromomethane	ND	0.50			
Dichlorodifluoromethane	ND	0.50			
Ethylbenzene	ND	0.50			
Hexachlorobutadiene	ND	0.50			
Isopropylbenzene	ND	0.50			
m,p-Xylene	ND	1.0			
Methylene chloride	ND	1.0			
n-Butylbenzene	ND	0.50			
n-Propylbenzene	ND	0.50			
Naphthalene	ND	0.50			

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out


E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 106235  
**Project:** AB&I Foundry, 01-ABI.001

**ANALYTICAL QC SUMMARY REPORT**  
**TestCode: 8260\_WU\_LL**

Sample ID: Q090706MB4	SampType: MBLK	TestCode: 8260_WU_LL	Units: µg/L	Prep Date:	RunNo: 110533
Client ID: PBW	Batch ID: Q09VW129	TestNo: EPA 8260B		Analysis Date: 7/6/2009	SeqNo: 1739330
<hr/>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
o-Xylene	ND	0.50			
sec-Butylbenzene	ND	0.50			
Styrene	ND	0.50			
tert-Butylbenzene	ND	0.50			
Tetrachloroethene	ND	0.50			
Toluene	ND	0.50			
trans-1,2-Dichloroethene	ND	0.50			
Trichloroethene	ND	0.50			
Trichlorofluoromethane	ND	0.50			
Vinyl chloride	ND	0.50			
Surr: 1,2-Dichloroethane-d4	21.390	25.00	85.6	70	130
Surr: 4-Bromofluorobenzene	21.390	25.00	85.6	70	130
Surr: Dibromofluoromethane	20.000	25.00	80.0	70	130
Surr: Toluene-d8	22.050	25.00	88.2	70	130

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out


E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040



July 9, 2009



FL Cert #E87847/LA Cert #04140  
EPA Methods TO3, TO14A, TO15, 25C/3C  
RSK-175

TX Cert #T104704450-09-TX  
EPA Methods TO14A, TO15

Advanced Technology Labs, Inc.  
ATTN: Rachelle Arada  
3275 Walnut Ave.  
Signal Hill, CA 90755

AZ Dept of Health Services #AZ0737  
EPA Methods TO3, TO14A, TO15, 15, 16, 25C

### LABORATORY TEST RESULTS

Project Reference: 106235  
Lab Number: A9070203-01/02

Enclosed are results for sample(s) received 7/02/09 by Air Technology Laboratories. Analyses were performed according to specifications on the chain of custody provided with the sample(s).

Report Narrative:

- Sample analyses were performed within method performance criteria, and meet all requirements of the NELAC Standards.
- All results are reported without qualifications unless otherwise noted.

ATL appreciates the opportunity to provide testing services to your company. If you have any questions regarding these results, please call me at (626) 964-4032.

Sincerely,

A handwritten signature in black ink, appearing to read "Mark Johnson".

Mark Johnson  
Operations Manager  
[MJohnson@AirTechLabs.com](mailto:MJohnson@AirTechLabs.com)

Enclosures

Note: The cover letter is an integral part of this analytical report.

Client: Advanced Technology Laboratories  
Attn: Rachelle Arada

Page 2 of 3  
A9070203

Client's Project: 106235  
Date Received: 7/2/09  
Matrix: Water  
Units: ug/L

Dissolved Gases by EPA Procedure RSKSOP-175

Lab No.:	A9070203-01	A9070203-02			
Client Sample I.D.:	106235-002C / MW-3	106235-003C / MW-8			
Date Sampled:	7/1/09	7/1/09			
Date Analyzed:	7/8/09	7/8/09			
Analyst Initials:	ZK	ZK			
Data File:	08jul016	08jul017			
QC Batch:	090708GC8A1	090708GC8A1			
Dilution Factor:	1.0	1.0			
ANALYTE	PQL	RL	Results	RL	Results
Methane	1.0	1.0	450	1.0	1,400
Ethane	2.0	2.0	16	2.0	13
Ethylene	3.0	3.0	ND	3.0	5.3

PQL = Practical Quantitation Limit

ND = Not Detected (Below RL)

RL = PQL X Dilution Factor

Reviewed/Approved By: \_\_\_\_\_

Mark J. Johnson  
Operations Manager

Date: \_\_\_\_\_

7/9/09

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No.: 090708GC8A1  
Matrix: Water  
Units: ug/L

Page 3 of 3  
A9070203

**QC for Dissolved Gases by EPA Procedure RSKSOP-175**

Lab No.:	Method Blank		LCS		LCSD				
Date Analyzed:	07/08/09		07/08/09		07/08/09				
Analyst Initials:	ZK		ZK		ZK				
Datafile:	08jul013		08jul011		08jul012				
Dilution Factor:	1.0		1.0		1.0				
ANALYTE	PQL	RL	Results	% Rec.	Criteria	% Rec.	Criteria	%RPD	Criteria
Methane	1.0	1.0	ND	88	70-130%	86	70-130%	2.6	<30
Ethane	2.0	2.0	ND	89	70-130%	84	70-130%	5.7	<30
Ethylene	3.0	3.0	ND	83	70-130%	79	70-130%	5.4	<30

PQL = Practical Quantitation Limit

ND = Not Detected (Below RL).

RL = PQL X Dilution Factor


Reviewed/Approved By:

Mark J. Johnson  
Operations Manager

Date: 7/9/09

The cover letter is an integral part of this analytical report.





## Advanced Technology Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755-5225

www.atlglobal.com

TEL: (562) 989-4045

FAX: (562) 989-4040

## CHAIN-OF-CUSTODY RECORD

Page 1 of 1

Ag070203 -d/02

QC Level: RWQCB

Subcontractor:

Air Technology Laboratories  
18501 E. Gale Ave, Suite 130  
City of Industry, CA 91748

TEL: (626) 964-4032  
FAX: (626) 964-5832  
Acct #:

Field Sampler: NATHAN COLTON R

02-Jul-09

Sample ID	Matrix	Date Collected	Bottle Type	Requested Tests		
				RSK175		
106235-002C / MW-3	Groundwater	7/1/2009 11:00:00 AM	VOA	1		
106235-003C / MW-8	Groundwater	7/1/2009 11:55:00 AM	VOA	1		

01  
02

-3.5 °C r

General Comments: Please email sample receipt acknowledgement to the PM.

Please use PO#: SC04682

Please fax results by: Normal TAT

Analyze for Methane, ethane and ethene by RSK-175.

Please send report to Rachelle Arada. Thank you.

Relinquished by:	Date/Time	Received by:	Date/Time
	07/02/09		7/2/09 10:50 am
Relinquished by:		Received by:	

# CHAIN OF CUSTODY RECORD

 Pg 1 of 1

 <p><b>Advanced Technology Laboratories</b></p> <p>3275 Walnut Avenue Signal Hill, CA 90755 (562) 989-4045 • Fax (562) 989-4040</p>		<b>FOR LABORATORY USE ONLY:</b>									
		P.O.#: _____		Method of Transport		Sample Condition Upon Receipt					
		Logged By: 		Date: <u>07/02/09</u>		Client <input type="checkbox"/> ATL <input type="checkbox"/> CA OverN <input type="checkbox"/> FEDEX <input type="checkbox"/> Other: <u>Onsite</u>		Temp: <u>4.1</u> 1. CHILLED <u>2.4</u> Y <input checked="" type="checkbox"/> N <input type="checkbox"/> 4. SEALED Y <input type="checkbox"/> N <input type="checkbox"/>			
								2. HEADSPACE (VOA) Y <input type="checkbox"/> N <input type="checkbox"/> 5. # OF SPLS MATCH COC Y <input type="checkbox"/> N <input type="checkbox"/>			
								3. CONTAINER INTACT Y <input type="checkbox"/> N <input type="checkbox"/> 6. PRESERVED Y <input type="checkbox"/> N <input type="checkbox"/>			
Client: <u>The Sewer Group, Inc.</u> Attn: <u>Kent Reynolds</u>		Address: <u>3451-C Vincent Rd.</u> City <u>Pleasant Hill</u> State <u>CA</u> Zip Code <u>94523</u>		TEL: <u>(925) 944-2856</u> FAX: <u>(925) 944-2859</u>							
Project Name: <u>ABT I Foundry</u>		Project #: <u>01-ATL.001</u>		Sampler: (Printed Name) <u>Nathan Cilton</u> (Signature) <u>26/07/09</u>							
Relinquished by: <u>D. M. &amp; Nathan Cilton</u>		Date: <u>7/1/09</u> Time: <u>1250</u>		Received by: (Signature and Printed Name) <u>Christine</u> <u>J</u>		Date: <u>07/02/09</u> Time: <u>8:45</u>					
Relinquished by: (Signature and Printed Name)		Date: _____		Received by: (Signature and Printed Name)		Date: _____ Time: _____					
Relinquished by: (Signature and Printed Name)		Date: _____		Received by: (Signature and Printed Name)		Date: _____ Time: _____					
I hereby authorize ATL to perform the work indicated below: Project Mgr /Submitter: <u>Nathan Cilton</u> <u>7/1/09</u> Print Name Date <u>26/07/09</u> Signature		Send Report To: Attn: <u>Kent Reynolds</u> Co: <u>The Sewer Group, Inc.</u> Address <u>3451-C Vincent Rd.</u> City <u>Pleasant Hill</u> State <u>CA</u> Zip <u>94523</u>		Bill To: Attn: _____ Co: <u>SACME</u> Address _____ City _____ State _____ Zip _____		Special Instructions/Comments: <u>-0.5 mg/L reporting limit</u> <u>- silica gel on extractables</u> <u>include Geotekker EAF</u> <u>- ID: T0600100065</u>					
<b>Sample/Records - Archival &amp; Disposal</b> Unless otherwise requested by client, all samples will be disposed 45 days after receipt and records will be disposed 1 year after submittal of final report.		Circle or Add Analysis(es) Requested		SPECIFY APPROPRIATE MATRIX				QA/QC			
Storage Fees (applies when storage is requested): • Sample : \$2.00 / sample / mo (after 45 days) • Records : \$1.00 / ATL workorder / mo (after 1 year)		8081A (Pesticides) 8082 (PCB) 8280B (Volatiles) 8270C (BNA) 8010B (Total Metal) 8015B (GRO) / 8020B (DRO) 8021 (BTEX) TITLE 22/CAM 17 (60/10/700) 83K-75 (methyl chloroethane) TPC Silica Gel Clr		SOIL WATER GROUND WATER WASTEWATER				RTNE <input type="checkbox"/> CT <input type="checkbox"/>			
I T E M		LAB USE ONLY: Batch #: _____		Container(s)				PRESERVATION			
I T E M		Lab No.      Sample I.D. / Location      Date      Time		TAT # Type				REMARKS			
106235-001		MW-9 7/1/09 1010		X XX X X E 7 H				unpreserved due to clarity			
002		MW-3 1100		X XX X E 9 H							
003		MW-8 1155		X XX X E 9 H							
004		Trip Blant —		X E 3 H							
• TAT starts 8 a.m. following day if samples received after 3 p.m.		TAT: A= <u>Overnight ≤ 24 hr</u>		B= <u>Emergency Next workday</u>		C= <u>Critical 2 Workdays</u>		D= <u>Urgent 3 Workdays</u>		E= <u>Routine 7 Workdays</u>	
										Preservatives: H=HCl N=NHO <sub>3</sub> S=H <sub>2</sub> SO <sub>4</sub> C=4°C Z=Zn(AC) <sub>2</sub> O=NaOH T=Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub>	
Container Types: T=Tube V=VOA L=Liter P=Pint J=Jar B=Tedlar G=Glass P=Plastic M=Metal											
DISTRIBUTION: White with report, Yellow to folder, Pink to submitter.											

**AUGUST 2009 ANALYTICAL DATA**

August 17, 2009



Kent Reynolds  
The Source Group Inc.  
3451 Vincent Dr., Suite C  
Pleasant Hill, CA 94523  
  
TEL: (925) 944-2856  
FAX: (925) 944-2859

ELAP No.: 1838  
NELAP No.: 02107CA  
NEVADA.: CA-401  
CSDLAC No.: 10196  
  
Workorder No.: 106779

RE: AB&I Foundry, 01-ABI.001

Attention: Kent Reynolds

Enclosed are the results for sample(s) received on August 08, 2009 by Advanced Technology Laboratories . The sample(s) are tested for the parameters as indicated in the enclosed chain of custody in accordance with the applicable laboratory certifications.

Thank you for the opportunity to service the needs of your company.

Please feel free to call me at (562)989-4045 if I can be of further assistance to your company.

Sincerely,

A handwritten signature in black ink, appearing to read "Eddie F. Rodriguez".

Eddie F. Rodriguez  
Laboratory Director

The cover letter and the case narrative are an integral part of this analytical report and cannot be reproduced in part or in its entirety without written permission from the client and Advanced Technology Laboratories.



Advanced Technology  
Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

# **Advanced Technology Laboratories**

**Date:** 17-Aug-09

**CLIENT:** The Source Group Inc.  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab Order:** 106779

## **CASE NARRATIVE**

The samples for RSK-175 analysis were subcontracted to Air Technology Laboratory.

### Analytical Comments for EPA 8015B(M) (DRO)

Silica Gel Cleanup was performed on sample prior to the analysis, per client request.

### Analytical Comments for EPA 8260B

Results were J-Flag. "J" is used to flag those results that are between the PQL (Practical Quantitation Limit) and the calculated MDL (Method Detection Limit). Results that are "J" Flagged are estimated values since it becomes difficult to accurately quantitate the analyte near the MDL.



**Advanced Technology  
Laboratories**

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

Page 1 of 1

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 17-Aug-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 106779  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 106779-001A

**Client Sample ID:** MW-9  
**Collection Date:** 8/7/2009 9:55:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS11_090811A	QC Batch: A09VW142			PrepDate:		Analyst: SLL
1,1,1,2-Tetrachloroethane	ND	0.45	0.50	µg/L	1	8/11/2009 01:04 PM
1,1,1-Trichloroethane	ND	0.27	0.50	µg/L	1	8/11/2009 01:04 PM
1,1,2,2-Tetrachloroethane	ND	0.35	0.50	µg/L	1	8/11/2009 01:04 PM
1,1,2-Trichloroethane	ND	0.43	0.50	µg/L	1	8/11/2009 01:04 PM
1,1-Dichloroethane	ND	0.17	0.50	µg/L	1	8/11/2009 01:04 PM
1,1-Dichloroethene	ND	0.19	0.50	µg/L	1	8/11/2009 01:04 PM
1,1-Dichloropropene	ND	0.30	0.50	µg/L	1	8/11/2009 01:04 PM
1,2,3-Trichlorobenzene	ND	0.48	0.50	µg/L	1	8/11/2009 01:04 PM
1,2,3-Trichloropropane	ND	0.24	0.50	µg/L	1	8/11/2009 01:04 PM
1,2,4-Trichlorobenzene	ND	0.43	0.50	µg/L	1	8/11/2009 01:04 PM
1,2,4-Trimethylbenzene	ND	0.44	0.50	µg/L	1	8/11/2009 01:04 PM
1,2-Dibromo-3-chloropropane	ND	0.35	0.50	µg/L	1	8/11/2009 01:04 PM
1,2-Dibromoethane	ND	0.37	0.50	µg/L	1	8/11/2009 01:04 PM
1,2-Dichlorobenzene	ND	0.27	0.50	µg/L	1	8/11/2009 01:04 PM
1,2-Dichloroethane	ND	0.16	0.50	µg/L	1	8/11/2009 01:04 PM
1,2-Dichloropropane	ND	0.20	0.50	µg/L	1	8/11/2009 01:04 PM
1,3,5-Trimethylbenzene	ND	0.36	0.50	µg/L	1	8/11/2009 01:04 PM
1,3-Dichlorobenzene	ND	0.28	0.50	µg/L	1	8/11/2009 01:04 PM
1,3-Dichloropropane	ND	0.32	0.50	µg/L	1	8/11/2009 01:04 PM
1,4-Dichlorobenzene	ND	0.24	0.50	µg/L	1	8/11/2009 01:04 PM
2,2-Dichloropropane	ND	0.32	0.50	µg/L	1	8/11/2009 01:04 PM
2-Chlorotoluene	ND	0.31	0.50	µg/L	1	8/11/2009 01:04 PM
4-Chlorotoluene	ND	0.23	0.50	µg/L	1	8/11/2009 01:04 PM
4-Isopropyltoluene	4.1	0.36	0.50	µg/L	1	8/11/2009 01:04 PM
Benzene	9.1	0.17	0.50	µg/L	1	8/11/2009 01:04 PM
Bromobenzene	ND	0.21	0.50	µg/L	1	8/11/2009 01:04 PM
Bromodichloromethane	ND	0.39	0.50	µg/L	1	8/11/2009 01:04 PM
Bromoform	ND	0.30	0.50	µg/L	1	8/11/2009 01:04 PM
Bromomethane	ND	0.32	0.50	µg/L	1	8/11/2009 01:04 PM
Carbon tetrachloride	ND	0.38	0.50	µg/L	1	8/11/2009 01:04 PM
Chlorobenzene	ND	0.28	0.50	µg/L	1	8/11/2009 01:04 PM
Chloroethane	ND	0.35	0.50	µg/L	1	8/11/2009 01:04 PM
Chloroform	ND	0.23	0.50	µg/L	1	8/11/2009 01:04 PM
Chloromethane	ND	0.32	0.50	µg/L	1	8/11/2009 01:04 PM
cis-1,2-Dichloroethene	ND	0.15	0.50	µg/L	1	8/11/2009 01:04 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 17-Aug-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 106779  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 106779-001A

**Client Sample ID:** MW-9  
**Collection Date:** 8/7/2009 9:55:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS11_090811A	QC Batch: A09VW142			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	0.29	0.50	µg/L	1	8/11/2009 01:04 PM
Dibromochloromethane	ND	0.40	0.50	µg/L	1	8/11/2009 01:04 PM
Dibromomethane	ND	0.19	0.50	µg/L	1	8/11/2009 01:04 PM
Dichlorodifluoromethane	ND	0.33	0.50	µg/L	1	8/11/2009 01:04 PM
Ethylbenzene	2.2	0.22	0.50	µg/L	1	8/11/2009 01:04 PM
Hexachlorobutadiene	ND	0.28	0.50	µg/L	1	8/11/2009 01:04 PM
Isopropylbenzene	8.8	0.30	0.50	µg/L	1	8/11/2009 01:04 PM
m,p-Xylene	1.5	0.49	1.0	µg/L	1	8/11/2009 01:04 PM
Methylene chloride	ND	1.0	1.0	µg/L	1	8/11/2009 01:04 PM
n-Butylbenzene	1.4	0.30	0.50	µg/L	1	8/11/2009 01:04 PM
n-Propylbenzene	9.9	0.36	0.50	µg/L	1	8/11/2009 01:04 PM
Naphthalene	0.82	0.35	0.50	µg/L	1	8/11/2009 01:04 PM
o-Xylene	ND	0.27	0.50	µg/L	1	8/11/2009 01:04 PM
sec-Butylbenzene	1.9	0.33	0.50	µg/L	1	8/11/2009 01:04 PM
Styrene	ND	0.38	0.50	µg/L	1	8/11/2009 01:04 PM
tert-Butylbenzene	ND	0.35	0.50	µg/L	1	8/11/2009 01:04 PM
Tetrachloroethene	ND	0.19	0.50	µg/L	1	8/11/2009 01:04 PM
Toluene	0.51	0.22	0.50	µg/L	1	8/11/2009 01:04 PM
trans-1,2-Dichloroethene	ND	0.22	0.50	µg/L	1	8/11/2009 01:04 PM
Trichloroethene	ND	0.15	0.50	µg/L	1	8/11/2009 01:04 PM
Trichlorofluoromethane	ND	0.26	0.50	µg/L	1	8/11/2009 01:04 PM
Vinyl chloride	ND	0.34	0.50	µg/L	1	8/11/2009 01:04 PM
Surr: 1,2-Dichloroethane-d4	98.3	0	70-130	%REC	1	8/11/2009 01:04 PM
Surr: 4-Bromofluorobenzene	93.2	0	70-130	%REC	1	8/11/2009 01:04 PM
Surr: Dibromofluoromethane	99.0	0	70-130	%REC	1	8/11/2009 01:04 PM
Surr: Toluene-d8	105	0	70-130	%REC	1	8/11/2009 01:04 PM

<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike/Surrogate outside of limits due to matrix interference
		Results are wet unless otherwise specified	DO	Surrogate Diluted Out



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 17-Aug-09

**CLIENT:** The Source Group Inc.

**Client Sample ID:** MW-3

**Lab Order:** 106779

**Collection Date:** 8/7/2009 10:55:00 AM

**Project:** AB&I Foundry, 01-ABI.001

**Matrix:** GROUNDWATER

**Lab ID:** 106779-002A

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS11_090811A	QC Batch: A09VW142			PrepDate:		Analyst: SLL
1,1,1,2-Tetrachloroethane	ND	0.45	0.50	µg/L	1	8/11/2009 02:31 PM
1,1,1-Trichloroethane	ND	0.27	0.50	µg/L	1	8/11/2009 02:31 PM
1,1,2,2-Tetrachloroethane	ND	0.35	0.50	µg/L	1	8/11/2009 02:31 PM
1,1,2-Trichloroethane	ND	0.43	0.50	µg/L	1	8/11/2009 02:31 PM
1,1-Dichloroethane	110	8.3	25	µg/L	50	8/11/2009 12:25 PM
1,1-Dichloroethene	94	0.19	0.50	µg/L	1	8/11/2009 02:31 PM
1,1-Dichloropropene	ND	0.30	0.50	µg/L	1	8/11/2009 02:31 PM
1,2,3-Trichlorobenzene	ND	0.48	0.50	µg/L	1	8/11/2009 02:31 PM
1,2,3-Trichloropropane	ND	0.24	0.50	µg/L	1	8/11/2009 02:31 PM
1,2,4-Trichlorobenzene	ND	0.43	0.50	µg/L	1	8/11/2009 02:31 PM
1,2,4-Trimethylbenzene	ND	0.44	0.50	µg/L	1	8/11/2009 02:31 PM
1,2-Dibromo-3-chloropropane	ND	0.35	0.50	µg/L	1	8/11/2009 02:31 PM
1,2-Dibromoethane	ND	0.37	0.50	µg/L	1	8/11/2009 02:31 PM
1,2-Dichlorobenzene	ND	0.27	0.50	µg/L	1	8/11/2009 02:31 PM
1,2-Dichloroethane	ND	0.16	0.50	µg/L	1	8/11/2009 02:31 PM
1,2-Dichloropropane	ND	0.20	0.50	µg/L	1	8/11/2009 02:31 PM
1,3,5-Trimethylbenzene	ND	0.36	0.50	µg/L	1	8/11/2009 02:31 PM
1,3-Dichlorobenzene	ND	0.28	0.50	µg/L	1	8/11/2009 02:31 PM
1,3-Dichloropropane	ND	0.32	0.50	µg/L	1	8/11/2009 02:31 PM
1,4-Dichlorobenzene	ND	0.24	0.50	µg/L	1	8/11/2009 02:31 PM
2,2-Dichloropropane	ND	0.32	0.50	µg/L	1	8/11/2009 02:31 PM
2-Chlorotoluene	ND	0.31	0.50	µg/L	1	8/11/2009 02:31 PM
4-Chlorotoluene	ND	0.23	0.50	µg/L	1	8/11/2009 02:31 PM
4-Isopropyltoluene	ND	0.36	0.50	µg/L	1	8/11/2009 02:31 PM
Benzene	0.67	0.17	0.50	µg/L	1	8/11/2009 02:31 PM
Bromobenzene	ND	0.21	0.50	µg/L	1	8/11/2009 02:31 PM
Bromodichloromethane	ND	0.39	0.50	µg/L	1	8/11/2009 02:31 PM
Bromoform	ND	0.30	0.50	µg/L	1	8/11/2009 02:31 PM
Bromomethane	ND	0.32	0.50	µg/L	1	8/11/2009 02:31 PM
Carbon tetrachloride	ND	0.38	0.50	µg/L	1	8/11/2009 02:31 PM
Chlorobenzene	ND	0.28	0.50	µg/L	1	8/11/2009 02:31 PM
Chloroethane	61	0.35	0.50	µg/L	1	8/11/2009 02:31 PM
Chloroform	ND	0.23	0.50	µg/L	1	8/11/2009 02:31 PM
Chloromethane	ND	0.32	0.50	µg/L	1	8/11/2009 02:31 PM
cis-1,2-Dichloroethene	1.2	0.15	0.50	µg/L	1	8/11/2009 02:31 PM

**Qualifiers:**

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Results are wet unless otherwise specified

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike/Surrogate outside of limits due to matrix interference
- DO Surrogate Diluted Out



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 17-Aug-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 106779  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 106779-002A

**Client Sample ID:** MW-3  
**Collection Date:** 8/7/2009 10:55:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS11_090811A	QC Batch: A09VW142			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	0.29	0.50	µg/L	1	8/11/2009 02:31 PM
Dibromochloromethane	ND	0.40	0.50	µg/L	1	8/11/2009 02:31 PM
Dibromomethane	ND	0.19	0.50	µg/L	1	8/11/2009 02:31 PM
Dichlorodifluoromethane	ND	0.33	0.50	µg/L	1	8/11/2009 02:31 PM
Ethylbenzene	ND	0.22	0.50	µg/L	1	8/11/2009 02:31 PM
Hexachlorobutadiene	ND	0.28	0.50	µg/L	1	8/11/2009 02:31 PM
Isopropylbenzene	ND	0.30	0.50	µg/L	1	8/11/2009 02:31 PM
m,p-Xylene	ND	0.49	1.0	µg/L	1	8/11/2009 02:31 PM
Methylene chloride	ND	1.0	1.0	µg/L	1	8/11/2009 02:31 PM
n-Butylbenzene	ND	0.30	0.50	µg/L	1	8/11/2009 02:31 PM
n-Propylbenzene	ND	0.36	0.50	µg/L	1	8/11/2009 02:31 PM
Naphthalene	ND	0.35	0.50	µg/L	1	8/11/2009 02:31 PM
o-Xylene	ND	0.27	0.50	µg/L	1	8/11/2009 02:31 PM
sec-Butylbenzene	ND	0.33	0.50	µg/L	1	8/11/2009 02:31 PM
Styrene	ND	0.38	0.50	µg/L	1	8/11/2009 02:31 PM
tert-Butylbenzene	ND	0.35	0.50	µg/L	1	8/11/2009 02:31 PM
Tetrachloroethene	ND	0.19	0.50	µg/L	1	8/11/2009 02:31 PM
Toluene	7.1	0.22	0.50	µg/L	1	8/11/2009 02:31 PM
trans-1,2-Dichloroethene	ND	0.22	0.50	µg/L	1	8/11/2009 02:31 PM
Trichloroethene	0.24	0.15	0.50	J µg/L	1	8/11/2009 02:31 PM
Trichlorofluoromethane	ND	0.26	0.50	µg/L	1	8/11/2009 02:31 PM
Vinyl chloride	29	0.34	0.50	µg/L	1	8/11/2009 02:31 PM
Surr: 1,2-Dichloroethane-d4	90.5	0	70-130	%REC	1	8/11/2009 02:31 PM
Surr: 1,2-Dichloroethane-d4	90.5	0	70-130	%REC	50	8/11/2009 12:25 PM
Surr: 4-Bromofluorobenzene	89.8	0	70-130	%REC	1	8/11/2009 02:31 PM
Surr: 4-Bromofluorobenzene	88.5	0	70-130	%REC	50	8/11/2009 12:25 PM
Surr: Dibromofluoromethane	97.5	0	70-130	%REC	1	8/11/2009 02:31 PM
Surr: Dibromofluoromethane	98.4	0	70-130	%REC	50	8/11/2009 12:25 PM
Surr: Toluene-d8	99.3	0	70-130	%REC	50	8/11/2009 12:25 PM
Surr: Toluene-d8	101	0	70-130	%REC	1	8/11/2009 02:31 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 17-Aug-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 106779  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 106779-003A

**Client Sample ID:** MW-8  
**Collection Date:** 8/7/2009 11:40:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS11_090811A	QC Batch: A09VW142			PrepDate:		Analyst: SLL
1,1,1,2-Tetrachloroethane	ND	4.5	5.0	µg/L	10	8/11/2009 02:51 PM
1,1,1-Trichloroethane	1700	13	25	µg/L	50	8/11/2009 12:44 PM
1,1,2,2-Tetrachloroethane	ND	3.5	5.0	µg/L	10	8/11/2009 02:51 PM
1,1,2-Trichloroethane	ND	4.3	5.0	µg/L	10	8/11/2009 02:51 PM
1,1-Dichloroethane	1600	8.3	25	µg/L	50	8/11/2009 12:44 PM
1,1-Dichloroethene	1300	9.5	25	µg/L	50	8/11/2009 12:44 PM
1,1-Dichloropropene	ND	3.0	5.0	µg/L	10	8/11/2009 02:51 PM
1,2,3-Trichlorobenzene	ND	4.8	5.0	µg/L	10	8/11/2009 02:51 PM
1,2,3-Trichloropropane	ND	2.4	5.0	µg/L	10	8/11/2009 02:51 PM
1,2,4-Trichlorobenzene	ND	4.3	5.0	µg/L	10	8/11/2009 02:51 PM
1,2,4-Trimethylbenzene	ND	4.4	5.0	µg/L	10	8/11/2009 02:51 PM
1,2-Dibromo-3-chloropropane	ND	3.5	5.0	µg/L	10	8/11/2009 02:51 PM
1,2-Dibromoethane	ND	3.7	5.0	µg/L	10	8/11/2009 02:51 PM
1,2-Dichlorobenzene	ND	2.7	5.0	µg/L	10	8/11/2009 02:51 PM
1,2-Dichloroethane	ND	1.6	5.0	µg/L	10	8/11/2009 02:51 PM
1,2-Dichloropropane	ND	2.0	5.0	µg/L	10	8/11/2009 02:51 PM
1,3,5-Trimethylbenzene	ND	3.6	5.0	µg/L	10	8/11/2009 02:51 PM
1,3-Dichlorobenzene	ND	2.8	5.0	µg/L	10	8/11/2009 02:51 PM
1,3-Dichloropropane	ND	3.2	5.0	µg/L	10	8/11/2009 02:51 PM
1,4-Dichlorobenzene	ND	2.4	5.0	µg/L	10	8/11/2009 02:51 PM
2,2-Dichloropropane	ND	3.2	5.0	µg/L	10	8/11/2009 02:51 PM
2-Chlorotoluene	ND	3.1	5.0	µg/L	10	8/11/2009 02:51 PM
4-Chlorotoluene	ND	2.3	5.0	µg/L	10	8/11/2009 02:51 PM
4-Isopropyltoluene	ND	3.6	5.0	µg/L	10	8/11/2009 02:51 PM
Benzene	3.2	1.7	5.0	J µg/L	10	8/11/2009 02:51 PM
Bromobenzene	ND	2.1	5.0	µg/L	10	8/11/2009 02:51 PM
Bromodichloromethane	ND	3.9	5.0	µg/L	10	8/11/2009 02:51 PM
Bromoform	ND	3.0	5.0	µg/L	10	8/11/2009 02:51 PM
Bromomethane	ND	3.2	5.0	µg/L	10	8/11/2009 02:51 PM
Carbon tetrachloride	ND	3.8	5.0	µg/L	10	8/11/2009 02:51 PM
Chlorobenzene	ND	2.8	5.0	µg/L	10	8/11/2009 02:51 PM
Chloroethane	370	3.5	5.0	µg/L	10	8/11/2009 02:51 PM
Chloroform	ND	2.3	5.0	µg/L	10	8/11/2009 02:51 PM
Chloromethane	ND	3.2	5.0	µg/L	10	8/11/2009 02:51 PM
cis-1,2-Dichloroethene	ND	1.5	5.0	µg/L	10	8/11/2009 02:51 PM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 17-Aug-09

**CLIENT:** The Source Group Inc.

**Client Sample ID:** MW-8

**Lab Order:** 106779

**Collection Date:** 8/7/2009 11:40:00 AM

**Project:** AB&I Foundry, 01-ABI.001

**Matrix:** GROUNDWATER

**Lab ID:** 106779-003A

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS11_090811A	QC Batch: A09VW142			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	2.9	5.0	µg/L	10	8/11/2009 02:51 PM
Dibromochloromethane	ND	4.0	5.0	µg/L	10	8/11/2009 02:51 PM
Dibromomethane	ND	1.9	5.0	µg/L	10	8/11/2009 02:51 PM
Dichlorodifluoromethane	ND	3.3	5.0	µg/L	10	8/11/2009 02:51 PM
Ethylbenzene	ND	2.2	5.0	µg/L	10	8/11/2009 02:51 PM
Hexachlorobutadiene	ND	2.8	5.0	µg/L	10	8/11/2009 02:51 PM
Isopropylbenzene	ND	3.0	5.0	µg/L	10	8/11/2009 02:51 PM
m,p-Xylene	ND	4.9	10	µg/L	10	8/11/2009 02:51 PM
Methylene chloride	ND	10	10	µg/L	10	8/11/2009 02:51 PM
n-Butylbenzene	ND	3.0	5.0	µg/L	10	8/11/2009 02:51 PM
n-Propylbenzene	ND	3.6	5.0	µg/L	10	8/11/2009 02:51 PM
Naphthalene	ND	3.5	5.0	µg/L	10	8/11/2009 02:51 PM
o-Xylene	ND	2.7	5.0	µg/L	10	8/11/2009 02:51 PM
sec-Butylbenzene	ND	3.3	5.0	µg/L	10	8/11/2009 02:51 PM
Styrene	ND	3.8	5.0	µg/L	10	8/11/2009 02:51 PM
tert-Butylbenzene	ND	3.5	5.0	µg/L	10	8/11/2009 02:51 PM
Tetrachloroethene	2.2	1.9	5.0	µg/L	10	8/11/2009 02:51 PM
Toluene	ND	2.2	5.0	µg/L	10	8/11/2009 02:51 PM
trans-1,2-Dichloroethene	ND	2.2	5.0	µg/L	10	8/11/2009 02:51 PM
Trichloroethene	ND	1.5	5.0	µg/L	10	8/11/2009 02:51 PM
Trichlorofluoromethane	ND	2.6	5.0	µg/L	10	8/11/2009 02:51 PM
Vinyl chloride	9.6	3.4	5.0	µg/L	10	8/11/2009 02:51 PM
Surr: 1,2-Dichloroethane-d4	92.8	0	70-130	%REC	10	8/11/2009 02:51 PM
Surr: 1,2-Dichloroethane-d4	91.5	0	70-130	%REC	50	8/11/2009 12:44 PM
Surr: 4-Bromofluorobenzene	90.2	0	70-130	%REC	10	8/11/2009 02:51 PM
Surr: 4-Bromofluorobenzene	90.0	0	70-130	%REC	50	8/11/2009 12:44 PM
Surr: Dibromofluoromethane	97.8	0	70-130	%REC	10	8/11/2009 02:51 PM
Surr: Dibromofluoromethane	99.3	0	70-130	%REC	50	8/11/2009 12:44 PM
Surr: Toluene-d8	101	0	70-130	%REC	50	8/11/2009 12:44 PM
Surr: Toluene-d8	102	0	70-130	%REC	10	8/11/2009 02:51 PM

**Qualifiers:**

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Results are wet unless otherwise specified

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike/Surrogate outside of limits due to matrix interference
- DO Surrogate Diluted Out



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

# ANALYTICAL RESULTS

Print Date: 17-Aug-09

**CLIENT:** The Source Group Inc.

**Client Sample ID:** Trip Blank

**Lab Order:** 106779

**Collection Date:**

**Project:** AB&I Foundry, 01-ABI.001

**Matrix:** DRINKING WATER

**Lab ID:** 106779-004A

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

## VOLATILE ORGANIC COMPOUNDS BY GC/MS

### EPA 8260B

RunID: MS11_090811A	QC Batch: A09VW142			PrepDate:		Analyst: SLL
1,1,1,2-Tetrachloroethane	ND	0.45	0.50	µg/L	1	8/11/2009 10:03 AM
1,1,1-Trichloroethane	ND	0.27	0.50	µg/L	1	8/11/2009 10:03 AM
1,1,2,2-Tetrachloroethane	ND	0.35	0.50	µg/L	1	8/11/2009 10:03 AM
1,1,2-Trichloroethane	ND	0.43	0.50	µg/L	1	8/11/2009 10:03 AM
1,1-Dichloroethane	ND	0.17	0.50	µg/L	1	8/11/2009 10:03 AM
1,1-Dichloroethene	ND	0.19	0.50	µg/L	1	8/11/2009 10:03 AM
1,1-Dichloropropene	ND	0.30	0.50	µg/L	1	8/11/2009 10:03 AM
1,2,3-Trichlorobenzene	ND	0.48	0.50	µg/L	1	8/11/2009 10:03 AM
1,2,3-Trichloropropane	ND	0.24	0.50	µg/L	1	8/11/2009 10:03 AM
1,2,4-Trichlorobenzene	ND	0.43	0.50	µg/L	1	8/11/2009 10:03 AM
1,2,4-Trimethylbenzene	ND	0.44	0.50	µg/L	1	8/11/2009 10:03 AM
1,2-Dibromo-3-chloropropane	ND	0.35	0.50	µg/L	1	8/11/2009 10:03 AM
1,2-Dibromoethane	ND	0.37	0.50	µg/L	1	8/11/2009 10:03 AM
1,2-Dichlorobenzene	ND	0.27	0.50	µg/L	1	8/11/2009 10:03 AM
1,2-Dichloroethane	ND	0.16	0.50	µg/L	1	8/11/2009 10:03 AM
1,2-Dichloropropane	ND	0.20	0.50	µg/L	1	8/11/2009 10:03 AM
1,3,5-Trimethylbenzene	ND	0.36	0.50	µg/L	1	8/11/2009 10:03 AM
1,3-Dichlorobenzene	ND	0.28	0.50	µg/L	1	8/11/2009 10:03 AM
1,3-Dichloropropane	ND	0.32	0.50	µg/L	1	8/11/2009 10:03 AM
1,4-Dichlorobenzene	ND	0.24	0.50	µg/L	1	8/11/2009 10:03 AM
2,2-Dichloropropane	ND	0.32	0.50	µg/L	1	8/11/2009 10:03 AM
2-Chlorotoluene	ND	0.31	0.50	µg/L	1	8/11/2009 10:03 AM
4-Chlorotoluene	ND	0.23	0.50	µg/L	1	8/11/2009 10:03 AM
4-Isopropyltoluene	ND	0.36	0.50	µg/L	1	8/11/2009 10:03 AM
Benzene	ND	0.17	0.50	µg/L	1	8/11/2009 10:03 AM
Bromobenzene	ND	0.21	0.50	µg/L	1	8/11/2009 10:03 AM
Bromodichloromethane	ND	0.39	0.50	µg/L	1	8/11/2009 10:03 AM
Bromoform	ND	0.30	0.50	µg/L	1	8/11/2009 10:03 AM
Bromomethane	ND	0.32	0.50	µg/L	1	8/11/2009 10:03 AM
Carbon tetrachloride	ND	0.38	0.50	µg/L	1	8/11/2009 10:03 AM
Chlorobenzene	ND	0.28	0.50	µg/L	1	8/11/2009 10:03 AM
Chloroethane	ND	0.35	0.50	µg/L	1	8/11/2009 10:03 AM
Chloroform	ND	0.23	0.50	µg/L	1	8/11/2009 10:03 AM
Chloromethane	ND	0.32	0.50	µg/L	1	8/11/2009 10:03 AM
cis-1,2-Dichloroethene	ND	0.15	0.50	µg/L	1	8/11/2009 10:03 AM

**Qualifiers:**

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Results are wet unless otherwise specified

- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike/Surrogate outside of limits due to matrix interference
- DO Surrogate Diluted Out



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 17-Aug-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 106779  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 106779-004A

**Client Sample ID:** Trip Blank  
**Collection Date:**  
**Matrix:** DRINKING WATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS11_090811A	QC Batch: A09VW142			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	0.29	0.50	µg/L	1	8/11/2009 10:03 AM
Dibromochloromethane	ND	0.40	0.50	µg/L	1	8/11/2009 10:03 AM
Dibromomethane	ND	0.19	0.50	µg/L	1	8/11/2009 10:03 AM
Dichlorodifluoromethane	ND	0.33	0.50	µg/L	1	8/11/2009 10:03 AM
Ethylbenzene	ND	0.22	0.50	µg/L	1	8/11/2009 10:03 AM
Hexachlorobutadiene	ND	0.28	0.50	µg/L	1	8/11/2009 10:03 AM
Isopropylbenzene	ND	0.30	0.50	µg/L	1	8/11/2009 10:03 AM
m,p-Xylene	ND	0.49	1.0	µg/L	1	8/11/2009 10:03 AM
Methylene chloride	ND	1.0	1.0	µg/L	1	8/11/2009 10:03 AM
n-Butylbenzene	ND	0.30	0.50	µg/L	1	8/11/2009 10:03 AM
n-Propylbenzene	ND	0.36	0.50	µg/L	1	8/11/2009 10:03 AM
Naphthalene	ND	0.35	0.50	µg/L	1	8/11/2009 10:03 AM
o-Xylene	ND	0.27	0.50	µg/L	1	8/11/2009 10:03 AM
sec-Butylbenzene	ND	0.33	0.50	µg/L	1	8/11/2009 10:03 AM
Styrene	ND	0.38	0.50	µg/L	1	8/11/2009 10:03 AM
tert-Butylbenzene	ND	0.35	0.50	µg/L	1	8/11/2009 10:03 AM
Tetrachloroethene	ND	0.19	0.50	µg/L	1	8/11/2009 10:03 AM
Toluene	ND	0.22	0.50	µg/L	1	8/11/2009 10:03 AM
trans-1,2-Dichloroethene	ND	0.22	0.50	µg/L	1	8/11/2009 10:03 AM
Trichloroethene	ND	0.15	0.50	µg/L	1	8/11/2009 10:03 AM
Trichlorofluoromethane	ND	0.26	0.50	µg/L	1	8/11/2009 10:03 AM
Vinyl chloride	ND	0.34	0.50	µg/L	1	8/11/2009 10:03 AM
Surr: 1,2-Dichloroethane-d4	91.0	0	70-130	%REC	1	8/11/2009 10:03 AM
Surr: 4-Bromofluorobenzene	89.8	0	70-130	%REC	1	8/11/2009 10:03 AM
Surr: Dibromofluoromethane	91.3	0	70-130	%REC	1	8/11/2009 10:03 AM
Surr: Toluene-d8	101	0	70-130	%REC	1	8/11/2009 10:03 AM

<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike/Surrogate outside of limits due to matrix interference
		Results are wet unless otherwise specified	DO	Surrogate Diluted Out



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**Advanced Technology Laboratories****ANALYTICAL RESULTS**

Print Date: 17-Aug-09

**CLIENT:** The Source Group Inc.**Client Sample ID:** MW-9**Lab Order:** 106779**Collection Date:** 8/7/2009 9:55:00 AM**Project:** AB&I Foundry, 01-ABI.001**Matrix:** GROUNDWATER**Lab ID:** 106779-001B

---

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

---

**GASOLINE RANGE ORGANICS BY GC/FID****EPA 8015B(M)**

RunID: GC6_090810A	QC Batch: I09VW0140		PrepDate:		Analyst: TT
GRO	2.4	0.050	mg/L	1	8/10/2009 09:32 PM
Surr: Bromofluorobenzene (FID)	95.7	71-130	%REC	1	8/10/2009 09:32 PM

---

<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	
	H Holding times for preparation or analysis exceeded	
	S Spike/Surrogate outside of limits due to matrix interference	
	DO Surrogate Diluted Out	

E Value above quantitation range
ND Not Detected at the Reporting Limit
Results are wet unless otherwise specified

**Advanced Technology  
Laboratories**

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**Advanced Technology Laboratories****ANALYTICAL RESULTS**

Print Date: 17-Aug-09

**CLIENT:** The Source Group Inc.**Client Sample ID:** MW-9**Lab Order:** 106779**Collection Date:** 8/7/2009 9:55:00 AM**Project:** AB&I Foundry, 01-ABI.001**Matrix:** GROUNDWATER**Lab ID:** 106779-001C

---

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

---

**SILICA GEL CLEANUP DRO BY GC-FID****EPA 3510C****EPA 8015B**

RunID: GC16_090812G	QC Batch: 57209		PrepDate: 8/11/2009	Analyst: CBR
DRO	0.34	0.050	mg/L	1
Surr: p-Terphenyl	69.1	35-131	%REC	1
				8/13/2009 12:55 AM
				8/13/2009 12:55 AM

---

<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	E Value above quantitation range
H Holding times for preparation or analysis exceeded	ND Not Detected at the Reporting Limit	
S Spike/Surrogate outside of limits due to matrix interference	Results are wet unless otherwise specified	
DO Surrogate Diluted Out		

**Advanced Technology  
Laboratories**

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**Advanced Technology Laboratories****ANALYTICAL RESULTS**

Print Date: 17-Aug-09

**CLIENT:** The Source Group Inc.**Client Sample ID:** MW-3**Lab Order:** 106779**Collection Date:** 8/7/2009 10:55:00 AM**Project:** AB&I Foundry, 01-ABI.001**Matrix:** GROUNDWATER**Lab ID:** 106779-002B

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**TOTAL ORGANIC CARBON****SM5310B**

RunID: TOC2\_090810A

QC Batch: R111587

PrepDate:

Analyst: **JSD**

Organic Carbon, Total

260

6.0

mg/L

2

8/10/2009 02:44 PM

---

<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank
	H	Holding times for preparation or analysis exceeded
	S	Spike/Surrogate outside of limits due to matrix interference
	DO	Surrogate Diluted Out

E	Value above quantitation range
ND	Not Detected at the Reporting Limit
	Results are wet unless otherwise specified

**Advanced Technology  
Laboratories**

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**Advanced Technology Laboratories****ANALYTICAL RESULTS**

Print Date: 17-Aug-09

**CLIENT:** The Source Group Inc.**Client Sample ID:** MW-8**Lab Order:** 106779**Collection Date:** 8/7/2009 11:40:00 AM**Project:** AB&I Foundry, 01-ABI.001**Matrix:** GROUNDWATER**Lab ID:** 106779-003B

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**TOTAL ORGANIC CARBON****SM5310B**

RunID: TOC2\_090810A

QC Batch: R111587

PrepDate:

Analyst: **JSD**

Organic Carbon, Total

200

6.0

mg/L

2

8/10/2009 03:41 PM

---

<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank
	H	Holding times for preparation or analysis exceeded
	S	Spike/Surrogate outside of limits due to matrix interference
	DO	Surrogate Diluted Out

E	Value above quantitation range
ND	Not Detected at the Reporting Limit
	Results are wet unless otherwise specified

**Advanced Technology  
Laboratories**

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

CLIENT: The Source Group Inc.

Work Order: 106779

Project: AB&amp;I Foundry, 01-ABI.001

**ANALYTICAL QC SUMMARY REPORT****TestCode: 415.1\_5310B\_W**

Sample ID: <b>MB-R111587</b>	SampType: <b>MBLK</b>	TestCode: <b>415.1_5310B</b>	Units: <b>mg/L</b>	Prep Date:	RunNo: <b>111587</b>
Client ID: <b>PBW</b>	Batch ID: <b>R111587</b>	TestNo: <b>SM5310B</b>		Analysis Date: <b>8/10/2009</b>	SeqNo: <b>1759052</b>
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Organic Carbon, Total	0.329	3.0			
Sample ID: <b>LCS-R111587</b>	SampType: <b>LCS</b>	TestCode: <b>415.1_5310B</b>	Units: <b>mg/L</b>	Prep Date:	RunNo: <b>111587</b>
Client ID: <b>LCSW</b>	Batch ID: <b>R111587</b>	TestNo: <b>SM5310B</b>		Analysis Date: <b>8/10/2009</b>	SeqNo: <b>1759053</b>
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Organic Carbon, Total	20.650	3.0	20.00	0.3286	102 80 120
Sample ID: <b>106779-003B-MS</b>	SampType: <b>MS</b>	TestCode: <b>415.1_5310B</b>	Units: <b>mg/L</b>	Prep Date:	RunNo: <b>111587</b>
Client ID: <b>MW-8</b>	Batch ID: <b>R111587</b>	TestNo: <b>SM5310B</b>		Analysis Date: <b>8/10/2009</b>	SeqNo: <b>1759056</b>
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Organic Carbon, Total	232.400	6.0	40.00	202.6	74.5 70 130
Sample ID: <b>106779-003B-MSD</b>	SampType: <b>MSD</b>	TestCode: <b>415.1_5310B</b>	Units: <b>mg/L</b>	Prep Date:	RunNo: <b>111587</b>
Client ID: <b>MW-8</b>	Batch ID: <b>R111587</b>	TestNo: <b>SM5310B</b>		Analysis Date: <b>8/10/2009</b>	SeqNo: <b>1759057</b>
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Organic Carbon, Total	231.000	6.0	40.00	202.6	71.0 70 130 232.4 0.604 20

**Qualifiers:**

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S Spike/Surrogate outside of limits due to matrix interference

DO Surrogate Diluted Out

Calculations are based on raw values



**CLIENT:** The Source Group Inc.  
**Work Order:** 106779  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8015\_W\_DSL\_LLSGT

Sample ID: MB-57209	SampType: MBLK	TestCode: 8015_W_DSL Units: mg/L			Prep Date: 8/11/2009			RunNo: 111745			
Client ID: PBW	Batch ID: 57209	TestNo: EPA 8015B EPA 3510C			Analysis Date: 8/12/2009			SeqNo: 1762269			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
DRO	ND	0.050									
Sur: p-Terphenyl	0.059		0.08000		74.0	35	131				
Sample ID: LCS-57209	SampType: LCS	TestCode: 8015_W_DSL Units: mg/L			Prep Date: 8/11/2009			RunNo: 111745			
Client ID: LCSW	Batch ID: 57209	TestNo: EPA 8015B EPA 3510C			Analysis Date: 8/13/2009			SeqNo: 1762270			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
DRO	0.986	0.050	1.000	0	98.6	42	118				
Sur: p-Terphenyl	0.048		0.08000		60.1	35	131				
Sample ID: MB-57209MS	SampType: MS	TestCode: 8015_W_DSL Units: mg/L			Prep Date: 8/11/2009			RunNo: 111745			
Client ID: ZZZZZZ	Batch ID: 57209	TestNo: EPA 8015B EPA 3510C			Analysis Date: 8/13/2009			SeqNo: 1762271			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
DRO	0.940	0.050	1.000	0	94.0	42	118				
Sur: p-Terphenyl	0.045		0.08000		56.7	35	131				
Sample ID: MB-57209MSD	SampType: MSD	TestCode: 8015_W_DSL Units: mg/L			Prep Date: 8/11/2009			RunNo: 111745			
Client ID: ZZZZZZ	Batch ID: 57209	TestNo: EPA 8015B EPA 3510C			Analysis Date: 8/13/2009			SeqNo: 1762272			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
DRO	0.866	0.050	1.000	0	86.6	42	118	0.9401	8.24	20	
Sur: p-Terphenyl	0.036		0.08000		45.3	35	131		0	0	

### Qualifiers:

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S Spike/Surrogate outside of limits due to matrix interference

DO Surrogate Diluted Out

Calculations are based on raw values



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 106779  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode: 8015\_W\_GP LL**

Sample ID: I090810MB2MS	SampType: MS	TestCode: 8015_W_GP	Units: mg/L	Prep Date:			RunNo: 111564				
Client ID: ZZZZZZ	Batch ID: I09VW0140	TestNo: EPA 8015B(M)			Analysis Date: 8/10/2009		SeqNo: 1759179				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	0.819	0.050	1.000	0	81.9	69	125				
Surr: Bromofluorobenzene (FID)	92.676		100.0		92.7	71	130				
Sample ID: I090810LCS2	SampType: LCS	TestCode: 8015_W_GP	Units: mg/L	Prep Date:			RunNo: 111564				
Client ID: LCSW	Batch ID: I09VW0140	TestNo: EPA 8015B(M)			Analysis Date: 8/10/2009		SeqNo: 1759180				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	0.796	0.050	1.000	0	79.6	69	125				
Surr: Bromofluorobenzene (FID)	91.203		100.0		91.2	71	130				
Sample ID: I090810MB2MSD	SampType: MSD	TestCode: 8015_W_GP	Units: mg/L	Prep Date:			RunNo: 111564				
Client ID: ZZZZZZ	Batch ID: I09VW0140	TestNo: EPA 8015B(M)			Analysis Date: 8/10/2009		SeqNo: 1759181				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	0.808	0.050	1.000	0	80.8	69	125	0.8190	1.35	20	
Surr: Bromofluorobenzene (FID)	93.251		100.0		93.3	71	130		0	0	
Sample ID: I090810MB2	SampType: MBLK	TestCode: 8015_W_GP	Units: mg/L	Prep Date:			RunNo: 111564				
Client ID: PBW	Batch ID: I09VW0140	TestNo: EPA 8015B(M)			Analysis Date: 8/10/2009		SeqNo: 1759182				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	ND	0.050									
Surr: Bromofluorobenzene (FID)	91.736		100.0		91.7	71	130				

**Qualifiers:**

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S Spike/Surrogate outside of limits due to matrix interference

DO Surrogate Diluted Out

Calculations are based on raw values



**Advanced Technology  
Laboratories**

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 106779  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode: 8260\_WP\_LL**

Sample ID: A090811LCS1	SampType: LCS	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:				RunNo: 111640			
Client ID: LCSW	Batch ID: A09VW142	TestNo: EPA 8260B		Analysis Date: 8/11/2009				SeqNo: 1760078			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	22.070	0.50	20.00	0	110	70	130				
Benzene	39.220	0.50	40.00	0	98.0	70	130				
Chlorobenzene	20.220	0.50	20.00	0	101	70	130				
MTBE	20.660	0.50	20.00	0	103	70	130				
Toluene	40.200	0.50	40.00	0	101	70	130				
Trichloroethene	21.020	0.50	20.00	0	105	70	130				
Surr: 1,2-Dichloroethane-d4	23.590		25.00		94.4	70	130				
Surr: 4-Bromofluorobenzene	23.150		25.00		92.6	70	130				
Surr: Dibromofluoromethane	24.770		25.00		99.1	70	130				
Surr: Toluene-d8	25.380		25.00		102	70	130				
Sample ID: A090811MB2MS	SampType: MS	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:				RunNo: 111640			
Client ID: ZZZZZZ	Batch ID: A09VW142	TestNo: EPA 8260B		Analysis Date: 8/11/2009				SeqNo: 1760079			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	18.270	0.50	20.00	0	91.4	70	130				
Benzene	37.200	0.50	40.00	0	93.0	70	130				
Chlorobenzene	19.490	0.50	20.00	0	97.5	70	130				
Toluene	37.800	0.50	40.00	0	94.5	70	130				
Trichloroethene	19.340	0.50	20.00	0	96.7	70	130				
Surr: 1,2-Dichloroethane-d4	23.540		25.00		94.2	70	130				
Surr: 4-Bromofluorobenzene	22.980		25.00		91.9	70	130				
Surr: Dibromofluoromethane	24.510		25.00		98.0	70	130				
Surr: Toluene-d8	25.050		25.00		100	70	130				
Sample ID: A090811MB2MSD	SampType: MSD	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:				RunNo: 111640			
Client ID: ZZZZZZ	Batch ID: A09VW142	TestNo: EPA 8260B		Analysis Date: 8/11/2009				SeqNo: 1760080			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	22.190	0.50	20.00	0	111	70	130	18.27	19.4	20	

**Qualifiers:**

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S Spike/Surrogate outside of limits due to matrix interference

DO Surrogate Diluted Out

Calculations are based on raw values



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 106779  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode: 8260\_WP\_LL**

Sample ID: A090811MB2MSD	SampType: MSD	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:				RunNo: 111640			
Client ID: ZZZZZZ	Batch ID: A09VW142	TestNo: EPA 8260B		Analysis Date: 8/11/2009				SeqNo: 1760080			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	38.050	0.50	40.00	0	95.1	70	130	37.20	2.26	20	
Chlorobenzene	19.460	0.50	20.00	0	97.3	70	130	19.49	0.154	20	
Toluene	39.210	0.50	40.00	0	98.0	70	130	37.80	3.66	20	
Trichloroethene	20.560	0.50	20.00	0	103	70	130	19.34	6.12	20	
Sur: 1,2-Dichloroethane-d4	23.800		25.00		95.2	70	130		0	20	
Sur: 4-Bromofluorobenzene	23.000		25.00		92.0	70	130		0	20	
Sur: Dibromofluoromethane	24.940		25.00		99.8	70	130		0	20	
Sur: Toluene-d8	25.290		25.00		101	70	130		0	20	
Sample ID: A090811MB2	SampType: MBLK	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:				RunNo: 111640			
Client ID: PBW	Batch ID: A09VW142	TestNo: EPA 8260B		Analysis Date: 8/11/2009				SeqNo: 1760081			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	ND	0.50									
1,1,1-Trichloroethane	ND	0.50									
1,1,2,2-Tetrachloroethane	ND	0.50									
1,1,2-Trichloroethane	ND	0.50									
1,1-Dichloroethane	ND	0.50									
1,1-Dichloroethene	ND	0.50									
1,1-Dichloropropene	ND	0.50									
1,2,3-Trichlorobenzene	ND	0.50									
1,2,3-Trichloropropane	ND	0.50									
1,2,4-Trichlorobenzene	ND	0.50									
1,2,4-Trimethylbenzene	ND	0.50									
1,2-Dibromo-3-chloropropane	ND	0.50									
1,2-Dibromoethane	ND	0.50									
1,2-Dichlorobenzene	ND	0.50									
1,2-Dichloroethane	ND	0.50									
1,2-Dichloropropane	ND	0.50									
1,3,5-Trimethylbenzene	ND	0.50									

**Qualifiers:**

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S Spike/Surrogate outside of limits due to matrix interference

DO Surrogate Diluted Out

Calculations are based on raw values



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 106779  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8260\_WP\_LL

Sample ID: A090811MB2	SampType: MBLK	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:	RunNo: 111640						
Client ID: PBW	Batch ID: A09VW142	TestNo: EPA 8260B		Analysis Date: 8/11/2009	SeqNo: 1760081						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,3-Dichlorobenzene	ND	0.50									
1,3-Dichloropropane	ND	0.50									
1,4-Dichlorobenzene	ND	0.50									
2,2-Dichloropropane	ND	0.50									
2-Chlorotoluene	ND	0.50									
4-Chlorotoluene	ND	0.50									
4-Isopropyltoluene	ND	0.50									
Benzene	ND	0.50									
Bromobenzene	ND	0.50									
Bromodichloromethane	ND	0.50									
Bromoform	ND	0.50									
Bromomethane	ND	0.50									
Carbon tetrachloride	ND	0.50									
Chlorobenzene	ND	0.50									
Chloroethane	ND	0.50									
Chloroform	ND	0.50									
Chloromethane	ND	0.50									
cis-1,2-Dichloroethene	ND	0.50									
cis-1,3-Dichloropropene	ND	0.50									
Dibromochloromethane	ND	0.50									
Dibromomethane	ND	0.50									
Dichlorodifluoromethane	ND	0.50									
Ethylbenzene	ND	0.50									
Hexachlorobutadiene	ND	0.50									
Isopropylbenzene	ND	0.50									
m,p-Xylene	ND	1.0									
Methylene chloride	ND	1.0									
n-Butylbenzene	ND	0.50									
n-Propylbenzene	ND	0.50									
Naphthalene	ND	0.50									

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out

E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 106779  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8260\_WP\_LL

Sample ID: A090811MB2	SampType: MBLK	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:			RunNo: 111640				
Client ID: PBW	Batch ID: A09VW142	TestNo: EPA 8260B		Analysis Date: 8/11/2009			SeqNo: 1760081				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
o-Xylene	ND	0.50									
sec-Butylbenzene	ND	0.50									
Styrene	ND	0.50									
tert-Butylbenzene	ND	0.50									
Tetrachloroethene	ND	0.50									
Toluene	ND	0.50									
trans-1,2-Dichloroethene	ND	0.50									
Trichloroethene	ND	0.50									
Trichlorofluoromethane	ND	0.50									
Vinyl chloride	ND	0.50									
Surr: 1,2-Dichloroethane-d4	22.630		25.00		90.5	70	130				
Surr: 4-Bromofluorobenzene	22.470		25.00		89.9	70	130				
Surr: Dibromofluoromethane	24.980		25.00		99.9	70	130				
Surr: Toluene-d8	25.240		25.00		101	70	130				

**Qualifiers:**

B Analyte detected in the associated Method Blank  
ND Not Detected at the Reporting Limit  
DO Surrogate Diluted Out

E Value above quantitation range  
R RPD outside accepted recovery limits  
Calculations are based on raw values

H Holding times for preparation or analysis exceeded  
S Spike/Surrogate outside of limits due to matrix interference



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040



August 19, 2009



FL Cert #E87847/LA Cert #04140  
EPA Methods TO3, TO14A, TO15, 25C/3C  
RSK-175

TX Cert #T104704450-09-TX  
EPA Methods TO14A, TO15

Advanced Technology Labs, Inc.  
ATTN: Rachelle Arada  
3275 Walnut Ave.  
Signal Hill, CA 90755

AZ Dept of Health Services #AZ0737  
EPA Methods TO3, TO14A, TO15, 15, 16, 25C

### LABORATORY TEST RESULTS

Project Reference: 106779  
Lab Number: A9081102-01/02

Enclosed are results for sample(s) received 8/11/09 by Air Technology Laboratories. Analyses were performed according to specifications on the chain of custody provided with the sample(s).

Report Narrative:

- Sample analyses were performed within method performance criteria, and meet all requirements of the NELAC Standards.
- All results are reported without qualifications unless otherwise noted.

ATL appreciates the opportunity to provide testing services to your company. If you have any questions regarding these results, please call me at (626) 964-4032.

Sincerely,

A handwritten signature in black ink, appearing to read "Mark Johnson".

Mark Johnson  
Operations Manager  
MJohnson@AirTechLabs.com

Enclosures

Note: The cover letter is an integral part of this analytical report.

Client: Advanced Technology Laboratories  
Attn: Rachelle Arada

Page 2 of 3  
A9081102

Client's Project: 106779  
Date Received: 8/11/09  
Matrix: Water  
Units: ug/L

Dissolved Gases by EPA Procedure RSKSOP-175

Lab No.:	A9081102-01	A9081102-02									
Client Sample I.D.:	106779-002C / MW-3	106779-003C / MW-8									
Date Sampled:	8/7/09	8/7/09									
Date Analyzed:	8/12/09	8/12/09									
Analyst Initials:	ZK	ZK									
Data File:	11aug039	11aug040									
QC Batch:	090811GC8A1	090811GC8A1									
Dilution Factor:	1.0	1.0									
ANALYTE	PQL	RL	Results	RL	Results						
Methane	1.0	1.0	63	1.0	460						
Ethane	2.0	2.0	2.7	2.0	5.9						
Ethylene	3.0	3.0	16	3.0	ND						

PQL = Practical Quantitation Limit

ND = Not Detected (Below RL)

RL = PQL X Dilution Factor

Reviewed/Approved By:

Mark J. Johnson  
Operations Manager

Date: 8-18-09

The cover letter is an integral part of this analytical report



Air TECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No.: 090811GC8A1  
Matrix: Water  
Units: ug/L

Page 3 of 3  
A9081102

QC for Dissolved Gases by EPA Procedure RSKSOP-175

Lab No.:	Method Blank		LCS		LCSD				
Date Analyzed:	08/11/09		08/11/09		08/11/09				
Analyst Initials:	ZK		ZK		ZK				
Datafile:	11aug020		11aug017		11aug018				
Dilution Factor:	1.0		1.0		1.0				
ANALYTE	PQL	RL	Results	% Rec.	Criteria	% Rec.	Criteria	%RPD	Criteria
Methane	1.0	1.0	ND	100	70-130%	103	70-130%	3.6	<30
Ethane	2.0	2.0	ND	110	70-130%	107	70-130%	2.9	<30
Ethylene	3.0	3.0	ND	105	70-130%	107	70-130%	2.1	<30

PQL = Practical Quantitation Limit

ND = Not Detected (Below RL).

RL = PQL X Dilution Factor

Reviewed/Approved By:

  
Mark J. Johnson  
Operations Manager


Date: 8-18-09

The cover letter is an integral part of this analytical report.



Air TECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832



# Advanced Technology Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755-5225

www.atlglobal.com

TEL: (562) 989-4045

FAX: (562) 989-4040

# CHAIN-OF-CUSTODY RECORD

A9081102 - 01/02  
Page 1 of 1

QC Level: RWQCB

Subcontractor:

Air Technology Laboratories  
18501 E. Gale Ave, Suite 130  
City of Industry, CA 91748

TEL: (626) 964-4032  
FAX: (626) 964-5832  
Acct #:

Field Sampler: Nathan Collen

08-Aug-09

Sample ID	Matrix	Date Collected	Bottle Type	Requested Tests		
				RSK175		
01 106779-002C	/ MW-3	Groundwater	8/7/2009 10:55:00 AM	VOA	1	
02 106779-003C	/ MW-8	Groundwater	8/7/2009 11:40:00 AM	VOA	1	

4-8°C +

General Comments: Please email sample receipt acknowledgement to the PM.  
Please use PO#: SC04859      Please fax results by: Normal TAT  
Please report Methane, Ethane, Ethene only  
Please send report to Rachelle Arada

Relinquished by:	Date/Time	Received by:	Date/Time
<i>[Signature]</i>	8/8/09 11:11	<i>[Signature]</i>	8/11/09 8:55 a
Relinquished by:		Received by:	

# CHAIN OF CUSTODY RECORD

Pg 1 of 1

 <p><b>Advanced Technology Laboratories</b></p> <p>3275 Walnut Avenue Signal Hill, CA 90755 (562) 989-4045 • Fax (562) 989-4040</p>	<b>FOR LABORATORY USE ONLY:</b>														
	P.O.#: _____				Method of Transport			Sample Condition Upon Receipt							
				Client <input type="checkbox"/>	5.0	1. CHILLED <input type="checkbox"/>	Y <input type="checkbox"/> N <input type="checkbox"/> 4. CUSTODY SEAL <input type="checkbox"/>	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>							
				ATL <input type="checkbox"/>	2. HEADSPACE (VOA) <input type="checkbox"/>	Y <input type="checkbox"/> N <input checked="" type="checkbox"/> 5. # OF SPLS MATCH COC <input type="checkbox"/>	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>								
				CA OverN <input checked="" type="checkbox"/>	3. CONTAINER INTACT <input type="checkbox"/>	Y <input checked="" type="checkbox"/> N <input type="checkbox"/> 6. PRESERVED <input type="checkbox"/>	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>								
				FEDEX <input type="checkbox"/>	Other: _____										
Logged By: _____ Date: <u>8/8/09</u>															
Client: <u>The Source Group, Inc.</u> Attn: <u>Kent Reynolds</u>				Address: <u>3451-C Vincent Rd.</u> City <u>Pleasant Hill</u> State <u>CA</u> Zip Code <u>94523</u>				TEL: <u>(925) 1944-2856 x325</u> FAX: <u>(925) 1944-2859</u>							
Project Name: <u>ABT I Foundry</u>				Project #: <u>01-ABI.001</u> Sampler: <u>Nathan C. Chen</u> <u>N. C. Chen</u> (Signature)											
Relinquished by: <u>N. C. Chen</u> Date: <u>8/7/09</u> Time: <u>1420</u>				Received by: <u>Mirya M. M.</u>				Date: <u>8/8/09</u> Time: <u>1015</u>							
Relinquished by: _____ Date: _____ Time: _____				Received by: _____				Date: _____ Time: _____							
Relinquished by: _____ Date: _____ Time: _____				Received by: _____				Date: _____ Time: _____							
I hereby authorize ATL to perform the work indicated below: Project Mgr /Submitter: <u>Nathan C. Chen</u> <u>8/7/09</u> Print Name Date <u>N. C. Chen</u> Signature			Send Report To: Attn: <u>Kent Reynolds</u> Co: <u>The Source Group, Inc.</u> Address <u>3451-C Vincent Rd.</u> City <u>Pleasant Hill</u> State <u>CA</u> Zip <u>94523</u>			Bill To: Attn: _____ Co: <u>SAME</u> Address _____ City _____ State _____ Zip _____			Special Instructions/Comments: <u>0.5 ppb reporting limit for vinyl chloride</u> <u>Gen batches ID: T0600100065</u> <u>Include EPP &amp; EDF</u>						
<b>Sample/Records - Archival &amp; Disposal</b> Unless otherwise requested by client, all samples will be disposed 45 days after receipt and records will be disposed 1 year after submittal of final report.				Circle or Add Analysis(es) Requested 8081A (Pesticides) 8082 (PCB) 8260B (Volatiles) 8270C (BNA) 8610B (Total Metal) 8915B (GRO) / 8920 (EPIC) 8915B (DRO) 8921 (STEX) TITLE 22/CAM 17 (6010/1700) <u>8111a Gel C 14</u> <u>8111b Ethanol Ethyl Alcohol</u> <u>8111c 10C</u> <u>8111d Ethylene Glycol</u> <u>8111e Solid</u> <u>8111f Soil</u> <u>8111g Drinking Water</u> <u>8111h Ground Water</u> <u>8111i Wastewater</u> <u>8111j Stormwater</u> <u>8111k Aqueous</u>											
				<b>SPECIFY APPROPRIATE MATRIX</b> Container(s) TAT # Type <u>E 7 H</u> <u>E 9 H</u> <u>E 9 H</u> <u>E 9 H</u>											
				<b>PRESERVATION</b> <b>QA/QC</b> RTNE <input type="checkbox"/> CT <input type="checkbox"/>  SWRCB <input type="checkbox"/> Logcode _____  OTHER _____  <b>REMARKS</b>											
I T E M	LAB USE ONLY: Batch #:		Sample Description												
	Lab No.	Sample I.D. / Location	Date	Time											
<u>106779-01</u> <u>2</u> <u>3</u> <u>4</u>	<u>MW-9</u>	<u>8/7/09</u>	<u>955</u>	X	XX	X									
	<u>MW-3</u>	<u>1055</u>		X		XX	X								
	<u>MW-8</u>	<u>1140</u>		X		XX	X								
	<u>Tri-p Blank</u>	<u>-</u>		X				X							
• TAT starts 8 a.m. following day if samples received after 3 p.m.				TAT: A= Overnight ≤ 24 hr		B= Emergency Next workday		C= Critical 2 Workdays		D= Urgent 3 Workdays		E= Routine 7 Workdays		Preservatives: H=HCl N=NHO <sub>3</sub> S=H <sub>2</sub> SO <sub>4</sub> C=4°C Z=Zn(AC) <sub>2</sub> O=NaOH T=Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub>	
				Container Types: T=Tube V=VOA L=Liter P=Pint J=Jar B=Tedlar G=Glass P=Plastic M=Metal											
DISTRIBUTION: White with report, Yellow to folder, Pink to submitter.															

**SEPTEMBER 2009 ANALYTICAL DATA**

September 18, 2009



Kent Reynolds  
The Source Group Inc.  
3451 Vincent Dr., Suite C  
Pleasant Hill, CA 94523  
  
TEL: (925) 944-2856  
FAX: (925) 944-2859

ELAP No.: 1838  
NELAP No.: 02107CA  
NEVADA.: CA-401  
CSDLAC No.: 10196  
  
Workorder No.: 107363

RE: AB&I Foundry, 01-ABI.001

Attention: Kent Reynolds

Enclosed are the results for sample(s) received on September 11, 2009 by Advanced Technology Laboratories . The sample(s) are tested for the parameters as indicated in the enclosed chain of custody in accordance with the applicable laboratory certifications.

Thank you for the opportunity to service the needs of your company.

Please feel free to call me at (562)989-4045 if I can be of further assistance to your company.

Sincerely,

A handwritten signature in black ink, appearing to read "Eddie F. Rodriguez".  
Eddie F. Rodriguez  
Laboratory Director

The cover letter and the case narrative are an integral part of this analytical report and cannot be reproduced in part or in its entirety without written permission from the client and Advanced Technology Laboratories.



Advanced Technology  
Laboratories

3275 Walnut Avenue Signal Hill, CA 90755 Tel: 562 989-4045 Fax: 562 989-4040

## **Advanced Technology Laboratories**

**Date:** 18-Sep-09

**CLIENT:** The Source Group Inc.  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab Order:** 107363

## **CASE NARRATIVE**

### Analytical Comments for SM 5310B

Sample 107363-003B-MS, Matrix Spike (MS) is outside recovery criteria; however, the analytical batch was validated by the Laboratory Control Sample (LCS).

### Analytical Comments for EPA 8015B (DRO)

Samples MB-58179, MB-85179MS and MB-58179MSD, surrogate recovery biased low. The sample was reanalyzed and demonstrated the same low recovery.

### Analytical Comments for EPA 8260B

Results were J-Flag. "J" is used to flag those results that are between the PQL (Practical Quantitation Limit) and the calculated MDL (Method Detection Limit). Results that are "J" Flagged are estimated values since it becomes difficult to accurately quantitate the analyte near the MDL.



**Advanced Technology  
Laboratories**

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

Page 1 of 1

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 18-Sep-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 107363  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 107363-001A

**Client Sample ID:** MW-9  
**Collection Date:** 9/10/2009 8:55:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>							
<b>EPA 8260B</b>							
RunID: <b>MS11_090916B</b>	QC Batch: <b>A09VW167</b>			PrepDate:		<b>Analyst: SLL</b>	
1,1,1,2-Tetrachloroethane	ND	0.45	0.50	µg/L	1	9/17/2009 02:29 AM	
1,1,1-Trichloroethane	ND	0.27	0.50	µg/L	1	9/17/2009 02:29 AM	
1,1,2,2-Tetrachloroethane	ND	0.35	0.50	µg/L	1	9/17/2009 02:29 AM	
1,1,2-Trichloroethane	ND	0.43	0.50	µg/L	1	9/17/2009 02:29 AM	
1,1-Dichloroethane	ND	0.17	0.50	µg/L	1	9/17/2009 02:29 AM	
1,1-Dichloroethene	ND	0.19	0.50	µg/L	1	9/17/2009 02:29 AM	
1,1-Dichloropropene	ND	0.30	0.50	µg/L	1	9/17/2009 02:29 AM	
1,2,3-Trichlorobenzene	ND	0.48	0.50	µg/L	1	9/17/2009 02:29 AM	
1,2,3-Trichloropropane	ND	0.24	0.50	µg/L	1	9/17/2009 02:29 AM	
1,2,4-Trichlorobenzene	ND	0.43	0.50	µg/L	1	9/17/2009 02:29 AM	
1,2,4-Trimethylbenzene	ND	0.44	0.50	µg/L	1	9/17/2009 02:29 AM	
1,2-Dibromo-3-chloropropane	ND	0.35	0.50	µg/L	1	9/17/2009 02:29 AM	
1,2-Dibromoethane	ND	0.37	0.50	µg/L	1	9/17/2009 02:29 AM	
1,2-Dichlorobenzene	ND	0.27	0.50	µg/L	1	9/17/2009 02:29 AM	
1,2-Dichloroethane	ND	0.16	0.50	µg/L	1	9/17/2009 02:29 AM	
1,2-Dichloropropane	ND	0.20	0.50	µg/L	1	9/17/2009 02:29 AM	
1,3,5-Trimethylbenzene	0.44	0.36	0.50	J µg/L	1	9/17/2009 02:29 AM	
1,3-Dichlorobenzene	ND	0.28	0.50	µg/L	1	9/17/2009 02:29 AM	
1,3-Dichloropropane	ND	0.32	0.50	µg/L	1	9/17/2009 02:29 AM	
1,4-Dichlorobenzene	ND	0.24	0.50	µg/L	1	9/17/2009 02:29 AM	
2,2-Dichloropropane	ND	0.32	0.50	µg/L	1	9/17/2009 02:29 AM	
2-Chlorotoluene	ND	0.31	0.50	µg/L	1	9/17/2009 02:29 AM	
4-Chlorotoluene	ND	0.23	0.50	µg/L	1	9/17/2009 02:29 AM	
4-Isopropyltoluene	4.2	0.36	0.50	µg/L	1	9/17/2009 02:29 AM	
Benzene	5.7	0.17	0.50	µg/L	1	9/17/2009 02:29 AM	
Bromobenzene	ND	0.21	0.50	µg/L	1	9/17/2009 02:29 AM	
Bromodichloromethane	ND	0.39	0.50	µg/L	1	9/17/2009 02:29 AM	
Bromoform	ND	0.30	0.50	µg/L	1	9/17/2009 02:29 AM	
Bromomethane	ND	0.32	0.50	µg/L	1	9/17/2009 02:29 AM	
Carbon tetrachloride	ND	0.38	0.50	µg/L	1	9/17/2009 02:29 AM	
Chlorobenzene	ND	0.28	0.50	µg/L	1	9/17/2009 02:29 AM	
Chloroethane	ND	0.35	0.50	µg/L	1	9/17/2009 02:29 AM	
Chloroform	ND	0.23	0.50	µg/L	1	9/17/2009 02:29 AM	
Chloromethane	ND	0.32	0.50	µg/L	1	9/17/2009 02:29 AM	
cis-1,2-Dichloroethene	ND	0.15	0.50	µg/L	1	9/17/2009 02:29 AM	

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 18-Sep-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 107363  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 107363-001A

**Client Sample ID:** MW-9  
**Collection Date:** 9/10/2009 8:55:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS11_090916B	QC Batch: A09VW167			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	0.29	0.50	µg/L	1	9/17/2009 02:29 AM
Dibromochloromethane	ND	0.40	0.50	µg/L	1	9/17/2009 02:29 AM
Dibromomethane	ND	0.19	0.50	µg/L	1	9/17/2009 02:29 AM
Dichlorodifluoromethane	ND	0.33	0.50	µg/L	1	9/17/2009 02:29 AM
Ethylbenzene	1.4	0.22	0.50	µg/L	1	9/17/2009 02:29 AM
Hexachlorobutadiene	ND	0.28	0.50	µg/L	1	9/17/2009 02:29 AM
Isopropylbenzene	4.0	0.30	0.50	µg/L	1	9/17/2009 02:29 AM
m,p-Xylene	1.7	0.49	1.0	µg/L	1	9/17/2009 02:29 AM
Methylene chloride	ND	1.0	1.0	µg/L	1	9/17/2009 02:29 AM
n-Butylbenzene	0.45	0.30	0.50	µg/L	1	9/17/2009 02:29 AM
n-Propylbenzene	3.8	0.36	0.50	µg/L	1	9/17/2009 02:29 AM
Naphthalene	0.87	0.35	0.50	µg/L	1	9/17/2009 02:29 AM
o-Xylene	ND	0.27	0.50	µg/L	1	9/17/2009 02:29 AM
sec-Butylbenzene	0.77	0.33	0.50	µg/L	1	9/17/2009 02:29 AM
Styrene	ND	0.38	0.50	µg/L	1	9/17/2009 02:29 AM
tert-Butylbenzene	ND	0.35	0.50	µg/L	1	9/17/2009 02:29 AM
Tetrachloroethene	ND	0.19	0.50	µg/L	1	9/17/2009 02:29 AM
Toluene	0.36	0.22	0.50	µg/L	1	9/17/2009 02:29 AM
trans-1,2-Dichloroethene	ND	0.22	0.50	µg/L	1	9/17/2009 02:29 AM
Trichloroethene	ND	0.15	0.50	µg/L	1	9/17/2009 02:29 AM
Trichlorofluoromethane	ND	0.26	0.50	µg/L	1	9/17/2009 02:29 AM
Vinyl chloride	ND	0.34	0.50	µg/L	1	9/17/2009 02:29 AM
Surr: 1,2-Dichloroethane-d4	81.3	0	70-130	%REC	1	9/17/2009 02:29 AM
Surr: 4-Bromofluorobenzene	87.1	0	70-130	%REC	1	9/17/2009 02:29 AM
Surr: Dibromofluoromethane	83.3	0	70-130	%REC	1	9/17/2009 02:29 AM
Surr: Toluene-d8	96.6	0	70-130	%REC	1	9/17/2009 02:29 AM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 18-Sep-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 107363  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 107363-002A

**Client Sample ID:** MW-3  
**Collection Date:** 9/10/2009 9:55:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS11_090916B	QC Batch: A09VW167			PrepDate:		Analyst: SLL
1,1,1,2-Tetrachloroethane	ND	0.45	0.50	µg/L	1	9/17/2009 02:10 AM
1,1,1-Trichloroethane	ND	0.27	0.50	µg/L	1	9/17/2009 02:10 AM
1,1,2,2-Tetrachloroethane	ND	0.35	0.50	µg/L	1	9/17/2009 02:10 AM
1,1,2-Trichloroethane	ND	0.43	0.50	µg/L	1	9/17/2009 02:10 AM
1,1-Dichloroethane	5.6	0.17	0.50	µg/L	1	9/17/2009 02:10 AM
1,1-Dichloroethene	11	0.19	0.50	µg/L	1	9/17/2009 02:10 AM
1,1-Dichloropropene	ND	0.30	0.50	µg/L	1	9/17/2009 02:10 AM
1,2,3-Trichlorobenzene	ND	0.48	0.50	µg/L	1	9/17/2009 02:10 AM
1,2,3-Trichloropropane	ND	0.24	0.50	µg/L	1	9/17/2009 02:10 AM
1,2,4-Trichlorobenzene	ND	0.43	0.50	µg/L	1	9/17/2009 02:10 AM
1,2,4-Trimethylbenzene	ND	0.44	0.50	µg/L	1	9/17/2009 02:10 AM
1,2-Dibromo-3-chloropropane	ND	0.35	0.50	µg/L	1	9/17/2009 02:10 AM
1,2-Dibromoethane	ND	0.37	0.50	µg/L	1	9/17/2009 02:10 AM
1,2-Dichlorobenzene	ND	0.27	0.50	µg/L	1	9/17/2009 02:10 AM
1,2-Dichloroethane	ND	0.16	0.50	µg/L	1	9/17/2009 02:10 AM
1,2-Dichloropropane	ND	0.20	0.50	µg/L	1	9/17/2009 02:10 AM
1,3,5-Trimethylbenzene	ND	0.36	0.50	µg/L	1	9/17/2009 02:10 AM
1,3-Dichlorobenzene	ND	0.28	0.50	µg/L	1	9/17/2009 02:10 AM
1,3-Dichloropropane	ND	0.32	0.50	µg/L	1	9/17/2009 02:10 AM
1,4-Dichlorobenzene	ND	0.24	0.50	µg/L	1	9/17/2009 02:10 AM
2,2-Dichloropropane	ND	0.32	0.50	µg/L	1	9/17/2009 02:10 AM
2-Chlorotoluene	ND	0.31	0.50	µg/L	1	9/17/2009 02:10 AM
4-Chlorotoluene	ND	0.23	0.50	µg/L	1	9/17/2009 02:10 AM
4-Isopropyltoluene	ND	0.36	0.50	µg/L	1	9/17/2009 02:10 AM
Benzene	0.72	0.17	0.50	µg/L	1	9/17/2009 02:10 AM
Bromobenzene	ND	0.21	0.50	µg/L	1	9/17/2009 02:10 AM
Bromodichloromethane	ND	0.39	0.50	µg/L	1	9/17/2009 02:10 AM
Bromoform	ND	0.30	0.50	µg/L	1	9/17/2009 02:10 AM
Bromomethane	ND	0.32	0.50	µg/L	1	9/17/2009 02:10 AM
Carbon tetrachloride	ND	0.38	0.50	µg/L	1	9/17/2009 02:10 AM
Chlorobenzene	ND	0.28	0.50	µg/L	1	9/17/2009 02:10 AM
Chloroethane	150	1.8	2.5	µg/L	5	9/17/2009 08:26 AM
Chloroform	ND	0.23	0.50	µg/L	1	9/17/2009 02:10 AM
Chloromethane	ND	0.32	0.50	µg/L	1	9/17/2009 02:10 AM
cis-1,2-Dichloroethene	0.20	0.15	0.50	J µg/L	1	9/17/2009 02:10 AM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 18-Sep-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 107363  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 107363-002A

**Client Sample ID:** MW-3  
**Collection Date:** 9/10/2009 9:55:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS11_090916B	QC Batch: A09VW167			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	0.29	0.50	µg/L	1	9/17/2009 02:10 AM
Dibromochloromethane	ND	0.40	0.50	µg/L	1	9/17/2009 02:10 AM
Dibromomethane	ND	0.19	0.50	µg/L	1	9/17/2009 02:10 AM
Dichlorodifluoromethane	ND	0.33	0.50	µg/L	1	9/17/2009 02:10 AM
Ethylbenzene	ND	0.22	0.50	µg/L	1	9/17/2009 02:10 AM
Hexachlorobutadiene	ND	0.28	0.50	µg/L	1	9/17/2009 02:10 AM
Isopropylbenzene	ND	0.30	0.50	µg/L	1	9/17/2009 02:10 AM
m,p-Xylene	ND	0.49	1.0	µg/L	1	9/17/2009 02:10 AM
Methylene chloride	ND	1.0	1.0	µg/L	1	9/17/2009 02:10 AM
n-Butylbenzene	ND	0.30	0.50	µg/L	1	9/17/2009 02:10 AM
n-Propylbenzene	ND	0.36	0.50	µg/L	1	9/17/2009 02:10 AM
Naphthalene	ND	0.35	0.50	µg/L	1	9/17/2009 02:10 AM
o-Xylene	ND	0.27	0.50	µg/L	1	9/17/2009 02:10 AM
sec-Butylbenzene	ND	0.33	0.50	µg/L	1	9/17/2009 02:10 AM
Styrene	ND	0.38	0.50	µg/L	1	9/17/2009 02:10 AM
tert-Butylbenzene	ND	0.35	0.50	µg/L	1	9/17/2009 02:10 AM
Tetrachloroethene	ND	0.19	0.50	µg/L	1	9/17/2009 02:10 AM
Toluene	9.8	0.22	0.50	µg/L	1	9/17/2009 02:10 AM
trans-1,2-Dichloroethene	0.47	0.22	0.50	µg/L	1	9/17/2009 02:10 AM
Trichloroethene	ND	0.15	0.50	µg/L	1	9/17/2009 02:10 AM
Trichlorofluoromethane	ND	0.26	0.50	µg/L	1	9/17/2009 02:10 AM
Vinyl chloride	3.6	0.34	0.50	µg/L	1	9/17/2009 02:10 AM
Surr: 1,2-Dichloroethane-d4	78.1	0	70-130	%REC	1	9/17/2009 02:10 AM
Surr: 1,2-Dichloroethane-d4	72.6	0	70-130	%REC	5	9/17/2009 08:26 AM
Surr: 4-Bromofluorobenzene	84.9	0	70-130	%REC	1	9/17/2009 02:10 AM
Surr: 4-Bromofluorobenzene	85.0	0	70-130	%REC	5	9/17/2009 08:26 AM
Surr: Dibromofluoromethane	87.8	0	70-130	%REC	1	9/17/2009 02:10 AM
Surr: Dibromofluoromethane	86.2	0	70-130	%REC	5	9/17/2009 08:26 AM
Surr: Toluene-d8	96.0	0	70-130	%REC	5	9/17/2009 08:26 AM
Surr: Toluene-d8	94.9	0	70-130	%REC	1	9/17/2009 02:10 AM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 18-Sep-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 107363  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 107363-003A

**Client Sample ID:** MW-8  
**Collection Date:** 9/10/2009 10:50:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
<b>VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>							
<b>EPA 8260B</b>							
RunID: <b>MS11_090916B</b>	QC Batch: <b>A09VW167</b>			PrepDate:			<b>Analyst: SLL</b>
1,1,1,2-Tetrachloroethane	ND	2.3	2.5	µg/L	5	9/17/2009 03:08 AM	
1,1,1-Trichloroethane	45	1.3	2.5	µg/L	5	9/17/2009 03:08 AM	
1,1,2,2-Tetrachloroethane	ND	1.7	2.5	µg/L	5	9/17/2009 03:08 AM	
1,1,2-Trichloroethane	ND	2.2	2.5	µg/L	5	9/17/2009 03:08 AM	
1,1-Dichloroethane	2600	8.3	25	µg/L	50	9/17/2009 03:28 AM	
1,1-Dichloroethene	1100	9.5	25	µg/L	50	9/17/2009 03:28 AM	
1,1-Dichloropropene	ND	1.5	2.5	µg/L	5	9/17/2009 03:08 AM	
1,2,3-Trichlorobenzene	ND	2.4	2.5	µg/L	5	9/17/2009 03:08 AM	
1,2,3-Trichloropropane	ND	1.2	2.5	µg/L	5	9/17/2009 03:08 AM	
1,2,4-Trichlorobenzene	ND	2.2	2.5	µg/L	5	9/17/2009 03:08 AM	
1,2,4-Trimethylbenzene	ND	2.2	2.5	µg/L	5	9/17/2009 03:08 AM	
1,2-Dibromo-3-chloropropane	ND	1.8	2.5	µg/L	5	9/17/2009 03:08 AM	
1,2-Dibromoethane	ND	1.9	2.5	µg/L	5	9/17/2009 03:08 AM	
1,2-Dichlorobenzene	ND	1.4	2.5	µg/L	5	9/17/2009 03:08 AM	
1,2-Dichloroethane	1.7	0.82	2.5	J µg/L	5	9/17/2009 03:08 AM	
1,2-Dichloropropane	ND	1.0	2.5	µg/L	5	9/17/2009 03:08 AM	
1,3,5-Trimethylbenzene	ND	1.8	2.5	µg/L	5	9/17/2009 03:08 AM	
1,3-Dichlorobenzene	ND	1.4	2.5	µg/L	5	9/17/2009 03:08 AM	
1,3-Dichloropropane	ND	1.6	2.5	µg/L	5	9/17/2009 03:08 AM	
1,4-Dichlorobenzene	ND	1.2	2.5	µg/L	5	9/17/2009 03:08 AM	
2,2-Dichloropropane	ND	1.6	2.5	µg/L	5	9/17/2009 03:08 AM	
2-Chlorotoluene	ND	1.5	2.5	µg/L	5	9/17/2009 03:08 AM	
4-Chlorotoluene	ND	1.2	2.5	µg/L	5	9/17/2009 03:08 AM	
4-Isopropyltoluene	ND	1.8	2.5	µg/L	5	9/17/2009 03:08 AM	
Benzene	3.4	0.85	2.5	µg/L	5	9/17/2009 03:08 AM	
Bromobenzene	ND	1.1	2.5	µg/L	5	9/17/2009 03:08 AM	
Bromodichloromethane	ND	1.9	2.5	µg/L	5	9/17/2009 03:08 AM	
Bromoform	ND	1.5	2.5	µg/L	5	9/17/2009 03:08 AM	
Bromomethane	ND	1.6	2.5	µg/L	5	9/17/2009 03:08 AM	
Carbon tetrachloride	6.4	1.9	2.5	µg/L	5	9/17/2009 03:08 AM	
Chlorobenzene	ND	1.4	2.5	µg/L	5	9/17/2009 03:08 AM	
Chloroethane	340	1.8	2.5	µg/L	5	9/17/2009 03:08 AM	
Chloroform	ND	1.2	2.5	µg/L	5	9/17/2009 03:08 AM	
Chloromethane	ND	1.6	2.5	µg/L	5	9/17/2009 03:08 AM	
cis-1,2-Dichloroethene	ND	0.74	2.5	µg/L	5	9/17/2009 03:08 AM	

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 18-Sep-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 107363  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 107363-003A

**Client Sample ID:** MW-8  
**Collection Date:** 9/10/2009 10:50:00 AM  
**Matrix:** GROUNDWATER

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS11_090916B	QC Batch: A09VW167			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	1.4	2.5	µg/L	5	9/17/2009 03:08 AM
Dibromochloromethane	ND	2.0	2.5	µg/L	5	9/17/2009 03:08 AM
Dibromomethane	ND	0.93	2.5	µg/L	5	9/17/2009 03:08 AM
Dichlorodifluoromethane	ND	1.6	2.5	µg/L	5	9/17/2009 03:08 AM
Ethylbenzene	ND	1.1	2.5	µg/L	5	9/17/2009 03:08 AM
Hexachlorobutadiene	ND	1.4	2.5	µg/L	5	9/17/2009 03:08 AM
Isopropylbenzene	4.0	1.5	2.5	µg/L	5	9/17/2009 03:08 AM
m,p-Xylene	ND	2.5	5.0	µg/L	5	9/17/2009 03:08 AM
Methylene chloride	ND	5.0	5.0	µg/L	5	9/17/2009 03:08 AM
n-Butylbenzene	ND	1.5	2.5	µg/L	5	9/17/2009 03:08 AM
n-Propylbenzene	ND	1.8	2.5	µg/L	5	9/17/2009 03:08 AM
Naphthalene	ND	1.8	2.5	µg/L	5	9/17/2009 03:08 AM
o-Xylene	ND	1.3	2.5	µg/L	5	9/17/2009 03:08 AM
sec-Butylbenzene	ND	1.6	2.5	µg/L	5	9/17/2009 03:08 AM
Styrene	ND	1.9	2.5	µg/L	5	9/17/2009 03:08 AM
tert-Butylbenzene	ND	1.8	2.5	µg/L	5	9/17/2009 03:08 AM
Tetrachloroethene	ND	0.97	2.5	µg/L	5	9/17/2009 03:08 AM
Toluene	ND	1.1	2.5	µg/L	5	9/17/2009 03:08 AM
trans-1,2-Dichloroethene	ND	1.1	2.5	µg/L	5	9/17/2009 03:08 AM
Trichloroethene	ND	0.74	2.5	µg/L	5	9/17/2009 03:08 AM
Trichlorofluoromethane	ND	1.3	2.5	µg/L	5	9/17/2009 03:08 AM
Vinyl chloride	50	1.7	2.5	µg/L	5	9/17/2009 03:08 AM
Surr: 1,2-Dichloroethane-d4	76.9	0	70-130	%REC	5	9/17/2009 03:08 AM
Surr: 1,2-Dichloroethane-d4	79.0	0	70-130	%REC	50	9/17/2009 03:28 AM
Surr: 4-Bromofluorobenzene	85.6	0	70-130	%REC	5	9/17/2009 03:08 AM
Surr: 4-Bromofluorobenzene	85.5	0	70-130	%REC	50	9/17/2009 03:28 AM
Surr: Dibromofluoromethane	88.3	0	70-130	%REC	5	9/17/2009 03:08 AM
Surr: Dibromofluoromethane	89.0	0	70-130	%REC	50	9/17/2009 03:28 AM
Surr: Toluene-d8	93.6	0	70-130	%REC	50	9/17/2009 03:28 AM
Surr: Toluene-d8	92.3	0	70-130	%REC	5	9/17/2009 03:08 AM

<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike/Surrogate outside of limits due to matrix interference
		Results are wet unless otherwise specified	DO	Surrogate Diluted Out



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

# ANALYTICAL RESULTS

Print Date: 18-Sep-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 107363  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 107363-004A

**Client Sample ID:** Trip Blank  
**Collection Date:**  
**Matrix:** AQUEOUS

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

## VOLATILE ORGANIC COMPOUNDS BY GC/MS

### EPA 8260B

RunID: MS2_090915C	QC Batch: Q09VW181			PrepDate:		Analyst: SLL
1,1,1,2-Tetrachloroethane	ND	0.45	0.50	µg/L	1	9/16/2009 07:44 AM
1,1,1-Trichloroethane	ND	0.27	0.50	µg/L	1	9/16/2009 07:44 AM
1,1,2,2-Tetrachloroethane	ND	0.35	0.50	µg/L	1	9/16/2009 07:44 AM
1,1,2-Trichloroethane	ND	0.43	0.50	µg/L	1	9/16/2009 07:44 AM
1,1-Dichloroethane	ND	0.17	0.50	µg/L	1	9/16/2009 07:44 AM
1,1-Dichloroethene	ND	0.19	0.50	µg/L	1	9/16/2009 07:44 AM
1,1-Dichloropropene	ND	0.30	0.50	µg/L	1	9/16/2009 07:44 AM
1,2,3-Trichlorobenzene	ND	0.48	0.50	µg/L	1	9/16/2009 07:44 AM
1,2,3-Trichloropropane	ND	0.24	0.50	µg/L	1	9/16/2009 07:44 AM
1,2,4-Trichlorobenzene	ND	0.43	0.50	µg/L	1	9/16/2009 07:44 AM
1,2,4-Trimethylbenzene	ND	0.44	0.50	µg/L	1	9/16/2009 07:44 AM
1,2-Dibromo-3-chloropropane	ND	0.35	0.50	µg/L	1	9/16/2009 07:44 AM
1,2-Dibromoethane	ND	0.37	0.50	µg/L	1	9/16/2009 07:44 AM
1,2-Dichlorobenzene	ND	0.27	0.50	µg/L	1	9/16/2009 07:44 AM
1,2-Dichloroethane	ND	0.16	0.50	µg/L	1	9/16/2009 07:44 AM
1,2-Dichloropropane	ND	0.20	0.50	µg/L	1	9/16/2009 07:44 AM
1,3,5-Trimethylbenzene	ND	0.36	0.50	µg/L	1	9/16/2009 07:44 AM
1,3-Dichlorobenzene	ND	0.28	0.50	µg/L	1	9/16/2009 07:44 AM
1,3-Dichloropropane	ND	0.32	0.50	µg/L	1	9/16/2009 07:44 AM
1,4-Dichlorobenzene	ND	0.24	0.50	µg/L	1	9/16/2009 07:44 AM
2,2-Dichloropropane	ND	0.32	0.50	µg/L	1	9/16/2009 07:44 AM
2-Chlorotoluene	ND	0.31	0.50	µg/L	1	9/16/2009 07:44 AM
4-Chlorotoluene	ND	0.23	0.50	µg/L	1	9/16/2009 07:44 AM
4-Isopropyltoluene	ND	0.36	0.50	µg/L	1	9/16/2009 07:44 AM
Benzene	ND	0.17	0.50	µg/L	1	9/16/2009 07:44 AM
Bromobenzene	ND	0.21	0.50	µg/L	1	9/16/2009 07:44 AM
Bromodichloromethane	ND	0.39	0.50	µg/L	1	9/16/2009 07:44 AM
Bromoform	ND	0.30	0.50	µg/L	1	9/16/2009 07:44 AM
Bromomethane	ND	0.32	0.50	µg/L	1	9/16/2009 07:44 AM
Carbon tetrachloride	ND	0.38	0.50	µg/L	1	9/16/2009 07:44 AM
Chlorobenzene	ND	0.28	0.50	µg/L	1	9/16/2009 07:44 AM
Chloroethane	ND	0.35	0.50	µg/L	1	9/16/2009 07:44 AM
Chloroform	ND	0.23	0.50	µg/L	1	9/16/2009 07:44 AM
Chloromethane	ND	0.32	0.50	µg/L	1	9/16/2009 07:44 AM
cis-1,2-Dichloroethene	ND	0.15	0.50	µg/L	1	9/16/2009 07:44 AM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# Advanced Technology Laboratories

## ANALYTICAL RESULTS

Print Date: 18-Sep-09

**CLIENT:** The Source Group Inc.  
**Lab Order:** 107363  
**Project:** AB&I Foundry, 01-ABI.001  
**Lab ID:** 107363-004A

**Client Sample ID:** Trip Blank  
**Collection Date:**  
**Matrix:** AQUEOUS

Analyses	Result	MDL	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	-----	------	-------	----	---------------

### VOLATILE ORGANIC COMPOUNDS BY GC/MS

#### EPA 8260B

RunID: MS2_090915C	QC Batch: Q09VW181			PrepDate:		Analyst: SLL
cis-1,3-Dichloropropene	ND	0.29	0.50	µg/L	1	9/16/2009 07:44 AM
Dibromochloromethane	ND	0.40	0.50	µg/L	1	9/16/2009 07:44 AM
Dibromomethane	ND	0.19	0.50	µg/L	1	9/16/2009 07:44 AM
Dichlorodifluoromethane	ND	0.33	0.50	µg/L	1	9/16/2009 07:44 AM
Ethylbenzene	ND	0.22	0.50	µg/L	1	9/16/2009 07:44 AM
Hexachlorobutadiene	ND	0.28	0.50	µg/L	1	9/16/2009 07:44 AM
Isopropylbenzene	ND	0.30	0.50	µg/L	1	9/16/2009 07:44 AM
m,p-Xylene	ND	0.49	1.0	µg/L	1	9/16/2009 07:44 AM
Methylene chloride	ND	1.0	1.0	µg/L	1	9/16/2009 07:44 AM
n-Butylbenzene	ND	0.30	0.50	µg/L	1	9/16/2009 07:44 AM
n-Propylbenzene	ND	0.36	0.50	µg/L	1	9/16/2009 07:44 AM
Naphthalene	ND	0.35	0.50	µg/L	1	9/16/2009 07:44 AM
o-Xylene	ND	0.27	0.50	µg/L	1	9/16/2009 07:44 AM
sec-Butylbenzene	ND	0.33	0.50	µg/L	1	9/16/2009 07:44 AM
Styrene	ND	0.38	0.50	µg/L	1	9/16/2009 07:44 AM
tert-Butylbenzene	ND	0.35	0.50	µg/L	1	9/16/2009 07:44 AM
Tetrachloroethene	ND	0.19	0.50	µg/L	1	9/16/2009 07:44 AM
Toluene	ND	0.22	0.50	µg/L	1	9/16/2009 07:44 AM
trans-1,2-Dichloroethene	ND	0.22	0.50	µg/L	1	9/16/2009 07:44 AM
Trichloroethene	ND	0.15	0.50	µg/L	1	9/16/2009 07:44 AM
Trichlorofluoromethane	ND	0.26	0.50	µg/L	1	9/16/2009 07:44 AM
Vinyl chloride	ND	0.34	0.50	µg/L	1	9/16/2009 07:44 AM
Surr: 1,2-Dichloroethane-d4	111	0	70-130	%REC	1	9/16/2009 07:44 AM
Surr: 4-Bromofluorobenzene	94.6	0	70-130	%REC	1	9/16/2009 07:44 AM
Surr: Dibromofluoromethane	99.7	0	70-130	%REC	1	9/16/2009 07:44 AM
Surr: Toluene-d8	90.2	0	70-130	%REC	1	9/16/2009 07:44 AM

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit  
Results are wet unless otherwise specified

E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike/Surrogate outside of limits due to matrix interference  
DO Surrogate Diluted Out



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**Advanced Technology Laboratories****ANALYTICAL RESULTS**

Print Date: 18-Sep-09

**CLIENT:** The Source Group Inc.**Client Sample ID:** MW-9**Lab Order:** 107363**Collection Date:** 9/10/2009 8:55:00 AM**Project:** AB&I Foundry, 01-ABI.001**Matrix:** GROUNDWATER**Lab ID:** 107363-001B

---

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

---

**GASOLINE RANGE ORGANICS BY GC/FID****EPA 8015B(M)**

RunID: GC6_090914B	QC Batch: I09VW0165		PrepDate:		Analyst: BD
GRO	3.1	0.050	mg/L	1	9/15/2009 01:35 AM
Surr: Bromofluorobenzene (FID)	103	71-130	%REC	1	9/15/2009 01:35 AM

---

<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	
	H Holding times for preparation or analysis exceeded	
	S Spike/Surrogate outside of limits due to matrix interference	
	DO Surrogate Diluted Out	

E Value above quantitation range
ND Not Detected at the Reporting Limit
Results are wet unless otherwise specified

**Advanced Technology  
Laboratories**

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**Advanced Technology Laboratories****ANALYTICAL RESULTS**

Print Date: 18-Sep-09

**CLIENT:** The Source Group Inc.**Client Sample ID:** MW-9**Lab Order:** 107363**Collection Date:** 9/10/2009 8:55:00 AM**Project:** AB&I Foundry, 01-ABI.001**Matrix:** GROUNDWATER**Lab ID:** 107363-001C

---

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

---

**SILICA GEL CLEANUP DRO BY GC-FID****EPA 3510C****EPA 8015B**

RunID: GC16_090917D	QC Batch: 58179		PrepDate: 9/15/2009	Analyst: CBR
DRO	0.46	0.050	mg/L	1 9/17/2009 11:03 PM
Surr: p-Terphenyl	79.1	35-131	%REC	1 9/17/2009 11:03 PM

---

<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	
	H Holding times for preparation or analysis exceeded	
	S Spike/Surrogate outside of limits due to matrix interference	
	DO Surrogate Diluted Out	

E Value above quantitation range
ND Not Detected at the Reporting Limit
Results are wet unless otherwise specified

**Advanced Technology  
Laboratories**

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**Advanced Technology Laboratories****ANALYTICAL RESULTS**

Print Date: 18-Sep-09

**CLIENT:** The Source Group Inc.**Client Sample ID:** MW-3**Lab Order:** 107363**Collection Date:** 9/10/2009 9:55:00 AM**Project:** AB&I Foundry, 01-ABI.001**Matrix:** GROUNDWATER**Lab ID:** 107363-002B

---

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

---

**TOTAL ORGANIC CARBON****SM5310B**

RunID: TOC1\_090914A

QC Batch: R112849

PrepDate:

Analyst: **JSD**

Organic Carbon, Total

170

6.0

mg/L

2

9/14/2009 11:48 AM

---

<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank
	H	Holding times for preparation or analysis exceeded
	S	Spike/Surrogate outside of limits due to matrix interference
	DO	Surrogate Diluted Out

E	Value above quantitation range
ND	Not Detected at the Reporting Limit
	Results are wet unless otherwise specified

**Advanced Technology  
Laboratories**

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**Advanced Technology Laboratories****ANALYTICAL RESULTS**

Print Date: 18-Sep-09

**CLIENT:** The Source Group Inc.**Client Sample ID:** MW-3**Lab Order:** 107363**Collection Date:** 9/10/2009 9:55:00 AM**Project:** AB&I Foundry, 01-ABI.001**Matrix:** GROUNDWATER**Lab ID:** 107363-002C

---

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

---

**DISSOLVED GASES IN WATER****RSK175**

RunID: GC18_090917A	QC Batch:	Z09A001		PrepDate:		Analyst: BB
Ethane		4.1	2.0	ug/L	1	9/17/2009 11:25 AM
Ethylene		41	3.0	ug/L	1	9/17/2009 11:25 AM
Methane		6000	10	ug/L	10	9/17/2009 11:50 AM

---

<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	ND Not Detected at the Reporting Limit
	S Spike/Surrogate outside of limits due to matrix interference	Results are wet unless otherwise specified
	DO Surrogate Diluted Out	

*Advanced Technology  
Laboratories*

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**Advanced Technology Laboratories****ANALYTICAL RESULTS**

Print Date: 18-Sep-09

**CLIENT:** The Source Group Inc.**Client Sample ID:** MW-8**Lab Order:** 107363**Collection Date:** 9/10/2009 10:50:00 AM**Project:** AB&I Foundry, 01-ABI.001**Matrix:** GROUNDWATER**Lab ID:** 107363-003B

---

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

---

**TOTAL ORGANIC CARBON****SM5310B**

RunID: TOC1\_090914A

QC Batch: R112849

PrepDate:

Analyst: **JSD**

Organic Carbon, Total

160

6.0

mg/L

2

9/14/2009 12:08 PM

---

<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank
	H	Holding times for preparation or analysis exceeded
	S	Spike/Surrogate outside of limits due to matrix interference
	DO	Surrogate Diluted Out

E	Value above quantitation range
ND	Not Detected at the Reporting Limit
	Results are wet unless otherwise specified

**Advanced Technology  
Laboratories**

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**Advanced Technology Laboratories****ANALYTICAL RESULTS**

Print Date: 18-Sep-09

**CLIENT:** The Source Group Inc.**Client Sample ID:** MW-8**Lab Order:** 107363**Collection Date:** 9/10/2009 10:50:00 AM**Project:** AB&I Foundry, 01-ABI.001**Matrix:** GROUNDWATER**Lab ID:** 107363-003C**Analyses**      **Result**      **PQL**      **Qual**      **Units**      **DF**      **Date Analyzed****DISSOLVED GASES IN WATER****RSK175**

RunID:	GC18_090917A	QC Batch:	Z09A001	PrepDate:	Analyst:
Ethane		4.6	2.0	ug/L	1 9/17/2009 12:03 PM
Ethylene		ND	3.0	ug/L	1 9/17/2009 12:03 PM
Methane		370	1.0	ug/L	1 9/17/2009 12:03 PM

**Qualifiers:**

B	Analyte detected in the associated Method Blank
H	Holding times for preparation or analysis exceeded
S	Spike/Surrogate outside of limits due to matrix interference
DO	Surrogate Diluted Out

E	Value above quantitation range
ND	Not Detected at the Reporting Limit
	Results are wet unless otherwise specified

**Advanced Technology  
Laboratories**

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 107363  
**Project:** AB&I Foundry, 01-ABI.001

**ANALYTICAL QC SUMMARY REPORT****TestCode: 415.1\_5310B\_W**

Sample ID: <b>MB-R112849</b>	SampType: <b>MBLK</b>	TestCode: <b>415.1_5310B</b>	Units: <b>mg/L</b>	Prep Date:	RunNo: <b>112849</b>
Client ID: <b>PBW</b>	Batch ID: <b>R112849</b>	TestNo: <b>SM5310B</b>		Analysis Date: <b>9/14/2009</b>	SeqNo: <b>1783127</b>
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
Organic Carbon, Total	ND	3.0			
Sample ID: <b>LCS-R112849</b>	SampType: <b>LCS</b>	TestCode: <b>415.1_5310B</b>	Units: <b>mg/L</b>	Prep Date:	RunNo: <b>112849</b>
Client ID: <b>LCSW</b>	Batch ID: <b>R112849</b>	TestNo: <b>SM5310B</b>		Analysis Date: <b>9/14/2009</b>	SeqNo: <b>1783128</b>
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
Organic Carbon, Total	20.530	3.0	20.00	0	103
Sample ID: <b>107363-003B-MS</b>	SampType: <b>MS</b>	TestCode: <b>415.1_5310B</b>	Units: <b>mg/L</b>	Prep Date:	RunNo: <b>112849</b>
Client ID: <b>MW-8</b>	Batch ID: <b>R112849</b>	TestNo: <b>SM5310B</b>		Analysis Date: <b>9/14/2009</b>	SeqNo: <b>1783131</b>
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
Organic Carbon, Total	192.000	6.0	20.00	160.6	157
				80	120
				70	130
					S
Sample ID: <b>107363-003B-MSD</b>	SampType: <b>MSD</b>	TestCode: <b>415.1_5310B</b>	Units: <b>mg/L</b>	Prep Date:	RunNo: <b>112849</b>
Client ID: <b>MW-8</b>	Batch ID: <b>R112849</b>	TestNo: <b>SM5310B</b>		Analysis Date: <b>9/14/2009</b>	SeqNo: <b>1783132</b>
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
Organic Carbon, Total	182.380	6.0	20.00	160.6	109
				70	130
				192.0	5.14
					20

**Qualifiers:**

B Analyte detected in the associated Method Blank  
 ND Not Detected at the Reporting Limit  
 DO Surrogate Diluted Out

E Value above quantitation range  
 R RPD outside accepted recovery limits  
 Calculations are based on raw values

H Holding times for preparation or analysis exceeded  
 S Spike/Surrogate outside of limits due to matrix interference



*Advanced Technology  
Laboratories*

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 107363  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8015\_W\_DSL\_LLSGT

Sample ID: MB-58179	SampType: MBLK	TestCode: 8015_W_DSL Units: mg/L			Prep Date: 9/15/2009			RunNo: 113052			
Client ID: PBW	Batch ID: 58179	TestNo: EPA 8015B EPA 3510C			Analysis Date: 9/17/2009			SeqNo: 1787043			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
DRO	ND	0.050									
Surr: p-Terphenyl	0.023		0.08000		28.2	35	131				S
Sample ID: LCS-58179	SampType: LCS	TestCode: 8015_W_DSL Units: mg/L			Prep Date: 9/15/2009			RunNo: 113052			
Client ID: LCSW	Batch ID: 58179	TestNo: EPA 8015B EPA 3510C			Analysis Date: 9/17/2009			SeqNo: 1787044			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
DRO	1.013	0.050	1.000	0	101	42	118				
Surr: p-Terphenyl	0.036		0.08000		45.1	35	131				
Sample ID: MB-58179MS	SampType: MS	TestCode: 8015_W_DSL Units: mg/L			Prep Date: 9/15/2009			RunNo: 113052			
Client ID: ZZZZZZ	Batch ID: 58179	TestNo: EPA 8015B EPA 3510C			Analysis Date: 9/17/2009			SeqNo: 1787045			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
DRO	0.824	0.050	1.000	0	82.4	42	118				
Surr: p-Terphenyl	0.028		0.08000		34.8	35	131				S
Sample ID: MB-58179MSD	SampType: MSD	TestCode: 8015_W_DSL Units: mg/L			Prep Date: 9/15/2009			RunNo: 113052			
Client ID: ZZZZZZ	Batch ID: 58179	TestNo: EPA 8015B EPA 3510C			Analysis Date: 9/17/2009			SeqNo: 1787046			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
DRO	0.501	0.050	1.000	0	50.1	42	118	0.8241	48.7	20	R
Surr: p-Terphenyl	0.017		0.08000		20.8	35	131		0	0	S

**Qualifiers:**

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S Spike/Surrogate outside of limits due to matrix interference

DO Surrogate Diluted Out

Calculations are based on raw values



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 107363  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8015\_W\_GP LL

Sample ID: I090914LCS4	SampType: LCS	TestCode: 8015_W_GP	Units: mg/L	Prep Date:			RunNo: 112906				
Client ID: LCSW	Batch ID: I09VW0165	TestNo: EPA 8015B(M)		Analysis Date: 9/14/2009			SeqNo: 1784533				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	0.937	0.050	1.000	0	93.7	69	125				
Surr: Bromofluorobenzene (FID)	95.455		100.0		95.5	71	130				
Sample ID: I090914MB3MS	SampType: MS	TestCode: 8015_W_GP	Units: mg/L	Prep Date:			RunNo: 112906				
Client ID: ZZZZZZ	Batch ID: I09VW0165	TestNo: EPA 8015B(M)		Analysis Date: 9/14/2009			SeqNo: 1784534				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	0.951	0.050	1.000	0	95.1	69	125				
Surr: Bromofluorobenzene (FID)	96.693		100.0		96.7	71	130				
Sample ID: I090914MB3MSD	SampType: MSD	TestCode: 8015_W_GP	Units: mg/L	Prep Date:			RunNo: 112906				
Client ID: ZZZZZZ	Batch ID: I09VW0165	TestNo: EPA 8015B(M)		Analysis Date: 9/14/2009			SeqNo: 1784535				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	0.839	0.050	1.000	0	83.9	69	125	0.9510	12.5	20	
Surr: Bromofluorobenzene (FID)	99.259		100.0		99.3	71	130		0	0	
Sample ID: I090914MB3	SampType: MBLK	TestCode: 8015_W_GP	Units: mg/L	Prep Date:			RunNo: 112906				
Client ID: PBW	Batch ID: I09VW0165	TestNo: EPA 8015B(M)		Analysis Date: 9/15/2009			SeqNo: 1784536				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
GRO	ND	0.050									
Surr: Bromofluorobenzene (FID)	94.038		100.0		94.0	71	130				

### Qualifiers:

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S Spike/Surrogate outside of limits due to matrix interference

DO Surrogate Diluted Out

Calculations are based on raw values



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 107363  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode: 8260\_WP\_LL**

Sample ID: A090916LCS2	SampType: LCS	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:			RunNo: 113001				
Client ID: LCSW	Batch ID: A09VW167	TestNo: EPA 8260B			Analysis Date: 9/16/2009			SeqNo: 1786222			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	20.290	0.50	20.00	0	101	70	130				
Benzene	37.250	0.50	40.00	0	93.1	70	130				
Chlorobenzene	20.030	0.50	20.00	0	100	70	130				
MTBE	18.980	0.50	20.00	0	94.9	70	130				
Toluene	38.150	0.50	40.00	0	95.4	70	130				
Trichloroethene	20.210	0.50	20.00	0	101	70	130				
Surr: 1,2-Dichloroethane-d4	20.500		25.00		82.0	70	130				
Surr: 4-Bromofluorobenzene	22.050		25.00		88.2	70	130				
Surr: Dibromofluoromethane	21.940		25.00		87.8	70	130				
Surr: Toluene-d8	23.520		25.00		94.1	70	130				
Sample ID: A090916MB4MS	SampType: MS	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:			RunNo: 113001				
Client ID: ZZZZZZ	Batch ID: A09VW167	TestNo: EPA 8260B			Analysis Date: 9/16/2009			SeqNo: 1786223			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	20.220	0.50	20.00	0	101	70	130				
Benzene	37.320	0.50	40.00	0	93.3	70	130				
Chlorobenzene	20.290	0.50	20.00	0	101	70	130				
Toluene	38.170	0.50	40.00	0	95.4	70	130				
Trichloroethene	20.340	0.50	20.00	0	102	70	130				
Surr: 1,2-Dichloroethane-d4	20.780		25.00		83.1	70	130				
Surr: 4-Bromofluorobenzene	22.200		25.00		88.8	70	130				
Surr: Dibromofluoromethane	22.230		25.00		88.9	70	130				
Surr: Toluene-d8	23.380		25.00		93.5	70	130				
Sample ID: A090916MB4MSD	SampType: MSD	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:			RunNo: 113001				
Client ID: ZZZZZZ	Batch ID: A09VW167	TestNo: EPA 8260B			Analysis Date: 9/17/2009			SeqNo: 1786224			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	16.850	0.50	20.00	0	84.2	70	130	20.22	18.2	20	

**Qualifiers:**

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S Spike/Surrogate outside of limits due to matrix interference

DO Surrogate Diluted Out

Calculations are based on raw values



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 107363  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode: 8260\_WP\_LL**

Sample ID: A090916MB4MSD	SampType: MSD	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:				RunNo: 113001			
Client ID: ZZZZZZ	Batch ID: A09VW167	TestNo: EPA 8260B		Analysis Date: 9/17/2009				SeqNo: 1786224			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	36.690	0.50	40.00	0	91.7	70	130	37.32	1.70	20	
Chlorobenzene	20.120	0.50	20.00	0	101	70	130	20.29	0.841	20	
Toluene	37.380	0.50	40.00	0	93.5	70	130	38.17	2.09	20	
Trichloroethene	20.190	0.50	20.00	0	101	70	130	20.34	0.740	20	
Surrogate: 1,2-Dichloroethane-d4	20.440		25.00		81.8	70	130		0	20	
Surrogate: 4-Bromofluorobenzene	22.300		25.00		89.2	70	130		0	20	
Surrogate: Dibromofluoromethane	22.190		25.00		88.8	70	130		0	20	
Surrogate: Toluene-d8	23.440		25.00		93.8	70	130		0	20	
Sample ID: A090916MB4	SampType: MBLK	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:				RunNo: 113001			
Client ID: PBW	Batch ID: A09VW167	TestNo: EPA 8260B		Analysis Date: 9/17/2009				SeqNo: 1786225			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	ND	0.50									
1,1,1-Trichloroethane	ND	0.50									
1,1,2,2-Tetrachloroethane	ND	0.50									
1,1,2-Trichloroethane	ND	0.50									
1,1-Dichloroethane	ND	0.50									
1,1-Dichloroethene	ND	0.50									
1,1-Dichloropropene	ND	0.50									
1,2,3-Trichlorobenzene	ND	0.50									
1,2,3-Trichloropropane	ND	0.50									
1,2,4-Trichlorobenzene	ND	0.50									
1,2,4-Trimethylbenzene	ND	0.50									
1,2-Dibromo-3-chloropropane	ND	0.50									
1,2-Dibromoethane	ND	0.50									
1,2-Dichlorobenzene	ND	0.50									
1,2-Dichloroethane	ND	0.50									
1,2-Dichloropropane	ND	0.50									
1,3,5-Trimethylbenzene	ND	0.50									

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out

E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 107363  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8260\_WP\_LL

Sample ID: A090916MB4	SampType: MBLK	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:	RunNo: 113001						
Client ID: PBW	Batch ID: A09VW167	TestNo: EPA 8260B		Analysis Date: 9/17/2009	SeqNo: 1786225						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,3-Dichlorobenzene	ND	0.50									
1,3-Dichloropropane	ND	0.50									
1,4-Dichlorobenzene	ND	0.50									
2,2-Dichloropropane	ND	0.50									
2-Chlorotoluene	ND	0.50									
4-Chlorotoluene	ND	0.50									
4-Isopropyltoluene	ND	0.50									
Benzene	ND	0.50									
Bromobenzene	ND	0.50									
Bromodichloromethane	ND	0.50									
Bromoform	ND	0.50									
Bromomethane	ND	0.50									
Carbon tetrachloride	ND	0.50									
Chlorobenzene	ND	0.50									
Chloroethane	ND	0.50									
Chloroform	ND	0.50									
Chloromethane	ND	0.50									
cis-1,2-Dichloroethene	ND	0.50									
cis-1,3-Dichloropropene	ND	0.50									
Dibromochloromethane	ND	0.50									
Dibromomethane	ND	0.50									
Dichlorodifluoromethane	ND	0.50									
Ethylbenzene	ND	0.50									
Hexachlorobutadiene	ND	0.50									
Isopropylbenzene	ND	0.50									
m,p-Xylene	ND	1.0									
Methylene chloride	ND	1.0									
n-Butylbenzene	ND	0.50									
n-Propylbenzene	ND	0.50									
Naphthalene	ND	0.50									

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out

E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 107363  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8260\_WP\_LL

Sample ID: A090916MB4	SampType: MBLK	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:	RunNo: 113001
Client ID: PBW	Batch ID: A09VW167	TestNo: EPA 8260B		Analysis Date: 9/17/2009	SeqNo: 1786225
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
o-Xylene	ND	0.50			
sec-Butylbenzene	ND	0.50			
Styrene	ND	0.50			
tert-Butylbenzene	ND	0.50			
Tetrachloroethene	ND	0.50			
Toluene	ND	0.50			
trans-1,2-Dichloroethene	ND	0.50			
Trichloroethene	ND	0.50			
Trichlorofluoromethane	ND	0.50			
Vinyl chloride	ND	0.50			
Surr: 1,2-Dichloroethane-d4	19.460	25.00	77.8	70	130
Surr: 4-Bromofluorobenzene	21.450	25.00	85.8	70	130
Surr: Dibromofluoromethane	21.430	25.00	85.7	70	130
Surr: Toluene-d8	23.300	25.00	93.2	70	130

**Qualifiers:**

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S Spike/Surrogate outside of limits due to matrix interference

DO Surrogate Diluted Out

Calculations are based on raw values



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 107363  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode: 8260\_WP\_LL**

Sample ID: Q090915LCS3	SampType: LCS	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:				RunNo: 112992			
Client ID: LCSW	Batch ID: Q09VW181	TestNo: EPA 8260B		Analysis Date: 9/16/2009				SeqNo: 1785865			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	19.300	0.50	20.00	0	96.5	70	130				
Benzene	40.000	0.50	40.00	0	100	70	130				
Chlorobenzene	20.400	0.50	20.00	0	102	70	130				
MTBE	20.520	0.50	20.00	0	103	70	130				
Toluene	42.800	0.50	40.00	0	107	70	130				
Trichloroethene	20.010	0.50	20.00	0	100	70	130				
Surr: 1,2-Dichloroethane-d4	24.020		25.00		96.1	70	130				
Surr: 4-Bromofluorobenzene	25.130		25.00		101	70	130				
Surr: Dibromofluoromethane	23.210		25.00		92.8	70	130				
Surr: Toluene-d8	24.400		25.00		97.6	70	130				
Sample ID: Q090915MB6MS	SampType: MS	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:				RunNo: 112992			
Client ID: ZZZZZZ	Batch ID: Q09VW181	TestNo: EPA 8260B		Analysis Date: 9/16/2009				SeqNo: 1785866			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	20.540	0.50	20.00	0	103	70	130				
Benzene	41.160	0.50	40.00	0	103	70	130				
Chlorobenzene	20.190	0.50	20.00	0	101	70	130				
Toluene	42.580	0.50	40.00	0	106	70	130				
Trichloroethene	19.920	0.50	20.00	0	99.6	70	130				
Surr: 1,2-Dichloroethane-d4	23.610		25.00		94.4	70	130				
Surr: 4-Bromofluorobenzene	24.900		25.00		99.6	70	130				
Surr: Dibromofluoromethane	22.310		25.00		89.2	70	130				
Surr: Toluene-d8	24.230		25.00		96.9	70	130				
Sample ID: Q090915MB6MSD	SampType: MSD	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:				RunNo: 112992			
Client ID: ZZZZZZ	Batch ID: Q09VW181	TestNo: EPA 8260B		Analysis Date: 9/16/2009				SeqNo: 1785867			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	21.190	0.50	20.00	0	106	70	130	20.54	3.12	20	

**Qualifiers:**

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S Spike/Surrogate outside of limits due to matrix interference

DO Surrogate Diluted Out

Calculations are based on raw values



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 107363  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8260\_WP\_LL

Sample ID: Q090915MB6MSD	SampType: MSD	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:				RunNo: 112992			
Client ID: ZZZZZZ	Batch ID: Q09VW181	TestNo: EPA 8260B		Analysis Date: 9/16/2009				SeqNo: 1785867			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	42.150	0.50	40.00	0	105	70	130	41.16	2.38	20	
Chlorobenzene	20.420	0.50	20.00	0	102	70	130	20.19	1.13	20	
Toluene	43.050	0.50	40.00	0	108	70	130	42.58	1.10	20	
Trichloroethene	20.130	0.50	20.00	0	101	70	130	19.92	1.05	20	
Surrogate: 1,2-Dichloroethane-d4	23.040		25.00		92.2	70	130		0	20	
Surrogate: 4-Bromofluorobenzene	23.950		25.00		95.8	70	130		0	20	
Surrogate: Dibromofluoromethane	22.150		25.00		88.6	70	130		0	20	
Surrogate: Toluene-d8	23.300		25.00		93.2	70	130		0	20	
Sample ID: Q090915MB6	SampType: MBLK	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:				RunNo: 112992			
Client ID: PBW	Batch ID: Q09VW181	TestNo: EPA 8260B		Analysis Date: 9/16/2009				SeqNo: 1785868			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	ND	0.50									
1,1,1-Trichloroethane	ND	0.50									
1,1,2,2-Tetrachloroethane	ND	0.50									
1,1,2-Trichloroethane	ND	0.50									
1,1-Dichloroethane	ND	0.50									
1,1-Dichloroethene	ND	0.50									
1,1-Dichloropropene	ND	0.50									
1,2,3-Trichlorobenzene	ND	0.50									
1,2,3-Trichloropropane	ND	0.50									
1,2,4-Trichlorobenzene	ND	0.50									
1,2,4-Trimethylbenzene	ND	0.50									
1,2-Dibromo-3-chloropropane	ND	0.50									
1,2-Dibromoethane	ND	0.50									
1,2-Dichlorobenzene	ND	0.50									
1,2-Dichloroethane	ND	0.50									
1,2-Dichloropropane	ND	0.50									
1,3,5-Trimethylbenzene	ND	0.50									

**Qualifiers:**

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S Spike/Surrogate outside of limits due to matrix interference

DO Surrogate Diluted Out

Calculations are based on raw values



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 107363  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8260\_WP\_LL

Sample ID: Q090915MB6	SampType: MBLK	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:	RunNo: 112992						
Client ID: PBW	Batch ID: Q09VW181	TestNo: EPA 8260B		Analysis Date: 9/16/2009	SeqNo: 1785868						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,3-Dichlorobenzene	ND	0.50									
1,3-Dichloropropane	ND	0.50									
1,4-Dichlorobenzene	ND	0.50									
2,2-Dichloropropane	ND	0.50									
2-Chlorotoluene	ND	0.50									
4-Chlorotoluene	ND	0.50									
4-Isopropyltoluene	ND	0.50									
Benzene	ND	0.50									
Bromobenzene	ND	0.50									
Bromodichloromethane	ND	0.50									
Bromoform	ND	0.50									
Bromomethane	ND	0.50									
Carbon tetrachloride	ND	0.50									
Chlorobenzene	ND	0.50									
Chloroethane	ND	0.50									
Chloroform	ND	0.50									
Chloromethane	ND	0.50									
cis-1,2-Dichloroethene	ND	0.50									
cis-1,3-Dichloropropene	ND	0.50									
Dibromochloromethane	ND	0.50									
Dibromomethane	ND	0.50									
Dichlorodifluoromethane	ND	0.50									
Ethylbenzene	ND	0.50									
Hexachlorobutadiene	ND	0.50									
Isopropylbenzene	ND	0.50									
m,p-Xylene	ND	1.0									
Methylene chloride	ND	1.0									
n-Butylbenzene	ND	0.50									
n-Propylbenzene	ND	0.50									
Naphthalene	ND	0.50									

**Qualifiers:**

B Analyte detected in the associated Method Blank

ND Not Detected at the Reporting Limit

DO Surrogate Diluted Out

E Value above quantitation range

R RPD outside accepted recovery limits

Calculations are based on raw values

H Holding times for preparation or analysis exceeded

S Spike/Surrogate outside of limits due to matrix interference



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 107363  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8260\_WP\_LL

Sample ID: Q090915MB6	SampType: MBLK	TestCode: 8260_WP_LL	Units: µg/L	Prep Date:	RunNo: 112992
Client ID: PBW	Batch ID: Q09VW181	TestNo: EPA 8260B		Analysis Date: 9/16/2009	SeqNo: 1785868
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
o-Xylene	ND	0.50			
sec-Butylbenzene	ND	0.50			
Styrene	ND	0.50			
tert-Butylbenzene	ND	0.50			
Tetrachloroethene	ND	0.50			
Toluene	ND	0.50			
trans-1,2-Dichloroethene	ND	0.50			
Trichloroethene	ND	0.50			
Trichlorofluoromethane	ND	0.50			
Vinyl chloride	ND	0.50			
Surr: 1,2-Dichloroethane-d4	26.400		25.00	106	70 130
Surr: 4-Bromofluorobenzene	23.590		25.00	94.4	70 130
Surr: Dibromofluoromethane	25.050		25.00	100	70 130
Surr: Toluene-d8	22.960		25.00	91.8	70 130

**Qualifiers:**

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S Spike/Surrogate outside of limits due to matrix interference

DO Surrogate Diluted Out

Calculations are based on raw values



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

**CLIENT:** The Source Group Inc.  
**Work Order:** 107363  
**Project:** AB&I Foundry, 01-ABI.001

## ANALYTICAL QC SUMMARY REPORT

**TestCode:** RSK175\_ATL

Sample ID: MB-Z09001	SampType: MBLK	TestCode: RSK175_ATL	Units: ug/L	Prep Date:			RunNo: 113015				
Client ID: PBW	Batch ID: Z09A001	TestNo: RSK175		Analysis Date: 9/17/2009			SeqNo: 1786875				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Ethane	0.940	2.0									
Ethylene	1.130	3.0									
Methane	0.490	1.0									

Sample ID: LCS-Z09A001	SampType: LCS	TestCode: RSK175_ATL	Units: ug/L	Prep Date:			RunNo: 113015				
Client ID: LCSW	Batch ID: Z09A001	TestNo: RSK175		Analysis Date: 9/17/2009			SeqNo: 1786876				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Ethane	825.060	2.0	851.0	0.9400	96.8	70	130				
Ethylene	1072.930	3.0	1050	1.130	102	70	130				
Methane	469.000	1.0	486.0	0.4900	96.4	70	130				

Sample ID: LCSD-Z09A001	SampType: LCSD	TestCode: RSK175_ATL	Units: ug/L	Prep Date:			RunNo: 113015				
Client ID: LCSS02	Batch ID: Z09A001	TestNo: RSK175		Analysis Date: 9/17/2009			SeqNo: 1786877				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Ethane	818.190	2.0	851.0	0.9400	96.0	70	130	825.1	0.836	20	
Ethylene	1066.340	3.0	1050	1.130	101	70	130	1073	0.616	20	
Methane	463.030	1.0	486.0	0.4900	95.2	70	130	469.0	1.28	20	

**Qualifiers:**

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S Spike/Surrogate outside of limits due to matrix interference

DO Surrogate Diluted Out

Calculations are based on raw values



Advanced Technology  
Laboratories

3275 Walnut Avenue, Signal Hill, CA 90755 Tel: 562.989.4045 Fax: 562.989.4040

# **CHAIN OF CUSTODY RECORD**

Pg 1 of 1



*Advanced Technology  
Laboratories*

3275 Walnut Avenue  
Signal Hill, CA 90755  
(562) 989-4045 • Fax (562) 989-4040

- TAT starts 8 a.m. following day if samples received after 3 p.m.

**TAT: A=** Overnight  
≤ 24 hr

**B=** Emergency  
Next workday

**C=** Critical  
2 Workdays

**D=** Urgent  
3 Workdays

**E=** Routine  
7 Workdays

Preservatives:  
 $H=HCl$     $N=HNO_3$     $S=H_2SO_4$     $C=4^\circ C$   
 $Z=Zn(AC)_2$     $O=NaOH$     $T=Na_2S_2O_3$

Container Types: T=Tube V=VOA L=Liter P=Pint J=Jar B=Tedlar G=Glass P=Plastic M=Metal

DISTRIBUTION: **White** with report, **Yellow** to folder, **Pink** to submitter.