

Letter of Transmittal

CENTURY WEST ENGINEERING

7950 Dublin Boulevard / Suite 109 / Dublin, California 94568
510-551-7774 / (Facsimile 510-551-7776)

Date: 5/23/97

To: Ms. Amy Leech
Alameda County Environmental Health Services
Environmental Health Division
1131 Harbor Bay Parkway #250
Alameda, CA 94502

Job No: 20605-001-01
Subject: Report

We are sending you: (X) Attached () Under Separate Cover
via: (X) Mail () Overnight () Courier
() Facsimile (___ total pages including this sheet)

No.	Date	Description
1	5/23/97	Report of Soil Boring Investigation, Gateway Liquors, Oakland CA

These are transmitted as checked below:

- () For information and coordination
 - () For approval by _____ (date/time)
 - () For review and comment by _____ (date/time)
 - () As Requested () Returned after loan to us
 - () Return material when review completed
- Return to:

Remarks:

Please contact me if you have any questions or need additional information.

Copies to: Mr. Abdo Hussein

CENTURY WEST ENGINEERING

By *Matthew S. [Signature]*

If enclosures are not as noted, kindly notify us at once.

JUN 27 PM 4:47
ENVIRONMENTAL PROTECTION

05/21/97

**Report of Soil Boring Investigation
Gateway Liquors UST Site
5944 San Pablo Avenue
Oakland, California**

CWEC 20605-001-01

Prepared for:

**UST Local Oversight Program
Alameda County Environmental Health Services
Environmental Protection Division
1131 Harbor Bay Parkway #250
Alameda, CA 94502-6577**

Prepared by:

**Century West Engineering Corporation
7950 Dublin Blvd., Suite 109
Dublin, California 94568**

May 21, 1997



century west
ENGINEERING CORPORATION

May 21, 1997

UST Local Oversight Program
Alameda County Environmental Health Services
Environmental Protection Division
1131 Harbor Bay Parkway #250
Alameda, CA 94502-6577

Attention: Ms. Amy Leech

Subject: Report of Soil Boring Investigation, Gateway Liquors UST Site, 5944 San Pablo Avenue, Oakland, California 94608 CWEC #20605-001-01

Dear Ms. Leech:

Century West Engineering Corporation (CWEC) has prepared this report on behalf Gateway Liquors in Oakland, California. This report presents the results of the May 9, 1997, soil boring investigation performed at the subject site. This report describes the scope of work, sampling methodology, and results.

Background

One 500-gallon underground storage tank (UST) and one estimated 200-gallon UST were removed in June 29, 1994. UST locations are shown on Figure 1. Both had reportedly contained heating oil. Previous work has indicated the presence of diesel and kerosene range hydrocarbons in soils at the site.

May 21, 1997
Alameda County Environmental Health Services
Report Of Soil Boring Investigation, Gateway Liquors

Scope of Work

On May 9, 1997, CWEC drilled boring IB-1 using a hand auger. The boring location is shown on Figure 1. Soil samples were collected at depths of five, seven, eight, and ten feet below ground surface (bgs). Soils were logged in accordance with the Unified Soil Classification System. Following the collection of soil and groundwater samples, the boring was grouted with Portland cement. A log of boring IB-1 is included as Appendix A.

One groundwater sample was collected from the boring using a disposable PVC bailer. Samples were poured from the bailer into appropriate containers. Each container was labeled and placed in ice for transportation to the analytical laboratory under chain of custody.

Soil and groundwater samples were analyzed for total petroleum hydrocarbons as gasoline (TPH-G), diesel (TPH-D), and kerosene (TPH-K) by EPA Method 8015M. Samples were also analyzed for benzene, toluene, ethylbenzene, and total xylenes (BTEX) by EPA Method 8020. Samples were also analyzed for methyl-tert-butylether (MTBE) by EPA Method 8020. Samples were analyzed by Legend Analytical Services of Santa Rosa, California. Laboratory reports are included in Appendix B.

Results

Soils encountered at the site consisted of clays from the ground surface to approximately ten feet in depth. Clayey sand was encountered from approximately ten feet bgs to the total depth of the boring at 14 feet bgs. Groundwater was encountered at a depth of approximately 4.5 feet bgs.

May 21, 1997
Alameda County Environmental Health Services
Report Of Soil Boring Investigation, Gateway Liquors

The scope and results of laboratory analyses are shown on Table 1. Laboratory reports are included as Appendix B.

Conclusions

The following conclusions are made on the basis of the available field and laboratory data:

- TPH-D was not detected in any samples.
- Low concentrations of TPH-G were detected in soil from boring IB-1 at a depth of seven feet bgs (4.7 mg/Kg). The soil sample from ten feet bgs reportedly contained 350 mg/Kg.
- Low concentrations of TPH-K were detected in soil from boring IB-1 at a depth of seven feet bgs (13 mg/Kg). The soil sample from ten feet bgs reportedly contained 170 mg/Kg.
- No BTEX compounds were detected in soil samples.
- 0.58 mg/L of TPH-G was reported from the groundwater sample. Although no BTEX compounds were reported above detection limits, MTBE was reported at a concentration of 0.033 mg/L.
- Because the UST in the vicinity of IB-1 reportedly contained only heating oil, and because no BTEX compounds were detected in soil or water samples, the reported MTBE may be a result of laboratory error or, the MTBE may originate from another source. *only TPHg if heating oil? or it was another chemical masking for MTBE should have run 8260 for verify.*
- Because only low concentrations of hydrocarbons were detected in groundwater in the close vicinity of the UST, it is unlikely that any significant plume of hydrocarbons in groundwater exits at the site.


On the basis of the above conclusions, and the fact that the site land use is non-residential, we recommend that the regulatory case be closed.

May 21, 1997
Alameda County Environmental Health Services
Report Of Soil Boring Investigation, Gateway Liquors


We appreciate the opportunity to be of service to Gateway Liquors. Please contact us if you have questions or require additional information.

Sincerely,

Century West Engineering Corporation



Matthew L. Bromley, R.G.
Senior Geologist/Division Manager



c: Mr. Abdo Hussein

Attachments:

Table 1

Figure 1

Appendix A

Appendix B


**Table 1: Laboratory Analytical Results
Soil and Groundwater Investigation
Gateway Liquors**

Analytical Results											
Sample ID	Date	Units	Medium	TPH-G	TPH-D	TPH-K	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE
IB-1-7	5/9/97	mg/Kg	Soil	4.7	ND (<1.0)	13	ND (<0.00050)	ND (<0.00050)	ND (<0.00050)	ND (<0.00050)	ND (<0.0020)
IB-1-10	5/9/97	mg/Kg	Soil	350	ND (<1.0)	170	ND (<0.00050)	ND (<0.00050)	ND (<0.00050)	ND (<0.00050)	ND (<0.0020)
IB-W-1	5/9/97	mg/L	Water	0.58	ND (<1.0)	1.9	ND (<0.00050)	ND (<0.00050)	ND (<0.00050)	ND (<0.00050)	0.033



centurywest

ENGINEERING CORPORATION



BORING LOCATION

ASSUMED SCALE 1 INCH = 20 FEET

NOTE: SOURCE OF SITE DIAGRAM FEATURES AND MEASUREMENTS
BASED ON DIAGRAM BY VCI OF CALIFORNIA

DATE: APRIL 1997


centurywest
ENGINEERING CORPORATION

SITE DIAGRAM

GATEWAY LIQUORS
5944 SAN PABLO AVENUE
OAKLAND, CALIFORNIA

FIGURE 1

LEGEND

Analytical Services

3636 N. Laughlin Road, Suite 110 Santa Rosa, California 95403 707.526.7200 Fax 707.541.2333 E-Mail: info@legendlab.com

Matt Bromley
Century West Engineering
7950 Dublin Boulevard
Suite 109
Dublin, CA 94568


Date: 05/20/1997
LEGEND Client Acct. No: 75300
LEGEND Job No: 97.00936
Received: 05/10/1997

Client Reference Information

Gateway Liquors

Sample analysis in support of the project referenced above has been completed and results are presented on the following pages. Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety. Please refer to the enclosed "Key to Result Flags" for definition of terms. Should you have questions regarding procedures or results, please feel free to call me at (707) 541-2313.

Submitted by:



Marty French
Project Manager

Enclosure(s)

Client Name: Century West Engineering
 Client Acct: 75300
 LEGEND Job No: 97.00936

Date: 05/20/1997
 ELAP Cert: 2193
 Page: 2

Ref: Gateway Liquors

SAMPLE DESCRIPTION: IB-1-7 ✓
 Date Taken: 05/09/1997
 Time Taken: 09:27
 LEGEND Sample No: 275335

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed	Run Batch No.
TPH (Gas/BTXE,Solid)								
5030/M8015	--						05/12/1997	2136
DILUTION FACTOR*	1						05/12/1997	2136
as Gasoline	4.7	G-	1.0	mg/kg ✓	5030		05/12/1997	2136
8020 (GC,Solid)	--						05/12/1997	2136
Benzene	ND		2.5	ug/kg	8020		05/12/1997	2136
Toluene	ND		2.5	ug/kg	8020		05/12/1997	2136
Ethylbenzene	ND		2.5	ug/kg	8020		05/12/1997	2136
Xylenes (Total)	ND		2.5	ug/kg	8020		05/12/1997	2136
Methyl-tert-butyl ether	ND		10	ug/kg	8020		05/12/1997	2136
SURROGATE RESULTS	--						05/12/1997	2136
Bromofluorobenzene (SURR)	140	MI		% Rec.	5030		05/12/1997	2136
8015M - HEAVY SCAN						05/14/1997		
DILUTION FACTOR*	1.0						05/16/1997	32
as Diesel	ND ✓		1.0	mg/kg	M8015		05/16/1997	32
as Kerosene	13 ✓	HX	1.0	mg/kg	M8015		05/16/1997	32
SURROGATE RESULTS	--						05/16/1997	32
Ortho-terphenyl (SURR)	76			% Rec.	M8015		05/16/1997	32

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.

Client Name: Century West Engineering
 Client Acct: 75300
 LEGEND Job No: 97.00936

Date: 05/20/1997
 ELAP Cert: 2193
 Page: 3

Ref: Gateway Liquors

SAMPLE DESCRIPTION: IB-1-10 ✓
 Date Taken: 05/09/1997
 Time Taken: 09:54
 LEGEND Sample No: 275336

Parameter	Results	Flags	Reporting		Method	Date	Date	Run Batch No.
			Limit	Units		Extracted	Analyzed	
TPH (Gas/BTXE,Solid)								
5030/M8015	--						05/13/1997	2137
DILUTION FACTOR*	50						05/13/1997	2137
as Gasoline	350 ✓	GH	50	mg/kg	5030		05/13/1997	2137
8020 (GC,Solid)	--						05/13/1997	2137
Benzene	ND		120	ug/kg	8020		05/13/1997	2137
Toluene	ND		120	ug/kg	8020		05/13/1997	2137
Ethylbenzene	ND		120	ug/kg	8020		05/13/1997	2137
Xylenes (Total)	ND		120	ug/kg	8020		05/13/1997	2137
Methyl-tert-butyl ether	ND		500	ug/kg	8020		05/13/1997	2137
SURROGATE RESULTS	--						05/13/1997	2137
Bromofluorobenzene (SURRE)	126			% Rec.	5030		05/13/1997	2137
8015M - HEAVY SCAN						05/14/1997		
DILUTION FACTOR*	1.0						05/16/1997	32
as Diesel	ND		1.0	mg/kg	M8015		05/16/1997	32
as Kerosene	170 ✓	HX	4.0	mg/kg	M8015		05/19/1997	32
SURROGATE RESULTS	--						05/16/1997	32
Ortho-terphenyl (SURRE)	71			% Rec.	M8015		05/16/1997	32

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.

Client Name: Century West Engineering
 Client Acct: 75300
 LEGEND Job No: 97.00936

Date: 05/20/1997
 ELAP Cert: 2193
 Page: 4

Ref: Gateway Liquors

SAMPLE DESCRIPTION: IB-1-W
 Date Taken: 05/09/1997
 Time Taken: 09:54
 LEGEND Sample No: 275337

Parameter	Results	Flags	Reporting		Method	Date	Date	Run Batch No.
			Limit	Units		Extracted	Analyzed	
TPH (Gas/BTEX, Liquid)								
5030/M8015	--						05/16/1997	3847
DILUTION FACTOR*	1						05/16/1997	3847
as Gasoline	0.58	✓ GH	0.050	mg/L ✓	5030		05/16/1997	3847
8020 (GC, Liquid)	--						05/16/1997	3847
Benzene	ND		0.50	ug/L	8020		05/16/1997	3847
Toluene	ND		0.50	ug/L	8020		05/16/1997	3847
Ethylbenzene	ND		0.50	ug/L	8020		05/16/1997	3847
Xylenes (Total)	ND		0.50	ug/L	8020		05/16/1997	3847
Methyl-tert-butyl ether	33	✓	2.0	ug/L	8020		05/16/1997	3847
SURROGATE RESULTS	--						05/16/1997	3847
Bromofluorobenzene (SURRE)	117			% Rec.	5030		05/16/1997	3847
8015M - HEAVY SCAN						05/13/1997		
DILUTION FACTOR*	1.0						05/16/1997	31
as Diesel	ND		0.050	mg/L	M8015		05/16/1997	31
as Kerosene	1.9	HX	0.050	mg/L	M8015		05/16/1997	31
SURROGATE RESULTS	--						05/16/1997	31
Ortho-terphenyl (SURRE)	142			% Rec.	M8015		05/16/1997	31

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.

Ref: Gateway Liquors

CONTINUING CALIBRATION VERIFICATION STANDARD REPORT

Parameter	CCV	CCV	CCV	Flags	Units	Date Analyzed	Analyst Initials	Run Batch Number
	Standard % Recovery	Standard Amount Found	Standard Amount Expected					
TPH (Gas/BTXE,Liquid)								
as Gasoline	107.2	0.536	0.50		mg/L	05/16/1997	cjy	3847
Benzene	100.0	19.99	20.0		ug/L	05/16/1997	cjy	3847
Toluene	98.2	19.63	20.0		ug/L	05/16/1997	cjy	3847
Ethylbenzene	98.4	19.68	20.0		ug/L	05/16/1997	cjy	3847
Xylenes (Total)	97.8	58.68	60.0		ug/L	05/16/1997	cjy	3847
Methyl-tert-butyl ether	96.8	77.45	80.0		ug/L	05/16/1997	cjy	3847
Bromofluorobenzene (SURR)	107.0	107	100		% Rec.	05/16/1997	cjy	3847
8015M - HEAVY SCAN								
as Diesel	115.5	1155	1000		mg/L	05/16/1997	vah	31
Ortho-terphenyl (SURR)	119.0	119	100		% Rec.	05/16/1997	vah	31
8015M - HEAVY SCAN								
as Diesel	89.5	895	1000		mg/L	05/13/1997	vah	31
Ortho-terphenyl (SURR)	115.0	115	100		% Rec.	05/13/1997	vah	31
TPH (Gas/BTXE,Solid)								
as Gasoline	106.8	2.67	2.50		mg/kg	05/12/1997	vah	2136
Benzene	98.6	98.6	100.0		ug/kg	05/12/1997	vah	2136
Toluene	96.7	96.7	100.0		ug/kg	05/12/1997	vah	2136
Ethylbenzene	98.4	98.4	100.0		ug/kg	05/12/1997	vah	2136
Xylenes (Total)	97.7	293	300.0		ug/kg	05/12/1997	vah	2136
Methyl-tert-butyl ether	90.8	363	400.0		ug/kg	05/12/1997	vah	2136
Bromofluorobenzene (SURR)	101.0	101	100		% Rec.	05/12/1997	vah	2136
TPH (Gas/BTXE,Solid)								
as Gasoline	97.8	2.446	2.50		mg/kg	05/13/1997	cjy	2137
Benzene	100.0	100.0	100.0		ug/kg	05/13/1997	cjy	2137
Toluene	98.4	98.40	100.0		ug/kg	05/13/1997	cjy	2137
Ethylbenzene	100.6	100.6	100.0		ug/kg	05/13/1997	cjy	2137
Xylenes (Total)	99.5	298.4	300.0		ug/kg	05/13/1997	cjy	2137
Methyl-tert-butyl ether	103.6	414.4	400.0		ug/kg	05/13/1997	cjy	2137
Bromofluorobenzene (SURR)	107.0	107	100		% Rec.	05/13/1997	cjy	2137
8015M - HEAVY SCAN								
as Diesel	115.5	1155	1000		mg/kg	05/16/1997	vah	32
Ortho-terphenyl (SURR)	119.0	119	100		% Rec.	05/16/1997	vah	32
8015M - HEAVY SCAN								
as Diesel	109.7	1097	1000		mg/kg	05/15/1997	vah	32
Ortho-terphenyl (SURR)	115.0	115	100		% Rec.	05/15/1997	vah	32

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.

Ref: Gateway Liquors

METHOD BLANK REPORT

Parameter	Method Blank Amount Found	Reporting Limit	Flags	Units	Date Analyzed	Analyst Initials	Run Batch Number
TPH (Gas/BTXE,Liquid)							
as Gasoline	ND	0.050		mg/L	05/16/1997	cjy	3847
Benzene	ND	0.50		ug/L	05/16/1997	cjy	3847
Toluene	ND	0.50		ug/L	05/16/1997	cjy	3847
Ethylbenzene	ND	0.50		ug/L	05/16/1997	cjy	3847
Xylenes (Total)	ND	0.50		ug/L	05/16/1997	cjy	3847
Methyl-tert-butyl ether	ND	2.0		ug/L	05/16/1997	cjy	3847
Bromofluorobenzene (SURR)	108			% Rec.	05/16/1997	cjy	3847
8015M - HEAVY SCAN							
as Diesel	ND	0.050		mg/L	05/16/1997	vah	31
as Kerosene	ND	0.050		mg/L	05/16/1997	vah	31
Ortho-terphenyl (SURR)	117			% Rec.	05/16/1997	vah	31
TPH (Gas/BTXE,Solid)							
as Gasoline	ND	1.0		mg/kg	05/12/1997	vah	2136
Benzene	ND	2.5		ug/kg	05/12/1997	vah	2136
Toluene	ND	2.5		ug/kg	05/12/1997	vah	2136
Ethylbenzene	ND	2.5		ug/kg	05/12/1997	vah	2136
Xylenes (Total)	ND	2.5		ug/kg	05/12/1997	vah	2136
Methyl-tert-butyl ether	ND	10		ug/kg	05/12/1997	vah	2136
Bromofluorobenzene (SURR)	97			% Rec.	05/12/1997	vah	2136
TPH (Gas/BTXE,Solid)							
as Gasoline	ND	1.0		mg/kg	05/13/1997	cjy	2137
Benzene	ND	2.5		ug/kg	05/13/1997	cjy	2137
Toluene	ND	2.5		ug/kg	05/13/1997	cjy	2137
Ethylbenzene	ND	2.5		ug/kg	05/13/1997	cjy	2137
Xylenes (Total)	ND	2.5		ug/kg	05/13/1997	cjy	2137
Methyl-tert-butyl ether	ND	10		ug/kg	05/13/1997	cjy	2137
Bromofluorobenzene (SURR)	106			% Rec.	05/13/1997	cjy	2137
8015M - HEAVY SCAN							
as Diesel	ND	1.0		mg/kg	05/16/1997	vah	32
as Kerosene	ND	1.0		mg/kg	05/16/1997	vah	32
Ortho-terphenyl (SURR)	125			% Rec.	05/16/1997	vah	32

Ref: Gateway Liquors

MATRIX SPIKE / MATRIX SPIKE DUPLICATE

Parameter	Matrix Spike				Matrix Spike				Flags	Units	Date Analyzed	Run Batch	Sample Spiked
	Matrix Spike % Rec.	Spike Dup % Rec.	RPD	Spike Amount	Sample Conc.	Matrix Spike Conc.	Spike Dup Conc.						
TPH (Gas/BTXE,Liquid)													275283
as Gasoline	104.2	104.2	0.0	0.50	ND	0.521	0.521		mg/L	05/16/1997	3847		275283
Benzene	107.9	102.3	5.3	4.29	ND	4.63	4.39		ug/L	05/16/1997	3847		275283
Toluene	101.5	99.7	1.7	37.51	ND	38.09	37.39		ug/L	05/16/1997	3847		275283
Bromofluorobenzene (SURR)	107.0	110.0	2.8	100	105	107	110		% Rec.	05/16/1997	3847		275283
8015M - HEAVY SCAN													275257
as Diesel	87.3	92.1	5.4	1.89	ND	1.65	1.74		mg/L	05/13/1997	31		275257
Ortho-terphenyl (SURR)	122.0	124.0	1.6	100	104	122	124		% Rec.	05/13/1997	31		275257
TPH (Gas/BTXE,Solid)													275229
as Gasoline	90.4	88.4	2.2	2.50	ND	2.26	2.21		mg/kg	05/12/1997	2136		275229
Benzene	95.2	93.8	1.5	20.9	ND	19.9	19.6		ug/kg	05/12/1997	2136		275229
Toluene	97.7	93.7	4.2	181.6	ND	177.5	170.2		ug/kg	05/12/1997	2136		275229
Bromofluorobenzene (SURR)	94.0	97.0	3.1	100	96	94	97		% Rec.	05/12/1997	2136		275229
TPH (Gas/BTXE,Solid)													275229
Benzene				100	ND				ug/kg	05/12/1997	2136		275229
Toluene				300	ND				ug/kg	05/12/1997	2136		275229
Bromofluorobenzene (SURR)				100	96				% Rec.	05/12/1997	2136		275229
TPH (Gas/BTXE,Solid)													275354
as Gasoline	87.0	86.1	1.0	2.50	ND	2.175	2.153		mg/kg	05/13/1997	2137		275354
Benzene	91.0	90.1	1.0	21.15	ND	19.25	19.05		ug/kg	05/13/1997	2137		275354
Toluene	91.9	90.2	1.9	182.9	ND	168.0	165.0		ug/kg	05/13/1997	2137		275354
Bromofluorobenzene (SURR)	89.0	89.0	0.0	100	88	89	89		% Rec.	05/13/1997	2137		275354
8015M - HEAVY SCAN													275326
as Diesel	101.8	96.4	5.3	16.7	ND	17.0	16.1		mg/kg	05/15/1997	32		275326
Ortho-terphenyl (SURR)	92.0	110.0	17.7	100	72	92	110		% Rec.	05/15/1997	32		275326

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.

Client Name: Century West Engineering
Client Acct: 75300
LEGEND Job No: 97.00936

Date: 05/20/1997
ELAP Cert: 2193
Page: 8

Ref: Gateway Liquors

LABORATORY CONTROL SAMPLE REPORT

Parameter	DUP		LCS Amount Found	DUP		Flags	Units	Date Analyzed	Analyst Initials	Run Batch
	LCS % Rec.	LCS % Rec.		LCS Amount Found	LCS Amount Found					
8015M - HEAVY SCAN										
as Diesel	113.0		1.13		1.0		mg/L	05/16/1997	vah	31
Ortho-terphenyl (SURRE)	139.0		139		100		% Rec.	05/16/1997	vah	31
8015M - HEAVY SCAN										
as Diesel	103.0		17.2		16.7		mg/kg	05/16/1997	vah	32
Ortho-terphenyl (SURRE)	129.0		129		100		% Rec.	05/16/1997	vah	32

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



North State Environmental Analytical Laboratory

Phone: (415) 588-9652 Fax: (415) 588-1950

Chain of Custody / Request for Analysis
Lab Job No.: _____ Page ___ of ___

Client: <i>Century West Engineering</i>	Report to: <i>Matt Bromley</i>	Phone:	Turnaround Time
Mailing Address: <i>7950 Dublin Blvd. Suite 109 Dublin, California</i>	Billing to:	Fax:	
		PO# / Billing Reference:	Date:
			Sampler:

Project / Site Address:					Analysis Requested					Comments/Hazards
Sample ID	Sample Type	Container No. / Type	Pres.	Sampling Date / Time	TPH-G	TPH-D	TPH-K	BTEX	MTBE	
<i>IB-1-5</i>	<i>soil</i>			<i>5/9/97 / 9:12</i>						<i>hold</i>
<i>IB-1-7</i>	<i>↓</i>			<i>1/9/97</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	
<i>IB-1-8.5</i>	<i>↓</i>			<i>1/9/97</i>						<i>hold</i>
<i>IB-1-10</i>	<i>↓</i>			<i>1/9/97</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	
<i>IB-1-W</i>										
<i>IB-1-W</i>	<i>water</i>			<i>5/9/97 / 10:00A</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>	

CUSTODY SEALED
Date *5-9-97* Time *1800* Initials *JA*
SEAL INTACT?
Yes No Initials *JB*

Relinquished by: <i>John G...</i>	Date: <i>5/9/97</i> Time: <i>3:15 P</i>	Received by: <i>Sharon Papp</i>	Lab Comments <i>TEMP: 0.7°C</i>
Relinquished by: <i>Sharon Papp</i>	Date: <i>5-9-97</i> Time: <i>1800</i>	Received by:	
Relinquished by:	Date: <i>5/10/97</i> Time: <i>0830</i>	Received by: <i>Phil J...</i>	