

## Wickham, Jerry, Env. Health

---

**From:** Wickham, Jerry, Env. Health  
**Sent:** Tuesday, October 25, 2011 3:44 PM  
**To:** 'Hashimoto, Yemia'  
**Subject:** RE: PG&E Oakland 4930 Coliseum Way, Oakland, CA Additional Soil Sampling - Work Plan deviation

Yemia,

Thank you for the update regarding the field work. We look forward to reviewing the results in the Site Investigation Report.

Regards,  
Jerry Wickham  
Alameda County Environmental Health  
1131 Harbor Bay Parkway  
Alameda, CA 94502-6577  
phone: 510-567-6791  
[jerry.wickham@acgov.org](mailto:jerry.wickham@acgov.org)

---

**From:** Hashimoto, Yemia [<mailto:Yemia.Hashimoto@amec.com>]  
**Sent:** Tuesday, October 25, 2011 3:27 PM  
**To:** Wickham, Jerry, Env. Health  
**Subject:** PG&E Oakland 4930 Coliseum Way, Oakland, CA Additional Soil Sampling - Work Plan deviation

Jerry Wickham,

Additional soil sampling is scheduled to commence November 1 through the 3 at the PG&E Oakland General Construction Yard at 4930 Coliseum Way in Oakland per the July 5, 2011 work plan.

As we discussed today, there will be a deviation from work plan. Of the 16 soil sample locations proposed in the July 5, 2011 Work Plan, five are inaccessible. These locations are covered with multiple baker tanks that are staged at this location for the PG&E hydrostatic testing. The baker tanks may remain at this location for an extended time period (a year or more). Therefore, we intend to collect the soil samples from the 11 accessible locations to provide lateral delineation at this site. We will not collect soil samples from the five inaccessible locations.

Thank you,

**Yemia Hashimoto, CHG**  
**Senior Hydrogeologist**  
**AMEC**

Environment and Infrastructure  
2101 Webster Street, 12th Floor, Oakland, California 94612, USA  
Tel (510) 663 4100 x4210 fax (510) 663 4141  
Direct (510) 663 4210  
[yemia.hashimoto@amec.com](mailto:yemia.hashimoto@amec.com)  
[amec.com](http://amec.com)

The materials transmitted by this electronic mail are confidential, are only for the use of the intended recipient, and may also be subject to applicable privileges. Any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender. Please also remove this message from your hard drive, diskette, and any other storage device.

If you are not an intended recipient you must not use, disclose, disseminate, copy or print its contents.  
If you receive this e-mail in error, please notify the sender by reply e-mail and delete and destroy the message.