



1590 Solano Way
#A
Concord, CA 94520

925.688.1200 PHONE
925.688.0388 FAX

www.TRCSolutions.com

RECEIVED

3:51 pm, Oct 22, 2007

Alameda County
Environmental Health

October 19, 2007

Project No. 125504

Mr. Steven Plunkett
Alameda County Health Care Services Agency
Department of Environmental Health
Hazardous Materials Program
1131 Harbor Bay Parkway
Alameda, California 94502-6577

SITE: QUIK STOP MARKET NO. 56
3132 BEAUMONT AVENUE
OAKLAND, CALIFORNIA

RE: QUARTERLY GROUNDWATER MONITORING REPORT, THIRD QUARTER
2007


Dear Mr. Plunkett:

Enclosed is a copy of the *Third Quarter 2007 Quarterly Groundwater Monitoring Report* for the property located at 3132 Beaumont Avenue in Oakland, California. This report is submitted on behalf of our client, Quik Stop Markets, Inc.

Please direct all questions and correspondence to:

Mr. Mike Karvelot
Quik Stop Markets, Inc.
4567 Enterprise Street
Fremont, California 94538
Phone: (510) 657-8500

Sincerely,


Jonathan Scheiner
Associate

cc: Mr. Mike Karvelot, Quik Stop Markets, Inc.



1590 Solano Way
#A
Concord, CA 94520

925.688.1200 PHONE
925.688.0388 FAX

www.TRCSolutions.com

October 19, 2007

Project No. 125504

Mr. Mike Karvelot
Quik Stop Markets, Inc.
4567 Enterprise Street
Fremont, California 94538

SITE: QUIK STOP MARKET NO. 56
3132 BEAUMONT AVENUE
OAKLAND, CALIFORNIA

RE: QUARTERLY GROUNDWATER MONITORING REPORT, THIRD QUARTER
2007

Dear Mr. Karvelot:

This *Third Quarter 2007 Quarterly Groundwater Monitoring Report* presents the results of the Third Quarter 2007 fluid level monitoring and groundwater sampling at the above-referenced site (Figure 1). The work at this site was performed in accordance with the requirements of the Alameda County Health Care Services Agency, Department of Environmental Health (ACDEH).

1.0 FLUID-LEVEL MONITORING

Fluid levels were measured in onsite monitoring wells MW-1, MW-2, and MW-3 on September 6, 2007. Groundwater elevations averaged 126.94 feet above mean sea level (MSL). Groundwater flow direction was to the southwest at a gradient of 0.113 feet per foot. Refer to Table 1 for fluid-level monitoring data. Figure 2 is a groundwater elevation contour map based on the fluid-level measurements. A description of fluid-level monitoring procedures is included in the Appendix.

2.0 GROUNDWATER SAMPLING

On September 6, 2007, groundwater samples were collected from onsite wells MW-1, MW-2, and MW-3. Groundwater samples were submitted to a state-certified laboratory for analysis of total petroleum hydrocarbons as gasoline (TPH-G) by EPA Method 8015B, and for benzene, toluene, ethylbenzene, and total xylenes (BTEX), methyl tert-butyl ether (MTBE) by EPA Method 8260B, and ethanol by EPA Method 8260B-DI. Refer to Table 1 and Figure 3 for a summary of analytical results. General Field Procedures, Field Measurement Forms, Official Laboratory Reports, and Chain of Custody Records are included in the Appendix.


Approximately 55 gallons of purge water and equipment rinsate were generated during groundwater sampling activities conducted on September 6, 2007. The purge water was stored onsite in one Department of Transportation-approved 55-gallon drum pending disposal.

3.0 LIST OF ATTACHMENTS


- Figure 1: Vicinity Map
- Figure 2: Groundwater Elevation Contour Map, September 6, 2007
- Figure 3: Dissolved-Phase Hydrocarbon Concentrations, September 6, 2007
- Table 1: Summary of Groundwater Levels and Chemical Analysis
- Appendix: General Field Procedures, Field Measurement Forms, Official Laboratory Reports, and Chain of Custody Records

If you have any questions regarding this report, please call me at (925) 688-2473.

Sincerely,





Jonathan Scheiner
Associate



Amy Wilson, Ph.D., P.E.
Senior Project Engineer




FIGURES






SOURCE:
 United States Geological Survey
 7.5 Minute Topographic Maps:
 Oakland East and
 Oakland West Quadrangles



VICINITY MAP
 Quik Stop No. 56
 3132 Beaumont Avenue
 Oakland, California



LEGEND

- MW-3  Monitoring Well
- 130.00 Groundwater Elevation in Feet Above Mean Sea Level
- 129  Groundwater Elevation Contour Line
-  General Direction of Groundwater Gradient


GROUNDWATER ELEVATION CONTOUR MAP
SEPTEMBER 6, 2007
 Quik Stop No. 56
 3132 Beaumont Avenue
 Oakland, California



SOURCE: Client-provided drawings and Garlow, 1998. Revised in November 2001 per well survey by Doble Thomas Associates and in September 2006 per Navteq aerial photo of site.



FIGURE 2



TABLE

Table 1
Summary of Groundwater Levels and Chemical Analysis

Quik Stop No. 56 - 3132 Beaumont Avenue, Oakland

| Sample ID | Date | Top of Casing Elevation (ft-MSL) | Depth to Water (feet) | Groundwater Elevation (feet) | TPH-G (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Total Xylenes (µg/L) | MTBE 8260 (µg/L) | Ethanol (mg/L) | DO (mg/L) |
|-----------|----------|----------------------------------|--|------------------------------|--------------|----------------|----------------|----------------------|----------------------|------------------|----------------|-----------|
| MW-1 | 03/02/00 | 131.58 | 10.33 | 121.25 | 670 | <1.0 | <1.0 | <1.0 | <1.0 | 2,200 | — | 0.62 |
| MW-1 | 11/16/00 | 131.58 | 11.86 | 119.72 | <500 | <0.5 | <0.5 | <0.5 | <0.5 | 18,000 | — | 0.34 |
| MW-1 | 01/23/01 | 131.58 | 11.05 | 120.53 | 6,400 | <10 | <10 | <10 | <10 | 21,000 | — | 0.83 |
| MW-1 | 04/25/01 | 131.58 | 12.06 | 119.52 | 12,000 | <20 | <20 | <20 | <20 | 17,000 | — | 0.39 |
| MW-1 | 07/24/01 | 131.58 | 12.42 | 119.16 | 8,800 | <13 | <13 | <13 | <13 | 14,000 | — | 7.61 |
| MW-1 | 11/08/01 | 131.58 | 12.00 | 119.58 | 18,000 | <25 | <25 | <25 | <25 | 28,000 | — | — |
| MW-1 | 11/27/01 | 134.13 | Well resurveyed to new reference point | | | | | | | | | |
| MW-1 | 02/05/02 | 134.13 | 10.99 | 123.14 | 28,000 | <50 | <50 | <50 | <50 | 44,000 | — | — |
| MW-1 | 04/29/02 | 134.13 | 10.97 | 123.16 | 12,000 | <25 | <25 | <25 | <25 | 30,000 | — | — |
| MW-1 | 07/29/02 | 134.13 | 10.20 | 123.93 | 16,000 | <25 | <25 | <25 | <25 | 22,000 | — | — |
| MW-1 | 10/21/02 | 134.13 | 10.48 | 123.65 | 17,000 | <50 | <50 | <50 | <50 | 39,000 | — | — |
| MW-1 | 03/05/03 | 134.13 | 8.94 | 125.19 | 40,000 | <100 | <100 | <100 | <100 | 69,000 | — | — |
| MW-1 | 06/06/03 | 134.13 | 8.68 | 125.45 | 27,000 | <50 | <50 | <50 | <50 | 63,000 | — | — |
| MW-1 | 09/05/03 | 134.13 | 9.21 | 124.92 | 28,000 | <25 | <25 | <25 | <25 | 51,000 | — | — |
| MW-1 | 12/24/03 | 134.13 | 8.65 | 125.48 | 29,000 | <50 | <50 | <50 | <50 | 84,000 | — | — |
| MW-1 | 03/25/04 | 134.13 | 8.66 | 125.47 | 39,000 | <100 | <100 | <100 | <100 | 72,000 | — | — |
| MW-1 | 06/25/04 | 134.13 | 8.66 | 125.47 | 50,000 | <100 | <100 | <100 | <100 | 90,000 | — | — |
| MW-1 | 09/16/04 | 134.13 | 9.02 | 125.11 | 30,000 | <50 | <50 | <50 | <50 | 75,000 | — | — |
| MW-1 | 12/17/04 | 134.13 | 7.46 | 126.67 | 35,000 | <50 | <50 | <50 | <50 | 59,000 | — | — |
| MW-1 | 03/10/05 | 134.13 | 7.17 | 126.96 | 14,000 | <25 | <25 | <25 | <25 | 33,000 | — | — |
| MW-1 | 06/09/05 | 134.13 | 8.14 | 125.99 | 36,000 | <50 | <50 | <50 | <50 | 60,000 | — | — |
| MW-1 | 09/13/05 | 134.13 | 12.64 | 121.49 | <20,000 | <100 | <100 | <100 | <100 | 32,000 | — | — |
| MW-1 | 12/06/05 | 134.13 | 11.40 | 122.73 | <5,000 | <25 | <25 | <25 | <25 | 5,700 | — | — |
| MW-1 | 03/29/06 | 134.13 | 10.51 | 123.62 | 16,000 | <25 | <25 | <25 | <25 | 23,000 | — | — |
| MW-1 | 06/29/06 | 134.13 | 11.28 | 122.85 | 8,200 | <15 | <15 | <15 | <15 | 12,000 | <5.0 | — |
| MW-1 | 09/21/06 | 134.13 | 11.90 | 122.23 | 4,500 | <10 | <10 | <10 | <10 | 7,900 | <5.0 | — |
| MW-1 | 12/08/06 | 134.13 | 11.65 | 122.48 | 3,900 | <10 | <10 | <10 | <10 | 4,100 | <5.0 | — |
| MW-1 | 03/28/07 | 134.13 | 11.22 | 122.91 | 5,000 | <10 | <10 | <10 | <10 | 7,700 | <5.0 | — |
| MW-1 | 06/14/07 | 134.13 | 12.18 | 121.95 | 3,600 | <10 | <10 | <10 | <10 | 4,300 | <5.0 | — |
| MW-1 | 09/06/07 | 134.13 | 12.84 | 121.29 | 3,400 | <10 | <10 | <10 | <10 | 4,500 | <5.0 | — |
| MW-2 | 03/02/00 | 132.63 | 5.88 | 126.75 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | — | 1.45 |
| MW-2 | 11/16/00 | 132.63 | 6.40 | 126.23 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <1.0 | — | 1.67 |
| MW-2 | 01/23/01 | 132.63 | 5.67 | 126.96 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | — | 1.20 |
| MW-2 | 04/25/01 | 132.63 | 6.26 | 126.37 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | — | 0.76 |
| MW-2 | 07/24/01 | 132.63 | 6.38 | 126.25 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | — | 2.92 |

Table 1
Summary of Groundwater Levels and Chemical Analysis

Quik Stop No. 56 - 3132 Beaumont Avenue, Oakland

| Sample ID | Date | Top of Casing Elevation (ft-MSL) | Depth to Water (feet) | Groundwater Elevation (feet) | TPH-G (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Total Xylenes (µg/L) | MTBE 8260 (µg/L) | Ethanol (mg/L) | DO (mg/L) |
|-----------|----------|----------------------------------|--|------------------------------|--------------|----------------|----------------|----------------------|----------------------|------------------|----------------|-----------|
| MW-2 | 11/08/01 | 132.63 | 5.97 | 126.66 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.7 | — | — |
| MW-2 | 11/27/01 | 135.16 | Well resurveyed to new reference point | | | | | | | | | |
| MW-2 | 02/05/02 | 135.16 | 4.95 | 130.21 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.7 | — | — |
| MW-2 | 04/29/02 | 135.16 | 5.03 | 130.13 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.8 | — | — |
| MW-2 | 07/29/02 | 135.16 | 5.46 | 129.70 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 4.1 | — | — |
| MW-2 | 10/21/02 | 135.16 | 5.68 | 129.48 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 8.1 | — | — |
| MW-2 | 03/05/03 | 135.16 | 4.87 | 130.29 | <50 | 1.4 | <0.50 | 0.61 | 0.69 | 5.5 | — | — |
| MW-2 | 06/06/03 | 135.16 | 4.88 | 130.28 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 5.2 | — | — |
| MW-2 | 09/05/03 | 135.16 | 5.60 | 129.56 | <50 | <0.50 | <0.50 | <0.50 | 0.66 | 6.4 | — | — |
| MW-2 | 12/24/03 | 135.16 | 5.25 | 129.91 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 5.4 | — | — |
| MW-2 | 03/25/04 | 135.16 | 5.25 | 129.91 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 5.3 | — | — |
| MW-2 | 06/25/04 | 135.16 | 6.89 | 128.27 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 5.4 | — | — |
| MW-2 | 09/16/04 | 135.16 | 6.09 | 129.07 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 5.5 | — | — |
| MW-2 | 12/17/04 | 135.16 | 5.30 | 129.86 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 5.4 | — | — |
| MW-2 | 03/10/05 | 135.16 | 4.49 | 130.67 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.7 | — | — |
| MW-2 | 06/09/05 | 135.16 | 4.85 | 130.31 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 4.8 | — | — |
| MW-2 | 09/13/05 | 135.16 | 5.82 | 129.34 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 5.6 | — | — |
| MW-2 | 12/06/05 | 135.16 | 5.14 | 130.02 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 4.5 | — | — |
| MW-2 | 03/29/06 | 135.16 | 4.27 | 130.89 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 4.4 | — | — |
| MW-2 | 06/29/06 | 135.16 | 5.21 | 129.95 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 5.1 | <5.0 | — |
| MW-2 | 09/21/06 | 135.16 | 5.62 | 129.54 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.3 | <5.0 | — |
| MW-2 | 12/08/06 | 135.16 | 5.29 | 129.87 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.1 | <5.0 | — |
| MW-2 | 03/28/07 | 135.16 | 5.08 | 130.08 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.5 | <5.0 | — |
| MW-2 | 06/14/07 | 135.16 | 5.30 | 129.86 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.5 | <5.0 | — |
| MW-2 | 09/06/07 | 135.16 | 5.64 | 129.52 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.2 | <5.0 | — |
| MW-3 | 03/02/00 | 133.78 | 6.41 | 127.37 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.96 | — | 0.90 |
| MW-3 | 11/16/00 | 133.78 | 6.46 | 127.32 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 24 | — | 3.91 |
| MW-3 | 01/23/01 | 133.78 | 5.75 | 128.03 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 72 | — | 1.47 |
| MW-3 | 04/25/01 | 133.78 | 5.90 | 127.88 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 25 | — | 0.56 |
| MW-3 | 07/24/01 | 133.78 | 6.56 | 127.22 | <50 | <0.50 | 0.79 | 0.73 | 0.68 | 5.2 | — | 6.67 |
| MW-3 | 11/08/01 | 133.78 | 6.92 | 126.86 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 14 | — | — |
| MW-3 | 11/27/01 | 136.35 | Well resurveyed to new reference point | | | | | | | | | |
| MW-3 | 02/05/02 | 136.35 | 5.13 | 131.22 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 10 | — | — |
| MW-3 | 04/29/02 | 136.35 | 5.67 | 130.68 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 5.1 | — | — |
| MW-3 | 07/29/02 | 136.35 | 6.11 | 130.24 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 31 | — | — |

Table 1
Summary of Groundwater Levels and Chemical Analysis

Quik Stop No. 56 - 3132 Beaumont Avenue, Oakland

| Sample ID | Date | Top of Casing Elevation (ft-MSL) | Depth to Water (feet) | Groundwater Elevation (feet) | TPH-G (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Total Xylenes (µg/L) | MTBE 8260 (µg/L) | Ethanol (mg/L) | DO (mg/L) |
|-----------|----------|----------------------------------|-----------------------|------------------------------|--------------|----------------|----------------|----------------------|----------------------|------------------|----------------|-----------|
| MW-3 | 10/21/02 | 136.35 | 6.57 | 129.78 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 5.8 | — | — |
| MW-3 | 01/06/04 | 136.35 | 5.02 | 131.33 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 4.9 | — | — |
| MW-3 | 06/06/03 | 136.35 | 5.12 | 131.23 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 6.6 | — | — |
| MW-3 | 09/05/03 | 136.35 | 6.53 | 129.82 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 4.4 | — | — |
| MW-3 | 12/24/03 | 136.35 | 5.20 | 131.15 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.2 | — | — |
| MW-3 | 03/25/04 | 136.35 | 5.42 | 130.93 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.2 | — | — |
| MW-3 | 06/25/04 | 136.35 | 6.50 | 129.85 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 13 | — | — |
| MW-3 | 09/16/04 | 136.35 | 6.79 | 129.56 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.0 | — | — |
| MW-3 | 12/17/04 | 136.35 | 5.20 | 131.15 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.6 | — | — |
| MW-3 | 03/10/05 | 136.35 | 4.42 | 131.93 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.8 | — | — |
| MW-3 | 06/09/05 | 136.35 | 4.98 | 131.37 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.6 | — | — |
| MW-3 | 09/13/05 | 136.35 | 6.42 | 129.93 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 11 | — | — |
| MW-3 | 12/06/05 | 136.35 | 5.35 | 131.00 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.4 | — | — |
| MW-3 | 03/29/06 | 136.35 | 4.01 | 132.34 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.2 | — | — |
| MW-3 | 06/29/06 | 136.35 | 5.41 | 130.94 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.5 | <5.0 | — |
| MW-3 | 09/21/06 | 136.35 | 6.31 | 130.04 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.1 | <5.0 | — |
| MW-3 | 12/08/06 | 136.35 | 5.75 | 130.60 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.6 | <5.0 | — |
| MW-3 | 03/28/07 | 136.35 | 5.09 | 131.26 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.0 | <5.0 | — |
| MW-3 | 06/14/07 | 136.35 | 5.47 | 130.88 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.1 | <5.0 | — |
| MW-3 | 09/06/07 | 136.35 | 6.35 | 130.00 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.4 | <5.0 | — |

NOTES: ft-MSL = feet above mean sea level
µg/L = micrograms per liter
mg/L = milligrams per liter
TPH-G = total petroleum hydrocarbons as gasoline
DO = dissolved oxygen
< = not detected at or above the stated detection limit
MTBE = methyl tert butyl ether

APPENDIX

**GENERAL FIELD PROCEDURES, FIELD MEASUREMENT FORMS, OFFICIAL
LABORATORY REPORTS, AND CHAIN OF CUSTODY RECORDS**

GENERAL FIELD PROCEDURES

General field procedures used during fluid-level monitoring and groundwater sampling activities are described below.

FLUID-LEVEL MONITORING

Fluid levels are monitored in the wells using an electronic interface probe with conductance sensors. The presence of liquid-phase hydrocarbons is verified using a hydrocarbon-reactive paste. The depth to liquid-phase hydrocarbons and water is measured relative to the well box top or top of casing. Well box or casing elevations are surveyed to within 0.02 foot relative to a county or city benchmark.

GROUNDWATER SAMPLING

Groundwater monitoring wells are purged and sampled in accordance with standard regulatory protocol. Typically, monitoring wells that contain no liquid-phase hydrocarbons are purged of groundwater prior to sampling so that fluids sampled are representative of fluids within the formation. Temperature, pH, and specific conductance are typically measured after each well casing volume has been removed. Purging is considered complete when these parameters vary less than 10% from the previous readings, or when four casing volumes of fluid have been removed. Samples are collected without further purging if the well does not recharge within 2 hours to 80% of its volume before purging.

The purged water is stored in labeled drums prior to transport to an appropriate treatment or recycling facility. If an automatic recovery system (ARS) is operating at the site, purged water may be pumped into the ARS for treatment.

Groundwater samples are collected by lowering a 1.5-inch-diameter, bottom-fill, disposable polyethylene bailer just below the static water level in the well. The samples are carefully transferred from the check-valve-equipped bailer to 1-liter and 40-milliliter glass containers. The sample containers are filled to zero headspace and fitted with Teflon-sealed caps. Each sample is labeled with the project number, well number, sample date, and sampler's initials. Samples remain chilled at approximately 4°C prior to analysis by a state-certified laboratory.

TRC Alton Geoscience, Northern California Operations
GROUND WATER SAMPLING FIELD NOTES

Site: Quik Stop #56 Project No.: 125504 Sampled By: J. Chidester Date: 9/6/07

Well No. MW-2 Purge Method: 2" Sub. Well No. MW-3 Purge Method: 2" Sub.
 Total Depth (feet) 30.02 Depth to Product (feet): — Total Depth (feet) 30.63 Depth to Product (feet): —
 Depth to Water (feet): 5.64 Product Recovered (gallons): — Depth to Water (feet): 6.35 Product Recovered (gallons): —
 Water Column (feet): 24.38 Casing Diameter (Inches): 2" Water Column (feet): 24.28 Casing Diameter (Inches): 2"
 80% Recharge Depth (feet): 10.52 1 Well Volume (gallons): 3.90 80% Recharge Depth (feet): 11.2 1 Well Volume (gallons): 3.88

| Time Start | Time Stop | Depth To Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH |
|--------------|-----------|-----------------------|-------------------------|----------------------|--------------------|------|
| 0930 | | | 4 | 729 | 21.6 | 6.93 |
| | | | 8 | 770 | 23.3 | 6.93 |
| | 0935 | | 12 | 839 | 23.5 | 6.65 |
| Total Purged | | | 12 | Time Sampled | | 1100 |

Comments:
Turbidity=

| Time Start | Time Stop | Depth To Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH |
|--------------|-----------|-----------------------|-------------------------|----------------------|--------------------|------|
| 0948 | | | 4 | 744 | 22.3 | 7.23 |
| | | | 8 | 696 | 23.0 | 6.94 |
| | | | 12 | 753 | 22.9 | 6.87 |
| Total Purged | | | 12 | Time Sampled | | 1115 |

Comments:
Turbidity=

Well No. MW-1 Purge Method: 2" Sub. Well No. _____ Purge Method: _____
 Total Depth (feet) 30.15 Depth to Product (feet): — Total Depth (feet) _____ Depth to Product (feet): _____
 Depth to Water (feet): 12.84 Product Recovered (gallons): — Depth to Water (feet): _____ Product Recovered (gallons): _____
 Water Column (feet): 17.31 Casing Diameter (Inches): 2" Water Column (feet): _____ Casing Diameter (Inches): _____
 80% Recharge Depth (feet): 16.30 1 Well Volume (gallons): 2.77 80% Recharge Depth (feet): _____ 1 Well Volume (gallons): _____

| Time Start | Time Stop | Depth To Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH |
|--------------|-----------|-----------------------|-------------------------|----------------------|--------------------|------|
| 1012 | | | 3 | 766 | 22.8 | 6.95 |
| | | | 6 | 754 | 23.1 | 6.72 |
| | 1017 | | 8 | 777 | 23.0 | 6.71 |
| Total Purged | | | 8 | Time Sampled | | 1130 |

Comments:
Turbidity=

| Time Start | Time Stop | Depth To Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH |
|--------------|-----------|-----------------------|-------------------------|----------------------|--------------------|----|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Total Purged | | | | Time Sampled | | |

Comments:
Turbidity=

Well No. _____ Purge Method: _____ Well No. _____ Purge Method: _____
 Total Depth (feet) _____ Depth to Product (feet): _____ Total Depth (feet) _____ Depth to Product (feet): _____
 Depth to Water (feet): _____ Product Recovered (gallons): _____ Depth to Water (feet): _____ Product Recovered (gallons): _____
 Water Column (feet): _____ Casing Diameter (Inches): _____ Water Column (feet): _____ Casing Diameter (Inches): _____
 80% Recharge Depth (feet): _____ 1 Well Volume (gallons): _____ 80% Recharge Depth (feet): _____ 1 Well Volume (gallons): _____

| Time Start | Time Stop | Depth To Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH |
|--------------|-----------|-----------------------|-------------------------|----------------------|--------------------|----|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Total Purged | | | | Time Sampled | | |

Comments:
Turbidity=

| Time Start | Time Stop | Depth To Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH |
|--------------|-----------|-----------------------|-------------------------|----------------------|--------------------|----|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Total Purged | | | | Time Sampled | | |

Comments:
Turbidity=



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

TRC-Alton Geoscience
1590 Solano Way Suite A
Concord, CA 94520

Attn: James Chidester
Phone: (925) 688-2485
Fax: (925) 688-0388
Date Received : 09/07/07

Job#: 125504-00TA07

GC/MSD by Direct Injection
EPA Method SW8260B-DI

| Parameter | Concentration | Reporting Limit | Date Sampled | Date Analyzed |
|---|---------------|-----------------|--------------|---------------|
| Client ID : MW-2 Lab ID : TRC07090730-01A Ethanol | ND | 5.0 µg/L | 09/06/07 | 09/10/07 |
| Client ID : MW-3 Lab ID : TRC07090730-02A Ethanol | ND | 5.0 µg/L | 09/06/07 | 09/10/07 |
| Client ID : MW-1 Lab ID : TRC07090730-03A Ethanol | ND | 5.0 µg/L | 09/06/07 | 09/10/07 |

ND = Not Detected

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 281-4848 / info@alpha-analytical.com

9/20/07

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

TRC-Alton Geoscience
1590 Solano Way Suite A
Concord, CA 94520

Attn: James Chidester
Phone: (925) 688-2485
Fax: (925) 688-0388
Date Received : 09/07/07

Job#: 125504-00TA07

Total Petroleum Hydrocarbons - Purgeable (TPH-P) EPA Method SW8015B
Volatile Organic Compounds (VOCs) EPA Method SW8260B

| | Parameter | Concentration | Reporting Limit | Date Sampled | Date Analyzed |
|-----------------|--------------------------------|---------------|-----------------|--------------|---------------|
| Client ID : | TPH-P (GRO) | ND | 0.050 mg/L | 09/06/07 | 09/13/07 |
| MW-2 | Methyl tert-butyl ether (MTBE) | 3.2 | 0.50 µg/L | 09/06/07 | 09/13/07 |
| Lab ID : | Benzene | ND | 0.50 µg/L | 09/06/07 | 09/13/07 |
| TRC07090730-01A | Toluene | ND | 0.50 µg/L | 09/06/07 | 09/13/07 |
| | Ethylbenzene | ND | 0.50 µg/L | 09/06/07 | 09/13/07 |
| | Xylenes, Total | ND | 0.50 µg/L | 09/06/07 | 09/13/07 |
| Client ID : | TPH-P (GRO) | ND | 0.050 mg/L | 09/06/07 | 09/13/07 |
| MW-3 | Methyl tert-butyl ether (MTBE) | 2.4 | 0.50 µg/L | 09/06/07 | 09/13/07 |
| Lab ID : | Benzene | ND | 0.50 µg/L | 09/06/07 | 09/13/07 |
| TRC07090730-02A | Toluene | ND | 0.50 µg/L | 09/06/07 | 09/13/07 |
| | Ethylbenzene | ND | 0.50 µg/L | 09/06/07 | 09/13/07 |
| | Xylenes, Total | ND | 0.50 µg/L | 09/06/07 | 09/13/07 |
| Client ID : | TPH-P (GRO) | 3.4 | 2.0 mg/L | 09/06/07 | 09/13/07 |
| MW-1 | Methyl tert-butyl ether (MTBE) | 4,500 | 10 µg/L | 09/06/07 | 09/13/07 |
| Lab ID : | Benzene | ND | 10 µg/L | 09/06/07 | 09/13/07 |
| TRC07090730-03A | Toluene | ND | 10 µg/L | 09/06/07 | 09/13/07 |
| | Ethylbenzene | ND | 10 µg/L | 09/06/07 | 09/13/07 |
| | Xylenes, Total | ND | 10 µg/L | 09/06/07 | 09/13/07 |

Gasoline Range Organics (GRO) C4-C13

V = Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 281-4848 / info@alpha-analytical.com

9/20/07

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

VOC Sample Preservation Report

Work Order: TRC07090730

Project: 125504-00TA07

| Alpha's Sample ID | Client's Sample ID | Matrix | pH |
|-------------------|--------------------|---------|----|
| 07090730-01A | MW-2 | Aqueous | 2 |
| 07090730-02A | MW-3 | Aqueous | 2 |
| 07090730-03A | MW-1 | Aqueous | 2 |

9/20/07
Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
16-Sep-07

QC Summary Report

Work Order:
07090730

Method Blank

| Method Blank | | Type | Test Code: EPA Method SW8260B-DI | | | | | | | |
|--|-------------|------|----------------------------------|-----------|---------------------------------|---------|---------|-----------|-------------|------|
| File ID: C:\HPCHEM\MS11\DATA\070910\07091003.D | | MBLK | Batch ID: 18305 | | Analysis Date: 09/10/2007 12:27 | | | | | |
| Sample ID: MBLK-18305 | Units: µg/L | | Run ID: MSD_11_070910A | | Prep Date: 09/10/2007 | | | | | |
| Analyte | Result | PQL | SpkVal | SpkRefVal | %REC | LCL(ME) | UCL(ME) | RPDRefVal | %RPD(Limit) | Qual |
| Ethanol | ND | | 5 | | | | | | | |
| Surr: Hexafluoro-2-propanol | 499 | | | 500 | 99.8 | 70 | 130 | | | |

Laboratory Control Spike

| Laboratory Control Spike | | Type | Test Code: EPA Method SW8260B-DI | | | | | | | |
|--|-------------|------|----------------------------------|-----------|---------------------------------|---------|---------|-----------|-------------|------|
| File ID: C:\HPCHEM\MS11\DATA\070910\07091004.D | | LCS | Batch ID: 18305 | | Analysis Date: 09/10/2007 12:47 | | | | | |
| Sample ID: LCS-18305 | Units: µg/L | | Run ID: MSD_11_070910A | | Prep Date: 09/10/2007 | | | | | |
| Analyte | Result | PQL | SpkVal | SpkRefVal | %REC | LCL(ME) | UCL(ME) | RPDRefVal | %RPD(Limit) | Qual |
| Ethanol | 204 | | 5 | 250 | 82 | 68 | 132 | | | |
| Surr: Hexafluoro-2-propanol | 503 | | | 500 | 101 | 70 | 130 | | | |

Sample Matrix Spike

| Sample Matrix Spike | | Type | Test Code: EPA Method SW8260B-DI | | | | | | | |
|--|-------------|------|----------------------------------|-----------|---------------------------------|---------|---------|-----------|-------------|------|
| File ID: C:\HPCHEM\MS11\DATA\070910\07091006.D | | MS | Batch ID: 18305 | | Analysis Date: 09/10/2007 13:49 | | | | | |
| Sample ID: 07090728-02AMS | Units: µg/L | | Run ID: MSD_11_070910A | | Prep Date: 09/10/2007 | | | | | |
| Analyte | Result | PQL | SpkVal | SpkRefVal | %REC | LCL(ME) | UCL(ME) | RPDRefVal | %RPD(Limit) | Qual |
| Ethanol | 292 | | 5 | 250 | 0 | 117 | 67 | 133 | | |
| Surr: Hexafluoro-2-propanol | 519 | | | 500 | 104 | 70 | 130 | | | |

Sample Matrix Spike Duplicate

| Sample Matrix Spike Duplicate | | Type | Test Code: EPA Method SW8260B-DI | | | | | | | |
|--|-------------|------|----------------------------------|-----------|---------------------------------|---------|---------|-----------|-------------|---------|
| File ID: C:\HPCHEM\MS11\DATA\070910\07091007.D | | MSD | Batch ID: 18305 | | Analysis Date: 09/10/2007 14:10 | | | | | |
| Sample ID: 07090728-02AMSD | Units: µg/L | | Run ID: MSD_11_070910A | | Prep Date: 09/10/2007 | | | | | |
| Analyte | Result | PQL | SpkVal | SpkRefVal | %REC | LCL(ME) | UCL(ME) | RPDRefVal | %RPD(Limit) | Qual |
| Ethanol | 291 | | 5 | 250 | 0 | 116 | 67 | 133 | 292.2 | 0.5(20) |
| Surr: Hexafluoro-2-propanol | 516 | | | 500 | 103 | 70 | 130 | | | |

Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
16-Sep-07

QC Summary Report

Work Order:
07090730

Method Blank

| Method Blank | | Type | Test Code: EPA Method SW8015B | | | | | | | |
|--|-------------|------|-------------------------------|-----------|---------------------------------|---------|---------|-----------|-------------|------|
| File ID: C:\HPCHEM\MS10\DATA\070913\07091308.D | | MBLK | Batch ID: MS10W0913B | | Analysis Date: 09/13/2007 14:34 | | | | | |
| Sample ID: MBLK MS10W0913B | Units: mg/L | | Run ID: MSD_10_070913A | | Prep Date: 09/13/2007 | | | | | |
| Analyte | Result | PQL | SpkVal | SpkRefVal | %REC | LCL(ME) | UCL(ME) | RPDRefVal | %RPD(Limit) | Qual |
| TPH-P (GRO) | ND | 0.05 | | | | | | | | |
| Surr: 1,2-Dichloroethane-d4 | 0.00887 | | 0.01 | | 89 | 75 | 128 | | | |
| Surr: Toluene-d8 | 0.0103 | | 0.01 | | 103 | 80 | 120 | | | |
| Surr: 4-Bromofluorobenzene | 0.00812 | | 0.01 | | 81 | 80 | 120 | | | |

Laboratory Control Spike

| Laboratory Control Spike | | Type | Test Code: EPA Method SW8015B | | | | | | | |
|--|-------------|------|-------------------------------|-----------|---------------------------------|---------|---------|-----------|-------------|------|
| File ID: C:\HPCHEM\MS10\DATA\070913\07091307.D | | LCS | Batch ID: MS10W0913B | | Analysis Date: 09/13/2007 14:13 | | | | | |
| Sample ID: GLCS MS10W0913B | Units: mg/L | | Run ID: MSD_10_070913A | | Prep Date: 09/13/2007 | | | | | |
| Analyte | Result | PQL | SpkVal | SpkRefVal | %REC | LCL(ME) | UCL(ME) | RPDRefVal | %RPD(Limit) | Qual |
| TPH-P (GRO) | 0.443 | 0.05 | 0.4 | | 111 | 70 | 130 | | | |
| Surr: 1,2-Dichloroethane-d4 | 0.00894 | | 0.01 | | 89 | 75 | 128 | | | |
| Surr: Toluene-d8 | 0.0101 | | 0.01 | | 101 | 80 | 120 | | | |
| Surr: 4-Bromofluorobenzene | 0.00792 | | 0.01 | | 79 | 80 | 120 | | | S54 |

Sample Matrix Spike

| Sample Matrix Spike | | Type | Test Code: EPA Method SW8015B | | | | | | | |
|--|-------------|------|-------------------------------|-----------|---------------------------------|---------|---------|-----------|-------------|------|
| File ID: C:\HPCHEM\MS10\DATA\070913\07091311.D | | MS | Batch ID: MS10W0913B | | Analysis Date: 09/13/2007 15:37 | | | | | |
| Sample ID: 07090730-01AGS | Units: mg/L | | Run ID: MSD_10_070913A | | Prep Date: 09/13/2007 | | | | | |
| Analyte | Result | PQL | SpkVal | SpkRefVal | %REC | LCL(ME) | UCL(ME) | RPDRefVal | %RPD(Limit) | Qual |
| TPH-P (GRO) | 2 | 0.25 | 2 | 0 | 100 | 60 | 131 | | | |
| Surr: 1,2-Dichloroethane-d4 | 0.0455 | | 0.05 | | 91 | 75 | 128 | | | |
| Surr: Toluene-d8 | 0.0524 | | 0.05 | | 105 | 80 | 120 | | | |
| Surr: 4-Bromofluorobenzene | 0.0407 | | 0.05 | | 81 | 80 | 120 | | | |

Sample Matrix Spike Duplicate

| Sample Matrix Spike Duplicate | | Type | Test Code: EPA Method SW8015B | | | | | | | |
|--|-------------|------|-------------------------------|-----------|---------------------------------|---------|---------|-----------|-------------|------|
| File ID: C:\HPCHEM\MS10\DATA\070913\07091312.D | | MSD | Batch ID: MS10W0913B | | Analysis Date: 09/13/2007 15:57 | | | | | |
| Sample ID: 07090730-01AGSD | Units: mg/L | | Run ID: MSD_10_070913A | | Prep Date: 09/13/2007 | | | | | |
| Analyte | Result | PQL | SpkVal | SpkRefVal | %REC | LCL(ME) | UCL(ME) | RPDRefVal | %RPD(Limit) | Qual |
| TPH-P (GRO) | 1.94 | 0.25 | 2 | 0 | 97 | 60 | 131 | 2 | 3.2(20) | |
| Surr: 1,2-Dichloroethane-d4 | 0.0464 | | 0.05 | | 93 | 75 | 128 | | | |
| Surr: Toluene-d8 | 0.0515 | | 0.05 | | 103 | 80 | 120 | | | |
| Surr: 4-Bromofluorobenzene | 0.0393 | | 0.05 | | 79 | 80 | 120 | | | S54 |

Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

S54 = Surrogate recovery was below laboratory acceptance limits.



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
16-Sep-07

QC Summary Report

Work Order:
07090730

Method Blank

| Type MBLK Test Code: EPA Method SW8260B | | Batch ID: MS10W0913A | | Analysis Date: 09/13/2007 14:34 | |
|--|-----------------------------------|-----------------------------|-------------------------------|--|--|
| File ID: C:\HPCHEM\MMS10\DATA\070913\07091308.D | Sample ID: MBLK MS10W0913A | Units: µg/L | Run ID: MSD_10_070913A | Prep Date: 09/13/2007 | |
| Analyte | Result | PQL | SpkVal | SpkRefVal | %REC LCL(ME) UCL(ME) RPDPRefVal %RPD(Limit) Qual |
| Methyl tert-butyl ether (MTBE) | ND | 0.5 | | | |
| Benzene | ND | 0.5 | | | |
| Toluene | ND | 0.5 | | | |
| Ethylbenzene | ND | 0.5 | | | |
| Xylenes, Total | ND | 0.5 | | | |
| Surr: 1,2-Dichloroethane-d4 | 8.87 | | 10 | | 89 75 128 |
| Surr: Toluene-d8 | 10.3 | | 10 | | 103 80 120 |
| Surr: 4-Bromofluorobenzene | 8.12 | | 10 | | 81 80 120 |

Laboratory Control Spike

| Type LCS Test Code: EPA Method SW8260B | | Batch ID: MS10W0913A | | Analysis Date: 09/13/2007 13:52 | |
|--|----------------------------------|-----------------------------|-------------------------------|--|--|
| File ID: C:\HPCHEM\MMS10\DATA\070913\07091306.D | Sample ID: LCS MS10W0913A | Units: µg/L | Run ID: MSD_10_070913A | Prep Date: 09/13/2007 | |
| Analyte | Result | PQL | SpkVal | SpkRefVal | %REC LCL(ME) UCL(ME) RPDPRefVal %RPD(Limit) Qual |
| Methyl tert-butyl ether (MTBE) | 10.9 | 0.5 | 10 | | 109 70 130 |
| Benzene | 10.6 | 0.5 | 10 | | 106 70 130 |
| Toluene | 9.78 | 0.5 | 10 | | 98 80 120 |
| Ethylbenzene | 11.1 | 0.5 | 10 | | 111 80 120 |
| Xylenes, Total | 20.7 | 0.5 | 20 | | 103 70 130 |
| Surr: 1,2-Dichloroethane-d4 | 9.87 | | 10 | | 99 75 128 |
| Surr: Toluene-d8 | 10.4 | | 10 | | 104 80 120 |
| Surr: 4-Bromofluorobenzene | 7.74 | | 10 | | 77 80 120 S54 |

Sample Matrix Spike

| Type MS Test Code: EPA Method SW8260B | | Batch ID: MS10W0913A | | Analysis Date: 09/13/2007 14:55 | |
|--|----------------------------------|-----------------------------|-------------------------------|--|--|
| File ID: C:\HPCHEM\MMS10\DATA\070913\07091309.D | Sample ID: 07090730-01AMS | Units: µg/L | Run ID: MSD_10_070913A | Prep Date: 09/13/2007 | |
| Analyte | Result | PQL | SpkVal | SpkRefVal | %REC LCL(ME) UCL(ME) RPDPRefVal %RPD(Limit) Qual |
| Methyl tert-butyl ether (MTBE) | 56.8 | 1.3 | 50 | 3.21 | 107 62 139 |
| Benzene | 51.7 | 1.3 | 50 | 0 | 103 70 130 |
| Toluene | 47.8 | 1.3 | 50 | 0 | 96 67 130 |
| Ethylbenzene | 53.9 | 1.3 | 50 | 0 | 108 70 130 |
| Xylenes, Total | 101 | 1.3 | 100 | 0 | 101 70 130 |
| Surr: 1,2-Dichloroethane-d4 | 49.4 | | 50 | | 99 75 128 |
| Surr: Toluene-d8 | 52 | | 50 | | 104 80 120 |
| Surr: 4-Bromofluorobenzene | 38.6 | | 50 | | 77 80 120 S54 |

Sample Matrix Spike Duplicate

| Type MSD Test Code: EPA Method SW8260B | | Batch ID: MS10W0913A | | Analysis Date: 09/13/2007 15:16 | |
|--|-----------------------------------|-----------------------------|-------------------------------|--|--|
| File ID: C:\HPCHEM\MMS10\DATA\070913\07091310.D | Sample ID: 07090730-01AMSD | Units: µg/L | Run ID: MSD_10_070913A | Prep Date: 09/13/2007 | |
| Analyte | Result | PQL | SpkVal | SpkRefVal | %REC LCL(ME) UCL(ME) RPDPRefVal %RPD(Limit) Qual |
| Methyl tert-butyl ether (MTBE) | 56.8 | 1.3 | 50 | 3.21 | 107 62 139 56.8 0.1(20) |
| Benzene | 48.9 | 1.3 | 50 | 0 | 98 70 130 51.72 5.5(20) |
| Toluene | 44.8 | 1.3 | 50 | 0 | 90 67 130 47.76 6.5(20) |
| Ethylbenzene | 51.6 | 1.3 | 50 | 0 | 103 70 130 53.86 4.3(20) |
| Xylenes, Total | 95.7 | 1.3 | 100 | 0 | 96 70 130 100.8 5.1(20) |
| Surr: 1,2-Dichloroethane-d4 | 50.3 | | 50 | | 101 75 128 |
| Surr: Toluene-d8 | 51.3 | | 50 | | 103 80 120 |
| Surr: 4-Bromofluorobenzene | 37.9 | | 50 | | 76 80 120 S54 |

Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

S54 = Surrogate recovery was below laboratory acceptance limits.

CHAIN-OF-CUSTODY RECORD

AMENDED

Alpha Analytical, Inc.

255 Glendale Avenue, Suite 21 Sparks, Nevada 89431-5778
 TEL: (775) 355-1044 FAX: (775) 355-0406

CA

WorkOrder : TRC07090730

Report Due By : 5:00 PM On : 21-Sep-07

Client:

TRC-Alton Geoscience
 1590 Solano Way Suite A

Concord, CA 94520

Report Attention : James Chidester

CC Report :

James Chidester

TEL : (925) 688-2485 238

FAX : (925) 688-0388

EEmail jchidester@trcsolutions.com

Job : 125504-00TA07

PO :

Client's COC # : 6513

EDD Required : Yes

Sampled by : James Chidester

Cooler Temp

Samples Received

Date Printed

4 °C


07-Sep-07

10-Sep-07

QC Level : S3 = Final Rpt, MBLK, LCS, MS/MSD With Surrogates

| Alpha Sample ID | Client Sample ID | Collection Matrix | Collection Date | No. of Bottles | | | | Requested Tests | | | | | | Sample Remarks | | | |
|-----------------|------------------|-------------------|-------------------|----------------|-----|-----|-------|-----------------|---------|----------|--|--|--|----------------|--|--|--|
| | | | | ORG | SUB | TAT | PWS # | ALCOHOL_W | TPH/P_W | VOC_W | | | | | | | |
| TRC07090730-01A | MW-2 | AQ | 09/06/07 11:00 | 6 | 0 | 10 | | Low Level EtOH | GAS-C | BTXE/M_C | | | | | | | |
| TRC07090730-02A | MW-3 | AQ | 09/06/07 11:15 | 6 | 0 | 10 | | Low Level EtOH | GAS-C | BTXE/M_C | | | | | | | |
| TRC07090730-03A | MW-1 | AQ | 09/06/07 11:30 | 6 | 0 | 10 | | Low Level EtOH | GAS-C | BTXE/M_C | | | | | | | |

Comments: Security seals intact. Frozen ice. Total Xylenes. Amended 9/10/07 10:00, to remove MeOH due to login error.KM :

| Signature | Print Name | Company | Date/Time |
|---|------------|------------------------|--------------|
|  | K Murray | Alpha Analytical, Inc. | 9/10/07 1000 |

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for the report.

Matrix Type : AQ(Aqueous) AR(Air) SO(Soil) WS(Waste) DW(Drinking Water) OT(Other) Bottle Type: L-Liter V-Voa S-Soil Jar O-Orbo T-Tedlar B-Brass P-Plastic OT-Other

CHAIN-OF-CUSTODY RECORD

CA

WorkOrder : TRC07090730

Alpha Analytical, Inc.
 255 Glendale Avenue, Suite 21 Sparks, Nevada 89431-5778
 TEL: (775) 355-1044 FAX: (775) 355-0406

Report Due By : 5:00 PM On : 21-Sep-07

Client:
 TRC-Alton Geoscience
 1590 Solano Way Suite A

 Concord, CA 94520

James Chidester
 TEL : (925) 688-2485 238
 FAX : (925) 688-0388
 EMail jchidester@trcsolutions.com

EDD Required : Yes

Sampled by : James Chidester

Report Attention : James Chidester

Job : 125504-00TA07

Cooler Temp

Samples Received

Date Printed

CC Report :

PO :

Client's COC # : 6513

4 °C

07-Sep-07

07-Sep-07

QC Level : S3 = Final Rpt, MBLK, LCS, MS/MSD With Surrogates

| Alpha Sample ID | Client Sample ID | Collection Matrix | Collection Date | No. of Bottles | | | PWS # | Requested Tests | | | | | Sample Remarks | | |
|-----------------|------------------|-------------------|-------------------|----------------|-----|-----|-------|-----------------------|---------|----------|--|--|----------------|--|--|
| | | | | ORG | SUB | TAT | | ALCOHOL_W | TPH/P_W | VOC_W | | | | | |
| TRC07090730-01A | MW-2 | AQ | 09/06/07 11:00 | 6 | 0 | 10 | | Low Level MeOH / EtOH | GAS-C | BTXE/M_C | | | | | |
| TRC07090730-02A | MW-3 | AQ | 09/06/07 11:15 | 6 | 0 | 10 | | Low Level MeOH / EtOH | GAS-C | BTXE/M_C | | | | | |
| TRC07090730-03A | MW-1 | AQ | 09/06/07 11:30 | 6 | 0 | 10 | | Low Level MeOH / EtOH | GAS-C | BTXE/M_C | | | | | |

Comments: Security seals intact. Frozen ice. Total Xylenes. :

| Signature | Print Name | Company | Date/Time |
|-----------------|------------|------------------------|-------------|
| <i>K Murray</i> | K Murray | Alpha Analytical, Inc. | 9/7/07 1225 |

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for the report.

Matrix Type : AQ(Aqueous) AR(Air) SO(Soil) WS(Waste) DW(Drinking Water) OT(Other) Bottle Type: L-Liter V-Voa S-Soil Jar O-Orbo T-Tedlar B-Brass P-Plastic OT-Other

Billing Information:

Name TRC
 Address PO Box 54770
 City, State, Zip Irvine, CA 92619-4770
 Phone Number (949) 753-0101 Fax (949) 753-0111



Alpha Analytical, Inc.

255 Glendale Avenue, Suite 21
 Sparks, Nevada 89431-5778
 Phone (775) 355-1044
 Fax (775) 355-0406

Samples Collected From Which State?

AZ CA NV WA
 ID OR OTHER Page # 1 of 1

| | | | | | | | | | | | | | | |
|---|---------------|--------------------------|---|--------------------------------------|--|------------|-------------------------------|--|-------------------------------------|-------------------------------------|--|-------------------------------------|---------------------------------|--|
| Client Name <u>TRC</u> | | | P.O. # | | Job # <u>125504-DOTA07</u> | | Analyses Required | | | | 6513 | | | |
| Address <u>1590 Solano Way, Ste. A</u> | | | E-Mail Address <u>jchidester@trcsolutions.com</u> | | | | TPH-P BTEX MTBE ETOH | | | | Required QC Level? I II III IV | | | |
| City, State, Zip <u>Concord, CA 94520</u> | | | Phone # <u>(925) 688-1200</u> | | Fax # <u>(925) 688-0388</u> | | | | | | EDD / EDF? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> | | | |
| Time Sampled | Date Sampled | Matrix* See Key Below | Office Use Only Lab ID Number | Sampled by <u>James Chidester</u> | Report Attention <u>James Chidester</u> | TAT | Field Filtered | Total and type of containers ** See below | | | | | Global ID # <u>T06019774175</u> | |
| | | | | | | | | | REMARKS | | | | | |
| <u>1100</u> | <u>9/6/07</u> | <u>AQ</u> | <u>TRC07090730-01</u> | | | <u>STD</u> | | <u>6V W/HCl</u> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | |
| <u>1115</u> | <u>↓</u> | <u>↓</u> | <u>02</u> | | | <u>↓</u> | | <u>↓</u> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | |
| <u>1130</u> | <u>↓</u> | <u>↓</u> | <u>03</u> | | | <u>↓</u> | | <u>↓</u> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | |

ADDITIONAL INSTRUCTIONS:

Site @ Quik Stop #56 Oakland, CA

| Signature | Print Name | Company | Date | Time |
|--------------------|------------------------|------------|---------------|-------------|
| <u>[Signature]</u> | <u>James Chidester</u> | <u>TRC</u> | <u>9/6/07</u> | <u>1420</u> |
| <u>[Signature]</u> | <u>K Murray</u> | <u>AAI</u> | <u>9/7/07</u> | <u>1215</u> |
| Relinquished by | | | | |
| Received by | | | | |
| Relinquished by | | | | |
| Received by | | | | |

*Key: AQ - Aqueous SO - Soil WA - Waste OT - Other ** : L-Liter V-Voa S-Soil Jar O-Orbo T-Tedlar B-Brass P-Plastic OT-Other
 NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this coc. The liability of the laboratory is limited to the amount paid for the report.