

Environmental Management
Company
6001 Bollinger Canyon Rd, K2256
P.O. Box 6012
San Ramon, CA 94583-2324
Tel 925-842-1589
Fax 925-842-8370

J. Mark Inglis
Project Manager

Alameda County

AUG 04 2005

Environmental Health

ChevronTexaco

August 2, 2005

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station # 9-9708

Address: 5910 MacArthur Blvd., Oakland, California


I have reviewed the attached routine groundwater monitoring report dated July 18, 2005.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,


J. Mark Inglis
Project Manager

Enclosure: Report

RO 124



GETTLER - RYAN INC.

TRANSMITTAL

Alameda County

AUG 04 2005

July 18, 2005

G-R #386395

Environmental Health

TO: Mr. Robert Foss
Cambria Environmental Technology, Inc.
5900 Hollis Street, Suite A
Emeryville, California 94608

CC: Mr. Mark Inglis
ChevronTexaco Company
P.O. Box 6012, Room K2256
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station**
#9-9708
5910 MacArthur Boulevard
Oakland, California
RO 0000124

WE HAVE ENCLOSED THE FOLLOWING:

| COPIES | DATED | DESCRIPTION |
|--------|---------------|---|
| 1 | July 18, 2005 | Groundwater Monitoring and Sampling Report Second Quarter - Event of June 13, 2005 |

COMMENTS:

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **August 1, 2005**, at which time the final report will be distributed to the following:

cc: Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
Mr. Nisson Saidion, 5910 MacArthur Boulevard, Oakland, CA 94605

Enclosures

trans/9-9708-M1



GETTLER - RYAN INC.

July 18, 2005
G-R Job #386395

Mr. Mark Inglis
ChevronTexaco Company
P.O. Box 6012, Room K2256
San Ramon, CA 94583

RE: Second Quarter Event of June 13, 2005
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

Dear Mr. Inglis:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

Deanna L. Harding
Project Coordinator

Robert A. Lauritzen
Senior Geologist, P.G. No. 7504





Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



GETTLER - RYAN INC.

6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Chevron Service Station #9-9708
 5910 MacArthur Boulevard
 Oakland, California

FIGURE
1

PROJECT NUMBER
386395

REVIEWED BY

DATE
 June 13, 2005

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msf) | DTW (ft.) | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) | 1,2-DCB♦ (ppb) | 1,2-DCA♦ (ppb) | HVOCs♦ (ppb) |
|------------------------|---------------|--------------|--------------|----------------|--------------------|------------|------------|------------|------------|---------------|------------------|-------------------|-------------------|-----------------|
| MW-1 | | | | | | | | | | | | | | |
| 05/29/97 | 96.61 | 84.41 | 12.20 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/04/97 | 96.61 | 84.40 | 12.21 | -- | 380 | 58 | 1.2 | 5.4 | 40 | 85 | -- | -- | -- | -- |
| 09/16/97 | 96.61 | 83.84 | 12.77 | -- | 420 | 120 | <0.5 | 19 | 2.7 | 28 | -- | -- | -- | -- |
| 12/17/97 | 96.61 | 85.43 | 11.18 | -- | 210 ¹ | 43 | 0.61 | 11 | 0.61 | 69 | -- | -- | -- | -- |
| 03/18/98 | 96.61 | 84.59 | 12.02 | -- | 210 ¹ | 47 | <0.5 | 8.2 | <0.5 | 92 | -- | -- | -- | -- |
| 06/28/98 | 96.61 | 83.99 | 12.62 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 66 | -- | -- | -- | -- |
| 09/07/98 | 96.61 | 82.32 | 14.29 | -- | <50 | 6.7 | <0.5 | <0.5 | <0.5 | 92 | -- | -- | -- | -- |
| 12/29/98 | 96.61 | 83.18 | 13.43 | -- | <100 | <1.0 | <1.0 | 2.24 | 1.14 | 278 | -- | -- | -- | -- |
| 03/11/99 | 96.61 | 83.80 | 12.81 | -- | 110 | <1.0 | <1.0 | 7.95 | <1.0 | 418 | -- | -- | -- | -- |
| 05/04/99 | 96.61 | 83.85 | 12.76 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/29/99 | 96.61 | 84.06 | 12.55 | -- | 352 | 34.6 | <2.5 | 51 | <2.5 | 780 | -- | -- | -- | -- |
| 09/29/99 | 96.61 | 83.21 | 13.40 | -- | 647 | 167 | <2.5 | 58.6 | 14.8 | 1,570 | -- | -- | -- | -- |
| 12/08/99 | 96.61 | 85.70 | 10.91 | -- | 481 | 121 | 1.16 | 17.9 | 11 | 3,910 | -- | -- | -- | -- |
| 03/01/00 | 96.61 | 85.46 | 11.15 | -- | 2,580 | 481 | 6.84 | 86.6 | 41.9 | 5,460 | -- | -- | -- | -- |
| 06/23/00 | 96.61 | 83.68 | 12.93 | -- | 900 ⁴ | 120 | <5.0 | 22 | 6.7 | 5,400 | -- | -- | -- | -- |
| 09/30/00 | 96.61 | 83.07 | 13.54 | -- | 1,300 ⁴ | 450 | 5.5 | 170 | 11 | 2,000 | -- | -- | -- | -- |
| 12/08/00 | 96.61 | 83.63 | 12.98 | -- | <1,000 | 41.7 | <10.0 | 11.5 | <10.0 | 6,030 | -- | -- | -- | -- |
| 03/01/01 | 96.61 | 84.94 | 11.67 | -- | 340 ⁷ | 36.6 | <0.500 | 10.1 | <0.500 | 3,360 | -- | -- | -- | -- |
| 06/19/01 | 96.61 | 83.94 | 12.67 | -- | 610 ⁴ | 110 | <5.0 | 9.2 | <5.0 | 110 | -- | -- | -- | -- |
| 09/18/01 | 96.61 | 83.48 | 13.13 | -- | 200 | 32 | 0.55 | 3.0 | <1.5 | 1,600 | -- | -- | -- | -- |
| 12/26/01 | 96.61 | 85.14 | 11.47 | -- | 140 | 9.1 | <0.50 | 1.2 | <1.5 | 1,900 | -- | -- | -- | -- |
| 03/06/02 | 97.52 | 86.38 | 11.14 | -- | 93 | 7.0 | <0.50 | 0.72 | <1.5 | 1,000 | -- | -- | -- | -- |
| 06/21/02 | 97.52 | 84.92 | 12.60 | -- | 93 | 8.2 | <0.50 | 1.2 | <1.5 | 1,300 | -- | -- | -- | -- |
| 09/27/02 | 97.52 | 84.38 | 13.14 | -- | 78 | 1.5 | <0.50 | <0.50 | <1.5 | 1,200 | -- | -- | -- | -- |
| 12/26/02 | 97.52 | 87.74 | 9.78 | -- | 86 | 1.7 | <0.50 | <0.50 | <1.5 | 600 | -- | -- | -- | -- |
| 03/28/03 | 97.52 | 85.96 | 11.56 | -- | 190 | 24 | <0.50 | 2.4 | <1.5 | 1,200 | -- | -- | -- | -- |
| 06/16/03 ¹¹ | 97.52 | 85.96 | 11.56 | -- | <50 | 3 | <0.5 | <0.5 | <0.5 | 220 | -- | -- | -- | -- |
| 09/15/03 ¹¹ | 97.52 | 85.21 | 12.31 | -- | 53 | 3 | <0.5 | <0.5 | <0.5 | 580 | <50 | -- | -- | -- |
| 12/15/03 ¹¹ | 97.52 | 86.35 | 11.17 | -- | <50 | <0.5 | 0.7 | <0.5 | 0.8 | 410 | <50 | -- | -- | -- |
| 03/05/04 ¹¹ | 97.52 | 86.09 | 11.43 | -- | 760 | 110 | 2 | 12 | 2 | 460 | <50 | -- | -- | -- |
| 06/18/04 ¹¹ | 97.52 | 85.40 | 12.12 | -- | 1,400 | 200 | 3 | 7 | 2 | 740 | <50 | -- | -- | -- |
| 09/17/04 ¹¹ | 97.52 | 85.12 | 12.40 | -- | 920 | 48 | <0.5 | <0.5 | <0.5 | 340 | <50 | -- | -- | -- |
| 12/17/04 ¹¹ | 97.52 | 86.78 | 10.74 | -- | 190 | 9 | <0.5 | <0.5 | <0.5 | 110 | <50 | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msf) | DTW (ft.) | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) | 1,2-DCB♦ (ppb) | 1,2-DCA♦ (ppb) | HVOCs♦ (ppb) |
|------------------------|---------------|--------------|--------------|----------------|--------------------|------------|------------|------------|------------|---------------------------|------------------|-------------------|-------------------|-----------------|
| MW-1 (cont) | | | | | | | | | | | | | | |
| 03/14/05 ¹¹ | 97.52 | 87.67 | 9.85 | -- | 120 | 5 | <0.5 | <0.5 | <0.5 | 130 | <50 | -- | -- | -- |
| 06/13/05 ¹¹ | 97.52 | 85.61 | 11.91 | -- | 110 | 6 | <0.5 | <0.5 | <0.5 | 130 | <50 | -- | -- | -- |
| MW-2 | | | | | | | | | | | | | | |
| 05/29/97 | 96.91 | 83.85 | 13.06 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/04/97 | 96.91 | 83.96 | 12.95 | -- | 1,600 | 120 | 5.9 | 32 | 15 | 2,100 | -- | -- | -- | -- |
| 09/16/97 | 96.91 | 83.92 | 12.99 | -- | 1,100 | 23 | 3.2 | 7.0 | 2.5 | 1,200 | -- | -- | -- | -- |
| 12/17/97 | 96.91 | 84.73 | 12.18 | -- | 7,100 ¹ | 650 | 69 | 610 | 69 | 4,700/2,600 ² | -- | -- | -- | -- |
| 03/18/98 | 96.91 | 84.21 | 12.70 | -- | 5,900 ¹ | 250 | <50 | 98 | <50 | 12,000/7,100 ² | -- | -- | -- | -- |
| 06/28/98 | 96.91 | 83.98 | 12.93 | -- | 4,300 | 400 | <10 | <10 | <10 | 3,000/4,000 ² | -- | -- | -- | -- |
| 09/07/98 | 96.91 | 83.94 | 12.97 | -- | 3,700 | 220 | 5.1 | 38 | 7.6 | 1,300/1,400 ² | -- | -- | -- | -- |
| 12/29/98 | 96.91 | 83.99 | 12.92 | -- | 6,500 | 573 | 26.8 | 131 | 33.9 | 2,660 | -- | -- | -- | -- |
| 03/11/99 | 96.91 | 84.04 | 12.87 | -- | 4,970 | 651 | 30.8 | 60.3 | <5.0 | 2,600 | -- | -- | -- | -- |
| 05/04/99 | 96.91 | 84.05 | 12.86 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/29/99 | 96.91 | 83.98 | 12.93 | -- | 2,030 | 238 | 11.6 | 8.98 | <5.0 | 540 | -- | -- | -- | -- |
| 09/29/99 | 96.91 | 84.02 | 12.89 | -- | 2,000 | 320 | 10.4 | 16.5 | 20.3 | 642 | -- | -- | -- | -- |
| 12/08/99 | 96.91 | 86.18 | 10.73 | -- | 96.8 | 2.74 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 03/01/00 | 96.91 | 84.31 | 12.60 | -- | <50 | 6.92 | <0.5 | <0.5 | <0.5 | 254 | -- | -- | -- | -- |
| 06/23/00 | 96.91 | 83.98 | 12.93 | -- | 1,700 ⁴ | 490 | 7.5 | <5.0 | 7.7 | 770 | -- | -- | -- | -- |
| 09/30/00 | 96.91 | 83.95 | 12.96 | -- | 2,000 ⁴ | 420 | 14 | <10 | <10 | 380 | -- | -- | -- | -- |
| 12/08/00 | 96.91 | 83.98 | 12.93 | -- | 984 | 54.9 | <2.50 | 4.15 | <2.50 | 306 | -- | -- | -- | -- |
| 03/01/01 | 96.91 | 84.15 | 12.76 | -- | <50.0 | 4.16 | <0.500 | <0.500 | <0.500 | 245 | -- | -- | -- | -- |
| 06/19/01 | 96.91 | 83.23 | 13.68 | -- | 1,700 ⁴ | 250 | 9.2 | <5.0 | 6.9 | 410 | -- | -- | -- | -- |
| 09/18/01 | 96.91 | 83.96 | 12.95 | -- | 1,700 | 42 | 1.9 | 2.0 | 2.9 | 280 | -- | -- | -- | -- |
| 12/26/01 | 96.91 | 83.88 | 13.03 | -- | <50 | 0.50 | <0.50 | <0.50 | <1.5 | 120 | -- | -- | -- | -- |
| 03/06/02 | 97.81 | 84.82 | 12.99 | -- | 670 | 170 | 2.5 | <0.50 | <1.5 | 410 | -- | -- | -- | -- |
| 06/21/02 | 97.81 | 84.10 | 13.71 | -- | 1,800 | 120 | 7.3 | 2.0 | 3.1 | 440 | -- | -- | -- | -- |
| 09/27/02 | 97.81 | 82.51 | 15.30 | -- | 180 | 11 | 1.0 | <0.50 | <1.5 | 4,700 | -- | -- | -- | -- |
| 12/26/02 | 97.81 | 84.81 | 13.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 160 | -- | -- | -- | -- |
| 03/28/03 | 97.81 | 84.46 | 13.35 | -- | 580 | 88 | 2.2 | 22 | 12 | 280 | -- | -- | -- | -- |
| 06/16/03 ¹¹ | 97.81 | 83.10 | 14.71 | -- | 200 | 1 | 29 | <0.5 | <0.5 | 1,400 | -- | -- | -- | -- |
| 09/15/03 ¹¹ | 97.81 | 82.78 | 15.03 | -- | 130 | <1 | <1 | <1 | <1 | 2,400 | <130 | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) | 1,2-DCB♦ (ppb) | 1,2-DCA♦ (ppb) | HVOCs♦ (ppb) |
|------------------------|---------------|--------------|--------------|---------------------|-------------------|------------|------------|------------|------------|---------------|------------------|-------------------|-------------------|----------------------|
| MW-2 (cont) | | | | | | | | | | | | | | |
| 12/15/03 ¹¹ | 97.81 | 84.84 | 12.97 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 63 | <50 | -- | -- | -- |
| 03/05/04 ¹¹ | 97.81 | 84.79 | 13.02 | -- | <50 | 0.8 | <0.5 | <0.5 | <0.5 | 49 | <50 | -- | -- | -- |
| 06/18/04 ¹¹ | 97.81 | 82.72 | 15.09 | -- | 60 | <0.5 | <0.5 | <0.5 | <0.5 | 1,900 | <50 | -- | -- | -- |
| 09/17/04 ¹¹ | 97.81 | 82.46 | 15.35 | -- | 66 | <1 | <1 | <1 | <1 | 2,100 | <130 | -- | -- | -- |
| 12/17/04 ¹¹ | 97.81 | 84.61 | 13.20 | -- | 120 | 7 | <0.5 | <0.5 | 0.7 | 91 | <50 | -- | -- | -- |
| 03/14/05 ¹¹ | 97.81 | 84.79 | 13.02 | -- | 390 | 69 | 0.8 | 10 | 2 | 74 | <50 | -- | -- | -- |
| 06/13/05 ¹¹ | 97.81 | 82.87 | 14.94 | -- | <50 | 6 | <0.5 | <0.5 | <0.5 | 10 | <50 | -- | -- | -- |
| MW-3 | | | | | | | | | | | | | | |
| 05/29/97 | 97.86 | 86.41 | 11.45 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/04/97 ³ | 97.86 | 86.58 | 11.28 | 1200 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 | -- | ND | 1.0 | -- |
| 09/16/97 | 97.86 | 85.67 | 12.19 | 2,700 ¹ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 | -- | -- | -- | -- |
| 12/17/97 | 97.86 | 87.06 | 10.80 | 1,200 ¹ | <50 | 0.9 | 0.53 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 03/18/98 | 97.86 | 86.98 | 10.88 | 820 ¹ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | 0.99 | ND | <0.5-<5.0 |
| 06/28/98 | 97.86 | 86.26 | 11.60 | 1,100 ¹ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | 0.79 | 0.54 | -- |
| 09/07/98 | 97.86 | 85.64 | 12.22 | 1,100 ¹ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | 1.04 | 0.578 | <0.5-<5.0 |
| 12/29/98 | 97.86 | 86.06 | 11.80 | 1,760 ¹ | 185 | <0.5 | <0.5 | <0.5 | 0.669 | <2.0 | -- | 1.04 | 0.578 | <0.5-<5.0 |
| 03/11/99 | 97.86 | 86.83 | 11.03 | 1440 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 | -- | <1.0 | <1.0 | <1.0-<2.0 |
| 05/04/99 | 97.86 | 86.43 | 11.43 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/29/99 | 97.86 | 85.71 | 12.15 | 690 ¹ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 | -- | 0.754 | <0.5 | <0.5-<5.0 |
| 09/29/99 | 97.86 | INACCESSIBLE | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/08/99 | 97.86 | 88.43 | 9.43 | 1,000 ¹ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | <0.5 | 0.66 | <0.5-<5.0 |
| 03/01/00 | 97.86 | 87.16 | 10.70 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | 0.821 | 0.984 | <0.5-<5.0 |
| 06/23/00 | 97.86 | 85.96 | 11.90 | 2,600 ⁵ | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | <2.0 | <2.0 | <0.5-<2.0 |
| 09/30/00 | 97.86 | 85.45 | 12.41 | 1,100 ⁵ | <50 | <0.50 | 0.61 | <0.50 | 0.82 | 2.7 | -- | <2.0 | <2.0 | <0.50-<2.0 |
| 12/08/00 | 97.86 | 85.78 | 12.08 | 870 ⁵ | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | -- | <2.0 | <2.0 | <0.50-<1.0 |
| 03/01/01 | 97.86 | 87.09 | 10.77 | 1,060 ⁶ | 60.9 ⁷ | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | -- | 0.545 | 0.528 | <0.500-<5.00 |
| 06/19/01 | 97.86 | 85.87 | 11.99 | 120 ⁵ | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | <1.2 | <1.6 | <0.50-<2.0 |
| 09/18/01 | 97.86 | 85.19 | 12.67 | 4,800 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | <1 ⁸ | <2 ⁸ | <1-<2 ⁸ |
| 12/26/01 | 97.86 | 86.92 | 10.94 | 5,000 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | <1 ⁸ | <2 ⁸ | <1-<2.0 ⁸ |
| 03/06/02 | 98.78 | 87.20 | 11.58 | 30,000 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | <1 ⁸ | <2 ⁸ | <1-<2.0 ⁸ |
| 06/21/02 | 98.78 | 86.23 | 12.55 | 3,800 ¹⁰ | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | <1 ⁸ | <2 ⁸ | <1-<2.0 ⁸ |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msf) | DTW (ft.) | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) | 1,2-DCB♦ (ppb) | 1,2-DCA♦ (ppb) | HVOCs♦ (ppb) |
|------------------------|---------------|--------------|--------------|----------------|------------------|------------|------------|------------|------------|---------------|------------------|-------------------|-------------------|----------------------|
| MW-3 (cont) | | | | | | | | | | | | | | |
| 09/27/02 | 98.78 | 85.93 | 12.85 | 2,000 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | <1 ⁸ | <2 ⁸ | <1-<2.0 ⁸ |
| 12/26/02 | 98.78 | 87.87 | 10.91 | 3,600 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | <1 ⁸ | <2 ⁸ | <1-<2.0 ⁸ |
| 03/28/03 | 98.78 | 86.77 | 12.01 | 2,100 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | <1 ⁸ | <1 ⁸ | <0.8-<2 ⁸ |
| 06/16/03 ¹¹ | 98.78 | 86.79 | 11.99 | 2,400 | <50 | <0.5 | <0.5 | <0.5 | <1 | <0.5 | -- | <1 ⁸ | 0.8 ⁸ | <0.5-<2 ⁸ |
| 09/15/03 ¹¹ | 98.78 | 86.07 | 12.71 | 4,300 | <50 | <0.5 | <0.5 | <0.5 | <1 | <0.5 | <50 | <1 ⁸ | 0.8 ⁸ | <0.8-<2 ⁸ |
| 12/15/03 ¹¹ | 98.78 | 87.23 | 11.55 | 3,200 | <50 | <0.5 | 0.7 | <0.5 | 0.7 | <0.5 | <50 | <1 ⁸ | 0.8 ⁸ | <0.8-<2 ⁸ |
| 03/05/04 ¹¹ | 98.78 | 87.66 | 11.12 | 8,000 | <50 | <0.5 | 0.6 | <0.5 | 0.7 | <0.5 | <50 | <1 ⁸ | <0.5 ⁸ | <0.8-<2 ⁸ |
| 06/18/04 ¹¹ | 98.78 | 86.21 | 12.57 | 3,100 | <50 | <0.5 | <0.5 | <0.5 | <1 | <0.5 | <50 | <1 ⁸ | <0.5 ⁸ | <0.8-<2 ⁸ |
| 09/17/04 ¹¹ | 98.78 | 85.92 | 12.86 | 3,200 | <50 | <0.5 | <0.7 | <0.8 | <1.6 | <0.5 | <50 | <1 ⁸ | <1 ⁸ | <0.8-<2 ⁸ |
| 12/17/04 ¹¹ | 98.78 | 87.63 | 11.15 | 2,800 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | <0.5 | <50 | <1 ⁸ | <0.5 ⁸ | <0.8-<2 ⁸ |
| 03/14/05 ¹¹ | 98.78 | 88.21 | 10.57 | 1,300 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | <0.5 | <50 | <1 ⁸ | <0.5 ⁸ | <0.8-<2 ⁸ |
| 06/13/05 ¹¹ | 98.78 | 86.45 | 12.33 | 2,700 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | <0.5 | <50 | <1 ⁸ | <0.5 ⁸ | <0.8-<2 ⁸ |
| MW-4 | | | | | | | | | | | | | | |
| 05/04/99 | 96.25 | 83.66 | 12.59 | -- | 140 | <0.5 | 0.62 | 0.67 | 2.6 | <2.5 | -- | -- | -- | -- |
| 06/29/99 | 96.25 | 83.64 | 12.61 | -- | 183 | <0.5 | <0.5 | 1.1 | <0.5 | <5.0 | -- | -- | -- | -- |
| 09/29/99 | 96.25 | 83.70 | 12.55 | -- | 64.3 | <0.5 | <0.5 | <0.5 | 1.18 | <2.5 | -- | -- | -- | -- |
| 12/08/99 | 96.25 | 83.81 | 12.44 | -- | 91.2 | 0.589 | <0.5 | 0.52 | <0.5 | 86 | -- | -- | -- | -- |
| 03/01/00 | 96.25 | 84.55 | 11.70 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 06/23/00 | 96.25 | 84.12 | 12.13 | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- | -- | -- |
| 09/30/00 | 96.25 | 84.30 | 11.95 | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- | -- | -- |
| 12/08/00 | 96.25 | 83.85 | 12.40 | -- | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | -- | -- | -- | -- |
| 03/01/01 | 96.25 | INACCESSIBLE | | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/19/01 | 96.25 | 82.83 | 13.42 | -- | 210 ⁷ | 7.6 | 1.4 | <0.50 | <0.50 | 10 | -- | -- | -- | -- |
| 09/18/01 | 96.25 | 83.17 | 13.08 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 12/26/01 | 96.25 | 83.36 | 12.89 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 03/06/02 | 97.14 | 84.06 | 13.08 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 06/21/02 | 97.14 | 83.63 | 13.51 | -- | <50 | <0.50 | 12 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 09/27/02 | 97.14 | 83.47 | 13.67 | -- | 110 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 12/26/02 | 97.14 | 84.12 | 13.02 | -- | <50 | <0.50 | 2.6 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 03/28/03 | 97.14 | 83.71 | 13.43 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 18 | -- | -- | -- | -- |
| 06/16/03 ¹¹ | 97.14 | 83.10 | 14.04 | -- | 250 | <0.5 | 31 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) | 1,2-DCB◆ (ppb) | 1,2-DCA◆ (ppb) | HVOCs◆ (ppb) |
|------------------------|---------------|--------------|--------------|----------------|----------------|------------|------------|------------|------------|---------------|------------------|-------------------|-------------------|-----------------|
| MW-4 (cont) | | | | | | | | | | | | | | |
| 09/15/03 ¹¹ | 97.14 | 82.93 | 14.21 | -- | 220 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | -- | -- | -- |
| 12/15/03 ¹¹ | 97.14 | 84.30 | 12.84 | -- | 310 | <0.5 | 21 | <0.5 | 1 | <0.5 | <50 | -- | -- | -- |
| 03/05/04 ¹¹ | 97.14 | 84.00 | 13.14 | -- | <50 | <0.5 | 0.7 | <0.5 | 0.6 | 5 | <50 | -- | -- | -- |
| 06/18/04 ¹¹ | 97.14 | 83.14 | 14.00 | -- | 220 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | -- | -- | -- |
| 09/17/04 ¹¹ | 97.14 | 83.06 | 14.08 | -- | 97 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | -- | -- | -- |
| 12/17/04 ¹¹ | 97.14 | 83.77 | 13.37 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.9 | <50 | -- | -- | -- |
| 03/14/05 ¹¹ | 97.14 | 83.69 | 13.45 | -- | <50 | <0.5 | 0.8 | <0.5 | <0.5 | 1 | <50 | -- | -- | -- |
| 06/13/05 ¹¹ | 97.14 | 83.53 | 13.61 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | -- | -- | -- |
| MW-5 | | | | | | | | | | | | | | |
| 03/06/02 ⁹ | 95.71 | 84.31 | 11.40 | -- | 4,900 | 18 | 2.7 | 29 | 9.8 | 290 | -- | -- | -- | -- |
| 06/21/02 | 95.71 | 83.29 | 12.42 | -- | 1,400 | 3.6 | 1.4 | <0.50 | 1.6 | 190 | -- | -- | -- | -- |
| 09/27/02 | 95.71 | 83.00 | 12.71 | -- | 540 | 1.3 | <0.50 | <0.50 | <1.5 | 190 | -- | -- | -- | -- |
| 12/26/02 | 95.71 | 85.55 | 10.16 | -- | 2,600 | 5.0 | 0.86 | 3.6 | 3.7 | 170 | -- | -- | -- | -- |
| 03/28/03 | 95.71 | 84.25 | 11.46 | -- | 920 | 3.8 | <0.50 | 2.1 | 1.7 | 160 | -- | -- | -- | -- |
| 06/16/03 ¹¹ | 95.71 | 83.92 | 11.79 | -- | 600 | 3 | 0.9 | 0.7 | 0.9 | 150 | -- | -- | -- | -- |
| 09/15/03 ¹¹ | 95.71 | 83.28 | 12.43 | -- | 760 | <0.5 | <0.5 | <0.5 | <0.5 | 180 | <50 | -- | -- | -- |
| 12/15/03 ¹¹ | 95.71 | 85.01 | 10.70 | -- | 1,200 | 0.7 | 0.5 | 0.6 | 0.8 | 120 | <50 | -- | -- | -- |
| 03/05/04 ¹¹ | 95.71 | 84.65 | 11.06 | -- | 1,800 | 2 | 0.7 | 0.7 | 2 | 60 | <50 | -- | -- | -- |
| 06/18/04 ¹¹ | 95.71 | 83.54 | 12.17 | -- | 1,700 | <0.5 | <0.5 | <0.5 | <0.5 | 77 | <50 | -- | -- | -- |
| 09/17/04 ¹¹ | 95.71 | 83.35 | 12.36 | -- | 1,900 | <0.5 | <0.5 | <0.5 | 0.6 | 73 | <50 | -- | -- | -- |
| 12/17/04 ¹¹ | 95.71 | 84.91 | 10.80 | -- | 1,200 | 1 | <0.5 | <0.5 | 0.6 | 41 | <50 | -- | -- | -- |
| 03/14/05 ¹¹ | 95.71 | 85.26 | 10.45 | -- | 1,400 | 9 | <0.5 | <0.5 | <0.5 | 19 | <50 | -- | -- | -- |
| 06/13/05 ¹¹ | 95.71 | 83.82 | 11.89 | -- | 760 | <0.5 | <0.5 | <0.5 | <0.5 | 16 | <50 | -- | -- | -- |
| MW-6 | | | | | | | | | | | | | | |
| 03/06/02 ⁹ | 95.84 | 85.67 | 10.17 | -- | 220 | <0.50 | <0.50 | <0.50 | <1.5 | 53 | -- | -- | -- | -- |
| 06/21/02 | 95.84 | 84.86 | 10.98 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 15 | -- | -- | -- | -- |
| 09/27/02 | 95.84 | 84.61 | 11.23 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 11 | -- | -- | -- | -- |
| 12/26/02 | 95.84 | 87.47 | 8.37 | -- | 57 | <0.50 | <0.50 | <0.50 | <1.5 | 19 | -- | -- | -- | -- |
| 03/28/03 | 95.84 | 85.53 | 10.31 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 11 | -- | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (mst) | DTW (ft.) | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) | 1,2-DCB♦ (ppb) | 1,2-DCA♦ (ppb) | HVOCs♦ (ppb) |
|------------------------|---------------|--------------|--------------|----------------|----------------|------------|------------|------------|------------|---------------|------------------|-------------------|-------------------|-----------------|
| MW-6 (cont) | | | | | | | | | | | | | | |
| 06/16/03 ¹¹ | 95.84 | 85.50 | 10.34 | -- | <50 | <0.5 | 0.6 | <0.5 | <0.5 | 5 | -- | -- | -- | -- |
| 09/15/03 ¹¹ | 95.84 | 84.84 | 11.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 6 | <50 | -- | -- | -- |
| 12/15/03 ¹¹ | 95.84 | 86.49 | 9.35 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | <50 | -- | -- | -- |
| 03/05/04 ¹¹ | 95.84 | 87.04 | 8.80 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | -- | -- | -- |
| 06/18/04 ¹¹ | 95.84 | 85.04 | 10.80 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | -- | -- | -- |
| 09/17/04 ¹¹ | 95.84 | 84.84 | 11.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | -- | -- | -- |
| 12/17/04 ¹¹ | 95.84 | 86.32 | 9.52 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | -- | -- | -- |
| 03/14/05 ¹¹ | 95.84 | 86.94 | 8.90 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.8 | <50 | -- | -- | -- |
| 06/13/05 ¹¹ | 95.84 | 85.37 | 10.47 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | -- | -- | -- |
| TRIP BLANK | | | | | | | | | | | | | | |
| 06/04/97 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 | -- | -- | -- | -- |
| 09/16/97 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 | -- | -- | -- | -- |
| 12/17/97 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 03/18/98 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 06/28/98 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 09/07/98 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 09/07/98 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 12/29/98 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 | -- | -- | -- | -- |
| 03/11/99 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 | -- | -- | -- | -- |
| 05/04/99 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 06/29/99 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 | -- | -- | -- | -- |
| 09/29/99 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 12/08/99 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 03/01/00 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 06/23/00 | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- | -- | -- |
| 09/30/00 | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- | -- | -- |
| 12/08/00 | -- | -- | -- | -- | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | -- | -- | -- | -- |
| 03/01/01 | -- | -- | -- | -- | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | -- | -- | -- | -- |
| 06/19/01 | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- | -- | -- |
| 09/18/01 | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-9708
 5910 MacArthur Boulevard
 Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) | 1,2-DCB♦ (ppb) | 1,2-DCA♦ (ppb) | HVOCs♦ (ppb) |
|------------------------|---------------|--------------|--------------|----------------|----------------|------------|------------|------------|------------|---------------|------------------|-------------------|-------------------|-----------------|
| QA | | | | | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 12/26/01 | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 03/06/02 | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 06/21/02 | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 09/27/02 | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 12/26/02 | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 03/28/03 | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 06/16/03 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 09/15/03 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 12/15/03 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 03/05/04 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 06/18/04 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 09/17/04 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 12/17/04 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 03/14/05 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 06/13/05 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to June 23, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

| | | |
|--|--|--|
| TOC = Top of Casing | TPH-G = Total Petroleum Hydrocarbons as Gasoline | 1,2-DCB = 1,2-Dichlorobenzene |
| (ft.) = Feet | B = Benzene | 1,2-DCA = 1,2-Dichloroethane |
| GWE = Groundwater Elevation | T = Toluene | HVOCs = Halogenated Volatile Organic Compounds |
| (msl) = Mean sea level | E = Ethylbenzene | ND = Not Detected |
| DTW = Depth to Water | X = Xylenes | -- = Not Measured/Not Analyzed |
| TPH-D Total Petroleum Hydrocarbons as Diesel | MTBE = Methyl tertiary butyl ether | QA = Quality Assurance/Trip Blank |

* TOC elevations were surveyed in February 2002, by Morrow Surveying. Elevations are based on City of Oakland Benchmark; a standard city of Oakland disc stamped "SEC 50 STA F" set under a standard casting on the monument line of Camden Street and 72 feet westerly of the monument at Seminary and Camden, (Elevation = 90.63 feet).

◆ Analysis by EPA Method 8010.

- 1 Chromatogram pattern indicates an unidentified hydrocarbon.
- 2 Confirmation run.
- 3 Sample also analyzed for the following: Total Oil & Grease by EPA Method 5520F was ND; Semivolatile Organics by EPA Method 8270B were ND; Volatile Organics by EPA Method 8010B were ND.
- 4 Laboratory report indicates gasoline C6-C12.
- 5 Laboratory report indicates unidentified hydrocarbons >C16.
- 6 Laboratory report indicates unidentified hydrocarbons C9-C24.
- 7 Laboratory report indicates unidentified hydrocarbons C6-C12.
- 8 Volatile Organic Compounds (VOCs) by EPA Method 8260.
- 9 Well development performed.
- 10 Laboratory report indicates the observed sample pattern is not typical of diesel/#2 fuel oil.
- 11 BTEX and MTBE by EPA Method 8260.

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-9708 Job Number: 386395
 Site Address: 5910 Macarthur Blvd. Event Date: 6-13-05 (inclusive)
 City: Oakland, CA Sampler: Joc

Well ID: MW-1 Date Monitored: 6.13-05 Well Condition: o.k.
 Well Diameter: 2 in.
 Total Depth: 20.27 ft.
 Depth to Water: 11.91 ft.
8.36 xVF 0.17 = 1.42 x3 case volume = Estimated Purge Volume: 4.5 gal.

| | | | | |
|-------------|------------|----------|----------|-----------|
| Volume | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| Factor (VF) | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0803 Weather Conditions: clear
 Sample Time/Date: 0827 6-13-05 Water Color: clear Odor: mild
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (umhos/cm) | Temperature (C/F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|-------------|-------------------------|-------------------|-------------|----------|
| <u>0812</u> | <u>1.5</u> | <u>6.77</u> | <u>1046</u> | <u>65.0</u> | _____ | _____ |
| <u>0815</u> | <u>3</u> | <u>6.70</u> | <u>1041</u> | <u>64.4</u> | _____ | _____ |
| <u>0818</u> | <u>4.5</u> | <u>6.73</u> | <u>1035</u> | <u>64.7</u> | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-------------|---------------------|------------|---------------|------------------|------------------------------------|
| <u>MW-1</u> | <u>6</u> x vov vial | <u>YES</u> | <u>HCL</u> | <u>LANCASTER</u> | <u>TPH-G(8015)/BTEX+MTBE(8260)</u> |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |

COMMENTS:

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-9708 Job Number: 386395
 Site Address: 5910 Macarthur Blvd. Event Date: 6-17-05 (inclusive)
 City: Oakland, CA Sampler: Soe

Well ID: MW-2 Date Monitored: 6-13-05 Well Condition: OK

Well Diameter: 2 in.
 Total Depth: 20.23 ft.
 Depth to Water: 14.94 ft.

| | | | | |
|-------------|------------|----------|----------|-----------|
| Volume | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| Factor (VF) | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

5.29 xVF 0.17 = 0.90 x3 case volume= Estimated Purge Volume: 3 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0836 Weather Conditions: Clear
 Sample Time/Date: 0900 6-13-05 Water Color: clear Odor: none
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (umhos/cm) | Temperature (C/F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|-------------|-------------------------|-------------------|-------------|----------|
| <u>0843</u> | <u>1</u> | <u>7.07</u> | <u>1333</u> | <u>64.4</u> | _____ | _____ |
| <u>0847</u> | <u>2</u> | <u>7.17</u> | <u>1295</u> | <u>64.2</u> | _____ | _____ |
| <u>0850</u> | <u>3</u> | <u>7.21</u> | <u>1298</u> | <u>64.3</u> | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-------------|---------------------|------------|---------------|------------------|------------------------------------|
| <u>MW-2</u> | <u>6 x voa vial</u> | <u>YES</u> | <u>HCL</u> | <u>LANCASTER</u> | <u>TPH-G(8015)/BTEX+MTBE(8260)</u> |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-9708 Job Number: 386395
 Site Address: 5910 Macarthur Blvd. Event Date: 6-13-05 (inclusive)
 City: Oakland, CA Sampler: Soc

Well ID: MW-3 Date Monitored: 6-13-05 Well Condition: o.k.
 Well Diameter: 2 in.
 Total Depth: 20.16 ft.
 Depth to Water: 12.33 ft.

| | | | | |
|-------------|------------|----------|----------|-----------|
| Volume | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| Factor (VF) | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

7.83 xVF 0.17 = 1.33 x3 case volume= Estimated Purge Volume: 4 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0910 Weather Conditions: clear
 Sample Time/Date: 0935 6-13-05 Water Color: clear Odor: yes
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (u mhos/cm) | Temperature (C/F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|-------------|--------------------------|-------------------|-------------|----------|
| <u>0917</u> | <u>1.5</u> | <u>6.55</u> | <u>791</u> | <u>64.2</u> | _____ | _____ |
| <u>0921</u> | <u>3</u> | <u>6.52</u> | <u>786</u> | <u>63.7</u> | _____ | _____ |
| <u>0924</u> | <u>4</u> | <u>6.54</u> | <u>787</u> | <u>63.9</u> | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|-----------------------------|
| MW-3 | 6 x voa vial | YES | HCL | LANCASTER | TPH-G(8015)/BTEX+MTBE(8260) |
| | 3 x voa vial | YES | HCL | LANCASTER | HVOC'S(8260) |
| | 2 x Amber | YES | NP | LANCASTER | TPH-D |
| | | | | | |
| | | | | | |

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-9708 Job Number: 386395
 Site Address: 5910 Macarthur Blvd. Event Date: 6-13-05 (inclusive)
 City: Oakland, CA Sampler: Joc

Well ID: MW-4 Date Monitored: 6-13-05 Well Condition: o.k.
 Well Diameter: 2 in.
 Total Depth: 19.65 ft.
 Depth to Water: 13.61 ft.
6.04 xVF 0.17 = 1.03 x3 case volume = Estimated Purge Volume: 3 gal.

| | | | | |
|-------------|------------|----------|----------|-----------|
| Volume | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| Factor (VF) | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0615 Weather Conditions: clear
 Sample Time/Date: 0640 10-13-05 Water Color: clear Odor: none
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (umhos/cm) | Temperature (C/F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|-------------|-------------------------|-------------------|-------------|----------|
| <u>0625</u> | <u>1</u> | <u>7.21</u> | <u>1497</u> | <u>64.2</u> | _____ | _____ |
| <u>0627</u> | <u>2</u> | <u>7.22</u> | <u>1506</u> | <u>64.7</u> | _____ | _____ |
| <u>0630</u> | <u>3</u> | <u>7.19</u> | <u>1504</u> | <u>64.1</u> | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-------------|---------------------|------------|---------------|------------------|------------------------------------|
| <u>MW-4</u> | <u>6</u> x vov vial | <u>YES</u> | <u>HCL</u> | <u>LANCASTER</u> | <u>TPH-G(8015)/BTEX+MTBE(8260)</u> |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-9708 Job Number: 386395
 Site Address: 5910 Macarthur Blvd. Event Date: 6-13-05 (inclusive)
 City: Oakland, CA Sampler: Joc

Well ID: MW-5 Date Monitored: 6-13-05 Well Condition: OK

Well Diameter: 2 in.
 Total Depth: 18.72 ft.
 Depth to Water: 11.89 ft.

| | | | | |
|-------------|-------------|-----------|-----------|------------|
| Volume | 3/4" = 0.02 | 1" = 0.04 | 2" = 0.17 | 3" = 0.38 |
| Factor (VF) | 4" = 0.66 | 5" = 1.02 | 6" = 1.50 | 12" = 5.80 |

0.87 xVF 0.17 = 1.16 x3 case volume = Estimated Purge Volume: 3.5 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0728 Weather Conditions: Clear
 Sample Time/Date: 0750 6-13-05 Water Color: clear Odor: yes
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (umhos/cm) | Temperature (C/F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|-------------|-------------------------|-------------------|-------------|----------|
| <u>0735</u> | <u>1</u> | <u>6.91</u> | <u>865</u> | <u>65.1</u> | _____ | _____ |
| <u>0738</u> | <u>2</u> | <u>6.81</u> | <u>862</u> | <u>64.4</u> | _____ | _____ |
| <u>0742</u> | <u>3.5</u> | <u>6.84</u> | <u>870</u> | <u>64.7</u> | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-------------|---------------------|------------|---------------|------------------|------------------------------------|
| <u>MW-5</u> | <u>6</u> x vov vial | <u>YES</u> | <u>HCL</u> | <u>LANCASTER</u> | <u>TPH-G(8015)/BTEX+MTBE(8260)</u> |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-9708 Job Number: 386395
 Site Address: 5910 Macarthur Blvd. Event Date: 6-13-05 (inclusive)
 City: Oakland, CA Sampler: JO

Well ID: MW-6 Date Monitored: 6-13-05 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 18.91 ft.
 Depth to Water: 10.47 ft.
8.44 xVF 0.17 = 1.43 x3 case volume = Estimated Purge Volume: 4.5 gal.

| | | | | |
|-------------|------------|----------|----------|-----------|
| Volume | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| Factor (VF) | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0652 Weather Conditions: clear
 Sample Time/Date: 0720 / 6-13-05 Water Color: clear Odor: none
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (umhos/cm) | Temperature (C/F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|-------------|-------------------------|-------------------|-------------|----------|
| <u>0702</u> | <u>1.5</u> | <u>6.91</u> | <u>1604</u> | <u>63.9</u> | _____ | _____ |
| <u>0706</u> | <u>3</u> | <u>7.12</u> | <u>1585</u> | <u>64.0</u> | _____ | _____ |
| <u>0710</u> | <u>4.5</u> | <u>7.17</u> | <u>1582</u> | <u>63.7</u> | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-------------|---------------------|------------|---------------|------------------|------------------------------------|
| <u>MW-6</u> | <u>6 x vov vial</u> | <u>YES</u> | <u>HCL</u> | <u>LANCASTER</u> | <u>TPH-G(8015)/BTEX+MTBE(8260)</u> |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



061305-01

Acct. #: 10104

For Lancaster Laboratories use only
Sample #: 4592118-24

Group # 947232
SCR#:

| | | | | | | | | | | | | | | | | | | | | | |
|---|--|----------------|--|---|-----------|---|-------|-----|-----|----------------------------|------------------|------------------|------------------|----------------|------------|--|------|----------------|--------------|--------------------|--|
| Facility #: <u>SS#9-9708-OML G-R#386395 Global ID#T0600102093</u> Site Address: <u>5910 MACARTHUR BLVD., OAKLAND, CA</u> Chevron PM: <u>MI</u> Lead Consultant: <u>CAMBRIARF</u> Consultant/Office: <u>G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568</u> Consultant Prj. Mgr.: <u>Deanna L. Harding (deanna@grinc.com)</u> Consultant Phone # <u>925-551-7555</u> Fax #: <u>925-551-7899</u> Sampler: <u>JOE ASEMIAN</u> Service Order #: _____ <input type="checkbox"/> Non SAR: _____ | | | | Matrix <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air | | Analyses Requested | | | | | | | | | | Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other <input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy s on highest hit <input type="checkbox"/> Run ___ oxy s on all hits | | | | | |
| Sample Identification | | | | Total Number of Containers | | Preservation Codes H H H H H H BTEX + MTBE 8260 <input checked="" type="checkbox"/> 8021 TPH 8015 MOD GRO TPH 8015 MOD BRO <input type="checkbox"/> Silica Gel Cleanup 8260 full scan Oxygenates Lead 7420 <input type="checkbox"/> 7421 Ethanol (8260) HVOcs (8260) | | | | | | | | | | Comments / Remarks | | | | | |
| Date Collected | | Time Collected | | Grab | Composite | Soil | Water | Oil | Air | Total Number of Containers | BTEX + MTBE 8260 | TPH 8015 MOD GRO | TPH 8015 MOD BRO | 8260 full scan | Oxygenates | Lead 7420 | 7421 | Ethanol (8260) | HVOcs (8260) | Comments / Remarks | |
| QA | | - | | ✓ | - | - | ✓ | - | - | 2 | ✓ | ✓ | - | - | - | - | - | - | - | - | |
| MW-1 | | 6-13-05 | | - | - | - | - | - | - | 6 | ✓ | ✓ | - | - | - | - | - | - | - | - | |
| MW-2 | | - | | - | - | - | - | - | - | 6 | ✓ | ✓ | - | - | - | - | - | - | - | - | |
| MW-3 | | - | | - | - | - | - | - | - | 11 | ✓ | ✓ | ✓ | - | - | - | - | - | - | - | |
| MW-4 | | - | | - | - | - | - | - | - | 6 | ✓ | ✓ | - | - | - | - | - | - | - | - | |
| MW-5 | | - | | - | - | - | - | - | - | 6 | ✓ | ✓ | - | - | - | - | - | - | - | - | |
| MW-6 | | - | | - | - | - | - | - | - | 6 | ✓ | ✓ | - | - | - | - | - | - | - | - | |

| | | | | | | | | | | | |
|---|--|--|--|-------------------------------------|--|--|--|---------------------------------|--|--|--|
| Turnaround Time Requested (TAT) (please circle) STD. TAT 72 hour 48 hour 24 hour 4 day 5 day | | | | Relinquished by: <u>[Signature]</u> | | Date: <u>6-13-05</u> Time: <u>010</u> | | Received by: <u>[Signature]</u> | | Date: <u>6/13/05</u> Time: <u>1010</u> | |
| Data Package Options (please circle if required) QC Summary Type I — Full Type VI (Raw Data) <input type="checkbox"/> Coelt Deliverable not needed WIP (RWQCB) Disk | | | | Relinquished by: <u>[Signature]</u> | | Date: <u>6/13/05</u> Time: <u>1435</u> | | Received by: <u>FedEx</u> | | Date: <u>6/13/05</u> Time: | |
| Relinquished by Commercial Carrier: <u>4 Coolers</u> UPS <input checked="" type="checkbox"/> FedEx Other: <u>ranges.</u> | | | | Relinquished by: <u>[Signature]</u> | | Date: <u>6/14/05</u> Time: <u>0850</u> | | Received by: <u>[Signature]</u> | | Date: Time: | |
| Temperature Upon Receipt: <u>° 1.8 - 4.2C</u> | | | | Relinquished by: | | Date: Time: | | Received by: | | Date: Time: | |
| Custody Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | | | | Relinquished by: | | Date: Time: | | Received by: | | Date: Time: | |



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 947232. Samples arrived at the laboratory on Tuesday, June 14, 2005. The PO# for this group is 99011184 and the release number is INGLIS.

| <u>Client Description</u> | | | <u>Lancaster Labs Number</u> |
|---------------------------|------|-------|------------------------------|
| QA-T-050613 | NA | Water | 4542918 |
| MW-1-W-050613 | Grab | Water | 4542919 |
| MW-2-W-050613 | Grab | Water | 4542920 |
| MW-3-W-050613 | Grab | Water | 4542921 |
| MW-4-W-050613 | Grab | Water | 4542922 |
| MW-5-W-050613 | Grab | Water | 4542923 |
| MW-6-W-050613 | Grab | Water | 4542924 |

1 COPY TO
ELECTRONIC
COPY TO

Cambria C/O Gettler- Ryan
Gettler-Ryan

Attn: Deanna L. Harding
Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2881 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Megan A Moeller at (717) 656-2300

Respectfully Submitted,

Michele M. Turner

Michele M. Turner
Director



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4542918

QA-T-050613 NA Water GRD
 Facility# 99708 Job# 386395
 5910 MacArthur-Oakland T0600102093 QA
 Collected: 06/13/2005

Account Number: 10904

Submitted: 06/14/2005 08:50
 Reported: 06/27/2005 at 16:09
 Discard: 07/28/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

591QA

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit | Units | Dilution Factor |
|---------|---|------------|--------------------|------------------------------------|-------|-----------------|
| 01728 | TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. | n.a. | N.D. | 50. | ug/l | 1 |
| 06054 | BTEX+MTBE by 8260B | | | | | |
| 02010 | Methyl Tertiary Butyl Ether | 1634-04-4 | N.D. | 0.5 | ug/l | 1 |
| 05401 | Benzene | 71-43-2 | N.D. | 0.5 | ug/l | 1 |
| 05407 | Toluene | 108-88-3 | N.D. | 0.5 | ug/l | 1 |
| 05415 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | ug/l | 1 |
| 06310 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | ug/l | 1 |

State of California Lab Certification No. 2116

Laboratory Chronicle

| CAT No. | Analysis Name | Method | Trial# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|----------------------|---------------------|--------|------------------------|--------------------|-----------------|
| 01728 | TPH-GRO - Waters | N. CA LUFT Gasoline | 1 | 06/16/2005 15:52 | Deborah S Garrison | 1 |
| 06054 | BTEX+MTBE by 8260B | SW-846 8260B | 1 | 06/15/2005 14:44 | Ginelle L Haines | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 06/16/2005 15:52 | Deborah S Garrison | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | 06/15/2005 14:44 | Ginelle L Haines | n.a. |



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4542919

MW-1-W-050613 Grab Water GRD
 Facility# 99708 Job# 386395
 5910 MacArthur-Oakland T0600102093 MW-1
 Collected: 06/13/2005 08:27 by JA

Account Number: 10904

Submitted: 06/14/2005 08:50
 Reported: 06/27/2005 at 16:09
 Discard: 07/28/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

591M1

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit | Units | Dilution Factor |
|---------|---|------------|--------------------|------------------------------------|-------|-----------------|
| 01728 | TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. | n.a. | 110. | 50. | ug/l | 1 |
| 01594 | BTEX+5 Oxygenates+EDC+EDB+ETOH | | | | | |
| 01587 | Ethanol | 64-17-5 | N.D. | 50. | ug/l | 1 |
| 02010 | Methyl Tertiary Butyl Ether | 1634-04-4 | 130. | 0.5 | ug/l | 1 |
| 05401 | Benzene | 71-43-2 | 6. | 0.5 | ug/l | 1 |
| 05407 | Toluene | 108-88-3 | N.D. | 0.5 | ug/l | 1 |
| 05415 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | ug/l | 1 |
| 06310 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | ug/l | 1 |

State of California Lab Certification No. 2116

Laboratory Chronicle

| CAT No. | Analysis Name | Method | Analysis | | Analyst | Dilution Factor |
|---------|--------------------------------|---------------------|----------|------------------|--------------|-----------------|
| | | | Trial# | Date and Time | | |
| 01728 | TPH-GRO - Waters | N. CA LUFT Gasoline | 1 | 06/17/2005 01:42 | Linda C Pape | 1 |
| 01594 | BTEX+5 Oxygenates+EDC+EDB+ETOH | SW-846 8260B | 1 | 06/20/2005 20:09 | Dawn M Harle | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 06/17/2005 01:42 | Linda C Pape | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | 06/20/2005 20:09 | Dawn M Harle | n.a. |



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. **WW 4542920**

MW-2-W-050613 Grab Water
 Facility# 99708 Job# 386395 GRD
 5910 MacArthur-Oakland T0600102093 MW-2
 Collected: 06/13/2005 09:00 by JA

Account Number: 10904

Submitted: 06/14/2005 08:50
 Reported: 06/27/2005 at 16:09
 Discard: 07/28/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

591M2

| CAT No. | Analysis Name | CAS Number | As Received | As Received | Units | Dilution Factor |
|---------|---|------------|-------------|-------------|-------|-----------------|
| | | | Result | Method | | |
| 01728 | TPH-GRO - Waters | n.a. | N.D. | 50. | ug/l | 1 |
| | The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. | | | | | |
| 01594 | BTEX+5 Oxygenates+EDC+EDB+ETOH | | | | | |
| 01587 | Ethanol | 64-17-5 | N.D. | 50. | ug/l | 1 |
| 02010 | Methyl Tertiary Butyl Ether | 1634-04-4 | 10. | 0.5 | ug/l | 1 |
| 05401 | Benzene | 71-43-2 | 6. | 0.5 | ug/l | 1 |
| 05407 | Toluene | 108-88-3 | N.D. | 0.5 | ug/l | 1 |
| 05415 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | ug/l | 1 |
| 06310 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | ug/l | 1 |

State of California Lab Certification No. 2116

Laboratory Chronicle

| CAT No. | Analysis Name | Method | Analysis | | Analyst | Dilution Factor |
|---------|--------------------------------|----------------------------|----------|------------------|--------------|-----------------|
| | | | Trial# | Date and Time | | |
| 01728 | TPH-GRO - Waters | N. CA LUFT Gasoline Method | 1 | 06/17/2005 02:14 | Linda C Pape | 1 |
| 01594 | BTEX+5 Oxygenates+EDC+EDB+ETOH | SW-846 8260B | 1 | 06/20/2005 20:32 | Dawn M Harle | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 06/17/2005 02:14 | Linda C Pape | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | 06/20/2005 20:32 | Dawn M Harle | n.a. |



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 2

Lancaster Laboratories Sample No. WW 4542921

MW-3-W-050613 Grab Water GRD
Facility# 99708 Job# 386395
5910 MacArthur-Oakland T0600102093 MW-3
Collected: 06/13/2005 09:35 by JA

Account Number: 10904

Submitted: 06/14/2005 08:50
Reported: 06/27/2005 at 16:09
Discard: 07/28/2005

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

591M3

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit | Units | Dilution Factor |
|---------|---|------------|--------------------|------------------------------------|-------|-----------------|
| 01728 | TPH-GRO - Waters | n.a. | N.D. | 50. | ug/l | 1 |
| | The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. | | | | | |
| 06609 | TPH-DRO CALUFT(Waters) | n.a. | 2,700. | 150. | ug/l | 5 |
| 05382 | EPA SW846/8260 (water) | | | | | |
| 05385 | Chloromethane | 74-87-3 | N.D. | 1. | ug/l | 1 |
| 05386 | Vinyl Chloride | 75-01-4 | N.D. | 1. | ug/l | 1 |
| 05387 | Bromomethane | 74-83-9 | N.D. | 1. | ug/l | 1 |
| 05388 | Chloroethane | 75-00-3 | N.D. | 1. | ug/l | 1 |
| 05389 | Trichlorofluoromethane | 75-69-4 | N.D. | 2. | ug/l | 1 |
| 05390 | 1,1-Dichloroethene | 75-35-4 | N.D. | 0.8 | ug/l | 1 |
| 05391 | Methylene Chloride | 75-09-2 | N.D. | 2. | ug/l | 1 |
| 05392 | trans-1,2-Dichloroethene | 156-60-5 | N.D. | 0.8 | ug/l | 1 |
| 05393 | 1,1-Dichloroethane | 75-34-3 | N.D. | 1. | ug/l | 1 |
| 05395 | cis-1,2-Dichloroethene | 156-59-2 | N.D. | 0.8 | ug/l | 1 |
| 05396 | Chloroform | 67-66-3 | N.D. | 0.8 | ug/l | 1 |
| 05398 | 1,1,1-Trichloroethane | 71-55-6 | N.D. | 0.8 | ug/l | 1 |
| 05399 | Carbon Tetrachloride | 56-23-5 | N.D. | 1. | ug/l | 1 |
| 05401 | Benzene | 71-43-2 | N.D. | 0.5 | ug/l | 1 |
| 05402 | 1,2-Dichloroethane | 107-06-2 | N.D. | 0.5 | ug/l | 1 |
| 05403 | Trichloroethene | 79-01-6 | N.D. | 1. | ug/l | 1 |
| 05404 | 1,2-Dichloropropane | 78-87-5 | N.D. | 1. | ug/l | 1 |
| 05406 | Bromodichloromethane | 75-27-4 | N.D. | 1. | ug/l | 1 |
| 05407 | Toluene | 108-88-3 | N.D. | 0.5 | ug/l | 1 |
| 05408 | 1,1,2-Trichloroethane | 79-00-5 | N.D. | 0.8 | ug/l | 1 |
| 05409 | Tetrachloroethene | 127-18-4 | N.D. | 0.8 | ug/l | 1 |
| 05411 | Dibromochloromethane | 124-48-1 | N.D. | 1. | ug/l | 1 |
| 05413 | Chlorobenzene | 108-90-7 | N.D. | 0.8 | ug/l | 1 |
| 05415 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | ug/l | 1 |
| 05416 | m+p-Xylene | 1330-20-7 | N.D. | 0.5 | ug/l | 1 |
| 05417 | o-Xylene | 95-47-6 | N.D. | 0.5 | ug/l | 1 |
| 05419 | Bromoform | 75-25-2 | N.D. | 1. | ug/l | 1 |
| 05421 | 1,1,2,2-Tetrachloroethane | 79-34-5 | N.D. | 1. | ug/l | 1 |
| 05432 | 1,3-Dichlorobenzene | 541-73-1 | N.D. | 1. | ug/l | 1 |
| 05433 | 1,4-Dichlorobenzene | 106-46-7 | N.D. | 1. | ug/l | 1 |
| 05435 | 1,2-Dichlorobenzene | 95-50-1 | N.D. | 1. | ug/l | 1 |
| 08202 | EPA SW 846/8260 - Water | | | | | |

Lancaster Laboratories Sample No. WW 4542921

MW-3-W-050613 Grab Water GRD
 Facility# 99708 Job# 386395
 5910 MacArthur-Oakland T0600102093 MW-3
 Collected: 06/13/2005 09:35 by JA

Account Number: 10904

Submitted: 06/14/2005 08:50
 Reported: 06/27/2005 at 16:09
 Discard: 07/28/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

591M3

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received | | Dilution Factor |
|---------|-----------------------------|------------|--------------------|-------------|-------|-----------------|
| | | | | Method | Units | |
| 01587 | Ethanol | 64-17-5 | N.D. | 50. | ug/l | 1 |
| 02010 | Methyl Tertiary Butyl Ether | 1634-04-4 | N.D. | 0.5 | ug/l | 1 |
| 06306 | trans-1,3-Dichloropropene | 10061-02-6 | N.D. | 1. | ug/l | 1 |
| 06307 | cis-1,3-Dichloropropene | 10061-01-5 | N.D. | 1. | ug/l | 1 |
| 08203 | Freon 113 | 76-13-1 | N.D. | 2. | ug/l | 1 |

State of California Lab Certification No. 2116

Laboratory Chronicle

| CAT No. | Analysis Name | Method | Analysis | | Analyst | Dilution Factor |
|---------|--------------------------------|----------------------------|----------|------------------|-----------------|-----------------|
| | | | Trial# | Date and Time | | |
| 01728 | TPH-GRO - Waters | N. CA LUFT Gasoline Method | 1 | 06/17/2005 02:46 | Linda C Pape | 1 |
| 06609 | TPH-DRO CALUFT (Waters) | CALUFT-DRO/8015B, Modified | 1 | 06/22/2005 06:08 | Tracy A Cole | 5 |
| 05382 | EPA SW846/8260 (water) | SW-846 8260B | 1 | 06/23/2005 05:02 | Emiley A King | 1 |
| 08202 | EPA SW 846/8260 - Water | SW-846 8260B | 1 | 06/23/2005 05:02 | Emiley A King | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 06/17/2005 02:46 | Linda C Pape | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | 06/23/2005 05:02 | Emiley A King | n.a. |
| 02135 | Extraction - DRO Water Special | TPH by CA LUFT | 1 | 06/16/2005 07:30 | Sarah B Pennell | 1 |



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2601 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. **WW 4542922**

MW-4-W-050613 Grab Water
Facility# 99708 Job# 386395 GRD
5910 MacArthur-Oakland T0600102093 MW-4
Collected: 06/13/2005 06:40 by JA

Account Number: 10904

Submitted: 06/14/2005 08:50
Reported: 06/27/2005 at 16:09
Discard: 07/28/2005

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

591M4

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received | | Units | Dilution Factor |
|---------|---|------------|--------------------|-------------|-----------------|-------|-----------------|
| | | | | Method | Detection Limit | | |
| 01728 | TPH-GRO - Waters | n.a. | N.D. | 50. | | ug/l | 1 |
| | The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. | | | | | | |
| 01594 | BTEX+5 Oxygenates+EDC+EDB+ETOH | | | | | | |
| 01587 | Ethanol | 64-17-5 | N.D. | 50. | | ug/l | 1 |
| 02010 | Methyl Tertiary Butyl Ether | 1634-04-4 | 2. | 0.5 | | ug/l | 1 |
| 05401 | Benzene | 71-43-2 | N.D. | 0.5 | | ug/l | 1 |
| 05407 | Toluene | 108-88-3 | N.D. | 0.5 | | ug/l | 1 |
| 05415 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | | ug/l | 1 |
| 06310 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | | ug/l | 1 |

State of California Lab Certification No. 2116

Laboratory Chronicle

| CAT No. | Analysis Name | Method | Analysis | | Analyst | Dilution Factor |
|---------|--------------------------------|----------------------------|----------|------------------|--------------|-----------------|
| | | | Trial# | Date and Time | | |
| 01728 | TPH-GRO - Waters | N. CA LUFT Gasoline Method | 1 | 06/17/2005 03:18 | Linda C Pape | 1 |
| 01594 | BTEX+5 Oxygenates+EDC+EDB+ETOH | SW-846 8260B | 1 | 06/20/2005 20:56 | Dawn M Harle | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 06/17/2005 03:18 | Linda C Pape | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | 06/20/2005 20:56 | Dawn M Harle | n.a. |



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4542923

MW-5-W-050613 Grab Water GRD
 Facility# 99708 Job# 386395
 5910 MacArthur-Oakland T0600102093 MW-5
 Collected: 06/13/2005 07:50 by JA

Account Number: 10904

Submitted: 06/14/2005 08:50
 Reported: 06/27/2005 at 16:09
 Discard: 07/28/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

591M5

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit | Units | Dilution Factor |
|---------|---|------------|--------------------|------------------------------------|-------|-----------------|
| 01728 | TPH-GRO - Waters | n.a. | 760. | 50. | ug/l | 1 |
| | The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. | | | | | |
| 01594 | BTEX+5 Oxygenates+EDC+EDB+ETOH | | | | | |
| 01587 | Ethanol | 64-17-5 | N.D. | 50. | ug/l | 1 |
| 02010 | Methyl Tertiary Butyl Ether | 1634-04-4 | 16. | 0.5 | ug/l | 1 |
| 05401 | Benzene | 71-43-2 | N.D. | 0.5 | ug/l | 1 |
| 05407 | Toluene | 108-88-3 | N.D. | 0.5 | ug/l | 1 |
| 05415 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | ug/l | 1 |
| 06310 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | ug/l | 1 |

State of California Lab Certification No. 2116

Laboratory Chronicle

| CAT No. | Analysis Name | Method | Analysis | | Analyst | Dilution Factor |
|---------|--------------------------------|----------------------------|----------|------------------|--------------|-----------------|
| | | | Trial# | Date and Time | | |
| 01728 | TPH-GRO - Waters | N. CA LUFT Gasoline Method | 1 | 06/17/2005 03:51 | Linda C Pape | 1 |
| 01594 | BTEX+5 Oxygenates+EDC+EDB+ETOH | SW-846 8260B | 1 | 06/20/2005 21:20 | Dawn M Harle | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 06/17/2005 03:51 | Linda C Pape | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | 06/20/2005 21:20 | Dawn M Harle | n.a. |



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2881 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4542924

MW-6-W-050613 Grab Water GRD
Facility# 99708 Job# 386395
5910 MacArthur-Oakland T0600102093 MW-6
Collected: 06/13/2005 07:20 by JA

Account Number: 10904

Submitted: 06/14/2005 08:50
Reported: 06/27/2005 at 16:09
Discard: 07/28/2005

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

591M6

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit | Units | Dilution Factor |
|---------|---|------------|--------------------|------------------------------------|-------|-----------------|
| 01728 | TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. | n.a. | N.D. | 50. | ug/l | 1 |
| 01594 | BTEX+5 Oxygenates+EDC+EDB+ETOH | | | | | |
| 01587 | Ethanol | 64-17-5 | N.D. | 50. | ug/l | 1 |
| 02010 | Methyl Tertiary Butyl Ether | 1634-04-4 | N.D. | 0.5 | ug/l | 1 |
| 05401 | Benzene | 71-43-2 | N.D. | 0.5 | ug/l | 1 |
| 05407 | Toluene | 108-88-3 | N.D. | 0.5 | ug/l | 1 |
| 05415 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | ug/l | 1 |
| 06310 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | ug/l | 1 |

State of California Lab Certification No. 2116

Laboratory Chronicle

| CAT No. | Analysis Name | Method | Trial# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|--------------------------------|---------------------|--------|------------------------|--------------|-----------------|
| 01728 | TPH-GRO - Waters | N. CA LUFT Gasoline | 1 | 06/16/2005 10:45 | Linda C Pape | 1 |
| 01594 | BTEX+5 Oxygenates+EDC+EDB+ETOH | Method SW-846 B260B | 1 | 06/20/2005 21:44 | Dawn M Harle | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 06/16/2005 10:45 | Linda C Pape | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | 06/20/2005 21:44 | Dawn M Harle | n.a. |

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 06/27/05 at 04:10 PM

Group Number: 947232

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

| Analysis Name | Blank Result | Blank MDL | Report Units | LCS %REC | LCSD %REC | LCS/LCSD Limits | RPD | RPD Max |
|---|---------------------------|-----------|--------------|----------|-----------|-----------------|-----|---------|
| Batch number: 051660020A TPH-DRO CALUFT (Waters) | N.D. | 50. | ug/l | 80 | 83 | 64-125 | 3 | 20 |
| Batch number: 05166A56A TPH-GRO - Waters | N.D. | 50. | ug/l | 105 | 107 | 70-130 | 2 | 30 |
| Batch number: 05168A53A TPH-GRO - Waters | N.D. | 50. | ug/l | 111 | 113 | 70-130 | 2 | 30 |
| Batch number: Y051733AA | Sample number(s): 4542921 | | | | | | | |
| Ethanol | N.D. | 50. | ug/l | 89 | 82 | 30-155 | 9 | 30 |
| Methyl Tertiary Butyl Ether | N.D. | 0.5 | ug/l | 99 | 99 | 77-127 | 0 | 30 |
| Chloromethane | N.D. | 1. | ug/l | 102 | 98 | 59-177 | 4 | 30 |
| Vinyl Chloride | N.D. | 1. | ug/l | 103 | 99 | 71-134 | 4 | 30 |
| Bromomethane | N.D. | 1. | ug/l | 99 | 97 | 62-131 | 3 | 30 |
| Chloroethane | N.D. | 1. | ug/l | 102 | 100 | 67-127 | 2 | 30 |
| Trichlorofluoromethane | N.D. | 2. | ug/l | 99 | 96 | 70-148 | 3 | 30 |
| 1,1-Dichloroethane | N.D. | 0.8 | ug/l | 114 | 113 | 79-130 | 1 | 30 |
| Methylene Chloride | N.D. | 2. | ug/l | 106 | 104 | 80-128 | 2 | 30 |
| trans-1,2-Dichloroethene | N.D. | 0.8 | ug/l | 107 | 105 | 81-124 | 2 | 30 |
| 1,1-Dichloroethane | N.D. | 1. | ug/l | 107 | 103 | 83-127 | 3 | 30 |
| cis-1,2-Dichloroethene | N.D. | 0.8 | ug/l | 107 | 105 | 84-117 | 2 | 30 |
| Chloroform | N.D. | 0.8 | ug/l | 103 | 102 | 86-124 | 1 | 30 |
| 1,1,1-Trichloroethane | N.D. | 0.8 | ug/l | 108 | 105 | 83-127 | 3 | 30 |
| Carbon Tetrachloride | N.D. | 1. | ug/l | 102 | 100 | 77-130 | 3 | 30 |
| Benzene | N.D. | 0.5 | ug/l | 104 | 101 | 85-117 | 3 | 30 |
| 1,2-Dichloroethane | N.D. | 0.5 | ug/l | 104 | 104 | 77-132 | 0 | 30 |
| Trichloroethene | N.D. | 1. | ug/l | 102 | 100 | 87-117 | 2 | 30 |
| 1,2-Dichloropropane | N.D. | 1. | ug/l | 104 | 100 | 80-117 | 4 | 30 |
| Bromodichloromethane | N.D. | 1. | ug/l | 95 | 94 | 83-121 | 1 | 30 |
| Toluene | N.D. | 0.5 | ug/l | 101 | 98 | 85-115 | 3 | 30 |
| 1,1,2-Trichloroethane | N.D. | 0.8 | ug/l | 98 | 98 | 86-113 | 0 | 30 |
| Tetrachloroethene | N.D. | 0.8 | ug/l | 98 | 97 | 74-125 | 1 | 30 |
| Dibromochloromethane | N.D. | 1. | ug/l | 94 | 93 | 78-119 | 1 | 30 |
| Chlorobenzene | N.D. | 0.8 | ug/l | 99 | 98 | 85-115 | 2 | 30 |
| Ethylbenzene | N.D. | 0.5 | ug/l | 102 | 99 | 82-119 | 3 | 30 |
| m+p-Xylene | N.D. | 0.5 | ug/l | 100 | 97 | 84-120 | 3 | 30 |
| o-Xylene | N.D. | 0.5 | ug/l | 101 | 98 | 82-113 | 3 | 30 |
| Bromoform | N.D. | 1. | ug/l | 86 | 88 | 69-118 | 2 | 30 |
| 1,1,1,2-Tetrachloroethane | N.D. | 1. | ug/l | 96 | 96 | 72-119 | 0 | 30 |
| 1,3-Dichlorobenzene | N.D. | 1. | ug/l | 99 | 96 | 81-114 | 3 | 30 |
| 1,4-Dichlorobenzene | N.D. | 1. | ug/l | 99 | 97 | 84-116 | 2 | 30 |
| 1,2-Dichlorobenzene | N.D. | 1. | ug/l | 98 | 97 | 81-112 | 2 | 30 |
| trans-1,3-Dichloropropene | N.D. | 1. | ug/l | 97 | 96 | 79-114 | 2 | 30 |

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 06/27/05 at 04:10 PM

Group Number: 947232

Laboratory Compliance Quality Control

| Analysis Name | Blank Result | Blank MDL | Report Units | LCS %REC | LCSD %REC | LCS/LCSD Limits | RPD | RPD Max |
|--|--------------|-----------|--------------|----------|-----------|-----------------|-----|---------|
| cis-1,3-Dichloropropene | N.D. | 1. | ug/l | 101 | 100 | 78-114 | 1 | 30 |
| Freon 113 | N.D. | 2. | ug/l | 94 | 92 | 73-140 | 3 | 30 |
| Batch number: Z051662AA Sample number(s): 4542918 | | | | | | | | |
| Methyl Tertiary Butyl Ether | N.D. | 0.5 | ug/l | 81 | | 77-127 | | |
| Benzene | N.D. | 0.5 | ug/l | 87 | | 85-117 | | |
| Toluene | N.D. | 0.5 | ug/l | 92 | | 85-115 | | |
| Ethylbenzene | N.D. | 0.5 | ug/l | 92 | | 82-119 | | |
| Xylene (Total) | N.D. | 0.5 | ug/l | 95 | | 83-113 | | |
| Batch number: Z051711AA Sample number(s): 4542919-4542920, 4542922-4542924 | | | | | | | | |
| Ethanol | N.D. | 50. | ug/l | 98 | | 30-155 | | |
| Methyl Tertiary Butyl Ether | N.D. | 0.5 | ug/l | 86 | | 77-127 | | |
| Benzene | N.D. | 0.5 | ug/l | 94 | | 85-117 | | |
| Toluene | N.D. | 0.5 | ug/l | 94 | | 85-115 | | |
| Ethylbenzene | N.D. | 0.5 | ug/l | 95 | | 82-119 | | |
| Xylene (Total) | N.D. | 0.5 | ug/l | 100 | | 83-113 | | |

Sample Matrix Quality Control

| Analysis Name | MS %REC | MSD %REC | MS/MSD Limita | RPD | RPD MAX | BKG Conc | DUP Conc | DUP RPD | Dup RPD Max |
|---|---------|----------|---------------|-----|---------|----------|----------|---------|-------------|
| Batch number: 05166A56A Sample number(s): 4542924 | | | | | | | | | |
| TPH-GRO - Waters | | | | 119 | | | 63-154 | | |
| Batch number: 05168A53A Sample number(s): 4542918-4542923 | | | | | | | | | |
| TPH-GRO - Waters | | | | 102 | | | 63-154 | | |
| Batch number: Y051733AA Sample number(s): 4542921 | | | | | | | | | |
| Ethanol | | | | 92 | | | 26-153 | | |
| Methyl Tertiary Butyl Ether | | | | 104 | | | 69-134 | | |
| Chloromethane | | | | 115 | | | 72-208 | | |
| Vinyl Chloride | | | | 120 | | | 81-150 | | |
| Bromomethane | | | | 109 | | | 59-143 | | |
| Chloroethane | | | | 114 | | | 63-142 | | |
| Trichlorofluoromethane | | | | 129 | | | 77-177 | | |
| 1,1-Dichloroethene | | | | 133 | | | 87-145 | | |
| Methylene Chloride | | | | 112 | | | 79-133 | | |
| trans-1,2-Dichloroethene | | | | 120 | | | 82-133 | | |
| 1,1-Dichloroethane | | | | 117 | | | 85-135 | | |
| cis-1,2-Dichloroethene | | | | 115 | | | 83-126 | | |
| Chloroform | | | | 112 | | | 82-131 | | |
| 1,1,1-Trichloroethane | | | | 119 | | | 81-142 | | |
| Carbon Tetrachloride | | | | 118 | | | 79-155 | | |
| Benzene | | | | 112 | | | 83-128 | | |
| 1,2-Dichloroethane | | | | 109 | | | 73-136 | | |
| Trichloroethene | | | | 111 | | | 83-136 | | |
| 1,2-Dichloropropane | | | | 110 | | | 83-129 | | |
| Bromodichloromethane | | | | 100 | | | 80-129 | | |
| Toluene | | | | 107 | | | 83-127 | | |
| 1,1,2-Trichloroethane | | | | 101 | | | 77-125 | | |
| Tetrachloroethene | | | | 106 | | | 78-133 | | |

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 06/27/05 at 04:10 PM

Group Number: 947232

Sample Matrix Quality Control

| Analysis Name | MS %REC | MSD %REC | MS/MSD Limits | RPD | RPD MAX | BKG Conc | DUP Conc | DUP RPD | Dup RPD Max |
|--|------------|-------------|------------------|-----|------------|-------------|-------------|------------|----------------|
| Dibromochloromethane | 95 | | 73-119 | | | | | | |
| Chlorobenzene | 104 | | 83-120 | | | | | | |
| Ethylbenzene | 108 | | 82-129 | | | | | | |
| m+p-Xylene | 107 | | 82-130 | | | | | | |
| o-Xylene | 107 | | 82-130 | | | | | | |
| Bromoform | 90 | | 64-119 | | | | | | |
| 1,1,2,2-Tetrachloroethane | 97 | | 69-121 | | | | | | |
| 1,3-Dichlorobenzene | 103 | | 79-123 | | | | | | |
| 1,4-Dichlorobenzene | 102 | | 81-122 | | | | | | |
| 1,2-Dichlorobenzene | 102 | | 82-117 | | | | | | |
| trans-1,3-Dichloropropene | 99 | | 75-117 | | | | | | |
| cis-1,3-Dichloropropene | 105 | | 76-117 | | | | | | |
| Freon 113 | 128 | | 73-166 | | | | | | |
| Batch number: Z051662AA | | | | | | | | | |
| Methyl Tertiary Butyl Ether | 87 | 83 | 69-134 | 5 | 30 | | | | |
| Benzene | 99 | 95 | 83-128 | 4 | 30 | | | | |
| Toluene | 101 | 97 | 83-127 | 4 | 30 | | | | |
| Ethylbenzene | 102 | 99 | 82-129 | 3 | 30 | | | | |
| Xylene (Total) | 105 | 101 | 82-130 | 3 | 30 | | | | |
| Batch number: Z051711AA | | | | | | | | | |
| Ethanol | 103 | 97 | 26-153 | 6 | 30 | | | | |
| Methyl Tertiary Butyl Ether | 98 | 98 | 69-134 | 0 | 30 | | | | |
| Benzene | 110 | 109 | 83-128 | 1 | 30 | | | | |
| Toluene | 109 | 108 | 83-127 | 1 | 30 | | | | |
| Ethylbenzene | 110 | 109 | 82-129 | 1 | 30 | | | | |
| Xylene (Total) | 113 | 113 | 82-130 | 1 | 30 | | | | |
| Sample number(s): 4542918 | | | | | | | | | |
| Sample number(s): 4542919-4542920, 4542922-4542924 | | | | | | | | | |

Surrogate Quality Control

 Analysis Name: TPH-DRO CALUFT (Waters)
 Batch number: 051660020A
 Orthoterphenyl

| | |
|---------|-----|
| 4542921 | 88 |
| Blank | 77 |
| LCS | 102 |
| LCSD | 104 |

Limits: 52-134

 Analysis Name: TPH-GRO - Waters
 Batch number: 05166A56A
 Trifluorotoluene-F

| | |
|---------|----|
| 4542924 | 95 |
| Blank | 96 |
| LCS | 99 |
| LCSD | 98 |
| MS | 98 |

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 06/27/05 at 04:10 PM

Group Number: 947232

Surrogate Quality Control

Limits: 70-142

 Analysis Name: TPH-GRO - Waters
 Batch number: 05168A53A
 Trifluorotoluene-F

| | |
|---------|-----|
| 4542918 | 103 |
| 4542919 | 101 |
| 4542920 | 102 |
| 4542921 | 101 |
| 4542922 | 101 |
| 4542923 | 106 |
| Blank | 100 |
| LCS | 103 |
| LCSD | 101 |
| MS | 102 |

Limits: 70-142

 Analysis Name: EPA SW846/8260 (water)
 Batch number: Y051733AA

| | Dibromofluoromethane | 1,2-Dichloroethane-d4 | Toluene-d8 | 4-Bromofluorobenzene |
|---------|----------------------|-----------------------|------------|----------------------|
| 4542921 | 95 | 91 | 93 | 92 |
| Blank | 95 | 92 | 94 | 91 |
| LCS | 96 | 90 | 94 | 93 |
| LCSD | 95 | 91 | 94 | 92 |
| MS | 96 | 92 | 94 | 92 |

Limits: 81-120

82-112

85-112

83-113

 Analysis Name: BTEX+MTBE by 8260B
 Batch number: Z051662AA

| | Dibromofluoromethane | 1,2-Dichloroethane-d4 | Toluene-d8 | 4-Bromofluorobenzene |
|---------|----------------------|-----------------------|------------|----------------------|
| 4542918 | 99 | 90 | 96 | 89 |
| Blank | 99 | 89 | 96 | 89 |
| LCS | 96 | 93 | 94 | 93 |
| MS | 97 | 89 | 95 | 93 |
| MSD | 96 | 90 | 94 | 93 |

Limits: 81-120

82-112

85-112

83-113

 Analysis Name: BTEX+5 Oxygenates+EDC+EDB+ETOH
 Batch number: Z051711AA

| | Dibromofluoromethane | 1,2-Dichloroethane-d4 | Toluene-d8 | 4-Bromofluorobenzene |
|---------|----------------------|-----------------------|------------|----------------------|
| 4542919 | 98 | 91 | 93 | 88 |
| 4542920 | 99 | 91 | 93 | 87 |
| 4542922 | 99 | 91 | 91 | 88 |
| 4542923 | 99 | 92 | 91 | 91 |
| 4542924 | 101 | 92 | 92 | 87 |
| Blank | 98 | 91 | 93 | 87 |
| LCS | 98 | 90 | 93 | 91 |
| MS | 99 | 91 | 92 | 91 |
| MSD | 99 | 91 | 92 | 92 |

Limits: 81-120

82-112

85-112

83-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 06/27/05 at 04:10 PM

Group Number: 947232

Surrogate Quality Control

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

| | | | |
|-------------------------|--|-----------------|----------------------------------|
| N.D. | none detected | BMQL | Below Minimum Quantitation Level |
| TNTC | Too Numerous To Count | MPN | Most Probable Number |
| IU | International Units | CP Units | cobalt-chloroplatinate units |
| umhos/cm | micromhos/cm | NTU | nephelometric turbidity units |
| C | degrees Celsius | F | degrees Fahrenheit |
| meq | milliequivalents | lb. | pound(s) |
| g | gram(s) | kg | kilogram(s) |
| ug | microgram(s) | mg | milligram(s) |
| ml | milliliter(s) | l | liter(s) |
| m3 | cubic meter(s) | ul | microliter(s) |
| < | less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test. | | |
| > | greater than | | |
| J | estimated value - The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ). | | |
| ppm | parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas. | | |
| ppb | parts per billion | | |
| Dry weight basis | Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis. | | |

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

| | |
|--------------|---|
| A | TIC is a possible aldol-condensation product |
| B | Analyte was also detected in the blank |
| C | Pesticide result confirmed by GC/MS |
| D | Compound quantitated on a diluted sample |
| E | Concentration exceeds the calibration range of the instrument |
| N | Presumptive evidence of a compound (TICs only) |
| P | Concentration difference between primary and confirmation columns $>25\%$ |
| U | Compound was not detected |
| X,Y,Z | Defined in case narrative |

Inorganic Qualifiers

| | |
|----------|---|
| B | Value is $<CRDL$, but $\geq IDL$ |
| E | Estimated due to interference |
| M | Duplicate injection precision not met |
| N | Spike sample not within control limits |
| S | Method of standard additions (MSA) used for calculation |
| U | Compound was not detected |
| W | Post digestion spike out of control limits |
| * | Duplicate analysis not within control limits |
| + | Correlation coefficient for MSA <0.995 |

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.