

Ms. Barbara Jakub  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway  
Alameda, CA 9502-6577


Subject: Former Val Strough Chevrolet Site  
327 34<sup>th</sup> Street, Oakland, CA  
Site ID #3035, RO#0000134

Dear Ms. Jakub:

This enclosed report has been prepared by LRM Consulting, Inc. on behalf of the Strough Family Trust. I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions, please contact Mr. Mehrdad Javaherian of LRM Consulting, Inc. at 650-343-4633.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda L. Strough", with a large, stylized flourish at the end.

Linda L. Strough, Trustee

cc: Mehrdad Javaherian, LRM Consulting, Inc.  
534 Plaza Lane, #145, Burlingame, CA 94010

Greggory Brandt, Wendel Rosen Black & Dean  
1111 Broadway, 24<sup>th</sup> Floor, Oakland, CA 94607



**FIRST QUARTER 2011  
GROUNDWATER MONITORING REPORT**

Former Val Strough Chevrolet Site  
327 34<sup>th</sup> Street, Oakland, California  
Fuel Leak Case No. RO0000134

Prepared by  
**LRM Consulting, Inc.**  
**1534 Plaza Lane, #145**  
**Burlingame, CA 94010**

June 2011

## FIRST QUARTER 2011 GROUNDWATER MONITORING REPORT

Former Val Strough Chevrolet Site  
327 34<sup>th</sup> Street, Oakland, California  
Fuel Leak Case No. RO0000134

Prepared by  
**LRM Consulting, Inc.**  
**1534 Plaza Lane, #145**  
**Burlingame, CA 94010**



---

Mehrdad M. Javaherian  
Principal

June 2011



## TABLE OF CONTENTS

<b>1.0 INTRODUCTION</b> .....	<b>1</b>
1.1 GENERAL SITE INFORMATION .....	1
1.2 SITE CONTACTS.....	1
<b>2.0 SITE BACKGROUND</b> .....	<b>2</b>
2.1 SITE DESCRIPTION.....	2
2.2 SUMMARY OF PREVIOUS INVESTIGATIONS AND MONITORING ACTIVITIES.....	2
2.3 SUMMARY OF INTERIM REMEDIAL ACTION ACTIVITIES .....	4
<b>3.0 PROTOCOLS FOR GROUNDWATER MONITORING</b> .....	<b>6</b>
3.1 GROUNDWATER GAUGING .....	6
3.2 WELL PURGING .....	6
3.3 GROUNDWATER SAMPLING .....	6
<b>4.0 MONITORING RESULTS</b> .....	<b>7</b>
4.1 SEPARATE-PHASE HYDROCARBON MONITORING.....	7
4.2 GROUNDWATER ELEVATION AND HYDRAULIC GRADIENT .....	7
4.3 GROUNDWATER ANALYTICAL RESULTS.....	7
<b>5.0 PLANNED ACTIVITIES</b> .....	<b>9</b>
5.1 REMEDIATION RELATED ACTIVITIES.....	9
5.2 PLANNED MONITORING ACTIVITIES.....	9
<b>6.0 REFERENCES</b> .....	<b>10</b>

## **List of Tables**

- Table 1 – Well Construction Details
- Table 2 – Cumulative Groundwater Elevation and Analytical Data
- Table 3 – Historical Grab Groundwater Analytical Data
- Table 4 – Groundwater Monitoring Schedule

## **List of Figures**

- Figure 1 – Site Location Map
- Figure 2 – Groundwater Elevation Contour Map and Rose Diagram-First Quarter 2011  
Monitoring Event
- Figure 3 – Groundwater Analytical Data

## **List of Appendices**

- Appendix A – Field Documents
- Appendix B – Laboratory Analytical Reports and Chain-of-Custody Documentation



---

## 1.0 INTRODUCTION

At the request of the Strough Family Trust of 1983, LRM Consulting, Inc. (LRM) has prepared this *First Quarter 2011 Groundwater Monitoring Report* for the former Val Strough Chevrolet located in Oakland, California. This report documents the procedures and findings of the March 16, 2011 groundwater monitoring event reflecting water quality reporting and water level gauging for all site wells per the existing Alameda County Health Care Services Agency (ACHCSA)-approved monitoring program for the site.

The scope of groundwater monitoring for this quarter corresponded to the ACHCSA-approved program, which for this quarter corresponds to gauging from all eleven site wells, and sampling from the select wells according to the recommended schedule. Groundwater monitoring data and well construction details are shown on the figures and presented in the tables. Groundwater monitoring protocols, field data, and laboratory analytical results are provided in the appendices.

### 1.1 General Site Information

<b>Site name:</b>	Former Val Strough Chevrolet
<b>Site address:</b>	327 34 <sup>th</sup> Street, Oakland, California
<b>Current property owner:</b>	Strough Family Trust of 1983
<b>Current site use:</b>	Automotive Dealership and Service Center
<b>Current phase of project:</b>	Groundwater monitoring and evaluation of need and approaches for additional remediation
<b>Tanks at site:</b>	Two former tanks (1 gasoline, 1 waste-oil) removed in 1993
<b>Number of wells:</b>	11 (all onsite)
<b>Site ID #:</b>	3035
<b>RO #:</b>	0000134

### 1.2 Site Contacts

<b>Consultant:</b>	Mehrdad M. Javaherian, Ph.D(cand), MPH, PE Principal LRM Consulting, Inc. 1534 Plaza Lane, # 145 Burlingame, CA 94010 (415) 706-8935
<b>Regulatory agency:</b>	Barbara Jakub, P.G. Alameda County Health Services Agency 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577 (510) 567-6746

## 2.0 SITE BACKGROUND

### 2.1 Site Description

**Site Location and Land Use:** The former Val Strough Chevrolet site is currently an active Honda automobile dealership and service center located on the southwestern corner of the intersection of Broadway (Auto Row) and 34<sup>th</sup> Street (Figure 1). The property is located south of Interstate 580. Land use in the area is primarily commercial.

The site is situated approximately two miles east of San Francisco Bay at approximately 61 feet above mean sea level (msl) (EDR, 2003). The land surface in the vicinity slopes toward the south. The nearest surface water body is Lake Merritt, located approximately 1 mile south of the site (Figure 1).

**Site Features:** The site consists of a multi-level building and an adjacent parking lot (Figure 2). The former fuel dispenser and underground storage tanks (USTs) were located in the northwestern portion of the site. Seven groundwater monitoring wells are located at the site. Construction details for the wells are presented in Table 1.

**Underground Utilities:** A box culvert for a former tributary of Glen Echo Creek is located approximately 17 feet below ground surface (bgs) in the eastern portion of the site (Figure 2). The culvert consists of a reinforced concrete box measuring 5 feet by 6 feet. During the winter of 1983, a section of the culvert collapsed and was replaced with a 5-foot-diameter pipeline.

Sanitary sewer, electrical, and natural gas utilities are generally present at depths less than 2 feet bgs at the site. Approximately 40 feet north of the site, along the northern edge of 34<sup>th</sup> Street, a storm sewer pipeline flows toward the east and into the box culvert. Sanitary sewer lines run parallel to both 34<sup>th</sup> Street and Broadway, north and east of the site, respectively. A lateral pipeline located along the western edge of the site connects to the sanitary sewer line below 34<sup>th</sup> Street. Natural gas service is located on the east side of the property. Water service appears to enter the site from the north.

**Water Supply Well Search:** A 2003 report compiled by EDR indicates that there are no federal U.S. Geological Survey wells and no public water supply wells located within a 1-mile radius of the site. No water supply wells were identified by the Alameda County Department of Public Works within a ½-mile radius of the site (ETIC, 2003).

### 2.2 Summary of Previous Investigations and Monitoring Activities

As presented in previous reports, the USTs were removed and multiple investigations, including the installation of seven groundwater monitoring wells, were conducted. In addition, a routine groundwater monitoring program has been in place since 1993. The following paragraphs summarize the findings of these activities.

**Site Hydrogeology:** In general, the site is underlain by silt and clay to depths ranging from approximately 15 to 20 feet bgs. Silty sand and fine-grained sand interbedded with thin clay intervals are encountered from approximately 20 feet bgs to the total explored depth of 35 feet bgs.

The depth to groundwater beneath the site has ranged from approximately 12.5 to 23 feet bgs. As shown in the modified rose diagram on Figure 2, the direction of groundwater flow is generally toward the southwest to south-southeast, with average hydraulic gradients ranging from approximately 0.01 to 0.03 foot/foot.

**Primary Sources:** Two USTs (one gasoline and one waste-oil) were located beneath the sidewalk on the northern side of the property. A fuel dispenser was located inside the building (Figure 2). These primary sources of petroleum hydrocarbons were removed from the site in 1993.

**Constituents of Potential Concern:** Based on the type of fuel stored in the USTs and the results of previous subsurface investigations, the constituents of potential concern (COPCs) at the site include total petroleum hydrocarbons as gasoline (TPH-g), benzene, toluene, ethylbenzene, and total xylenes (BTEX), and methyl t-butyl ether (MTBE). TPH as diesel (TPH-d) and TPH as motor oil (TPH-mo) are not routinely detected in groundwater samples and are considered secondary COPCs for the site.

**Residual Source Area:** Elevated concentrations of TPH-g, BTEX, and MTBE have been observed in soil in the vadose zone and upper portion of the water-bearing zone near the former USTs and fuel dispenser. Separate phase petroleum hydrocarbons (SPH) have been intermittently detected in wells MW-2 and MW-3, but none since March 2004 in MW-3 and June 2006 in MW-2. These data suggest that most of the residual petroleum hydrocarbon mass is present near the former USTs and fuel dispenser, herein referred to as the residual source area; this is corroborated by the dissolved groundwater data discussed below. Additional wells recently installed within this residual source area include MW9A/9B and O1.

**Petroleum Hydrocarbon Distribution in Groundwater:** The highest concentrations of petroleum hydrocarbons have been detected in samples collected from wells MW-2, MW-3, MW9A/9B, and O1, located immediately downgradient of the former USTs and within the previously defined residual source area. Significantly lower levels of petroleum hydrocarbons have been detected in samples collected from well MW-4 and the other site wells located downgradient and outside of the residual source area. The extent of dissolved-phase petroleum hydrocarbons in groundwater is largely defined by relatively low and stable TPH-g, BTEX, and MTBE concentrations detected in downgradient and cross-gradient monitoring wells MW-5, MW-6, MW-7, and MW-8 (Tables 2 and 3).



### 2.3 Summary of Interim Remedial Action Activities

In addition to the routine groundwater monitoring activities, remediation pilot testing and remediation activities were conducted at the site between 2004 and 2006. A summary of these activities and associated regulatory correspondence with the ACHCSA are presented below:

***DPE Pilot Test:*** In March 2004, ETIC Engineering, Inc. (ETIC) performed a DPE pilot test at the site. As summarized in the June 2004 *Dual Phase Extraction Pilot Test and Interim Remedial Action Plan* (DPE and IRAP Report), vacuum was applied to source area wells MW-2 and MW-3 while water and vacuum levels were measured in nearby monitoring wells. The DPE pilot test induced more than 1 foot of drawdown up to 50 feet from the extraction wells and an estimated radius of vacuum influence of 55 to 70 feet. Based on vapor flow rates and petroleum hydrocarbon concentrations in the vapor stream during the short-term pilot test, removal rates of approximately 90 pounds of petroleum hydrocarbons per day were estimated.

***June 2004 DPE and IRAP Report:*** The DPE and interim remedial action plan (IRAP) Report (ETIC, 2004) described the planned reduction of residual petroleum hydrocarbon mass in the source area through temporary DPE system installation and operation and dual phase extraction from source area wells MW-2 and MW-3 to extract soil vapor and groundwater simultaneously. The system was designed to consist of a knockout vessel to be used for separation of the soil vapor and water streams. A thermal oxidizer (with propane as a supplemental fuel) was proposed for treatment of extracted vapor, and aqueous-phase granular activated carbon was proposed for treatment of extracted groundwater.

***Interim Remedial Action:*** Between February 2005 and June 2006, ETIC operated a DPE system on site. Vacuum was applied to remove groundwater and soil vapor from up to two wells (MW-2 and/or MW-3). The system was temporarily shutdown on 30 January 2006 for conversion of vapor treatment from thermal oxidation to carbon filtration, and remained offline until 22 May 2006, when it was restarted. Because the mass removal rates by the DPE system had reached asymptotic levels and high petroleum hydrocarbon concentrations continued to exist in extraction wells MW-2 and MW-3 despite the DPE operation, the benefit of continuation of DPE in its current configuration was considered to be low and the DPE operation was ceased on 30 June 2006. ETIC subsequently dismantled the remediation system and removed the skid mounted DPE unit from the site.

***August 2006 LRM Consulting, Inc. Correspondence and 11 December 2006 LRM Supplemental Source Area Investigation Work Plan:*** In a August 25, 2006 correspondence, LRM notified the ACHCSA of a project consultant change from ETIC to LRM. Also, based on a review of the available site data, the response of the hydrocarbon concentrations to past DPE operations, and the ACHCSA's comments on ETIC's Work Plan, LRM recommended a technical meeting with the ACHCSA to discuss the project direction. However, because of other commitments of Don Hwang and other ACHCSA staff, a technical meeting could not be scheduled. During a October 19, 2006 telephone conversation with Don Hwang, LRM

presented an approach to conduct a supplemental investigation to define the magnitude and extent of the residual source area in the vicinity of the former fuel dispenser and wells MW-2 and MW-3. Based on these discussions and as agreed by Mr. Hwang, a supplemental source area investigation work plan outlining the proposed scope of work was prepared and submitted to ACHCSA on 11 December 2006; this work plan was revised through multiple discussions with Donna Drogos of the ACHCSA and was finalized in December of 2007. The subject investigation was conducted beginning on December 12, 2007, the results of which were documented in a report to ACHCSA (LRM, 2008a).

**August 2008 LRM Consulting, Inc. IRAP:** In a August 25, 2008 IRAP report, LRM, in response to a request by Barbara Jakub of the ACHCSA, proposed a series of site investigation and pilot testing activities to address the residual source area at the site. These activities included: 1) soil and grab groundwater sampling to vertically characterize the extent of hydrocarbons within the residual source area previously encountered during the supplemental investigation referenced above; 2) grab groundwater sampling along the existing culvert at the site to evaluate the potential for preferential migration of hydrocarbons along the culvert backfill; 3), placement of a groundwater monitoring well (MW-8) at the downgradient site boundary to define the downgradient extent of hydrocarbons; and 4) pilot testing activities including injection and observation well installation and pilot testing protocols for implementation of in-situ oxygen curtain (iSOC) technology within the residual source area. In a letter dated December 5, 2008, the ACHCSA approved the proposed site investigation activities with select modifications listed. Additional information was also requested for the iSOC pilot testing, which were provided by LRM in its response to ACHCSA comment dated December 5, 2008. The investigation activities associated with the IRAP have been completed and reported to the ACHCSA. The ACHCSA has requested that an additional monitoring well be installed to monitor the proposed iSOC pilot testing.

**July 2009 LRM Consulting, Inc. Well Installation:** On July 15, 2009, wells MW9A and MW9B were installed using hollow stem augers as part of the monitoring program for the iSOC pilot testing. The well completion activity was observed by Ms. Vicky Hamlin of Alameda County Public Works and Ms. Barbara Jakub of Alameda County Environmental Health.

**January 2010-October 2010- LRM Consulting, Inc. IRAP Addendum and Interim Remediation Activities Memorandum :** On January 13, 2010, an addendum to the IRAP was prepared by LRM, reflecting a proposed change from iSOC technology originally outlined in the IRAP. Specifically, in-situ chemical oxidation (ISCO) technology was proposed for the residual source area instead of iSOC. This recommendation was based on results of two rounds of groundwater sampling at MW9A/9B and O-1, with both rounds indicating the presence of hydrocarbons at concentrations which are too high for effective remediation using iSOC. In accordance with the approved IRAP, the January 2010 IRAP Addendum outlined an alternative methodology to more effectively remediate the observed hydrocarbon concentrations in the residual source area. The IRAP Addendum was approved by the ACHCSA in a letter dated April 22, 2010. The first of three ISCO injection events

took place from August 15 through 17, and an Interim Remediation Activities Memorandum was submitted to the ACHCSA in October 2010.

### **3.0 PROTOCOLS FOR GROUNDWATER MONITORING**

The following sections of this report present information relevant to the methods employed during the collection of groundwater samples from site wells on March 16, 2010. The scope of work for the quarterly groundwater monitoring event at the site is listed below.

- Checking all wells for SPH.
- Gauging the depth to groundwater in all eleven site wells.
- Purging the monitoring wells prior to sampling.
- Collecting and analyzing groundwater samples from select onsite wells (see Table 4).
- Estimating the hydraulic gradient and general flow direction.
- Evaluating the data and preparing a written report summarizing the results of the monitoring event.

#### **3.1 Groundwater Gauging**

For this round of monitoring, groundwater gauging was performed for all eleven onsite wells. The monitoring wells were opened prior to gauging to allow the groundwater level to equilibrate with atmospheric pressure. The depth to groundwater and depth to SPH, if present, were then measured to the nearest 0.01 feet using an electronic water level meter or optical interface probe. The measurements were made from a fixed reference point at the top of the well casing. Field data forms are presented in Appendix A, indicating the absence of SPHs in all site wells.

#### **3.2 Well Purging**

Following well gauging, three well casing volumes of water were purged from wells scheduled to be sampled, and field parameters including temperature, pH, specific conductance, turbidity, dissolved oxygen (DO) and oxidation-reduction potential (ORP) were measured. For this monitoring event, well purging and related sampling was conducted at MW1 through MW6, MW9A, MW9B, and well O1 (per Table 4).

#### **3.3 Groundwater Sampling**

After purging, groundwater was sampled at each of the wells scheduled to be sampled using dedicated tubing and a WaTerra inertial pump, or a disposable bailer. Sample containers were sealed, labeled, stored in a cooler and transported under chain-of-custody protocol to Kiff Analytical LLC (Kiff), a state-certified analytical laboratory in Davis, California.

Groundwater analytical results and chain-of-custody documentation are presented in Appendix B.

## **4.0 MONITORING RESULTS**

### **4.1 Separate-Phase Hydrocarbon Monitoring**

The wells were monitored for the presence of SPH using a disposable bailer and/or interface probe. SPHs were absent from all onsite wells (see Appendix A).

### **4.2 Groundwater Elevation and Hydraulic Gradient**

The groundwater elevation contour map (Figure 2) for this monitoring event was constructed based on depth-to-groundwater measurements collected during the current sampling event. Depth-to-groundwater measurements and calculated groundwater elevations are presented in Table 2.

On March 16, 2011, the depth to groundwater beneath the site ranged from 14.75 (MW7) to 22.02 (MW5) feet bgs (Table 2). Groundwater elevations in the site wells ranged from 42.66 feet above msl in well MW6 to 46.71 feet above msl in well MW2 (Figure 2). Using the results from the first quarter 2011 monitoring event, the hydraulic gradient is estimated at an average of 0.030 ft/ft, with a general flow direction away from the residual source area toward the southeast (see Figure 2).

### **4.3 Groundwater Analytical Results**


On March 16, 2011, groundwater samples were collected from wells MW1-MW-6, MW9A, MW9B, and O1, and analyzed by Kiff for TPH-g, BTEX, and MTBE by EPA Method 8260B and for TPH-d and TPH-mo by modified EPA Method 8015.

Analytical results for this event are presented on Figure 3, and historical petroleum hydrocarbon analytical results are presented in Table 2. Copies of the chain-of-custody and laboratory analytical reports for the groundwater samples are presented in Appendix b. Laboratory analytical results for petroleum hydrocarbons are summarized below:

- TPH-g was detected in samples collected from wells MW2, MW3, MW9A, MW9B, and O1. The maximum TPH-g concentration was detected at well MW9A (130,000 µg/L). TPH-g remained below the laboratory reporting limit of 50 µg/L in wells MW1, MW4, MW5, and MW6.
- Benzene was detected in the samples collected from wells MW2, MW3, MW9A, MW9B, and O1. The maximum benzene concentration was detected at well MW9A (4,900 µg/L). Benzene was below the laboratory reporting limit of 0.5 µg/L in well MW1, MW4, MW5, and MW6.

- Toluene was detected at wells MW2, MW3, MW9A, MW9B, and O1. The maximum toluene concentration was detected at well MW9A (22,000 µg/L). Toluene was below the laboratory reporting limit of 0.5 µg/L in well MW1, MW4, MW5, and MW6.
- Ethylbenzene was detected at wells MW2, MW9A, MW9B, and O1. The maximum ethylbenzene concentration was detected at well MW9A (1,900 µg/L), but remained below the laboratory reporting limit of 0.50 µg/L in well MW1, MW4, MW5, and MW6.
- Total xylenes were detected at wells MW2, MW9A, MW9B, and O1. The maximum xylene concentration was detected at well MW9A and MW3 (2,800 µg/L), but remained below the laboratory reporting limit of 0.50 µg/L in well MW1, MW4, MW5, and MW6.
- MTBE was detected in the samples from wells MW2, MW3, MW4, MW6, MW9A, MW9B, and O1. The maximum MTBE concentration was detected at well MW9A (620 µg/L).
- TPH-d was not detected in groundwater samples collected from any of the sampled wells this quarter, although reporting limits in samples from wells MW2, MW3, and MS9A were elevated due to interference from gasoline-range hydrocarbons (see Table 2 and Appendix A).
- TPH-mo remained undetected in all wells sampled this quarter.

The chart below depicts TPH-g concentration trends for wells MW2, MW3, and MW9A located within the residual source area, and MW4 located approximately 50 feet downgradient of the residual source area.



As indicated on the chart, the TPH-g concentrations declined in source area wells MW2 and MW9a between May 2010 and October 2010 as a result of the IRAP activities involving injection of RegenOx. Following cessation of ISCO injections in October 2010, TPHg concentrations at both of these source area wells rebounded. As previously indicated in the IRAP Memorandum (LRM, 2010d), injections near MW3 resulted in the presence of SPHs in this well, so TPHg levels in this well increased due to the presence of product and were not positively affected by the IRAP activities. As shown in the chart and in Table 2, follow up bailing of product in MW3 has resulted in a reduction in TPHg levels since the fourth quarter 2010 monitoring event.

Importantly, no more than 50 feet away from the residual source area bounded by MW2, MW3, and MW9A, hydrocarbon levels remain at non-detect levels for the past 3.5 years.

## **5.0 PLANNED ACTIVITIES**

### **5.1 Remediation Related Activities**

Per discussions with the ACHCSA, a remedial action plan (RAP) is necessary to further evaluate remedial alternatives for the residual source area, including further applications of ISCO beyond the afore-mentioned IRAP activities within the source area.

### **5.2 Planned Monitoring Activities**

Quarterly monitoring per the ACHCSA-approved plan will continue, with the next round (Second Quarter 2011) scheduled for June 2011 (Table 4). A Draft RAP will be prepared following evaluation of the second quarter 2011 monitoring results.

## 6.0 REFERENCES

- Alameda County Health Care Services Agency. 2004. Fuel Leak Case No. RO0000134, Val Strough Chevrolet, 327-34<sup>th</sup> St., Oakland, California. August 20.
- Alameda County Health Care Services Agency. 2005. Fuel Leak Case No. RO0000134, Val Strough Chevrolet, 327-34<sup>th</sup> St., Oakland, California. February 4.
- Alameda County Health Care Services Agency. 2006. Fuel Leak Case No. RO0000134, Val Strough Chevrolet, 327-34<sup>th</sup> St., Oakland, California. July 19.
- Environmental Data Resources (EDR). 2003. EDR Radius Map with GeoCheck, Strough Family Trust, 327 34<sup>th</sup> Street, Oakland, California. September 10.
- ETIC Engineering, Inc. 2003. Supplemental Site Investigation Workplan, Fuel Case No. RO0000134, Val Strough Chevrolet, 327 34<sup>th</sup> Street, Oakland, California. September 17.
- ETIC Engineering, Inc. 2003. Third Quarter 2003 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. October.
- ETIC Engineering, Inc. 2004. Supplemental Site Investigation Report and Dual-Phase Extraction Pilot Test Workplan, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. February.
- ETIC Engineering, Inc. 2004. First Quarter 2004 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. May.
- ETIC Engineering, Inc. 2004. Dual Phase Extraction Pilot Test Report and Interim Remedial Action Plan, Strough Family Trust of 1983, Former Val Strough Chevrolet, 327 34<sup>th</sup> Street, Oakland, California. June.
- ETIC Engineering, Inc. 2004. Second Quarter 2004 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. August.
- ETIC Engineering, Inc. 2004. Response to Technical Comments, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. October.
- ETIC Engineering, Inc. 2004. Third Quarter 2004 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. October.
- ETIC Engineering, Inc. 2004. Fourth Quarter 2004 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. March.
- ETIC Engineering, Inc. 2005. First Quarter 2005 Groundwater Monitoring Report, Strough

- Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. May.
- ETIC Engineering, Inc., 2005. Second Quarter 2005 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. July.
- ETIC Engineering, Inc., 2005. Third Quarter 2005 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. November.
- ETIC Engineering, Inc., 2006. Fourth Quarter 2005 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. March.
- ETIC Engineering, Inc., 2006. First Quarter 2006 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. June.
- LRM Consulting, Inc., 2006a. Second Quarter 2006 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. August.
- LRM Consulting, Inc., 2006b. Third Quarter 2006 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. December.
- LRM Consulting, Inc., 2006c. Supplemental Source Area Investigation Work Plan, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. December.
- LRM Consulting, Inc., 2007. Revised Addendum to Supplemental Source Area Investigation Work Plan, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. November 15.
- LRM Consulting, Inc., 2008a. Supplemental Source Area Investigation Report. Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. February 29<sup>th</sup>.
- LRM Consulting, Inc., 2008b. First Quarter 2008 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. March.
- LRM Consulting, Inc. 2008c. Second Quarter 2008 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. June.
- LRM Consulting, Inc. 2008d. Interim Remediation Action Plan, Former Val Strough Chevrolet Site, 327 34<sup>th</sup> Street, Oakland, California. August.
- LRM Consulting, Inc. 2008e. Third Quarter 2008 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. October.
- LRM Consulting, Inc. 2008f. Fourth Quarter 2008 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. December.





- LRM Consulting, Inc. 2009a. First Quarter 2009 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. April.
- LRM Consulting, Inc. 2009b. Second Quarter 2009 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. June.
- LRM Consulting, Inc. 2009c. Third Quarter 2009 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. October.
- LRM Consulting, Inc. 2009d. Fourth Quarter 2009 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. January.
- LRM Consulting, Inc. 2010a. First Quarter 2010 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. March.
- LRM Consulting, Inc. 2010b. Second Quarter 2010 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. June.
- LRM Consulting, Inc. 2010c. Third Quarter 2010 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. September.
- LRM Consulting, Inc. 2010d. Interim Remediation Action Activities Memorandum. Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. October.
- LRM Consulting, Inc. 2011. Fourth Quarter 2010 Groundwater Monitoring Report, Strough Family Trust of 1983, 327 34<sup>th</sup> Street, Oakland, California. March .

## **TABLES**

TABLE 1 WELL CONSTRUCTION DETAILS  
FORMER VAL STROUGH CHEVROLET, 327 34th STREET OAKLAND, CALIFORNIA

Well ID	Well Installation Date	Top-of-Casing Elevation* (feet)	Casing Material	Total Depth of Borehole (ft bgs)	Casing Diameter (inches)	Screened Interval (ft bgs)	Slot Size (inches)	Filter Pack Interval (ft bgs)	Filter Pack Material
MW1	7/19/1993	64.71	PVC	32	2	17 to 32	0.020	15 to 32	Gravel Pack
MW2	7/20/1993	65.71	PVC	33	2	18 to 33	0.020	16 to 33	Gravel Pack
MW3	7/20/1993	65.7	PVC	34	2	18 to 34	0.020	16 to 34	Gravel Pack
MW4	6/26/1998	64.37	PVC	31	2	15 to 31	0.020	13 to 31.5	Lonestar #3 Sand
MW5	6/26/1998	65.59	PVC	31	2	15 to 31	0.020	13 to 31.5	Lonestar #3 Sand
MW6	7/17/2000	59.60	PVC	31.5	2	10 to 30	0.020	8 to 30	Lonestar #3 Sand
MW7	7/17/2000	59.49	PVC	36.5	2	15 to 35	0.020	13 to 35	Lonestar #3 Sand
MW8	12/17/2008	57.07	PVC	26	1	11 to 26	0.010	9 to 26	#2/12 Sand
O1	12/12/2008	65.91	PVC	40	2	15 to 40	0.020	13 to 40	#3 Sand
MW9A	7/15/2009	65.90	PVC	25	2	15 to 25	0.020	14 to 25	#3 Monterey Sand
MW9B	7/15/2009	65.85	PVC	39	2	29 to 39	0.020	28 to 39	#3 Monterey sand

Abbreviations:

ft bgs feet below ground surface  
PVC Polyvinyl chloride.

Note:

\* Elevations Based on Survey Conducted in 1st Quarter 2009 relative to NAVD88 datum. Wells O1, MW9A, and MW9B were surveyed on November 12, 2009.

TABLE 2 CUMULATIVE GROUNDWATER ELEVATION AND ANALYTICAL DATA  
FORMER VAL STROUGH CHEVROLET, 327 34th STREET OAKLAND, CALIFORNIA

Well Number	Date	Casing Elevation (feet)	Depth to Water (feet)	GW Elevation (feet)	SPH Thickness (feet)	Concentration (µg/L)									
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	TPH-mo	MTBE	TBA	
MW1	07/27/93	100.00	a 20.79	79.21	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	--	--	--	
MW1	10/02/97	100.00	a 21.22	78.78	0.00	<0.50	<0.50	<0.50	<0.50	<50	--	--	<2.0	--	
MW1	06/30/98	100.00	a 18.21	81.79	0.00	<0.50	<0.50	2.1	0.6	84	--	--	2.1	--	
MW1	07/29/98	100.00	a 18.74	81.26	0.00	--	--	--	--	--	--	--	--	--	
MW1	08/26/98	100.00	a 19.28	80.72	0.00	--	--	--	--	--	--	--	--	--	
MW1	10/01/98	100.00	a 19.93	80.07	0.00	<1.0	<1.0	<1.0	<1.0	<50	--	--	<2.0	--	
MW1	10/30/98	100.00	a 20.22	79.78	0.00	--	--	--	--	--	--	--	--	--	
MW1	11/30/98	100.00	a 19.99	80.01	0.00	--	--	--	--	--	--	--	--	--	
MW1	12/28/98	100.00	a 19.81	80.19	0.00	--	--	--	--	--	--	--	--	--	
MW1	01/25/99	100.00	a 19.62	80.38	0.00	<1.0	<1.0	<1.0	<1.0	<50	--	--	<2.0	--	
MW1	02/26/99	100.00	a 17.18	82.82	0.00	--	--	--	--	--	--	--	--	--	
MW1	03/24/99	100.00	a 17.28	82.72	0.00	--	--	--	--	--	--	--	--	--	
MW1	05/12/99	100.00	a 17.91	82.09	0.00	--	--	--	--	--	--	--	--	--	
MW1	12/15/99	100.00	a 21.01	78.99	0.00	<0.50	<0.50	<0.50	<0.50	<50	--	--	<0.50	--	
MW1	03/20/00	100.00	a 16.25	83.75	0.00	--	--	--	--	--	--	--	--	--	
MW1	07/20/00	100.00	a 19.63	80.37	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<300	3.4	--	
MW1	10/11/00	100.00	a 20.80	79.20	0.00	--	--	--	--	--	--	--	--	--	
MW1	04/10-11/01	100.00	a 18.81	81.19	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<300	1.2	--	
MW1	07/10/01	100.00	a 20.51	79.49	0.00	--	--	--	--	--	--	--	--	--	
MW1	11/20/01	64.69	b 21.36	43.33	0.00	<0.50	1.3	<0.50	0.81	<50	<50	<300	<2.0	--	
MW1	02/19/02	64.69	b 18.95	45.74	0.00	--	--	--	--	--	--	--	--	--	
MW1	05/21/02	64.69	b 19.82	44.87	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<300	<2.0	--	
MW1	06/27/03	64.69	b 19.93	44.76	0.00	--	--	--	--	--	--	--	--	--	
MW1	09/29/03	64.69	b 21.24	43.45	0.00	<0.50	<0.50	<0.50	<1.0	<50	<50	<500	<0.50	--	
MW1	12/12/03	64.69	b 21.27	43.42	0.00	<0.50	<0.50	<0.50	1.1	<50	58	<500	<0.50	--	
MW1	03/15/04	64.69	b 18.18	46.51	0.00	<0.50	<0.50	<0.50	<1.0	<50	<50	<500	<0.50	--	
MW1	06/24/04	64.69	b 20.48	44.21	0.00	<0.50	<0.50	<0.50	<1.0	<50	<50	<500	<0.50	--	
MW1	09/29/04	64.69	b 21.37	43.32	0.00	<0.50	0.51	<0.50	<1.0	<50	<50	<500	<0.50	--	
MW1	12/13/04	64.69	b 20.63	44.06	0.00	--	--	--	--	--	--	--	--	--	
MW1	03/14/05	64.69	b 18.69	46.00	0.00	<0.50	<0.50	<0.50	<1.0	<50	73	<500	<0.50	--	
MW1	06/15/05	64.69	b 20.32	44.37	0.00	--	--	--	--	--	--	--	--	--	
MW1	09/26/05	64.69	b 22.10	42.59	0.00	<0.50	<0.50	<0.50	<1.0	<50	<50	<500	<0.50	--	
MW1	12/12/05	64.69	b 22.39	42.30	0.00	--	--	--	--	--	--	--	--	--	
MW1	03/29/06	64.69	b 15.24	49.45	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	74	--	
MW1	06/19/06	64.69	b 18.27	46.42	0.00	--	--	--	--	--	--	--	--	--	
MW1	09/29/06	64.69	b 20.06	44.63	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	7.9	--	
MW1	12/12/06	64.69	b 20.32	44.37	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	9.4	--	
MW1	03/01/07	64.69	b 18.68	46.01	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	3.5	--	
MW1	06/12/07	64.69	b 20.28	44.41	0.00	--	--	--	--	--	--	--	--	--	
MW1	09/25/07	64.69	b 21.37	43.32	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	1.8	--	
MW1	12/20/07	64.69	b 21.48	43.21	0.00	--	--	--	--	--	--	--	--	--	
MW1	03/26/08	64.69	b 20.98	43.71	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	<0.50	--	
MW1	06/03/08	64.69	b 20.70	43.99	0.00	--	--	--	--	--	--	--	--	--	
MW1	09/25/08	64.69	b 22.30	42.39	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	0.57	<5.0	
MW1	12/29/08	64.69	b 21.77	42.92	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	<0.50	<5.0	
MW1	03/24/09	64.71	l 18.68	46.03	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	<0.50	<5.0	
MW1	06/02/09	64.71	l 19.60	45.11	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	<0.50	<5.0	
MW1	09/10/09	64.71	l 21.20	43.51	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	<0.50	<5.0	
MW1	12/04/09	64.71	l 22.86	41.85	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	<0.50	<5.0	

TABLE 2 CUMULATIVE GROUNDWATER ELEVATION AND ANALYTICAL DATA  
FORMER VAL STROUGH CHEVROLET, 327 34th STREET OAKLAND, CALIFORNIA

Well Number	Date	Casing Elevation (feet)	Depth to Water (feet)	GW Elevation (feet)	SPH Thickness (feet)	Concentration (µg/L)									
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	TPH-mo	MTBE	TBA	
MW1	03/10/10	64.71	l 21.06	43.65	0.00	< 0.50	0.97	< 0.50	1.6	< 50	< 50	< 100	< 0.50	--	
MW1	05/28/10	64.71	l 21.19	43.52	0.00	--	--	--	--	--	--	--	--	--	
MW1	08/26/10	64.71	l 21.82	42.89	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	<0.50	--	
MW1	12/22/10	64.71	l 21.42	43.29	0.00	--	--	--	--	--	--	--	--	--	
MW1	03/16/11	64.71	l 19.18	45.53	0.00	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 50	< 100	< 0.50	--	
MW2	07/27/93	101.27	a 22.10	79.17	0.00	10,000	27,000	2,900	20,000	120,000	--	--	--	--	
MW2	10/02/97	101.27	a 22.91	78.36	0.43	*	*	*	*	*	*	*	*	--	
MW2	06/30/98	101.27	a 19.69	81.58	0.45	7,300	18,000	2,500	15,600	72,000	--	--	5,500	--	
MW2	07/29/98	101.27	a 20.11	81.16	0.29	--	--	--	--	--	--	--	--	--	
MW2	08/26/98	101.27	a 20.54	80.73	0.08	--	--	--	--	--	--	--	--	--	
MW2	10/01/98	101.27	a 21.52	79.75	0.42	6,400	17,000	2,600	17,000	84,000	--	--	2,000	--	
MW2	10/30/98	101.27	a 21.54	79.73	0.10	--	--	--	--	--	--	--	--	--	
MW2	11/30/98	101.27	a 21.21	80.06	0.04	--	--	--	--	--	--	--	--	--	
MW2	12/28/98	101.27	a 21.10	80.17	0.02	--	--	--	--	--	--	--	--	--	
MW2	01/25/99	101.27	a 20.80	80.47	0.01	9,000	26,000	3,800	27,500	130,000	--	--	5,800	--	
MW2	02/26/99	101.27	a 18.00	83.27	sheen	--	--	--	--	--	--	--	--	--	
MW2	03/24/99	101.27	a 18.27	83.00	trace	--	--	--	--	--	--	--	--	--	
MW2	05/12/99	101.27	a 19.08	82.19	trace	--	--	--	--	--	--	--	--	--	
MW2	12/15-16/99	101.27	a 22.42	78.85	0.025	*	*	*	*	*	*	*	*	--	
MW2	03/20/00	101.27	a 17.09	84.18	0.026	--	--	--	--	--	--	--	--	--	
MW2	07/20/00	101.27	a 20.86	80.41	0.017	*	*	*	*	*	*	*	*	--	
MW2	10/11/00	101.27	a 22.10	79.17	0.00	--	--	--	--	--	--	--	--	--	
MW2	04/10-11/01	101.27	a 19.98	81.29	0.00	8,000	22,000	2,600	23,500	150,000	1,500	<600	3,600	--	
MW2	07/10/01	101.27	a 21.85	79.42	0.00	5,900	15,000	2,300	12,100	83,000	5,700	<1,500	2,800	--	
MW2	11/20/01	65.95	b 22.75	43.20	0.00	--	--	--	--	--	--	--	--	--	
MW2	02/19/02	65.95	b 20.12	45.83	0.00	--	--	--	--	--	--	--	--	--	
MW2	05/21/02	65.95	b 21.10	44.85	0.00	8,600	25,000	3,500	26,000	150,000	31,000	<3,000	4,800	--	
MW2	06/27/03	65.95	b 21.48	44.47	0.35	--	--	--	--	--	--	--	--	--	
MW2	09/29/03	65.95	b 23.04	42.91	0.48	*	*	*	*	*	*	*	*	--	
MW2 <sup>e</sup>	12/12/03	65.95	b 22.75	43.31	0.16	*	*	*	*	*	*	*	*	--	
MW2 <sup>e</sup>	03/15/04	65.95	b 19.24	46.72	0.01	*	*	*	*	*	*	*	*	--	
MW2 <sup>e</sup>	06/24/04	65.95	b 22.10	44.06	0.31	*	*	*	*	*	*	*	*	--	
MW2 <sup>e</sup>	09/29/04	65.95	b 22.81	43.14	sheen	*	*	*	*	*	*	*	*	--	
MW2 <sup>e</sup>	12/13/04	65.95	b 22.06	43.95	0.08	3,700	12,000	1,900	10,000	47,000	2,600	<500	1,200	--	
MW2 <sup>j</sup>	03/14/05	65.95	b 25.00	40.95	0.00	780	3,700	920	6,400	43,000	43,000	<5,000	<200	--	
MW2	06/15/05	65.95	b 21.14	44.81	0.00	2,900	15,000	2,400	22,000	120,000	13,000	<2,500	810	--	
MW2	07/18/05	65.95	b NM	NC	NM	2,700	13,000	1,800	15,000	120,000	17,000	--	530	--	
MW2	09/26/05	65.95	b 22.93	43.02	0.00	570	4,000	620	6,200	31,000	63,000	28,000	<50	--	
MW2	12/12/05	65.95	b 25.40	40.55	0.00	670	5,300	1,100	9,800	34,000	2,800	<500	65	--	
MW2	03/29/06	65.95	b 15.66	50.29	sheen	620	2,800	540	4,700	33,000	<4,000	<100	37	--	
MW2	06/19/06	65.95	b 19.14	46.81	sheen	680	5,200	990	16,000	120,000	<30,000	1,900	170	--	
MW2	09/29/06	65.95	b 21.16	44.79	0.00	1,200	5,100	1,200	9,300	59,000	<8000	300	230	--	
MW2	12/12/06	65.95	b 21.46	44.49	0.00	850	4,400	1,100	8,900	45,000	<10000	360	110	--	
MW2	03/01/07	65.95	b 19.48	46.47	0.00	1,400	5,200	980	9,500	71,000	<18000	460	160	--	
MW2	06/12/07	65.95	b 20.98	44.97	0.00	1,300	4,900	1,200	8,900	40,000	<3000	<100	130	--	
MW2	09/25/07	65.95	b 22.57	43.38	0.00	1,400	6,500	1,900	13,000	68,000	<12000	250	240	--	
MW2	12/20/07	65.95	b 22.70	43.25	0.00	1,400	7,000	2,400	16,000	75,000	<5000	650	270	--	
MW2	03/26/08	65.95	b 22.51	43.44	0.00	1,400	6,200	1,800	16,000	83,000	<10000	360	480	--	
MW2	06/03/08	65.95	b 21.85	44.10	0.00	1,900	11,000	2,500	18,000	98,000	<12000	500	660	--	

TABLE 2 CUMULATIVE GROUNDWATER ELEVATION AND ANALYTICAL DATA  
FORMER VAL STROUGH CHEVROLET, 327 34th STREET OAKLAND, CALIFORNIA

Well Number	Date	Casing Elevation (feet)	Depth to Water (feet)	GW Elevation (feet)	SPH Thickness (feet)	Concentration (µg/L)									
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	TPH-mo	MTBE	TBA	
MW2	09/25/08	65.95	b 23.30	42.65	0.00	740	3,500	1,700	10,000	46,000	<8000	170	340	180	
MW2	12/29/08	65.95	b 22.95	43.00	0.00	260	1,500	1,100	6,400	29,000	<4000	<100	110	<50	
MW2	03/24/09	65.71	l 19.58	46.13	0.00	410	2,000	900	8,900	45,000	<8,000	420	300	210	
MW2	06/02/09	65.71	l 20.50	45.21	0.00	680	3,100	1,200	10,000	80,000	<12000	480	330	180	
MW2	09/10/09	65.71	l 22.40	43.31	0.00	700	3,000	1,300	9,400	45,000	< 8000	190	370	220	
MW2	12/04/09	65.71	l 24.30	41.41	0.00	290	1,500	930	4,900	24,000	< 2000	170	200	92	
MW2	03/10/10	65.71	l 22.20	43.51	0.00	200	1,300	700	9,500	45,000	< 6,000	< 100	340	--	
MW2	05/28/10	65.71	l 22.41	43.30	0.00	260	1,100	650	4,700	23,000	< 8000	170	380	--	
MW2	08/26/10	65.71	l 23.00	42.71	0.00	160	980	490	4,200	22,000	<2000	<100	180	--	
MW2	09/20/10	65.71	l NM	NC	0.00	52	360	210	1,600	8,800	--	--	--	--	
MW2	12/22/10	65.71	l 22.47	43.24	0.00	130	1,100	430	6,000	26,000	<3000	<100	640	--	
MW2	03/16/11	65.71	l 19.00	46.71	0.00	430	1700	490	3700	29000	< 3000	190	500	--	
MW3	07/27/93	101.29	a 22.28	79.01	0.02	9,100	24,000	5,300	33,000	330,000	--	--	--	--	
MW3	10/02/97	101.29	a 22.71	78.58	0.03	4,200	11,000	1,800	10,600	36,000	--	--	3,500	--	
MW3	06/30/98	101.29	a 19.47	81.82	0.00	4,800	11,000	1,200	7,100	51,000	--	--	3,900	--	
MW3	07/29/98	101.29	a 20.01	81.28	0.00	--	--	--	--	--	--	--	--	--	
MW3	08/26/98	101.29	a 20.62	80.67	0.00	--	--	--	--	--	--	--	--	--	
MW3	10/01/98	101.29	a 21.33	79.96	0.00	3,900	8,500	1,200	6,000	38,000	--	--	2,300	--	
MW3	10/30/98	101.29	a 21.62	79.67	0.00	--	--	--	--	--	--	--	--	--	
MW3	11/30/98	101.29	a 21.31	79.98	0.00	--	--	--	--	--	--	--	--	--	
MW3	12/28/98	101.29	a 21.15	80.14	0.06	--	--	--	--	--	--	--	--	--	
MW3	01/25/99	101.29	a 20.79	80.50	0.00	4,000	10,000	1200	6700	5,100	--	--	2900	--	
MW3	02/26/99	101.29	a 18.02	83.27	0.00	--	--	--	--	--	--	--	--	--	
MW3	03/24/99	101.29	a 18.37	82.92	0.00	--	--	--	--	--	--	--	--	--	
MW3	05/12/99	101.29	a 19.22	82.07	0.0083	--	--	--	--	--	--	--	--	--	
MW3	12/15-16/99	101.29	a 22.43	78.86	0.00	*	*	*	*	*	*	*	*	--	
MW3	03/20/00	101.29	a 17.14	84.15	0.00	--	--	--	--	--	--	--	--	--	
MW3	07/20/00	101.29	a 20.98	80.31	0.00	5,700	14,000	1,600	9,300	69,000	2,900	<300	3,300	--	
MW3	10/11/00	101.29	a 22.24	79.05	0.00	--	--	--	--	--	--	--	--	--	
MW3	04/10-11/01	101.29	a 20.70	80.59	0.00	7,200	<0.001	2,300	12,900	110,000	4,700	<1,500	4,300	--	
MW3	07/10/01	101.29	a 21.97	79.32	0.00	--	--	--	--	--	--	--	--	--	
MW3	11/20/01	65.99	b 22.80	43.19	0.00	6,300	16,000	2,400	14,900	100,000	5,900	<900	4,000	--	
MW3	02/19/02	65.99	b 20.11	45.88	0.00	--	--	--	--	--	--	--	--	--	
MW3	05/21/02	65.99	b 21.20	44.79	0.00	6,500	17,000	2,200	12,700	91,000	14,000	<3,000	2,200	--	
MW3	06/27/03	65.99	b 21.32	44.67	sheen	--	--	--	--	--	--	--	--	--	
MW3	09/29/03	65.99	b 22.79	43.20	sheen	*	*	*	*	*	*	*	*	--	
MW3 <sup>c</sup>	12/12/03	65.99	b 22.73	43.27	0.01	*	*	*	*	*	*	*	*	--	
MW3 <sup>c</sup>	03/15/04	65.99	b 19.32	46.67	sheen	*	*	*	*	*	*	*	*	--	
MW3	06/24/04	65.99	b 21.99	44.00	0.00	3,400	7,700	1,000	4,800	39,000	1,700	<500	1,100	--	
MW3	09/29/04	65.99	b 22.54	43.45	0.00	2,900	6,700	980	4,300	29,000	2,200	<500	1,100	--	
MW3	12/13/04	65.99	b 22.06	43.93	0.00	1,700	2,900	790	3,400	17,000	1,300	<500	490	--	
MW3 <sup>j</sup>	03/14/05	65.99	b 24.00	41.99	0.00	680	1,700	380	1,600	10,000	670	<500	67	--	
MW3	06/15/05	65.99	b 21.13	44.86	0.00	260	960	330	1,400	12,000	1,200	<500	31	--	
MW3	07/18/05	65.99	b NM	NC	NM	1,000	5,600	1,100	4,300	23,000	1,700	--	81	--	
MW3	09/26/05	65.99	b 22.92	43.07	0.00	4,000	17,000	1,900	17,000	79,000	5,100	540	270	--	
MW3	12/12/05	65.99	b 23.30	42.69	0.00	200	710	450	1,400	7,000	550	<500	<10	--	
MW3	03/29/06	65.99	b 15.70	50.29	0.00	110	300	130	490	3,800	<200	<100	13	--	
MW3	06/19/06	65.99	b 19.11	46.88	0.00	160	500	320	840	7,000	<300	<100	3.1	--	
MW3	09/29/06	65.99	b 21.15	44.84	0.00	1,300	2,300	720	2,900	22,000	<1500	<100	110	--	

TABLE 2 CUMULATIVE GROUNDWATER ELEVATION AND ANALYTICAL DATA  
FORMER VAL STROUGH CHEVROLET, 327 34th STREET OAKLAND, CALIFORNIA

Well Number	Date	Casing Elevation (feet)	Depth to Water (feet)	GW Elevation (feet)	SPH Thickness (feet)	Concentration (µg/L)									
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	TPH-mo	MTBE	TBA	
MW3	12/12/06	65.99	b 21.38	44.61	0.00	1,400	2,200	670	2,600	21,000	<1500	<100	130	--	
MW3	03/01/07	65.99	b 19.50	46.49	0.00	1,100	2,500	510	2,200	17,000	<600	<100	51	--	
MW3	06/12/07	65.99	b 21.00	44.99	0.00	1,800	4,000	800	3,300	22,000	<1500	<100	150	--	
MW3	09/25/07	65.99	b 22.59	43.40	0.00	2,400	5,000	1,000	4,600	29,000	<500	<100	220	--	
MW3	12/20/07	65.99	b 22.59	43.40	0.00	2,400	4,900	1,100	4,700	36,000	<2000	<100	240	--	
MW3	03/26/08	65.99	b 22.13	43.86	0.00	4,500	11,000	1,700	7,800	54,000	<1500	<100	340	--	
MW3	06/03/08	65.99	b 21.81	44.18	0.00	3,900	8,700	1,500	7,000	47,000	<1500	<100	470	--	
MW3	09/25/08	65.99	b 23.30	42.69	0.00	1,600	3,700	700	3,300	22,000	<3000	<100	220	180	
MW3	12/29/08	65.99	b 22.92	43.07	0.00	310	910	320	1,300	11,000	<1500	<100	35	23	
MW3	03/24/09	65.70	l 19.43	46.27	0.00	1,400	4,200	600	2,500	19,000	<1,000	<100	160	60	
MW3	06/02/09	65.70	l 20.70	45.00	0.00	2,800	7,600	1,300	5,600	39,000	<1,500	<100	240	180	
MW3	09/10/09	65.70	l 22.32	43.38	0.00	1,800	3,900	790	3,500	22,000	< 1500	< 100	190	110	
MW3	12/04/09	65.70	l 24.20	41.50	0.00	1,600	3,400	860	3,900	25,000	< 800	< 100	210	81	
MW3	03/10/10	65.70	l 22.03	43.67	0.00	420	2,400	640	3,600	27,000	< 3,000	< 100	24	--	
MW3	05/28/10	65.70	l 22.84	42.86	0.00	1,200	4,600	920	4,800	31,000	< 5000	< 100	120	--	
MW3	08/26/10	65.70	l 23.42	42.28	sheen	--	--	--	--	--	--	--	--	--	
MW3	09/20/10	65.70	l NM	NC	sheen	2700	13000	2900	18000	110000	--	--	--	--	
MW3	12/22/10	65.70	l 22.70	43.00	0.20	--	--	--	--	--	--	--	--	--	
MW3	03/16/11	65.70	l 20.13	45.57	0.20	4000	16000	2800	15000	91000	< 3000	< 100	230	--	
MW4	06/30/98	98.65	a 16.93	81.72	0.00	2,200	930	850	2,100	10,000	--	--	1,800	--	
MW4	07/29/98	98.65	a 17.48	81.17	0.00	--	--	--	--	--	--	--	--	--	
MW4	08/26/98	98.65	a 18.65	80.00	0.00	--	--	--	--	--	--	--	--	--	
MW4	10/01/98	98.65	a 18.74	79.91	0.00	570	46	130	36	1,100	--	--	1,300	--	
MW4	10/30/98	98.65	a 19.02	79.63	0.00	--	--	--	--	--	--	--	--	--	
MW4	11/30/98	98.65	a 18.74	79.91	0.00	--	--	--	--	--	--	--	--	--	
MW4	12/28/98	98.65	a 18.60	80.05	0.00	--	--	--	--	--	--	--	--	--	
MW4	01/25-26/99	98.65	a 18.32	80.33	0.00	230	<8.3	<8.3	<8.3	290	--	--	1,300	--	
MW4	02/26/99	98.65	a 15.81	82.84	0.00	--	--	--	--	--	--	--	--	--	
MW4	03/24/99	98.65	a 16.01	82.64	0.00	--	--	--	--	--	--	--	--	--	
MW4	05/12/99	98.65	a 17.71	80.94	0.00	--	--	--	--	--	--	--	--	--	
MW4	12/15-16/99	98.65	a 19.83	78.82	0.00	5.8	<0.50	<0.50	<0.50	<50	--	--	1,400	--	
MW4	03/20/00	98.65	a 14.9	83.75	0.00	--	--	--	--	--	--	--	--	--	
MW4	07/20/00	98.65	a 18.38	80.27	0.00	91	4.6	19	12.9	210	<50	<300	1,500	--	
MW4	10/11/00	98.65	a 19.61	79.04	0.00	--	--	--	--	--	--	--	--	--	
MW4	04/10-11/01	98.65	a 17.55	81.10	0.00	110	<5.0	<5.0	<5.0	350	<50	<300	1,100	--	
MW4	07/10/01	98.65	a 19.34	79.31	0.00	--	--	--	--	--	--	--	--	--	
MW4	11/20/01	63.35	b 20.16	43.19	0.00	<2.5	4	<2.5	3.7	96	<50	<300	2,500	--	
MW4	02/19/02	63.35	b 17.34	46.01	0.00	--	--	--	--	--	--	--	--	--	
MW4	05/21/02	63.35	b 18.57	44.78	0.00	340	5.7	70	<1.0	940	83	<300	1,600	--	
MW4	06/27/03	63.35	b 18.72	44.63	0.00	--	--	--	--	--	--	--	--	--	
MW4	09/29/03	63.35	b 20.11	43.24	0.00	<5.0	<5.0	<5.0	<10	1,100	<50	<500	1,700	--	
MW4	12/12/03	63.35	b 20.06	43.29	0.00	<13	<13	<13	<25	<1,300	<50	<500	1,000	--	
MW4	03/15/04	63.35	b 16.89	46.46	0.00	1.5	<0.50	<0.50	<1.0	54	<50	<500	41	--	
MW4	06/24/04	63.35	b 19.31	44.04	0.00	69	<5.0	<5.0	<10	920	<50	<500	1,100	--	
MW4	09/29/04	63.35	b 20.20	43.15	0.00	<5.0	<5.0	<5.0	<10	940	<50	<500	1,200	--	
MW4	12/13/04	**	b 20.44	NC	0.00	<5.0	<5.0	<5.0	<10	740	<50	<500	860	--	
MW4	03/14/05	**	b 18.30	NC	0.00	20	<5.0	<5.0	<10	930	<50	<500	930	--	
MW4	06/15/05	**	b 20.03	NC	0.00	350	6.1	<5.0	<10	2100	89	<500	1,100	--	
MW4	07/18/05	**	b NM	NC	NM	11	<5.0	<5.0	<10	540	<50	--	1,100	--	

TABLE 2 CUMULATIVE GROUNDWATER ELEVATION AND ANALYTICAL DATA  
FORMER VAL STROUGH CHEVROLET, 327 34th STREET OAKLAND, CALIFORNIA

Well Number	Date	Casing Elevation (feet)	Depth to Water (feet)	GW Elevation (feet)	SPH Thickness (feet)	Concentration (µg/L)									
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	TPH-mo	MTBE	TBA	
MW4	09/26/05	**	b	21.79	NC	0.00	<5.0	<5.0	<5.0	<10	960	<50	<500	660	--
MW4	12/12/05	**	b	21.89	NC	0.00	<5.0	<5.0	<5.0	<10	820	<50	<500	1,000	--
MW4	03/29/06	**	b	14.85	NC	0.00	49	160	120	300	2,400	<100	<100	130	--
MW4	06/19/06	**	b	17.96	NC	0.00	100	940	540	1,800	8,800	<400	<100	55	--
MW4	09/29/06	63.35	b	19.85	43.50	0.00	18.0	2.6	1.5	3.5	370.0	<50	<100	180	--
MW4	12/12/06	63.35	b	20.03	43.32	0.00	11.0	0.77	<0.5	<0.5	230.0	<50	<100	260	--
MW4	03/01/07	63.35	b	18.33	45.02	0.00	63.0	7.10	40.0	190.0	1,800.0	<50	<100	130	--
MW4	06/12/07	63.35	b	19.70	43.65	0.00	9.3	<0.5	<0.5	<0.5	70.0	<50	<100	150	--
MW4	09/25/07	63.35	b	21.27	42.08	0.00	<0.5	<0.5	<0.5	<0.5	<50	<50	<100	300	--
MW4	12/20/07	63.35	b	21.30	42.05	0.00	<0.5	<0.5	<0.5	<0.5	<50	<50	<100	370	--
MW4	03/26/08	63.35	b	20.89	42.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	<50	<100	260	--
MW4	06/03/08	63.35	b	20.51	42.84	0.00	<0.5	<0.5	<0.5	<0.5	<50	<50	<100	190	--
MW4	09/25/08	63.35	b	22.03	41.32	0.00	<0.5	<0.5	<0.5	<0.5	<50	<50	<100	380	<5.0
MW4	12/29/08	63.35	b	21.62	41.73	0.00	<0.5	<0.5	<0.5	<0.5	<50	<50	<100	230	<5.0
MW4	03/24/09	64.37	l	18.38	45.99	0.00	<0.5	<0.5	<0.5	<0.5	<50	<50	<100	370	<5.0
MW4	06/02/09	64.37	l	19.32	45.05	0.00	0.64	<0.5	<0.5	<0.5	<50	<50	<100	320	<5.0
MW4	09/10/09	64.37	l	21.00	43.37	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	280	<5.0
MW4	12/04/09	64.37	l	22.76	41.61	0.00	<0.50	<0.50	<0.50	2.9	<50	<50	<100	430	<5.0
MW4	03/10/10	64.37	l	20.87	43.50	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	130	--
MW4	05/28/10	64.37	l	21.07	43.30	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	140	--
MW4	08/26/10	64.37	l	21.71	42.66	0.00	<0.50	<0.50	<0.50	2.0	<50	<50	<100	160	--
MW4	12/02/10	64.37	l	21.21	43.16	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	50	--
MW4	03/16/11	64.37	l	18.82	45.55	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	220	--
MW5	06/30/98	100.9	a	20.60	80.30	0.00	<0.50	<0.50	<0.50	<0.50	<50	--	--	23	--
MW5	07/29/98	100.9	a	21.52	79.38	0.00	--	--	--	--	--	--	--	--	--
MW5	08/26/98	100.9	a	22.21	78.69	0.00	--	--	--	--	--	--	--	--	--
MW5	10/01/98	100.9	a	22.95	77.95	0.00	<1.0	<1.0	<1.0	<1.0	<50	--	--	<2.0	--
MW5	10/30/98	100.9	a	23.23	77.67	0.00	--	--	--	--	--	--	--	--	--
MW5	11/30/98	100.9	a	23.12	77.78	0.00	--	--	--	--	--	--	--	--	--
MW5	12/28/98	100.9	a	23.18	77.72	0.00	--	--	--	--	--	--	--	--	--
MW5	01/25-26/99	100.9	a	22.61	78.29	0.00	<1.0	<1.0	<1.0	<1.0	<50	--	--	<2.0	--
MW5	02/26/99	100.9	a	19.78	81.12	0.00	--	--	--	--	--	--	--	--	--
MW5	03/24/99	100.9	a	20.25	80.65	0.00	--	--	--	--	--	--	--	--	--
MW5	05/12/99	100.9	a	21.06	79.84	0.00	--	--	--	--	--	--	--	--	--
MW5	12/15-16/99	100.9	a	24.19	76.71	0.00	<0.50	<0.50	<0.50	<0.50	<50	--	--	<0.50	--
MW5	03/20/00	100.9	a	19.15	81.75	0.00	--	--	--	--	--	--	--	--	--
MW5	07/20/00	100.9	a	21.84	79.06	0.00	<0.50	0.98	<0.50	<0.50	<50	<50	<300	1.9	--
MW5	10/11/00	100.9	a	23.4	77.50	0.00	--	--	--	--	--	--	--	--	--
MW5	04/10-11/01	100.9	a	22.3	78.60	0.00	<0.50	2.6	<0.50	0.6	<50	<50	<300	1.5	--
MW5	07/10/01	100.9	a	23.64	77.26	0.00	--	--	--	--	--	--	--	--	--
MW5	11/20/01	65.59	b	24.65	40.94	0.00	0.83	12	1.2	11	140	860	2,500	10	--
MW5	02/19/02	65.59	b	22.37	43.22	0.00	--	--	--	--	--	--	--	--	--
MW5	05/21/02	65.59	b	23.10	42.49	0.00	<0.50	<0.50	<0.50	<0.50	<50	2,200	<300	<2.0	--
MW5	06/27/03	65.59	b	23.07	42.52	0.00	--	--	--	--	--	--	--	--	--
MW5	09/29/03	65.59	b	24.38	41.21	0.00	<0.50	0.52	7.1	35	100	<50	<500	1.4	--
MW5	12/12/03	65.59	b	23.90	41.69	0.00	<0.50	<0.50	<0.50	<1	<50	<50	<500	1.5	--
MW5	03/15/04	65.59	b	20.82	44.77	0.00	<0.50	<0.50	<0.50	<1.0	<50	<50	<500	<0.50	--
MW5	06/24/04	65.59	b	23.57	42.02	0.00	<0.50	<0.50	<0.50	<1.0	<50	130	<500	0.79	--
MW5	09/29/04	65.59	b	24.44	41.15	0.00	--	--	--	--	--	--	--	--	--



TABLE 2 CUMULATIVE GROUNDWATER ELEVATION AND ANALYTICAL DATA  
FORMER VAL STROUGH CHEVROLET, 327 34th STREET OAKLAND, CALIFORNIA

Well Number	Date	Casing Elevation (feet)	Depth to Water (feet)	GW Elevation (feet)	SPH Thickness (feet)	Concentration (µg/L)									
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	TPH-mo	MTBE	TBA	
MW5	12/13/04	65.59	b	23.87	41.72	0.00	--	--	--	--	--	--	--	--	--
MW5	03/14/05	65.59	b	20.18	45.41	0.00	<0.50	1.3	1.5	8.6	82	<50	<500	<0.50	--
MW5	06/15/05	65.59	b	12.96	52.63	0.00	--	--	--	--	--	--	--	--	--
MW5	09/26/05	65.59	b	23.60	41.99	0.00	--	--	--	--	--	--	--	--	--
MW5	12/12/05	65.59	b	23.84	41.75	0.00	--	--	--	--	--	--	--	--	--
MW5	03/29/06	65.59	b	17.19	48.40	0.00	<0.50	<0.50	<0.50	<0.50	73	<50	<100	<0.50	--
MW5	06/19/06	65.59	b	20.22	45.37	0.00	--	--	--	--	--	--	--	--	--
MW5	09/29/06	65.59	b	22.80	42.79	0.00	--	--	--	--	--	--	--	--	--
MW5	12/12/06	65.59	b	23.08	42.51	0.00	--	--	--	--	--	--	--	--	--
MW5	03/01/07	65.59	b	21.02	44.57	0.00	<0.50	<0.50	<0.50	<0.50	54	<50	<100	<0.50	--
MW5	06/12/07	65.59	b	22.78	42.81	0.00	--	--	--	--	--	--	--	--	--
MW5	09/25/07	65.59	b	24.45	41.14	0.00	<0.50	1.5	<0.50	<0.50	<50	<50	<100	0.64	--
MW5	12/20/07	65.59	b	24.52	41.07	0.00	--	--	--	--	--	--	--	--	--
MW5	03/26/08	65.59	b	24.08	41.51	0.00	<0.50	1.5	<0.50	<0.50	<50	<50	<100	<0.5	--
MW5	06/03/08	65.59	b	23.68	41.91	0.00	--	--	--	--	--	--	--	--	--
MW5	09/25/08	65.59	b	25.00	40.59	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	0.66	<5.0
MW5	12/29/08	65.59	b	24.92	40.67	0.00	<0.50	<0.50	<0.50	<0.50	71	<50	<100	<0.5	<5.0
MW5	03/24/09	65.59	l	21.85	43.74	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	0.54	<5.0
MW5	06/02/09	65.59	l	22.70	42.89	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	<0.5	<5.0
MW5	09/10/09	65.59	l	24.12	41.47	0.00	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 50	< 100	0.56	< 5.0
MW5	12/04/09	65.59	l	dry	--	0.00	--	--	--	--	--	--	--	--	--
MW5	03/10/10	65.59	l	25.90	39.69	0.00	< 0.50	< 0.50	< 0.50	< 0.50	55	< 50	< 100	0.71	--
MW5	05/28/10	65.59	l	25.54	40.05	0.00	--	--	--	--	--	--	--	--	--
MW5	08/26/10	65.59	l	25.59	40.00	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	0.52	--
MW5	12/22/10	65.59	l	24.80	40.79	0.00	--	--	--	--	--	--	--	--	--
MW5	03/16/11	65.59	l	22.02	43.57	0.00	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 50	< 100	< 0.50	--
MW6	07/20/00	96.60	a	18.30	78.30	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<300	160	--
MW6	10/11/00	96.60	a	18.69	77.91	0.00	--	--	--	--	--	--	--	--	--
MW6	04/10-11/01	96.60	a	17.85	78.75	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<300	180	--
MW6	07/10/01	96.60	a	18.43	78.17	0.00	--	--	--	--	--	--	--	--	--
MW6	11/20/01	59.60	b	18.67	40.93	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<300	450	--
MW6	02/19/02	59.60	b	17.40	42.20	0.00	--	--	--	--	--	--	--	--	--
MW6	05/21/02	59.60	b	17.68	41.92	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<300	170	--
MW6	06/27/03	59.60	b	17.73	41.87	0.00	--	--	--	--	--	--	--	--	--
MW6	09/29/03	59.60	b	18.48	41.12	0.00	<1.0	<1.0	<1.0	<2.0	230	<50	<500	340	--
MW6	12/12/03	59.60	b	17.89	41.71	0.00	<2.5	<2.5	<2.5	<5.0	<250	51	<500	190	--
MW6	03/15/04	59.60	b	16.46	43.14	0.00	<1.0	<1.0	<1.0	<2.0	200	<50	<500	220	--
MW6	06/24/04	59.60	b	17.97	41.63	0.00	<1.0	<1.0	<1.0	<2.0	130	<50	<500	190	--
MW6	09/29/04	59.60	b	18.55	41.05	0.00	<0.50	0.61	<0.50	1.2	210	<50	<500	190	--
MW6	12/13/04	59.60	b	17.88	41.72	0.00	--	--	--	--	--	--	--	--	--
MW6	03/14/05	59.60	b	16.82	42.78	0.00	<0.50	<0.50	<0.50	1.8	160	<50	<500	190	--
MW6	06/15/05	59.60	b	17.60	42.00	0.00	--	--	--	--	--	--	--	--	--
MW6	09/26/05	59.60	b	NM	NM	0.00	--	--	--	--	--	--	--	--	--
MW6	12/12/05	59.60	b	18.33	41.27	0.00	0.62	<0.50	<0.50	1.0	81	<50	<500	140	--
MW6	03/29/06	59.60	b	14.53	45.07	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	120	--
MW6	06/19/06	59.60	b	16.46	43.14	0.00	--	--	--	--	--	--	--	--	--
MW6	09/29/06	59.60	b	17.60	42.00	0.00	0.87	<0.50	<0.50	<0.50	<50	<50	<100	140	--
MW6	12/12/06	59.60	b	16.93	42.67	0.00	0.67	<0.50	<0.50	<0.50	<50	<50	230	89	--
MW6	03/01/07	59.60	b	16.30	43.30	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	78	--

TABLE 2 CUMULATIVE GROUNDWATER ELEVATION AND ANALYTICAL DATA  
FORMER VAL STROUGH CHEVROLET, 327 34th STREET OAKLAND, CALIFORNIA

Well Number	Date	Casing Elevation (feet)	Depth to Water (feet)	GW Elevation (feet)	SPH Thickness (feet)	Concentration (µg/L)									
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	TPH-mo	MTBE	TBA	
MW6	06/12/07	59.60	b 17.38	42.22	0.00	--	--	--	--	--	--	--	--	--	
MW6	09/25/07	59.60	b 18.36	41.24	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	89	--	
MW6	12/20/07	59.60	b 17.90	41.70	0.00	--	--	--	--	--	--	--	--	--	
MW6	03/26/08	59.60	b 17.37	42.23	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	68	--	
MW6	06/03/08	59.60	b 17.11	42.49	0.00	--	--	--	--	--	--	--	--	--	
MW6	09/25/08	59.60	b 18.82	40.78	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	78	<5.0	
MW6	12/29/08	59.60	b 18.30	41.30	0.00	0.77	<0.50	<0.50	<0.50	<50	<50	<100	44	<5.0	
MW6	03/24/09	59.60	l 16.80	42.80	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	51	<5.0	
MW6	06/02/09	59.60	l 17.27	42.33	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	59	<5.0	
MW6	09/10/09	59.60	l 18.20	41.40	0.00	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 50	< 100	73	< 5.0	
MW6	12/04/09	59.60	l 19.07	40.53	0.00	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 50	< 100	50	< 5.0	
MW6	03/10/10	59.60	l 17.80	41.80	0.00	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 50	< 100	51	--	
MW6	05/28/10	59.60	l 18.02	41.58	0.00	--	--	--	--	--	--	--	--	--	
MW6	08/26/10	59.60	l 18.70	40.90	0.00	<0.50	<0.50	<0.50	<0.50	<50	<0.50	<100	47	--	
MW6	12/22/10	59.60	l 17.84	41.76	0.00	--	--	--	--	--	--	--	--	--	
MW6	03/16/11	59.60	l 16.94	42.66	0.00	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 50	< 100	44	--	
MW7	07/20/00	96.75	a 15.93	80.82	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<300	<0.50	--	
MW7	10/11/00	96.75	a 16.90	79.85	0.00	--	--	--	--	--	--	--	--	--	
MW7	04/10-11/01	96.75	a 15.80	80.95	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<300	<0.50	--	
MW7	07/10/01	96.75	a 16.71	80.04	0.00	--	--	--	--	--	--	--	--	--	
MW7	11/20/01	59.47	b 16.17	43.30	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<300	<2.0	--	
MW7	02/19/02	59.47	b 14.92	44.55	0.00	--	--	--	--	--	--	--	--	--	
MW7	05/21/02	59.47	b 15.18	44.29	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<300	<0.50	--	
MW7	06/27/03	59.47	b 16.28	43.19	0.00	--	--	--	--	--	--	--	--	--	
MW7	09/29/03	59.47	b 16.88	42.59	0.00	<0.50	<0.50	<0.50	<1.0	<50	<50	<500	0.62	--	
MW7	12/12/03	59.47	b 14.95	44.52	0.00	<0.50	<0.50	<0.50	<1.0	<50	<50	<500	<0.50	--	
MW7	03/15/04	59.47	b 14.77	44.70	0.00	<0.50	<0.50	<0.50	<1.0	<50	<50	<500	<0.50	--	
MW7	06/24/04	59.47	b 16.33	43.14	0.00	<0.50	<0.50	<0.50	<1.0	<50	300	<500	<0.50	--	
MW7	09/29/04	59.47	b 16.88	42.59	0.00	--	--	--	--	--	--	--	--	--	
MW7	12/13/04	59.47	b 15.26	44.21	0.00	--	--	--	--	--	--	--	--	--	
MW7	03/14/05	59.47	b 15.00	44.47	0.00	<0.50	<0.50	<0.50	<1.0	<50	<50	<500	<0.50	--	
MW7	06/15/05	59.47	b 15.32	44.15	0.00	--	--	--	--	--	--	--	--	--	
MW7	09/26/05	59.47	b NM	NM	0.00	--	--	--	--	--	--	--	--	--	
MW7	12/12/05	59.47	b 15.99	43.48	0.00	--	--	--	--	--	--	--	--	--	
MW7	03/29/06	59.47	b 12.65	46.82	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	<0.50	--	
MW7	06/19/06	59.47	b 14.49	44.98	0.00	--	--	--	--	--	--	--	--	--	
MW7	09/29/06	59.47	b 16.67	42.80	0.00	--	--	--	--	--	--	--	--	--	
MW7	12/12/06	59.47	b 15.21	44.26	0.00	--	--	--	--	--	--	--	--	--	
MW7	03/01/07	59.47	b 14.68	44.79	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	<0.50	--	
MW7	06/12/07	59.47	b 16.2	43.27	0.00	--	--	--	--	--	--	--	--	--	
MW7	09/25/07	59.47	b 16.72	42.75	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	<0.50	--	
MW7	12/20/07	59.47	b 15.02	44.45	0.00	--	--	--	--	--	--	--	--	--	
MW7	03/26/08	59.47	b 15.95	43.52	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	<0.50	--	
MW7	06/03/08	59.47	b 14.24	45.23	0.00	--	--	--	--	--	--	--	--	--	
MW7	09/25/08	59.47	b 17.07	42.40	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	<0.50	<5.0	
MW7	12/29/08	59.47	b 15.64	43.83	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	<0.50	<5.0	
MW7	03/24/09	59.49	l 14.57	44.92	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	<0.50	<5.0	
MW7	06/02/09	59.49	l 16.10	43.39	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	<0.50	<5.0	
MW7	09/10/09	59.49	l 17.10	42.39	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	<0.50	<5.0	

TABLE 2 CUMULATIVE GROUNDWATER ELEVATION AND ANALYTICAL DATA  
FORMER VAL STROUGH CHEVROLET, 327 34th STREET OAKLAND, CALIFORNIA

Well Number	Date	Casing Elevation (feet)	Depth to Water (feet)	GW Elevation (feet)	SPH Thickness (feet)	Concentration (µg/L)									
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	TPH-mo	MTBE	TBA	
MW7	12/04/09	59.49	1	17.10	42.39	0.00	--	--	--	--	--	--	--	--	--
MW7	03/10/10	59.49	1	15.17	44.32	0.00	--	--	--	--	--	--	--	--	--
MW7	05/28/10	59.49	1	15.20	44.29	0.00	--	--	--	--	--	--	--	--	--
MW7	08/26/10	59.49	1	17.10	42.39	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	<0.50	--
MW7	12/22/10	59.49	1	14.94	44.55	0.00	--	--	--	--	--	--	--	--	--
MW7	12/22/10	59.49	1	14.75	44.74	0.00	--	--	--	--	--	--	--	--	--
MW8	12/29/08	NS	b	15.71	NC	0.00	<0.50	0.64	<0.50	0.78	<50	<50	<100	1.5	<5.0
MW8	03/24/09	57.07	1	16.08	40.99	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	<0.50	<5.0
MW8	06/02/09	57.07	1	15.46	41.61	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	<0.50	<5.0
MW8	09/10/09	57.07	1	15.58	41.49	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	2.4	<5.0
MW8	12/04/09	57.07	1	16.27	40.80	0.03	--	--	--	--	--	--	--	--	--
MW8	03/10/10	57.07	1	14.47	42.60	0.03	--	--	--	--	--	--	--	--	--
MW8	05/28/10	57.07	1	16.12	40.95	0.03	--	--	--	--	--	--	--	--	--
MW8	08/26/10	57.07	1	16.36	40.71	0.00	<0.50	<0.50	<0.50	<0.50	<50	<50	<100	1.1	--
MW8	12/22/10	57.07	1	16.25	40.82	0.03	--	--	--	--	--	--	--	--	--
MW8	03/16/11	57.07	1	15.66	41.41	0.03	--	--	--	--	--	--	--	--	--
MW9A	09/10/09	65.90		22.51	43.39	0.00	7,800	33,000	4,500	25,000	160,000	<20,000	410	1,800	780
MW9A	12/04/09	65.90		24.42	41.48	0.00	--	--	--	--	--	--	--	--	--
MW9A (m)	12/28/09	65.90		24.62	41.28	sheen	12,000	34,000	4,300	24,000	180,000	<200,000	3,400	2,100	680
MW9A	03/10/10	65.90		22.30	43.60	0.00	15,000	42,000	4,800	26,000	210,000	<40,000	250	2,300	--
MW9A	05/28/10	65.90		22.62	43.29	(n)	Not Sampled due to Free Product								
MW9A	08/26/10	65.90		23.21	42.70	0.00	2,600	19,000	3,000	22,000	150,000	<500,000	11,000	75	--
MW9A	09/21/10	65.90	NM	NC	0.00	1,400	9,600	1,600	12,000	70,000	--	--	--	--	--
MW9A	12/22/10	65.90		22.63	43.28	0.00	4,400	17,000	1,900	13,000	83,000	<1500	<100	250	--
MW9A	03/16/11	65.90		20.31	45.60	0.00	4,900	22,000	2,800	20,000	130,000	<1500	230	620	--
MW9B	09/10/09	65.85		22.30	43.55	0.00	640	4,500	1,100	6,500	36,000	<3,000	<100	61	<50
MW9B	12/04/09	65.85		24.00	41.85	0.00	63	250	180	620	5,600	<300	<100	3.1	<5.0
MW9B	03/10/10	65.85		22.41	43.44	0.00	98	310	340	900	7,500	<600	<100	5.7	--
MW9B	05/28/10	65.85		22.50	43.35	0.00	31	75	150	270	2,900	<400	<100	2.9	--
MW9B	08/26/10	65.85		23.31	42.54	0.00	13	160	310	2,000	14,000	<1000	<100	88	--
MW9B	09/20/10	65.85	NM	NC	0.00	7	110	140	830	6,200	--	--	--	--	--
MW9B	12/22/10	65.85		23.20	42.65	0.00	<0.5	3	1	10	140	<50	<100	4.5	--
MW9B	03/16/11	65.85		20.14	45.71	0.00	22	39	47	290	3,500	<300	<100	38	--
O1	09/10/09	65.91		22.44	43.47	0.00	960	2,400	1,000	4,600	23,000	<1,500	<100	180	84
O1	12/04/09	65.91		24.33	41.58	0.00	1,000	3,700	1,700	7,400	38,000	<1000	<100	310	200
O1	03/10/10	65.91		22.20	43.71	0.00	660	2,600	970	5,300	29,000	<1000	<100	200	--
O1	05/28/10	65.91		22.49	43.42	0.00	610	2,000	1,000	4,200	21,000	<1500	<100	270	--
O1	08/26/10	65.91		23.25	42.66	0.00	29	160	59	680	5,000	<500	<100	97	--
O1	09/20/10	65.91	NM	NC	0.00	24	140	28	330	2,000	--	--	--	--	--
O1	12/22/10	65.91		22.70	43.21	0.00	10	35	3	30	460	<50	<100	220	--
O1	03/16/11	65.91		20.19	45.72	0.00	200	440	240	850	6,900	<300	<100	180	--

TABLE 2 CUMULATIVE GROUNDWATER ELEVATION AND ANALYTICAL DATA  
 FORMER VAL STROUGH CHEVROLET, 327 34th STREET OAKLAND, CALIFORNIA

SPH	Separate-phase hydrocarbons.
GW	Groundwater.
TPH-g	Total Petroleum Hydrocarbons as gasoline.
TPH-d	Total Petroleum Hydrocarbons as diesel.
TPH-mo	Total Petroleum Hydrocarbons as motor oil.
MTBE	Methyl tertiary butyl ether.
TBA	Tertiary Butyl Alcohol
NC	Not calculated.
NS	Not surveyed
µg/L	Micrograms per liter.
*	SPH present; not sampled.
**	Well MW4 elevation modified due to site renovation activities. Not Surveyed.
--	Not analyzed or not sampled.
<	Less than the laboratory reporting limits.
a	Elevations are referenced to monitoring well MW1, with assumed datum of 100.00 feet.
b	Elevations based on a survey conducted August 2002 and referenced benchmark with known elevation (NGVD 29) of 60.40 feet above mean sea level.
c	Analysis not conducted due to broken sample containers.
d	Hydrocarbon reported in the gasoline range does not match laboratory gasoline standard.
e	Groundwater elevation in wells with LPH are corrected by multiplying the specific gravity of gasoline (0.69) by the LPH thickness and adding this value to the water elevation.
f	Hydrocarbon reported is in the early diesel range, and does not match the laboratory diesel standard.
g	Sample contained discrete peak in gasoline range and identified by lab as MTBE.
h	Quantity of unknown hydrocarbon(s) in sample based on diesel.
i	The concentration reported reflect(s) individual or discrete unidentified peaks not matching a typical fuel pattern.
j	Depth to groundwater is based on the depth of the stingers.
k	Quantity of unknown hydrocarbon(s) in sample based on motor oil.
l	Resurveyed Prior to 1st Quarter 2009 Measurements
m	The well was not purged due to insufficient water.
n	Groundwater elevation corrected by substituting the "product thickness" in the water column of the well with thickness of the groundwater equivalent, determined by multiplying the specific gravity of gasoline (0.739) by the "product thickness".

TABLE 3 HISTORICAL GRAB GROUNDWATER ANALYTICAL DATA  
FORMER VAL STROUGH CHEVROLET, 327 34th STREET OAKLAND, CALIFORNIA

Boring ID	Date	Depth (feet)	Concentrations (µg/L)							
			Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	TPH-g	TPH-d	TPH-mo
HP1	12/18/2003	26-30	<5.0	<5.0	<5.0	11	<b>480</b>	<b>410</b>	<b>180</b>	<500
HP3	12/18/2003	32-36	<0.50	<0.50	<0.50	<1.0	<b>0.55</b>	<50	<b>75</b>	<500
SB3	12/26/2007	24	0.75	28	35	180	0.59	1800	<1000	<100
SB3	12/26/2007	40	<0.50	1.1	5.3	33	1	240	<400	<100
SB4	12/26/2007	23	160	120	200	240	1.8	3500	<1500	<100
SB4	12/26/2007	40	250	1400	280	2000	3.2	9900	<1500	<100
SB5	12/26/2007	24	<b>660</b>	<b>11000</b>	<b>4200</b>	<b>20000</b>	34	<b>110000</b>	<100000	310
SB5	12/26/2007	40	74	1000	380	2400	31	13000	<3000	<100
SB6	12/26/2007	25	<0.5	6.6	3.6	27	1.2	210	<100	<100
SB6	12/26/2007	40	85	1500	620	6900	15	35000	<18000	<100
SB7	12/26/2007	40	120	1100	470	2900	7.9	20000	<6000	<100
SB8	12/26/2007	40	320	1300	920	3100	100	17000	<3000	<100
SB9	12/26/2007	34	<0.5	<0.5	<0.5	<0.5	92	<50	69	<100
SB10	12/26/2007	21.3	<0.5	<0.5	<0.5	<0.5	30	<50	2200	5000
SB11	12/26/2007	17	<0.5	<0.5	<0.5	<0.5	<50	<50	200	220
SB12	12/26/2007	20	<0.5	<0.5	<0.5	<0.5	43	67	950	1200
SB13	12/26/2007	26	<0.5	<0.5	<0.5	<0.5	<b>160</b>	<50	<b>3800</b>	<b>6600</b>

TPH-g Total Petroleum Hydrocarbons as gasoline.

TPH-d Total Petroleum Hydrocarbons as diesel.

TPH-mo Total Petroleum Hydrocarbons as motor oil.

< less than the laboratory reporting limits.

**660** Bold values reflect maximum detected concentrations

TABLE 4 GROUNDWATER MONITORING SCHEDULE  
 FORMER VAL STROUGH CHEVROLET, 327 34th STREET OAKLAND, CALIFORNIA

Well Number	Groundwater Gauging Frequency	Groundwater Sampling and Analysis Frequency		
		BTEX and TPH-g	MTBE	TEPH
MW1	Q	S	S	S
MW2	Q	Q	Q	Q
MW3	Q	Q	Q	Q
MW4	Q	Q	Q	Q
MW5	Q	S	S	S
MW6	Q	S	S	S
MW7	Q	A	A	A
MW8	Q	A	A	A
MW9A	Q	Q	Q	Q
MW9B	Q	Q	Q	Q
O1	Q	Q	Q	Q

Q = Quarterly.

S = Semiannual (1st and 3rd Quarters).

A = Annual.

BTEX = Benzene, toluene, ethylbenzene, total xylenes.


MTBE = Methyl tertiary butyl ether.

TPH-g = Total Petroleum Hydrocarbons as gasoline.

TEPH = Total Extractable Petroleum Hydrocarbons, includes TPH-diesel and TPH-motor oil.



## **FIGURES**



Base map: Maptech Inc., 2001



0 2,000

Scale (feet)



**SITE LOCATION MAP**  
 FORMER VAL STROUGH CHEVROLET  
 327 34TH STREET, OAKLAND, CALIFORNIA



FIGURE:

**1**




**ROSE DIAGRAM**

- Historical
- X This Event



**LEGEND:**

- MW1 ● Groundwater Monitoring Well
- HP1 ● Grab Groundwater Sampling Location
- (40.00) Groundwater Elevation (feet above mean sea level)
- 42.00' - - - Groundwater Elevation Contour (feet above mean sea level)




Base Map: Virgil Chavez Land Surveying, dated January 2009.



**GROUNDWATER ELEVATION CONTOUR MAP AND ROSE DIAGRAM**  
**1ST QUARTER 2011 MONITORING EVENT**  
 FORMER VAL STROUGH CHEVROLET  
 327 34TH STREET, OAKLAND, CALIFORNIA  
 MARCH 2011


FIGURE:

**2**



**LEGEND:**

- MW1 ⊙ Groundwater monitoring well
- TPH-g Total Petroleum Hydrocarbons as gasoline
- TPH-d Total Petroleum Hydrocarbons as diesel
- TPH-mo Total Petroleum Hydrocarbons as motor oil
- MTBE Methyl Tertiary Butyl Ether
- NS Not sampled this quarter



All concentrations are reported in micrograms per liter (ug/L)



**GROUNDWATER ANALYTICAL DATA**  
**1ST QUARTER 2011 MONITORING EVENT**  
 FORMER VAL STROUGH CHEVROLET  
 327 34TH STREET, OAKLAND, CALIFORNIA  
 MARCH 2011

FIGURE:

**3**



**Appendix A**  
**Field Documents**



# Purging And Sampling Data Sheet

Job Number: <b>TMSTROUGH</b>	Sampler: <b>S. POLSTON</b>	Client: <b>VAL STROUGH</b>
Well ID: <b>MW1</b>	Date: <b>3/16/2011</b>	Site: <b>FORMER CHEVY OAKLAND</b>
Well Diameter: <b>2</b>	DTW: <b>19.18</b>	Total Depth <b>31.20</b>
Purge Equipment: <b>PURGE PUMP</b>	Tubing (OD) <b>1/2"</b>	<b>New Dedicated</b>
Purge Method: <b>3-5 Casing Vol</b>	Micro/low Flow Extraction Well Other:	
Multipliers	1"= 0.04, 2"=0.16, 3"=0.37, 4"=0.65, 5"=1.02, 6"=1.47 Gallons per liner foot	
Total Depth - DTW X Multplier = 1 casing vol.		80% Recovery = Total Depth -DTW X .20 + DTW

1 volume = 12.02 X .16 = 1.92 Gallons      80% = 21.58

Time	ph	Temp	Cond	Turb.	DO	ORP	Gallons	Notes
1156	6.87	18.0	1.05	<del>13</del> <sup>135</sup>	9.24	136	.5	
1158	6.60	18.4	0.868	12	9.24	138	2.0	
1200	6.35	18.6	.97	9.6	9.28	132	4.0	
1203	6.39	18.6	1.0	10.0	9.2	145	6.0	

Well Dewater: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Total Volume Removed: <b>6.5</b> Gallons
Sample Method: <u>Disp Bailer</u> New Tubing Sample port Other: _____	
Sample Date: <b>3/16/2011</b>	Sample Time: <b>1209</b> DTW at Sample: _____
Sample ID: <b>MW1</b>	Lab: <b>KIFF</b> Number of Containers: <b>5</b>
Analysis: <b>TPH- Gas, BTEX, MTBE</b> <i>teph</i>	

Notes:

---



---



---

# Purging And Sampling Data Sheet

Job Number: <b>TMSTROUGH</b>	Sampler: <b>S. POLSTON</b>	Client: <b>VAL STROUGH</b>
Well ID: <b>MW2</b>	Date: <b>3/16/2011</b>	Site: <b>FORMER CHEVY OAKLAND</b>
Well Diameter: <b>2</b>	DTW: <b>19.0</b>	Total Depth <b>32.0</b>
Purge Equipment: <b>PURGE PUMP</b>	Tubing (OD) <b>1/2"</b>	<b>(New)</b> Dedicated
Purge Method: <b>3-5 Casing Vol</b>	Micro/low Flow	Extraction Well Other:
Multipliers	1"= 0.04, 2"=0.16, 3"=0.37, 4"=0.65, 5"=1.02, 6"=1.47 Gallons per liner foot	
Total Depth - DTW X Multiplier = 1 casing vol.		80% Recovery = Total Depth -DTW X .20 + DTW

1 volume = 13 X .16 = 2.08 Gallons      80% = 21.6'

Time	ph	Temp	Cond	Turb	DO	ORP	Gallons	Notes
1242	6.73	17.6	2.39	2.0	3.45	-33	2.25	GRAB
1246	6.94	18.2	2.42	42	4.40	-77	1.75	PUMP
1249	6.99	18.3	2.36	15.9	8.58	-98	2.5	
1251	7.08	18.5	2.29	5.5	3.64	-119	4.2	
1255	7.24	18.4	2.11	2.9	3.95	-119	6.5	
1300	7.23	18.3	2.04	15.2	2.95	-122	6.75	GRAB

Well Dewater	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Total Volume Removed: <b>7.0</b>	Gallons
Sample Method:	<b>(Disp Bailer)</b> New Tubing	Sample port	Other: _____
Sample Date:	<b>3/16/2011</b>	Sample Time:	<b>1300</b> DTW at Sample:
Sample ID:	<b>MW2</b>	Lab:	<b>KIFF</b> Number of Containers: <b>5</b>
Analysis:	<b>TPH- Gas, BTEX, MTBE</b> <i>TCPH</i>		

Notes:

---



---



---



---

# Purging And Sampling Data Sheet

Job Number: <b>TMSTROUGH</b>	Sampler: <b>S. POLSTON</b>	Client: <b>VAL STROUGH</b>
Well ID: <b>MW3</b>	Date: <b>3/16/2011</b>	Site: <b>FORMER CHEVY OAKLAND</b>
Well Diameter: <b>2</b>	DTW: <b>20.13</b>	Total Depth <b>32</b>
Purge Equipment: <b>PURGE PUMP</b>	Tubing (OD) <b>1/2"</b>	<b>New</b> Dedicated
Purge Method:	<input checked="" type="checkbox"/> 3-5 Casing Vol <input type="checkbox"/> Micro/low Flow <input type="checkbox"/> Extraction Well <input type="checkbox"/> Other:	
Multipliers:	1"= 0.04, 2"=0.16, 3"=0.37, 4"=0.65, 5"=1.02, 6"=1.47 Gallons per liner foot	

Total Depth - DTW X Multplier = 1 casing vol.      80% Recovery = Total Depth -DTW X .20 + DTW

1 volume = 11.87 x .16 = 1.90 Gallons      80% = 22.50

Time	ph	Temp	Cond	Turb	DO	ORP	Gallons	Notes
1437	7.73	18.1	1.27	1.2	4.2	+42	2.25	GRAB
1443	6.89	18.4	1.03	480	7.94	-29	<del>2.0</del>	pump
1445	6.78	18.5	1.29	600	9.12	-34	2.0	
1448	6.76	18.5	1.26	387	6.2	-47	4.0	
1451	6.72	18.6	1.27	112	5.2	-50	6.0	
1454	6.81	18.3	1.25	254	9.4	-57	<del>7.5</del>	GRAB

Well Dewater      Yes  No       Total Volume Removed: 8.0 Gallons

Sample Method:       Disp Bailer     New Tubing     Sample port     Other: \_\_\_\_\_

Sample Date: **3/16/2011**      Sample Time: **1454**      DTW at Sample: \_\_\_\_\_

Sample ID: **MW3**      Lab: **KIFF**      Number of Containers: **5**

Analysis: **TPH- Gas, BTEX, MTBE**      *TEPH*

Notes:

---



---



---



---

## Purging And Sampling Data Sheet

Job Number: <b>TMSTROUGH</b>	Sampler: <b>S. POLSTON</b>	Client: <b>VAL STROUGH</b>
Well ID: <b>MW4</b>	Date: <b>3/16/2011</b>	Site: <b>FORMER CHEVY OAKLAND</b>
Well Diameter: <b>2</b>	DTW: <b>18.82</b>	Total Depth: <b>27.9</b>
Purge Equipment: <b>PURGE PUMP</b>	Tubing (OD): <b>1/2"</b>	<b>New Dedicated</b>
Purge Method:	<input checked="" type="checkbox"/> 5-5 Casing Vol <input type="checkbox"/> Micro/low Flow <input type="checkbox"/> Extraction Well <input type="checkbox"/> Other:	
Multipliers:	1"= 0.04, 2"=0.16, 3"=0.37, 4"=0.65, 5"=1.02, 6"=1.47 Gallons per liner foot	

Total Depth - DTW X Multiplier = 1 casing vol.      80% Recovery = Total Depth -DTW X .20 + DTW

1 volume = 9.08 X .16 = 1.45 Gallons      80% = 20.64

Time	ph	Temp	Cond	Turb	DO	ORP	Gallons	Notes
1129	6.67	17.9	0.872	+500	8.67	88	0.5	
1130	6.57	18.6	0.823	+500	8.64	93	2.0	
1134	6.47	18.8	0.813	+500	8.85	84	4.0	
1136	6.43	18.9	0.804	557	6.81	83	6.0	

Well Dewater:    Yes  No      Total Volume Removed: 7.0 Gallons

Sample Method:     Disp Bailer     New Tubing     Sample port    Other: \_\_\_\_\_

Sample Date:    3/16/2011      Sample Time:    143      DTW at Sample:

Sample ID:    **MW4**      Lab:    **KIFF**      Number of Containers:    **5**

Analysis:    **TPH- Gas, BTEX, MTBE**      TeptH

Notes:

---



---



---



---



## Purging And Sampling Data Sheet

Job Number: <b>TMSTROUGH</b>	Sampler: <b>S. POLSTON</b>	Client: <b>VAL STROUGH</b>
Well ID: <b>MW5</b>	Date: <b>3/16/2011</b>	Site: <b>FORMER CHEVY OAKLAND</b>
Well Diameter: <b>2</b>	DTW: <b>22.02</b>	Total Depth <b>26.55</b>
Purge Equipment: <b>PURGE PUMP</b>	Tubing (OD) <b>1/2"</b>	<b>New Dedicated</b>
Purge Method:	<input checked="" type="checkbox"/> 3-5 Casing Vol. <input type="checkbox"/> Micro/low Flow <input type="checkbox"/> Extraction Well <input type="checkbox"/> Other:	
Multipliers:	1"= 0.04, 2"=0.16, 3"=0.37, 4"=0.65, 5"=1.02, 6"=1.47 Gallons per liner foot	
Total Depth - DTW X Multiplier = 1 casing vol.		80% Recovery = Total Depth -DTW X .20 + DTW

1 volume = 4.53 X .16 = .72 Gallons      80% = 22.93

Time	ph	Temp	Cond	Turb	DO	ORP	Gallons	Notes
1040	6.76	16.8	.665	69.4	9.25	7.6	.25	
1042	6.57	17.7	1588	22.4	8.13	<del>7.6</del>	<sup>13</sup> 1.0	- 13 c/v
1043	6.45	17.8	.650	45	8.51	7.0	2.0	
1047	6.37	17.8	.689	300	5.6	3.8	3.4	

Well Dewater: <b>Yes/No</b>	Total Volume Removed: <b>4.0</b> Gallons
Sample Method: <b>Disp Bailer</b>	<input type="checkbox"/> New Tubing <input type="checkbox"/> Sample port <input type="checkbox"/> Other: _____
Sample Date: <b>3/16/2011</b>	Sample Time: <b>10:53</b> DTW at Sample: _____
Sample ID: <b>MW5</b>	Lab: <b>KIFF</b> Number of Containers: <b>5</b>
Analysis: <b>TPH- Gas, BTEX, MTBE</b>	<b>TPH</b>

Notes:

---



---



---

# Purging And Sampling Data Sheet

Job Number: <b>TMSTROUGH</b>		Sampler: <b>S. POLSTON</b>		Client: <b>VAL STROUGH</b>	
Well ID: <b>MW6</b>		Date: <b>3/16/2011</b>		Site: <b>FORMER CHEVY OAKLAND</b>	
Well Diameter: <b>2</b>		DTW: <b>16.94</b>		Total Depth <b>27.0</b>	
Purge Equipment <b>PURGE PUMP</b>		Tubing (OD) <b>1/2"</b>		<b>New Dedicated</b>	
Purge Method		<input checked="" type="checkbox"/> 3- 5 Casing Vol <input type="checkbox"/> Micro/low Flow <input type="checkbox"/> Extraction Well <input type="checkbox"/> Other:			
Multipliers		1"= 0.04, 2"=0.16, 3"=0.37, 4"=0.65, 5"=1.02, 6"=1.47 Gallons per liner foot			
Total Depth - DTW X Multitplier = 1 casing vol.			80% Recovery = Total Depth -DTW X .20 + DTW		

1 volume =  $10.06 \times .16 = 1.6$  Gallons s/cw      80% = 18.95

Time	ph	Temp	Cond /	Turb	DO	ORP	Gallons	Notes
1002	6.72	16.6	.002	<600	8.99	-14	1.25	
1005	6.61	17.5	.764	191	8.68	-84	1.75	
1013	6.52	17.2	.794	31	8.76	-76	5.5	
1016	6.46	17.5	.806	58	8.75	-89	5.5	

Well Dewater <input checked="" type="checkbox"/> Yes / <input type="checkbox"/> No		Total Volume Removed: <b>6.5</b> Gallons	
Sample Method: <input checked="" type="checkbox"/> Disp Bailer <input type="checkbox"/> New Tubing <input type="checkbox"/> Sample port <input type="checkbox"/> Other: _____			
Sample Date: <b>3/16/2011</b>		Sample Time: <b>10.19</b>	
Sample ID: <b>MW6</b>		Lab: <b>KIFF</b>	
Analysis: <b>TPH- Gas, BTEX, MTBE</b>		<b>TEPTA</b>	
Number of Containers: <b>5</b>			

Notes:

---



---



---



---

# Purging And Sampling Data Sheet

Job Number: <b>TMSTROUGH</b>	Sampler: <b>S. POLSTON</b>	Client: <b>VAL STROUGH</b>
Well ID: <b>MW9A</b>	Date: <b>3/16/2011</b>	Site: <b>FORMER CHEVY OAKLAND</b>
Well Diameter: <b>2</b>	DTW: <b>20.31</b>	Total Depth <b>24.9</b>
Purge Equipment: <b>PURGE PUMP</b>	Tubing (OD) <b>1/2"</b>	<b>New</b> Dedicated
Purge Method: <b>3-5 Casing Vol</b>	Micro/low Flow Extraction Well Other:	
Multipliers	1"= 0.04, 2"=0.16, 3"=0.37, 4"=0.65, 5"=1.02, 6"=1.47 Gallons per liner foot	

Total Depth - DTW X Multplier = 1 casing vol.      80% Recovery = Total Depth -DTW X .20 + DTW

1 volume = 4.59 x .16 = .73 Gallons      80% = 21.23

Time	ph	Temp	Cond	Turb	DO	ORP	Gallons	Notes
1343	9.42	18.2	17.9	6.7	1.52	-211	.25	GALAB
1345	9.88	18.0	18.4	+600	4.14	-146	.5	Pump
1352	9.14	18.2	15.9	+600	4.5	-100	.75	well DRY

Well Dewater  Yes /  No      Total Volume Removed: 1.0 Gallons

Sample Method:  Disp Bailer     New Tubing    Sample port    Other: \_\_\_\_\_

Sample Date: **3/16/2011**      Sample Time: **1530**      DTW at Sample: **21.07**

Sample ID: **MW9A**      Lab: **KIFF**      Number of Containers: **5**

Analysis: **TPH- Gas, BTEX, MTBE**      **TEPH**

Notes:

---



---



---



---

# Purging And Sampling Data Sheet

Job Number: <b>TMSTROUGH</b>	Sampler: <b>S. POLSTON</b>	Client: <b>VAL STROUGH</b>
Well ID: <b>MW9B</b>	Date: <b>3/16/2011</b>	Site: <b>FORMER CHEVY OAKLAND</b>
Well Diameter: <b>2</b>	DTW: <b>20.14</b>	Total Depth <b>38.85</b>
Purge Equipment: <b>PURGE PUMP</b>	Tubing (OD) <b>1/2"</b>	<b>New</b> Dedicated
Purge Method: <b>3-5 Casing Vol</b>	Micro/low Flow Extraction Well Other:	
Multipliers	1"= 0.04, 2"=0.16, 3"=0.37, 4"=0.65, 5"=1.02, 6"=1.47 Gallons per liner foot	
Total Depth - DTW X Multiplier = 1 casing vol.		80% Recovery = Total Depth -DTW X .20 + DTW

1 volume = 18.71 x .16 = 2.99 Gallons      80% = 23.88

Time	ph	Temp	Cond	Turb	DO	ORP	Gallons	Notes
1353	9.76	18.2	4.1	5.2	4.50	-87	2.25	GRAB
1401	9.70	18.2	4.0	5.4	4.09	-48	2.5	Pump
1406	8.72	18.5	4.14	110	3.48	+21	3.0	
1413	8.06	18.3	4.48	38.5	8.4	+68	6.5	
1420	7.90	18.7	4.63	.2	9.5	+85	10.0	
1425	7.6	18.5	3.59	.2	10.0	+125	10.5	GRAB

Well Dewater: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Total Volume Removed: <b>11.0</b> Gallons
Sample Method: <b>Disp Bailer</b> New Tubing Sample port Other: _____	
Sample Date: <b>3/16/2011</b>	Sample Time: <b>1425</b> DTW at Sample: _____
Sample ID: <b>MW9B</b>	Lab: <b>KIFF</b> Number of Containers: <b>5</b>
Analysis: <b>TPH- Gas, BTEX, MTBE</b>	<b>Tept</b>

Notes:

---



---



---

# Purging And Sampling Data Sheet

Job Number: <b>TMSTROUGH</b>	Sampler: <b>S. POLSTON</b>	Client: <b>VAL STROUGH</b>
Well ID: <b>O1</b>	Date: <b>3/16/2011</b>	Site: <b>FORMER CHEVY OAKLAND</b>
Well Diameter: <b>2</b>	DTW: <b>20.19</b>	Total Depth <b>39.82</b>
Purge Equipment: <b>PURGE PUMP</b>	Tubing (OD) <b>1/2"</b>	<b>New</b> Dedicated
Purge Method: <b>3-5 Casing Vol</b>	Micro/low Flow Extraction Well Other: _____	
Multipliers	1"= 0.04, 2"=0.16, 3"=0.37, 4"=0.65, 5"=1.02, 6"=1.47 Gallons per liner foot	

Total Depth - DTW X Multplier = 1 casing vol.      80% Recovery = Total Depth -DTW X .20 + DTW

1 volume = 19.63 x .16 = 3.14 Gallons      80% = 24.12

Time	ph	Temp	Cond	Turb	DO	ORP	Gallons	Notes
1312	8.27	18.1	3.56	243	2.75	-177	.25	GRAB
1315	8.49	18.3	3.52	21.62	.56	-181	.50	purge
1317	8.66	18.5	3.41	53	.86	-182	3.8	
1321	8.74	18.6	3.14	17.9	1.3	-173	7.0	
1325	8.74	18.6	2.8	22.5	1.72	-143	<del>10.5</del> 12.0	Purge
1330	8.57	18.5	2.41	60.0	1.5	-131	12.5	GRAB

Well Dewater      Yes  No      Total Volume Removed: **13.0** Gallons

Sample Method: **Disp Bailer**      New Tubing      Sample port      Other: \_\_\_\_\_

Sample Date: **3/16/2011**      Sample Time: **1330**      DTW at Sample: \_\_\_\_\_

Sample ID: **O1**      Lab: **KIFF**      Number of Containers: **5**

Analysis: **TPH- Gas, BTEX, MTBE**      **Topt**

Notes:

---



---



---



---

# Purging And Sampling Data Sheet

Job Number: <b>TMSTROUGH</b>	Sampler: <b>S. POLSTON</b>	Client: <b>VAL STROUGH</b>
Well ID: <b>O1</b>	Date: <b>3/16/2011</b>	Site: <b>FORMER CHEVY OAKLAND</b>
Well Diameter: <b>2</b>	DTW: <b>20.19</b>	Total Depth: <b>39.82</b>
Purge Equipment: <b>PURGE PUMP</b>	Tubing (OD) <b>1/2"</b>	<b>New</b> Dedicated
Purge Method:	<b>3-5 Casing Vol</b> Micro/low Flow Extraction Well Other:	
Multipliers:	1"= 0.04, 2"=0.16, 3"=0.37, 4"=0.65, 5"=1.02, 6"=1.47 Gallons per liner foot	
Total Depth - DTW X Multplier = 1 casing vol.		80% Recovery = Total Depth -DTW X .20 + DTW

1 volume = 19.63 x .16 = 3.14 Gallons      80% = 24.12

Time	ph	Temp	Cond	Turb	DO	ORP	Gallons	Notes
1312	8.27	18.1	3.56	243	2.75	-177	.25	GRAB
1315	8.49	18.3	3.52	21.62	.56	-181	.50	purge
1317	8.66	18.5	3.41	53	.86	-182	3.8	
1321	8.74	18.6	3.14	17.9	1.3	-173	7.0	
1325	8.74	18.6	2.8	22.5	1.72	-143	<del>10.5</del> 12.0	Purge
1330	8.57	18.5	2.41	60.0	1.5	-131	12.5	GRAB

Well Dewater      Yes  No      Total Volume Removed: **13.0** Gallons

Sample Method: <b>Disp Bailer</b> New Tubing Sample port Other: _____
Sample Date: <b>3/16/2011</b> Sample Time: <b>1330</b> DTW at Sample: _____
Sample ID: <b>O1</b> Lab: <b>KIFF</b> Number of Containers: <b>5</b>
Analysis: <b>TPH- Gas, BTEX, MTBE</b> <b>Topt</b>

Notes:

---



---



---



---

Project Contact (Hardcopy or PDF To):

California EDF Report?  Yes  No

Company / Address:

Sampling Company Log Code:

Phone Number:

Global ID: T0600101644

Fax Number:

EDF Deliverable To (Email Address):  
MERHDAD@LRM-INC.COM

Project #:

P.O. #:

Bill to:

Project Name:

Sampler Print Name:

Sampler Signature:

Project Address:

Sampling

Container

Preservative

Matrix

Sample Designation

Date

Time

40 ml VOA

Sleeve

Poly

Glass

Tedlar

HCl

HNO<sub>3</sub>

None

Water

Soil

Air

MTBE @ 0.5 ppb (EPA 8260B)

BTEX (EPA 8260B)

TPH Gas (EPA 8260B)

5 Oxygenates (MTBE, DIPB, ETBE, TAME, TBA) (EPA 8260B)

7 Oxygenates (5 oxy + EtOH, MeOH) (EPA 8260B)

Lead Scav. (1,2 DCA & 1,2 EDB) (EPA 8260B)

Volatile Halocarbons (EPA 8260B)

Volatile Organics Full List (EPA 8260B)

Volatile Organics (EPA 524.2 Drinking Water)

TPH as Diesel (EPA 8015M)

TPH as Motor Oil (EPA 8015M)

CAM 17 Metals (EPA 200.7 / 6010)

5 Waste Oil Metals (Cd, Cr, Ni, Pb, Zn) (EPA 200.7 / 6010)

Mercury (EPA 245.1 / 7470 / 7471)

Total Lead (EPA 200.7 / 6010)

W.E.T. Lead (STLC)

Chain-of-Custody Record and Analysis Request

Analysis Request

CIRCLE METHOD

TAT

12 hr

24 hr

48 hr

72 hr

1 wk

For Lab Use Only

Relinquished by:

Date

Time

Received by:

Remarks:

Relinquished by:

Date

Time

Received by:

Relinquished by:

Date

Time

Received by Laboratory:



## **Appendix B**

### **Laboratory Analytical Reports and Chain-of-Custody Documentation**





## Laboratory Results

Mehrdad Javaherian  
LRM Consulting, Inc.  
1534 Plaza Lane, #145  
Burlingame, CA 94010

Subject : 9 Water Samples  
Project Name : Former Val Strough Chevrolet Oakland  
Project Number : Tim Strough

Dear Mr. Javaherian,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed. Testing procedures comply with the 2003 NELAC standard. All soil samples are reported on a total weight (wet weight) basis unless noted otherwise in the case narrative. Laboratory results relate only to the samples tested. This report may be freely reproduced in full, but may only be reproduced in part with the express permission of Kiff Analytical, LLC. Kiff Analytical, LLC is certified by the State of California under the National Environmental Laboratory Accreditation Program (NELAP), lab # 08263CA. If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,



Joel Kiff

Project Name : **Former Val Strough Chevrolet Oakland**

Project Number : **Tim Strough**

Sample : **MW6**

Matrix : Water

Lab Number : 76806-01

Sample Date :03/16/2011

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	03/19/11 05:02
Toluene	< 0.50	0.50	ug/L	EPA 8260B	03/19/11 05:02
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	03/19/11 05:02
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	03/19/11 05:02
<b>Methyl-t-butyl ether (MTBE)</b>	<b>44</b>	0.50	ug/L	EPA 8260B	03/19/11 05:02
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	03/19/11 05:02
1,2-Dichloroethane-d4 (Surr)	98.4		% Recovery	EPA 8260B	03/19/11 05:02
Toluene - d8 (Surr)	99.5		% Recovery	EPA 8260B	03/19/11 05:02
TPH as Diesel (w/ Silica Gel)	< 50	50	ug/L	M EPA 8015	03/22/11 23:13
TPH as Motor Oil (w/ Silica Gel)	< 100	100	ug/L	M EPA 8015	03/22/11 23:13
Octacosane (Silica Gel Surr)	111		% Recovery	M EPA 8015	03/22/11 23:13

Project Name : **Former Val Strough Chevrolet Oakland**

Project Number : **Tim Strough**

Sample : **MW5**

Matrix : Water

Lab Number : 76806-02

Sample Date :03/16/2011

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	03/18/11 23:45
Toluene	< 0.50	0.50	ug/L	EPA 8260B	03/18/11 23:45
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	03/18/11 23:45
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	03/18/11 23:45
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	03/18/11 23:45
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	03/18/11 23:45
1,2-Dichloroethane-d4 (Surr)	99.6		% Recovery	EPA 8260B	03/18/11 23:45
Toluene - d8 (Surr)	99.9		% Recovery	EPA 8260B	03/18/11 23:45
TPH as Diesel (w/ Silica Gel)	< 50	50	ug/L	M EPA 8015	03/22/11 22:44
TPH as Motor Oil (w/ Silica Gel)	< 100	100	ug/L	M EPA 8015	03/22/11 22:44
Octacosane (Silica Gel Surr)	107		% Recovery	M EPA 8015	03/22/11 22:44

Project Name : **Former Val Strough Chevrolet Oakland**

Project Number : **Tim Strough**

Sample : **MW4**

Matrix : Water

Lab Number : 76806-03

Sample Date :03/16/2011

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	03/19/11 00:22
Toluene	< 0.50	0.50	ug/L	EPA 8260B	03/19/11 00:22
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	03/19/11 00:22
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	03/19/11 00:22
<b>Methyl-t-butyl ether (MTBE)</b>	<b>220</b>	0.50	ug/L	EPA 8260B	03/19/11 00:22
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	03/19/11 00:22
1,2-Dichloroethane-d4 (Surr)	96.2		% Recovery	EPA 8260B	03/19/11 00:22
Toluene - d8 (Surr)	99.0		% Recovery	EPA 8260B	03/19/11 00:22
TPH as Diesel (w/ Silica Gel)	< 50	50	ug/L	M EPA 8015	03/23/11 00:52
TPH as Motor Oil (w/ Silica Gel)	< 100	100	ug/L	M EPA 8015	03/23/11 00:52
Octacosane (Silica Gel Surr)	106		% Recovery	M EPA 8015	03/23/11 00:52

Project Name : **Former Val Strough Chevrolet Oakland**

Project Number : **Tim Strough**

Sample : **MW1**

Matrix : Water

Lab Number : 76806-04

Sample Date :03/16/2011

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	03/18/11 23:47
Toluene	< 0.50	0.50	ug/L	EPA 8260B	03/18/11 23:47
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	03/18/11 23:47
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	03/18/11 23:47
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	03/18/11 23:47
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	03/18/11 23:47
1,2-Dichloroethane-d4 (Surr)	93.3		% Recovery	EPA 8260B	03/18/11 23:47
Toluene - d8 (Surr)	95.1		% Recovery	EPA 8260B	03/18/11 23:47
TPH as Diesel (w/ Silica Gel)	< 50	50	ug/L	M EPA 8015	03/23/11 00:17
TPH as Motor Oil (w/ Silica Gel)	< 100	100	ug/L	M EPA 8015	03/23/11 00:17
Octacosane (Silica Gel Surr)	108		% Recovery	M EPA 8015	03/23/11 00:17

Project Name : **Former Val Strough Chevrolet Oakland**

Project Number : **Tim Strough**

Sample : **MW2**

Matrix : Water

Lab Number : 76806-05

Sample Date :03/16/2011

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
<b>Benzene</b>	<b>430</b>	25	ug/L	EPA 8260B	03/19/11 05:33
<b>Toluene</b>	<b>1700</b>	25	ug/L	EPA 8260B	03/19/11 05:33
<b>Ethylbenzene</b>	<b>490</b>	25	ug/L	EPA 8260B	03/19/11 05:33
<b>Total Xylenes</b>	<b>3700</b>	25	ug/L	EPA 8260B	03/19/11 05:33
<b>Methyl-t-butyl ether (MTBE)</b>	<b>500</b>	25	ug/L	EPA 8260B	03/19/11 05:33
<b>TPH as Gasoline</b>	<b>29000</b>	2500	ug/L	EPA 8260B	03/19/11 05:33
1,2-Dichloroethane-d4 (Surr)	99.6		% Recovery	EPA 8260B	03/19/11 05:33
Toluene - d8 (Surr)	101		% Recovery	EPA 8260B	03/19/11 05:33
TPH as Diesel (w/ Silica Gel)	< 3000	3000	ug/L	M EPA 8015	03/22/11 23:42
(Note: MRL increased due to interference from Gasoline-range hydrocarbons.)					
<b>TPH as Motor Oil (w/ Silica Gel)</b>	<b>190</b>	100	ug/L	M EPA 8015	03/22/11 23:42
Octacosane (Silica Gel Surr)	130		% Recovery	M EPA 8015	03/22/11 23:42

Project Name : **Former Val Strough Chevrolet Oakland**

Project Number : **Tim Strough**

Sample : **O1**

Matrix : Water

Lab Number : 76806-06

Sample Date :03/16/2011

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
<b>Benzene</b>	<b>200</b>	15	ug/L	EPA 8260B	03/19/11 04:57
<b>Toluene</b>	<b>440</b>	15	ug/L	EPA 8260B	03/19/11 04:57
<b>Ethylbenzene</b>	<b>240</b>	15	ug/L	EPA 8260B	03/19/11 04:57
<b>Total Xylenes</b>	<b>850</b>	15	ug/L	EPA 8260B	03/19/11 04:57
<b>Methyl-t-butyl ether (MTBE)</b>	<b>180</b>	15	ug/L	EPA 8260B	03/19/11 04:57
<b>TPH as Gasoline</b>	<b>6900</b>	1500	ug/L	EPA 8260B	03/19/11 04:57
1,2-Dichloroethane-d4 (Surr)	99.6		% Recovery	EPA 8260B	03/19/11 04:57
Toluene - d8 (Surr)	102		% Recovery	EPA 8260B	03/19/11 04:57
TPH as Diesel (w/ Silica Gel) (Note: MRL increased due to interference from Gasoline-range hydrocarbons.)	< 300	300	ug/L	M EPA 8015	03/22/11 23:08
TPH as Motor Oil (w/ Silica Gel)	< 100	100	ug/L	M EPA 8015	03/22/11 23:08
Octacosane (Silica Gel Surr)	104		% Recovery	M EPA 8015	03/22/11 23:08

Project Name : **Former Val Strough Chevrolet Oakland**

Project Number : **Tim Strough**

Sample : **MW9B**

Matrix : Water

Lab Number : 76806-07

Sample Date :03/16/2011

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
<b>Benzene</b>	<b>22</b>	2.5	ug/L	EPA 8260B	03/19/11 02:29
<b>Toluene</b>	<b>39</b>	2.5	ug/L	EPA 8260B	03/19/11 02:29
<b>Ethylbenzene</b>	<b>47</b>	2.5	ug/L	EPA 8260B	03/19/11 02:29
<b>Total Xylenes</b>	<b>290</b>	2.5	ug/L	EPA 8260B	03/19/11 02:29
<b>Methyl-t-butyl ether (MTBE)</b>	<b>38</b>	2.5	ug/L	EPA 8260B	03/19/11 02:29
<b>TPH as Gasoline</b>	<b>3500</b>	250	ug/L	EPA 8260B	03/19/11 02:29
1,2-Dichloroethane-d4 (Surr)	96.4		% Recovery	EPA 8260B	03/19/11 02:29
Toluene - d8 (Surr)	99.6		% Recovery	EPA 8260B	03/19/11 02:29
TPH as Diesel (w/ Silica Gel)	< 300	300	ug/L	M EPA 8015	03/22/11 22:33
(Note: MRL increased due to interference from Gasoline-range hydrocarbons.)					
TPH as Motor Oil (w/ Silica Gel)	< 100	100	ug/L	M EPA 8015	03/22/11 22:33
Octacosane (Silica Gel Surr)	103		% Recovery	M EPA 8015	03/22/11 22:33



Project Name : **Former Val Strough Chevrolet Oakland**

Project Number : **Tim Strough**

Sample : **MW3**

Matrix : Water

Lab Number : 76806-08

Sample Date :03/16/2011

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
<b>Benzene</b>	<b>4000</b>	25	ug/L	EPA 8260B	03/19/11 04:01
<b>Toluene</b>	<b>16000</b>	25	ug/L	EPA 8260B	03/19/11 04:01
<b>Ethylbenzene</b>	<b>2800</b>	25	ug/L	EPA 8260B	03/19/11 04:01
<b>Total Xylenes</b>	<b>15000</b>	25	ug/L	EPA 8260B	03/19/11 04:01
<b>Methyl-t-butyl ether (MTBE)</b>	<b>230</b>	25	ug/L	EPA 8260B	03/19/11 04:01
<b>TPH as Gasoline</b>	<b>91000</b>	2500	ug/L	EPA 8260B	03/19/11 04:01
1,2-Dichloroethane-d4 (Surr)	96.9		% Recovery	EPA 8260B	03/19/11 04:01
Toluene - d8 (Surr)	99.0		% Recovery	EPA 8260B	03/19/11 04:01
TPH as Diesel (w/ Silica Gel) (Note: MRL increased due to interference from Gasoline-range hydrocarbons.)	< 3000	3000	ug/L	M EPA 8015	03/23/11 12:06
TPH as Motor Oil (w/ Silica Gel)	< 100	100	ug/L	M EPA 8015	03/23/11 12:06
Octacosane (Silica Gel Surr)	99.0		% Recovery	M EPA 8015	03/23/11 12:06

Project Name : **Former Val Strough Chevrolet Oakland**

Project Number : **Tim Strough**

Sample : **MW9A**

Matrix : Water

Lab Number : 76806-09

Sample Date :03/16/2011

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
<b>Benzene</b>	<b>4900</b>	40	ug/L	EPA 8260B	03/19/11 04:35
<b>Toluene</b>	<b>22000</b>	40	ug/L	EPA 8260B	03/19/11 04:35
<b>Ethylbenzene</b>	<b>2800</b>	40	ug/L	EPA 8260B	03/19/11 04:35
<b>Total Xylenes</b>	<b>20000</b>	40	ug/L	EPA 8260B	03/19/11 04:35
<b>Methyl-t-butyl ether (MTBE)</b>	<b>620</b>	40	ug/L	EPA 8260B	03/19/11 04:35
<b>TPH as Gasoline</b>	<b>130000</b>	4000	ug/L	EPA 8260B	03/19/11 04:35
1,2-Dichloroethane-d4 (Surr)	97.4		% Recovery	EPA 8260B	03/19/11 04:35
Toluene - d8 (Surr)	99.2		% Recovery	EPA 8260B	03/19/11 04:35
TPH as Diesel (w/ Silica Gel)	< 1500	1500	ug/L	M EPA 8015	03/23/11 01:27
(Note: MRL increased due to interference from Gasoline-range hydrocarbons.)					
<b>TPH as Motor Oil (w/ Silica Gel)</b>	<b>230</b>	100	ug/L	M EPA 8015	03/23/11 01:27
Octacosane (Silica Gel Surr)	88.7		% Recovery	M EPA 8015	03/23/11 01:27

**QC Report : Method Blank Data**Project Name : **Former Val Strough Chevrolet Oakland**Project Number : **Tim Strough**

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
TPH as Diesel (w/ Silica Gel)	< 50	50	ug/L	M EPA 8015	03/22/2011
TPH as Motor Oil (w/ Silica Gel)	< 100	100	ug/L	M EPA 8015	03/22/2011
Octacosane (Silica Gel Surr)	107		%	M EPA 8015	03/22/2011
TPH as Diesel (w/ Silica Gel)	< 50	50	ug/L	M EPA 8015	03/23/2011
TPH as Motor Oil (w/ Silica Gel)	< 100	100	ug/L	M EPA 8015	03/23/2011
Octacosane (Silica Gel Surr)	98.8		%	M EPA 8015	03/23/2011
Benzene	< 0.50	0.50	ug/L	EPA 8260B	03/18/2011
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	03/18/2011
Toluene	< 0.50	0.50	ug/L	EPA 8260B	03/18/2011
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	03/18/2011
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	03/18/2011
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	03/18/2011
1,2-Dichloroethane-d4 (Surr)	92.8		%	EPA 8260B	03/18/2011
Toluene - d8 (Surr)	95.2		%	EPA 8260B	03/18/2011
Benzene	< 0.50	0.50	ug/L	EPA 8260B	03/18/2011
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	03/18/2011
Toluene	< 0.50	0.50	ug/L	EPA 8260B	03/18/2011
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	03/18/2011
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	03/18/2011
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	03/18/2011
1,2-Dichloroethane-d4 (Surr)	99.1		%	EPA 8260B	03/18/2011
Toluene - d8 (Surr)	99.6		%	EPA 8260B	03/18/2011

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	03/18/2011
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	03/18/2011
Toluene	< 0.50	0.50	ug/L	EPA 8260B	03/18/2011
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	03/18/2011
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	03/18/2011
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	03/18/2011
1,2-Dichloroethane-d4 (Surr)	101		%	EPA 8260B	03/18/2011
Toluene - d8 (Surr)	99.9		%	EPA 8260B	03/18/2011

**QC Report : Matrix Spike/ Matrix Spike Duplicate**Project Name : **Former Val Strough Chevrolet Oakland**Project Number : **Tim Strough**

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Benzene	76806-04	<0.50	39.6	39.8	35.2	35.2	ug/L	EPA 8260B	3/19/11	88.9	88.5	0.360	80-120	25
Ethylbenzene	76806-04	<0.50	39.6	39.8	37.5	37.7	ug/L	EPA 8260B	3/19/11	94.7	94.8	0.101	80-120	25
Methyl-t-butyl ether	76806-04	<0.50	39.5	39.6	38.2	38.0	ug/L	EPA 8260B	3/19/11	96.8	95.9	0.924	69.7-121	25
P + M Xylene	76806-04	<0.50	39.6	39.8	36.7	36.4	ug/L	EPA 8260B	3/19/11	92.7	91.7	1.14	76.8-120	25
Toluene	76806-04	<0.50	39.6	39.8	35.4	35.6	ug/L	EPA 8260B	3/19/11	89.4	89.5	0.171	80-120	25
Benzene	76765-01	<0.50	40.0	40.0	40.0	37.8	ug/L	EPA 8260B	3/18/11	99.9	94.6	5.48	80-120	25
Ethylbenzene	76765-01	<0.50	40.0	40.0	42.5	40.4	ug/L	EPA 8260B	3/18/11	106	101	4.86	80-120	25
Methyl-t-butyl ether	76765-01	<0.50	39.9	39.9	41.3	41.9	ug/L	EPA 8260B	3/18/11	104	105	1.50	69.7-121	25
P + M Xylene	76765-01	<0.50	40.0	40.0	40.0	37.7	ug/L	EPA 8260B	3/18/11	100	94.2	6.05	76.8-120	25

**QC Report : Matrix Spike/ Matrix Spike Duplicate**Project Name : **Former Val Strough Chevrolet Oakland**Project Number : **Tim Strough**

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Toluene	76765-01	<0.50	40.0	40.0	40.4	38.6	ug/L	EPA 8260B	3/18/11	101	96.4	4.62	80-120	25
Benzene	76775-03	1.8	40.0	40.0	41.6	41.2	ug/L	EPA 8260B	3/18/11	99.4	98.4	1.02	80-120	25
Ethylbenzene	76775-03	0.52	40.0	40.0	43.1	42.4	ug/L	EPA 8260B	3/18/11	106	105	1.79	80-120	25
Methyl-t-butyl ether	76775-03	4.1	39.9	39.9	49.1	49.1	ug/L	EPA 8260B	3/18/11	113	113	0.0131	69.7-121	25
P + M Xylene	76775-03	1.9	40.0	40.0	43.2	42.1	ug/L	EPA 8260B	3/18/11	103	100	2.57	76.8-120	25
Toluene	76775-03	1.3	40.0	40.0	42.0	41.0	ug/L	EPA 8260B	3/18/11	102	99.3	2.53	80-120	25
TPH-D (Si Gel)	BLANK	<50	1000	1000	974	1000	ug/L	M EPA 8015	3/22/11	97.4	100	2.65	70-130	25
TPH-D (Si Gel)	BLANK	<50	1000	1000	996	982	ug/L	M EPA 8015	3/23/11	99.6	98.2	1.42	70-130	25

**QC Report : Laboratory Control Sample (LCS)**Project Name : **Former Val Strough Chevrolet Oakland**Project Number : **Tim Strough**

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Benzene	40.0	ug/L	EPA 8260B	3/18/11	87.7	80-120
Ethylbenzene	40.0	ug/L	EPA 8260B	3/18/11	96.3	80-120
Methyl-t-butyl ether	39.9	ug/L	EPA 8260B	3/18/11	95.0	69.7-121
P + M Xylene	40.0	ug/L	EPA 8260B	3/18/11	93.9	76.8-120
Toluene	40.0	ug/L	EPA 8260B	3/18/11	88.7	80-120
Benzene	39.8	ug/L	EPA 8260B	3/18/11	99.4	80-120
Ethylbenzene	39.8	ug/L	EPA 8260B	3/18/11	105	80-120
Methyl-t-butyl ether	39.7	ug/L	EPA 8260B	3/18/11	105	69.7-121
P + M Xylene	39.8	ug/L	EPA 8260B	3/18/11	98.8	76.8-120
TPH as Gasoline	499	ug/L	EPA 8260B	3/18/11	97.8	70.0-130
Toluene	39.8	ug/L	EPA 8260B	3/18/11	101	80-120
Benzene	39.9	ug/L	EPA 8260B	3/18/11	97.6	80-120
Ethylbenzene	39.9	ug/L	EPA 8260B	3/18/11	106	80-120
Methyl-t-butyl ether	39.8	ug/L	EPA 8260B	3/18/11	111	69.7-121
P + M Xylene	39.9	ug/L	EPA 8260B	3/18/11	102	76.8-120
TPH as Gasoline	499	ug/L	EPA 8260B	3/18/11	108	70.0-130
Toluene	39.9	ug/L	EPA 8260B	3/18/11	99.7	80-120

Project Contact (Hardcopy or PDF To): **MERHAD JAVHERIAN** California EDF Report?  Yes  No

Company / Address: **LRM 1534 PLAZA LN BURLINGAME** Sampling Company Log Code: \_\_\_\_\_

Phone Number: **415 706 8935** Global ID: **T0600101644**

Fax Number: \_\_\_\_\_ EDF Deliverable To (Email Address): **MERHAD@LRM-INC.COM**

Project #: **TINSTROUGH** P.O. #: \_\_\_\_\_ Bill to: **LRM**

Project Name: **Former Valstrough Chevrolet OAKLAND** Sampler Print Name: **Scott Polston**

Sampler Signature:

Project Address: **327 34th Street OAKLAND**

Sample Designation	Sampling		Container				Preservative			Matrix			MTBE @ 0.5 ppb (EPA 8260B)	BTEX (EPA 8260B)	TPH Gas (EPA 8260B)	5 Oxygenates (MTBE, DIPE, ETBE, TAME, TBA) (EPA 8260B)	7 Oxygenates (5 oxy + EtOH, MeOH) (EPA 8260B)	Lead Scav. (1,2 DCA & 1,2 EDB) (EPA 8260B)	Volatile Halocarbons (EPA 8260B)	Volatile Organics Full List (EPA 8260B)	Volatile Organics (EPA 524.2 Drinking Water)	TPH as Diesel (EPA 8015M)	TPH as Motor Oil (EPA 8015M)	CAMEL 17 Metals (EPA 200.7 / 6010)	5 Waste Oil Metals (Cd, Cr, Ni, Pb, Zn) (EPA 200.7 / 6010)	Mercury (EPA 245.1 / 7470 / 7471)	Total Lead (EPA 200.7 / 6010)	W.E.T. Lead (STLC)							Analysis Request		TAT
	Date	Time	40 ml VOA	Sleeve	Poly	Glass	Tedlar	HCl	HNO <sub>3</sub>	None	Water	Soil																							Air	12 hr	
MW6	3/16/11	1019	X							X			X	X	X						X	X													<input type="checkbox"/>	01	
MW5		1053																																		<input type="checkbox"/>	02
MW4		1143																																		<input type="checkbox"/>	03
MW1		1209																																		<input type="checkbox"/>	04
MW2		1300																																		<input type="checkbox"/>	05
O1		1330																																		<input type="checkbox"/>	06
MW9B		1425																																		<input type="checkbox"/>	07
MW3		1454																																		<input type="checkbox"/>	08
MW9A		1530																																		<input checked="" type="checkbox"/>	09

Relinquished by: Date: **3/17/11** Time: **1326** Received by: \_\_\_\_\_

Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_ Received by: \_\_\_\_\_

Relinquished by: \_\_\_\_\_ Date: **03/17/11** Time: **1326** Received by Laboratory: **Kiff Analytical**

Remarks:

**SAMPLE RECEIPT CHECKLIST**

SRG#: 76806 Date: 03/17/11  
 Project ID: Former Val Strough Chevrolet Oakland  
 Method of Receipt:  Courier  Over-the-counter  Shipper

**COC Inspection**

Is COC present?  Yes  No  
 Custody seals on shipping container?  Intact  Broken  Not present  N/A  
 Is COC Signed by Relinquisher?  Yes  No Dated?  Yes  No  
 Is sampler name legibly indicated on COC?  Yes  No  
 Is analysis or hold requested for all samples?  Yes  No  
 Is the turnaround time indicated on COC?  Yes  No  
 Is COC free of whiteout and uninitialed cross-outs?  Yes  No, Whiteout  No, Cross-outs

**Sample Inspection**

Coolant Present: 0.2  Yes  No (includes water)  
 Temperature °C 0.2 Therm. ID# IR-S Initial LJR Date/Time 03/17/11/1902  N/A  
 Are there custody seals on sample containers?  Intact  Broken  Not present  
 Do containers match COC?  Yes  No  No, COC lists absent sample(s)  No, Extra sample(s) present  
 Are there samples matrices other than soil, water, air or carbon?  Yes  No  
 Are any sample containers broken, leaking or damaged?  Yes  No  
 Are preservatives indicated?  Yes, on sample containers  Yes, on COC  Not indicated  N/A  
 Are preservatives correct for analyses requested?  Yes  No  N/A  
 Are samples within holding time for analyses requested?  Yes  No  
 Are the correct sample containers used for the analyses requested?  Yes  No  
 Is there sufficient sample to perform testing?  Yes  No  
 Does any sample contain product, have strong odor or are otherwise suspected to be hot?  Yes  No

**Receipt Details**

Matrix WA Container type VOA # of containers received 45  
 Matrix \_\_\_\_\_ Container type \_\_\_\_\_ # of containers received \_\_\_\_\_  
 Matrix \_\_\_\_\_ Container type \_\_\_\_\_ # of containers received \_\_\_\_\_  
 Date and Time Sample Put into Temp Storage Date: 03/17/11 Time: 1916

**Quicklog**

Are the Sample ID's indicated:  On COC  On sample container(s)  On Both  Not indicated  
 If Sample ID's are listed on both COC and containers, do they all match?  Yes  No  N/A  
 Is the Project ID indicated:  On COC  On sample container(s)  On Both  Not indicated  
 If project ID is listed on both COC and containers, do they all match?  Yes  No  N/A  
 Are the sample collection dates indicated:  On COC  On sample container(s)  On Both  Not indicated  
 If collection dates are listed on both COC and containers, do they all match?  Yes  No  N/A  
 Are the sample collection times indicated:  On COC  On sample container(s)  On Both  Not indicated  
 If collection times are listed on both COC and containers, do they all match?  Yes  No  N/A

COMMENTS: Info rubbing off containers  
LJR 031711-1924