

ST10 454  
JP

# C A M B R I A

November 30, 1998

Mr. Tom Peacock  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, #250  
Alameda, CA 94502-6577

Re: **Ground Water Monitoring Report - Fourth Quarter 1998**  
Former Shell Service Station  
2703 Martin Luther King Jr. Way  
Oakland, California  
WIC #204-5508-1701



Dear Mr. Peacock:

This Quarterly Monitoring Report describes the recently completed activities associated with ground water monitoring and sampling at the referenced site (Plates 1 and 2). This report was prepared to meet quarterly reporting guidelines issued by the Regional Water Quality Control Board, San Francisco Bay Region and the Alameda County Health Care Services Agency.

## Quarterly Monitoring & Sampling Summary

Ground water monitoring and well sampling for the fourth quarter of 1998 are summarized below:

- Blaine Tech Services, Inc. (Blaine) of San Jose, California measured water levels and collected ground water samples from Wells MW-1, MW-2, V-1, and V-2 on October 1, 1998. Ground water samples were transported to Sequoia Analytical of Redwood City, California for laboratory analysis.
- Cambria Environmental Technology, Inc. (Cambria) evaluated water-level measurement data and prepared a ground water contour/chemical concentration map (Plate 2). Ground water flow direction is to the southwest at an approximate hydraulic gradient of 0.02.
- Wells MW-1 and MW-2 were ND for TPPH, benzene, and MTBE. Wells V-1 and V-2 contained 440 ppb and 53,000 ppb TPPH, 18 ppb and 5,200 ppb benzene, and 7.9 ppb and 83 ppb MTBE, respectively.

Oakland, CA  
Sonoma, CA  
Portland, OR  
Seattle, WA

**Cambria  
Environmental  
Technology, Inc.**

270 Perkins Street  
P.O. Box 259  
Sonoma, CA 95476  
Tel (707)935-4850  
Fax (707)935-6649

# C A M B R I A

## Quarterly Sampling

Monitoring Wells MW-1, MW-2, V-1, and V-2 were sampled and analyzed for Total Purgeable Petroleum Hydrocarbons quantitated as gasoline (TPPH) according to EPA Method 8015 (Modified), and benzene, toluene, ethylbenzene, xylenes (BTEX) and methyl-tertiary-butyl-ether (MTBE) according to EPA Method 8020. Additionally, a duplicate sample was prepared and analyzed for quality control purposes.

Field monitoring and chemical analytical data have been included in Table 1. Blaine's ground water monitoring report is presented in Appendix A.

## Conclusions

Ground water analytical results for this quarter indicate that petroleum hydrocarbon and MTBE concentrations are within the historical norm for this site.

## Recommendations

We recommend that quarterly monitoring, sampling, and reporting continue on the established schedule for this site.

If you have any questions regarding the contents of this document, please call Joe Neely at (707) 935-4854.

Sincerely,  
**Cambria Environmental Technology, Inc.**

Darren Croteau  
Staff Geologist



Diane M. Lundquist, P.E.  
Principal Engineer  
C46725



# C A M B R I A

## Attachments:

Table 1. Well Concentrations

Plate 1. Vicinity Map

Plate 2. Ground Water Contour Map/Chemical Concentration Map

## Appendix A

Blaine Tech Services Inc. - Ground Water Monitoring Report



cc: Ms. Karen Petryna, Equiva Services LLC  
Mr. Matthew Dudley, Larson and Burnham

TABLE 1

WELL CONCENTRATIONS  
Former Shell Service Station  
2703 Martin Luther King Jr. Way  
Oakland, California  
WIC #204-5508-1701

Sample Date	Measured GW Depth (ft)	Corrected GW Elev (ft)	SP (ft)	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	Comments
-------------	------------------------	------------------------	---------	-------------	----------	----------	----------	----------	-------------	----------

MW-1 (B-11)		Top casing elevation (ft): 23.53								
02-Aug-96	NA	NA	NA	NA	NA	NA	NA	NA	NA	
05-Aug-96	8.76	14.77	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
17-Oct-96	9.88	13.65	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
08-Jan-97	6.82	16.71	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
07-Apr-97	7.89	15.64	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
02-Jul-97	8.71	14.82	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
24-Oct-97	9.26	14.27	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
09-Jan-98	7.94	15.59	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
02-Apr-98	7.21	16.32	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
14-Jul-98	7.78	15.75	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
01-Oct-98	8.39	15.14	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	

MW-1 (DUP)										
05-Aug-96	NA	NA	NA	<50	<0.50	<0.50	<0.50	<0.50	<2.5	

MW-2 (B-12)		Top casing elevation (ft): 22.47								
17-Jul-96	NA	NA	NA	<50	<0.50	0.69	<0.50	<0.50	<2.5	Water sample from Boring
05-Aug-96	8.35	14.12	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
17-Oct-96	9.32	13.15	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
08-Jan-97	6.80	15.67	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
07-Apr-97	7.81	14.66	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
02-Jul-97	8.27	14.20	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	

**TABLE 1**

**WELL CONCENTRATIONS  
Former Shell Service Station  
2703 Martin Luther King Jr. Way  
Oakland, California  
WIC #204-5508-1701**

Sample Date	Measured GW Depth (ft)	Corrected GW Elev (ft)	SP (ft)	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	Comments
24-Oct-97	9.12	13.35	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
09-Jan-98	7.41	15.06	0.00	<50	<0.50	<0.50	<0.50	<0.50	6.3	
02-Apr-98	6.59	15.88	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
14-Jul-98	7.49	14.98	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
01-Oct-98	8.58	13.89	0.00	<50	<0.50	<0.50	<0.50	0.59	<2.5	
<b>MW-2 (DUP)</b>		<b>Top casing elevation (ft): 22.47</b>								
17-Oct-96	NA	NA	NA	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
08-Jan-97	NA	NA	NA	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
<b>B-10</b>		<b>Top casing elevation (ft): NA</b>								
17-Jul-96	NA	NA	NA	20000	400	<100	<100	870	<500	Water sample from Boring
<b>B-13</b>		<b>Top casing elevation (ft): NA</b>								
17-Jul-96	NA	NA	NA	290000	34000	21000	9900	47000	<2500	Water sample from Boring
<b>V-1</b>		<b>Top casing elevation (ft): 23.26</b>								
02-Aug-96	NA	NA	NA	NA	NA	NA	NA	NA	NA	
05-Aug-96	8.58	14.68	0.00	NA	NA	NA	NA	NA	NA	
17-Oct-96	10.02	13.24	0.00	NA	NA	NA	NA	NA	NA	
16-Jan-97	5.55	17.71	0.00	9500	1200	250	280	880	<50	
07-Apr-97	7.40	15.86	0.00	2200	42	<5.0	130	15	<25	
02-Jul-97	8.94	14.32	0.00	2600	340	5.8	49	12	74	MTBE by 8260: <4.0 ppb

TABLE 1

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**2703 Martin Luther King Jr. Way**  
**Oakland, California**  
**WIC #204-5508-1701**

Sample Date	Measured GW Depth (ft)	Corrected GW Elev (ft)	SP (ft)	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	Comments
-------------	------------------------	------------------------	---------	-------------	----------	----------	----------	----------	-------------	----------

24-Oct-97	9.43	13.83	0.00	57000	5200	2300	3600	16000	1900	MTBE by 8260: <200 ppb
09-Jan-98	6.81	16.45	0.00	23000	2400	1700	1300	2300	310	
02-Apr-98	4.58	18.68	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
14-Jul-98	7.51	15.75	0.00	160	1.9	<0.50	4.2	<0.50	6.1	
01-Oct-98	8.49	14.77	0.00	440	18	<0.50	11	0.80	7.9	

V-1 (DUP)										
09-Jan-98	NA	NA	NA	24000	2500	1800	1400	2400	450	
02-Apr-98	NA	NA	NA	<50	<0.50	<0.50	<0.50	<0.50	<2.5	

V-2	Top casing elevation (ft): 22.80									
02-Aug-96	NA	NA	NA	NA	NA	NA	NA	NA	NA	
05-Aug-96	7.94	14.86	0.00	NA	NA	NA	NA	NA	NA	
17-Oct-96	9.30	13.50	0.00	NA	NA	NA	NA	NA	NA	
08-Jan-97	5.82	16.98	0.00	69000	4800	2800	2700	13000	750	
07-Apr-97	7.10	15.70	0.00	90000	4400	1900	3300	14000	<500	
02-Jul-97	8.35	14.45	0.00	82000	5500	2700	3500	16000	530	MTBE by 8260: <100 ppb
24-Oct-97	10.03	12.77	0.00	7300	1100	97	230	180	91	MTBE by 8260: <12 ppb
09-Jan-98	6.94	15.86	0.00	40000	4100	1500	2500	9000	280	
02-Apr-98	5.35	17.45	0.00	62000	6800	2400	3400	14000	<250	
14-Jul-98	6.48	16.32	0.00	43000	4700	1100	2500	6600	<250	
01-Oct-98	8.41	14.39	0.00	53000	5200	1800	3200	10000	83	

**TABLE 1**

**WELL CONCENTRATIONS  
Former Shell Service Station  
2703 Martin Luther King Jr. Way  
Oakland, California  
WIC #204-5508-1701**

Sample Date	Measured GW Depth (ft)	Corrected GW Elev (ft)	SP (ft)	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	Comments
-------------	------------------------	------------------------	---------	-------------	----------	----------	----------	----------	-------------	----------

<b>V-2 (DUP)</b>										
07-Apr-97	NA	NA	NA	77000	4400	2000	3200	14000	<250	
02-Jul-97	NA	NA	NA	85000	5600	2800	3600	17000	520	MTBE by 8260: <100 ppb
24-Oct-97	NA	NA	NA	12000	1700	340	650	630	120	MTBE by 8260: <20 ppb
14-Jul-98	NA	NA	NA	48000	5100	1300	2600	8100	<250	
01-Oct-98	NA	NA	NA	55000	5300	1900	3300	11000	65	

Abbreviations:

TPPH = Total Purgeable Petroleum Hydrocarbons carbon range C6 to C12 by EPA Method 8015 modified


BTEX = benzene, toluene, ethylbenzene, xylenes by EPA Method 8020

MTBE = methyl-tertiary-butyl-ether by EPA Method 8020

NA = Not analyzed or not available

<x = Not detected at detection limit of x

Subject Site



BASE MAP: CALIFORNIA STATE AUTOMOBILE ASSOCIATION

PLATE

**1**

VICINITY MAP

Former Shell Service Station  
2703 Martin Luther King Jr. Way  
Oakland, California

**CAMBRIA**

240-0781

Drawn By: DML

Date: 12-28-95

Approved By: *ack*

Date: *11-9-98*



**EXPLANATION**

- Exploratory Boring
- ⊕ Soil Vapor Extraction Well
- ⊙ Ground Water Monitoring Well
- Ground water elevation contours in feet referenced to mean sea level (MSL). Arrows indicate approximate ground water flow direction.
- 14.77 Ground water elevation in feet above MSL
- (18) Benzene concentration in ppb  
ND = Not Detected
- (7.9) MTBE concentration in ppb  
ND = Not Detected
- Notes: Monitoring performed 01-Oct-98.  
Approximate hydraulic gradient = 0.02






PLATE  
**2**

**GROUND WATER CONTOUR/CHEMICAL CONCENTRATION MAP**  
Former Shell Service Station  
2703 Martin Luther King Jr. Way  
Oakland, California

**CAMBRIA**  
240-0781

Drawn By: DRC

Date: 03-November-98

Approved By: *rub*

Date: *11-9-98*

**Appendix A**

**Blaine Tech Services, Inc.  
Ground Water Monitoring Report**

**BLAINE**  
TECH SERVICES INC.



1680 ROGERS AVENUE  
SAN JOSE, CA 95112-1105  
(408) 573-7771 FAX  
(408) 573-0555 PHONE


October 23, 1998

Equilon Enterprises, L.L.C.  
P.O. Box 8080  
Martinez, CA 94553

Attn: Karen Petryna

Shell WIC #204-5508-1701  
2703 Martin Luther King Junior Way  
Oakland, California

4th Quarter 1998



## Groundwater Monitoring Report 981001-Y-1

---

Blaine Tech Services, Inc. performs environmental monitoring and documentation as an independent third party. Copies of our Monitoring Report along with the laboratory's Certified Analytical Report are forwarded to the consultant overseeing work at this site. Submission of the assembled documents to interested regulatory agencies will be made by the designated consultant.

Groundwater monitoring at this site was performed in accordance with Standard Operating Procedures provided to the interested regulatory agencies. If you have any questions about the work performed at this site please call me at (408) 573-0555 ext. 201.

Yours truly,



Francis Thie

attachments: Table of Well Gauging Data  
Chain of Custody  
Field Data Sheets  
Certified Analytical Report

cc: Cambria Environmental Technology, Inc.  
P.O. Box 259  
Sonoma, CA 95476-0259  
Attn: Joe Neely

(Any professional evaluations or recommendations will be made by the consultant under separate cover.)

## TABLE OF WELL GAUGING DATA

WELL I.D.	DATA COLLECTION DATE	MEASUREMENT REFERENCED TO	QUALITATIVE OBSERVATIONS (sheen)	DEPTH TO FIRST IMMISCIBLES LIQUID (FPZ) (feet)	THICKNESS OF IMMISCIBLES LIQUID ZONE (feet)	VOLUME OF IMMISCIBLES REMOVED (ml)	DEPTH TO WATER (feet)	DEPTH TO WELL BOTTOM (feet)
MW-1	10/01/98	TOC	--	NONE	--	--	8.39	19.94
MW-2	10/01/98	TOC	--	NONE	--	--	8.58	19.62
V-1	10/01/98	TOC	--	NONE	--	--	8.49	13.07
V-2*	10/01/98	TOC	--	NONE	--	--	8.41	13.04

\* Sample DUP was a duplicate sample taken from well V-2.

4810245



# SHELL OIL COMPANY

RETAIL ENVIRONMENTAL ENGINEERING - WEST

## CHAIN OF CUSTODY RECORD

Date: \_\_\_\_\_  
Page 1 of 1

Serial No: 281001 Y1

Site Address: 2703 Martin Luther King Junior Way,  
Oakland, CA

Phone No.: (510) 675-6168  
Fax #: 675-6172

Shell Engineer: Alex Perez

Consultant Name & Address:  
Blaine Tech Services, Inc.  
1680 Rogers Ave., San Jose, CA 95112

Consultant Contact: Fran Thie  
Phone No.: (408) 573-0555  
Fax #: 573-7771

Comments:

Sampled by: BROOKS TAYLOR

Printed Name:

### Analysis Required

TPH (EPA 8015 Mod. Gas)	TPH (EPA 8015 Mod. Diesel)	BTEX (EPA 8020/602)	Volatile Organics (EPA 8240)	Test for Disposal	Combination TPH 8015 & BTEX 8020 & MTAA	Asbestos	Container Size	Preparation Used	Composite Y/N

LAB: SEB

CHECK ONE (1) BOX ONLY	CT/DI	TURN AROUND TIME
<input checked="" type="checkbox"/> G.W. Monitoring	4441	24 hours <input type="checkbox"/>
<input type="checkbox"/> Site Investigation	4441	48 hours <input type="checkbox"/>
<input type="checkbox"/> Soil Classfy/Disposal	4442	15 days <input checked="" type="checkbox"/> (Normal)
<input type="checkbox"/> Water Classfy/Disposal	4443	Other <input type="checkbox"/>
<input type="checkbox"/> Soil/Air Rem. or Sys. O & M	4452	
<input type="checkbox"/> Water Rem. or Sys. O & M	4453	
<input type="checkbox"/> Other		

NOTE: Notify Lab as soon as Possible of 24/48 hrs. TAT.

UST AGENCY:

Sample ID	Date	Sludge	Soil	Water	Air	No. of conts.	TPH (EPA 8015 Mod. Gas)	TPH (EPA 8015 Mod. Diesel)	BTEX (EPA 8020/602)	Volatile Organics (EPA 8240)	Test for Disposal	Combination TPH 8015 & BTEX 8020 & MTAA	Asbestos	Container Size	Preparation Used	Composite Y/N	MATERIAL DESCRIPTION	SAMPLE CONDITION/ COMMENTS
MW 1	10/01			Y		3						X					01	
MW 2												X					02	
V 1												X					03	
V 2												X					04	
DUP												X					05	

Collected By (signature): <u>[Signature]</u>	Printed Name: <u>BROOKS TAYLOR</u>	Date: <u>10/2/98</u>	Time: <u>11:35</u>	Received (signature): <u>[Signature]</u>	Printed Name: <u>JOHN FRICK</u>	Date: <u>10/2/98</u>	Time: <u>1:38</u>
By (signature): <u>[Signature]</u>	Printed Name: <u>JOHN FRICK</u>	Date: _____	Time: _____	Received (signature): _____	Printed Name: _____	Date: _____	Time: _____
(signature): _____	Printed Name: _____	Date: _____	Time: _____	Received (signature): <u>[Signature]</u>	Printed Name: <u>MICHAEL JUNG</u>	Date: <u>10/2/98</u>	Time: <u>1:30</u>

THE LABORATORY MUST PROVIDE A COPY OF THIS CHAIN-OF-CUSTODY WITH INVOICE AND RESULTS



# Sequoia Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8  
1455 McDowell Blvd. North, Ste. D

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834  
Petaluma, CA 94954

(650) 364-9600  
(925) 988-9600  
(916) 921-9600  
(707) 792-1865

FAX (650) 364-9233  
FAX (925) 988-9673  
FAX (916) 921-0100  
FAX (707) 792-0342

Blaine Tech Services  
1680 Rogers Avenue  
San Jose, CA 95112  
Attention: Fran Thie

Project: Shell 2703 Martin Luther King

Enclosed are the results from samples received at Sequoia Analytical on October 2, 1998.  
The requested analyses are listed below:

<u>SAMPLE #</u>	<u>SAMPLE DESCRIPTION</u>	<u>DATE COLLECTED</u>	<u>TEST METHOD</u>
9810245 -01	LIQUID, MW-1	10/01/98	Purgeable TPH/BTEX/MTBE
9810245 -02	LIQUID, MW-2	10/01/98	Purgeable TPH/BTEX/MTBE
9810245 -03	LIQUID, V-1	10/01/98	Purgeable TPH/BTEX/MTBE
9810245 -04	LIQUID, V-2	10/01/98	Purgeable TPH/BTEX/MTBE
9810245 -05	LIQUID, DUP	10/01/98	Purgeable TPH/BTEX/MTBE

Please contact me if you have any questions. In the meantime, thank you for the opportunity to work with you on this project.

Very truly yours,

**SEQUOIA ANALYTICAL**

  
Peggy Penner  
Project Manager



# Sequoia Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite B  
1455 McDowell Blvd. North, Ste. D

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834  
Petaluma, CA 94954

(650) 364-9600  
(925) 988-9600  
(916) 921-9600  
(707) 792-1865

FAX (650) 364-9233  
FAX (925) 988-9673  
FAX (916) 921-0100  
FAX (707) 792-0342

Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Shell 2703 Martin Luther King Sample Descript: MW-1 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9810245-01	Sampled: 10/01/98 Received: 10/02/98 Analyzed: 10/09/98 Reported: 10/20/98
Attention: Fran Thie		

## Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
<b>Surrogates</b>	<b>Control Limits %</b>	<b>% Recovery</b>
Trifluorotoluene	70                      130	101

Analytes reported as N.D. were not present above the stated limit of detection.

**SEQUOIA ANALYTICAL** - ELAP #1210

  
Peggy Fenner  
Project Manager



# Sequoia Analytical

680 Chesapeake Drive  
404 N. Wiger Lane  
819 Striker Avenue, Suite B  
1455 McDowell Blvd. North, Ste. D

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834  
Petaluma, CA 94954

(650) 364-9600  
(925) 988-9600  
(916) 921-9600  
(707) 792-1865

FAX (650) 364-9233  
FAX (925) 988-9673  
FAX (916) 921-0100  
FAX (707) 792-0342


Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Shell 2703 Martin Luther King Sample Descript: MW-2 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9810245-02	Sampled: 10/01/98 Received: 10/02/98 Analyzed: 10/09/98 Reported: 10/20/98
Attention: Fran Thie		

## Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
<b>Xylenes (Total)</b>	<b>0.50</b>	<b>0.59</b>
Chromatogram Pattern:		
<b>Surrogates</b>	<b>Control Limits %</b>	<b>% Recovery</b>
Trifluorotoluene	70 130	102

Analytes reported as N.D. were not present above the stated limit of detection.

**SEQUOIA ANALYTICAL** - ELAP #1210

  
Peggy Penner  
Project Manager





# Sequoia Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
B19 Striker Avenue, Suite 8  
1455 McDowell Blvd. North, Ste. D

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834  
Petaluma, CA 94954

(650) 364-9600  
(925) 988-9600  
(916) 921-9600  
(707) 792-1865

FAX (650) 364-9233  
FAX (925) 988-9673  
FAX (916) 921-0100  
FAX (707) 792-0342

Blaine Tech Services  
1680 Rogers Avenue  
San Jose, CA 95112

Attention: Fran Thie

Client Proj. ID: Shell 2703 Martin Luther King  
Sample Descript: V-1  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9810245-03

Sampled: 10/01/98  
Received: 10/02/98  
Analyzed: 10/09/98  
Reported: 10/20/98

## Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	440
Methyl t-Butyl Ether	2.5	7.9
Benzene	0.50	18
Toluene	0.50	N.D.
Ethyl Benzene	0.50	11
Xylenes (Total)	0.50	0.80
Chromatogram Pattern:		C6-C12
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	96

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner  
Project Manager



# Sequoia Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8  
1455 McDowell Blvd. North, Ste. D

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834  
Petaluma, CA 94954

(650) 364-9600  
(925) 988-9600  
(916) 921-9600  
(707) 792-1865

FAX (650) 364-9233  
FAX (925) 988-9673  
FAX (916) 921-0100  
FAX (707) 792-0342

Blaine Tech Services  
1680 Rogers Avenue  
San Jose, CA 95112  
  
Attention: Fran Thie

Client Proj. ID: Shell 2703 Martin Luther King  
Sample Descript: V-2  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9810245-04

Sampled: 10/01/98  
Received: 10/02/98  
  
Analyzed: 10/09/98  
Reported: 10/20/98

## Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	1000	53000
Methyl t-Butyl Ether	50	83
Benzene	10	5200
Toluene	10	1800
Ethyl Benzene	10	3200
Xylenes (Total)	10	10000
Chromatogram Pattern:		C6-C12
<b>Surrogates</b>	<b>Control Limits %</b>	<b>% Recovery</b>
Trifluorotoluene	70	130
		102

Analytes reported as N.D. were not present above the stated limit of detection.

**SEQUOIA ANALYTICAL - ELAP #1210**

  
Peggy Penner  
Project Manager



Blaine Tech Services  
1680 Rogers Avenue  
San Jose, CA 95112  
  
Attention: Fran Thie

Client Proj. ID: Shell 2703 Martin Luther King  
Sample Descript: DUP  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9810245-05


Sampled: 10/01/98  
Received: 10/02/98  
  
Analyzed: 10/09/98  
Reported: 10/20/98

**Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE**

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	1000	55000
Methyl t-Butyl Ether	50	65
Benzene	10	5300
Toluene	10	1900
Ethyl Benzene	10	3300
Xylenes (Total)	10	11000
Chromatogram Pattern:		C6-C12
<b>Surrogates</b>	<b>Control Limits %</b>	<b>% Recovery</b>
Trifluorotoluene	70 130	104

Analytes reported as N.D. were not present above the stated limit of detection.

**SEQUOIA ANALYTICAL** - ELAP #1210

  
Peggy Penner  
Project Manager



# Sequoia Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8  
1455 McDowell Blvd. North, Ste. D

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834  
Petaluma, CA 94954

(650) 364-9600  
(925) 988-9600  
(916) 921-9600  
(707) 792-1865

FAX (650) 364-9233  
FAX (925) 988-9673  
FAX (916) 921-0100  
FAX (707) 792-0342

Blaine Tech Services, Inc.  
1680 Rogers Ave.  
San Jose, CA 95112  
Attention: Fran Thie

Client Project ID: Shell 2703 Martin Luther King  
Matrix: Liquid

Work Order #: 9810245 -01-05

Reported: Oct 20, 1998

## QUALITY CONTROL DATA REPORT

<b>Analyte:</b>	Gasoline
<b>QC Batch#:</b>	8100138
<b>Analy. Method:</b>	EPA 8015M
<b>Prep. Method:</b>	EPA 8020M

**Analyst:** M. Sakai  
**MS/MSD #:** P810120-06  
**Sample Conc.:** N.D.  
**Prepared Date:** 10/9/98  
**Analyzed Date:** 10/9/98  
**Instrument I.D.#:** -  
**Conc. Spiked:** 1000 µg/L

**Result:** 868  
**MS % Recovery:** 86.8

**Dup. Result:** 877  
**MSD % Recov.:** 87.7

**RPD:** 1.03  
**RPD Limit:** 0-12

**LCS #:** LCS100998  
**Prepared Date:** 10/9/98  
**Analyzed Date:** 10/9/98  
**Instrument I.D.#:** -  
**Conc. Spiked:** 1000 µg/L  
**LCS Result:** 897  
**LCS % Recov.:** 89.7

<b>MS/MSD</b>	53-146
<b>LCS</b>	79-127
<b>Control Limits</b>	

SEQUOIA ANALYTICAL  
Elap #2245

Peggy Benner  
Project Manager

**Please Note:**

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

\*\* MS= Matrix Spike, MSD= MS Duplicate, RPD= Relative % Difference

9810245.BLA <1>



**Sequoia  
Analytical**

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8  
1455 McDowell Blvd. North, Ste. D

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834  
Petaluma, CA 94954

(650) 364-9600  
(925) 988-9600  
(916) 921-9600  
(707) 792-1865

FAX (650) 364-9233  
FAX (925) 988-9673  
FAX (916) 921-0100  
FAX (707) 792-0342

Blaine Tech Services  
1680 Rogers Avenue  
San Jose, CA 95112  
Attention: Fran Thie

Client Proj. ID: Shell 2703 Martin Luther King  
Lab Proj. ID: 9810245

Received: 10/02/98  
Reported: 10/20/98

### LABORATORY NARRATIVE

In order to properly interpret this report, it must be reproduced in its entirety. This report contains a total of 9 pages including the laboratory narrative, sample results, quality control, and related documents as required (cover page, COC, raw data, etc.)

ENVIRONMENTAL  
PROTECTION  
98 DEC -8 AM 9:36

**SEQUOIA ANALYTICAL**

Peggy Penner  
Project Manager