

R0145



Shell Oil Products US

February 4, 2005

Ms. Rosana Garcia-LaGrille
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Alameda County
FEB 08 2005
Environmental Health

Subject: Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, California

Dear Ms. Garcia-LaGrille:

Attached for your review and comment is a copy of the *Groundwater Monitoring Report – Fourth Quarter 2004* for the above referenced site. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

As always, please feel free to contact me directly at (559) 645-9306 with any questions or concerns.

Sincerely,

Shell Oil Products US

Karen Petryna

Karen Petryna
Sr. Environmental Engineer

February 4, 2005

Ms. Roseanna Garcia-LaGrille
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: **Groundwater Monitoring Report - Fourth Quarter 2004**
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, California
SAP Code 129449
Incident #97093397



Dear Ms. Garcia-LaGrille:

Cambria Environmental Technology, Inc. (Cambria) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell) in accordance with the quarterly reporting requirements of 23 CCR 2652d.

FOURTH QUARTER 2004 ACTIVITIES

Groundwater Monitoring: Blaine Tech Services, Inc. (Blaine) of San Jose, California gauged the site wells, sampled selected wells, measured dissolved oxygen (DO) concentrations in selected wells, and prepared a summary table of field gauging and laboratory analytical data. Cambria prepared a site vicinity/receptor survey map (Figure 1) and a groundwater contour/chemical concentration map (Figure 2). Blaine's report, presenting the laboratory report, is included as Appendix A.

Oxygen Releasing Compound (ORC): ORCs are currently installed in onsite wells MW-5 and V-2 to enhance intrinsic biodegradation at the site. ORC socks were replaced in wells MW-5 and V-2 on November 4, 2004. No additional replacements of ORC socks are scheduled. The DO measurements are included on the Blaine table in Appendix A

ANTICIPATED FIRST QUARTER 2005 ACTIVITIES

Groundwater Monitoring: Blaine will gauge and sample the site wells in accordance with the existing sampling schedule. Cambria will prepare a groundwater monitoring report.

**Cambria
Environmental
Technology, Inc.**

270 Perkins Street
P.O. Box 259
Sonoma, CA 95476
Tel (707) 935-4850
Fax (707) 935-6649

CAMBRIA


Site Investigation: To assess the concentrations of petroleum constituents in shallow soil vapor, Cambria proposed installing 10 Geoprobe ® borings in our *Groundwater Monitoring Report - Third Quarter 2004 And Soil Vapor Investigation Work Plan* dated October 11, 2004. Cambria will initiate the permitting activities and schedule the field activities following receipt of written approval of this work from the Alameda County Health Care Services Department.


CLOSING


If you have any questions regarding the contents of this document, please call Ana Friel at (707) 268-3812.



Sincerely,
Cambria Environmental Technology, Inc.


Susan Lukaszewicz
Staff Geologist


Ana Friel, PG
Senior Project Geologist
PG 6452




Attachments:

- Figure 1. Site Vicinity/Receptor Survey Map
- Figure 2. Groundwater Contour/Chemical Concentration Map

- Appendix A. Blaine Tech Services, Inc. - Groundwater Monitoring Report

cc: Karen Petryna, Shell
Rodney & Janet Kwan, property owners



0781


SOURCE: TOPOI MAPS

Former Shell Service Station
 2703 Martin Luther King Jr. Way
 Oakland, California



C A M B R I A

**Site Vicinity/Receptor
 Survey Map**



**Groundwater Contour/
Benzene Concentration Map**

October 26, 2004



CAMBRIA

Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, California

APPENDIX A

**Blaine Tech Services, Inc.
Groundwater Monitoring Report**

BLAINE
TECH SERVICES INC.

GROUNDWATER SAMPLING SPECIALISTS
SINCE 1985

November 19, 2004

Karen Petryna
Shell Oil Products US
20945 South Wilmington Avenue
Carson, CA 90810

Fourth Quarter 2004 Groundwater Monitoring at
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Monitoring performed on October 26, 2004

Groundwater Monitoring Report **041026-DW-3**

This report covers the routine monitoring of groundwater wells at this Former Shell facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Martinez Refining Company.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Leon Gearhart
Project Coordinator

LG/ks

attachments: Cumulative Table of WELL CONCENTRATIONS
Certified Analytical Report
Field Data Sheets

cc: Ana Friel
Cambria Environmental Technology, Inc.
P.O. Box 259
Sonoma, CA 95476-0259

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-1 (B-11)	08/02/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	23.53	NA	NA	NA
MW-1 (B-11)	08/05/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	8.76	14.77	NA
MW-1 (B-11) (D)	08/05/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	NA	NA	NA
MW-1 (B-11)	10/17/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	9.88	13.65	NA
MW-1 (B-11)	01/08/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	6.82	16.71	NA
MW-1 (B-11)	04/07/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	7.89	15.64	NA
MW-1 (B-11)	07/02/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	8.71	14.82	NA
MW-1 (B-11)	10/24/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	9.26	14.27	NA
MW-1 (B-11)	01/09/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	7.94	15.59	NA
MW-1 (B-11)	04/02/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	7.21	16.32	NA
MW-1 (B-11)	07/14/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	7.78	15.75	NA
MW-1 (B-11)	10/01/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	8.39	15.14	NA
MW-1 (B-11)	01/18/1999	<50.0	<0.500	0.785	<0.500	<0.500	2.36	NA	NA	NA	NA	NA	23.53	8.28	15.25	NA
MW-1 (B-11)	04/29/1999	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	8.41	15.12	NA
MW-1 (B-11)	08/23/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.53	8.17	15.36	NA
MW-1 (B-11)	10/06/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	23.53	9.37	14.16	NA
MW-1 (B-11)	01/27/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.53	7.52	16.01	NA
MW-1 (B-11)	04/18/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.53	7.66	15.87	NA
MW-1 (B-11)	07/19/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.53	7.81	15.72	NA
MW-1 (B-11)	10/24/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.53	8.33	15.20	NA
MW-1 (B-11)	01/04/2001	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.53	8.33	15.20	NA
MW-1 (B-11)	05/03/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.53	7.83	15.70	NA
MW-1 (B-11)	07/09/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.53	8.60	14.93	NA
MW-1	10/18/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.53	9.01	14.52	0.2
MW-1	01/24/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.53	7.68	15.85	2.1
MW-1	04/04/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.53	7.38	16.15	1.1

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-1	07/18/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.53	7.75	15.78	2.2
MW-1	10/21/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	29.53	8.10	21.43	1.6
MW-1	01/21/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	29.53	7.82	21.71	0.6
MW-1	04/17/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<5.0	NA	NA	NA	NA	29.53	7.76	21.77	1.7
MW-1	07/22/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	29.53	7.87	21.66	1.5
MW-1	10/20/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	29.53	8.67	20.86	0.8
MW-1	01/13/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	29.53	8.28	21.25	NA
MW-1	01/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.53	8.50	21.03	1.1
MW-1	04/01/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.53	7.98	21.55	NA
MW-1	07/13/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.53	8.30	21.23	NA
MW-1	10/26/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.53	8.27	21.26	NA
MW-2 (B-12)*	07/17/1996	<50	<0.50	0.69	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	NA	NA	NA
MW-2 (B-12)*	08/05/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	8.35	14.12	NA
MW-2 (B-12)*	10/17/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	9.32	13.15	NA
MW-2 (B-12) (D)*	10/17/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	NA	NA	NA
MW-2 (B-12)*	01/08/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	6.80	15.67	NA
MW-2 (B-12) (D)*	01/08/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	NA	NA	NA
MW-2 (B-12)*	04/07/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	7.81	14.66	NA
MW-2 (B-12)*	07/02/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	8.27	14.20	NA
MW-2 (B-12)*	10/24/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	9.12	13.35	NA
MW-2 (B-12)*	01/09/1998	<50	<0.50	<0.50	<0.50	<0.50	6.3	NA	NA	NA	NA	NA	22.47	7.41	15.06	NA
MW-2 (B-12)*	04/02/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	6.59	15.88	NA
MW-2 (B-12)*	07/14/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	7.49	14.98	NA
MW-2 (B-12)*	10/01/1998	<50	<0.50	<0.50	<0.50	0.59	<2.5	NA	NA	NA	NA	NA	22.47	8.58	13.89	NA
MW-2 (B-12)*	01/18/1999	<50.0	<0.500	0.971	<0.500	<0.500	2.47	NA	NA	NA	NA	NA	22.47	8.68	13.79	NA

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-2 (B-12)*	04/29/1999	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	8.62	13.85	NA
MW-2 (B-12)*	08/23/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	22.47	7.43	15.04	NA
MW-2 (B-12)*	10/06/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	22.47	9.00	13.47	NA
MW-2 (B-12)*	01/27/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	22.47	8.15	14.32	NA
MW-2 (B-12)*	04/18/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	22.47	7.04	15.43	NA
MW-2 (B-12)*	07/19/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	22.47	7.13	15.34	NA
MW-2 (B-12)*	10/24/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	22.47	8.78	13.69	NA
MW-2 (B-12)*	01/04/2001	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	22.47	8.33	14.14	NA
MW-2 (B-12)*	05/03/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.47	7.24	15.23	NA
MW-2 (B-12)*	07/09/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.47	8.55	13.92	NA
MW-2	10/18/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.47	9.42	13.05	NA
MW-2	01/24/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.47	7.23	15.24	NA
MW-2	04/04/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.47	6.90	15.57	NA
MW-2	07/18/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.47	7.97	14.50	NA
MW-2	10/21/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	28.47	8.62	19.85	NA
MW-2	01/21/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	28.47	7.08	21.39	NA
MW-2	04/17/2003	<50	<0.50	<0.50	0.98	2.5	NA	<5.0	NA	NA	NA	NA	28.47	6.94	21.53	NA
MW-2	07/22/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	28.47	8.10	20.37	NA
MW-2	10/20/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	28.47	9.09	19.38	NA
MW-2	01/13/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	28.47	7.28	21.19	NA
MW-2	01/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.47	8.99	19.48	2.8
MW-2	04/01/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.47	6.88	21.59	NA
MW-2	07/13/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.47	8.28	20.19	NA
MW-2	10/26/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.47	8.43	20.04	NA
MW-3	04/25/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.30	7.16	15.14	NA

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-3	05/03/2001	<100	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.30	7.28	15.02	NA
MW-3	07/09/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.30	8.45	13.85	NA
MW-3	10/18/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.30	9.44	12.86	NA
MW-3	01/24/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.30	5.88	16.42	NA
MW-3	04/04/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.30	6.68	15.62	NA
MW-3	07/18/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.30	7.63	14.67	NA
MW-3	10/21/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	28.30	8.56	19.74	NA
MW-3	01/21/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	28.30	6.95	21.35	NA
MW-3	04/17/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<5.0	NA	NA	NA	NA	28.30	6.77	21.53	NA
MW-3	07/22/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	28.30	7.92	20.38	NA
MW-3	10/20/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	28.30	9.12	19.18	NA
MW-3	01/13/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	28.30	7.21	21.09	NA
MW-3	01/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	9.00	19.30	0.6
MW-3	04/01/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	6.65	21.65	NA
MW-3	07/13/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	8.24	20.06	NA
MW-3	10/26/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	8.50	19.80	NA
MW-4	04/25/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.51	7.05	15.46	NA
MW-4	05/03/2001	8,000	3,500	24	37	350	NA	<200	NA	NA	NA	NA	22.51	6.66	15.85	NA
MW-4	07/09/2001	16,000	4,100	32	890	790	NA	<200	NA	NA	NA	NA	22.51	8.28	14.23	NA
MW-4	10/18/2001	12,000	3,300	<20	430	220	NA	<200	NA	NA	NA	NA	22.51	9.40	13.11	NA
MW-4	01/24/2002	5,500	1,200	<5.0	280	240	NA	<50	NA	NA	NA	NA	22.51	5.73	16.78	NA
MW-4	04/04/2002	2,000	350	1.4	13	7.8	NA	<10	NA	NA	NA	NA	22.51	5.62	16.89	NA
MW-4	07/18/2002	3,400	440	1.3	200	98	NA	<5.0	NA	NA	NA	NA	22.51	6.94	15.57	NA
MW-4	10/21/2002	16,000	3,100	11	1,200	970	NA	<5.0	NA	NA	NA	NA	28.51	8.04	20.47	NA
MW-4	01/21/2003	3,600	720	3.9	110	58	NA	<25	NA	NA	NA	NA	28.51	6.10	22.41	NA

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-4	04/17/2003	3,700	810	<5.0	140	17	NA	<50	NA	NA	NA	NA	28.51	5.97	22.54	NA
MW-4	07/22/2003	3,700	450	<2.5	110	7.9	NA	<2.5	NA	NA	NA	NA	28.51	6.37	22.14	NA
MW-4	10/20/2003	11,000 c	2,500	<20	550	95	NA	<20	NA	NA	NA	NA	28.51	8.99	19.52	NA
MW-4	01/13/2004	6,600	1,500	<10	41	37	NA	<10	NA	NA	NA	NA	28.51	6.67	21.84	NA
MW-4	01/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.51	8.80	19.71	0.3
MW-4	04/01/2004	9,500	2,100	12	170	30	NA	NA	NA	NA	NA	NA	28.51	6.28	22.23	0.1
MW-4	07/13/2004	12,000	3,600	39	160	58	NA	<25	<100	<100	<100	<250	28.51	8.20	20.31	0.1
MW-4	10/26/2004	11,000	2,800	<25	100	<50	NA	NA	NA	NA	NA	NA	28.51	8.00	20.51	0.6

MW-5	04/25/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	23.54	7.36	16.18	NA
MW-5	05/03/2001	160,000	12,000	20,000	3,600	23,000	NA	<500	NA	NA	NA	NA	23.54	7.77	15.77	NA
MW-5	07/09/2001	130,000	11,000	19,000	4,500	22,000	NA	<500	NA	NA	NA	NA	23.54	9.32	14.22	NA
MW-5	10/18/2001	120,000	12,000	23,000	4,200	21,000	NA	<500	NA	NA	NA	NA	23.54	9.39	14.15	0.5
MW-5	01/24/2002	34,000	3,300	3,300	960	6,000	NA	<100	NA	NA	NA	NA	23.54	7.05	16.49	4.0
MW-5	04/04/2002	32,000	2,100	2,800	730	6,400	NA	<200	NA	NA	NA	NA	23.54	6.89	16.65	1.0
MW-5	07/18/2002	75,000	7,500	4,700	2,700	15,000	NA	<500	NA	NA	NA	NA	23.54	8.48	15.06	1.2
MW-5	10/21/2002	140,000	13,000	18,000	4,000	26,000	NA	<500	NA	NA	NA	NA	29.54	9.21	20.33	1.1
MW-5	01/21/2003	47,000	6,400	3,500	370	8,300	NA	<500	NA	NA	NA	NA	29.54	7.23	22.31	0.8
MW-5	04/17/2003	93,000	9,700	16,000	3,200	20,000	NA	<500	NA	NA	NA	NA	29.54	6.61	22.93	0.8
MW-5	07/22/2003	110,000	9,500	15,000	560	23,000	NA	<50	NA	NA	NA	NA	29.54	8.68	20.86	1.2
MW-5	10/20/2003	88,000	6,600	12,000	1,900	16,000	NA	<50	NA	NA	NA	NA	29.54	9.71	19.83	0.1
MW-5	01/13/2004	4,600	460	140	<10	930	NA	<10	NA	NA	NA	NA	29.54	7.30	22.24	NA
MW-5	01/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.54	9.51	20.03	0.3
MW-5	04/01/2004	70,000	7,900	11,000	2,100	17,000	NA	NA	NA	NA	NA	NA	29.54	6.80	22.74	0.1
MW-5	07/13/2004	66,000	5,900	10,000	1,900	16,000	NA	<50	<200	<200	<200	<500	29.54	9.28	20.26	0.1
MW-5	10/26/2004	6,600	670	110	7.4	2,000	NA	NA	NA	NA	NA	NA	29.54	8.75	20.79	0.8

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
B-10 *	07/17/1996	20,000	400	<100	<100	870	<500	NA	NA	NA	NA	NA	NA	NA	NA	NA
B-13*	07/17/1996	290,000	34,000	21,000	9,900	47,000	<2,500	NA	NA	NA	NA	NA	NA	NA	NA	NA
V-1	08/02/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	23.26	NA	NA	NA
V-1	08/05/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	23.26	8.58	14.68	NA
V-1	10/17/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	23.26	10.02	13.24	NA
V-1	01/16/1997	9,500	1,200	250	280	880	<50	NA	NA	NA	NA	NA	23.26	5.55	17.71	NA
V-1	04/07/1997	2,200	42	<5.0	130	15	<25	NA	NA	NA	NA	NA	23.26	7.40	15.86	NA
V-1	07/02/1997	2,600	340	5.8	49	12	74	<4.0	NA	NA	NA	NA	23.26	8.94	14.32	NA
V-1	10/24/1997	57,000	5,200	2,300	3,600	16,000	1,900	<200	NA	NA	NA	NA	23.26	9.43	13.83	NA
V-1	01/09/1998	23,000	2,400	1,700	1,300	2,300	310	NA	NA	NA	NA	NA	23.26	6.81	16.45	NA
V-1 (D)	01/09/1998	24,000	2,500	1,800	1,400	2,400	450	NA	NA	NA	NA	NA	23.26	NA	NA	NA
V-1	04/02/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.26	4.58	18.68	NA
V-1 (D)	04/02/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.26	NA	NA	NA
V-1	07/14/1998	160	1.9	<0.50	4.2	<0.50	6.1	NA	NA	NA	NA	NA	23.26	7.51	15.75	NA
V-1	10/01/1998	440	18	<0.50	11	0.80	7.9	NA	NA	NA	NA	NA	23.26	8.49	14.77	NA
V-1	01/18/1999	697	55.7	0.839	28.2	<0.500	9.35	NA	NA	NA	NA	NA	23.26	8.59	14.67	NA
V-1	04/29/1999	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.26	8.69	14.57	NA
V-1	08/23/1999	457	33.4	3.59	16.3	<0.500	13.9	NA	NA	NA	NA	NA	23.26	8.99	14.27	NA
V-1	10/06/1999	714	53.7	0.740	8.69	<0.500	9.83	NA	NA	NA	NA	NA	23.26	9.55	13.71	NA
V-1	01/27/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.26	7.19	16.07	NA
V-1	04/18/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.26	7.67	15.59	NA
V-1	07/19/2000	255	21.7	<0.500	10.2	<0.500	7.33	<1.00a	NA	NA	NA	NA	23.26	7.53	15.73	NA
V-1	10/24/2000	200	4.05	0.566	<0.500	<0.500	7.82	NA	NA	NA	NA	NA	23.26	7.38	15.88	NA

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
V-1	01/04/2001	128	1.77	<0.50	<0.50	<0.50	6.40	<10.0b	NA	NA	NA	NA	23.26	8.41	14.85	NA
V-1	05/03/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.26	7.20	16.06	NA
V-1	07/09/2001	110	4.4	<0.50	0.88	1.7	NA	<5.0	NA	NA	NA	NA	23.26	9.22	14.04	NA
V-1	10/18/2001	1,500	180	12	43	46	NA	<5.0	NA	NA	NA	NA	23.26	10.08	13.18	0.8
V-1	01/24/2002	210	7.1	15	4.6	32	NA	<5.0	NA	NA	NA	NA	23.26	6.44	16.82	3.5
V-1	04/04/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.26	6.18	17.08	1.0
V-1	07/18/2002	100	1.6	1.2	1.2	6.1	NA	<5.0	NA	NA	NA	NA	23.26	8.08	15.18	1.7
V-1	10/21/2002	210	1.4	<0.50	1.0	1.3	NA	<5.0	NA	NA	NA	NA	29.26	8.94	20.32	1.2
V-1	01/21/2003	61	5.2	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	29.26	6.62	22.64	0.6
V-1	04/17/2003	<50	<0.50	<0.50	<0.50	1.2	NA	<5.0	NA	NA	NA	NA	29.26	6.00	23.26	1.3
V-1	07/22/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	29.26	NA	NA	NA
V-1	10/20/2003	540	11	1.6	6.0	8.9	NA	<0.50	NA	NA	NA	NA	29.26	9.53	19.73	0.1
V-1	01/13/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	29.26	6.62	22.64	NA
V-1	01/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.26	9.08	20.18	0.1
V-1	04/01/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	NA	NA	NA	NA	29.26	6.24	23.02	0.1
V-1	07/13/2004	120	1.8	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	29.26	8.78	20.48	0.1
V-1	10/26/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	NA	NA	NA	NA	29.26	8.09	21.17	0.6
V-2	08/02/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.80	NA	NA	NA
V-2	08/05/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.80	7.94	14.86	NA
V-2	10/17/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.80	9.30	13.50	NA
V-2	01/08/1997	69,000	4,800	2,800	2,700	13,000	750	NA	NA	NA	NA	NA	22.80	5.82	16.98	NA
V-2	04/07/1997	90,000	4,400	1,900	3,300	14,000	<500	NA	NA	NA	NA	NA	22.80	7.10	15.70	NA
V-2 (D)	04/07/1997	77,000	4,400	2,000	3,200	14,000	<250	NA	NA	NA	NA	NA	22.80	NA	NA	NA
V-2	07/02/1997	82,000	5,500	2,700	3,500	16,000	530	<100	NA	NA	NA	NA	22.80	8.35	14.45	NA
V-2 (D)	07/02/1997	85,000	5,600	2,800	3,600	17,000	520	<100	NA	NA	NA	NA	22.80	NA	NA	NA

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
V-2	10/24/1997	7,300	1,100	97	230	180	91	<12	NA	NA	NA	NA	22.80	10.03	12.77	NA
V-2 (D)	10/24/1997	12,000	1,700	340	650	630	120	<20	NA	NA	NA	NA	22.80	NA	NA	NA
V-2	01/09/1998	40,000	4,100	1,500	2,500	9,000	280	NA	NA	NA	NA	NA	22.80	6.94	15.86	NA
V-2	04/02/1998	62,000	6,800	2,400	3,400	14,000	<250	NA	NA	NA	NA	NA	22.80	5.35	17.45	NA
V-2	07/14/1998	43,000	4,700	1,100	2,500	6,600	<250	NA	NA	NA	NA	NA	22.80	6.48	16.32	NA
V-2 (D)	07/14/1998	48,000	5,100	1,300	2,600	8,100	<250	NA	NA	NA	NA	NA	22.80	NA	NA	NA
V-2	10/01/1998	53,000	5,200	1,800	3,200	10,000	83	NA	NA	NA	NA	NA	22.80	8.41	14.39	NA
V-2 (D)	10/01/1998	55,000	5,300	1,900	3,300	11,000	65	NA	NA	NA	NA	NA	22.80	NA	NA	NA
V-2	01/18/1999	47,100	5,800	1,960	3,450	10,200	<100	NA	NA	NA	NA	NA	22.80	8.29	14.51	NA
V-2	04/29/1999	65,000	6,100	2,800	3,200	12,000	540	NA	NA	NA	NA	NA	22.80	8.19	14.61	NA
V-2	08/23/1999	59,600	6,240	2,190	3,900	14,700	390	NA	NA	NA	NA	NA	22.80	8.44	14.36	NA
V-2	10/06/1999	63,800	4,820	1,860	2,840	11,100	<1000	NA	NA	NA	NA	NA	22.80	8.96	13.84	NA
V-2	01/27/2000	59,600	10,200	2,840	3,450	12,100	<500	NA	NA	NA	NA	NA	22.80	7.57	15.23	NA
V-2	04/18/2000	45,000	6,050	2,700	3,340	12,200	<250	NA	NA	NA	NA	NA	22.80	8.14	14.66	NA
V-2	07/19/2000	31,800	4,440	1,270	2,390	6,820	<500	NA	NA	NA	NA	NA	22.80	8.21	14.59	NA
V-2	10/24/2000	40,100	4,810	1,730	2,960	8,650	734	<10.0	NA	NA	NA	NA	22.80	8.53	14.27	NA
V-2	01/04/2001	37,500	4,510	1,390	2,710	6,880	375	NA	NA	NA	NA	NA	22.80	8.03	14.77	NA
V-2	05/03/2001	51,000	4,000	1,900	2,800	8,200	NA	<200	NA	NA	NA	NA	22.80	6.63	16.17	NA
V-2	07/09/2001	9,600	710	190	180	1,400	NA	<25	NA	NA	NA	NA	22.80	8.75	14.05	NA
V-2	10/18/2001	20,000	2,000	540	560	6,000	NA	<50	NA	NA	NA	NA	22.80	9.60	13.20	0.4
V-2	01/24/2002	36,000	2,900	870	1,700	5,900	NA	<100	NA	NA	NA	NA	22.80	5.93	16.87	4.0
V-2	04/04/2002	49,000	3,900	1,500	2,900	9,300	NA	<200	NA	NA	NA	NA	22.80	5.78	17.02	0.9
V-2	07/18/2002	50,000	3,600	1,300	2,800	9,300	NA	<200	NA	NA	NA	NA	22.80	7.58	15.22	1.3
V-2	10/21/2002	86,000	6,000	1,900	4,200	20,000	NA	<250	NA	NA	NA	NA	28.80	8.40	20.40	1.3
V-2	01/21/2003	13,000	630	200	300	2,400	NA	<25	NA	NA	NA	NA	28.80	6.52	22.28	1.2
V-2	04/17/2003	26,000	2,000	570	750	6,000	NA	<100	NA	NA	NA	NA	28.80	5.93	22.87	1.1

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
V-2	07/22/2003	6,800	130	34	150	440	NA	<2.5	NA	NA	NA	NA	28.80	7.96	20.84	1.4
V-2	10/20/2003	14,000	660	160	260	2,400	NA	<10	NA	NA	NA	NA	28.80	9.21	19.59	0.7
V-2	01/13/2004	20,000	1,400	410	700	4,200	NA	<13	NA	NA	NA	NA	28.80	6.90	21.90	NA
V-2	01/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.80	8.50	20.30	0.1
V-2	04/01/2004	28,000	2,000	520	650	8,700	NA	NA	NA	NA	NA	NA	28.80	6.84	21.96	0.2
V-2	07/13/2004	21,000	1,900	460	1,000	4,300	NA	NA	NA	NA	NA	NA	28.80	8.28	20.52	0.1
V-2	10/26/2004	43,000	2,700	880	2,300	12,000	NA	NA	NA	NA	NA	NA	28.80	8.43	20.37	0.8

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	------------------------

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to May 3, 2001, analyzed by EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to May 3, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether, analyzed by EPA Method 8260B

ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260B

TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260B

TBA = Tertiary butyl alcohol, analyzed by EPA Method 8260B

TOC = Top of Casing Elevation

SPH = Separate-Phase Hydrocarbons

GW = Groundwater

DO = Dissolved Oxygen reading

ug/L = Parts per billion

ppm = Parts per million

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

(D) = Duplicate sample

NA = Not applicable

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	------------------------

Notes:

a = This sample analyzed outside of EPA recommended holding time.

b = Due to error of Sequoia Analytical laboratories, well V-1 confirmed for MTBE by EPA Method 8260 instead of V-2.

c = Hydrocarbon does not match pattern of laboratory's standard.

* = Water sample from Boring.

Site surveyed June 14, 2001 by Virgil Chavez Land Surveying of Vallejo, CA.

Site surveyed August 13, 2002 by Virgil Chavez Land Surveying of Vallejo, CA.

Blaine Tech Services, Inc.

November 09, 2004

1680 Rogers Avenue
San Jose, CA 95112-1105

Attn.: Leon Gearhart

Project#: 041026-DW-3

Project: 97093397

Site: 2703 Martin Luther King Jr. Way, Oakland

Dear Mr. Gearhart,

Attached is our report for your samples received on 10/26/2004 15:27


This report has been reviewed and approved for release. Reproduction of this report is permitted only in its entirety.

Please note that any unused portion of the samples will be discarded after 12/10/2004 unless you have requested otherwise.

We appreciate the opportunity to be of service to you. If you have any questions,

You can also contact me via email. My email address is: mbrewer@stl-inc.com

Sincerely,



Melissa Brewer
Project Manager

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 041026-DW-3
97093397

Received: 10/26/2004 15:27

Site: 2703 Martin Luther King Jr. Way, Oakland

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
MW-4	10/26/2004 13:45	Water	1
MW-5	10/26/2004 14:00	Water	2
V-1	10/26/2004 13:40	Water	3
V-2	10/26/2004 13:52	Water	4

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

11/08/2004 13:34

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 041026-DW-3
97093397

Received: 10/26/2004 15:27

Site: 2703 Martin Luther King Jr. Way, Oakland

Prep(s):	5030B	Test(s):	8260B
Sample ID:	MW-4	Lab ID:	2004-10-0828-11
Sampled:	10/26/2004 13:45	Extracted:	11/1/2004 08:36
Matrix:	Water	QC Batch#:	2004/11/01/10-62
Analysis Flag: L2 (See Legend and Note Section)			

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	11000	2500	ug/L	50.00	11/01/2004 08:36	
Benzene	2800	25	ug/L	50.00	11/01/2004 08:36	
Toluene	ND	25	ug/L	50.00	11/01/2004 08:36	
Ethylbenzene	100	25	ug/L	50.00	11/01/2004 08:36	
Total xylenes	ND	50	ug/L	50.00	11/01/2004 08:36	
Surrogate(s)						
1,2-Dichloroethane-d4	94.9	76-130	%	50.00	11/01/2004 08:36	
Toluene-d8	97.8	78-115	%	50.00	11/01/2004 08:36	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 041026-DW-3

97093397

Received: 10/26/2004 15:27

Site: 2703 Martin Luther King Jr. Way, Oakland

Prep(s):	5030B	Test(s):	8260B
Sample ID:	MW-5	Lab ID:	2004-10-0828-2
Sampled:	10/26/2004 12:00	Extracted:	11/02/2004 11:01
Matrix:	Water	QC Batch#:	2004/11/02-1A.65
Analysis Flag: K2 (See Legend and Note Section)			

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	6600	500	ug/L	10.00	11/02/2004 11:01	
Benzene	670	5.0	ug/L	10.00	11/02/2004 11:01	
Toluene	110	5.0	ug/L	10.00	11/02/2004 11:01	
Ethylbenzene	7.4	5.0	ug/L	10.00	11/02/2004 11:01	
Total xylenes	2000	10	ug/L	10.00	11/02/2004 11:01	
Surrogate(s)						
1,2-Dichloroethane-d4	102.9	76-130	%	10.00	11/02/2004 11:01	
Toluene-d8	92.9	78-115	%	10.00	11/02/2004 11:01	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 041026-DW-3

97093397

Received: 10/26/2004 15:27

Site: 2703 Martin Luther King Jr. Way, Oakland

Prep(s):	50308	Test(s):	8260B
Sample ID:	V-1	Lab ID:	2004-10-0828-3
Sampled:	10/26/2004 13:40	Extracted:	11/1/2004 09:21
Matrix:	Water	QC Batch#:	2004/11/01/11C 64

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	50	ug/L	1.00	11/01/2004 09:21	
Benzene	ND	0.50	ug/L	1.00	11/01/2004 09:21	
Toluene	ND	0.50	ug/L	1.00	11/01/2004 09:21	
Ethylbenzene	ND	0.50	ug/L	1.00	11/01/2004 09:21	
Total xylenes	ND	1.0	ug/L	1.00	11/01/2004 09:21	
Surrogate(s)						
1,2-Dichloroethane-d4	92.3	76-130	%	1.00	11/01/2004 09:21	
Toluene-d8	100.2	78-115	%	1.00	11/01/2004 09:21	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 041026-DW-3

97093397

Received: 10/26/2004 15:27

Site: 2703 Martin Luther King Jr. Way, Oakland

Prep(s):	5030B	Test(s):	8260B
Sample ID:	V-2	Lab ID:	2004-10-0828-4
Sampled:	10/26/2004 13:52	Extracted:	11/1/2004 10:28
Matrix:	Water	QC Batch#:	2004-11-01-10-64
Analysis Flag: L2 (See Legend and Note Section)			

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	43000	1300	ug/L	25.00	11/01/2004 10:28	
Benzene	2700	13	ug/L	25.00	11/01/2004 10:28	
Toluene	880	13	ug/L	25.00	11/01/2004 10:28	
Ethylbenzene	2300	13	ug/L	25.00	11/01/2004 10:28	
Total xylenes	12000	25	ug/L	25.00	11/01/2004 10:28	
Surrogate(s)						
1,2-Dichloroethane-d4	92.9	76-130	%	25.00	11/01/2004 10:28	
Toluene-d8	103.6	78-115	%	25.00	11/01/2004 10:28	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 041026-DW-3
97093397

Received: 10/26/2004 15:27

Site: 2703 Martin Luther King Jr. Way, Oakland

Batch QC Report					
Prep(s): 5039B				Test(s): 8260B	
Method: Blank		Water		QC Batch #: 2004/11/01-1C-64	
MB: 2004/11/01-1C-64-032				Date Extracted: 11/01/2004 07:32	

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	50	ug/L	11/01/2004 07:32	
Benzene	ND	0.5	ug/L	11/01/2004 07:32	
Toluene	ND	0.5	ug/L	11/01/2004 07:32	
Ethylbenzene	ND	0.5	ug/L	11/01/2004 07:32	
Total xylenes	ND	1.0	ug/L	11/01/2004 07:32	
Surrogates(s)					
1,2-Dichloroethane-d4	93.2	76-130	%	11/01/2004 07:32	
Toluene-d8	103.2	78-115	%	11/01/2004 07:32	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 041026-DW-3
97093397

Received: 10/26/2004 15:27

Site: 2703 Martin Luther King Jr. Way, Oakland

Batch QC Report					
Prep(s): 5030B				Test(s): 8260B	
Method: Blank		Water		QC Batch #: 2004/11/02-1A-65	
MB: 2004/11/02-1A-65-010				Date Extracted: 11/02/2004 09:10	

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	50	ug/L	11/02/2004 09:10	
Benzene	ND	0.5	ug/L	11/02/2004 09:10	
Toluene	ND	0.5	ug/L	11/02/2004 09:10	
Ethylbenzene	ND	0.5	ug/L	11/02/2004 09:10	
Total xylenes	ND	1.0	ug/L	11/02/2004 09:10	
Surrogates(s)					
1,2-Dichloroethane-d4	99.0	76-130	%	11/02/2004 09:10	
Toluene-d8	93.0	78-115	%	11/02/2004 09:10	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 041026-DW-3
97093397

Received: 10/26/2004 15:27

Site: 2703 Martin Luther King Jr. Way, Oakland

Batch QC Report			
Prep(S): 5030B			Test(S): 8260B
Laboratory Control Spike	Water		QC Batch#: 2004/11/01-1C-64
LCS: 2004/11/01-1C-64-609	Extracted: 11/01/2004		Analyzed: 11/01/2004 07:09
LCSD:			

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD %	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		Rec.	RPD	LCS	LCSD
Benzene	23.6		25	94.4			69-129	20		
Toluene	25.2		25	100.8			70-130	20		
Surrogates(s)										
1,2-Dichloroethane-d4	439		500	87.8			76-130			
Toluene-d8	498		500	99.6			78-115			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 041026-DW-3

97093397

Received: 10/26/2004 15:27

Site: 2703 Martin Luther King Jr. Way, Oakland

Batch QC Report			
Prep(s): 5030B			Test(s): 8260B
Laboratory Control Spike		Water	QC Batch # 2004/11/02-1A 65
LCS: 2004/11/02-1A 65-047		Extracted: 11/02/2004	Analyzed: 11/02/2004 08:47
LCSD			

Compound	Conc. ug/L		Exp. Conc.	Recovery %		RPD %	Ctrl. Limits %		Flags	
	LCS	LCSD		LCS	LCSD		Rec.	RPD	LCS	LCSD
Benzene	27.6		25	110.4			69-129	20		
Toluene	27.1		25	108.4			70-130	20		
Surrogates(s)										
1,2-Dichloroethane-d4	460		500	92.0			76-130			
Toluene-d8	473		500	94.6			78-115			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 041026-DW-3
97093397

Received: 10/26/2004 15:27

Site: 2703 Martin Luther King Jr. Way, Oakland

Batch QC Report			
Prep(s):	5030B	Test(s):	8260B
Matrix Spike (MS / MSD)	Water	QC Batch #	2004/11/01-10-64
V-1 >> MS		Lab ID	2004-10-0828-003
MS: 2004/11/01-10-64-043	Extracted: 11/01/2004	Analyzed:	11/01/2004 10:43
		Dilution:	1.00
MSD: 2004/11/01-10-64-005	Extracted: 11/01/2004	Analyzed:	11/01/2004 10:05
		Dilution:	1.00

Compound	Conc. ug/L			Spk.Level ug/L	Recovery %			Limits %		Flags	
	MS	MSD	Sample		MS	MSD	RPD	Rec.	RPD	MS	MSD
Benzene	23.3	23.1	ND	25	93.2	92.4	0.9	69-129	20		
Toluene	23.8	23.8	ND	25	95.2	95.2	0.0	70-130	20		
Surrogate(s)											
1,2-Dichloroethane-d4	438	441		500	87.6	88.2		76-130			
Toluene-d8	537	526		500	107.4	105.2		78-115			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 041026-DW-3

97093397

Received: 10/26/2004 15:27

Site: 2703 Martin Luther King Jr. Way, Oakland

Batch QC Report			
Prep(s)	5030B	Test(s)	8260B
Matrix Spike (MS / MSD)		Water	QC Batch # 2004/11/02-1A-65
MS/MSD		Lab ID:	2004-10-0899-002
MS	2004/11/02-1A-65-011	Extracted:	11/02/2004
		Analyzed:	11/02/2004 12:11
		Dilution:	1.00
MSD	2004/11/02-1A-65-034	Extracted:	11/02/2004
		Analyzed:	11/02/2004 12:34
		Dilution:	1.00

Compound	Conc. ug/L			Spk.Level ug/L	Recovery %			Limits %		Flags	
	MS	MSD	Sample		MS	MSD	RPD	Rec.	RPD	MS	MSD
Benzene	27.7	26.8	ND	25	110.8	107.2	3.3	69-129	20		
Toluene	26.6	26.1	ND	25	106.4	104.4	1.9	70-130	20		
Surrogate(s)											
1,2-Dichloroethane-d4	455	466		500	91.0	93.2		76-130			
Toluene-d8	468	476		500	93.6	95.2		78-115			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 041026-DW-3

97093397

Received: 10/26/2004 15:27

Site: 2703 Martin Luther King Jr. Way, Oakland

Legend and Notes

Analysis Flag

L2

Reporting limits were raised due to high level of analyte present in the sample.

Lab Identification (if necessary):
Address:
City/State/Zip:

Shell Project Manager to be Invoiced:
 SCIENCE & ENGINEERING
 TECHNICAL SERVICES
 CONTRACT SUPPORT
Karen Petryna
2004-10-0828

INCIDENT NUMBER (SAE ONLY)
9 7 0 9 3 3 9 7
SAP or CRMT NUMBER (ITS/CRMT)

DATE: 10-26-04
PAGE: 1 of 1

ANALYST COMPANY: Blaine Tech Services		LAB CODE: BTSS	SITE ADDRESS (Street and City): 2703 Martin Luther King Jr. Way, Oakland	SCHEME NO.: T0600101876
ADDRESS: 1680 Rogers Avenue, San Jose, CA 95112		CONTACT PERSON (Name and Title): Anna Friel	PHONE NO.: (707) 442-2700	EMAIL: sonomaedf@cam8ria-env.com
CONTACT PERSON (Name and Title): Leon Gearhart		COMBUSTANT PROJECT NO. 041026-BW.3		BTS#
TELEPHONE: 408-573-0555	FAX: 408-573-7771	EMAIL: lgearman@blainetech.com	LAB USE ONLY	

Dave Walter

TURNAROUND TIME (BUSINESS DAYS):
 10 DAYS 5 DAYS 72 HOURS 48 HOURS 24 HOURS LESS THAN 24 HOURS

LA * RACE REPORT FORMAT LIST AGENCY: _____

GC/MS METBE CONFIRMATION: HIGHEST _____ HIGHEST PER BORING _____ ALL _____

SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF EDD IS NOT NEEDED:

REQUESTED ANALYSIS

FIELD SAMPLE IDENTIFICATION	SAMPLING		MATRIX	NO. OF CONT.	TPH - Gas, Purgeable	BTEX	MTBE (act) (B - Spill RL)	MTBE (pass) (B - Spill RL)	Oxyaromatics (B) by (act/pass)	Ethanol (act/pass)	Methanol	1,2-DCA (act/pass)	EDS (act/pass)	TPH - Diesel, Extractable (60 (5m)
	DATE	TIME												
MW-4	10-26	13:45	W	3	X	X								
MW-5		14:00			X	X								
V-1		13:40			X	X								
V-2		13:52			X	X								

FIELD NOTES:
Container/Preservative or PID Readings or Laboratory Notes

TEMPERATURE ON RECEIPT: **3**

Received by (Signature): <i>David C. Stoltz</i>	Received by (Signature): <i>James P. ...</i>	Date: 10/26/04	Time: 15:27
Received by (Signature): <i>[Signature]</i>	Received by (Signature): <i>[Signature]</i>	Date: 10/26/04	Time: 17:46