



Shell Oil Products US

RO145G

June 24, 2005

Mr. Jerry Wickham  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Alameda County

JUN 29 2005

Environmental Health

**Subject:** Former Shell Service Station  
2703 Martin Luther King Jr. Way  
Oakland, California  
SAP Code 129449

Dear Mr. Wickham:

Attached for your review and comment is a copy of the *Groundwater Monitoring Report – Second Quarter 2005* for the above referenced site. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

As always, please feel free to contact me directly at (707) 865-0251 with any questions or concerns.

Sincerely,

Shell Oil Products US

Denis L. Brown  
Sr. Environmental Engineer

June 24, 2005

Mr. Jerry Wickham  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Re: **Groundwater Monitoring Report - Second Quarter 2005**  
Former Shell Service Station  
2703 Martin Luther King Jr. Way  
Oakland, California  
SAP Code 129449  
Incident No. 97093397



Dear Mr. Wickham:

Cambria Environmental Technology, Inc. (Cambria) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell) in accordance with the quarterly reporting requirements of 23 CCR 2652d.

## **SECOND QUARTER 2005 ACTIVITIES**

**Groundwater Monitoring:** Blaine Tech Services, Inc. (Blaine) of San Jose, California gauged the site wells, sampled selected wells, measured dissolved oxygen (DO) concentrations in selected wells, and prepared a summary table of field gauging and laboratory analytical data. Cambria prepared a site vicinity/receptor survey map (Figure 1) and a groundwater contour/chemical concentration map (Figure 2). Blaine's report, presenting the laboratory report, is included as Appendix A.

**Oxygen Releasing Compound (ORC):** At Shell's direction, the ORCs were removed from wells MW-5 and V-2 during this event, and were not replaced. No additional ORC replacements are scheduled.

**Site Investigation:** Cambria received comments and approval of the *Groundwater Monitoring Report – Third Quarter 2004 and Soil Vapor Investigation Work plan* dated October 11, 2004 from the Alameda County Health Care Services Agency (ACHCSA) in correspondence dated June 6, 2005. Cambria is initiating the scope of work by performing a site visit the week of June 20, 2005.

**Cambria  
Environmental  
Technology, Inc.**

270 Perkins Street  
Sonoma, CA 95476  
Tel (707) 935-4850  
Fax (707) 935-6649

# C A M B R I A

## ANTICIPATED THIRD QUARTER 2005 ACTIVITIES

**Groundwater Monitoring:** Blaine will gauge and sample the site wells in accordance with the existing sampling schedule. Cambria will prepare a groundwater monitoring report.


**Site Investigation:** Cambria will perform the site investigation activities as amended by the ACHCSA June 6, 2005 letter. The ACHCSA has requested that a technical report be submitted by September 2, 2005.





## CLOSING

If you have any questions regarding the contents of this document, please call Ana Friel at (707) 268-3812.

Sincerely,  
**Cambria Environmental Technology, Inc.**

  
Susan Lukaszewicz  
Staff Geologist


  
Ana Friel  
Senior Project Geologist  
PG 6452



### Attachments:

- Figure 1. Site Vicinity/Receptor Survey Map
- Figure 2. Groundwater Contour/Chemical Concentration Map
  
- Appendix A. Blaine Tech Services, Inc. - Groundwater Monitoring Report

cc: Denis Brown, Shell  
Rodney & Janet Kwan, property owners



0781

SOURCE: TOPOI MAPS


**Former Shell Service Station**  
 2703 Martin Luther King Jr. Way  
 Oakland, California



CAMBRIA

**Site Vicinity/Receptor  
 Survey Map**

LAYE M  
 FIGURE  
 1



**APPENDIX A**

**Blaine Tech Services, Inc.  
Groundwater Monitoring Report**

---

**BLAINE**  
**TECH SERVICES** INC.

---

GROUNDWATER SAMPLING SPECIALISTS  
SINCE 1985

May 18, 2005

Denis Brown  
Shell Oil Products US  
20945 South Wilmington Ave.  
Carson, CA 90810

Second Quarter 2005 Groundwater Monitoring at  
Former Shell-Service Station  
2703 Martin Luther King Jr. Way  
Oakland, CA

Monitoring performed on April 28, 2005

---

Groundwater Monitoring Report **050428-DA-2**

This report covers the routine monitoring of groundwater wells at this former Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Martinez Refining Company.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Leon Gearhart  
Project Coordinator

LG/jn

attachments: Cumulative Table of WELL CONCENTRATIONS  
Certified Analytical Report  
Field Data Sheets

cc: Ana Friel  
Cambria Environmental Technology, Inc.  
P.O. Box 259  
Sonoma, CA 95476-0259



**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**2703 Martin Luther King Jr. Way**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-1 (B-11)	08/02/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	23.53	NA	NA	NA
MW-1 (B-11)	08/05/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	8.76	14.77	NA
MW-1 (B-11) (D)	08/05/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	NA	NA	NA
MW-1 (B-11)	10/17/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	9.88	13.65	NA
MW-1 (B-11)	01/08/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	6.82	16.71	NA
MW-1 (B-11)	04/07/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	7.89	15.64	NA
MW-1 (B-11)	07/02/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	8.71	14.82	NA
MW-1 (B-11)	10/24/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	9.26	14.27	NA
MW-1 (B-11)	01/09/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	7.94	15.59	NA
MW-1 (B-11)	04/02/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	7.21	16.32	NA
MW-1 (B-11)	07/14/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	7.78	15.75	NA
MW-1 (B-11)	10/01/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	8.39	15.14	NA
MW-1 (B-11)	01/18/1999	<50.0	<0.500	0.785	<0.500	<0.500	2.36	NA	NA	NA	NA	NA	23.53	8.28	15.25	NA
MW-1 (B-11)	04/29/1999	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	8.41	15.12	NA
MW-1 (B-11)	08/23/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.53	8.17	15.36	NA
MW-1 (B-11)	10/06/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	23.53	9.37	14.16	NA
MW-1 (B-11)	01/27/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.53	7.52	16.01	NA
MW-1 (B-11)	04/18/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.53	7.66	15.87	NA
MW-1 (B-11)	07/19/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.53	7.81	15.72	NA
MW-1 (B-11)	10/24/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.53	8.33	15.20	NA
MW-1 (B-11)	01/04/2001	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.53	8.33	15.20	NA
MW-1 (B-11)	05/03/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.53	7.83	15.70	NA
MW-1 (B-11)	07/09/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.53	8.60	14.93	NA
MW-1	10/18/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.53	9.01	14.52	0.2
MW-1	01/24/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.53	7.68	15.85	2.1
MW-1	04/04/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.53	7.38	16.15	1.1

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**2703 Martin Luther King Jr. Way**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-1	07/18/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.53	7.75	15.78	2.2
MW-1	10/21/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	29.53	8.10	21.43	1.6
MW-1	01/21/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	29.53	7.82	21.71	0.6
MW-1	04/17/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<5.0	NA	NA	NA	NA	29.53	7.76	21.77	1.7
MW-1	07/22/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	29.53	7.87	21.66	1.5
MW-1	10/20/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	29.53	8.67	20.86	0.8
MW-1	01/13/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	29.53	8.28	21.25	NA
MW-1	01/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.53	8.50	21.03	1.1
MW-1	04/01/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.53	7.98	21.55	NA
MW-1	07/13/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.53	8.30	21.23	NA
MW-1	10/26/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.53	8.27	21.26	NA
MW-1	01/13/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.53	6.92	22.61	NA
MW-1	04/28/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.53	7.18	22.35	NA

MW-2 (B-12)*	07/17/1996	<50	<0.50	0.69	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	NA	NA	NA
MW-2 (B-12)*	08/05/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	8.35	14.12	NA
MW-2 (B-12)*	10/17/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	9.32	13.15	NA
MW-2 (B-12) (D)*	10/17/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	NA	NA	NA
MW-2 (B-12)*	01/08/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	6.80	15.67	NA
MW-2 (B-12) (D)*	01/08/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	NA	NA	NA
MW-2 (B-12)*	04/07/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	7.81	14.66	NA
MW-2 (B-12)*	07/02/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	8.27	14.20	NA
MW-2 (B-12)*	10/24/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	9.12	13.35	NA
MW-2 (B-12)*	01/09/1998	<50	<0.50	<0.50	<0.50	<0.50	6.3	NA	NA	NA	NA	NA	22.47	7.41	15.06	NA
MW-2 (B-12)*	04/02/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	6.59	15.88	NA
MW-2 (B-12)*	07/14/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	7.49	14.98	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**2703 Martin Luther King Jr. Way**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-2 (B-12)*	10/01/1998	<50	<0.50	<0.50	<0.50	0.59	<2.5	NA	NA	NA	NA	NA	22.47	8.58	13.89	NA
MW-2 (B-12)*	01/18/1999	<50.0	<0.500	0.971	<0.500	<0.500	2.47	NA	NA	NA	NA	NA	22.47	8.68	13.79	NA
MW-2 (B-12)*	04/29/1999	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	8.62	13.85	NA
MW-2 (B-12)*	08/23/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	22.47	7.43	15.04	NA
MW-2 (B-12)*	10/06/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	22.47	9.00	13.47	NA
MW-2 (B-12)*	01/27/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	22.47	8.15	14.32	NA
MW-2 (B-12)*	04/18/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	22.47	7.04	15.43	NA
MW-2 (B-12)*	07/19/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	22.47	7.13	15.34	NA
MW-2 (B-12)*	10/24/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	22.47	8.78	13.69	NA
MW-2 (B-12)*	01/04/2001	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	22.47	8.33	14.14	NA
MW-2 (B-12)*	05/03/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.47	7.24	15.23	NA
MW-2 (B-12)*	07/09/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.47	8.55	13.92	NA
MW-2	10/18/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.47	9.42	13.05	NA
MW-2	01/24/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.47	7.23	15.24	NA
MW-2	04/04/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.47	6.90	15.57	NA
MW-2	07/18/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.47	7.97	14.50	NA
MW-2	10/21/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	28.47	8.62	19.85	NA
MW-2	01/21/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	28.47	7.08	21.39	NA
MW-2	04/17/2003	<50	<0.50	<0.50	0.98	2.5	NA	<5.0	NA	NA	NA	NA	28.47	6.94	21.53	NA
MW-2	07/22/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	28.47	8.10	20.37	NA
MW-2	10/20/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	28.47	9.09	19.38	NA
MW-2	01/13/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	28.47	7.28	21.19	NA
MW-2	01/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.47	8.99	19.48	2.8
MW-2	04/01/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.47	6.88	21.59	NA
MW-2	07/13/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.47	8.28	20.19	NA
MW-2	10/26/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.47	8.43	20.04	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**2703 Martin Luther King Jr. Way**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	------------------------

MW-2	01/13/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.47	6.52	21.95	NA
MW-2	04/28/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.47	6.38	22.09	NA

MW-3	04/25/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.30	7.16	15.14	NA
MW-3	05/03/2001	<100	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.30	7.28	15.02	NA
MW-3	07/09/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.30	8.45	13.85	NA
MW-3	10/18/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.30	9.44	12.86	NA
MW-3	01/24/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.30	5.88	16.42	NA
MW-3	04/04/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.30	6.68	15.62	NA
MW-3	07/18/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.30	7.63	14.67	NA
MW-3	10/21/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	28.30	8.56	19.74	NA
MW-3	01/21/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	28.30	6.95	21.35	NA
MW-3	04/17/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<5.0	NA	NA	NA	NA	28.30	6.77	21.53	NA
MW-3	07/22/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	28.30	7.92	20.38	NA
MW-3	10/20/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	28.30	9.12	19.18	NA
MW-3	01/13/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	28.30	7.21	21.09	NA
MW-3	01/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	9.00	19.30	0.6
MW-3	04/01/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	6.65	21.65	NA
MW-3	07/13/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	8.24	20.06	NA
MW-3	10/26/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	8.50	19.80	NA
MW-3	01/13/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	6.32	21.98	NA
MW-3	04/28/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	6.05	22.25	NA

MW-4	04/25/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.51	7.05	15.46	NA
MW-4	05/03/2001	8,000	3,500	24	37	350	NA	<200	NA	NA	NA	NA	22.51	6.66	15.85	NA
MW-4	07/09/2001	16,000	4,100	32	890	790	NA	<200	NA	NA	NA	NA	22.51	8.28	14.23	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**2703 Martin Luther King Jr. Way**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-4	10/18/2001	12,000	3,300	<20	430	220	NA	<200	NA	NA	NA	NA	22.51	9.40	13.11	NA
MW-4	01/24/2002	5,500	1,200	<5.0	280	240	NA	<50	NA	NA	NA	NA	22.51	5.73	16.78	NA
MW-4	04/04/2002	2,000	350	1.4	13	7.8	NA	<10	NA	NA	NA	NA	22.51	5.62	16.89	NA
MW-4	07/18/2002	3,400	440	1.3	200	98	NA	<5.0	NA	NA	NA	NA	22.51	6.94	15.57	NA
MW-4	10/21/2002	16,000	3,100	11	1,200	970	NA	<5.0	NA	NA	NA	NA	28.51	8.04	20.47	NA
MW-4	01/21/2003	3,600	720	3.9	110	58	NA	<25	NA	NA	NA	NA	28.51	6.10	22.41	NA
MW-4	04/17/2003	3,700	810	<5.0	140	17	NA	<50	NA	NA	NA	NA	28.51	5.97	22.54	NA
MW-4	07/22/2003	3,700	450	<2.5	110	7.9	NA	<2.5	NA	NA	NA	NA	28.51	6.37	22.14	NA
MW-4	10/20/2003	11,000 c	2,500	<20	550	95	NA	<20	NA	NA	NA	NA	28.51	8.99	19.52	NA
MW-4	01/13/2004	6,600	1,500	<10	41	37	NA	<10	NA	NA	NA	NA	28.51	6.67	21.84	NA
MW-4	01/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.51	8.80	19.71	0.3
MW-4	04/01/2004	9,500	2,100	12	170	30	NA	NA	NA	NA	NA	NA	28.51	6.28	22.23	0.1
MW-4	07/13/2004	12,000	3,600	39	160	58	NA	<25	<100	<100	<100	<250	28.51	8.20	20.31	0.1
MW-4	10/26/2004	11,000	2,800	<25	100	<50	NA	NA	NA	NA	NA	NA	28.51	8.00	20.51	0.6
MW-4	01/13/2005	12,000	2,200	14	110	43	NA	NA	NA	NA	NA	NA	28.51	6.03	22.48	0.1
MW-4	04/28/2005	8,600	2,300	27	200	49	NA	NA	NA	NA	NA	NA	28.51	5.93	22.58	3.71
MW-5	04/25/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	23.54	7.36	16.18	NA
MW-5	05/03/2001	160,000	12,000	20,000	3,600	23,000	NA	<500	NA	NA	NA	NA	23.54	7.77	15.77	NA
MW-5	07/09/2001	130,000	11,000	19,000	4,500	22,000	NA	<500	NA	NA	NA	NA	23.54	9.32	14.22	NA
MW-5	10/18/2001	120,000	12,000	23,000	4,200	21,000	NA	<500	NA	NA	NA	NA	23.54	9.39	14.15	0.5
MW-5	01/24/2002	34,000	3,300	3,300	960	6,000	NA	<100	NA	NA	NA	NA	23.54	7.05	16.49	4.0
MW-5	04/04/2002	32,000	2,100	2,800	730	6,400	NA	<200	NA	NA	NA	NA	23.54	6.89	16.65	1.0
MW-5	07/18/2002	75,000	7,500	4,700	2,700	15,000	NA	<500	NA	NA	NA	NA	23.54	8.48	15.06	1.2
MW-5	10/21/2002	140,000	13,000	18,000	4,000	26,000	NA	<500	NA	NA	NA	NA	29.54	9.21	20.33	1.1
MW-5	01/21/2003	47,000	6,400	3,500	370	8,300	NA	<500	NA	NA	NA	NA	29.54	7.23	22.31	0.8

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**2703 Martin Luther King Jr. Way**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-5	04/17/2003	93,000	9,700	16,000	3,200	20,000	NA	<500	NA	NA	NA	NA	29.54	6.61	22.93	0.8
MW-5	07/22/2003	110,000	9,500	15,000	560	23,000	NA	<50	NA	NA	NA	NA	29.54	8.68	20.86	1.2
MW-5	10/20/2003	88,000	6,600	12,000	1,900	16,000	NA	<50	NA	NA	NA	NA	29.54	9.71	19.83	0.1
MW-5	01/13/2004	4,600	460	140	<10	930	NA	<10	NA	NA	NA	NA	29.54	7.30	22.24	NA
MW-5	01/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.54	9.51	20.03	0.3
MW-5	04/01/2004	70,000	7,900	11,000	2,100	17,000	NA	NA	NA	NA	NA	NA	29.54	6.80	22.74	0.1
MW-5	07/13/2004	66,000	5,900	10,000	1,900	16,000	NA	<50	<200	<200	<200	<500	29.54	9.28	20.26	0.1
MW-5	10/26/2004	6,600	670	110	7.4	2,000	NA	NA	NA	NA	NA	NA	29.54	8.75	20.79	0.8
MW-5	01/13/2005	9,500	1,300	950	360	1,900	NA	NA	NA	NA	NA	NA	29.54	5.87	23.67	6.3
MW-5	04/28/2005	17,000	2,400	1,200	320	3,400	NA	NA	NA	NA	NA	NA	29.54	6.32	23.22	3.54
B-10 *	07/17/1996	20,000	400	<100	<100	870	<500	NA	NA	NA	NA	NA	NA	NA	NA	NA
B-13*	07/17/1996	290,000	34,000	21,000	9,900	47,000	<2,500	NA	NA	NA	NA	NA	NA	NA	NA	NA
V-1	08/02/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	23.26	NA	NA	NA
V-1	08/05/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	23.26	8.58	14.68	NA
V-1	10/17/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	23.26	10.02	13.24	NA
V-1	01/16/1997	9,500	1,200	250	280	880	<50	NA	NA	NA	NA	NA	23.26	5.55	17.71	NA
V-1	04/07/1997	2,200	42	<5.0	130	15	<25	NA	NA	NA	NA	NA	23.26	7.40	15.86	NA
V-1	07/02/1997	2,600	340	5.8	49	12	74	<4.0	NA	NA	NA	NA	23.26	8.94	14.32	NA
V-1	10/24/1997	57,000	5,200	2,300	3,600	16,000	1,900	<200	NA	NA	NA	NA	23.26	9.43	13.83	NA
V-1	01/09/1998	23,000	2,400	1,700	1,300	2,300	310	NA	NA	NA	NA	NA	23.26	6.81	16.45	NA
V-1 (D)	01/09/1998	24,000	2,500	1,800	1,400	2,400	450	NA	NA	NA	NA	NA	23.26	NA	NA	NA
V-1	04/02/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.26	4.58	18.68	NA
V-1 (D)	04/02/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.26	NA	NA	NA

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**2703 Martin Luther King Jr. Way**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
V-1	07/14/1998	160	1.9	<0.50	4.2	<0.50	6.1	NA	NA	NA	NA	NA	23.26	7.51	15.75	NA
V-1	10/01/1998	440	18	<0.50	11	0.80	7.9	NA	NA	NA	NA	NA	23.26	8.49	14.77	NA
V-1	01/18/1999	697	55.7	0.839	28.2	<0.500	9.35	NA	NA	NA	NA	NA	23.26	8.59	14.67	NA
V-1	04/29/1999	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.26	8.69	14.57	NA
V-1	08/23/1999	457	33.4	3.59	16.3	<0.500	13.9	NA	NA	NA	NA	NA	23.26	8.99	14.27	NA
V-1	10/06/1999	714	53.7	0.740	8.69	<0.500	9.83	NA	NA	NA	NA	NA	23.26	9.55	13.71	NA
V-1	01/27/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.26	7.19	16.07	NA
V-1	04/18/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.26	7.67	15.59	NA
V-1	07/19/2000	255	21.7	<0.500	10.2	<0.500	7.33	<1.00a	NA	NA	NA	NA	23.26	7.53	15.73	NA
V-1	10/24/2000	200	4.05	0.566	<0.500	<0.500	7.82	NA	NA	NA	NA	NA	23.26	7.38	15.88	NA
V-1	01/04/2001	128	1.77	<0.500	<0.500	<0.500	6.40	<10.0b	NA	NA	NA	NA	23.26	8.41	14.85	NA
V-1	05/03/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.26	7.20	16.06	NA
V-1	07/09/2001	110	4.4	<0.50	0.88	1.7	NA	<5.0	NA	NA	NA	NA	23.26	9.22	14.04	NA
V-1	10/18/2001	1,500	180	12	43	46	NA	<5.0	NA	NA	NA	NA	23.26	10.08	13.18	0.8
V-1	01/24/2002	210	7.1	15	4.6	32	NA	<5.0	NA	NA	NA	NA	23.26	6.44	16.82	3.5
V-1	04/04/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.26	6.18	17.08	1.0
V-1	07/18/2002	100	1.6	1.2	1.2	6.1	NA	<5.0	NA	NA	NA	NA	23.26	8.08	15.18	1.7
V-1	10/21/2002	210	1.4	<0.50	1.0	1.3	NA	<5.0	NA	NA	NA	NA	29.26	8.94	20.32	1.2
V-1	01/21/2003	61	5.2	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	29.26	6.62	22.64	0.6
V-1	04/17/2003	<50	<0.50	<0.50	<0.50	1.2	NA	<5.0	NA	NA	NA	NA	29.26	6.00	23.26	1.3
V-1	07/22/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	29.26	NA	NA	NA
V-1	10/20/2003	540	11	1.6	6.0	8.9	NA	<0.50	NA	NA	NA	NA	29.26	9.53	19.73	0.1
V-1	01/13/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	29.26	6.62	22.64	NA
V-1	01/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.26	9.08	20.18	0.1
V-1	04/01/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	NA	NA	NA	NA	29.26	6.24	23.02	0.1
V-1	07/13/2004	120	1.8	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	29.26	8.78	20.48	0.1

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**2703 Martin Luther King Jr. Way**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
V-1	10/26/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	NA	NA	NA	NA	29.26	8.09	21.17	0.6
V-1	01/13/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	NA	NA	NA	NA	29.26	4.30	24.96	0.1
V-1	04/28/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	NA	NA	NA	NA	29.26	5.27	23.99	3.34
V-2	08/02/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.80	NA	NA	NA
V-2	08/05/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.80	7.94	14.86	NA
V-2	10/17/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.80	9.30	13.50	NA
V-2	01/08/1997	69,000	4,800	2,800	2,700	13,000	750	NA	NA	NA	NA	NA	22.80	5.82	16.98	NA
V-2	04/07/1997	90,000	4,400	1,900	3,300	14,000	<500	NA	NA	NA	NA	NA	22.80	7.10	15.70	NA
V-2 (D)	04/07/1997	77,000	4,400	2,000	3,200	14,000	<250	NA	NA	NA	NA	NA	22.80	NA	NA	NA
V-2	07/02/1997	82,000	5,500	2,700	3,500	16,000	530	<100	NA	NA	NA	NA	22.80	8.35	14.45	NA
V-2 (D)	07/02/1997	85,000	5,600	2,800	3,600	17,000	520	<100	NA	NA	NA	NA	22.80	NA	NA	NA
V-2	10/24/1997	7,300	1,100	97	230	180	91	<12	NA	NA	NA	NA	22.80	10.03	12.77	NA
V-2 (D)	10/24/1997	12,000	1,700	340	650	630	120	<20	NA	NA	NA	NA	22.80	NA	NA	NA
V-2	01/09/1998	40,000	4,100	1,500	2,500	9,000	280	NA	NA	NA	NA	NA	22.80	6.94	15.86	NA
V-2	04/02/1998	62,000	6,800	2,400	3,400	14,000	<250	NA	NA	NA	NA	NA	22.80	5.35	17.45	NA
V-2	07/14/1998	43,000	4,700	1,100	2,500	6,600	<250	NA	NA	NA	NA	NA	22.80	6.48	16.32	NA
V-2 (D)	07/14/1998	48,000	5,100	1,300	2,600	8,100	<250	NA	NA	NA	NA	NA	22.80	NA	NA	NA
V-2	10/01/1998	53,000	5,200	1,800	3,200	10,000	83	NA	NA	NA	NA	NA	22.80	8.41	14.39	NA
V-2 (D)	10/01/1998	55,000	5,300	1,900	3,300	11,000	65	NA	NA	NA	NA	NA	22.80	NA	NA	NA
V-2	01/18/1999	47,100	5,800	1,960	3,450	10,200	<100	NA	NA	NA	NA	NA	22.80	8.29	14.51	NA
V-2	04/29/1999	65,000	6,100	2,800	3,200	12,000	540	NA	NA	NA	NA	NA	22.80	8.19	14.61	NA
V-2	08/23/1999	59,600	6,240	2,190	3,900	14,700	390	NA	NA	NA	NA	NA	22.80	8.44	14.36	NA
V-2	10/06/1999	63,800	4,820	1,860	2,840	11,100	<1000	NA	NA	NA	NA	NA	22.80	8.96	13.84	NA
V-2	01/27/2000	59,600	10,200	2,840	3,450	12,100	<500	NA	NA	NA	NA	NA	22.80	7.57	15.23	NA
V-2	04/18/2000	45,000	6,050	2,700	3,340	12,200	<250	NA	NA	NA	NA	NA	22.80	8.14	14.66	NA



**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**2703 Martin Luther King Jr. Way**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
V-2	07/19/2000	31,800	4,440	1,270	2,390	6,820	<500	NA	NA	NA	NA	NA	22.80	8.21	14.59	NA
V-2	10/24/2000	40,100	4,810	1,730	2,960	8,650	734	<10.0	NA	NA	NA	NA	22.80	8.53	14.27	NA
V-2	01/04/2001	37,500	4,510	1,390	2,710	6,880	375	NA	NA	NA	NA	NA	22.80	8.03	14.77	NA
V-2	05/03/2001	51,000	4,000	1,900	2,800	8,200	NA	<200	NA	NA	NA	NA	22.80	6.63	16.17	NA
V-2	07/09/2001	9,600	710	190	180	1,400	NA	<25	NA	NA	NA	NA	22.80	8.75	14.05	NA
V-2	10/18/2001	20,000	2,000	540	560	6,000	NA	<50	NA	NA	NA	NA	22.80	9.60	13.20	0.4
V-2	01/24/2002	36,000	2,900	870	1,700	5,900	NA	<100	NA	NA	NA	NA	22.80	5.93	16.87	4.0
V-2	04/04/2002	49,000	3,900	1,500	2,900	9,300	NA	<200	NA	NA	NA	NA	22.80	5.78	17.02	0.9
V-2	07/18/2002	50,000	3,600	1,300	2,800	9,300	NA	<200	NA	NA	NA	NA	22.80	7.58	15.22	1.3
V-2	10/21/2002	86,000	6,000	1,900	4,200	20,000	NA	<250	NA	NA	NA	NA	28.80	8.40	20.40	1.3
V-2	01/21/2003	13,000	630	200	300	2,400	NA	<25	NA	NA	NA	NA	28.80	6.52	22.28	1.2
V-2	04/17/2003	26,000	2,000	570	750	6,000	NA	<100	NA	NA	NA	NA	28.80	5.93	22.87	1.1
V-2	07/22/2003	6,800	130	34	150	440	NA	<2.5	NA	NA	NA	NA	28.80	7.96	20.84	1.4
V-2	10/20/2003	14,000	680	160	260	2,400	NA	<10	NA	NA	NA	NA	28.80	9.21	19.59	0.7
V-2	01/13/2004	20,000	1,400	410	700	4,200	NA	<13	NA	NA	NA	NA	28.80	6.90	21.90	NA
V-2	01/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.80	8.50	20.30	0.1
V-2	04/01/2004	28,000	2,000	520	650	8,700	NA	NA	NA	NA	NA	NA	28.80	6.84	21.96	0.2
V-2	07/13/2004	21,000	1,900	460	1,000	4,300	NA	NA	NA	NA	NA	NA	28.80	8.28	20.52	0.1
V-2	10/26/2004	43,000	2,700	880	2,300	12,000	NA	NA	NA	NA	NA	NA	28.80	8.43	20.37	0.8
V-2	01/13/2005	23,000	1,400	330	1,800	5,800	NA	NA	NA	NA	NA	NA	28.80	6.67	22.13	0.6
V-2	04/28/2005	16,000	970	230	620	3,800	NA	NA	NA	NA	NA	NA	28.80	5.69	23.11	4.55

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**2703 Martin Luther King Jr. Way**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	------------------------

**Abbreviations:**

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to May 3, 2001, analyzed by EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to May 3, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether, analyzed by EPA Method 8260B

ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260B

TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260B

TBA = Tertiary butyl alcohol, analyzed by EPA Method 8260B

TOC = Top of Casing Elevation

SPH = Separate-Phase Hydrocarbons

GW = Groundwater

DO = Dissolved Oxygen reading

ug/L = Parts per billion

ppm = Parts per million

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

(D) = Duplicate sample

NA = Not applicable

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**2703 Martin Luther King Jr. Way**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	------------------------

Notes:

a = This sample analyzed outside of EPA recommended holding time.

b = Due to error of Sequoia Analytical laboratories, well V-1 confirmed for MTBE by EPA Method 8260 instead of V-2.

c = Hydrocarbon does not match pattern of laboratory's standard.

\* = Water sample from Boring.

Site surveyed June 14, 2001 by Virgil Chavez Land Surveying of Vallejo, CA.

Site surveyed August 13, 2002 by Virgil Chavez Land Surveying of Vallejo, CA.

**Blaine Tech Services, Inc.**

May 13, 2005

1680 Rogers Avenue

San Jose, CA 95112-1105

Attn.: Leon Gearhart

Project#: BTS#050428-DA1

Project: 97093397

Site: 2703 Martin Luther King Jr. Way, Oakland

Dear Mr. Gearhart,

Attached is our report for your samples received on 04/28/2005 14:24


This report has been reviewed and approved for release. Reproduction of this report is permitted only in its entirety.

Please note that any unused portion of the samples will be discarded after 06/12/2005 unless you have requested otherwise.

We appreciate the opportunity to be of service to you. If you have any questions,

You can also contact me via email. My email address is: [mbrewer@stl-inc.com](mailto:mbrewer@stl-inc.com)

Sincerely,



Melissa Brewer  
Project Manager

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050428-DA1  
97093397

Received: 04/28/2005 14:24

Site: 2703 Martin Luther King Jr. Way, Oakland

**Samples Reported**

Sample Name	Date Sampled	Matrix	Lab #
MW-4	04/28/2005 13:09	Water	1
MW-5	04/28/2005 12:52	Water	2
V-1	04/28/2005 12:43	Water	3
V-2	04/28/2005 13:16	Water	4

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050428-DA1  
97093397

Received: 04/28/2005 14:24

Site: 2703 Martin Luther King Jr. Way, Oakland

Prep(s):	5080B	Test(s):	8260B
Sample ID:	MW-4	Lab ID:	2005-04-0868-01
Sampled:	04/28/2005 15:00	Extracted:	05/11/2005 22:18
Matrix:	Water	QC Batch#:	2005/05/11-2A-68
Analysis Flag: L2, pH <2 (See Legend and Note Section)			

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	8600	1000	ug/L	20.00	05/11/2005 22:18	
Benzene	2300	10	ug/L	20.00	05/11/2005 22:18	
Toluene	27	10	ug/L	20.00	05/11/2005 22:18	
Ethylbenzene	200	10	ug/L	20.00	05/11/2005 22:18	
Total xylenes	49	20	ug/L	20.00	05/11/2005 22:18	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	91.6	73-130	%	20.00	05/11/2005 22:18	
Toluene-d8	90.7	81-114	%	20.00	05/11/2005 22:18	

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

05/13/2005 17:00

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050428-DA1  
97093397

Received: 04/28/2005 14:24

Site: 2703 Martin Luther King Jr. Way, Oakland

Prep(s): 5030B      Lab(s): 8260B  
 Sample ID: MW-5      Lab ID: 2005/04/0868-2  
 Sample Date: 04/28/2005 14:24      Extraction: 5/11/2005 22:01  
 Matrix: Water      GC Batch#: 2005/04/28-2A-58  
 Analysis: 12, pH: <2 (See Legend and Note Section)

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	17000	1300	ug/L	25.00	05/11/2005 22:01	
Benzene	2400	13	ug/L	25.00	05/11/2005 22:01	
Toluene	1200	13	ug/L	25.00	05/11/2005 22:01	
Ethylbenzene	320	13	ug/L	25.00	05/11/2005 22:01	
Total xylenes	3400	25	ug/L	25.00	05/11/2005 22:01	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	96.0	73-130	%	25.00	05/11/2005 22:01	
Toluene-d8	86.5	81-114	%	25.00	05/11/2005 22:01	

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050428-DA1  
97093397

Received: 04/28/2005 14:24

Site: 2703 Martin Luther King Jr. Way, Oakland

Prep(s): 8260B	Prep(s): 8260B
Sample ID: 1	Lab ID: 2005-04-0868
Sampled: 04/28/2005 12:48	Received: 05/11/2005 11:22
Matrix: Water	QC Batch#: 2005/05/11/1364
pH: <2	

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	50	ug/L	1.00	05/11/2005 11:22	
Benzene	ND	0.50	ug/L	1.00	05/11/2005 11:22	
Toluene	ND	0.50	ug/L	1.00	05/11/2005 11:22	
Ethylbenzene	ND	0.50	ug/L	1.00	05/11/2005 11:22	
Total xylenes	ND	1.0	ug/L	1.00	05/11/2005 11:22	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	106.0	73-130	%	1.00	05/11/2005 11:22	
Toluene-d8	97.1	81-114	%	1.00	05/11/2005 11:22	

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

05/13/2005 17:00



**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050428-DA1  
97093397

Received: 04/28/2005 14:24

Site: 2703 Martin Luther King Jr. Way, Oakland

Client: STL	Test(s): 8260B
Sample: V2	Lab ID: 2005040868_4
Sample Date: 05/11/2005 (3-1)	Extracted: 5/11/2005 12:00
Matrix: Water	QC Batch#: 2005/05/11/1A/68
Analysis Page 12 of 12 (See Legend and Note Section)	

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	16000	1300	ug/L	25.00	05/11/2005 12:00	
Benzene	970	13	ug/L	25.00	05/11/2005 12:00	
Toluene	230	13	ug/L	25.00	05/11/2005 12:00	
Ethylbenzene	620	13	ug/L	25.00	05/11/2005 12:00	
Total xylenes	3800	25	ug/L	25.00	05/11/2005 12:00	
<b>Surrogate(s)</b>						
1,2-Dichloroethane-d4	80.8	73-130	%	25.00	05/11/2005 12:00	
Toluene-d8	89.7	81-114	%	25.00	05/11/2005 12:00	

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050428-DA1  
97093397

Received: 04/28/2005 14:24

Site: 2703 Martin Luther King Jr. Way, Oakland

Prep(s): 8260B		Batch: 8260B	
Method: Blank		QC Batch: 2005/05/11/1A-64	
MB: 2005/05/11/1A-64-043		Date Extracted: 05/11/2005 07:43	

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	50	ug/L	05/11/2005 07:43	
Benzene	ND	0.5	ug/L	05/11/2005 07:43	
Toluene	ND	0.5	ug/L	05/11/2005 07:43	
Ethylbenzene	ND	0.5	ug/L	05/11/2005 07:43	
Total xylenes	ND	1.0	ug/L	05/11/2005 07:43	
<b>Surrogates(s)</b>					
1,2-Dichloroethane-d4	104.8	73-130	%	05/11/2005 07:43	
Toluene-d8	97.0	81-114	%	05/11/2005 07:43	

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050428-DA1  
97093397

Received: 04/28/2005 14:24

Site: 2703 Martin Luther King Jr. Way, Oakland

Prep(s): 8030B		Sample(s): 8260B	
Method: Blank		Water:	
MB: 2005/05/11/1A/58-051		QC Batch # 2005/05/11/1A-63	
		Date Extracted: 05/11/2005 07:51	

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	50	ug/L	05/11/2005 07:51	
Benzene	ND	0.5	ug/L	05/11/2005 07:51	
Toluene	ND	0.5	ug/L	05/11/2005 07:51	
Ethylbenzene	ND	0.5	ug/L	05/11/2005 07:51	
Total xylenes	ND	1.0	ug/L	05/11/2005 07:51	
<b>Surrogates(s)</b>					
1,2-Dichloroethane-d4	88.6	73-130	%	05/11/2005 07:51	
Toluene-d8	92.6	81-114	%	05/11/2005 07:51	

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050428-DA1  
97093397

Received: 04/28/2005 14:24

Site: 2703 Martin Luther King Jr. Way, Oakland

Batch QC Report					
Prep(s): 5830B					8260B
Method Blank		Water		QC Batch# 2005/05/11-2A166	
MB: 2005/05/11-2A 66-059				Date Extracted: 05/11/2005 18:59	

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	50	ug/L	05/11/2005 18:59	
Benzene	ND	0.5	ug/L	05/11/2005 18:59	
Toluene	ND	0.5	ug/L	05/11/2005 18:59	
Ethylbenzene	ND	0.5	ug/L	05/11/2005 18:59	
Total xylenes	ND	1.0	ug/L	05/11/2005 18:59	
<b>Surrogates(s)</b>					
1,2-Dichloroethane-d4	90.0	73-130	%	05/11/2005 18:59	
Toluene-d8	90.4	81-114	%	05/11/2005 18:59	

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050428-DA1  
97093397

Received: 04/28/2005 14:24

Site: 2703 Martin Luther King Jr. Way, Oakland

Batch QC Report			
Prep(S)	20050510	Water	QC Batch # 2005-05/10-1A-68
Matrix Spike (MS / MSD)			Lab ID# 2005-05-0007-001
MS/MSD		Extracted: 05/11/2005	Analyzed: 05/11/2005 08:50
MS: 2005/05/10-1A-68-050			Dilution: 1:100
MSD: 2005/05/10-1A-68-007		Extracted: 05/11/2005	Analyzed: 05/11/2005 08:07
			Dilution: 1:100

Compound	Conc. ug/L			Spk.Level ug/L	Recovery %			Limits %		Flags	
	MS	MSD	Sample		MS	MSD	RPD	Rec.	RPD	MS	MSD
Benzene	24.8	24.9	2.87	25	87.7	88.1	0.5	69-129	20		
Toluene	23.8	23.0	ND	25	95.2	92.0	3.4	70-130	20		
<b>Surrogate(s)</b>											
1,2-Dichloroethane-d4	405	407		500	81.0	81.3		73-130			
Toluene-d8	432	443		500	86.3	88.7		81-114			

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050428-DA1  
97093397

Received: 04/28/2005 14:24

Site: 2703 Martin Luther King Jr. Way, Oakland

Batch ID / Report		Batch ID / Report	
MS/MSD	2005051122A-080	MS/MSD	2005051122A-081
Matrix Spike (MS / MSD)	Water	GC Batch #	2005051122A168
MS/MSD		Lab ID	2005050024-004
MS	2005051122A-080	Entered	05/11/2005 20:00
MSD	2005051122A-081	Entered	05/11/2005 20:17
		Analysed	05/11/2005 20:00
		Analysed	05/11/2005 20:17
		Dilution	1.00
		Dilution	1.00

Compound	Conc. ug/L			Spk.Level ug/L	Recovery %			Limits %		Flags	
	MS	MSD	Sample		MS	MSD	RPD	Rec.	RPD	MS	MSD
Benzene	24.5	26.5	ND	25	98.0	106.0	7.8	69-129	20		
Toluene	27.9	27.8	0.866	25	108.1	107.7	0.4	70-130	20		
<b>Surrogate(s)</b>											
1,2-Dichloroethane-d4	412	417		500	82.4	83.4		73-130			
Toluene-d8	446	453		500	89.2	90.6		81-114			

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050428-DA1  
97093397

Received: 04/28/2005 14:24

Site: 2703 Martin Luther King Jr. Way, Oakland

**Legend and Notes**

**Analysis Flag**

L2

Reporting limits were raised due to high level of analyte present in the sample.

LAB: SI

# SHELL Chain Of Custody Record

124627

Lab Identification (if necessary):

Address:

City, State, Zip:

Shell Project Manager to be Invoiced:  
 SCIENCE & ENGINEERING  
 TECHNICAL SERVICES  
 CRMP HOUSTON  
**Denis Brown**  
**2005-04-0868**

INCIDENT NUMBER (S&E ONLY)  
**9 7 0 9 3 3 9 7**  
 SAP or CRMT NUMBER (ITS/CRMT)

DATE: **4/29/05**  
 PAGE: **1** of **1**

CARTRIDGE COMPANY:  
**Blaine Tech Services**  
 ADDRESS:  
**1680 Rogers Avenue, San Jose, CA 95112**  
 PROJECT CONTACT (Hardcopy or PDF Report W/):  
**Leon Gearhart**  
 TELEPHONE: **408-573-0555** FAX: **408-573-7771** EMAIL: **lgearhart@blainetech.com**

LOV CODE: **BTSS**  
 SITE ADDRESS (Street and City):  
**2703 Martin Luther King Jr. Way, Oakland**  
 EDP DELIVERABLE TO (Responsible Party or Division):  
**Ana Friel** PHONE NO.: **(767) 442-2700**  
 SAMPLER NUMBER (P/N):  
**David Allbut**

GLOBAL ID NO.: **T0600101876**  
 CONSULTANT PROJECT NO.: **050428-DA.1**  
 EMAIL: **sonomaed@cambria-env.com** BTS #

TURNAROUND TIME (BUSINESS DAYS):  
 10 DAYS  5 DAYS  72 HOURS  48 HOURS  24 HOURS  LESS THAN 24 HOURS  
 LA - RWQCB REPORT FORMAT  LIST AGENCY  
 GCMS MTRC CONFIRMATION: HIGHEST \_\_\_\_\_ HIGHEST per BORING \_\_\_\_\_ ALL \_\_\_\_\_  
 SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF EDD IS NOT NEEDED

REQUESTED ANALYSIS:

TPH - Gas, Purgeable	BTX	NTAS (00218 - Spill RL)	NTBE (00509 - 0 Spill RL)	Polymers (R by focus)	Bibazol (00509)	Methanol	1,2-DCA (00509)	EDS (02600)	TPH - Diesel, Extractable (00150)
----------------------	-----	-------------------------	---------------------------	-----------------------	-----------------	----------	-----------------	-------------	-----------------------------------

FIELD NOTES:  
 Container/Preservative or PID Readings or Laboratory Notes  
**3<sup>rd</sup>**  
 TEMPERATURE ON RECEIPT °C

Lab Job ID	Field Sample Identification	SAMPLING		WATER	NO. OF CONT.	TPH - Gas, Purgeable	BTX	NTAS (00218 - Spill RL)	NTBE (00509 - 0 Spill RL)	Polymers (R by focus)	Bibazol (00509)	Methanol	1,2-DCA (00509)	EDS (02600)	TPH - Diesel, Extractable (00150)	TEMPERATURE ON RECEIPT °C
		DATE	TIME													
	MW-4	4/29/05	1309	W	5	X	X									
	MW-5		1257			X	X									
	V-1		1243			X	X									
	J-2		1316			X	X									

Retrieved by (Signature): **David Allbut**  
 Date: **4/28/05**  
 Retrieved by (Signature): **[Signature]**  
 Date: **4/28/05**

Retrieved by (Signature): **[Signature]**  
 Date: **4/28/05**  
 Retrieved by (Signature): **[Signature]**  
 Date: **4/28/05**

Date: **4/28/05** Time: **1424**  
 Date: **04/28/05** Time: **1728**

CMC Composite 11-19-04-02