



IT Corporation
4005 Port Chicago Highway
Concord, CA 94520-1120
Tel. 925.288.9898
Fax. 925.288.0888

R 147

A Member of The IT Group

January 8, 2002

Mr. Amir Gholami
Hazardous Materials Specialist
Alameda County Health Care Services Agency
Environmental Health Services Department
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

✓ 1032

JAN 23 2002

Subject: Solvent and Gasoline Impacts, STID 1630
Second Quarter 2001, Groundwater Monitoring and Sampling Report
Sears Auto Center No. 1039, 1901-1911 Telegraph Avenue, Oakland, California
IT Corporation Project 803686

Dear Mr. Gholami:

On behalf of Sears, Roebuck and Co., IT Corporation presents the quarterly groundwater monitoring and sampling data collected from the above referenced site on April 27, 2001. Nine groundwater monitoring wells were gauged to determine depth to groundwater and to check for the presence of separate-phase petroleum hydrocarbons. Separate-phase hydrocarbons were not detected in any of the monitoring wells. A potentiometric surface map is provided in Figure 1 (Attachment 1). A summary of historical groundwater elevation data is provided in Table 1 (Attachment 2).

After measuring depth to water, all monitoring wells were purged and sampled. Field data sheets and groundwater monitoring and sample collection protocol are provided in Attachment 3. The groundwater samples were analyzed for total petroleum hydrocarbons as gasoline (TPH-g), methyl tert-butyl ether (MTBE) and dissolved benzene, toluene, ethylbenzene and total xylenes (BTEX) by Environmental Protection Agency (EPA) Method 8260 and GC/MS Combination, and for purgeable halocarbons by EPA Method 8260. Groundwater samples from monitoring wells MW-4 and MW-6 were additionally analyzed for total recoverable petroleum hydrocarbons as oil and grease by EPA Method 418.1 with silica gel application.

Static groundwater levels for the second quarter 2001 ranged from 76.64 to 79.48 feet above mean sea level (approximately 13 to 17 feet below top of casing). Groundwater elevations have increased by about 0.5 foot since the previous quarter (February 27, 2001). The apparent groundwater flow is to the east at an average hydraulic gradient of 0.01 foot per foot, and is similar to previous quarterly data.

Results of quarterly sampling indicated detectable concentrations of dissolved petroleum hydrocarbons in monitoring wells MW-1, MW-2, MW-4, MW-5, MW-7, and MW-9, with highest concentrations of TPH-g and benzene found in MW-7. MTBE was detected in samples collected from two wells, MW-7 and MW-9, at concentrations of 2.7 and 1.9 micrograms per liter ($\mu\text{g/L}$), respectively. All monitoring wells except MW-4 and MW-5 contained detectable concentrations of various halogenated volatile organics, such as 1,2-dichloroethane (1,2-DCA), cis-1,2-dichloroethene, tetrachloroethene (PCE), and trichloroethene (TCE). These compounds are not typically found in gasoline or new/used motor oil. A

summary of the groundwater analytical results is provided in Table 2. A distribution map of dissolved benzene, TPH-g, and MTBE concentrations is provided in Figure 2.

Hydrographs and detectable concentrations versus time data are illustrated in Graphs 1 through 9 (Attachment 4). Petroleum hydrocarbon concentrations below detection limits are not shown on the graphs. Laboratory reports and chain-of-custody documents are provided in Attachment 5.


Concentrations of dissolved petroleum hydrocarbons and halogenated volatile organics have been generally declining in most wells since monitoring began in 1995; however, in well MW-7, BTEX concentrations were reported at higher concentrations than during previous quarters. Low to nondetectable levels of dissolved BTEX and TPH-g concentrations in downgradient wells MW-8 and MW-9 indicate that the downgradient limit of the dissolved gasoline plume is within the site's boundaries.

The source of the dissolved chlorinated hydrocarbons at the subject site is not known; however, TCE and some of the other constituents may be breakdown products of PCE. In a recent study performed by Harding ESE, Inc. (Harding) for the Oakland Uptown Development Project as part of a city revitalization effort, a vicinity map was produced that shows that the highest dissolved PCE concentrations (more than 100 µg/L) occur upgradient (west) of the Sears site. A copy of the Harding study map showing approximate PCE plume concentrations across the Sears site (southern portion of Parcels 1 and 2) and the surrounding adjacent area is presented in Attachment 6 of this report. A table accompanying the study map (Attachment 6), also prepared by Harding as part of their study effort, lists sites with known and potential environmental issues, including sites within the PCE groundwater plume. Although the information provided in the study does not indicate a known source of the solvents at this time, it is our opinion, based on the information provided in Attachment 6, that the source of the solvents is upgradient of the Sears site and caused by parties other than Sears.

All site-related monitoring wells will continue to be sampled on a quarterly basis.


If you have comments or questions, please contact David Bero at (925) 288-2024.

Sincerely,
IT CORPORATION
Submitted by




David A. Bero, F.G., R.G.
West Zone Project Manager
Attachments:

IT CORPORATION
Approved by:



Ed K. Simonis, R.G. #4422
Senior Geologist




1. Figures
2. Tables
3. Groundwater Monitoring and Sample Collection Protocol and Field Data Sheets
4. Graphs
5. Laboratory Reports and Chain-of-Custody Documents
6. City of Oakland Study

c: Mr. Scott M. DeMuth, Manager, Environmental Technical Services, Sears, Roebuck and Co.
IT Corporation Central Files
Project File

Attachment 1

Figures




LEGEND

- ◆ MONITORING WELL
- ⊕ SOIL PROBE
- () POTENTIOMETRIC SURFACE ELEVATION (FEET ABOVE MEAN SEA LEVEL)
- POTENTIOMETRIC SURFACE CONTOUR; INTERVAL = 0.5 FT
- ← GROUNDWATER FLOW DIRECTION AND
 $i=0.015$ AVERAGE GRADIENT (ft/ft)



SEARS, ROEBUCK & CO.
SITE NO. 1039

FIGURE-1
POTENTIOMETRIC SURFACE MAP
(GAUGED 04/27/2001)
1901-1911 TELEGRAPH AVENUE
OAKLAND, CALIFORNIA



LEGEND

- ◆ MONITORING WELL
- ⊕ SOIL PROBE
- [] BENZENE CONCENTRATION [ug/L]
- { } TPH AS GASOLINE CONCENTRATIONS {ug/L}
- () METHYL TERT-BUTYL ETHER (MTBE) CONCENTRATIONS (ug/L)
(ANALYZED BY EPA 8260 AND GC/MS COMBINATION)
- * DUPLICATE



SEARS, ROEBUCK & CO.
SITE NO. 1039

FIGURE-2
CONCENTRATIONS OF BENZENE
TPH-AS-GASOLINE & MTBE
IN GROUNDWATER
(SAMPLED 04/27/2001)
1901-1911 TELEGRAPH AVENUE
OAKLAND, CALIFORNIA

Attachment 2

Tables

TABLE 1
Summary of Historical Groundwater Monitoring Data
 (All measurements are in feet; all elevations are in feet above mean sea level)

Sears Store 1039
 1911 Telegraph Avenue, Oakland, California

Well ID	Casing Elevation	Date	Depth to Water	Depth to Product	Product Thickness	Groundwater Elevation
MW-1	94.34	06/12/1996	16.21	-	-	78.13
		09/05/1996	16.89	-	-	77.45
		12/03/1996	17.07	-	-	77.27
		02/27/1997	15.55	-	-	78.79
		06/10/1997	16.46	-	-	77.88
		08/27/1997	16.97	-	-	77.37
		11/26/1997	17.24	-	-	77.10
		02/11/1998	16.07	-	-	78.27
		05/19/1998	15.43	-	-	78.91
		08/10/1998	15.98	-	-	78.36
		11/09/1998	16.63	-	-	77.71
		02/11/1999	16.55	-	-	77.79
		05/10/1999	15.50	-	-	78.84
		08/09/1999	15.82	-	-	78.52
		11/05/1999	16.29	-	-	78.05
		02/01/2000	16.02	-	-	78.32
		05/02/2000	14.48	-	-	79.86
		08/01/2000	15.20	-	-	79.14
		11/06/2000	15.63	-	-	78.71
		02/16/2001	15.45	-	-	78.89
04/27/2001	14.86	-	-	79.48		
MW-2	93.95	06/12/1996	16.01	-	-	77.94
		09/05/1996	16.66	-	-	77.29
		12/03/1996	16.20	-	-	77.75
		02/27/1997	14.46	-	-	79.49
		06/10/1997	14.00	-	-	79.95
		08/27/1997	16.55	-	-	77.40
		11/26/1997	16.86	-	-	77.09
		02/11/1998	15.85	-	-	78.10
		05/19/1998	15.32	-	-	78.63
		08/10/1998	15.82	-	-	78.13
		11/09/1998	16.53	-	-	77.42
		02/11/1999	16.38	-	-	77.57
		05/10/1999	15.19	-	-	78.76
		08/09/1999	16.09	-	-	77.86
		11/05/1999	16.20	-	-	77.75
		02/01/2000	16.00	-	-	77.95
		05/02/2000	14.90	-	-	79.05
		08/01/2000	15.25	-	-	78.70
		11/06/2000	15.45	-	-	78.50
		02/16/2001	15.50	-	-	78.45
04/27/2001	14.83	-	-	79.12		
MW-3	96.15	06/12/1996	17.56	-	-	78.59
		09/05/1996	18.32	-	-	77.83
		12/03/1996	18.57	-	-	77.58
		02/27/1997	17.43	-	-	78.72
		06/10/1997	18.12	-	-	78.03
		08/27/1997	18.47	-	-	77.68
		11/26/1997	18.70	-	-	77.45
		02/11/1998	17.76	-	-	78.39
		05/19/1998	16.99	-	-	79.16
		08/10/1998	17.51	-	-	78.64
		11/09/1998	18.07	-	-	78.08
		02/11/1999	18.07	-	-	78.08
		05/10/1999	17.04	-	-	79.11
		08/09/1999	17.77	-	-	78.38
		11/05/1999	18.00	-	-	78.15
		02/01/2000	17.95	-	-	78.20
05/02/2000	16.83	-	-	79.32		

TABLE 1
Summary of Historical Groundwater Monitoring Data
 (All measurements are in feet; all elevations are in feet above mean sea level)

Sears Store 1039
 1911 Telegraph Avenue, Oakland, California

Well ID	Casing Elevation	Date	Depth to Water	Depth to Product	Product Thickness	Groundwater Elevation
MW-3 (continued)		08/01/2000	17.13	--	--	79.02
		11/06/2000	17.54	--	--	78.61
		02/16/2001	17.42	--	--	78.73
		04/27/2001	16.80	--	--	79.35
MW-4	92.01	06/12/1996	14.21	--	--	77.80
		09/05/1996	14.83	--	--	77.18
		12/03/1996	13.99	--	--	78.02
		02/27/1997	12.44	--	--	79.57
		06/10/1997	14.20	--	--	77.81
		08/27/1997	14.62	--	--	77.39
		11/26/1997	15.00	--	--	77.01
		02/11/1998	14.10	--	--	77.91
		05/19/1998	13.57	--	--	78.44
		08/10/1998	14.10	--	--	77.91
		11/09/1998	14.75	--	--	77.26
		02/11/1999	14.57	--	--	77.44
		05/10/1999	13.46	--	--	78.55
		08/09/1999	14.15	--	--	77.86
		11/05/1999	14.62	--	--	77.39
		02/01/2000	14.50	--	--	77.51
		05/02/2000	13.40	--	--	78.61
08/01/2000	13.70	--	--	78.31		
11/06/2000	14.00	--	--	78.01		
02/16/2001	13.65	--	--	78.36		
04/27/2001	13.40	--	--	78.61		
MW-5	92.09	06/12/1996	14.13	--	--	77.96
		09/05/1996	14.77	--	--	77.32
		12/03/1996	13.99	--	--	78.10
		02/27/1997	12.08	--	--	80.01
		06/10/1997	16.00	--	--	76.09
		08/27/1997	14.55	--	--	77.54
		11/26/1997	14.95	--	--	77.14
		02/11/1998	13.97	--	--	78.12
		05/19/1998	13.52	--	--	78.57
		08/10/1998	13.97	--	--	78.12
		11/09/1998	14.67	--	--	77.42
		02/11/1999	14.50	--	--	77.59
		05/10/1999	13.23	--	--	78.86
		08/09/1999	13.90	--	--	78.19
		11/05/1999	14.40	--	--	77.69
		02/01/2000	14.15	--	--	77.94
		05/02/2000	13.10	--	--	78.99
08/01/2000	13.52	--	--	78.57		
11/06/2000	13.93	--	--	78.16		
02/16/2001	13.75	--	--	78.34		
04/27/2001	12.95	--	--	79.14		
MW-6	92.16	06/12/1996	14.99	--	--	77.17
		09/05/1996	15.50	--	--	76.66
		12/03/1996	15.07	--	--	77.09
		02/27/1997	14.14	--	--	78.02
		06/10/1997	15.30	--	--	76.86
		08/27/1997	15.42	--	--	76.74
		11/26/1997	15.70	--	--	76.46
		02/11/1998	14.87	--	--	77.29
		05/19/1998	14.32	--	--	77.84
		08/10/1998	14.90	--	--	77.26
		11/09/1998	15.39	--	--	76.77
		02/11/1999	15.21	--	--	76.95
		05/10/1999	14.12	--	--	78.04

TABLE 1
Summary of Historical Groundwater Monitoring Data
 (All measurements are in feet; all elevations are in feet above mean sea level)

Sears Store 1039
 1911 Telegraph Avenue, Oakland, California

Well ID	Casing Elevation	Date	Depth to Water	Depth to Product	Product Thickness	Groundwater Elevation
MW-6 (continued)		08/09/1999	15.00	-	-	77.16
		11/05/1999	15.55	-	-	76.61
		02/01/2000	15.40	-	-	76.76
		05/02/2000	14.55	-	-	77.61
		08/01/2000	14.85	-	-	77.31
		11/06/2000	15.10	-	-	77.06
		02/16/2001	14.93	-	-	77.23
		04/27/2001	14.40	-	-	77.76
MW-7	93.80	06/12/1996	16.56	-	-	77.24
		09/05/1996	17.10	-	-	76.70
		12/03/1996	17.12	-	-	76.68
		02/27/1997	16.20	-	-	77.60
		06/10/1997	17.00	-	-	76.80
		08/27/1997	17.18	-	-	76.62
		11/26/1997	17.40	-	-	76.40
		02/11/1998	16.65	-	-	77.15
		05/19/1998	15.96	-	-	77.84
		08/10/1998	16.48	-	-	77.32
		11/09/1998	16.98	-	-	76.82
		02/11/1999	16.94	-	-	76.86
		05/10/1999	15.87	-	-	77.93
		08/09/1999	16.60	-	-	77.20
		11/05/1999	17.01	-	-	76.79
		02/01/2000	17.00	-	-	76.80
		05/02/2000	16.00	-	-	77.80
		08/01/2000	16.40	-	-	77.40
		11/06/2000	16.67	-	-	77.13
		02/16/2001	16.60	-	-	77.20
04/27/2001	16.00	-	-	77.80		
MW-8	94.49	11/05/1999	18.15	-	-	76.34
		02/01/2000	18.10	-	-	76.39
		05/02/2000	17.26	-	-	77.23
		08/01/2000	17.52	-	-	76.97
		11/06/2000	17.83	-	-	76.66
		02/16/2001	17.74	-	-	76.75
		04/27/2001	17.10	-	-	77.39
MW-9	92.54	11/05/1999	16.86	-	-	75.68
		02/01/2000	16.70	-	-	75.84
		05/02/2000	16.02	-	-	76.52
		08/01/2000	16.34	-	-	76.20
		11/06/2000	16.55	-	-	75.99
		02/16/2001	16.31	-	-	76.23
04/27/2001	15.90	-	-	76.64		

Notes:
 -- = No data for the cell, including "product not detected"

TABLE 2
Summary of Historical Groundwater Analyses
(All results expressed in micrograms per liter)

Sears Store 1039
 1911 Telegraph Avenue, Oakland, California

Well ID	Date Sampled	MTBE	Benzene	Toulene	Ethyl-benzene	Total Xylenes	TPH as Gasoline	PCE	TCE	1,2-DCA	cis-1,2 DCE	1,1-DCE	OIL GREASE	
MW-1	10/01/1995	-	ND	ND	ND	ND	<50	9.9	ND	ND	-	-	-	
	01/01/1996	-	ND	ND	ND	ND	<50	9.9	14	ND	-	-	-	
	06/12/1996	-	<0.5	1.4	<0.5	<2	<50	12	<0.5	<0.5	-	-	-	
	09/05/1996	<5.0	<0.5	<0.5	<0.5	<2	<50	12	<0.5	<0.5	-	-	-	
	12/03/1996	<5.0	<0.5	<0.5	<0.5	<2	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	
	02/27/1997	<5.0	<0.5	<0.5	<0.5	<2	<50	31	1.3	<0.5	<0.5	<0.5	<0.5	-
	06/10/1997	<5.0	<0.5	<0.5	<0.5	<2	<50	19	<0.5	<0.5	<0.5	<0.5	<0.5	-
	08/27/1997	<5.0	<0.5	<0.5	<0.5	<2	<50	16	<0.5	<0.5	<0.5	<0.5	<0.5	-
	11/26/1997	<5.0	<0.5	<0.5	<0.5	<2	<50	17	<0.5	<0.5	<0.5	<0.5	<0.5	-
	02/11/1998	<5.0	<0.5	<0.5	<0.5	<3	<50	20	<0.5	<0.5	<0.5	<0.5	<0.5	-
	05/19/1998	<5.0	<0.5	<0.5	<0.5	<0.5	<4	<50	14	<0.5	<0.5	<0.5	<0.5	-
	08/10/1998	<2.5	<0.5	<0.5	<0.5	<0.5	<5	<50	14	<0.5	<0.5	<0.5	<0.5	-
	11/09/1998	3.1	<0.5	<0.5	<0.5	<0.5	<0.5	<50	16	<0.5	<0.5	<0.5	<0.5	-
	02/08/1999	<2.5	<0.5	<0.5	<0.5	<0.5	<6	<50	<0.5	20	<0.5	<0.5	<0.5	-
	05/10/1999	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<50	14	<0.5	<0.5	<0.5	<0.5	-
	08/09/1999	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<50	14	<0.5	<0.5	<0.5	<0.5	-
	11/05/1999	<2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<50	20	<0.5	<0.5	<0.5	<0.5	-
	02/01/2000	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<50	24	<0.5	<0.5	<0.5	<0.5	-
	05/02/2000	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<50	23	<0.5	<0.5	<0.5	<0.5	-
	08/01/2000	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<50	21	0.5	<0.5	<0.5	<0.5	-
11/06/2000	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<50	31	<0.5	<0.5	<0.5	<0.5	-	
02/16/2001	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<50	32	0.7	<0.5	<0.5	<0.5	-	
04/27/2001	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<50	33	<0.5	<0.5	<0.5	<0.5	-	
MW-2	10/01/1995	-	1,200	5.4	41	5.9	2,900	ND	40	280	-	-	-	
	01/01/1996	-	1,100	11.0	100	6.9	780	ND	38	270	-	-	-	
	06/12/1996	-	890	7.0	56	10	3,600	<3	40	160	-	-	-	
	09/05/1996	<5.0	350	3.0	17	10	2,100	<0.5	29	55	1.9	-	-	
	12/03/1996	40	230	2.4	7.8	7	1,100	<0.5	20	86	7	<0.5	-	
	02/27/1997	12	210	2.2	6	3	1,000	1	25	43	<0.5	<0.5	-	
	06/10/1997	<30	510	3.0	6	<10	1.8	1	19	47	4.9	<0.5	-	
	08/27/1997	11	51	<0.5	1.4	<2	450	0.5	16	29	4.2	<0.5	-	
	11/26/1997	<30	380	5.0	9	12	1,200	1	13	29	3.1	<0.5	-	
	02/11/1998	8	310	4.0	9.8	9	1,100	<0.5	16	<0.5	2.6	0.6	-	
	05/19/1998	20	320	2.1	9.9	8	1,200	1	14	47	1.6	<0.5	-	
	08/10/1998	40	37	1.0	1.2	0.9	300	<0.5	11	30	2.4	<0.5	-	
	11/09/1998	<2.5	57	<0.5	1.7	<0.5	440	<0.5	12	25	2.3	<0.5	-	
	02/08/1999	11	240	2.3	8.9	5	480	<0.5	11	36	1.4	<0.5	-	
	05/10/1999	24/<2.0	260	2.2	7.9	4.2	260	<0.5	7	24	3.4	<0.5	-	
	08/09/1999	14/<2.0	43	0.79	0.54	<0.5	250	<0.5	11	33	2.6	<0.5	-	
	11/05/1999	11/<2.0	63	0.68	0.65	1.1	320	<0.5	13	41	1.3	<0.5	-	
	02/01/2000	<0.5	610/590*	4.4/6.3*	63/65*	5.9/7.1*	1200	<0.5	15	73	2	<0.5	-	
	05/02/2000	<0.5	540/600*	3.7/<5.0*	15/14*	14/11*	930	<0.5	8.4	32	4.5	<0.5	-	
	08/01/2000	<0.5	110	1.2	4.8	1.6	410	<0.5	9.4	23	2.9	<0.5	-	
11/06/2000	20	150/130*	.09/0.9*	4.1/3.7*	1.1/1.0*	450	<0.5	10	20	1.6	<0.5	-		
02/16/2001	<0.5	360/390*	4.4/4.1*	19/17*	8.6/8.1*	640	<0.5	11	19	2.5	<0.5	-		
04/27/2001	<0.5	450/510	3.3/3.5	8.4/10	6.3/7.2	770	<0.5	4.4	11	4.0	<0.5	-		
MW-3	10/01/1995	-	ND	ND	ND	ND	<50	ND	ND	ND	-	-	-	
	01/01/1996	-	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	
	06/12/1996	-	<0.5	<0.5	<0.5	<2	<50	<0.5	<0.5	<0.5	-	-	<0.5	
	09/05/1996	<5.0	<0.5	<0.5	<0.5	<2	<50	<0.5	<0.5	<0.5	-	-	<0.5	
	12/03/1996	<5.0	<0.5	<0.5	<0.5	<2	<50	2.3	<0.5	<0.5	<0.5	<0.5	-	
	02/27/1997	<5.0	<0.5	<0.5	<0.5	<2	<50	6.3	<0.5	<0.5	<0.5	<0.5	-	
	06/10/1997	<5.0	<0.5	<0.5	<0.5	<2	<50	5.9	<0.5	<0.5	<0.5	<0.5	-	
	08/27/1997	<5.0	<0.5	<0.5	<0.5	<2	<50	5.8	<0.5	<0.5	<0.5	<0.5	-	
	11/26/1997	<5.0	<0.5	<0.5	<0.5	<2	<50	7.9	<0.5	<0.5	<0.5	<0.5	-	
	02/11/1998	<5.0	<0.5	<0.5	<0.5	<2	<50	7.9	<0.5	<0.5	<0.5	<0.5	-	
	05/19/1998	<5.0	<0.5	<0.5	<0.5	<2	<50	5.5	<0.5	<0.5	<0.5	<0.5	-	
	08/10/1998	<2.5	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	
	11/09/1998	<2.5	<0.5	<0.5	<0.5	<0.5	<50	5.5	<0.5	<0.5	<0.5	<0.5	-	
	02/08/1999	<2.5	<0.5	<0.5	<0.5	<0.5	<50	6.4	<0.5	<0.5	<0.5	<0.5	-	
	05/10/1999	<2.5	<0.5	<0.5	<0.5	<0.5	<50	5.1	<0.5	<0.5	<0.5	<0.5	-	
	08/09/1999	<2.5	<0.5	<0.5	<0.5	<0.5	<50	4.8	<0.5	<0.5	<0.5	<0.5	-	
	11/05/1999	<2.5	<0.5	<0.5	<0.5	<0.5	<50	7.2	<0.5	<0.5	<0.5	<0.5	-	
	02/01/2000	<0.5	<0.5	<0.5	<0.5	<0.5	<50	6.9	<0.5	<0.5	<0.5	<0.5	-	
	05/02/2000	<0.5	<0.5	<0.5	<0.5	<0.5	<50	6.4	<0.5	<0.5	<0.5	<0.5	-	
	08/01/2000	<0.5	<0.5	<0.5	<0.5	<0.5	<50	5.6	<0.5	<0.5	<0.5	<0.5	-	
11/06/2000	<0.5	<0.5	<0.5	<0.5	<0.5	<50	7.9	<0.5	<0.5	<0.5	<0.5	-		
02/16/2001	<0.5	<0.5	<0.5	<0.5	<0.5	<50	8.9	<0.5	<0.5	<0.5	<0.5	-		
04/27/2001	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<50	8.1	<0.5	<0.5	<0.5	-		

TABLE 2
Summary of Historical Groundwater Analyses
 (All results expressed in micrograms per liter)

Sears Store 1039
 1911 Telegraph Avenue, Oakland, California

Well ID	Date Sampled	MTBE	Benzene	Toulene	Ethyl-benzene	Total Xylenes	TPH as Gasoline	PCE	TCE	1,2-DCA	cs-1,2 DCE	1,1-DCE	OIL/GREASE
MW-4	10/01/1995	-	4.1	ND	ND	ND	<50	ND	ND	ND	-	-	-
	01/01/1996	-	5.8	ND	ND	ND	<50	ND	ND	ND	-	-	-
	06/12/1996	-	11	<0.5	<0.5	<2	320	<0.5	<0.5	<0.5	-	-	<0.5
	09/05/1996	-	5.6	<0.5	<0.5	<2	70	<0.5	<0.5	<0.5	-	-	<0.5
	12/03/1996	15	11	<0.5	<0.5	<2	270	<0.5	<0.5	0.9	<0.5	<0.5	<0.5
	02/27/1997	<5.0	3.1	<0.5	<0.5	<2	190	<0.5	<0.5	<0.5	<0.5	<0.5	<500
	06/10/1997	<5.0	11	<0.5	<0.5	<2	200	<0.5	<0.5	<0.5	<0.5	<0.5	-
	08/27/1997	<5.0	9.6	<0.5	<0.5	<2	170	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	11/26/1997	<5.0	6.7	<0.5	<0.5	<2	100	<0.5	<0.5	<0.5	<0.5	<0.5	<500
	02/11/1998	<5.0	8.4	<0.5	<0.5	<2	110	<0.5	<0.5	<0.5	<0.5	<0.5	<500
	05/19/1998	7	4.6	<0.5	<0.5	<2	110	<0.5	<0.5	<0.5	<0.5	<0.5	<500
	08/10/1998	11	4.1	<0.5	<0.5	<0.5	110	<0.5	<0.5	<0.5	<0.5	<0.5	9,600
	11/09/1998	<2.5	7.5	<0.5	<0.5	<0.5	130	<0.5	<0.5	<0.5	<0.5	<0.5	<500
	02/08/1999	<2.5	6.8	<0.5	<0.5	<0.5	60	<0.5	<0.5	<0.5	<0.5	<0.5	<500
	05/10/1999	<2.0	1.3	<0.5	<0.5	<0.5	61	<0.5	<0.5	<0.5	<0.5	<0.5	<5000
	08/09/1999	3.9/<2.0*	7.9	<0.5	<0.5	<0.5	94	<0.5	<0.5	<0.5	<0.5	<0.5	<1000
	11/05/1999	<2.5	9.0	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
	02/01/2000	<0.5	18	<0.5	<0.5	<0.5	150	<0.5	<0.5	<0.5	<0.5	<0.5	800
	05/02/2000	<0.5	8.5	<0.5	<0.5	<0.5	55	<0.5	<0.5	<0.5	<0.5	<0.5	<1000
	08/01/2000	<0.5	0.9	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<1000
11/06/2000	<0.5	22	<0.5	<0.5	<0.5	88	<0.5	<0.5	<0.5	<0.5	<0.5	<1000	
02/16/2001	<0.5	16	<0.5	<0.5	<0.5	55	<0.5	<0.5	<0.5	<0.5	<0.5	<1000	
04/27/2001	<0.5	0.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1000	
MW-5	10/01/1995	-	86	ND	ND	ND	260	ND	ND	ND	-	-	-
	01/01/1996	-	160	3.6	ND	ND	180	ND	ND	ND	-	-	-
	06/12/1996	-	54	1.1	<0.5	<2	260	<0.5	<0.5	<0.5	-	-	-
	09/05/1996	<5.0	22	1.0	<0.5	<2	160	<0.5	<0.5	<0.5	-	-	-
	12/03/1996	6	18	0.6	<0.5	<2	170	<0.5	<0.5	<0.5	<0.5	<0.5	-
	02/27/1997	<5	74	2.0	<0.5	<2	230	<0.5	<0.5	<0.5	<0.5	<0.5	-
	06/10/1997	<3.0	490	19.0	<3.0	<10	1,200	<0.5	<0.5	<0.5	<0.5	<0.5	-
	08/27/1997	<5.0	100	4.6	<0.5	<2	340	<0.5	<0.5	<0.5	<0.5	<0.5	-
	11/26/1997	<5.0	78	4.5	0.6	<2	400	<0.5	<0.5	<0.5	<0.5	<0.5	-
	02/11/1998	<5.0	82	2.9	<0.5	<2	320	<0.5	<0.5	<0.5	<0.5	<0.5	-
	05/19/1998	<5.0	97	2.6	<0.5	<2	330	<0.5	<0.5	<0.5	<0.5	<0.5	-
	08/10/1998	11	48	1.9	<0.5	<0.5	190	<0.5	<0.5	<0.5	<0.5	<0.5	-
	11/09/1998	<2.5	3.8	<0.5	<0.5	<0.5	81	<0.5	<0.5	<0.5	<0.5	<0.5	-
	02/08/1999	3.8	3	<0.5	<0.5	<0.5	82	<0.5	<0.5	<0.5	<0.5	<0.5	-
	05/10/1999	2.6/<2.0*	8.8	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
	08/09/1999	5.6/<2.0*	25	<0.5	<0.5	<0.5	150	<0.5	<0.5	<0.5	<0.5	<0.5	-
	11/05/1999	4.3/<2.0*	20	<0.5	<0.5	0.76	160	<0.5	<0.5	<0.5	<0.5	<0.5	-
	02/01/2000	<0.5	42	1.2	<0.5	<0.5	180	<0.5	<0.5	<0.5	<0.5	<0.5	-
	05/02/2000	<0.5	12	0.7	<0.5	<0.5	120	<0.5	<0.5	<0.5	<0.5	<0.5	-
	08/01/2000	<0.5	11	<0.5	<0.5	<0.5	69	<0.5	<0.5	<0.5	<0.5	<0.5	-
11/06/2000	<0.5	7.0	<0.5	<0.5	<0.5	72	<0.5	<0.5	<0.5	<0.5	<0.5	-	
02/16/2001	<0.5	1.6	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	
04/27/2001	<0.5	3.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	
MW-6	10/01/1995	-	ND	ND	ND	ND	<50	6.2	11	33	-	-	-
	01/01/1996	-	ND	ND	ND	ND	<50	7.2	12	5.3	-	-	-
	06/12/1996	-	<0.5	<0.5	<0.5	<2	<50	3.6	5	7.9	-	-	<0.5
	09/05/1996	<5	0.8	<0.5	<0.5	<2	<50	5.4	5.2	7.5	-	-	<0.5
	12/03/1996	<5	<0.5	<0.5	<0.5	<2	<50	0.9	0.6	0.5	<0.5	<0.5	<0.5
	02/27/1997	<5	<0.5	<0.5	<0.5	<2	<50	1.3	0.5	<0.5	<0.5	<0.5	<500
	06/10/1997	<5	0.9	<0.5	<0.5	<2	<50	1	<0.5	<0.5	<0.5	<0.5	-
	08/27/1997	<5	<0.5	<0.5	<0.5	<2	<50	0.9	<0.5	<0.5	<0.5	<0.5	<0.5
	11/26/1997	7.6	15	0.9	9.1	<2	320	1.2	0.6	0.8	<0.5	<0.5	<500
	02/11/1998	<5	<0.5	<0.5	<0.5	<2	<50	0.7	<0.5	0.5	<0.5	<0.5	<500
	05/19/1998	<5	0.6	<0.5	<0.5	<2	<50	0.6	<0.5	<0.5	<0.5	<0.5	<500
	08/10/1998	<2.5	<0.5	<0.5	<0.5	<0.5	<50	0.5	0.59	1.3	<0.5	<0.5	9,000
	11/09/1998	<2.5	<0.5	<0.5	<0.5	<0.5	<50	1.2	0.92	1.7	<0.5	<0.5	<500
	02/08/1999	<2.5	<0.5	<0.5	<0.5	<0.5	<50	0.86	<0.5	1.2	<0.5	<0.5	<500
	05/10/1999	<2.5	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5000
	08/09/1999	<2.5	<0.5	<0.5	<0.5	<0.5	<50	0.52	<0.5	<0.5	<0.5	<0.5	<1000
	11/05/1999	<2.5	<0.5	<0.5	<0.5	<0.5	<50	0.89	0.89	1.2	<0.5	<0.5	-
	02/01/2000	<0.5	<0.5	<0.5	<0.5	<0.5	<50	1.2	0.9	2.2	<0.5	<0.5	<1000
	05/02/2000	<0.5	<0.5	<0.5	<0.5	<0.5	<50	2.6	0.8	1.3	<0.5	<0.5	<1000
	08/01/2000	<0.5	<0.5	<0.5	<0.5	<0.5	<50	0.8	0.9	2.3	<0.5	<0.5	<1000
11/06/2000	<0.5	<0.5	<0.5	<0.5	<0.5	<50	0.9	0.9	3.3	<0.5	<0.5	<1000	
02/16/2001	<0.5	<0.5	<0.5	<0.5	<0.5	<50	0.9	1.1	6.2	<0.5	<0.5	<1000	
04/27/2001	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	0.7	3.9	<0.5	<0.5	<1000	

TABLE 2
Summary of Historical Groundwater Analyses
(All results expressed in micrograms per liter)

Sears Store 1039
 1911 Telegraph Avenue, Oakland, California

Well ID	Date Sampled	MTBE	Benzene	Toulene	Ethyl-benzene	Total Xylenes	TPH as Gasoline	PCE	TCE	1,2-DCA	cis-1,2 DCE	1,1-DCE	OIL/ GREASE
MW-7	10/01/1995	-	ND	ND	ND	ND	<50	5.3	3.5	8.3	-	-	-
	01/01/1996	-	ND	ND	ND	ND	<50	9.3	4.8	5.7	-	-	-
	06/12/1996	-	0.6	<0.5	<0.5	<2	<50	6.1	3.4	2.9	-	-	-
	09/05/1996	<5	1.2	<0.5	<0.5	<2	<50	8.3	4.2	5.9	-	-	-
	12/03/1996	<5	850	<5	<5	30	120	4	4	75	<3	<3	<0.5
	02/27/1997	<30	1500	3.0	23	<10	2,500	2	4	65	<0.5	<0.5	-
	06/10/1997	<50	1700	<5	59	<20	3,200	2	4.2	85	<0.5	<0.5	-
	08/27/1997	90	1700	8.0	200	40	3,900	<3	5	93	<3	<3	-
	11/26/1997	90	3,100	15.0	190	30	5,600	3	5.9	120	1	<0.5	-
	02/11/1998	90	3,800	25.0	250	80	8,500	4	8.9	93	1.2	<0.5	-
	05/19/1998	300	2,100	440.0	150	220	5,000	2	3.8	74	0.6	<0.5	-
	08/10/1998	<50	690	<10	13	<10	1,600	<2.5	3.3	100	<2.5	<2.5	-
	11/09/1998	8.7	295	5.5	4.3	1.5	930	4.2	6.5	110	<2.5	<2.5	-
	02/08/1999	<50	670	<10	14	<10	1,500	6	3.4	74	<1.2	<1.2	-
	05/10/1999	63/<2.0*	1,800	16.0	81	130	2,800	1	2.6	65	0.63	<0.5	-
	08/09/1999	300/6.5*	570	5.1	28	30	1,500	<0.5	1.2	95	0.57	<0.5	-
	11/05/1999	150/11*	1,200	<5	61	25	2,100	4	7.8	95	1.6	<0.5	-
	02/01/2000	6.6	2,600	16.0	140	210	4,600	3	6	110	1.7	<0.5	-
	05/02/2000	<5.0	2,700	25	80	270	4,200	<5.0	<5.0	84	<5.0	<5.0	-
	08/01/2000	<10	5,500	27	300	390	5,600	<10	<10	85	<10	<10	-
11/06/2000	<10	3,400	29	230	330	6,000	<10	<10	66	<10	<10	-	
02/16/2001	3.1	3,400	27	200	290	4,400	<2	<2	60	<2	<2	-	
04/27/2001	2.7	6,000	44	390	620	6,100	<2.5	<2.5	37	<2.5	<2.5	-	
MW-8	11/05/1999	<2.5	<0.5	<0.5	<0.5	<0.5	<50	6.2	<0.5	<0.5	<0.5	<0.5	-
	02/01/2000	<0.5*	0.6	<0.5	<0.5	<0.5	<50	7.8	<0.5	<0.5	<0.5	<0.5	-
	05/02/2000	<0.5*	1.1	<0.5	<0.5	<0.5	<50	5.9	<0.5	<0.5	<0.5	<0.5	-
	08/01/2000	<0.5	<0.5	<0.5	<0.5	<0.5	<50	5.6	<0.5	<0.5	<0.5	<0.5	-
	11/06/2000	<0.5	1.3	<0.5	<0.5	<0.5	<50	5.5	<0.5	<0.5	<0.5	<0.5	-
	02/16/2001	<0.5	<0.5	<0.5	<0.5	<0.5	<50	6.0	<0.5	<0.5	<0.5	<0.5	-
04/27/2001	<0.5	<0.5	<0.5	<0.5	<0.5	<50	4.2	<0.5	<0.5	<0.5	<0.5	-	
MW-9	11/05/1999	3/2.4*	<0.5	<0.5	<0.5	<0.5	<50	65	29	32	<0.5	<0.5	-
	02/01/2000	3.0*	2.6	<0.5	<0.5	<0.5	<50	60	22	36	0.7	<0.5	-
	05/02/2000	2.0*	0.6	<0.5	<0.5	<0.5	77	39	19	30	0.5	<0.5	-
	08/01/2000	2.7	<0.5	<0.5	<0.5	<0.5	70	41	19	37	0.7	<0.5	-
	11/06/2000	3.2	0.6	<0.5	<0.5	<0.5	74	31	15	34	0.8	<0.5	-
	02/16/2001	3.4	<0.5	<0.5	<0.5	<0.5	52	26	14	33	0.9	<0.5	-
	04/27/2001	1.9	<0.5	<0.5	<0.5	<0.5	64	42	16	38	0.6	<0.5	-

Notes: Historical data before June 1996 as reported by previous consultants

- = No datum for the cell, including "not analyzed for this constituent"

< = Compound was not detected above the laboratory reporting limits

TPH = Total petroleum hydrocarbons

ND = Non-detectable

PCE = Tetrachloroethene

1,2-DCA = 1,2-Dichloroethane

TCE = Trichloroethene

MTBE = Methyl tert-Butyl ether (Prior to 5/99 analyzed using EPA Method 8020, '99 duplicates and all post-'99 samples analyzed using EPA Method 8260.)

* = Duplicate

cis-1,2-D = CIS-1,2-Dichloroethene

1,1-DCE = 1,1 Dichloroethene

Attachment 3

**Groundwater Monitoring and Sample Collection Protocol
and Field Data Sheets**

IT CORPORATION GROUNDWATER MONITORING AND SAMPLE COLLECTION PROTOCOL

Groundwater Monitoring

Groundwater monitoring is accomplished using an INTERFACE PROBE™ Well Monitoring System. The INTERFACE PROBE™ Well Monitoring System is a hand held, battery operated device for measuring the depth to separate-phase hydrocarbons and depth to water. The INTERFACE PROBE™ Well Monitoring System consists of a dual-sensing probe, which utilized an optical liquid sensor and electrical conductivity to distinguish between water and petroleum products.

Monitoring is accomplished by measuring from the surveyed top of well casing or grade to groundwater and separate-phase hydrocarbons if present. The static water elevation is then calculated for each well and a potentiometric surface map is constructed. If separate-phase hydrocarbons are detected the water elevation is adjusted by the following calculation:

$$(\text{Product thickness}) \times (0.8) + (\text{Water elevation}) = \text{Corrected water elevation}$$

Groundwater monitoring wells are monitored in order of wells with lowest concentrations of volatile organic compounds to wells with the highest concentrations, based upon historical concentrations. If separate-phase hydrocarbons are encountered in a well, the product is visually inspected to confirm and note color, amount, and viscosity. Monitoring equipment is washed with laboratory grade detergent and rinsed with distilled or deionized water before monitoring each well.

Groundwater Sampling

Before groundwater samples are collected, sufficient water is purged from each well to ensure representative formation water is entering the well. Wells are purged and sampled in the same order as monitoring, from wells with the lowest concentrations of volatile organic compounds to wells with the highest concentrations. Wells are purged using either a polyvinyl chloride (PVC) bailer fitted with a check valve or with a stainless steel submersible Grundfos pump. The purge equipment is decontaminated before use in each well by washing with laboratory grade detergent and triple rinsing with deionized or distilled water. A minimum of 3 well-casing volumes of water are removed from each well while pH, electrical conductivity, and temperature are recorded to verify that "fresh" formation water is being sampled and the parameters have stabilized. If the well is low yielding, it may be purged dry and sampled before three casing volumes are purged. The wells are then allowed to recharge to approximately 80 percent of the initial water level before a sample is collected.

Groundwater samples are collected from each well using a new, prepackaged disposable bailer and string. The water sample is decanted from the bailer into laboratory-provided containers (appropriate for the analyses required) so that there is no headspace in the containers. Samples collected for benzene, toluene, ethylbenzene, xylenes, and total petroleum hydrocarbons as gasoline analyses are collected in 40-milliliter vials fitted with Teflon septum lids. Samples are preserved with hydrochloric acid (HCL) to a pH of less than 2. Dissolved metals samples are filtered through a 0.45-micron paper filter in the field and preserved as required before submitting to the laboratory for analyses. All samples are labeled immediately upon collection and logged on the chain-of-custody record. Sample label and chain-of-custody recorded information includes the project name and number, sample identification, date and time of collection, analyses requested, and the sampler's name. Sample bottles are placed in plastic bags (to protect the bottles and labels) and on ice (frozen water) in an insulated cooler and are shipped under chain-of-custody protocol to the laboratory.

The chain-of-custody record documents who has possession of the samples until the analyses is performed. Other pertinent information is also noted for the laboratory use on the chain-of-custody record.

Trip blanks (TBLBs) are used for each project as a quality assurance/quality control measure. The TBLBs are prepared by the laboratory and are placed in the insulated cooler and accompany the field samples throughout the sampling event.

Wright
4/27/01

SITE VISIT FORM
IT Corporation - Concord, California

Project: 823289.03054300
Site: SEARS/1039/Oakland, CA
Project Manager: David Bero

Technician: *H. Merino*
Schedule:
Site Mgr: Brad Wooland

PREPARATORY COMMENTS

Visit Date: *4-27-01* Time of: *7:00* Arrival *13:00* Departure

Work Order read in office: Y/N upon arrival: Y/N upon departure Y/N

Called PM? Y/N Time: Who/Topic:

Are you in possession of a health and safety plan? Y/N

COC: Complete with store #, site address and proj. office address? Y/N

GROUNDWATER SAMPLING - Task Nr: 03054300 [Quarterly]

SITE ADDRESS: 1911 Telegraph Avenue, Oakland, CA

cc: David Bero

Notify: ~~Jennie~~ *Fuli* Pinocci 48 hrs. in advance (510) 444-7662. (she will insure that wells are not covered). *Called 4/26/01 @ 1:35 PM*

Notify Don Whang 72 hrs. in advance (510) 567-6746 DONE: *left message 4/24/01 @ 11:50 AM*

During any sampling activities, a minimum work zone will be defined by a 10ft by 10-ft square centered around the monitor well and marked with 36" -high orange traffic cones with flag poles and flags placed in the center of the cone and caution tape stretched between the cones. Employees will be constantly aware of the public access to the work zone and keep them within the outer perimeter of the cones and caution tape at all times.

1) Monitor and sample nine (9) wells in the following order: MW-3, MW-1, MW-6, MW-4, MW-5, MW-2, MW-8, MW-9, and MW-7. USE DISPOSABLE BAILERS. Collect two (2) 40ml, HCL-preserved VOAs from on site wells.

2) Purge each well of 3 well volumes or until dry. Record DTW, DTP, pH, temperature, conductivity and dissolved oxygen data.

3) Collect one trip blank and one duplicate from MW-2 and submit for BTEX-(EPA 8260). Must use lab trip blank (Zymax).

SITE VISIT FORM
IT Corporation - Concord, California

Project: 823289.03054300
Site: SEARS/1039/Oakland, CA
Project Manager: David Bero

Technician: W. Marino
Schedule:
Site Mgr: Brad Wooland

GROUNDWATER SAMPLING (Continued) - Task Nr. 03054300 (Quarterly)

4) Make a complete drum count and note the general condition of the site, wells and drums. Keep drum area tidy. Label drums properly.

5) Submit samples to Zymax, ph# (805) 544-4696, to be analyzed for BTEX/MTBE/TPH-G (EPA 8260 and GC/MS combination), and Chlorinated hydrocarbons (EPA 8260 - GC/MS). Well MW-4 and MW-6 additionally analyze for Oil and Grease (C/F).

6) COMPLETED ALL THREE PAGES OF DRUM/WASTE INVENTORY FORM? 3. IF NO EXPLAIN _____

Hours Estimated

Hours Used

FINAL CHECKS

SITE SECURITY: wells/covers/gates ... secure? Y/N - If No, explain.

WASTE COMPLIANCE: # of drums: Water 4, Soil _____, Empty _____, Other _____

Drums labeled? NA/Y/N Gen. Date: 4-27-01 Label Type: NONHAZ

SOIL pile? Y/N size: _____ cu. yds.

SITE LEFT CLEAN? Y/N

Travel Time Estimated: 9:00

Travel Time Used: 2:00

On Site Time Estimated: 8:00

On Site Time Used: 6:00

SITE VISIT FORM
IT Corporation

Project: Sears/1039/Oakland
Store #: 1039, 1911 Telegraph Ave
Project Manager: David Bero

Technician:
Schedule:
Job No. 823289.03054300

TECHNICIAN'S COMMENTS

Multiple horizontal lines for technician comments.

TOTAL HOURS ESTIMATED.

HOURS USED:

TRAVEL TIME ESTIMATED:

TRAVEL TIME USED:

TECHNICIAN

SITE VISIT FORM
IT Corporation

Project: Sears/1039/Oakland
Store #: 1039, 1911 Telegraph Ave.
Project Manager: David Bero

Technician: H. Marino
Schedule: 4-27-01
Job No. 823289 03054300

WELL WATER SAMPLING - TASK Nr: 030543 00 [QUARTERLY]

Gauge wells for volume of water & bail 3 well Vol,s DECON
all equipment & change gloves, string, etc. between each well

Well ID

MW-1:	DTB_24.25	DTW <u>14.86</u>	SAT. THICK ___	#GAL. BAILED ___
MW-2:	DTB_24.10	DTW <u>14.83</u>	SAT. THICK ___	#GAL. BAILED ___
MW-3:	DTB_27.75	DTW <u>16.80</u>	SAT. THICK ___	#GAL. BAILED ___
MW-4:	DTB_23.55	DTW <u>13.40</u>	SAT. THICK ___	#GAL. BAILED ___
MW-5:	DTB_25.10	DTW <u>12.95</u>	SAT. THICK ___	#GAL. BAILED ___
MW-6:	DTB_26.75	DTW <u>14.40</u>	SAT. THICK ___	#GAL. BAILED ___
MW-7:	DTB_26.20	DTW <u>16.00</u>	SAT. THICK ___	#GAL. BAILED ___
MW-8:	DTB_25.00	DTW <u>17.10</u>	SAT. THICK ___	#GAL. BAILED ___
MW-9:	DTB_25.00	DTW <u>15.90</u>	SAT. THICK ___	#GAL. BAILED ___

NOTES: Opened all wells before gauging
4 drums in Garage

HOURS ESTIMATED:

HOURS USED:

FINAL CHECKS

Are Wells Locked? YES NO Why Not?

Are Manholes Bolted Down? YES NO Why Not?

DRUMMED MATERIAL INVENTORY FORM

Store Number 1039 Address/City/State/ZIP 1911 Telegraph Ave Oakland Ca.
 Sears Facility Contact and Phone # Herb McIntyre (510) 628-8425
 IT Corporation Representative Hector Merino
 Accumulation Start Date 4-27-01 Completion Date: 4-27-01
 Exact Drum Storage Location inside former garage

CONTENTS	# OF DRUMS	DRUM ID (A,B,C...) OR (1,2,3...)	LID TYPE (OPEN OR BUNG)	LABEL TYPE: HAZARDOUS, NON-HAZARDOUS, UNCLASSIFIED	DRUM DESCRIPTION: COLOR, CONDITION, MARKINGS
	4				
GASOLINE	A,B,C,D	A,B,C,D	O or B	H / N / U	Black & white
GASOLINE/WATER MIXTURE			O or B	H / N / U	
GASOLINE IMPACTED PURGE WATER			O or B	H / N / U	
GASOLINE TANK BOTTOMS/SLUDGE			O or B	H / N / U	
GASOLINE IMPACTED DEBRIS			O or B	H / N / U	
GASOLINE IMPACTED SOIL			O or B	H / N / U	"
FUEL OIL (INC DIESEL & HEATING OIL)			O or B	H / N / U	
FUEL OIL/WATER MIXTURE			O or B	H / N / U	
FUEL OIL IMPACTED PURGE WATER			O or B	H / N / U	
FUEL OIL TANKS BOTTOMS/SLUDGE			O or B	H / N / U	
FUEL OIL IMPACTED DEBRIS			O or B	H / N / U	
FUEL OIL IMPACTED SOIL			O or B	H / N / U	
HYDRAULIC FLUID			O or B	H / N / U	
HYDRAULIC FLUID/WATER MIXTURE			O or B	H / N / U	
HYDRAULIC FLUID IMPACTED PURGE WATER			O or B	H / N / U	
HYDRAULIC FLUID IMPACTED SLUDGE			O or B	H / N / U	
HYDRAULIC FLUID IMPACTED DEBRIS			O or B	H / N / U	
HYDRAULIC FLUID IMPACTED SOIL			O or B	H / N / U	
USED OIL			O or B	H / N / U	
USED OIL/WATER MIXTURE			O or B	H / N / U	
USED OIL IMPACTED PURGE WATER			O or B	H / N / U	
USED OIL TANK BOTTOMS/SLUDGE			O or B	H / N / U	
USED OIL IMPACTED DEBRIS			O or B	H / N / U	
USED OIL IMPACTED SOIL			O or B	H / N / U	
CHLORINATED SOLVENT			O or B	H / N / U	
NON-CHLORINATED SOLVENT			O or B	H / N / U	
OTHER:			O or B	H / N / U	
OTHER:			O or B	H / N / U	
OTHER:			O or B	H / N / U	

NOTE: There should NEVER be 2 drums with the same ID present at a site at the same time!

BULK MATERIAL INVENTORY FORM

Store Number 1039 Address/City/State/ZIP 111 Telegraph Ave Oakland Ca.
 Sears Facility Contact and Phone # Herb McIntyre (510) 628-8425
 IT Corporation Representative Hector Merino
 Accumulation Start Date 4-27-01 Completion Date 4-27-01
 Exact Bulk Storage Location inside former garage

CONTAMINANTS	SOIL (Cu Yds)	DEBRIS (Cu Yds)	LIQUID (Gallons)
GASOLINE			
FUEL OIL			
HYDRAULIC FLUID			
USED OIL			
CHLORINATED SOLVENT			
NON-CHLORINATED SOLVENT			
OTHER			
OTHER			

SOIL PILE CALCULATIONS

Calculation for a tent shaped soil pile:

Length _____ X Width _____ X Height _____ $\div 2 \div 27 =$ _____ Yds³

Calculation for a rectangular or square shaped soil pile:

Length _____ X Width _____ X Height _____ $\div 27 =$ _____ Yds³

Calculation for a conical (cone) shaped soil pile:

.04 X Radius _____ X Radius _____ X Height _____ = _____ Yds³



71 Zaca Lane San Luis Obispo CA 93401 tel 805.544.4696 fax 805.544.8226

CHAIN of CUSTODY

report to David Bero	phone 253-9898 (fax 15728-0587)	ANALYSIS REQUESTED				Turnaround Time ASAP <input type="checkbox"/> 48 hr <input type="checkbox"/> 72 hr <input type="checkbox"/> 24 hr <input checked="" type="checkbox"/>
company IT Corp	project Sears Telegraph # 1039	chlorinated hydrocarbons BTEX (S260) Oil & Grease (S21) Pesticides	BTEX (S260)			
address 4005 Portchicago Hwy, Concord Ca. 94520	project # 823289-03051300					
	sampler Hector Medina					

Zymax Sample ID	SAMPLE DESCRIPTION	Date Sampled	Time	Matrix	Preserve	chlorinated hydrocarbons	BTEX (S260)	Oil & Grease (S21)	Pesticides	# of containers	Remarks
	MW-1	4-27-01	9:00	GW	HCl	X	X			3	
	MW-3		9:40			X	X			3	
	MW-8		9:55			X	X			3	
	MW-9		10:18			X	X			3	
	MW-6		10:25		4250	X	X	X		3	
	MW-4		11:18		4250	X	X	X		3	
	MW-5		12:00			X	X			2	
	MW-2		12:19			X	X			2	
	MW-7		12:38			X	X			2	
	DUP		12:19					X		2	
	TBLB			DI				X		1	

Comments
chlorinated hydrocarbons (S210-GCHRS)
BTEX/HTBE/HTH/G (S260 & GCHRS combo)
DUPE TBLB BTEX (S260) ONLY

Relinquished by:
Signature: *[Signature]*
Print: Hector Medina
Company: IT Corp
Date: 4-27-01 Time: _____

Received by:
Signature: *[Signature]*
Print: Frank Valles
Company: Zymax
Date: 4-30-01 Time: 8:20

Sample integrity upon receipt:

Samples received intact

Samples received cold

Custody seals

Correct container types

Bill 3rd Party:

PO# _____

Quote yes no

Relinquished by:

Signature: _____

Print: _____

Company: _____

Date: _____ Time: _____

Received by Zymax envirotechnology inc:

Signature: _____

Print: _____

Company: _____


Date: _____ Time: _____

Attachment 4

Graphs


Graph 1, MW-1
 Sears Store No. 1039, 1911 Telegraph Avenue,
 Oakland, California

Detectable Hydrocarbon Concentrations and Groundwater Elevation vs. Time




Graph 2, MW-2
 Sears Store No. 1039, 1911 Telegraph Avenue,
 Oakland, California

Detectable Hydrocarbon Concentrations and Groundwater Elevation vs. Time



Graph 3, MW-3
 Sears Store No. 1039, 1911 Telegraph Avenue,
 Oakland, California


Detectable Hydrocarbon Concentrations and Groundwater Elevation vs. Time



NOTE:
 No detectable Benzene, TPH-g, or MTBE


Graph 4, MW-4
 Sears Store No. 1039, 1911 Telegraph Avenue,
 Oakland, California

Detectable Hydrocarbon Concentrations and Groundwater Elevation vs. Time




Graph 5, MW-5
Sears Store No. 1039, 1911 Telegraph Avenue,
Oakland, California

Detectable Hydrocarbon Concentrations and Groundwater Elevation vs. Time




Graph 6, MW-6
 Sears Store No. 1039, 1911 Telegraph Avenue,
 Oakland, California

Detectable Hydrocarbon Concentrations and Groundwater Elevation vs. Time




Graph 7, MW-7
 Sears Store No. 1039, 1911 Telegraph Avenue,
 Oakland, California

Detectable Hydrocarbon Concentrations and Groundwater Elevation vs. Time




Graph 8, MW-8
 Sears Store No. 1039, 1911 Telegraph Avenue,
 Oakland, California

Detectable Hydrocarbon Concentrations and Groundwater Elevation vs. Time



Graph 9, MW-9
 Sears Store No. 1039, 1911 Telegraph Avenue,
 Oakland, California

Detectable Hydrocarbon Concentrations and Groundwater Elevation vs. Time



Attachment 5

Laboratory Reports and Chain-of-Custody Documents

Client: Dave Bero
 The IT Group
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 23704-1
 Collected: 04/27/01
 Received: 04/30/01
 Matrix: Aqueous

Project: Sears - Telegraph #1039
 Project Number: 823289.03054300
 Collected by: Hector Merino

Sample Description:
 MW-1
 Analyzed: 05/10/01
 Method: See Below

CONSTITUENT	PQL* ug/L	RESULT** ug/L
Benzene	0.5	ND
Toluene	0.5	ND
Ethylbenzene	0.5	ND
Xylenes	0.5	ND
Methyl-t-Butyl Ether (MTBE)	0.5	ND
Percent Surrogate Recovery		98

TOTAL PETROLEUM HYDROCARBONS

Total Petroleum Hydrocarbons	50.	ND
BTX as a Percent of Fuel		N/A

ZyMaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.


Note: Analyzed by EPA 8260 and GC/MS Combination.

Note: Analytical range is C4-C12.

Note: TPH quantitated against gasoline.

Note: MTBE not included in TPH result.

Submitted by,
 ZyMaX envirotechnology, inc.



Michael Ng
 Assistant Lab Director

MSD #6
 23704-1.xls
 MN/jdm/bc/bp

Client: Dave Bero
 The IT Group
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 23704-1
Collected: 04/27/01
Received: 04/30/01
Matrix: Aqueous

Project: Sears - Telegraph #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description:
MW-1
Analyzed: 05/10/01
Method: EPA 8260


CONSTITUENT	PQL* ug/L	RESULT** ug/L
PURGEABLE HALOCARBONS		
Bromobenzene	0.5	ND
Bromodichloromethane	0.5	ND
Bromoform	0.5	ND
Bromomethane (Methyl Bromide)	0.5	ND
Carbon Tetrachloride	0.5	ND
Chlorobenzene	0.5	ND
Chloroethane (Ethyl Chloride)	0.5	ND
2-Chloroethylvinyl Ether	1.0	ND
Chloroform	0.5	ND
Chloromethane (Methyl Chloride)	0.5	ND
Dibromochloromethane	0.5	ND
Dibromomethane	0.5	ND
1,2-Dichlorobenzene	0.5	ND
1,3-Dichlorobenzene	0.5	ND
1,4-Dichlorobenzene	0.5	ND
Dichlorodifluoromethane	0.5	ND
1,1-Dichloroethane	0.5	ND
1,2-Dichloroethane (EDC)	0.5	ND
1,1-Dichloroethene	0.5	ND
cis-1,2-Dichloroethene	0.5	ND
trans-1,2-Dichloroethene	0.5	ND
1,2-Dichloropropane	0.5	ND
cis-1,3-Dichloropropene	0.5	ND
trans-1,3-Dichloropropene	0.5	ND
Methylene Chloride	0.5	ND
1,1,1,2-Tetrachloroethane	0.5	ND
1,1,2,2-Tetrachloroethane	0.5	ND
Tetrachloroethene (PCE)	0.5	33.
1,1,1-Trichloroethane (TCA)	0.5	ND
1,1,2-Trichloroethane	0.5	ND
Trichloroethene (TCE)	0.5	ND
Trichlorofluoromethane (freon 11)	0.5	ND
1,2,3-Trichloropropane	0.5	ND
Vinyl Chloride	0.5	ND
Percent Surrogate Recovery		98

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
 ZymaX envirotechnology, inc.


 Michael Ng
 Assistant Lab Director

MSD #6
 23704-1h.xls
 MN/jdm/wj/bp

Client: Dave Bero
 The IT Group
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 23704-8
Collected: 04/27/01
Received: 04/30/01
Matrix: Aqueous

Project: Sears - Telegraph #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description: MW-2
Analyzed: 05/11/01
Method: See Below

CONSTITUENT	PQL* ug/L	RESULT** ug/L
Benzene	0.5	450.
Toluene	0.5	3.3
Ethylbenzene	0.5	8.4
Xylenes	0.5	6.3
Methyl-t-Butyl Ether (MTBE)	0.5	ND
Percent Surrogate Recovery		108

TOTAL PETROLEUM HYDROCARBONS

Total Petroleum Hydrocarbons	50.	770.
BTX as a Percent of Fuel		60

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Note: Analyzed by EPA 8260 and GC/MS Combination.

Note: Analytical range is C4-C12.

Note: TPH quantitated against gasoline.

Note: MTBE not included in TPH result.

Submitted by,
 ZymaX envirotechnology, inc.



Michael Ng
 Assistant Lab Director

MSD #6
 23704-8.xls
 MN/jdm/bp

Client: Dave Bero
 The IT Group
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 23704-8
Collected: 04/27/01
Received: 04/30/01
Matrix: Aqueous

Project: Sears - Telegraph #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description:
Analyzed: MW-2
Method: EPA 8260


CONSTITUENT	PQL * ug/L	RESULT ** ug/L
PURGEABLE HALOCARBONS		
Bromobenzene	0.5	ND
Bromodichloromethane	0.5	ND
Bromoform	0.5	ND
Bromomethane (Methyl Bromide)	0.5	ND
Carbon Tetrachloride	0.5	ND
Chlorobenzene	0.5	ND
Chloroethane (Ethyl Chloride)	0.5	ND
2-Chloroethylvinyl Ether	1.0	ND
Chloroform	0.5	ND
Chloromethane (Methyl Chloride)	0.5	ND
Dibromochloromethane	0.5	ND
Dibromomethane	0.5	ND
1,2-Dichlorobenzene	0.5	ND
1,3-Dichlorobenzene	0.5	ND
1,4-Dichlorobenzene	0.5	ND
Dichlorodifluoromethane	0.5	ND
1,1-Dichloroethane	0.5	ND
1,2-Dichloroethane (EDC)	0.5	11.
1,1-Dichloroethene	0.5	ND
cis-1,2-Dichloroethene	0.5	4.0
trans-1,2-Dichloroethene	0.5	ND
1,2-Dichloropropane	0.5	ND
cis-1,3-Dichloropropene	0.5	ND
trans-1,3-Dichloropropene	0.5	ND
Methylene Chloride	0.5	ND
1,1,1,2-Tetrachloroethane	0.5	ND
1,1,2,2-Tetrachloroethane	0.5	ND
Tetrachloroethene (PCE)	0.5	ND
1,1,1-Trichloroethane (TCA)	0.5	ND
1,1,2-Trichloroethane	0.5	ND
Trichloroethene (TCE)	0.5	4.4
Trichlorofluoromethane (freon 11)	0.5	ND
1,2,3-Trichloropropane	0.5	ND
Vinyl Chloride	0.5	ND
Percent Surrogate Recovery		108

ZyMaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
 ZyMaX envirotechnology, inc.


 Michael Ng
 Assistant Lab Director

MSD #6
 23704-8h.xls
 MN/jdm/wj/bp

Client: Dave Bero
 The IT Group
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 23704-2
 Collected: 04/27/01
 Received: 04/30/01
 Matrix: Aqueous

Project: Sears - Telegraph #1039
 Project Number: 823289.03054300
 Collected by: Hector Merino

Sample Description:
 MW-3
 Analyzed: 05/10/01
 Method: See Below

CONSTITUENT	PQL* ug/L	RESULT** ug/L
Benzene	0.5	ND
Toluene	0.5	ND
Ethylbenzene	0.5	ND
Xylenes	0.5	ND
Methyl-t-Butyl Ether (MTBE)	0.5	ND
Percent Surrogate Recovery		104

TOTAL PETROLEUM HYDROCARBONS

Total Petroleum Hydrocarbons	50.	ND
BTX as a Percent of Fuel		N/A

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.


Note: Analyzed by EPA 8260 and GC/MS Combination.

Note: Analytical range is C4-C12.

Note: TPH quantitated against gasoline.

Note: MTBE not included in TPH result.

Submitted by,
 ZymaX envirotechnology, inc.


 Michael Ng
 Assistant Lab Director

MSD #6
 23704-2.xls
 MN/jdm/bp

Client: Dave Bero
 The IT Group
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 23704-2
 Collected: 04/27/01
 Received: 04/30/01
 Matrix: Aqueous

Project: Sears - Telegraph #1039
 Project Number: 823289.03054300
 Collected by: Hector Merino

Sample Description:
 MW-3
 Analyzed: 05/10/01
 Method: EPA 8260

CONSTITUENT	PQL* ug/L	RESULT** ug/L
PURGEABLE HALOCARBONS		
Bromobenzene	0.5	ND
Bromodichloromethane	0.5	ND
Bromoform	0.5	ND
Bromomethane (Methyl Bromide)	0.5	ND
Carbon Tetrachloride	0.5	ND
Chlorobenzene	0.5	ND
Chloroethane (Ethyl Chloride)	0.5	ND
2-Chloroethylvinyl Ether	1.0	ND
Chloroform	0.5	ND
Chloromethane (Methyl Chloride)	0.5	ND
Dibromochloromethane	0.5	ND
Dibromomethane	0.5	ND
1,2-Dichlorobenzene	0.5	ND
1,3-Dichlorobenzene	0.5	ND
1,4-Dichlorobenzene	0.5	ND
Dichlorodifluoromethane	0.5	ND
1,1-Dichloroethane	0.5	ND
1,2-Dichloroethane (EDC)	0.5	ND
1,1-Dichloroethene	0.5	ND
cis-1,2-Dichloroethene	0.5	ND
trans-1,2-Dichloroethene	0.5	ND
1,2-Dichloropropane	0.5	ND
cis-1,3-Dichloropropene	0.5	ND
trans-1,3-Dichloropropene	0.5	ND
Methylene Chloride	0.5	ND
1,1,1,2-Tetrachloroethane	0.5	ND
1,1,2,2-Tetrachloroethane	0.5	ND
Tetrachloroethene (PCE)	0.5	8.1
1,1,1-Trichloroethane (TCA)	0.5	ND
1,1,2-Trichloroethane	0.5	ND
Trichloroethene (TCE)	0.5	ND
Trichlorofluoromethane (freon 11)	0.5	ND
1,2,3-Trichloropropane	0.5	ND
Vinyl Chloride	0.5	ND
Percent Surrogate Recovery		90

ZyMaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
 ZyMaX envirotechnology, inc.


 Michael Ng
 Assistant Lab Director

MSD #6
 23704-2h.xls
 MN/jdm/wj/bc/bp

Client: Dave Bero
 The IT Group
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 23704-6
Collected: 04/27/01
Received: 04/30/01
Matrix: Aqueous

Project: Sears - Telegraph #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description: MW-4
Analyzed: 05/10/01
Method: See Below

CONSTITUENT	PQL* ug/L	RESULT** ug/L
Benzene	0.5	0.7
Toluene	0.5	ND
Ethylbenzene	0.5	ND
Xylenes	0.5	ND
Methyl-t-Butyl Ether (MTBE)	0.5	ND
Percent Surrogate Recovery		102

TOTAL PETROLEUM HYDROCARBONS

Total Petroleum Hydrocarbons	50.	ND
BTX as a Percent of Fuel		N/A

ZyMaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.


Note: Analyzed by EPA 8260 and GC/MS Combination.

Note: Analytical range is C4-C12.

Note: TPH quantitated against gasoline.

Note: MTBE not included in TPH result.

Submitted by,
 ZyMaX envirotechnology, inc.



Michael Ng
 Assistant Lab Director

MSD #6
 23704-6.xls
 MN/jdm/bp

Client: Dave Bero
 The IT Group
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 23704-6
 Collected: 04/27/01
 Received: 04/30/01
 Matrix: Aqueous

Project: Sears - Telegraph #1039
 Project Number: 823289.03054300
 Collected by: Hector Merino

Sample Description:
 MW-4
 Analyzed: 05/10/01
 Method: EPA 8260


CONSTITUENT	PQL* ug/L	RESULT** ug/L
PURGEABLE HALOCARBONS		
Bromobenzene	0.5	ND
Bromodichloromethane	0.5	ND
Bromoform	0.5	ND
Bromomethane (Methyl Bromide)	0.5	ND
Carbon Tetrachloride	0.5	ND
Chlorobenzene	0.5	ND
Chloroethane (Ethyl Chloride)	0.5	ND
2-Chloroethylvinyl Ether	1.0	ND
Chloroform	0.5	ND
Chloromethane (Methyl Chloride)	0.5	ND
Dibromochloromethane	0.5	ND
Dibromomethane	0.5	ND
1,2-Dichlorobenzene	0.5	ND
1,3-Dichlorobenzene	0.5	ND
1,4-Dichlorobenzene	0.5	ND
Dichlorodifluoromethane	0.5	ND
1,1-Dichloroethane	0.5	ND
1,2-Dichloroethane (EDC)	0.5	ND
1,1-Dichloroethene	0.5	ND
cis-1,2-Dichloroethene	0.5	ND
trans-1,2-Dichloroethene	0.5	ND
1,2-Dichloropropane	0.5	ND
cis-1,3-Dichloropropene	0.5	ND
trans-1,3-Dichloropropene	0.5	ND
Methylene Chloride	0.5	ND
1,1,1,2-Tetrachloroethane	0.5	ND
1,1,2,2-Tetrachloroethane	0.5	ND
Tetrachloroethene (PCE)	0.5	ND
1,1,1-Trichloroethane (TCA)	0.5	ND
1,1,2-Trichloroethane	0.5	ND
Trichloroethene (TCE)	0.5	ND
Trichlorofluoromethane (freon 11)	0.5	ND
1,2,3-Trichloropropane	0.5	ND
Vinyl Chloride	0.5	ND
Percent Surrogate Recovery		102

ZyMaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
 ZyMaX envirotechnology, inc.


 Michael Ng
 Assistant Lab Director

MSD #6
 23704-6h.xls
 MN/jdm/wj/bc/bp

Client: Dave Bero
 The IT Group
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 23704-6
 Collected: 04/27/01
 Received: 04/30/01
 Matrix: Aqueous

Project: Sears - Telegraph #1039
 Project Number: 823289.03054300
 Collected by: Hector Merino

Sample Description:
 MW-4
 Analyzed: 05/04/01
 Method: EPA 418.1

Oil & Grease

CONSTITUENT	PQL* mg/L	RESULT** mg/L
-------------	--------------	------------------


Oil & Grease	1.0	ND
--------------	-----	----

ZyMaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
 ZyMaX envirotechnology, inc.



Michael Ng
 Assitant Lab Director

23704-6r.xls
 MN/jdm/dz/ws

Client: Dave Bero
 The IT Group
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 23704-7
Collected: 04/27/01
Received: 04/30/01
Matrix: Aqueous

Project: Sears - Telegraph #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description:
 MW-5
Analyzed: 05/11/01
Method: See Below

CONSTITUENT	PQL* ug/L	RESULT** ug/L
Benzene	0.5	3.1
Toluene	0.5	ND
Ethylbenzene	0.5	ND
Xylenes	0.5	ND
Methyl-t-Butyl Ether (MTBE)	0.5	ND
Percent Surrogate Recovery		101

TOTAL PETROLEUM HYDROCARBONS

Total Petroleum Hydrocarbons	50.	ND
BTX as a Percent of Fuel		N/A

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.


Note: Analyzed by EPA 8260 and GC/MS Combination.

Note: Analytical range is C4-C12.

Note: TPH quantitated against gasoline.

Note: MTBE not included in TPH result.

Submitted by,
 ZymaX envirotechnology, inc.



Michael Ng
 Assistant Lab Director

MSD #6
 23704-7.xls
 MN/jdm/bc

Client: Dave Bero
 The IT Group
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 23704-7
Collected: 04/27/01
Received: 04/30/01
Matrix: Aqueous

Project: Sears - Telegraph #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description:
 MW-5
Analyzed: 05/11/01
Method: EPA 8260


CONSTITUENT	PQL* ug/L	RESULT** ug/L
PURGEABLE HALOCARBONS		
Bromobenzene	0.5	ND
Bromodichloromethane	0.5	ND
Bromoform	0.5	ND
Bromomethane (Methyl Bromide)	0.5	ND
Carbon Tetrachloride	0.5	ND
Chlorobenzene	0.5	ND
Chloroethane (Ethyl Chloride)	0.5	ND
2-Chloroethylvinyl Ether	1.0	ND
Chloroform	0.5	ND
Chloromethane (Methyl Chloride)	0.5	ND
Dibromochloromethane	0.5	ND
Dibromomethane	0.5	ND
1,2-Dichlorobenzene	0.5	ND
1,3-Dichlorobenzene	0.5	ND
1,4-Dichlorobenzene	0.5	ND
Dichlorodifluoromethane	0.5	ND
1,1-Dichloroethane	0.5	ND
1,2-Dichloroethane (EDC)	0.5	ND
1,1-Dichloroethene	0.5	ND
cis-1,2-Dichloroethene	0.5	ND
trans-1,2-Dichloroethene	0.5	ND
1,2-Dichloropropane	0.5	ND
cis-1,3-Dichloropropene	0.5	ND
trans-1,3-Dichloropropene	0.5	ND
Methylene Chloride	0.5	ND
1,1,1,2-Tetrachloroethane	0.5	ND
1,1,2,2-Tetrachloroethane	0.5	ND
Tetrachloroethene (PCE)	0.5	ND
1,1,1-Trichloroethane (TCA)	0.5	ND
1,1,2-Trichloroethane	0.5	ND
Trichloroethene (TCE)	0.5	ND
Trichlorofluoromethane (freon 11)	0.5	ND
1,2,3-Trichloropropane	0.5	ND
Vinyl Chloride	0.5	ND
Percent Surrogate Recovery		101

ZyMaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
 ZyMaX envirotechnology, inc.


 Michael Ng
 Assistant Lab Director

MSD #6
 23704-7h.xls
 MN/jdm/wj/bc/bp



REPORT OF ANALYTICAL RESULTS

Client: Dave Bero
The IT Group
4005 Port Chicago Hwy
Concord, CA 94520-1120

Lab Number: 23704-5
Collected: 04/27/01
Received: 04/30/01
Matrix: Aqueous

Project: Sears - Telegraph #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description:
MW-6
Analyzed: 05/10/01
Method: See Below

CONSTITUENT	PQL* ug/L	RESULT** ug/L
Benzene	0.5	ND
Toluene	0.5	ND
Ethylbenzene	0.5	ND
Xylenes	0.5	ND
Methyl-t-Butyl Ether (MTBE)	0.5	ND
Percent Surrogate Recovery		99

TOTAL PETROLEUM HYDROCARBONS

Total Petroleum Hydrocarbons	50.	ND
BTX as a Percent of Fuel		N/A

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.


Note: Analyzed by EPA 8260 and GC/MS Combination.

Note: Analytical range is C4-C12.

Note: TPH quantitated against gasoline.

Note: MTBE not included in TPH result.

Submitted by,
ZymaX envirotechnology, inc.


Michael Ng
Assistant Lab Director

MSD #6
23704-5.xls
MN/jdm/bp



REPORT OF ANALYTICAL RESULTS

Client: Dave Bero
The IT Group
4005 Port Chicago Hwy
Concord, CA 94520-1120

Lab Number: 23704-5
Collected: 04/27/01
Received: 04/30/01
Matrix: Aqueous

Project: Sears - Telegraph #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description:
MW-6
Analyzed: 05/10/01
Method: EPA 8260

CONSTITUENT	PQL* ug/L	RESULT** ug/L
PURGEABLE HALOCARBONS		
Bromobenzene	0.5	ND
Bromodichloromethane	0.5	ND
Bromoform	0.5	ND
Bromomethane (Methyl Bromide)	0.5	ND
Carbon Tetrachloride	0.5	ND
Chlorobenzene	0.5	ND
Chloroethane (Ethyl Chloride)	0.5	ND
2-Chloroethylvinyl Ether	1.0	ND
Chloroform	0.5	ND
Chloromethane (Methyl Chloride)	0.5	ND
Dibromochloromethane	0.5	ND
Dibromomethane	0.5	ND
1,2-Dichlorobenzene	0.5	ND
1,3-Dichlorobenzene	0.5	ND
1,4-Dichlorobenzene	0.5	ND
Dichlorodifluoromethane	0.5	ND
1,1-Dichloroethane	0.5	ND
1,2-Dichloroethane (EDC)	0.5	3.9
1,1-Dichloroethene	0.5	ND
cis-1,2-Dichloroethene	0.5	ND
trans-1,2-Dichloroethene	0.5	ND
1,2-Dichloropropane	0.5	ND
cis-1,3-Dichloropropene	0.5	ND
trans-1,3-Dichloropropene	0.5	ND
Methylene Chloride	0.5	ND
1,1,1,2-Tetrachloroethane	0.5	ND
1,1,2,2-Tetrachloroethane	0.5	ND
Tetrachloroethene (PCE)	0.5	0.7
1,1,1-Trichloroethane (TCA)	0.5	ND
1,1,2-Trichloroethane	0.5	ND
Trichloroethene (TCE)	0.5	0.7
Trichlorofluoromethane (freon 11)	0.5	ND
1,2,3-Trichloropropane	0.5	ND
Vinyl Chloride	0.5	ND
Percent Surrogate Recovery		99

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
ZymaX envirotechnology, inc.

Michael Ng
Assistant Lab Director

MSD #6
23704-5h.xls
MN/jdm/wj/bc/bp

Client: Dave Bero
The IT Group
4005 Port Chicago Hwy
Concord, CA 94520-1120

Lab Number: 23704-5
Collected: 04/27/01
Received: 04/30/01
Matrix: Aqueous

Project: Sears - Telegraph #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description: MW-6
Analyzed: 05/04/01
Method: EPA 418.1

Oil & Grease

CONSTITUENT	PQL* mg/L	RESULT** mg/L
-------------	--------------	------------------

Oil & Grease	1.0	ND
--------------	-----	----


ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

23704-5r.xls
MN/jdm/dz/ws

Submitted by,
ZymaX envirotechnology, inc.


Michael Ng
Assitant Lab Director

Client: Dave Bero
 The IT Group
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 23704-9
Collected: 04/27/01
Received: 04/30/01
Matrix: Aqueous

Project: Sears - Telegraph #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description: MW-7
Analyzed: 05/11/01
Method: See Below

CONSTITUENT	PQL* ug/L	RESULT** ug/L
Benzene	2.0	6000.
Toluene	2.0	44.
Ethylbenzene	2.0	390.
Xylenes	2.0	620.
Methyl-t-Butyl Ether (MTBE)	2.0	2.7
Percent Surrogate Recovery		106

TOTAL PETROLEUM HYDROCARBONS

Total Petroleum Hydrocarbons	200.	6100.
BTX as a Percent of Fuel		109

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.


Note: Analyzed by EPA 8260 and GC/MS Combination.

Note: Analytical range is C4-C12.

Note: TPH quantitated against gasoline.

Note: MTBE not included in TPH result.

Submitted by,
 ZymaX envirotechnology, inc.


 Michael Ng
 Assistant Lab Director

MSD #6
 23704-9.xls
 MN/jdm/bc

Client: Dave Bero
 The IT Group
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 23704-9
Collected: 04/27/01
Received: 04/30/01
Matrix: Aqueous

Project: Sears - Telegraph #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description:
 MW-7
Analyzed: 05/11/01
Method: EPA 8260


CONSTITUENT	PQL* ug/L	RESULT** ug/L
PURGEABLE HALOCARBONS		
Bromobenzene	2.5	ND
Bromodichloromethane	2.5	ND
Bromoform	2.5	ND
Bromomethane (Methyl Bromide)	2.5	ND
Carbon Tetrachloride	2.5	ND
Chlorobenzene	2.5	ND
Chloroethane (Ethyl Chloride)	2.5	ND
2-Chloroethylvinyl Ether	5.0	ND
Chloroform	2.5	ND
Chloromethane (Methyl Chloride)	2.5	ND
Dibromochloromethane	2.5	ND
Dibromomethane	2.5	ND
1,2-Dichlorobenzene	2.5	ND
1,3-Dichlorobenzene	2.5	ND
1,4-Dichlorobenzene	2.5	ND
Dichlorodifluoromethane	2.5	ND
1,1-Dichloroethane	2.5	ND
1,2-Dichloroethane (EDC)	2.5	37.
1,1-Dichloroethene	2.5	ND
cis-1,2-Dichloroethene	2.5	ND
trans-1,2-Dichloroethene	2.5	ND
1,2-Dichloropropane	2.5	ND
cis-1,3-Dichloropropene	2.5	ND
trans-1,3-Dichloropropene	2.5	ND
Methylene Chloride	2.5	ND
1,1,1,2-Tetrachloroethane	2.5	ND
1,1,2,2-Tetrachloroethane	2.5	ND
Tetrachloroethene (PCE)	2.5	ND
1,1,1-Trichloroethane (TCA)	2.5	ND
1,1,2-Trichloroethane	2.5	ND
Trichloroethene (TCE)	2.5	ND
Trichlorofluoromethane (freon 11)	2.5	ND
1,2,3-Trichloropropane	2.5	ND
Vinyl Chloride	2.5	ND
Percent Surrogate Recovery		104

ZyMaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
 ZyMaX envirotechnology, inc.


 Michael Ng
 Assistant Lab Director

MSD #6
 23704-9h.xls
 MN/jdm/wj/bp/bc

Client: Dave Bero
 The IT Group
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 23704-3
Collected: 04/27/01
Received: 04/30/01
Matrix: Aqueous

Project: Sears - Telegraph #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description:
 MW-8
Analyzed: 05/10/01
Method: See Below

CONSTITUENT	PQL* ug/L	RESULT** ug/L
Benzene	0.5	ND
Toluene	0.5	ND
Ethylbenzene	0.5	ND
Xylenes	0.5	ND
Methyl-t-Butyl Ether (MTBE)	0.5	ND
Percent Surrogate Recovery		95

TOTAL PETROLEUM HYDROCARBONS

Total Petroleum Hydrocarbons	50.	ND
BTX as a Percent of Fuel		N/A

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Note: Analyzed by EPA 8260 and GC/MS Combination.


Note: Analytical range is C4-C12.

Note: TPH quantitated against gasoline.

Note: MTBE not included in TPH result.

MSD #6
 23704-3.xls
 MN/jdm/bp

Submitted by,
 ZymaX envirotechnology, inc.


 Michael Ng
 Assistant Lab Director

Client: Dave Bero
 The IT Group
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 23704-3
Collected: 04/27/01
Received: 04/30/01
Matrix: Aqueous

Project: Sears - Telegraph #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description:
Analyzed: MW-8
Method: EPA 8260


CONSTITUENT	PQL* ug/L	RESULT** ug/L
PURGEABLE HALOCARBONS		
Bromobenzene	0.5	ND
Bromodichloromethane	0.5	ND
Bromoform	0.5	ND
Bromomethane (Methyl Bromide)	0.5	ND
Carbon Tetrachloride	0.5	ND
Chlorobenzene	0.5	ND
Chloroethane (Ethyl Chloride)	0.5	ND
2-Chloroethylvinyl Ether	1.0	ND
Chloroform	0.5	ND
Chloromethane (Methyl Chloride)	0.5	ND
Dibromochloromethane	0.5	ND
Dibromomethane	0.5	ND
1,2-Dichlorobenzene	0.5	ND
1,3-Dichlorobenzene	0.5	ND
1,4-Dichlorobenzene	0.5	ND
Dichlorodifluoromethane	0.5	ND
1,1-Dichloroethane	0.5	ND
1,2-Dichloroethane (EDC)	0.5	ND
1,1-Dichloroethene	0.5	ND
cis-1,2-Dichloroethene	0.5	ND
trans-1,2-Dichloroethene	0.5	ND
1,2-Dichloropropane	0.5	ND
cis-1,3-Dichloropropene	0.5	ND
trans-1,3-Dichloropropene	0.5	ND
Methylene Chloride	0.5	ND
1,1,1,2-Tetrachloroethane	0.5	ND
1,1,2,2-Tetrachloroethane	0.5	ND
Tetrachloroethene (PCE)	0.5	4.2
1,1,1-Trichloroethane (TCA)	0.5	ND
1,1,2-Trichloroethane	0.5	ND
Trichloroethene (TCE)	0.5	ND
Trichlorofluoromethane (freon 11)	0.5	ND
1,2,3-Trichloropropane	0.5	ND
Vinyl Chloride	0.5	ND
Percent Surrogate Recovery		95

ZyMaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
 ZyMaX envirotechnology, inc.


 Michael Ng
 Assistant Lab Director

MSD #6
 23704-3h.xls
 MN/jdm/wj/bc/bp

Client: Dave Bero
 The IT Group
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 23704-4
Collected: 04/27/01
Received: 04/30/01
Matrix: Aqueous

Project: Sears - Telegraph #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description: MW-9
Analyzed: 05/10/01
Method: See Below

CONSTITUENT	PQL* ug/L	RESULT** ug/L
Benzene	0.5	ND
Toluene	0.5	ND
Ethylbenzene	0.5	ND
Xylenes	0.5	ND
Methyl-t-Butyl Ether (MTBE)	0.5	1.9
Percent Surrogate Recovery		105

TOTAL PETROLEUM HYDROCARBONS

Total Petroleum Hydrocarbons	50.	64.
BTX as a Percent of Fuel		N/A

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Note: Analyzed by EPA 8260 and GC/MS Combination.

Note: Analytical range is C4-C12.

Note: TPH quantitated against gasoline.

Note: MTBE not included in TPH result.

Submitted by,
 ZymaX envirotechnology, inc.



Michael Ng
 Assistant Lab Director

MSD #6
 23704-4.xls
 MN/jdm/bp

Client: Dave Bero
 The IT Group
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 23704-4
Collected: 04/27/01
Received: 04/30/01
Matrix: Aqueous

Project: Sears - Telegraph #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description:
 MW-9
Analyzed: 05/10/01
Method: EPA 8260

CONSTITUENT	PQL* ug/L	RESULT** ug/L
PURGEABLE HALOCARBONS		
Bromobenzene	0.5	ND
Bromodichloromethane	0.5	ND
Bromoform	0.5	ND
Bromomethane (Methyl Bromide)	0.5	ND
Carbon Tetrachloride	0.5	ND
Chlorobenzene	0.5	ND
Chloroethane (Ethyl Chloride)	0.5	ND
2-Chloroethylvinyl Ether	1.0	ND
Chloroform	0.5	ND
Chloromethane (Methyl Chloride)	0.5	ND
Dibromochloromethane	0.5	ND
Dibromomethane	0.5	ND
1,2-Dichlorobenzene	0.5	ND
1,3-Dichlorobenzene	0.5	ND
1,4-Dichlorobenzene	0.5	ND
Dichlorodifluoromethane	0.5	ND
1,1-Dichloroethane	0.5	ND
1,2-Dichloroethane (EDC)	0.5	38.
1,1-Dichloroethene	0.5	ND
cis-1,2-Dichloroethene	0.5	0.6
trans-1,2-Dichloroethene	0.5	ND
1,2-Dichloropropane	0.5	ND
cis-1,3-Dichloropropene	0.5	ND
trans-1,3-Dichloropropene	0.5	ND
Methylene Chloride	0.5	ND
1,1,1,2-Tetrachloroethane	0.5	ND
1,1,2,2-Tetrachloroethane	0.5	ND
Tetrachloroethene (PCE)	0.5	42.
1,1,1-Trichloroethane (TCA)	0.5	ND
1,1,2-Trichloroethane	0.5	ND
Trichloroethene (TCE)	0.5	16.
Trichlorofluoromethane (freon 11)	0.5	ND
1,2,3-Trichloropropane	0.5	ND
Vinyl Chloride	0.5	ND
Percent Surrogate Recovery		105

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
 ZymaX envirotechnology, inc.

Michael Ng
 Michael Ng
 Assistant Lab Director

MSD #6
 23704-4h.xls
 MN/jdm/wj/bc/bp

Client: Dave Bero
The IT Group
4005 Port Chicago Hwy
Concord, CA 94520-1120

Lab Number: 23704-10
Collected: 04/27/01
Received: 04/30/01
Matrix: Aqueous

Project: Sears - Telegraph #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description:
Dup
Analyzed: 05/05/01
Method: EPA 8260

CONSTITUENT	PQL* ug/L	RESULT** ug/L
Benzene	0.5	510.
Toluene	0.5	3.5
Ethylbenzene	0.5	10.
Xylenes	0.5	7.2
Percent Surrogate Recovery		100

ZyMaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

MSD #8
23704-10.xls
MN/lb/wj/hs

Submitted by,
ZyMaX envirotechnology, inc.


Michael Ng
Assistant Lab Director

Client: Dave Bero
The IT Group
4005 Port Chicago Hwy
Concord, CA 94520-1120

Lab Number: 23704-11
Collected: 04/27/01
Received: 04/30/01
Matrix: Aqueous

Project: Sears - Telegraph #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description:
TBLB
Analyzed: 05/07/01
Method: EPA 8260

CONSTITUENT	PQL* ug/L	RESULT** ug/L
Benzene	0.5	ND
Toluene	0.5	ND
Ethylbenzene	0.5	ND
Xylenes	0.5	ND
Percent Surrogate Recovery		98

ZyMaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

MSD #8
23704-11.xls
MN/lb/bp

Submitted by,
ZyMaX envirotechnology, inc.


Michael Ng
Assistant Lab Director

report to David Bero	phone 288-9898 fax (805) 788-0888	ANALYSIS REQUESTED	Turnaround Time ASAP <input type="checkbox"/> 48 hr <input type="checkbox"/> 12 hr <input type="checkbox"/> 72 hr <input type="checkbox"/> 24 hr <input type="checkbox"/> <input checked="" type="checkbox"/>
company IT Corp	project Sears/Telegraph # 1039		
address 4005 Portchicago Hwy Concord, Ca. 94520	project # 823289, 03054300 sampler Hector Merino		

Zymax use only	SAMPLE DESCRIPTION	Date Sampled	Time	Matrix	Preserve	Chlorinated Hydrocarbon	BTEX/MTBE/PHEN	Oil & Grease (EEF)	BTEX (8260)	# of containers	Remarks
23704-1	MW-1	4-27-01	9:00	GW	HCl	X	X			2	
-2	MW-3		9:40			X	X			2	
-3	MW-8		9:55			X	X			2	
-4	MW-9		10:18			X	X			2	
-5	MW-6		10:25		H2SO4	X	X	X		2	
-6	MW-4		11:18		HNO3	X	X	X		2	
-7	MW-5		12:00			X	X			2	
-8	MW-2		12:19			X	X			2	
-9	MW-7		12:38			X	X			2	
-10	DUP		12:19					X		2	
-11	TBLB			DI				X		1	

Comments
 chlorinated Hydrocarbon (8260-GC/ms)
 BTEX/MTBE/PHEN (8260 & GC/ms combo)
 DUP & TBLB BTEX (8260) ONLY

Relinquished by:
 Signature: [Signature]
 Print: Hector Merino
 Company: IT Corp
 Date: 4-27-01 Time: _____

Received by:
 Signature: [Signature]
 Print: Frank Valera
 Company: Zymax
 Date: 4-30-01 Time: 8:30 AM

Sample integrity upon receipt:

Samples received intact	<input type="checkbox"/>
Samples received cold	<input type="checkbox"/>
Custody seals	<input type="checkbox"/>
Correct container types	<input type="checkbox"/>

Bill 3rd Party:
 PO# _____
 Quote yes no

Relinquished by:
 Signature: _____
 Print: _____
 Company: _____
 Date: _____ Time: _____

Received by Zymax envirotechnology inc:
 Signature: _____
 Print: _____
 Company: _____
 Date: _____ Time: _____

Attachment 6
City of Oakland Study

**Table 1. Phase II Sampling and Action Plan
Parcel 1 and 2
Uptown Development Project
Oakland, California**

Forest City Parcel #	Property Address	APN	Current Use	Historical Use	Known and Potential Environmental Issues	Phase II Boring Number	Sample Type and Depth (ft. bgs)	Analytes
1	550 Williams St.	008-0644-008	Parking	Sausage factory	PCE groundwater plume			
1	Unknown Williams Street Address	008-0644-009 through -012	Parking	Residential	PCE groundwater plume			
1	574 Williams St.	008-0644-013	Parking	Residential	PCE groundwater plume			
1	584 Williams St.	008-0644-014	Commercial /parking	Residential, possibly auto repair	Asbestos & lead. Potential petroleum hydrocarbons in soil. PCE groundwater plume	6	Soil - 1	Pb**
							Soil - 5	TPHg,TPHd, TPHmo, VOCs, SVOCs, Metals
							Soil - 5	TPHg,TPHd, TPHmo, VOCs, SVOCs
							GW-Hydropunch	VOCs
1	588-596 Williams St.	088-0644-015, -016, and -017	Commercial /parking	Auto repair, sign painting, parking	Asbestos & lead. Potential petroleum hydrocarbons, solvents and metals in soil, PCE groundwater plume.			
1	602-604, 608 Williams St.	008-0644-019 & -018	Commercial /parking	Residential	Asbestos & lead. PCE groundwater plume			
1	610 Williams St.	008-0644-020	Commercial /parking	Residential	Asbestos & lead. PCE groundwater plume.			
1	1908 San Pablo	Unknown	Parking	Sign painter, cleaning & dyeing, parking	Potential petroleum hydrocarbons, solvents and metals in soil. PCE groundwater plume	1	Soil - 1	Pb**
							Soil - 5	TPHg,TPHd, TPHmo, VOCs, SVOCs, Metals
							Soil - 15	TPHg,TPHd, TPHmo, VOCs, SVOCs
							GW - Hydropunch	VOCs
1	1920 San Pablo	008-0643-006	Parking	Pants factory	PCE groundwater plume			

**Table 1. Phase II Sampling and Action Plan
Parcel 1 and 2
Uptown Development Project
Oakland, California**

Forest City Parcel #	Property Address	APN	Current Use	Historical Use	Known and Potential Environmental Issues	Phase II Boring Number	Sample Type and Depth (ft. bgs)	Analytes
1	1940 San Pablo	Unknown	Parking	Cleaners	Potential solvents in soil. PCE groundwater plume	2	Soil - 1	Pb**
							Soil - 5	VOCs
							Soil - 15	VOCs
							GW - Hydropunch	VOCs
1	1951 San Pablo	008-0644-021	Commercial /parking	Gas station, auto paint, oil storage	Asbestos & lead. Potential petroleum hydrocarbons, solvents and metals in soil. PCE groundwater plume	3	Soil - 1	Pb
							Soil - 3	Metals
							Soil - 5	TPHg, TPHd, TPHmo, VOCs, SVOCs, Metals
							Soil - 15	TPHg, TPHd, TPHmo, VOCs, SVOCs
							GW - Hydropunch	VOCs
1	1960 San Pablo	008-0644-022	Commercial	Restaurant, barber, retail stores	Asbestos & lead. PCE groundwater plume			
1	1970-1972 San Pablo	008-0644-023	Commercial	Plumbing, residential, retail stores	Asbestos & lead. PCE groundwater plume			
1	1998 San Pablo	008-0644-024	Commercial	Restaurant, retail stores	PCE groundwater plume			
1	609 20 th Street	008-0644-045-01	Commercial	Residential, open lot, offices	Asbestos & lead. PCE groundwater plume			
1	556 19 th Street	Unknown	Parking	Parking, gas station (1922-88), garage, film finishing	Potential petroleum hydrocarbons, solvents and metals in soil. PCE groundwater plume			

**Table 1. Phase II Sampling and Action Plan
Parcel 1 and 2
Uptown Development Project
Oakland, California**

Forest City Parcel #	Property Address	APN	Current Use	Historical Use	Known and Potential Environmental Issues	Phase II Boring Number	Sample Type and Depth (ft. bgs)	Analytes
1	593 20th Street	008-0644-032	Commercial	Auto repair garage (1930-70)	Asbestos & lead. Potential petroleum hydrocarbons, solvents and metals in soil. PCE groundwater plume	4	Soil - 1	Pb**
							Soil - 5	TPHg, TPHd, TPHmo, VOCs, SVOCs, metals
							Soil - 15	TPHg, TPHd, TPHmo, VOCs, SVOCs
							GW - Hydropunch	VOCs
1	591 20 th Street	008-0644-031	Commercial	Residential, open lots	Asbestos & lead. PCE groundwater plume			
1	Unknown 20 th Street address	008-0644-033	Commercial	Auto repair, machine shop	Asbestos & lead. Potential petroleum hydrocarbons, solvents and metals in soil. PCE groundwater plume			
1	585 20 th Street	008-0644-034 & -035	Commercial	Auto repair, machine shop	Potential petroleum hydrocarbons, solvents and metals in soil. PCE groundwater plume			
1	571 20 th Street	008-0644-036 and -037	Commercial	Auto repair, machine shop	Asbestos & lead. Potential petroleum hydrocarbons, solvents and metals in soil. PCE groundwater plume			
1	565 20th Street	008-0644-038	Commercial	Auto repair	Asbestos & lead. Potential petroleum hydrocarbons, solvents and metals in soil. PCE groundwater plume	5	Soil - 1	Pb**
							Soil - 5	TPHg, TPHd, TPHmo, VOCs, SVOCs, metals
							Soil - 15	TPHg, TPHd, TPHmo, VOCs, SVOCs
							GW - Hydropunch	VOCs
1	529 20th St.	008-0644-040	Parking	Parking	PCE groundwater plume			
2	529 20th St.	008-0644-041 through -044	Parking	Parking	PCE groundwater plume			

**Table 1. Phase II Sampling and Action Plan
Parcel 1 and 2
Uptown Development Project
Oakland, California**

Forest City Parcel #	Property Address	APN	Current Use	Historical Use	Known and Potential Environmental Issues	Phase II Boring Number	Sample Type and Depth (ft. bgs)	Analytes
2	1901 Telegraph	008-0643-001-01	Parking	Gas station	Asbestos & lead. Potential petroleum hydrocarbons, solvents and metals in soil. PCE groundwater plume	7 & 8	Soil - 1	Pb**
							Soil -5	TPHg, TPHd, TPHmo, VOCs, SVOCs, metals
							Soil - 13	TPHg, TPHd, TPHmo, VOCs, SVOCs, metals
							GW - Hydropunch	VOCs
2	1911 Telegraph	008-0643-001-01	Commercial	Garage, film finishing	Asbestos & lead. Potential petroleum hydrocarbons, solvents and metals in soil. PCE groundwater plume	9 & 10	Soil - 1	Pb*
							Soil -3	TPHg, TPHd, TPHmo, VOCs, SVOCs, metals
							GW - Hydropunch	VOCs
2	1975 Telegraph	Unknown	Commercial	Residential, retail stores	Asbestos & lead. PCE groundwater plume			
2	538-570 Williams St.	008-0644-003 through -007	Parking	Hospital, parking	PCE groundwater plume			

Key to abbreviations/Acronyms

- Pb Lead (EPA Test Method 6010)
- TPHg Total Petroleum hydrocarbons as gasoline (EPA Test Method 8015m)
- TPHd Total Petroleum hydrocarbons as diesel (EPA Test Method 8015m)
- TPHmo Total Petroleum hydrocarbons as motor oil (EPA Test Method 8015m)
- Metals (EPA Test Methods 6000/7000)
- VOCs Volatile organic compounds EPA Test Method 8260a)
- SVOCs Semi-volatile organic compounds (EPA Test Method 8270)
- GW Groundwater
- PCE Perchloroethylene

** Sample collected and analyzed for lead based on presence of Pb on fill material in area; will be used to evaluate soil disposal during construction.

Attachment 5

Laboratory Reports and Chain-of-Custody Documents

Client: Dave Bero
IT Corporation
4005 Port Chicago Hwy
Concord, CA 94520-1120

Lab Number: 24640-7
Collected: 07/24/01
Received: 07/30/01
Matrix: Aqueous

Project: Sears - Oakland #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description: MW-2
Analyzed: 08/05/01
Method: See Below

CONSTITUENT	PQL* ug/L	RESULT** ug/L
Benzene	0.5	130.
Toluene	0.5	1.7
Ethylbenzene	0.5	8.8
Xylenes	0.5	6.5
Methyl-t-Butyl Ether (MTBE)	0.5	ND
Percent Surrogate Recovery		99

TOTAL PETROLEUM HYDROCARBONS

Total Petroleum Hydrocarbons	50.	480.
BTX as a Percent of Fuel		29

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.


Note: Analyzed by EPA 8260 and GC/MS Combination.

Note: Analytical range is C4-C12.

Note: TPH quantitated against gasoline.

Note: MTBE not included in TPH result.

Submitted by,
ZymaX envirotechnology, inc.


Michael Ng
Assistant Lab Director

MSD #7
24640-7.xls
MN/al/bp

Client: Dave Bero
 IT Corporation
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 24640-7
Collected: 07/24/01
Received: 07/30/01
Matrix: Aqueous

Project: Sears - Oakland #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description:
 MW-2
Analyzed: 08/05/01
Method: EPA 8260


CONSTITUENT	PQL* ug/L	RESULT** ug/L
PURGEABLE HALOCARBONS		
Bromobenzene	0.5	ND
Bromodichloromethane	0.5	ND
Bromoform	0.5	ND
Bromomethane (Methyl Bromide)	0.5	ND
Carbon Tetrachloride	0.5	ND
Chlorobenzene	0.5	ND
Chloroethane (Ethyl Chloride)	0.5	ND
2-Chloroethylvinyl Ether	1.0	ND
Chloroform	0.5	ND
Chloromethane (Methyl Chloride)	0.5	ND
Dibromochloromethane	0.5	ND
Dibromomethane	0.5	ND
1,2-Dichlorobenzene	0.5	ND
1,3-Dichlorobenzene	0.5	ND
1,4-Dichlorobenzene	0.5	ND
Dichlorodifluoromethane	0.5	ND
1,1-Dichloroethane	0.5	ND
1,2-Dichloroethane (EDC)	0.5	15.
1,1-Dichloroethene	0.5	ND
cis-1,2-Dichloroethene	0.5	3.0
trans-1,2-Dichloroethene	0.5	ND
1,2-Dichloropropane	0.5	ND
cis-1,3-Dichloropropene	0.5	ND
trans-1,3-Dichloropropene	0.5	ND
Methylene Chloride	0.5	ND
1,1,1,2-Tetrachloroethane	0.5	ND
1,1,2,2-Tetrachloroethane	0.5	ND
Tetrachloroethene (PCE)	0.5	ND
1,1,1-Trichloroethane (TCA)	0.5	ND
1,1,2-Trichloroethane	0.5	ND
Trichloroethene (TCE)	0.5	7.2
Trichlorofluoromethane (freon 11)	0.5	ND
1,2,3-Trichloropropane	0.5	ND
Vinyl Chloride	0.5	ND
Percent Surrogate Recovery		99

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
 ZymaX envirotechnology, inc.


 Michael Ng
 Assistant Lab Director

MSD #7
 24640-7h.xls
 MN/al/bp

Client: Dave Bero
IT Corporation
4005 Port Chicago Hwy
Concord, CA 94520-1120

Lab Number: 24640-1
Collected: 07/24/01
Received: 07/30/01
Matrix: Aqueous

Project: Sears - Oakland #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description: MW-3
Analyzed: 08/03/01
Method: See Below

CONSTITUENT	PQL* ug/L	RESULT** ug/L
Benzene	0.5	ND
Toluene	0.5	ND
Ethylbenzene	0.5	ND
Xylenes	0.5	ND
Methyl-t-Butyl Ether (MTBE)	0.5	ND
Percent Surrogate Recovery		94

TOTAL PETROLEUM HYDROCARBONS

Total Petroleum Hydrocarbons	50.	ND
BTX as a Percent of Fuel		N/A

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.


Note: Analyzed by EPA 8260 and GC/MS Combination.

Note: Analytical range is C4-C12.

Note: TPH quantitated against gasoline.

Note: MTBE not included in TPH result.

Submitted by,
ZymaX envirotechnology, inc.


Michael Ng
Assistant Lab Director

MSD #7
24640-1.xls
MN/al/bc/cc

Client: Dave Bero
 IT Corporation
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 24640-1
 Collected: 07/24/01
 Received: 07/30/01
 Matrix: Aqueous

Project: Sears - Oakland #1039
 Project Number: 823289.03054300
 Collected by: Hector Merino

Sample Description:
 MW-3
 Analyzed: 08/03/01
 Method: EPA 8260


CONSTITUENT	PQL* ug/L	RESULT** ug/L
PURGEABLE HALOCARBONS		
Bromobenzene	0.5	ND
Bromodichloromethane	0.5	ND
Bromoform	0.5	ND
Bromomethane (Methyl Bromide)	0.5	ND
Carbon Tetrachloride	0.5	ND
Chlorobenzene	0.5	ND
Chloroethane (Ethyl Chloride)	0.5	ND
2-Chloroethylvinyl Ether	1.0	ND
Chloroform	0.5	ND
Chloromethane (Methyl Chloride)	0.5	ND
Dibromochloromethane	0.5	ND
Dibromomethane	0.5	ND
1,2-Dichlorobenzene	0.5	ND
1,3-Dichlorobenzene	0.5	ND
1,4-Dichlorobenzene	0.5	ND
Dichlorodifluoromethane	0.5	ND
1,1-Dichloroethane	0.5	ND
1,2-Dichloroethane (EDC)	0.5	ND
1,1-Dichloroethene	0.5	ND
cis-1,2-Dichloroethene	0.5	ND
trans-1,2-Dichloroethene	0.5	ND
1,2-Dichloropropane	0.5	ND
cis-1,3-Dichloropropene	0.5	ND
trans-1,3-Dichloropropene	0.5	ND
Methylene Chloride	0.5	ND
1,1,1,2-Tetrachloroethane	0.5	ND
1,1,2,2-Tetrachloroethane	0.5	ND
Tetrachloroethene (PCE)	0.5	11.
1,1,1-Trichloroethane (TCA)	0.5	ND
1,1,2-Trichloroethane	0.5	ND
Trichloroethene (TCE)	0.5	ND
Trichlorofluoromethane (freon 11)	0.5	ND
1,2,3-Trichloropropane	0.5	ND
Vinyl Chloride	0.5	ND
Percent Surrogate Recovery		94

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
 ZymaX envirotechnology, inc.


 Michael Ng
 Assistant Lab Director

MSD #7
 24640-1h.xls
 MN/al/bc/ccc

Client: Dave Bero
 IT Corporation
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 24640-5
 Collected: 07/24/01
 Received: 07/30/01
 Matrix: Aqueous

Project: Sears - Oakland #1039
 Project Number: 823289.03054300
 Collected by: Hector Merino

Sample Description:
 MW-4
 Analyzed: 08/03/01
 Method: See Below

CONSTITUENT	PQL* ug/L	RESULT** ug/L
Benzene	0.5	ND
Toluene	0.5	ND
Ethylbenzene	0.5	ND
Xylenes	0.5	ND
Methyl-t-Butyl Ether (MTBE)	0.5	ND
Percent Surrogate Recovery		95

TOTAL PETROLEUM HYDROCARBONS

Total Petroleum Hydrocarbons	50.	ND
BTX as a Percent of Fuel		N/A

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Note: Analyzed by EPA 8260 and GC/MS Combination.

Note: Analytical range is C4-C12.

Note: TPH quantitated against gasoline.

Note: MTBE not included in TPH result.

Submitted by,
 ZymaX envirotechnology, inc.


 Michael Ng
 Assistant Lab Director

MSD #7
 24640-5.xls
 MN/al/bc

Client: Dave Bero
 IT Corporation
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 24640-5
Collected: 07/24/01
Received: 07/30/01
Matrix: Aqueous

Project: Sears - Oakland #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description:
 MW-4
Analyzed: 08/03/01
Method: EPA 8260


CONSTITUENT	PQL* ug/L	RESULT** ug/L
PURGEABLE HALOCARBONS		
Bromobenzene	0.5	ND
Bromodichloromethane	0.5	ND
Bromoform	0.5	ND
Bromomethane (Methyl Bromide)	0.5	ND
Carbon Tetrachloride	0.5	ND
Chlorobenzene	0.5	ND
Chloroethane (Ethyl Chloride)	0.5	ND
2-Chloroethylvinyl Ether	1.0	ND
Chloroform	0.5	ND
Chloromethane (Methyl Chloride)	0.5	ND
Dibromochloromethane	0.5	ND
Dibromomethane	0.5	ND
1,2-Dichlorobenzene	0.5	ND
1,3-Dichlorobenzene	0.5	ND
1,4-Dichlorobenzene	0.5	ND
Dichlorodifluoromethane	0.5	ND
1,1-Dichloroethane	0.5	ND
1,2-Dichloroethane (EDC)	0.5	ND
1,1-Dichloroethene	0.5	ND
cis-1,2-Dichloroethene	0.5	ND
trans-1,2-Dichloroethene	0.5	ND
1,2-Dichloropropane	0.5	ND
cis-1,3-Dichloropropene	0.5	ND
trans-1,3-Dichloropropene	0.5	ND
Methylene Chloride	0.5	ND
1,1,1,2-Tetrachloroethane	0.5	ND
1,1,2,2-Tetrachloroethane	0.5	ND
Tetrachloroethene (PCE)	0.5	ND
1,1,1-Trichloroethane (TCA)	0.5	ND
1,1,2-Trichloroethane	0.5	ND
Trichloroethene (TCE)	0.5	ND
Trichlorofluoromethane (freon 11)	0.5	ND
1,2,3-Trichloropropane	0.5	ND
Vinyl Chloride	0.5	ND
Percent Surrogate Recovery		95

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
 ZymaX envirotechnology, inc.


 Michael Ng
 Assistant Lab Director

MSD #7
 24640-5h.xls
 MN/al/bp/bc

Client: Dave Bero
IT Corporation
4005 Port Chicago Hwy
Concord, CA 94520-1120

Lab Number: 24640-5
Collected: 07/24/01
Received: 07/30/01
Matrix: Aqueous

Project: Sears - Oakland #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description: MW-4
Analyzed: 08/02/01
Method: EPA 413.2

OIL AND GREASE


CONSTITUENT	PQL* mg/L	RESULT** mg/L
Oil and Grease	1.0	ND

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
ZymaX envirotechnology, inc.


Michael Ng
Assistant Lab Director

IR#1
24640-5r.xls
MN/jdm/pf/km

Client: Dave Bero
 IT Corporation
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 24640-6
 Collected: 07/24/01
 Received: 07/30/01
 Matrix: Aqueous

Project: Sears - Oakland #1039
 Project Number: 823289.03054300
 Collected by: Hector Merino

Sample Description:
 MW-5
 Analyzed: 08/03/01
 Method: See Below

CONSTITUENT	PQL* ug/L	RESULT** ug/L
Benzene	0.5	3.8
Toluene	0.5	ND
Ethylbenzene	0.5	ND
Xylenes	0.5	ND
Methyl-t-Butyl Ether (MTBE)	0.5	ND
Percent Surrogate Recovery		95

TOTAL PETROLEUM HYDROCARBONS

Total Petroleum Hydrocarbons	50.	ND
BTX as a Percent of Fuel		N/A

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.


Note: Analyzed by EPA 8260 and GC/MS Combination.

Note: Analytical range is C4-C12.

Note: TPH quantitated against gasoline.

Note: MTBE not included in TPH result.

Submitted by,
 ZymaX envirotechnology, inc.


 Michael Ng
 Assistant Lab Director

MSD #7
 24640-6.xls
 MN/al/bc

Client: Dave Bero
 IT Corporation
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 24640-6
Collected: 07/24/01
Received: 07/30/01
Matrix: Aqueous

Project: Sears - Oakland #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description: MW-5
Analyzed: 08/03/01
Method: EPA 8260


CONSTITUENT	PQL* ug/L	RESULT** ug/L
PURGEABLE HALOCARBONS		
Bromobenzene	0.5	ND
Bromodichloromethane	0.5	ND
Bromoform	0.5	ND
Bromomethane (Methyl Bromide)	0.5	ND
Carbon Tetrachloride	0.5	ND
Chlorobenzene	0.5	ND
Chloroethane (Ethyl Chloride)	0.5	ND
2-Chloroethylvinyl Ether	1.0	ND
Chloroform	0.5	ND
Chloromethane (Methyl Chloride)	0.5	ND
Dibromochloromethane	0.5	ND
Dibromomethane	0.5	ND
1,2-Dichlorobenzene	0.5	ND
1,3-Dichlorobenzene	0.5	ND
1,4-Dichlorobenzene	0.5	ND
Dichlorodifluoromethane	0.5	ND
1,1-Dichloroethane	0.5	ND
1,2-Dichloroethane (EDC)	0.5	ND
1,1-Dichloroethene	0.5	ND
cis-1,2-Dichloroethene	0.5	ND
trans-1,2-Dichloroethene	0.5	ND
1,2-Dichloropropane	0.5	ND
cis-1,3-Dichloropropene	0.5	ND
trans-1,3-Dichloropropene	0.5	ND
Methylene Chloride	0.5	ND
1,1,1,2-Tetrachloroethane	0.5	ND
1,1,2,2-Tetrachloroethane	0.5	ND
Tetrachloroethene (PCE)	0.5	ND
1,1,1-Trichloroethane (TCA)	0.5	ND
1,1,2-Trichloroethane	0.5	ND
Trichloroethene (TCE)	0.5	ND
Trichlorofluoromethane (freon 11)	0.5	ND
1,2,3-Trichloropropane	0.5	ND
Vinyl Chloride	0.5	ND
Percent Surrogate Recovery		95

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
 ZymaX envirotechnology, inc.


 Michael Ng
 Assistant Lab Director

MSD #7
 24640-6h.xls
 MN/al/bp/bc

Client: Dave Bero
IT Corporation
4005 Port Chicago Hwy
Concord, CA 94520-1120

Lab Number: 24640-4
Collected: 07/24/01
Received: 07/30/01
Matrix: Aqueous

Project: Sears - Oakland #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description: MW-6
Analyzed: 08/03/01
Method: See Below

CONSTITUENT	PQL* ug/L	RESULT** ug/L
Benzene	0.5	ND
Toluene	0.5	ND
Ethylbenzene	0.5	ND
Xylenes	0.5	ND
Methyl-t-Butyl Ether (MTBE)	0.5	ND
Percent Surrogate Recovery		96

TOTAL PETROLEUM HYDROCARBONS

Total Petroleum Hydrocarbons	50.	ND
BTX as a Percent of Fuel		N/A

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.


Note: Analyzed by EPA 8260 and GC/MS Combination.

Note: Analytical range is C4-C12.

Note: TPH quantitated against gasoline.

Note: MTBE not included in TPH result.

Submitted by,
ZymaX envirotechnology, inc.


Michael Ng
Assistant Lab Director

MSD #7
24640-4.xls
MN/al/bc

Client: Dave Bero
IT Corporation
4005 Port Chicago Hwy
Concord, CA 94520-1120

Lab Number: 24640-4
Collected: 07/24/01
Received: 07/30/01
Matrix: Aqueous

Project: Sears - Oakland #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description: MW-6
Analyzed: 08/03/01
Method: EPA 8260


CONSTITUENT	PQL* ug/L	RESULT** ug/L
PURGEABLE HALOCARBONS		
Bromobenzene	0.5	ND
Bromodichloromethane	0.5	ND
Bromoform	0.5	ND
Bromomethane (Methyl Bromide)	0.5	ND
Carbon Tetrachloride	0.5	ND
Chlorobenzene	0.5	ND
Chloroethane (Ethyl Chloride)	0.5	ND
2-Chloroethylvinyl Ether	1.0	ND
Chloroform	0.5	ND
Chloromethane (Methyl Chloride)	0.5	ND
Dibromochloromethane	0.5	ND
Dibromomethane	0.5	ND
1,2-Dichlorobenzene	0.5	ND
1,3-Dichlorobenzene	0.5	ND
1,4-Dichlorobenzene	0.5	ND
Dichlorodifluoromethane	0.5	ND
1,1-Dichloroethane	0.5	ND
1,2-Dichloroethane (EDC)	0.5	4.8
1,1-Dichloroethene	0.5	ND
cis-1,2-Dichloroethene	0.5	ND
trans-1,2-Dichloroethene	0.5	ND
1,2-Dichloropropane	0.5	ND
cis-1,3-Dichloropropene	0.5	ND
trans-1,3-Dichloropropene	0.5	ND
Methylene Chloride	0.5	ND
1,1,1,2-Tetrachloroethane	0.5	ND
1,1,2,2-Tetrachloroethane	0.5	ND
Tetrachloroethene (PCE)	0.5	0.6
1,1,1-Trichloroethane (TCA)	0.5	ND
1,1,2-Trichloroethane	0.5	ND
Trichloroethene (TCE)	0.5	1.0
Trichlorofluoromethane (freon 11)	0.5	ND
1,2,3-Trichloropropane	0.5	ND
Vinyl Chloride	0.5	ND
Percent Surrogate Recovery		96

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
ZymaX envirotechnology, inc.


Michael Ng
Assistant Lab Director

MSD #7
24640-4h.xls
MN/al/bc

Client: Dave Bero
IT Corporation
4005 Port Chicago Hwy
Concord, CA 94520-1120

Lab Number: 24640-4
Collected: 07/24/01
Received: 07/30/01
Matrix: Aqueous

Project: Sears - Oakland #1039
Project Number: 823289.03054300
Collected by: Hector Merino


Sample Description: MW-6
Analyzed: 08/02/01
Method: EPA 413.2

OIL AND GREASE

CONSTITUENT	PQL* mg/L	RESULT** mg/L
-------------	--------------	------------------

Oil and Grease	1.0	ND
----------------	-----	----

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717
*PQL - Practical Quantitation Limit
**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
ZymaX envirotechnology, inc.

Michael Ng
Assistant Lab Director

IR#1
24640-4r.xls
MN/jdm/pf/km

Client: Dave Bero
 IT Corporation
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 24640-8
Collected: 07/24/01
Received: 07/30/01
Matrix: Aqueous

Project: Sears - Oakland #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description:
 MW-7
Analyzed: 08/05/01
Method: See Below

CONSTITUENT	PQL* ug/L	RESULT** ug/L
Benzene	2.0	4500.
Toluene	2.0	16.
Ethylbenzene	2.0	390.
Xylenes	2.0	840.
Methyl-t-Butyl Ether (MTBE)	2.0	ND
Percent Surrogate Recovery		100

TOTAL PETROLEUM HYDROCARBONS

Total Petroleum Hydrocarbons	200.	6000.
BTX as a Percent of Fuel		89


ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

- Note: Analyzed by EPA 8260 and GC/MS Combination.
- Note: Analytical range is C4-C12.
- Note: TPH quantitated against gasoline.
- Note: MTBE not included in TPH result.

Submitted by,
 ZymaX envirotechnology, inc.


 Michael Ng
 Assistant Lab Director

MSD #7
 24640-8.xls
 MN/al/bp

Client: Dave Bero
 IT Corporation
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 24640-8
Collected: 07/24/01
Received: 07/30/01
Matrix: Aqueous

Project: Sears - Oakland #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description:
 MW-7
Analyzed: 08/05/01
Method: EPA 8260


CONSTITUENT	PQL* ug/L	RESULT** ug/L
PURGEABLE HALOCARBONS		
Bromobenzene	2.0	ND
Bromodichloromethane	2.0	ND
Bromoform	2.0	ND
Bromomethane (Methyl Bromide)	2.0	ND
Carbon Tetrachloride	2.0	ND
Chlorobenzene	2.0	ND
Chloroethane (Ethyl Chloride)	2.0	ND
2-Chloroethylvinyl Ether	4.0	ND
Chloroform	2.0	ND
Chloromethane (Methyl Chloride)	2.0	ND
Dibromochloromethane	2.0	ND
Dibromomethane	2.0	ND
1,2-Dichlorobenzene	2.0	ND
1,3-Dichlorobenzene	2.0	ND
1,4-Dichlorobenzene	2.0	ND
Dichlorodifluoromethane	2.0	ND
1,1-Dichloroethane	2.0	ND
1,2-Dichloroethane (EDC)	2.0	39.
1,1-Dichloroethene	2.0	ND
cis-1,2-Dichloroethene	2.0	ND
trans-1,2-Dichloroethene	2.0	ND
1,2-Dichloropropane	2.0	ND
cis-1,3-Dichloropropene	2.0	ND
trans-1,3-Dichloropropene	2.0	ND
Methylene Chloride	2.0	ND
1,1,1,2-Tetrachloroethane	2.0	ND
1,1,2,2-Tetrachloroethane	2.0	ND
Tetrachloroethene (PCE)	2.0	ND
1,1,1-Trichloroethane (TCA)	2.0	ND
1,1,2-Trichloroethane	2.0	ND
Trichloroethene (TCE)	2.0	ND
Trichlorofluoromethane (freon 11)	2.0	ND
1,2,3-Trichloropropane	2.0	ND
Vinyl Chloride	2.0	ND
Percent Surrogate Recovery		100

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
 ZymaX envirotechnology, inc.


 Michael Ng
 Assistant Lab Director

MSD #7
 24640-8h.xls
 MN/al/bp

Client: Dave Bero
 IT Corporation
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 24640-2
Collected: 07/24/01
Received: 07/30/01
Matrix: Aqueous

Project: Sears - Oakland #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description: MW-8
Analyzed: 08/03/01
Method: See Below

CONSTITUENT	PQL* ug/L	RESULT** ug/L
Benzene	0.5	ND
Toluene	0.5	ND
Ethylbenzene	0.5	ND
Xylenes	0.5	ND
Methyl-t-Butyl Ether (MTBE)	0.5	ND
Percent Surrogate Recovery		98

TOTAL PETROLEUM HYDROCARBONS

Total Petroleum Hydrocarbons	50.	ND
BTX as a Percent of Fuel		N/A

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.


Note: Analyzed by EPA 8260 and GC/MS Combination.

Note: Analytical range is C4-C12.

Note: TPH quantitated against gasoline.

Note: MTBE not included in TPH result.

Submitted by,
 ZymaX envirotechnology, inc.


 Michael Ng
 Assistant Lab Director

MSD #7
 24640-2.xls
 MN/al/bc/cc

Client: Dave Bero
IT Corporation
4005 Port Chicago Hwy
Concord, CA 94520-1120

Lab Number: 24640-2
Collected: 07/24/01
Received: 07/30/01
Matrix: Aqueous

Project: Sears - Oakland #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description:
MW-8
Analyzed: 08/03/01
Method: EPA 8260


CONSTITUENT	PQL* ug/L	RESULT** ug/L
PURGEABLE HALOCARBONS		
Bromobenzene	0.5	ND
Bromodichloromethane	0.5	ND
Bromoform	0.5	ND
Bromomethane (Methyl Bromide)	0.5	ND
Carbon Tetrachloride	0.5	ND
Chlorobenzene	0.5	ND
Chloroethane (Ethyl Chloride)	0.5	ND
2-Chloroethylvinyl Ether	1.0	ND
Chloroform	0.5	ND
Chloromethane (Methyl Chloride)	0.5	ND
Dibromochloromethane	0.5	ND
Dibromomethane	0.5	ND
1,2-Dichlorobenzene	0.5	ND
1,3-Dichlorobenzene	0.5	ND
1,4-Dichlorobenzene	0.5	ND
Dichlorodifluoromethane	0.5	ND
1,1-Dichloroethane	0.5	ND
1,2-Dichloroethane (EDC)	0.5	ND
1,1-Dichloroethene	0.5	ND
cis-1,2-Dichloroethene	0.5	ND
trans-1,2-Dichloroethene	0.5	ND
1,2-Dichloropropane	0.5	ND
cis-1,3-Dichloropropene	0.5	ND
trans-1,3-Dichloropropene	0.5	ND
Methylene Chloride	0.5	ND
1,1,1,2-Tetrachloroethane	0.5	ND
1,1,2,2-Tetrachloroethane	0.5	ND
Tetrachloroethene (PCE)	0.5	4.9
1,1,1-Trichloroethane (TCA)	0.5	ND
1,1,2-Trichloroethane	0.5	ND
Trichloroethene (TCE)	0.5	ND
Trichlorofluoromethane (freon 11)	0.5	ND
1,2,3-Trichloropropane	0.5	ND
Vinyl Chloride	0.5	ND
Percent Surrogate Recovery		98

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
ZymaX envirotechnology, inc.


Michael Ng
Assistant Lab Director

MSD #7
24640-2h.xls
MN/al/bc/cc



REPORT OF ANALYTICAL RESULTS

Client: Dave Bero
IT Corporation
4005 Port Chicago Hwy
Concord, CA 94520-1120

Lab Number: 24640-3
Collected: 07/24/01
Received: 07/30/01
Matrix: Aqueous

Project: Sears - Oakland #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description:
MW-9
Analyzed: 08/03/01
Method: See Below

CONSTITUENT	PQL* ug/L	RESULT** ug/L
Benzene	0.5	ND
Toluene	0.5	ND
Ethylbenzene	0.5	ND
Xylenes	0.5	ND
Methyl-t-Butyl Ether (MTBE)	0.5	1.7
Percent Surrogate Recovery		100

TOTAL PETROLEUM HYDROCARBONS

Total Petroleum Hydrocarbons	50.	ND
BTX as a Percent of Fuel		N/A

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Note: Analyzed by EPA 8260 and GC/MS Combination.

Note: Analytical range is C4-C12.

Note: TPH quantitated against gasoline.

Note: MTBE not included in TPH result.

Submitted by,
ZymaX envirotechnology, inc.

Michael Ng
Assistant Lab Director

MSD #7
24640-3.xls
MN/al/bc/cc

Client: Dave Bero
 IT Corporation
 4005 Port Chicago Hwy
 Concord, CA 94520-1120

Lab Number: 24640-3
Collected: 07/24/01
Received: 07/30/01
Matrix: Aqueous

Project: Sears - Oakland #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description: MW-9
Analyzed: 08/03/01
Method: EPA 8260


CONSTITUENT	PQL* ug/L	RESULT** ug/L
PURGEABLE HALOCARBONS		
Bromobenzene	0.5	ND
Bromodichloromethane	0.5	ND
Bromoform	0.5	ND
Bromomethane (Methyl Bromide)	0.5	ND
Carbon Tetrachloride	0.5	ND
Chlorobenzene	0.5	ND
Chloroethane (Ethyl Chloride)	0.5	ND
2-Chloroethylvinyl Ether	1.0	ND
Chloroform	0.5	ND
Chloromethane (Methyl Chloride)	0.5	ND
Dibromochloromethane	0.5	ND
Dibromomethane	0.5	ND
1,2-Dichlorobenzene	0.5	ND
1,3-Dichlorobenzene	0.5	ND
1,4-Dichlorobenzene	0.5	ND
Dichlorodifluoromethane	0.5	ND
1,1-Dichloroethane	0.5	ND
1,2-Dichloroethane (EDC)	0.5	34.
1,1-Dichloroethene	0.5	ND
cis-1,2-Dichloroethene	0.5	0.7
trans-1,2-Dichloroethene	0.5	ND
1,2-Dichloropropane	0.5	ND
cis-1,3-Dichloropropene	0.5	ND
trans-1,3-Dichloropropene	0.5	ND
Methylene Chloride	0.5	ND
1,1,1,2-Tetrachloroethane	0.5	ND
1,1,1,2,2-Tetrachloroethane	0.5	ND
Tetrachloroethene (PCE)	0.5	31.
1,1,1-Trichloroethane (TCA)	0.5	ND
1,1,2-Trichloroethane	0.5	ND
Trichloroethene (TCE)	0.5	12.
Trichlorofluoromethane (freon 11)	0.5	ND
1,2,3-Trichloropropane	0.5	ND
Vinyl Chloride	0.5	ND
Percent Surrogate Recovery		100

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
 ZymaX envirotechnology, inc.


 Michael Ng
 Assistant Lab Director

MSD #7
 24640-3h.xls
 MN/al/bc/cc

Client: Dave Bero
IT Corporation
4005 Port Chicago Hwy
Concord, CA 94520-1120

Lab Number: 24640-9
Collected: 07/24/01
Received: 07/30/01
Matrix: Aqueous

Project: Sears - Oakland #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description: DUP
Analyzed: 08/05/01
Method: EPA 8260


CONSTITUENT	PQL* ug/L	RESULT** ug/L
Benzene	0.5	120.
Toluene	0.5	1.6
Ethylbenzene	0.5	8.1
Xylenes	0.5	5.8
Percent Surrogate Recovery		101

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
ZymaX envirotechnology, inc.


Michael Ng
Assistant Lab Director

MSD #7
24640-9.xls
MN/al/bp

Client: Dave Bero
IT Corporation
4005 Port Chicago Hwy
Concord, CA 94520-1120

Lab Number: 24640-10
Collected: 07/24/01
Received: 07/30/01
Matrix: Aqueous

Project: Sears - Oakland #1039
Project Number: 823289.03054300
Collected by: Hector Merino

Sample Description: TBLB
Analyzed: 08/04/01
Method: EPA 8260


CONSTITUENT	PQL* ug/L	RESULT** ug/L
Benzene	0.5	ND
Toluene	0.5	ND
Ethylbenzene	0.5	ND
Xylenes	0.5	ND
Percent Surrogate Recovery		97

ZymaX envirotechnology, inc. is certified by CA Department of Health Services: Laboratory #1717

*PQL - Practical Quantitation Limit

**Results listed as ND would have been reported if present at or above the listed PQL.

Submitted by,
ZymaX envirotechnology, inc.


Michael Ng
Assistant Lab Director

MSD #7
24640-10.xls
MN/al/bp/bc

report to DAVID BERO	phone 925 288-9898	fax 475 288-0589	ANALYSIS REQUESTED				Turnaround Time	
company 4005 Portchicago Hwy Lompoc ca	project SEARS # 1039						ASAP <input type="checkbox"/> 48 hr <input type="checkbox"/>	
address ITT CORP	project # 822769.020531500						12 hr <input type="checkbox"/> 72 hr <input type="checkbox"/>	
	sampler Hector Merino						24 hr <input type="checkbox"/> std <input checked="" type="checkbox"/>	

ZymaX use only	SAMPLE DESCRIPTION	Date Sampled	Time	Matrix	Preserve	(3000-7000)MS	CHLORINATED Hydrocarbons	PEHTINIBENZOPH-5	BELO 1600ms Combo	BTEX (8260)	Oil/GRAISE (CAF)	# of containers	Remarks
24640-1	MW-3 ✓	7/24/01	10:00	E/W	16.1	X	X					2	
-2	MW-8 ✓		10:19		16.1	X	X					2	
-3	MW-9 ✓		10:32		Hcl	X	X					2	
-4	MW-6 ✓		11:00		Hcl H/SO4	X	X	X	X			2	
-5	MW-4 ✓		11:18		Hcl H/SO4	X	X	X	X			2	
-6	MW-5 ✓		11:36		Hcl	X	X					2	
-7	MW-2 ✓		11:56		Hcl	X	X					2	
-8	MW-7 ✓		12:16		Hcl	X	X					2	
-9	DUP ✓		11:56		Hcl			X				2	
-10	TBLB ✓				Hcl			X				1	

Comments	Relinquished by: Signature <u>[Signature]</u> Print <u>HECTOR MERINO</u> Company <u>ITT CORP</u> Date _____ Time _____	Received by: Signature <u>[Signature]</u> Print <u>WAYNE LEHMAN</u> Company <u>ZYMAX</u> Date <u>07-30-01</u> Time <u>11:30 AM</u>
----------	--	--

Sample integrity upon receipt: Samples received intact <input type="checkbox"/> Samples received cold <input type="checkbox"/> Custody seals <input type="checkbox"/> Correct container types <input type="checkbox"/>	Bill 3rd Party: PO# _____ Quote yes no	Relinquished by: Signature _____ Print _____ Company _____ Date _____ Time _____	Received by ZymaX envirotechnology inc: Signature _____ Print _____ Company _____ Date _____ Time _____
---	---	---	--