

Detterman, Mark, Env. Health

From: Yola Bayram [ybayram@awrcorp.net]
Sent: Friday, January 17, 2014 6:03 PM
To: Detterman, Mark, Env. Health
Cc: Roe, Dilan, Env. Health; Steve Michelson
Subject: RE: RO151 - City Blue Print Work Plan Addendum Status?

Hi Mark

The addendum is currently being reviewed by our client and we should have it out to you in the next week or two. The SOP we sent is for soil gas screening only. We do have an SOP for soil gas sampling for risk to indoor air that follows DTSC guidelines. This SOP will be included with the addendum. Let myself or Steve Michelson (cc'ed in this email) know if you have any questions.

Thanks!

Yola Bayram
Geologist
AWR Corp
925 426 1112
313 204 8477 - cell
925 938 1610 - fax
ybayram@awrcorp.net

From: Detterman, Mark, Env. Health [<mailto:Mark.Detterman@acgov.org>]
Sent: Monday, January 13, 2014 5:02 PM
To: Yola Bayram
Cc: Roe, Dilan, Env. Health
Subject: RO151 - City Blue Print Work Plan Addendum Status?

Yola,

I wanted to send an email for a couple of purposes; first to introduce myself as the new case worker at ACEH, and second to inquire into the status of the work plan addendum. Dilan and I were discussing the site today and have noted that the addendum is now overdue (December 23rd due date). I have also taken a look at the standard SOPs for the vapor sampling, and note that they do not follow the 2012 DTSC guidelines to ensure the samples are representative (shroud, tracer, etc). You should be aware that ACEH requires vapor sampling follow DTSC guidelines for that very purpose. Let me know about the status of the sampling and of the addendum.

Thanks,

Mark Detterman
Senior Hazardous Materials Specialist, PG, CEG
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502
Direct: 510.567.6876
Fax: 510.337.9335
Email: mark.detterman@acgov.org

PDF copies of case files can be downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>

