

November 8, 2001

NOV 26 2001

Project 53087.1

Mr. Jeff Christoff
Blue Print Service Company
149 Second Street
San Francisco, California 94105

Quarterly Groundwater Remediation and Monitoring Report
July 1 through September 30, 2001
BPS Reprographic Services Facility
1700 Jefferson Street
Oakland, California

Dear Mr. Christoff:

Harding ESE, Inc, (Harding) presents this quarterly status letter-report on the groundwater monitoring and remedial activities at the BPS Reprographic Services (BPS) facility located at 1700 Jefferson Street in Oakland, California (see Plate 1). This letter-report covers the period from July 1 through September 30, 2001, and was prepared to satisfy the quarterly groundwater monitoring requirements of the Alameda County Department of Environmental Health Services (County).

BACKGROUND

Three underground gasoline storage tanks were removed from the property in 1987 and a preliminary soil and groundwater investigation indicated that a release of fuel into the subsurface had occurred. Three groundwater monitoring wells (MW-1, MW-2, and MW-3) were installed on the property to evaluate the distribution of petroleum hydrocarbons in the groundwater and to determine the direction of groundwater flow. Free phase hydrocarbon (FPH) was found in MW-1. Groundwater level measurements indicated that the local groundwater gradient was in a north to northwest direction.

In November 1987, monitoring well MW-2 was abandoned to facilitate the construction of the present BPS facility and, in January 1988, two additional wells, MW-1A and MW-4, were installed as groundwater extraction wells. Harding also installed one offsite monitoring well, MW-5, in August 1988 and a second offsite well, MW-6, in April 1996. The monitoring well locations are shown on Plate 1.

November 8, 2001
53084.001
Mr. Jeff Christoff
BPS Reprographic Services
Page 2

In 1992, a groundwater extraction system was constructed at the site to remove FPH from the groundwater surface. Groundwater was extracted from MW-1A and MW-4 and passed through an oil-water separator that removed the FPH. The water was then drawn into a 3,000-gallon bioreactor tank for treatment by hydrocarbon reducing microbes. Air and nutrients were supplied to the water within the bioreactor to facilitate microbial growth. The treated water from the bioreactor was pumped in batches of approximately 500 gallons through three granular activated carbon vessels before discharge under a wastewater discharge permit from the East Bay Utility District to the sanitary sewer. The treatment system processed approximately 1,385,490 gallons of groundwater and an estimated 5,062 pounds of FPH were recovered.

By 1999, the oil-water separator was no longer recovering FPH and FPH was no longer present in any of the groundwater monitoring wells. Dissolved hydrocarbon concentrations were decreasing and Harding requested approval from The County to terminate groundwater extraction and to modify the remediation technique to insitu-bioremediation using an oxygen-releasing compound (ORCTM). ORCTM is manufactured and distributed by Regenesis, Inc.; its purpose is to increase the concentration of dissolved oxygen (DO) in the groundwater and to augment the ability of naturally occurring microbial organisms in the groundwater to biodegrade the dissolved petroleum hydrocarbons. The County approved this plan in a letter dated September 28, 1999, following the submittal of an ORCTM calculation sheet and a Groundwater Monitoring Plan, dated September 23, 1999.

Harding implemented the *in situ* remediation technique by placing ORCTM in treatment wells: MW-1A, MW-3, MW-4, and MW-5 on September 29, 1999. The ORCTM is contained in fabric "socks" which release oxygen over time until the compound's oxygen releasing potential is depleted. Harding installed five socks in each treatment well at the approximate depth of the well's screened interval. The Groundwater Monitoring Plan outlined procedures for groundwater sampling using a non-purge method approved by the Regional Water Quality Control Board in a letter dated January 31, 1997. The first quarter that the new Groundwater Monitoring Plan was implemented, sampling included duplicate sampling using both the purge and non-purge methods (see Harding's quarterly report, dated October 25, 1999).

THIRD QUARTER 2001 GROUNDWATER SAMPLING AND ANALYSIS

In accordance with the Groundwater Monitoring Plan, Harding removed the ORCTM socks two weeks before the scheduled sampling event from Wells MW-3 and MW-5 on August 16, 2001. The dissolved oxygen was measured in-situ in wells MW-3, MW-5, MW-1 and MW-6. The DO measurements are presented in Table 1.

On August 30, 2001, Harding conducted the quarterly groundwater sampling of wells MW-1, MW-3, MW-5, and MW-6 using the non-purge method outlined in the Groundwater Monitoring Plan. Prior to

November 8, 2001
53084.001
Mr. Jeff Christoff
BPS Reprographic Services
Page 3

sampling, Harding measured the depth to groundwater from the top of casing (TOC) of each well using an electronic water level indicator. These measurements are displayed on Plate 2 and tabulated in Table 2. To collect the groundwater samples, Harding raised dedicated Teflon tubing contained in each well until the end of the tubing was 2 to 4 feet below the groundwater surface and connected the tubing to a peristaltic pump with silicon tubing. New silicon tubing was used to sample each well. After removing the approximate volume of groundwater equal to the volume capacity of the Teflon tubing, Harding measured the groundwater's conductivity, pH, DO, and temperature and collected a sample in laboratory provided 40-milliliter vials. The groundwater parameter measurements are also presented in Table 1.

Immediately after sample collection, Harding labeled and stored the samples in a cooler with ice. The groundwater samples were kept chilled until submitted to Sequoia Analytical Laboratory (Sequoia), a California state-certified laboratory, under chain-of-custody protocol for the following analyses:

- Total petroleum hydrocarbons as gasoline (TPHg) in accordance with EPA Method 8015 modified;
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX) in accordance with EPA Method 8020.
- Methyl tertiary butyl ether (MTBE) in accordance with EPA Method 8020 with confirmation of detections by EPA Method 8260.

The analytical results are displayed on Plates 3 and 4. The laboratory reports are presented in the Appendix.

Upon completion of the groundwater sampling, Harding installed 5 new ORCTM socks in wells MW-3 and MW-5. Harding left the ORCTM socks in treatment wells MW-1A and MW-4 undisturbed where they will remain until the next quarterly monitoring event. Presently, the ORCTM socks are replaced in the treatment wells on six-month intervals.

DISCUSSION

As shown in Table 2 and Plate 5, the groundwater surface elevation decreased an average of 0.03 feet across the site as compared to last quarter's measurements. Using the groundwater elevations from MW-1, MW-3, MW-5, and MW-6 as measured on August 30, 2001, groundwater contours were created and are shown on Plate 2. Based on the groundwater elevations, the groundwater gradient ranges 0.002 to 0.005 ft/ft to the southwest. At the time MW-5 was constructed, the groundwater flow direction was reportedly north to northwest, and MW-5 was considered a downgradient well. However, presumably because of the construction of new buildings in the immediate vicinity, which extend below the groundwater surface, recent groundwater monitoring has indicated the groundwater flow has been in a west to southwest direction.

November 8, 2001
53084.001
Mr. Jeff Christoff
BPS Reprographic Services
Page 4

Table 3 displays a summary of historical groundwater sample results through September 29, 1999, when the typical purge and sample protocol was terminated. Table 4 displays historical groundwater sample results since instituting *in situ* bioremediation and a non-purge sampling protocol. Plate 3 and Plate 4 present the sample results from this quarter's sampling event.

As shown on Plate 3, concentrations of TPH-g, BTEX and MTBE remained within the range of historical values for all the wells sampled. However, the groundwater sample collected from MW-5 contained significantly higher concentrations of TPH-g and BTEX when compared to last quarter. The groundwater sample from MW-6 did not contain any detectable concentrations of TPH-g, BTEX or MTBE. It should be noted that fingerprint analyses of a product sample from the site in 1998 indicated the product recovered by the treatment system did not contain MTBE.

The DO content in the groundwater in wells MW-3 and MW-5 immediately following the removal of the ORCTM socks were 6.5 and 1.6 milligrams per liter (mg/l) respectively. The DO content in both wells significantly declined in the two week period following removal of the ORCTM socks (from 6.5 to 0.4 mg/L in well MW-3 and from 1.6 to 0.2 in well MW-5), which suggests that a healthy population of hydrocarbon reducing microbes are present.

RECOMMENDATIONS

Harding recommends continued quarterly monitoring utilizing the procedures outlined in our Groundwater Monitoring Plan. ORCTM socks will continue to be replaced on six-month intervals to promote continued biodegradation of the residual petroleum hydrocarbons. Based on this interval, Harding will replace the ORCTM socks in MW-1A and MW-4 next quarter.

Harding recommends that Blue Print Services send a copy of this report to the following address:

Mr. Don Hwang
Alameda County
Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California, 94502-6577

While under contract to BPS, Harding will continue to provide quarterly groundwater monitoring and reporting as required by The County.

November 8, 2001
53084.001
Mr. Jeff Christoff
BPS Reprographic Services
Page 5

If you have any questions, please contact the undersigned at (415) 278-2118.

Sincerely,

HARDING LAWSON ASSOCIATES



David S. Nanstad
Project Engineer



Luis A. Fraticelli, R.G.
Associate Geologist

DSN Novmain/Cityblue/1q01

4 copies submitted

Attachments: Table 1 – Groundwater Parameters
Table 2 – Groundwater Elevation Data
Table 3 – Historical Groundwater Monitoring Analytical Results - Using Purge Method
Table 4 – Groundwater Monitoring Analytical Results – Non-Purge Method
Plate 1 – Site Map
Plate 2 – Groundwater Contours, August 30, 2001
Plate 3 – TPHg, BTEX and MTBE Concentrations in Groundwater, August 30, 2001
Plate 4 – BTEX and DO Results
Plate 5 – Groundwater Elevation Data
Appendix A – Laboratory Reports
Appendix B – Groundwater Sampling Forms
Table B1. Sample Location/Sample Description Cross-Reference

Table 1. Groundwater Parameters
BPS Reprographic Services Facility
1700 Jefferson Street
Oakland, California

| Dissolved Oxygen (mg/l) | MW-1 | MW-3 | MW-5 | MW-6 |
|--|-------|-------|-------|-------|
| 9/29/99 | 2.9 | 1.7 | 0.4 | 1.8 |
| 11/5/99 | 4.0 | 10.3 | 4.0 | 2.8 |
| 11/22/99 | 1.8 | 2.4 | 2.0 | 3.2 |
| 1/28/00 | 2.9 | 8.4 | 3.6 | 2.2 |
| 2/11/00 | 2.5 | 2.3 | 1.8 | 3.5 |
| 5/12/00 | 2.0 | 7.4 | 2.4 | 1.7 |
| 5/30/00 | 1.9 | 2.6 | 1.8 | 3.2 |
| 9/1/00 | 2.9 | 3.4 | 2.3 | 2.7 |
| 9/15/00 | 2.0 | 1.8 | 2.2 | 3.8 |
| 11/9/00 | -- | 5.0 | 5.3 | -- |
| 11/17/00 | 3.1 | 4.2 | 3.4 | 6.0 |
| 3/15/01 | 2.0 | 7.0 | 1.4 | 2.1 |
| 4/2/01 | 1.0 | 0.8 | 2.0 | 1.0 |
| 6/1/01 | 0.2 | 0.2 | 6.6 | 0.3 |
| 6/28/01 | 0.3 | 0.6 | 0.5 | 0.7 |
| 8/16/01 | 0.5 | 6.5 | 1.6 | 0.8 |
| 8/30/01 | 0.3 | 0.4 | 0.2 | 0.5 |
| REDOX (mvolts) | | | | |
| 5/30/00 | -322 | 197 | -128 | 203 |
| 9/15/00 | -269 | 3 | -89 | 206 |
| 11/17/00 | 64 | 178 | 296 | 230 |
| 4/2/01 | -194 | 26 | -36 | 102 |
| 6/28/01 | -310 | -283 | -360 | 107 |
| 8/30/01 | NA | NA | NA | NA |
| Temperature (deg F) | | | | |
| 9/29/99 | 67.0 | 72.6 | 67.7 | 73.8 |
| 11/22/99 | 66.4 | 62.9 | 65.0 | 69.8 |
| 2/11/00 | 61.3 | 63.2 | 62.0 | 68.5 |
| 5/30/00 | 77.7 | 74.8 | 76.3 | 76.2 |
| 9/15/00 | 64.4 | 64.3 | 64.7 | 67.0 |
| 11/17/00 | 54.5 | 58.1 | 68.1 | 65.9 |
| 4/2/01 | 63.5 | 64.9 | 66.2 | 66.4 |
| 6/28/01 | 73.0 | 71.2 | 74.7 | 74.3 |
| 8/30/01 | 74.8 | 77.6 | 78.3 | 78.7 |
| pH | | | | |
| 9/29/99 | 8.39 | 8.53 | 8.43 | 8.44 |
| 11/22/99 | 6.86 | 8.42 | 6.84 | 6.79 |
| 2/11/00 | 6.80 | 6.94 | 6.83 | 6.72 |
| 5/30/00 | 7.02 | 7.35 | 7.54 | 7.56 |
| 9/15/00 | 7.06 | 7.54 | 6.76 | 6.62 |
| 11/17/00 | 7.37 | 7.69 | 7.12 | 7.34 |
| 4/2/01 | 6.98 | 6.61 | 7.07 | 6.96 |
| 6/28/01 | 5.90 | 6.74 | 6.78 | 6.83 |
| 8/30/01 | 7.85 | 7.91 | 7.9 | 8.41 |
| Specific Conductance ($\mu\text{S}/\text{cm}$) | | | | |
| 9/29/99 | 976 | 880 | 1,577 | 966 |
| 11/22/99 | 1,004 | 1,500 | 1,352 | 1,038 |
| 2/11/00 | 992 | 1,327 | 1,275 | 1,149 |
| 5/30/00 | 845 | 1,020 | 758 | 924 |
| 9/15/00 | 800 | 917 | 989 | 1,009 |
| 11/17/00 | 785 | 970 | 742 | 886 |
| 4/2/01 | 725 | 365 | 839 | 821 |
| 6/28/01 | 1080 | 704 | 876 | 1021 |
| 8/30/01 | 924 | 1015 | 975 | 931 |

Note.

Baseline dissolved oxygen measurement taken on 09/29/99, prior to initial installation of oxygen releasing compound

mg/l = milligrams per liter

mvolts = millivolts

deg F = degrees Fahrenheit

$\mu\text{S}/\text{cm}$ = micro-ohms per centimeter

NA = Not Available

Table 2. Groundwater Elevation Data
BPS Reprographic Services Facility
1700 Jefferson Street
Oakland, California

| | MW-1 | | MW-3 | | MW-5 | | MW-6 | | Average Change Since Preceding Quarter |
|--------------|-------------|-----------------|-------------|-----------------|-------------|-----------------|-------------|-----------------|--|
| | TOC Elev. | 32.36 | TOC Elev. | 31.77 | TOC Elev. | 30.56 | TOC Elev. | 31.26 | |
| Date Sampled | Water Level | Water Elevation | |
| 3/6/96 | NM | -- | 24.79 | 6.98 | 23.53 | 7.03 | NA | -- | |
| 6/11/96 | FP | -- | 25.60 | 6.17 | 23.78 | 6.78 | 25.16 | 6.10 | -0.53 |
| 9/19/96 | FP | -- | 26.09 | 5.68 | 24.48 | 6.08 | 25.76 | 5.50 | -0.60 |
| 12/23/96 | FP | -- | FP | -- | 24.83 | 5.73 | 25.88 | 5.38 | -0.23 |
| 3/27/97 | FP | -- | FP | -- | 23.82 | 6.74 | 24.78 | 6.48 | 1.06 |
| 6/4/97 | 26.41 | 5.95 | 25.11 | 6.66 | 23.92 | 6.64 | 24.60 | 6.66 | 0.04 |
| 9/26/97 | 26.80 | 5.56 | 25.41 | 6.36 | 24.29 | 6.27 | 24.80 | 6.46 | -0.32 |
| 12/22/97 | 26.00 | 6.36 | 24.91 | 6.86 | 24.02 | 6.54 | 24.71 | 6.55 | 0.42 |
| 3/31/98 | 26.06 | 6.30 | 24.05 | 7.72 | 22.78 | 7.78 | 23.75 | 7.51 | 0.75 |
| 6/18/98 | 25.60 | 6.76 | 23.71 | 8.06 | 22.51 | 8.05 | 23.22 | 8.04 | 0.40 |
| 8/28/98 | 25.45 | 6.91 | 23.70 | 8.07 | 22.74 | 7.82 | 22.23 | 9.03 | 0.23 |
| 12/2/98 | 24.92 | 7.44 | 23.60 | 8.17 | 23.16 | 7.40 | 23.72 | 7.54 | -0.32 |
| 3/10/99 | 24.90 | 7.46 | 22.65 | 9.12 | 22.82 | 7.74 | 23.54 | 7.72 | 0.37 |
| 6/30/99 | 25.53 | 6.83 | 23.07 | 8.70 | 22.41 | 8.15 | 23.04 | 8.22 | -0.04 |
| 9/29/99 | 24.23 | 8.13 | 23.03 | 8.74 | 22.81 | 7.75 | 23.42 | 7.84 | 0.14 |
| 11/22/99 | 24.33 | 8.03 | 23.68 | 8.09 | 22.88 | 7.68 | 23.64 | 7.62 | -0.26 |
| 2/11/00 | 24.38 | 7.98 | 23.74 | 8.03 | 22.74 | 7.82 | 23.67 | 7.59 | 0.00 |
| 5/30/00 | 23.57 | 8.79 | 22.97 | 8.80 | 21.73 | 8.83 | 22.82 | 8.44 | 0.86 |
| 9/15/00 | 23.85 | 8.51 | 23.12 | 8.65 | 22.14 | 8.42 | 23.10 | 8.16 | -0.28 |
| 11/16/00 | 24.14 | 8.22 | 23.40 | 8.37 | 22.39 | 8.17 | 23.41 | 7.85 | -0.28 |
| 4/2/01 | 23.40 | 8.96 | 23.40 | 8.37 | 22.07 | 8.49 | 23.33 | 7.93 | 0.29 |
| 6/28/01 | 23.58 | 8.78 | 23.17 | 8.60 | 22.15 | 8.41 | 23.15 | 8.11 | 0.04 |
| 8/30/01 | 24.00 | 8.36 | 23.35 | 8.42 | 22.35 | 8.21 | 23.35 | 7.91 | -0.30 |

TOC Elev. = top of casing elevation

NM = not monitored

FP = free product

-- = no data collected

NA = not available (MW-6 had not been installed yet)

Table 3. Historical Groundwater Monitoring Analytical Results - Using Purge Method

BPS Reprographic Services Facility

1700 Jefferson Street

Oakland, California

| Time (ng/l) | Date Sampled | | | | | | | | | | | | Date Sampled | | | | | | | | | | | | | | |
|---------------------|--------------|---------|---------|---------|---------|---------|---------|--------|---------|---------|---------|--------|--------------|---------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---------|----|
| | 8/1/91 | 9/30/92 | 3/30/93 | 1/13/94 | 4/13/94 | 6/29/94 | 12/8/94 | 4/1/95 | 6/27/95 | 9/19/95 | 12/1/95 | 3/6/96 | 6/11/96 | 9/19/96 | 12/2/96 | 3/27/97 | 6/4/97 | 9/26/97 | 12/23/97 | 3/31/98 | 6/16/98 | 8/28/98 | 12/2/98 | 3-10/99 | 6/30/99 | 9-29/99 | |
| MW-1 | FP | FP | FP | FP | FP | FP | FP | NA | NA | NA | NA | FP | FP | FP | FP | 68 | 59 | 41 | 44 | 32 | 26 | 26 | 18 | 21 | | | |
| MW-1A | 350 | FP | FP | FP | FP | 170 | 95 | 190 | 67 | 53 | 52 | 62 | 200 | 140 | 100 | FP | 66 | 54 | 73 | 66 | 51 | 50 | 15 | 41 | 10 | 18 | NA |
| MW-3 | 74 | FP | FP | FP | FP | 39 | 4,600 | 51 | 20 | 62 | 19 | 7 | 16 | 6 | FP | 85 | 47 | 52 | 32 | 18 | 17 | 32 | 9,6 | 7,9 | 5,0 | | |
| MW-4 | 86 | FP | FP | FP | FP | 58 | 16 | 92 | 35 | 13 | 14 | 11 | 110 | 260 | 95 | FP | 37 | 24 | 41 | 48 | NA | 25 | 48 | 10 | 11 | 8,8 | NA |
| MW-5 | 129 | 51 | 74 | 80 | 63 | 64 | 59 | 51 | 41 | 50 | 45 | 51 | 48 | 48 | 45 | 44 | 35 | 36 | 39 | 48 | 17 | 16 | 15 | 2,4 | 7,7 | 11 | |
| MW-6 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | ND(0.05) | | |
| Benzene (µg/l) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-1 | FP | FP | FP | FP | FP | FP | FP | NA | NA | NA | NA | FP | FP | FP | FP | 2,200 | 6,000 | 6,800 | 8,300 | 1,100 | 8,000 | 9,200 | 8,200 | 7,000 | 9,200 | | |
| MW-1A | 17,000 | FP | FP | FP | FP | 17,000 | 16,000 | 13,000 | 11,000 | 8,900 | 9,900 | 14,000 | 18,000 | 16,000 | FP | 12,000 | 11,000 | 10,000 | 9,100 | 11,000 | 1,100 | 8,500 | 2,300 | 6,400 | NA | | |
| MW-3 | 1,600 | FP | FP | FP | FP | 3,200 | 1,500 | 1,100 | 270 | 70 | 220 | 120 | 170 | 45 | FP | 8,300 | 610 | 640 | 690 | 180 | 84 | 39 | 86 | 31 | 120 | | |
| MW-4 | 1,500 | FP | FP | FP | FP | 1,500 | 1,300 | 1,700 | 1,200 | 1,300 | 2,200 | 6,80 | 2,600 | 6,600 | 9,900 | FP | 2,600 | 2,600 | 2,900 | 6,000 | NA | 2,000 | 9,700 | 1,700 | 2,100 | 1,800 | NA |
| MW-5 | 20,000 | 13,000 | 16,000 | 19,000 | 14,000 | 29,000 | 13,000 | 15,000 | 12,000 | 1,600 | 15,000 | 15,000 | 12,000 | 12,000 | 11,000 | 8,900 | 7,900 | 13,000 | 10,000 | 14,000 | 5,400 | 8,400 | 5,200 | 9,600 | | | |
| MW-6 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | | |
| Toluene (µg/l) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-1 | FP | FP | FP | FP | FP | FP | FP | NA | NA | NA | NA | FP | FP | FP | FP | 14,000 | 4,500 | 3,000 | 3,700 | 3,800 | 2,300 | 4,300 | 5,900 | 5,800 | 10,000 | | |
| MW-1A | 31,000 | FP | FP | FP | FP | 31,000 | 21,000 | 21,000 | 13,000 | 9,900 | 9,200 | 11,000 | 22,000 | 28,000 | 22,000 | FP | 15,000 | 12,000 | 16,000 | 16,000 | 11,000 | 15,000 | 8,30 | 11,000 | 1,900 | 7,800 | NA |
| MW-3 | 4,600 | FP | FP | FP | FP | 2,900 | 4,200 | 2,300 | 550 | 140 | 480 | 170 | 270 | 30 | FP | 13,000 | 6,000 | 5,300 | 3,800 | 1,500 | 1,100 | 85 | 540 | 330 | 340 | | |
| MW-4 | 6,200 | FP | FP | FP | FP | 2,500 | 790 | 4,100 | 3,400 | 1,800 | 2,100 | 470 | 3,600 | 19,000 | FP | 6,900 | 3,200 | 5,000 | 11,000 | NA | 460 | 11,000 | 610 | 2,100 | 3,000 | NA | |
| MW-5 | 14,000 | 5,900 | 5,000 | 8,200 | 4,500 | 3,800 | 2,200 | 2,100 | 2,700 | 2,100 | 2,800 | 2,900 | 4,300 | 2,200 | 1,100 | 560 | 270 | 500 | 400 | 310 | 160 | 120 | 300 | 270 | 710 | | |
| MW-6 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | | | |
| Ethylbenzene (µg/l) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-1 | FP | FP | FP | FP | FP | FP | FP | NA | NA | NA | NA | FP | FP | FP | FP | 1,500 | 1,600 | 1,900 | 1,100 | 550 | 70 | 820 | 870 | 950 | 1,200 | | |
| MW-1A | 3,000 | FP | FP | FP | FP | 2,100 | 1,500 | 1,400 | 910 | 500 | 710 | 790 | 2,700 | 2,800 | 2,100 | FP | 1,400 | 1,000 | 1,400 | 1,100 | 870 | 31 | 720 | 1,600 | 600 | NA | |
| MW-3 | 670 | FP | FP | FP | FP | 580 | 6,000 | 580 | 190 | 68 | 140 | 49 | 68 | 15 | FP | 2,400 | 930 | 800 | 870 | 490 | 430 | 25 | 250 | 200 | 230 | | |
| MW-4 | 1,000 | FP | FP | FP | FP | 520 | 51 | 310 | 280 | 77 | 110 | 14 | 780 | 3,700 | 2,000 | FP | 340 | 140 | 350 | 580 | NA | ND(0.5) | 390 | 88 | 150 | NA | |
| MW-5 | 1,900 | 1,400 | 1,800 | 1,400 | 1,500 | 2,800 | 1,800 | 2,800 | 1,400 | 2,000 | 16,000 | 2,000 | 2,000 | 2,700 | 1,900 | 1,500 | 1,500 | 1,900 | 2,000 | 420 | 1,100 | 1,500 | 1,800 | 1,100 | 1,100 | | |
| MW-6 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | ND(0.5) | | | |
| Xylenes (µg/l) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-1 | FP | FP | FP | FP | FP | FP | FP | NA | NA | NA | NA | FP | FP | FP | FP | 11,000 | 8,600 | 6,600 | 4,300 | 3,000 | 2,100 | 2,800 | 3,500 | 2,500 | 3,500 | | |
| MW-1A | 22,000 | FP | FP | FP | FP | 14,000 | 12,000 | 11,000 | 9,800 | 6,400 | 6,800 | 5,100 | 22,000 | 19,000 | 14,000 | FP | 100 | 7,200 | 8,500 | 12,000 | 6,800 | 5,800 | 3,000 | 6,700 | 2,300 | 4,100 | NA |
| MW-3 | 4,300 | FP | FP | FP | FP | 4,400 | 95,000 | 4,800 | 1,700 | 500 | 1,700 | 440 | 1,500 | 300 | FP | 16,000 | 5,900 | 5,900 | 5,200 | 3,700 | 3,600 | 500 | 2,400 | 1,800 | 1,400 | | |
| MW-4 | 7,300 | FP | FP | FP | FP | 3,200 | 3,400 | 5,400 | 5,800 | 1,800 | 2,100 | 1,800 | 10,000 | 28,000 | 15,000 | FP | 5,500 | 3,500 | 4,800 | 8,200 | NA | 6,400 | 5,000 | 2,300 | 1,600 | 2,700 | |
| MW-5 | 4,900 | 2,600 | 2,700 | 2,700 | 2,100 | 4,500 | 2,900 | 4,500 | 1,600 | 2,100 | 1,900 | 2,400 | 2,700 | 4,000 | 6,500 | 2,800 | 1,700 | 1,300 | 1,700 | 2,200 | 850 | 900 | 840 | 1,100 | 690 | 1,100 | |
| MW-6 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | ND(2) | ND(2) | ND(2) | ND(2) | ND(2) | ND(2) | ND(2) | ND(2) | ND(0.60) | ND(0.60) | ND(0.60) | | |
| MTBE (µg/l) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-1 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | FP | ND(500) | ND(500) | 300 | 420 | ND(50) | ND(50) | ND(50) | ND(50) | ND(25) | ND(25) | |
| MW-1A | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | FP | ND(500) | ND(500) | 1,900 | 300 | ND(50) | ND(50) | ND(50) | ND(50) | ND(25) | ND(25) | NA |
| MW-3 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | FP | ND(500) | ND(500) | ND(300) | 350 | ND(25) | ND(50) | ND(25) | ND(25) | ND(25) | 10 | |
| MW-4 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | ND(300) | ND(500) | 270 | NA | ND(50) | ND(50) | ND(25) | ND(25) | ND(25) | NA | |
| MW-5 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 600 | 300 | ND(100) | ND(500) | ND(1000) | 350 | ND(10) | ND(50) | ND(25) | ND(100) | |
| MW-6 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | NA | ND(5) | ND(10) | ND(10) | ND(10) | | |

TPHg = total petroleum hydrocarbons as gasoline

MTBE = methyl t-butyl ether

(mg/l) milligrams per liter

(µg/l) micrograms per liter

-- Well did not exist at date indicated

ND = Not detected above the reporting limit in parentheses

NA = Not analyzed

PP = Free Product - well not sampled

(µg/l) micrograms per liter

TPHg = total petroleum hydrocarbons as gasoline

MTBE = methyl t-butyl ether

(mg/l) milligrams per liter

(µg/l) micrograms per liter

ND = Not detected above the reporting limit in parentheses

NA = Not analyzed

PP = Free Product - well not sampled

(µg/l) micrograms per liter

Table 4. Groundwater Monitoring Analytical Results – Non-Purge Method
BPS Reprographic Services Facility
1700 Jefferson Street
Oakland, California

| TPHg (mg/l) | 9/29/99 | 11/22/99 | 2/11/00 | 5/30/00 | 9/15/00 | 11/16/00 | 4/2/01 | 6/28/01 | 8/30/01 |
|--------------------------------------|---------|----------|---------|---------------------|----------------------|----------------------|--------------------|-------------------|-----------------------|
| MW-1 | 14 | 24 | 19 | 19 | 20 | 18 | 19 | 39 | 31 |
| MW-3 | 4.1 | 3.1 | 0.54 | 0.49 | 1.5 | 1.3 | 0.17 | 4.9 | 3.1 |
| MW-5 | 10 | 30 | 23 | 19 | 24 | 1.8 | 15 | 3.6 | 34 |
| MW-6 | ND<0.5 | ND<0.05 | ND<0.05 | ND<0.05 | ND<0.05 | ND<0.05 | ND<0.05 | ND<0.05 | ND<0.05 |
| Benzene (µg/l) | | | | | | | | | |
| MW-1 | 6,200 | 4,900 | 4,100 | 5,700 | 4,100 | 3,500 | 4,700 | 5,200 | 5,600 |
| MW-3 | 180 | 6.5 | 8.3 | 11 | 28 | 20 | 9 | 150 | 42 |
| MW-5 | 14,000 | 11,000 | 12,000 | 9,900 | 3,800 | 470 | 7,400 | 300 | 8,300 |
| MW-6 | ND<0.3 | ND<0.3 | ND<0.3 | ND<0.3 | ND<0.3 | ND<0.30 | ND<0.30 | ND<0.50 | ND<0.50 |
| Toluene (µg/l) | | | | | | | | | |
| MW-1 | 5,900 | 5,000 | 4,800 | 8,400 | 5,700 | 4,300 | 5,200 | 4,200 | 5,100 |
| MW-3 | 340 | 33 | 20 | 5.6 | 14 | 34 | 6.2 | 240 | 48 |
| MW-5 | 470 | 3,400 | 4,500 | 6,900 | 3,000 | 220 | 3,000 | 11 | 3,000 |
| MW-6 | ND<0.3 | ND<0.3 | ND<0.3 | ND<0.3 | ND<0.3 | ND<0.30 | ND<0.30 | 2.9 | ND<0.50 |
| Ethylbenzene (µg/l) | | | | | | | | | |
| MW-1 | 620 | 730 | 530 | 730 | 540 | 640 | 570 | 660 | 560 |
| MW-3 | 130 | 27 | 2.4 | 0.45 | 2.6 | 25 | 1.4 | 38 | 26 |
| MW-5 | 1,100 | 1,500 | 1,200 | 1,200 | 460 | 39 | 1000 | 16 | 1,400 |
| MW-6 | ND<0.3 | ND<0.3 | ND<0.3 | ND<0.3 | ND<0.3 | ND<0.30 | ND<0.30 | ND<0.50 | ND<0.50 |
| Xylenes (µg/l) | | | | | | | | | |
| MW-1 | 3,500 | 3,500 | 2,800 | 3,500 | 2,700 | 3,200 | 2,600 | 3,900 | 2,500 |
| MW-3 | 580 | 260 | 28 | 17 | 160 | 28 | 8.1 | 160 | 210 |
| MW-5 | 600 | 2,500 | 1,300 | 2,600 | 1,200 | 100 | 2,200 | 15 | 2,600 |
| MW-6 | ND<0.6 | ND<0.6 | ND<0.6 | ND<0.6 | ND<0.6 | ND<0.60 | ND<0.30 | 2.7 | ND<0.50 |
| MTBE (µg/l) (EPA Method 8020) | | | | | | | | | |
| MW-1 | ND<250 | ND<100 | 6.6 | ND<5.0 ¹ | ND<12 ^{1,2} | ND<40 ^{1,2} | 50 ¹ | 8.5 ¹ | ND<100 ^{1,2} |
| MW-3 | 14 | ND<1.0 | 31 | ND<5.0 ¹ | ND<5 ¹ | ND<5 ¹ | 77 ¹ | ND<2 ¹ | ND<1.2 ¹ |
| MW-5 | ND<100 | ND<100 | 6.6 | ND<200 | ND<10 ^{1,2} | ND<5 ¹ | ND<50 ¹ | 4.4 ¹ | ND<50 ¹ |
| MW-6 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | 5 ^{1,3} | 17 ¹ | ND<2.5 |

mg/l = milligrams per liter

µg/l = micrograms per liter

ND = Not detected above the reporting limit following the less than sign

MTBE = methyl t-butyl ether


1 Result of MTBE confirmation by EPA Method 8260.

2 Reporting limits have been elevated due to matrix interference.

3 Detection limit = 5 µg/l. Backup sample analyzed after hold time had a result of ND<5 µg/l.

EXPLANATION

- EXISTING MONITORING WELL
- FORMER EXTRACTION WELL



Harding ESE
A MACTEC COMPANY

DRAWN
CN

PROJECT NUMBER
53087 001

Site Map
August 30, 2001
1700 Jefferson Street
BPS Reprographic Services Facility
Oakland, California

APPROVED

DATE
11/01


REVISED DATE

1

PLATE

EXPLANATION

- EXISTING MONITORING WELL
- FORMER EXTRACTION WELL
- 8.36 WATER LEVEL ELEVATION (FEET MSL) MEASURED ON AUGUST 30, 2001
- ~~~~ POTENTIOMETRIC SURFACE CONTOUR (FEET MSL), CONTOUR INTERVAL IS 0.2 FT.



Harding ESE
A MACTEC COMPANY

PLATE

2

Groundwater Contours
August 30, 2001
1700 Jefferson Street
BPS Reprographic Services Facility
Oakland, California


DRAWN
CN

PROJECT NUMBER
53087 001

APPROVED

DATE
11/01

REVISED DATE



Harding ESE
A MACTEC COMPANY

DRAWN
CN

PROJECT NUMBER
53087 001


APPROVED

DATE
11/01


REVISED DATE

■ Benzene ($\mu\text{g/l}$) ▲ Toluene ($\mu\text{g/l}$) ✖ Ethylbenzene ($\mu\text{g/l}$)
* ■ Xylenes ($\mu\text{g/l}$) ◆ Dissolved Oxygen (mg/l)

MW-1




MW-3



Date Sampled

MW-5



Date Sampled



Harding ESE
A MACTEC COMPANY

BTEX and DO Results

Quarterly Groundwater Monitoring Report
BPS Reprographic Services Facility
1700 Jefferson Street
Oakland, California

Plate

4


Drawn by
dsn

JOB NUMBER
53087.001

APPROVED

DATE
10/23/01

REVISED DATE



Groundwater Elevation Data
Quarterly Groundwater Monitoring Report
BPS Reprographic Services Facility
1700 Jefferson Street
Oakland, California

FIGURE

5

| DRAWN | JOB NUMBER | APPROVED | DATE | REVISED DATE |
|-------|------------|----------|----------|--------------|
| dsn | 53087.001 | | 10/23/01 | |

APPENDIX A

LABORATORY REPORTS



1455 McDowell Blvd. North Ste D
Petaluma, CA 94954
(707) 792-1865
FAX: (707) 792-0342
www.sequoialabs.com

17 September, 2001

David Nanstad
Harding ESE - SF
28 2nd Street, Suite 700
San Francisco, CA 94105

RE: City Blue
Sequoia Report: P108505

Enclosed are the results of analyses for samples received by the laboratory on 08/31/01 16:00. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Michelle M. Portis".

Michelle M. Portis
Project Manager

CA ELAP Certificate #2374



1455 McDowell Blvd, North Ste D
Petaluma, CA 94954
(707) 792-1845
FAX (707) 792-0342
www.sequoialab.com

Harding ESE - SF
28 2nd Street, Suite 700
San Francisco CA, 94105

Project: City Blue
Project Number: 53087-001
Project Manager: David Nanstad

Reported:
09/17/01 12:05

ANALYTICAL REPORT FOR SAMPLES

| Sample ID | Laboratory ID | Matrix | Date Sampled | Date Received |
|-----------|---------------|--------|----------------|----------------|
| 53087-4 | P108505-01 | Water | 08/30/01 13:20 | 08/31/01 16:00 |
| 53087-2 | P108505-02 | Water | 08/30/01 14:10 | 08/31/01 16:00 |
| 53087-3 | P108505-03 | Water | 08/30/01 14:45 | 08/31/01 16:00 |
| 53087-1 | P108505-04 | Water | 08/30/01 15:25 | 08/31/01 16:00 |
| 53087-5 | P108505-05 | Water | 08/30/01 15:30 | 08/31/01 16:00 |

Sequoia Analytical - Petaluma

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Michelle M. Portus, Project Manager

Page 1 of 8



**Sequoia
Analytical**

1455 McDowell Blvd, North Ste D
Petaluma, CA 94954
(707) 792-1863
FAX (707) 792-0342
www.sequoiabits.com

| | | |
|---|---|-----------------------------|
| Harding ESE - SF 28 2nd Street, Suite 700 San Francisco CA, 94105 | Project: City Blue Project Number: 53087.001 Project Manager: David Nanstad | Reported: 09/17/01 12:05 |
|---|---|-----------------------------|

Total Petroleum Hydrocarbons as Gasoline and BTEX by EPA 8015M/8020M
Sequoia Analytical - Petaluma

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|--------------------|--------|----------|---------|----------|----------|--------------------|-------|
| <i>MW - 6</i> | | | | | | | | | |
| 53087-4 (P108505-01) Water Sampled: 08/30/01 13:20 Received: 08/31/01 16:00 | | | | | | | | | |
| Gasoline (C6-C12) | ND | 50 | ug/l | 1 | 1080732 | 09/05/01 | 09/05/01 | EPA 8015M/8020M | |
| Benzene | ND | 0.50 | - | - | - | - | - | - | |
| Toluene | ND | 0.50 | - | - | - | - | - | - | |
| Ethylbenzene | ND | 0.50 | - | - | - | - | - | - | |
| Xylenes (total) | ND | 0.50 | - | - | - | - | - | - | |
| Methyl tert-butyl ether | ND | 2.5 | - | - | - | - | - | - | |
| Surrogate: a,a,a-Trifluorotoluene | | 102 % | 65-135 | | | | | | |
| Surrogate: 4-Bromofluorobenzene | | 100 % | 65-135 | | | | | | |
| <i>MW - 3</i> | | | | | | | | | |
| 53087-2 (P108505-02) Water Sampled: 08/30/01 14:10 Received: 08/31/01 16:00 | | | | | | | | | |
| Gasoline (C6-C12) | 3100 | 100 | ug/l | 2 | 1080732 | 09/05/01 | 09/05/01 | EPA 8015M/8020M | |
| Benzene | 42 | 1.0 | - | - | - | - | - | - | |
| Toluene | 48 | 1.0 | - | - | - | - | - | - | |
| Ethylbenzene | 28 | 1.0 | - | - | - | - | - | - | |
| Xylenes (total) | 210 | 1.0 | - | - | - | - | - | - | |
| Methyl tert-butyl ether | 26 | 5.0 | - | - | - | - | - | - | |
| Surrogate: a,a,a-Trifluorotoluene | | 96.7 % | 65-135 | | | | | | |
| Surrogate: 4-Bromofluorobenzene | | 99.7 % | 65-135 | | | | | | |
| <i>MW - 5</i> | | | | | | | | | |
| 53087-3 (P108505-03) Water Sampled: 08/30/01 14:46 Received: 08/31/01 16:00 | | | | | | | | | |
| Gasoline (C6-C12) | 34000 | 2500 | ug/l | 50 | 1080732 | 09/05/01 | 09/05/01 | EPA 8015M/8020M | |
| Benzene | 8300 | 25 | - | - | - | - | - | - | |
| Toluene | 5000 | 25 | - | - | - | - | - | - | |
| Ethylbenzene | 1400 | 25 | - | - | - | - | - | - | |
| Xylenes (total) | 2600 | 25 | - | - | - | - | - | - | |
| Methyl tert-butyl ether | 140 | 120 | - | - | - | - | - | - | |
| Surrogate: a,a,a-Trifluorotoluene | | 101 % | 65-135 | | | | | | |
| Surrogate: 4-Bromofluorobenzene | | 99.3 % | 65-135 | | | | | | |

Sequoia Analytical - Petaluma

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



1455 McDowell Blvd, North Ste D
Petaluma, CA 94954
(707) 792-1863
FAX (707) 792-0342
www.sequoiaanalytical.com

| | | |
|---|---|-----------------------------|
| Harding ESE - 3F 28 2nd Street, Suite 700 San Francisco CA, 94105 | Project: City Blue Project Number: 53087 001 Project Manager: David Nanstad | Reported: 09/17/01 12:05 |
|---|---|-----------------------------|

Total Petroleum Hydrocarbons as Gasoline and BTEX by EPA 8015M/8020M
Sequoia Analytical - Petaluma

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-----------------|-------|----------|---------|----------|----------|-----------------|-------|
| 53087-1 (P108505-04) Water Sampled: 08/30/01 16:25 Received: 08/31/01 16:00 | | | | | | | | | |
| Gasoline (C6-C12) | 31000 | 2500 | ug/l | 50 | 1080732 | 09/05/01 | 09/05/01 | EPA 8015M/8020M | |
| Benzene | 6600 | 25 | • | • | • | • | • | • | |
| Toluene | 5100 | 25 | • | • | • | • | • | • | |
| Ethylbenzene | 560 | 25 | • | • | • | • | • | • | |
| Xylenes (total) | 2500 | 25 | • | • | • | • | • | • | |
| Methyl tert-butyl ether | 260 | 120 | • | • | • | • | • | • | |
| Surrogate: a,a,a-Trifluorotoluene | 101 % | 65-135 | | | | | | | |
| Surrogate: 4-Bromofluorobenzene | 100 % | 65-135 | | | | | | | |
| 53087-6 (P108505-06) Water Sampled: 08/30/01 16:30 Received: 08/31/01 16:00 | | | | | | | | | |
| Gasoline (C6-C12) | ND | 50 | ug/l | 1 | 1080732 | 09/05/01 | 09/05/01 | EPA 8015M/8020M | |
| Benzene | ND | 0.50 | • | • | • | • | • | • | |
| Toluene | ND | 0.50 | • | • | • | • | • | • | |
| Ethylbenzene | ND | 0.50 | • | • | • | • | • | • | |
| Xylenes (total) | ND | 0.50 | • | • | • | • | • | • | |
| Methyl tert-butyl ether | ND | 2.5 | • | • | • | • | • | • | |
| Surrogate: a,a,a-Trifluorotoluene | 101 % | 65-135 | | | | | | | |
| Surrogate: 4-Bromofluorobenzene | 101 % | 65-135 | | | | | | | |



1455 McDowell Blvd, North 3rd D
Petaluma, CA 94954
(707) 792-1865
FAX: (707) 792-0542
www.sequoianl.com

Harding ESE - SF
38 2nd Street, Suite 700
San Francisco, CA, 94105

Project: City Blue
Project Number: 53087-001
Project Manager: David Nanstad

Reported:
09/17/01 12:05

Volatile Organic Compounds by EPA Method 8260B

Sequoia Analytical - Petaluma

| Analyte | Reporting | Result | Lund | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---------------------------------|--|--------|------|--------|----------|----------|----------|-----------|--------|-------|
| 53087-2 (P108505-02) Water | Sampled: 08/30/01 14:10 Received: 08/31/01 16:00 | | | | | | | | | R-06 |
| Methyl tert-butyl ether | ND | 1.2 | ug/l | 2.5 | 1090242 | 09/13/01 | 09/13/01 | EPA 8260B | | |
| Surrogate: Dibromofluoromethane | | 95.2 % | | 84-122 | | | | | | |
| 53087-3 (P108505-03) Water | Sampled: 08/30/01 14:45 Received: 08/31/01 16:00 | | | | | | | | | R-06 |
| Methyl tert-butyl ether | ND | 50 | ug/l | 100 | 1090242 | 09/13/01 | 09/13/01 | EPA 8260B | | |
| Surrogate: Dibromofluoromethane | | 94.2 % | | 84-122 | | | | | | |
| 53087-4 (P108505-04) Water | Sampled: 08/30/01 16:25 Received: 08/31/01 16:00 | | | | | | | | | R-06 |
| Methyl tert-butyl ether | ND | 100 | ug/l | 200 | 1090242 | 09/13/01 | 09/13/01 | EPA 8260B | | |
| Surrogate: Dibromofluoromethane | | 97.6 % | | 84-122 | | | | | | |

Sequoia Analytical - Petaluma

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



1455 McDowell Blvd, North Ste D
Petaluma, CA 94954
(707) 792-1865
FAX (707) 792-0342
www.sequoiolabs.com

Harding E&B - SF
28 2nd Street, Suite 700
San Francisco CA, 94105

Project: City Blue
Project Number: 53087.001
Project Manager: David Nanstad

Reported:
09/17/01 12:05

Total Petroleum Hydrocarbons as Gasoline and BTEX by EPA 8015M/8020M - Quality Control
Sequoia Analytical - Petaluma

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
| Batch 1080732 - EPA 6030, waters | | | | | | | | | | |
| Blank (1080732-BLK1) | | | | | | | | | | |
| Prepared & Analyzed: 08/31/01 | | | | | | | | | | |
| Gasoline (C6-C12) | ND | 50 | ng/l | - | - | - | - | - | - | - |
| Benzene | ND | 0.50 | - | - | - | - | - | - | - | - |
| Toluene | ND | 0.50 | - | - | - | - | - | - | - | - |
| Ethylbenzene | ND | 0.50 | - | - | - | - | - | - | - | - |
| Xylenes (total) | ND | 0.50 | - | - | - | - | - | - | - | - |
| Methyl tert-butyl ether | ND | 2.5 | - | - | - | - | - | - | - | - |
| Surrogate: a,a,a-Trifluorotoluene | 313 | - | - | 300 | - | 104 | 65-135 | - | - | - |
| Surrogate: 4-Bromofluorobenzene | 300 | - | - | 300 | - | 100 | 65-135 | - | - | - |
| Blank (1080732-BLK2) | | | | | | | | | | |
| Prepared & Analyzed: 09/05/01 | | | | | | | | | | |
| Gasoline (C6-C12) | ND | 50 | ng/l | - | - | - | - | - | - | - |
| Benzene | ND | 0.50 | - | - | - | - | - | - | - | - |
| Toluene | ND | 0.50 | - | - | - | - | - | - | - | - |
| Ethylbenzene | ND | 0.50 | - | - | - | - | - | - | - | - |
| Xylenes (total) | ND | 0.50 | - | - | - | - | - | - | - | - |
| Methyl tert-butyl ether | ND | 2.5 | - | - | - | - | - | - | - | - |
| Surrogate: a,a,a-Trifluorotoluene | 315 | - | - | 300 | - | 105 | 65-135 | - | - | - |
| Surrogate: 4-Bromofluorobenzene | 288 | - | - | 300 | - | 96.0 | 65-135 | - | - | - |
| LCS (1080732-BS1) | | | | | | | | | | |
| Prepared & Analyzed: 08/31/01 | | | | | | | | | | |
| Gasoline (C6-C12) | 2480 | 50 | ng/l | 2750 | - | 90.2 | 65-135 | - | - | - |
| Benzene | 35.5 | 0.50 | - | 33.0 | - | 108 | 65-135 | - | - | - |
| Toluene | 198 | 0.50 | - | 198 | - | 100 | 65-135 | - | - | - |
| Ethylbenzene | 50.6 | 0.50 | - | 46.0 | - | 110 | 65-135 | - | - | - |
| Xylenes (total) | 233 | 0.50 | - | 230 | - | 101 | 65-135 | - | - | - |
| Methyl tert-butyl ether | 71.0 | 2.5 | - | 52.5 | - | 135 | 65-135 | - | - | - |
| Surrogate: a,a,a-Trifluorotoluene | 340 | - | - | 300 | - | 113 | 65-135 | - | - | - |
| Surrogate: 4-Bromofluorobenzene | 317 | - | - | 300 | - | 106 | 65-135 | - | - | - |

Sequoia Analytical - Petaluma

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



1455 McDowell Blvd. North Ste D
Petaluma, CA 94954
(707) 792-1865
FAX (707) 792-0342
www.sequoialabs.com

| | | |
|---|--|-----------------------------|
| Harding ESE - 3F 28 2nd Street, Suite 700 San Francisco CA, 94105 | Project City Blue Project Number: 33087.001 Project Manager: David Nanstad | Reported: 09/17/01 12:05 |
|---|--|-----------------------------|

Total Petroleum Hydrocarbons as Gasoline and BTEX by EPA 8015M/8020M - Quality Control
Sequoia Analytical - Petaluma

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limit | RPD | RPD Limit | Notes |
|--|--------|-----------------|-------|-------------|---------------|--------|------------|------|-----------|--------|
| Batch 1080732 - EPA 6030, waters | | | | | | | | | | |
| LCS (1080732-B52) | | | | | | | | | | |
| Prepared & Analyzed: 09/05/01 | | | | | | | | | | |
| Gasoline (C6-C12) | 2480 | 50 | ug/l | 2750 | 90.2 | 65-135 | | | | |
| Benzene | 35.5 | 0.50 | * | 33.0 | 108 | 65-135 | | | | |
| Toluene | 197 | 0.50 | * | 198 | 99.5 | 65-135 | | | | |
| Ethylbenzene | 51.2 | 0.50 | * | 46.0 | 111 | 65-135 | | | | |
| Xylenes (total) | 232 | 0.50 | * | 230 | 101 | 65-135 | | | | |
| Methyl tert-butyl ether | 70.0 | 2.5 | * | 52.5 | 133 | 65-135 | | | | |
| Surrogate: a,a,a-Trifluorotoluene | 329 | | * | 300 | 110 | 65-135 | | | | |
| Surrogate: 4-Bromofluorobenzene | 309 | | * | 300 | 103 | 65-135 | | | | |
| Matrix Spike (1080732-MS1) | | | | | | | | | | |
| Source: P108473-03 Prepared & Analyzed: 08/31/01 | | | | | | | | | | |
| Gasoline (C6-C12) | 2760 | 50 | ug/l | 2750 | ND | 100 | 65-135 | | | |
| Benzene | 36.2 | 0.50 | * | 33.0 | ND | 110 | 65-135 | | | |
| Toluene | 203 | 0.50 | * | 198 | ND | 103 | 65-135 | | | |
| Ethylbenzene | 53.5 | 0.50 | * | 46.0 | ND | 116 | 65-135 | | | |
| Xylenes (total) | 241 | 0.50 | * | 230 | ND | 105 | 65-135 | | | |
| Methyl tert-butyl ether | 67.1 | 2.5 | * | 52.5 | ND | 128 | 65-135 | | | |
| Surrogate: a,a,a-Trifluorotoluene | 335 | | * | 300 | 112 | 65-135 | | | | |
| Surrogate: 4-Bromofluorobenzene | 322 | | * | 300 | 107 | 65-135 | | | | |
| Matrix Spike Dup (1080732-MSD1) | | | | | | | | | | |
| Source: P108473-03 Prepared & Analyzed: 08/31/01 | | | | | | | | | | |
| Gasoline (C6-C12) | 2820 | 50 | ug/l | 2750 | ND | 103 | 65-135 | 2.15 | 20 | |
| Benzene | 39.1 | 0.50 | * | 33.0 | ND | 118 | 65-135 | 7.70 | 20 | |
| Toluene | 213 | 0.50 | * | 198 | ND | 108 | 65-135 | 4.81 | 20 | |
| Ethylbenzene | 55.0 | 0.50 | * | 46.0 | ND | 120 | 65-135 | 2.76 | 20 | |
| Xylenes (total) | 248 | 0.50 | * | 230 | ND | 108 | 65-135 | 2.86 | 20 | |
| Methyl tert-butyl ether | 73.2 | 2.5 | * | 52.5 | ND | 139 | 65-135 | 8.70 | 20 | Q44-07 |
| Surrogate: a,a,a-Trifluorotoluene | 344 | | * | 300 | 115 | 65-135 | | | | |
| Surrogate: 4-Bromofluorobenzene | 329 | | * | 300 | 110 | 65-135 | | | | |



1455 McDowell Blvd, North Ste D
Petaluma, CA 94954
(707) 792-1865
FAX: (707) 792-0342
www.sequoiolabs.com

| | | |
|---|---|-----------------------------|
| Harting ESE - SF 18 2nd Street, Suite 700 San Francisco CA, 94105 | Project: City Blue Project Number: 53087.001 Project Manager: David Nanstad | Reported: 09/17/01 12:05 |
|---|---|-----------------------------|

Volatile Organic Compounds by EPA Method 8260B - Quality Control
Sequoia Analytical - Petaluma

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %RBC | %REC Limits | RPD | RPD Limit | Notes |
|--|--------|-----------------|-------|-------------|-------------------------------|------|-------------|--------|-----------|-------|
| Batch 1090242 - EPA 6030 waters | | | | | | | | | | |
| Blank (1090242-BLK1) | | | | | | | | | | |
| Methyl tert-butyl ether | ND | 0.50 | ug/l | - | Prepared & Analyzed: 09/13/01 | | | | | |
| Surrogate: Dibromofluoromethane | 4.70 | - | - | 5.00 | | 94.0 | 84-122 | | | |
| LCS (1090242-BS1) | | | | | | | | | | |
| Methyl tert-butyl ether | 4.85 | 0.50 | ug/l | 5.00 | Prepared & Analyzed: 09/13/01 | 97.0 | 79-118 | | | |
| Surrogate: Dibromofluoromethane | 4.77 | - | - | 5.00 | | 95.4 | 84-122 | | | |
| Matrix Spike (1090242-MS1) | | | | | | | | | | |
| Methyl tert-butyl ether | 4.60 | 0.50 | ug/l | 5.00 | Source: P108508-11 | ND | 92.0 | 79-118 | | |
| Surrogate: Dibromofluoromethane | 4.91 | - | - | 5.00 | | 98.2 | 84-122 | | | |
| Matrix Spike Dup (1090242-MSD1) | | | | | | | | | | |
| Methyl tert-butyl ether | 4.64 | 0.50 | ug/l | 5.00 | Source: P108508-11 | ND | 92.8 | 79-118 | 0.966 | 20 |
| Surrogate: Dibromofluoromethane | 5.09 | - | - | 5.00 | | 102 | 84-122 | | | |



1455 McDowell Blvd, North Ste D
Petaluma, CA 94954
(707) 792-1865
FAX (707) 792-0542
www.sequoialabs.com

Harding E&E - SF
28 2nd Street, Suite 700
San Francisco, CA, 94105

Project: City Blue
Project Number: 53087.001
Project Manager: David Nanstad

Reported:
09/17/01 12:05

Notes and Definitions

- QM-07 The spike recovery was outside control limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
- R-05 The sample was diluted due to the presence of high levels of non-target analytes resulting in elevated reporting limits.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference



Harding ESE
A MACTEC COMPANY

600 Grand Ave, Suite 300
Oakland, CA 94610
(510) 451-3001

Job Number:

53087.001

Name/Location:

City Blue

Project Manager:

David Nansstad

CHAIN OF CUSTODY FORM

Samplers: Trish Eliasson

Seq. No.: N 10552

Lab: Sequoia

| MATRIX | CONTAINERS & PRESERV. | SAMPLE NUMBER | | | | DATE | | | | STATION DESCRIPTION |
|--------|-----------------------|---------------|----|-----|------|------|----|-----|------|---------------------|
| | | YR | MO | DAY | TIME | YR | MO | DAY | TIME | |
| X | 3 | 53087-4 | | 01 | 0830 | 1320 | | | | |
| X | 3 | 53087-2 | | 01 | 0830 | 1410 | | | | |
| X | 3 | 53087-3 | | 01 | 0830 | 1445 | | | | |
| X | 3 | 53087-1 | | 01 | 0830 | 1525 | | | | |
| X | 1 | 53087-5 | | 01 | 0830 | 1530 | | | | |

| STATION DESCRIPTION | | DEPTH |
|---------------------|--|-------|
| PIC885-01 | | -42 |
| | | -58 |
| | | -71 |
| | | -80 |

| ANALYSIS REQUESTED | |
|----------------------------|--|
| Clean Range Organics B015B | |
| Clean Range Organics B015B | |
| MTBE | |
| OCM Pic 26 Analysis | |
| BTEX | |
| OCM B26/B | |
| OCM B26/C | |
| EPA 8265/B | |
| EPA 8265/C | |
| MTBE Confirmation | |
| OCM TPHs 8015M | |

| ADDITIONAL INFORMATION | |
|------------------------|--|
| SAMPLE NUMBER | TURNAROUND TIME/REMARKS |
| YR 880 | |
| | Standard TAT |
| | MTBE Confirmation by B260 |
| | COOLER CUSTODY SEAL TOT: ET <input checked="" type="checkbox"/> |
| | NOT INT CT <input type="checkbox"/> |
| | COOLER TEMPERATURE 2.5 °C |

Laboratory Copy
WMS

Project Office Copy
YKEM

Field or Office Copy
Alik

| CHAIN OF CUSTODY RECORD | | |
|--------------------------------------|--------------------------------------|---------------|
| <i>Trish Eliasson</i> Harding ESE | <i>Trish Eliasson</i> Harding ESE | 8-31-01 40018 |
| Received By: Signature | Date Received | Comments |
| Released By: Signature | Date Released | Comments |
| Handed over By: Signature | Date Handed over | Comments |
| Received by: Signature | Date Received | Comments |
| Received by: Signature | Date Received | Comments |
| Method of Shipment | | |

APPENDIX B

GROUNDWATER SAMPLING FORMS



Harding Lawson Associates
Engineering and Environmental Services

| | |
|--------------|--|
| Job Name: | City Blue |
| Job Number: | 53087.001 |
| Recorded By: |  (Signature) |

GROUNDWATER SAMPLING FORM

| | | | |
|--------------|---|-------------------------------------|--------------------------------------|
| Well Number: | MW-3 | | |
| Well Type: | <input checked="" type="checkbox"/> Monitor | <input type="checkbox"/> Extraction | <input type="checkbox"/> Other _____ |
| | <input checked="" type="checkbox"/> PVC | <input type="checkbox"/> St. Steel | <input type="checkbox"/> Other _____ |
| Date: | 8/30/2001 | | |
| Sampled By: | TAE | 1340 (initials) | |

WELL PURGING

PURGE VOLUME

Casing Diameter (D in inches): _____
Total Depth of Casing (TD in ft BTOC): _____
Water Level Depth (WL in ft BTOC): 23.35
No. of Well Volumes to be purged (# V): _____

PURGE METHOD

Bailer - Type: _____
Submersible - Type: _____
Other - Type: _____

PURGE VOLUME CALCULATION

(____ - ____) x ____² x 3 x 0.0408 = _____ gal

| TD (feet) | WL (Feet) | D (inches) | # V | Calculated Purge Volume |
|-----------|-----------|------------|-----|-------------------------|
| | | | | |

PUMP INTAKE SETTING

Near Bottom Near Top
 Other _____

Field Parameter Measurements

WELL SAMPLING

Bailer - Type: dedicated teflon

Sample Time: 1410

PURGE RATE

Purge Start: _____ GPM: _____
Purge Stop: _____ GPM: _____

Elapsed: _____

PURGE VOLUME

Observations During Purging (Well Condition, Color, Odor):

Discharge Water Disposal: Sanitary Sewer
 Storm Sewer Other Comodized

QUALITY CONTROL SAMPLES

Duplicate Samples

Original Sample No. **Dupl. Sample No.**

Blank Samples

Sample No.

Other Samples

Type Sample No.

Groundwater Monitoring Data Sheet

**City Blue
1700 Jefferson Street
Oakland, CA**

| Well Number | Date | Time | Water Depth First Reading (TOC) | Water Depth Second Reading (TOC) | Cap | Lock | Casing | Box/Lid | Comments |
|-------------|---------|-------|---------------------------------|----------------------------------|-----|------|--------|---------|-----------------------------|
| MW-1 | 8/30/01 | 14:55 | 24.00 | 24.00 | ✓ | ✓ | ✓ | — | |
| MW-3 | 8/30/01 | 13:40 | 23.35 | 23.35 | ✓ | ✓ | ✓ | ✓ | |
| MW-5 | 8/30/01 | 14:20 | 24.02 | 24.00 | — | — | ✓ | — | |
| MW-6 | 8/30/01 | 12:55 | 23.35 | 23.35 | ✓ | — | — | ✓ | No Teflon tubing - replaced |

Table B1. Sample Location/Sample Description Cross-Reference
BPS Reprographic Services Facility
1700 Jefferson Street
Oakland, California

| Well/Sample Number | Client Sample ID |
|--------------------|------------------|
| MW-1 | 53087-1 |
| MW-3 | 53087-3 |
| MW-5 | 53087-5 |
| MW-6 | 53087-6 |