



Barbara Jakub  
Alameda County Environmental Health  
1131 Harbor Bay Parkway  
Alameda, CA 94502-6577

Re: BPS Reprographics (Formerly City Blue Print)  
RWQCB Case #01-0210  
1700 Jefferson St  
Oakland CA, 94612

**RECEIVED**  
*9:50 am, Dec 07, 2011*  
Alameda County  
Environmental Health

Dear Barbara Jakub,

I have directed ERS to provide, on our behalf, professional environmental consulting services to the best of their ability. To the best of my knowledge the information in this report is accurate and all local Agency and/or Regional Water Quality Control Board regulations and guidelines have been followed.

This report was prepared by ERS and I have relied on their advice and assistance. I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

David Blain  
Authorized Representative

Attachment: Report

December 6, 2011

Mr. David Blain  
BPS Reprographic Services  
945 Bryant Street  
San Francisco, CA 94103

RE: Semi-Annual Ground Water Monitoring Report, September 2011  
1700 Jefferson Street, Oakland, California  
Fuel Leak Case No. RO 151  
*ERS Project No 1015-01.00*

Dear Mr. Blain:

Environmental Risk Specialties Corporation (ERS) encloses herein one hard copy of the Semi-Annual Ground Water Monitoring Report, September 2011 for 1700 Jefferson Street, Oakland, California. ERS will also upload the Report along with monitor well sampling and analytical data to the Regional Water Quality Control Board's GeoTracker database.

If you have any questions regarding this report or the findings of the work, please contact me at (925) 938-1600, extension 102 or email me at [smichelson@erscorp.us](mailto:smichelson@erscorp.us).

Sincerely,



Steven Michelson, PG

Principal Geologist

cc: Ms. Barbara Jakub, Alameda County Department of Environmental Health

# ***SEMI-ANNUAL GROUND WATER MONITORING REPORT SEPTEMBER 2011***

**BPS REPROGRAPHICS  
1700 Jefferson Street  
Oakland, California**



**Environmental Risk Specialties  
Corporation**

**SEMI-ANNUAL  
GROUND WATER MONITORING REPORT**

**September 2011**

**1700 Jefferson Street**

**Oakland, California**

*Prepared for:*

Mr. David Blain  
BPS Reprographic Services  
945 Bryant Street  
San Francisco, CA 94103

*Prepared by:*

Environmental Risk Specialties Corporation  
Walnut Creek, California  
**December 6, 2011**

Reviewed By:



---

Steven Michelson, PG

Principal Geologist

## TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
2.0	BACKGROUND.....	1
2.1	Subsurface Conditions .....	2
3.0	GROUND WATER MONITORING AND SAMPLING .....	2
3.1	Ground Water Monitoring .....	3
3.2	Ground Water Gradient.....	3
3.3	Ground Water Sampling.....	3
4.0	RESULTS OF GROUND WATER SAMPLING.....	4
5.0	DISCUSSION .....	4
6.0	SUMMARY .....	4
7.0	References.....	5

## LIST OF TABLES

Table 1 - Ground Water Elevations

Table 2 - Ground Water Gradient and Flow Direction

Table 3 - Ground Water Analytical Results

## LIST OF CHARTS

Chart 1 - Concentrations of TPH (GRO) vs. Time in MW-1, MW-3, and MW-5

Chart 2 - Concentrations of Benzene vs. Time in MW-1, MW-3, and MW-5

## LIST OF FIGURES

Figure 1 - Location Map

Figure 2 - Site Plan

Figure 3 - Gradient Contour Map

Figure 4 - TPH (GRO) Iso-Concentration Contour Map

Figure 5 - Benzene Iso-Concentration Contour Map

Figure 6 - Ground Water Gradient Rose Diagram

## LIST OF APPENDICES

Appendix A – Monitor Well Worksheets

Appendix B – Laboratory Analytical Reports

## 1.0 INTRODUCTION

This Semi-Annual Ground Water Monitoring Report was prepared by Environmental Risk Specialties Corporation (ERS) on behalf of BPS Reprographic Services. This Report describes ground water monitoring work performed at 1700 Jefferson Street, Oakland, California (Site). The project objectives were to sample and analyze ground water from four existing monitor wells, measure the depth to ground water in all existing wells to calculate ground water gradient magnitude and direction, evaluate analytical results, and report the findings.

## 2.0 BACKGROUND

The Site is located on the northeast corner of the intersection of Jefferson Street and 17<sup>th</sup> Street in Oakland, California. The Site is a former gas station that had two 1,000 gallon gasoline underground storage tanks (USTs) and one 550 gallon waste oil UST. On February 20, 1987, three borings (Borings 1 through 3) were advanced for a geotechnical investigation. Two additional borings (Borings 4 and 5) were advanced near the former USTs. On June 16, 1987, three gasoline USTs, product lines and dispensers were removed, overexcavated, and backfilled without confirmation sampling. Soil was excavated to approximately 9.5 feet, which was the maximum reach of the excavation equipment. The soil was stockpiled and then spread out for aeration. The excavation was subsequently backfilled on August 5 and 6, 1987 with the aerated soil.

Three ground water monitor wells were installed in June 1987 (MW-1 to MW-3) and well MW-1 initially contained 30 inches of free-phase floating product (free product). Well MW-2 was subsequently destroyed on November 9, 1987 when the current building was constructed. On August 12, 1987, Boring 6 was advanced to investigate soil permeability. In January 1988, ground water extraction wells MW-1A and MW-4 were installed to remove free product. In August 1988, offsite well MW-5 was installed.

Free product was removed from well MW-1 on a daily basis yielding an estimated 2,300 gallons of free product from September 1987 to March 1991. A ground water extraction and treatment system was installed in June 1992. The system was removed in July 1999, after extracting an additional 867 gallons of free product. Five Cone Penetrometer Test (CPT) borings both south of the Site and north of well MW-5 were advanced in March 1995. In April 1996, well MW-6 was installed. In April 1998, analyses showed the free product was comprised of leaded gasoline. Measurable thickness free product has not been observed in the wells since 1999.

In 1999, oxygen release compound (ORC®) socks were placed in wells MW-1A, MW-3, MW-4, and MW-5. The ORC® socks were removed at the request of Alameda County Department of Environmental Health in 2002.

Quarterly ground water monitoring of wells MW-1, MW-3, MW-5, and MW-6 has been conducted from January 1994 through March 2009, when semi-annual monitoring commenced. Ground water extraction wells MW-1A and MW-4 were periodically sampled from August 1991 to June 1999.

All monitor wells were previously surveyed on the City of Oakland datum, which has a discrepancy of -5.7 feet from NAVD88, the standard national datum. On April 15, 2010, all monitor wells were resurveyed by Muir Consulting of Oakdale, California to Geotracker specifications using NAVD88 datum.

In April of 2011, three wells were installed in association with the Merrill Sign Company, a RWQCB site located on the corner of 18<sup>th</sup> and Jefferson St (PDE, 2011) and ERS coordinated with PDE to ensure that the coordinates were measured in the same datum as the 1700 Jefferson monitor wells. Data from the most recent monitoring event at this site is used in this report to generate ground water elevation contours and determine plume extent.

## **2.1 Subsurface Conditions**

Boring logs indicate that silty sand and clayey sand are present from the surface to a depth of approximately 17.5 feet below ground surface (bgs). Sand was reported in the borings from approximately 17.5 to 31.0 feet bgs with the exception of MW-5 where sand was reported from the surface to 31.0 feet bgs with a layer of silty sand from 6 to 12 feet bgs. These soils are underlain by stiff to very stiff, saturated silty clays to the maximum explored depth of 41.5 feet bgs. Ground water was encountered at approximately 23 feet bgs in the boreholes.

## **3.0 GROUND WATER MONITORING AND SAMPLING**

Ground water monitoring and sampling of the Site was performed on September 9, 2011 by ERS personnel and by PDE personnel for the Merrill Sign Company Site. Work at the Site included measuring depth to water, subjectively evaluating the possible presence of petroleum in ground water in the wells, purging and sampling the wells using EPA approved low-flow techniques, and submitting the samples to a state-certified laboratory for analysis.

Ground water elevation data are summarized in Table 1, gradient data are summarized in Table 2, and analytical data are summarized in Table 3. Field sheets of recently recorded ground water monitoring data are included in Appendix A

### **3.1 Ground Water Monitoring**

Before ground water purging and sampling, the depth to the water table was measured from the top of each well casing using an electronic water level meter. The water level measurements were recorded to the nearest 0.01 foot with respect to mean sea level (MSL).

### **3.2 Ground Water Gradient**

Ground water elevation contours measured on September 9, 2011 are illustrated on Figure 3. The ground water gradient direction is to the northwest at an average of 0.0031 ft/ft. A rose diagram depicting ground water gradients over time is presented in Figure 6.

### **3.3 Ground Water Sampling**

Before ground water sampling, each well was purged using low-flow techniques described in the "Low-Flow (Minimal Drawdown) Ground Water Sampling Procedures" (ASTM No 6771-02, 2002). Dedicated tubing, attached to a peristaltic pump, was lowered to the mid-point of the reported screen zone. The pump was set to a rate of less than 1 liter per minute and pH, dissolved oxygen (DO), specific conductance (SC), oxidation reduction potential (ORP), depth to water (DTW) and temperature were measured in three to five minute intervals within a flow-through cell. When depth to water remained constant and parameters stabilized to within  $\pm 10\%$  in consecutive readings, the pump rate was reduced, the tube was disconnected from the flow-through cell and samples were collected directly from the dedicated tubing.

From each monitor well, four laboratory-supplied 40-milliliter HCL-preserved sample vials were filled with ground water and sealed with zero headspace. Once filled, sample vials were inverted and tapped to test for air bubbles. Sample containers were labeled and stored in a pre-chilled, insulated container and returned to ERS's Walnut Creek office where they were stored at 4°C. The samples were transported to TestAmerica, a state-certified analytical laboratory, following standard COC protocols for the requested analyses.

Water purged during the development and sampling of the monitor wells is being temporarily stored onsite in a 55-gallon drum pending laboratory analysis and proper disposal.



## 4.0 RESULTS OF GROUND WATER SAMPLING

Ground water samples collected from wells MW-1, MW-3, MW-5, and MW-6 were analyzed for Total Petroleum Hydrocarbon Gasoline Range Organics (TPH (GRO)), benzene, toluene, ethylbenzene, total xylenes (BTEX), and methyl tertiary butyl ether (MTBE) by EPA Method 8260B. TPH (GRO) represents the total petroleum concentration from carbon range C5 to C12. Copies of the chain of custody record and laboratory analytical reports with individual and standard chromatograms are included as Appendix B. TPH (GRO), BTEX, and MTBE analytical results are summarized in Table 3.

## 5.0 DISCUSSION

The available data collected at 1700 Jefferson Street indicates that ground water has been affected by the former USTs. Ground water use as a potential drinking source in this area is highly unlikely due to site location and the high quality public drinking water supplied by EBMUD. In Table 3, the concentrations of petroleum hydrocarbons in the ground water are compared with the Environmental Screening Levels (ESLs) for ground water that is not a potential drinking water source published in 2008 by the San Francisco Bay Regional Water Quality Control Board (RWQCB-SF).

Charts 1 and 2 depict the trends of TPH (GRO) and benzene respectively in the monitor wells MW-1, MW-3, and MW-5 over time. Figures 4 and 5 show the distribution of TPH (GRO) and benzene in ground water at the Site.

## 6.0 SUMMARY

Based on the results of ground water monitoring performed at 1700 Jefferson Street:

- Ground water gradient direction is to the northwest at an average of 0.0031 ft/ft.
- Concentrations of TPH (GRO) increased in wells MW-3 and MW-6
- Concentrations of benzene increased in all four wells.
- No detectable ethylbenzene, toluene or xylenes concentrations were reported in downgradient well MW-6. However, TPH (GRO) and benzene were detected at concentrations well below the ESLs.
- Despite seasonal fluctuations, plume concentrations have remained relatively stable over the past 10 years (Charts 1 and 2).
- Based on the recent detection of TPH (GRO) and benzene in well MW-6, the plume appears to be migrating in the down gradient direction (Figures 4 and 5).

## 7.0 REFERENCES

ASTM 2002. *Standard Practice for Low-Flow Purging and Sampling for Wells and Devices Used for Ground-Water Quality Investigations*. Designation: D 6771-02

California Regional Water Quality Control Board Region 2 – Environmental Screening Levels, San Francisco Bay Regional Water Quality Control Board, California Environmental Protection Agency, 2008

P&D Environmental (PDE), Ground Water Monitoring Well Installation Report, Merrill Sign Company, May 2011

## TABLES

**Table 1  
GROUND WATER ELEVATIONS  
1700 Jefferson Street, Oakland, California  
1700 Jefferson St, BPS Reprographics**

Well ID	MW-1		MW-1A		MW-3		MW-4		MW-5		MW-6	
Top of Casing (ft above MSL)	36.81		35.25		36.23		36.77		35.21		35.91	
Date	DTW (ft bgs)	GWE (ft bgs)	DTW (ft bgs)	GWE (ft bgs)	DTW (ft bgs)	GWE (ft bgs)	DTW (ft bgs)	GWE (ft bgs)	DTW (ft bgs)	GWE (ft bgs)	DTW (ft bgs)	GWE (ft bgs)
7/8/1987	25.75	5.69	--	--	25.50	6.27	--	--	--	--	--	--
7/12/1989	26.00	5.44	--	--	24.44	7.33	--	--	24.91	4.31	--	--
Data not available from 1990 to 1995												
3/6/1996	NS	--	--	--	24.79	6.98	--	--	23.53	7.03	NA	---
6/11/1996	FP	--	--	--	25.60	6.17	--	--	23.78	6.78	25.16	6.10
9/19/1996	FP	--	--	--	26.09	5.68	--	--	24.48	6.08	25.76	5.50
12/23/1996	FP	--	--	--	FP	---	--	--	24.83	5.73	25.88	5.38
3/27/1997	FP	--	--	--	FP	---	--	--	23.82	6.74	24.78	6.48
6/4/1997	26.41	5.95	--	--	25.11	6.66	--	--	23.92	6.64	24.60	6.66
9/26/1997	26.80	5.56	--	--	25.41	6.36	--	--	24.29	6.27	24.80	6.46
12/22/1997	26.00	6.36	--	--	24.91	6.86	--	--	24.02	6.54	24.71	6.55
3/31/1998	26.06	6.30	--	--	24.05	7.72	--	--	22.78	7.78	23.75	7.51
6/18/1998	25.60	6.76	--	--	23.71	8.06	--	--	22.51	8.05	23.22	8.04
8/28/1998	25.45	6.91	--	--	23.70	8.07	--	--	22.74	7.82	22.23	9.03
12/2/1998	24.92	7.44	--	--	23.60	8.17	--	--	23.16	7.40	23.72	7.54
3/10/1999	24.90	7.46	--	--	22.65	9.12	--	--	22.82	7.74	23.54	7.72
6/30/1999	25.53	6.83	--	--	23.07	8.70	--	--	22.41	8.15	23.04	8.22
9/29/1999	24.23	8.13	--	--	23.03	8.74	--	--	22.81	7.75	23.42	7.84
11/22/1999	24.33	8.03	--	--	23.68	8.09	--	--	22.88	7.68	23.64	7.62
2/11/2000	24.38	7.98	--	--	23.74	8.03	--	--	22.74	7.82	23.67	7.59
5/30/2000	23.57	8.79	--	--	22.97	8.80	--	--	21.73	8.83	22.82	8.44
9/15/2000	23.85	8.51	--	--	23.12	8.65	--	--	22.14	8.42	23.10	8.16
11/16/2000	24.14	8.22	--	--	23.40	8.37	--	--	22.39	8.17	23.41	7.85
4/2/2001	23.40	8.96	--	--	23.40	8.37	--	--	22.07	8.49	23.33	7.93
6/28/2001	23.58	8.78	--	--	23.17	8.60	--	--	22.15	8.41	23.15	8.11
8/30/2001	24.00	8.36	--	--	23.35	7.42	--	--	22.35	8.21	23.35	7.91
12/26/2001	24.18	8.18	--	--	23.54	8.23	--	--	22.49	8.07	23.27	7.99
4/23/2002	NA	--	--	--	22.89	8.88	--	--	21.07	9.49	22.89	8.37
6/14/2002	23.41	8.95	--	--	22.85	8.92	--	--	21.80	8.76	22.81	8.45
8/20/2002	23.85	8.51	--	--	23.11	8.66	--	--	22.14	8.42	23.15	8.11
12/27/2002	24.10	8.26	--	--	23.34	8.43	--	--	NA <sup>1</sup>	NA <sup>1</sup>	23.41	7.85
4/1/2003	23.75	8.61	--	--	22.90	8.87	--	--	NA <sup>1</sup>	NA <sup>1</sup>	23.16	8.10
7/1/2003	23.50	8.86	--	--	22.80	8.97	--	--	NA <sup>1</sup>	NA <sup>1</sup>	22.75	8.51
9/24/2003	23.82	8.54	--	--	23.15	8.62	--	--	22.21	8.35	23.16	8.10
12/29/2003	24.07	8.29	--	--	23.45	8.32	--	--	22.56	8.00	23.47	7.79
5/18/2004	23.64	8.72	--	--	22.98	8.79	--	--	21.85	8.71	22.87	8.39
6/30/2004	23.64	8.72	--	--	23.04	8.73	--	--	22.00	8.56	22.43	8.83
9/23/2004	23.98	8.38	--	--	23.32	8.45	--	--	22.36	8.20	23.30	7.96
12/28/2004	24.07	8.29	--	--	28.71	3.06	--	--	22.42	8.14	23.42	7.84
3/16/2005	23.80	8.56	--	--	23.70	8.07	--	--	22.11	8.45	23.60	7.66
6/23/2005	22.90	9.46	--	--	22.40	9.37	--	--	21.20	9.36	22.27	8.99
9/9/2005	23.27	9.09	--	--	22.63	9.14	--	--	21.68	8.88	22.55	8.71
12/2/2005	23.75	8.61	--	--	23.06	8.74	--	--	22.19	8.37	23.05	8.21
3/24/2006	23.05	9.31	--	--	22.57	9.20	--	--	21.01	9.55	22.50	8.76
6/29/2006	22.56	9.80	--	--	23.91	9.84	--	--	20.78	9.78	21.85	9.41
9/13/2006	23.00	9.36	--	--	22.35	9.42	--	--	21.35	9.21	22.31	8.95
12/27/2006	23.47	8.89	--	--	22.82	8.95	--	--	21.82	8.74	22.85	8.41
3/30/2007	23.51	8.85	--	--	22.91	8.86	--	--	21.70	8.86	22.88	8.38
7/2/2007	23.39	8.97	--	--	22.88	8.89	--	--	21.81	8.75	22.75	8.51
10/2/2007	23.87	8.49	--	--	23.20	8.57	--	--	22.22	8.34	23.17	8.09
12/13/2007	24.05	8.31	--	--	23.40	8.37	--	--	22.31	8.25	23.37	7.89
3/26/2008	23.56	8.80	--	--	23.00	8.77	--	--	21.77	8.79	22.97	8.29
6/2/2008	23.70	8.66	--	--	23.08	8.69	--	--	22.04	8.52	23.07	8.19
9/10/2008	24.07	8.29	--	--	23.55	8.22	--	--	22.52	8.04	23.49	7.77
11/19/2008	24.33	8.03	--	--	23.68	8.09	--	--	22.63	7.93	23.64	7.62
3/3/2009	24.31	8.05	--	--	23.78	7.99	--	--	22.51	8.05	22.51	7.51
9/3/2009	24.16	8.20	--	--	23.55	8.22	--	--	22.36	8.20	23.49	-15.44
3/3/2010	23.99	12.82	22.42	12.83	23.45	12.78	23.87	12.90	22.14	13.07	23.49	12.42
9/8/2010	23.75	13.06	22.31	12.94	23.09	13.14	23.63	13.14	22.05	13.16	23.11	12.80
3/16/2011	23.63	13.18	22.09	13.16	23.05	13.18	23.55	13.22	21.85	13.36	23.06	12.85
9/9/2011	23.16	13.65	21.64	13.61	22.50	13.73	23.06	13.71	21.57	13.64	22.50	13.41

**612 18th St, Merrill Sign Company**

	MW-1		MW-2		MW-3	
	34.62		34.57		34.72	
	DTW (ft bgs)	GWE (ft bgs)	DTW (ft bgs)	GWE (ft bgs)	DTW (ft bgs)	GWE (ft bgs)
4/25/2011	21.18	13.44	21.21	13.36	21.61	13.11
7/25/2011	21.22	13.40	21.14	13.43	21.54	13.18
9/9/2011	21.51	13.11	21.39	13.18	21.79	12.93

Notes:

- NS: Not Sampled
  - FP: Free Product
  - NA: Not Available
  - MSL: Mean sea level
  - ft: feet
  - bgs: below ground surface
  - 1: Data not available due to ORC socks in well
  - 2: Data not available due to probable equipment malfunction or operator error
- Well elevations prior to 2010 are in City of Oakland Datum; After 2010, all elevations are in NAVD 88 Datum.

**Table 2**  
**GROUND WATER GRADIENT AND FLOW DIRECTION**  
**1700 Jefferson Street, Oakland, California**

Date Monitored	Ground Water Gradient	Ground Water Direction
6/11/1996	0.003	SW
6/4/1997	0.009	NW
3/31/1998	0.002	W
8/28/1998	0.007	E
12/2/1998	0.006	NW
3/10/1999	0.011	NW
9/29/1999	0.004	NW
2/11/2000	0.001	NW
5/30/2000	0.003	W
11/16/2000	0.044	W
4/2/2001	0.001	SW
6/28/2001	0.005	SW
8/30/2001	0.004	SW
4/23/2002	0.006	W-SW
6/14/2002	0.004	W- SW
8/20/2002	0.005	W- SW
12/27/2002	0.005	W- SW
4/1/2003	0.007	W- SW
7/1/2003	0.006	W-NW
9/24/2003	0.005	W-NW
12/29/2003	0.003	W-NW
5/18/2004	0.006	W
6/30/2004	0.002	N
9/23/2004	0.005	W
12/28/2004	0.0451	SE <sup>1</sup>
3/16/2005	0.01	SW
6/23/2005	0.005	W
9/9/2005	0.005	W
12/2/2005	0.006	NW
3/24/2006	0.006	NW
9/13/2006	0.005	W-NW
12/13/2007	0.004	W-NW
3/26/2008	0.004	W
6/2/2008	0.004	W
9/10/2008	0.005	W
3/3/2009	0.004	W
9/3/2009	0.003	W-NW
3/3/2010	0.002	SW
9/8/2010	0.0015	W-SW
3/16/2011	0.0024	W-SW
9/9/2011	0.0031	NW

Notes:

<sup>1</sup> MACTEC reported an error in groundwater measurement

**Table 3**  
**GROUND WATER ANALYTICAL RESULTS**  
**1700 Jefferson Street, Oakland, California**

Well ID	Date Sampled	TPH (GRO)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE	Free Product									
									(µg/L)							(inches)	
ESLs		210	46	130	43	100	1800	--									
MW-1	7/8/1987	190,000	18,000	26,000	--	3,700	--	30									
	9/12/1988	--	--	--	--	--	--	25									
	7/12/1989	190,000	1,000	8,900	2,900	19,000	--	21.6									
	8/1/1991	--	--	--	--	--	--	12									
	6/18/1992	--	--	--	--	--	--	34									
	7/2/1992	--	--	--	--	--	--	18									
	7/23/1992	--	--	--	--	--	--	10									
	8/18/1992	--	--	--	--	--	--	10									
	11/11/1992	--	--	--	--	--	--	13									
	1/29/1993	--	--	--	--	--	--	25.2									
	2/12/1993	--	--	--	--	--	--	10.2									
	1/6/1994	--	--	--	--	--	--	14.8									
	3/17/1994	--	--	--	--	--	--	23.4									
	4/13/1994	--	--	--	--	--	--	12									
	6/29/1994	--	--	--	--	--	--	0									
	12/8/1994	--	--	--	--	--	--	FP									
	4/3/1995	--	--	--	--	--	--	FP									
	6/27/1995	--	--	--	--	--	--	FP									
	9/19/1995	--	--	--	--	--	--	FP									
	12/13/1995	--	--	--	--	--	--	FP									
	3/6/1996	--	--	--	--	--	--	FP									
	6/11/1996	--	--	--	--	--	--	FP									
	9/19/1996	--	--	--	--	--	--	FP									
	12/23/1996	--	--	--	--	--	--	FP									
	3/27/1997	--	--	--	--	--	--	FP									
	6/4/1997	68,000	2,200	4,500	1,500	11,000	<500	--									
	9/26/1997	59,000	6,000	3,000	1,600	8,600	<500	--									
	12/23/1997	41,000	6,800	3,000	1,400	6,600	300	--									
	3/31/1998	44,000	8,300	3,700	1,100	4,300	420	--									
	6/18/1998	32,000	1,100	3,800	550	3,000	<50	--									
	8/28/1998	26,000	8,600	2,300	730	2,100	<50	--									
	12/2/1998	26,000	9,200	4,300	820	2,800	<50	--									
	3/10/1999	26,000	8,200	5,900	870	3,500	<50	--									
	6/30/1999	18,000	7,000	5,800	950	2,500	<25	--									
	9/29/1999	21,000	9,200	10,000	1,200	5,500	<250	--									
	9/29/1999	14,000	6,200	5,900	620	3,500	<250	--									
	11/22/1999	24,000	4,900	5,000	730	3,500	<100	--									
	2/11/2000	19,000	4,100	4,800	530	2,800	7	--									
	5/30/2000	19,000	5,700	8,400	730	3,500	<5.0	--									
	9/15/2000	20,000	4,100	5,700	540	2,700	<12	--									
	11/16/2000	18,000	3,500	4,300	640	3,200	<40	--									
	4/2/2001	19,000	4,700	5,200	570	2,600	50	--									
	6/28/2001	39,000	5,200	4,200	660	3,900	9	--									
	8/30/2001	31,000	5,600	5,100	560	2,500	<100	--									
	12/26/2001	34,000	5,300	5,200	630	2,400	<120	--									
4/24/2002	35,000	4,900	6,000	740	3,100	<120	--										
6/14/2002	35,000	5,400	6,800	870	3,500	<250	--										
8/20/2002	26,000	4,100	4,700	620	2,700	<120	--										
12/27/2002	28,000	4,500	5,000	660	3,000	<120	--										
4/1/2003	16,000	4,500	6,000	680	3,100	<120	--										
7/1/2003	61,000	7,700	11,000	1,200	6,700	<250	--										
9/25/2003	59,000	7,600	9,400	1,000	4,800	<1,200	--										
12/29/2003	46,000	6,600	7,900	960	4,000	<250	--										
5/18/2004	23,000	4,100	4,700	450	1,500	<50	--										
6/30/2004	24,000	3,500	3,600	390	1,300	<50	--										
9/23/2004	24,000	3,800	3,900	470	1,400	<25	--										
12/28/2004	22,000	3,400	3,400	380	1,400	<250	--										
3/16/2005	21,000	4,100	4,200	470	1,300	<50	--										
6/23/2005	30,000	5,400	5,500	520	1,900	<1,200	--										
9/9/2005	7,100	840	950	120	410	<120	--										
12/2/2005	19,000	3,600	3,500	410	1,300	<2.5	--										
3/24/2006	29,000	6,200	6,000	620	2,000	<500	--										
6/29/2006	23,000	4,800	4,000	330	1,200	<500	--										
9/13/2006	20,000	4,500	3,900	400	1,400	<250	--										
12/27/2006	31,000	6,000	5,300	710	2,500	<500	--										
3/30/2007	30,000	5,000	4,600	520	1,700	<500	--										
7/2/2007	14,000	2,500	2,000	280	930	<500	--										
10/2/2007	19,000	3,400	2,700	400	1,200	<500	--										
12/13/2007	18,000	3,500	2,700	390	1,100	<500	--										
3/26/2008	28,000	4,900	4,900	530	2,100	<500	--										
6/2/2008	20,000	3,300	3,300	380	1,700	<500	--										
9/10/2008	24,000	4,200	4,200	470	2,200	<500	--										
11/19/2008	26,000	4,500	4,500	490	2,500	<500	--										
3/3/2009	33,100	5,380	5,380	603	2,800	<100	--										
9/3/2009	35,900	5,570	5,180	620	3,270	<100	--										
3/3/2010	51,700	10,100	8,050	952	4,560	<200	--										
9/8/2010	30,000	7,300	6,300	550	3,700	<50	--										
3/16/2011	38,000	8,600	6,900	670	4,300	<50	--										
9/9/2011	33,000	8,700	6,500	620	4,400	<50	--										
9/12/1988	--	--	--	--	--	--	28.2										
7/12/1989	220,000	1,200	9,210	3,100	24,000	NA	18.6										
8/1/1991	350,000	17,000	31,000	3,000	FP	NA	FP										
7/2/1992	FP	FP	FP	FP	FP	NA	18										
9/30/1992	FP	FP	FP	FP	FP	NA	10 - 13										
2/12/1993	FP	FP	FP	FP	FP	NA	13										
3/30/1993	FP	FP	FP	FP	FP	NA	10.2-14.8										
1/6/1994	FP	FP	FP	FP	FP	14,000	NA	16.2									
4/13/1994	170,000	17,000	31,000	2,100	22,000	NA	12										
6/29/1994	95,000	16,000	21,000	1,500	12,000	NA	4.5+/-										
12/8/1994	190,000	13,000	21,000	1,400	11,000	NA	--										
4/3/1995	67,000	11,000	13,000	910	9,800	NA	--										
6/27/1995	53,000	11,000	9,900	500	6,300	NA	--										
MW-1A	9/19/1995	52,000	8,900	11,000	790	5,300	NA	--									
	12/13/1995	62,000	9,900	9,200	710	6,800	NA	--									
	3/6/1996	200,000	14,000	22,000	2,700	22,000	NA	--									
	6/11/1996	140,000	18,000	28,000	2,800	19,000	NA	--									
	9/19/1996	100,000	16,000	22,000	2,100	14,000	NA	--									
	12/23/1996	FP	FP	FP	FP	FP	NA	--									
	3/27/1997	66,000	12,000	15,000	1,400	100	1,800	--									
	6/4/1997	54,000	11,000	12,000	1,000	7,200	<500	--									
	9/26/1997	73,000	10,000	16,000	1,400	8,500	<500	--									
	12/23/1997	66,000	10,000	16,000	1,400	12,000	1,900	--									
	3/31/1998	51,000	9,100	11,000	1,100	6,800	300	--									
	6/18/1998	50,000	11,000	15,000	870	5,800	<50	--									
	8/28/1998	15,000	1,100	830	31	3,000	<50	--									
	12/2/1998	41,000	8,500	11,000	720	6,700	<50	--									
	3/10/1999	10,000	2,300	1,900	1,600	2,300	<50	--									
	6/30/1999	18,000	6,400	7,800	660	4,100	<25	--									
	7/8/1987	8,200	1,500	340	--	87	--	--									
	11/9/1987	WELL DESTROYED															
	7/8/1987	6,200	180	500	--	170	--	0									
	7/12/1989	13,000	4	160	210	420	--	0									
	8/1/1991	74,000	1,600	4,600	670	4,300	--	4									
	9/30/1992	--	--	--	--	--	--	4.1									
	11/11/1992	--	--	--	--	--	--	2									
	1/29/1993	--	--	--	--	--	--	1.7									
	2/12/1993	--	--	--	--	--	--	1.3									
1/6/1994	--	--	--	--	--	--	2.2										
3/17/1994	--	--	--	--	--	--	2.4										
4/13/1994	--	--	--	--	--	--	1.8										
6/29/1994	39,000	3,200	2,900	580	4,300	--	0.5										
12/8/1994	4,600,000	1,500	4,200	6,000	95,000	--	--										
4/3/1995	51,000	1,100	2,300	580	4,800	--	--										
6/27/1995	20,000	270	550	190	1,700	--	--										
9/19/1995	6,200	70	140	68	500	--	--										
12/13/1995	19,000	220	480	140	1,700	--	--										
3/6/1996	7,000	120	170	49	440	--	--										
6/11/1996	16,000	170	270	68	1,500	--	--										
9/19/1996	6,000	45	30	15	300	--	--										
6/4/1997	85,000	8,500	13,000	2,400	16,000	<500	--										
9/26/1997	47,000	610	6,000	930	5,900	<100	--										
12/23/1997	32,000	640	5,300	800	5,900	<300	--										
3/31/1998	32,000	690	3,800	870	5,200	350	--										
6/18/1998	16,000	180	1,500	490	3,700	<25	--										
8/28/1998	17,000	84	1,100	430	3,800	<50	--										
12/2/1998	3,200	39	85	25	360	<50	--										
3/10/1999	9,600	86	540	250	2,300	<25	--										
6/30/1999	7,900	31	330	200	1,800	<25	--										
9/29/1999	5,000	120	340	230	1,300	10	--										
9/29/1999	4,100	180	340	130	580	14	--										
11/22/1999	3,100	7	33	27	260	<1.0	--										
2/11/2000	540	8	20	2	28	31	--										
5/30/2000	490	11	6	0	17	<5.0	--										
9/15/2000	1,500	28	14	3	160	<5.0	--										
11/16/2000	1,300	20	34	25	28	<5.0	--										
4/2/2001	170	9	6	1	8	77	--										
6/28/2001	4,900	150	240	38	160	<2	--										
8/30/2001	3,100	42</															

**Table 3  
GROUND WATER ANALYTICAL RESULTS  
1700 Jefferson Street, Oakland, California**

Well ID	Date Sampled	TPH (GRO)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE	Free Product
		(µg/L)						
	ESLs	210	46	130	43	100	1800	--
MW-4	9/12/1988	--	--	--	--	--	--	5.9
	7/12/1989	93,000	460	4,200	1,200	9700	NA	25.2
	8/1/1991	86,000	1,500	6,200	1,000	FP	NA	18
	9/30/1992	FP	FP	FP	FP	FP	NA	FP
	2/12/1993	FP	FP	FP	FP	FP	NA	8.8
	1/6/1994	FP	FP	FP	FP	3,200	NA	6.2
	4/13/1994	58,000	1,500	2,500	520	7,300	NA	--
	6/29/1994	16,000	1,300	790	51	3,400	NA	--
	12/8/1994	92,000	1,700	4,100	310	5,400	NA	--
	4/3/1995	35,000	1,200	3,400	280	5,800	NA	--
	6/27/1995	13,000	1,300	1,600	77	1,800	NA	--
	9/19/1995	14,000	630	470	14	1,800	NA	--
	12/13/1995	11,000	2,200	2,100	110	2,100	NA	--
	3/6/1996	110,000	2,600	3,600	780	10,000	NA	--
	6/11/1996	260,000	6,600	19,000	3,700	28,000	NA	--
	9/19/1996	95,000	9,900	19,000	2,000	13,000	NA	--
	12/23/1996	FP	FP	FP	FP	FP	NA	FP
	3/27/1997	37,000	2,600	6,900	540	5,500	1,400	--
	6/4/1997	24,000	2,600	3,200	140	3,500	<300	--
	9/26/1997	41,000	2,900	5,000	350	4,800	<500	--
12/23/1997	48,000	6,000	11,000	580	8,200	270	--	
6/18/1998	25,000	2,000	460	<15	6,400	<50	--	
8/28/1998	48,000	9,700	11,000	890	5,000	<50	--	
12/2/1998	10,000	1,700	610	<15	2,300	<50	--	
3/10/1999	11,000	2,300	2,100	88	1,600	<25	--	
6/30/1999	88,000	1,800	3,000	150	2,700	<25	--	
MW-5	9/12/1988	--	--	--	--	--	--	0.5
	7/12/1989	14,000	7	190	210	500	--	0.4
	8/1/1991	120,000	20,000	14,000	1,900	4,900	--	0
	9/30/1992	51,000	13,000	5,900	1,400	2,600	--	0
	3/30/1993	74,000	16,000	5,000	1,800	2,700	--	0.06
	1/6/1994	80,000	19,000	8,200	1,400	2,700	--	0
	4/13/1994	63,000	14,000	3,500	1,500	2,100	--	0
	6/29/1994	64,000	29,000	5,400	2,800	4,500	--	0
	12/8/1994	59,000	13,000	3,800	1,800	2,900	--	--
	4/3/1995	51,000	15,000	2,200	2,800	4,500	--	--
	6/27/1995	41,000	12,000	2,100	1,400	1,600	--	--
	9/19/1995	50,000	1,600	2,700	2,000	2,100	--	--
	12/13/1995	45,000	13,000	2,100	16,000	1,900	--	--
	3/6/1996	51,000	15,000	2,800	2,000	2,400	--	--
	6/11/1996	48,000	12,000	2,900	2,000	2,700	--	--
	9/19/1996	48,000	12,000	4,500	2,300	4,000	--	--
	12/23/1996	45,000	12,000	2,200	2,700	6,500	600	--
	3/27/1997	44,000	11,000	1,100	1,900	2,800	300	--
	6/4/1997	35,000	8,900	560	1,500	1,700	<100	--
	9/26/1997	36,000	7,900	270	1,500	1,300	<500	--
	12/23/1997	39,000	13,000	500	1,900	1,700	<1,000	--
	3/31/1998	48,000	10,000	400	2,000	2,200	350	--
	6/18/1998	17,000	9,500	310	420	850	<10	--
	8/28/1998	16,000	5,400	160	1,100	900	<50	--
	12/2/1998	15,000	8,400	120	1,500	840	<50	--
	3/10/1999	23,000	14,000	300	1,800	1,100	<50	--
	6/30/1999	7,700	5,200	270	1,100	690	<25	--
	9/29/1999	11,000	9,600	710	1,100	1,100	<100	--
	9/29/1999	10,000	14,000	470	1,100	600	<100	--
	11/22/1999	30,000	11,000	3,400	1,500	2,500	<100	--
	2/11/2000	23,000	12,000	4,500	1,200	1,300	6.6	--
	5/30/2000	19,000	9,900	6,900	1,200	2,600	<200	--
	9/15/2000	24,000	3,800	3,000	460	1,200	<10	--
	11/16/2000	1,800	470	220	39	100	<5	--
	4/2/2001	15,000	7,400	3,000	1,000	2,200	<50	--
	6/28/2001	3,600	300	11	16	15	4	--
	8/30/2001	34,000	8,300	3,000	1,400	2,600	<50	--
	12/26/2001	1,900	300	110	55	120	<10	--
	4/24/2002	9,400	2,300	130	300	270	<50	--
	6/14/2002	1,700	110	<2.5	7	<2.5	<0.50	--
8/20/2002	3,200	320	9	22	19	<0.50	--	
12/27/2002	6,200	2,200	140	160	250	<25	--	
9/25/2003	43,000	12,000	2,800	1,500	3,000	<1,200	--	
12/29/2003	26,000	7,700	1,900	910	210	<2.5	--	
5/18/2004	15,000	5,000	1,300	380	770	<50	--	
6/30/2004	18,000	5,700	1,600	540	1,200	<50	--	
9/23/2004	42,000	12,000	3,900	1,200	2,400	<120	--	
12/28/2004	41,000	10,000	3,800	1,000	2,300	<250	--	
3/16/2005	37,000	11,000	3,800	1,100	2,400	<120	--	
MW-1*	4/25/2011	< 50	< 0.5	--	< 0.5	< 0.5	< 0.5	--
	9/9/2011	< 50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	--
MW-2*	4/25/2011	< 50	< 0.5	--	< 0.5	< 0.5	< 0.5	--
	9/9/2011	< 50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	--
MW-3*	4/25/2011	< 50	< 0.5	--	< 0.5	< 0.5	< 0.5	--
	9/9/2011	< 50	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	--


Notes:  
µg/L: micrograms per liter (approximately equivalent to ppb)  
<: Concentration is below the reporting limit of the lab  
J: Estimated value  
--: not applicable or none  
\*: Well Located on the Merrill Sign Company Site, data provided by P&D Environmental

ESLs: Environmental Screening Levels for non-drinking water sources - May 2008  
FP: Free product measured (amount unknown)  
Concentration is above selected screening criteria


## CHARTS





**CHART 1**  
**Concentrations of TPH (GRO) vs. Time in MW-1, MW-3, and MW-5**  
**1700 Jefferson, Oakland, California**



**CHART 2**  
**Concentrations of Benzene vs. Time in MW-1, MW-3, and MW-5**  
**1700 Jefferson, Oakland, California**




## FIGURES



**Location Map**  
**1700 Jefferson Street**  
**Oakland, California**  
 Source: National Geographic TOPO!

**Figure**  
**1**  
 ers



**Legend**



Monitor Well



Extraction Well




Tank Removal Excavation Area (approx)




Property Boundary

Aerial photography from USGS, 2006



**Site Plan**







1700 Jefferson Street, Oakland, CA



**Groundwater Gradient Map**  
**September 2011**  
 1700 Jefferson Street, Oakland, CA

Figure  
**3**  
 ers



-  Benzene Iso-Concentration Contours in Ground Water (Dashed Where Inferred)
- (280) Benzene Concentration (ug/L)
-  Monitor Well
-  Extraction Well
-  612 18th Street Monitor Wells
-  Tank Removal Excavation Area (approx)
-  Property Boundary





**Benzene Iso-Concentration Contour Map  
September 2011**

1700 Jefferson Street, Oakland, CA

Figure  
**5**


**ers**



**TPH GRO Iso-Concentration Contour Map**  
**September 2011**  
 1700 Jefferson Street, Oakland, CA

Figure  
**4**





**Ground Water Gradient Rose Diagram**  
1700 Jefferson Street, Oakland, CA

# APPENDIX A: MONITOR WELL WORKSHEETS

## Monitoring Well Gauging and Purging Data Sheet

Date: 9-9-11		Project No.		Site: 1700 Jefferson		Location: 1700 Jefferson			Initials: VB
Purge Method: Low-Flow			Gauging Time:	Gauging Time:	Purge Starting Time:		Purge Ending Time:		Sampling Method: Low-Flow
Well ID	Diameter (in)	Depth to Bottom (ft)	Initial Depth to Water from TOC (ft)	Equilibrated Depth to Water from TOC (ft)	Static Water Column (ft)	Casing Volume (gal)	Purged Volume (gal)	Depth to Product (ft)	Note:
MW-1A	4	—	21.64	21.64	—	—	—	—	
MW-4	4	—	23.06	23.06	—	—	—	—	
MW-1	2	—	23.16	23.16	—	—	—	—	
MW-3	2	—	22.50	22.50	—	—	—	—	
MW-5	2	—	21.57	21.57	—	—	—	—	
MW-6	2	—	22.50	22.50	—	—	—	—	
Casing Volume = Static Water Column x Conversion Factor					Conversion Factor: 2-in well = 0.163 gal/ft, 4-in well = 0.653 gal/ft, 6-in well = 1.469 gal/ft				
Total purged volume from all wells (gals):									





**Monitor Well Data Sheet**

Site Name: BPS Reprographics	Well/Sample ID: MW-5
Location: 1700 Jefferson	Initial Depth to Water (DTW): 21.57
Client: BPS Reprographics	Total Well Depth (TD):
Sampler: YJB	Well Diameter (inches): 2"
Date: 9/9/11	Did Well Dewater? N
Purge & Sample Method: Peri with dedicated tubing	Purge Rate (liters/min): 0.4
Casing Volume (liters):	Sample Rate (liters/min): 0.3

2" well x 1 foot = 0.6L 4" well x 1 foot = 2.4L

Time	pH	SC	DO	Temp	ORP	DTW	Cumulative Volume	Notes
hh:mm	SU	µmhos/cm	mg/l	°C	mV	feet bgs	liters	
817	6.90	1480	1.2	18.9	-102	21.68	1.2	
820	6.96	1470	0.9	19.0	-113	21.68	2.4	
823	6.99	1460	0.8	19.0	-120	21.68	3.6	
826	6.97	1450	0.7	19.1	-124	21.68	4.8	

Total Liters Purged: 4.8	Start Purge Time: 814	DTW prior to sample (ft): 21.68
Total Sample Volume: 120ml	Stop Purge Time: 826	Start Sample Time: 826
Turbidity: low	Color: Clear	Odor: TPH
Length of Tubing (ft):	Sheen: YES	Product: NO
Instrument ID: Horiba	Last Calibrated: 730	

Notes:

---



---



---



---



---



## **APPENDIX B: LABORATORY ANALYTICAL RESULTS**



# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

## ANALYTICAL REPORT

TestAmerica Laboratories, Inc.  
TestAmerica San Francisco  
1220 Quarry Lane  
Pleasanton, CA 94566  
Tel: (925)484-1919

TestAmerica Job ID: 720-37427-1  
Client Project/Site: 1700 Jefferson, Oakland

For:  
Environmental Risk Services, Corp.  
1600 Riviera Ave  
Suite 310  
Walnut Creek, California 94596

Attn: Mr. Steven Michelson

*Surinder Sidhu*

---

Authorized for release by:  
09/19/2011 02:02:53 PM

Surinder Sidhu  
Customer Service Manager  
[surinder.sidhu@testamericainc.com](mailto:surinder.sidhu@testamericainc.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:  
[www.testamericainc.com](http://www.testamericainc.com)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Detection Summary . . . . .	5
Client Sample Results . . . . .	6
QC Sample Results . . . . .	8
QC Association Summary . . . . .	12
Certification Summary . . . . .	13
Method Summary . . . . .	14
Sample Summary . . . . .	15
Chain of Custody . . . . .	16
Receipt Checklists . . . . .	17

## Definitions/Glossary

Client: Environmental Risk Services, Corp.  
Project/Site: 1700 Jefferson, Oakland

TestAmerica Job ID: 720-37427-1

### Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
DL, RA, RE, IN	Indicates a Dilution, Reanalysis, Re-extraction, or additional Initial metals/anion analysis of the sample
EDL	Estimated Detection Limit (Dioxin)
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or method detection limit if shown)
PQL	Practical Quantitation Limit
RL	Reporting Limit
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

# Case Narrative

Client: Environmental Risk Services, Corp.  
Project/Site: 1700 Jefferson, Oakland

TestAmerica Job ID: 720-37427-1

---

**Job ID: 720-37427-1**

---

**Laboratory: TestAmerica San Francisco**

---

**Narrative**

**Job Narrative**  
720-37427-1

**Comments**

No additional comments.

**Receipt**

All samples were received in good condition within temperature requirements.

**GC/MS VOA**

No analytical or quality issues were noted.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

# Detection Summary

Client: Environmental Risk Services, Corp.  
Project/Site: 1700 Jefferson, Oakland

TestAmerica Job ID: 720-37427-1

## Client Sample ID: MW-1

Lab Sample ID: 720-37427-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	8700		50		ug/L	1		8260B/CA_LUFTM	Total/NA
Ethylbenzene	620		50		ug/L	1		8260B/CA_LUFTM	Total/NA
Toluene	6500		50		ug/L	1		8260B/CA_LUFTM	Total/NA
Xylenes, Total	4400		100		ug/L	1		8260B/CA_LUFTM	Total/NA
Gasoline Range Organics (GRO) -C5-C12	33000		5000		ug/L	1		8260B/CA_LUFTM	Total/NA

## Client Sample ID: MW-3

Lab Sample ID: 720-37427-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	280		2.5		ug/L	1		8260B/CA_LUFTM	Total/NA
Ethylbenzene	13		2.5		ug/L	1		8260B/CA_LUFTM	Total/NA
Toluene	43		2.5		ug/L	1		8260B/CA_LUFTM	Total/NA
Xylenes, Total	40		5.0		ug/L	1		8260B/CA_LUFTM	Total/NA
Gasoline Range Organics (GRO) -C5-C12	1300		250		ug/L	1		8260B/CA_LUFTM	Total/NA

## Client Sample ID: MW-5

Lab Sample ID: 720-37427-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	9400		50		ug/L	1		8260B/CA_LUFTM	Total/NA
Ethylbenzene	1800		50		ug/L	1		8260B/CA_LUFTM	Total/NA
Toluene	1600		50		ug/L	1		8260B/CA_LUFTM	Total/NA
Xylenes, Total	2500		100		ug/L	1		8260B/CA_LUFTM	Total/NA
Gasoline Range Organics (GRO) -C5-C12	30000		5000		ug/L	1		8260B/CA_LUFTM	Total/NA

## Client Sample ID: MW-6

Lab Sample ID: 720-37427-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	1.3		0.50		ug/L	1		8260B/CA_LUFTM	Total/NA
Gasoline Range Organics (GRO) -C5-C12	69		50		ug/L	1		8260B/CA_LUFTM	Total/NA

# Client Sample Results

Client: Environmental Risk Services, Corp.  
Project/Site: 1700 Jefferson, Oakland

TestAmerica Job ID: 720-37427-1

## Method: 8260B/CA\_LUFTMS - 8260B / CA LUFT MS

**Client Sample ID: MW-1**  
**Date Collected: 09/09/11 09:01**  
**Date Received: 09/12/11 17:45**

**Lab Sample ID: 720-37427-1**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		50		ug/L			09/13/11 17:13	1
<b>Benzene</b>	<b>8700</b>		50		ug/L			09/13/11 17:13	1
<b>Ethylbenzene</b>	<b>620</b>		50		ug/L			09/13/11 17:13	1
<b>Toluene</b>	<b>6500</b>		50		ug/L			09/13/11 17:13	1
<b>Xylenes, Total</b>	<b>4400</b>		100		ug/L			09/13/11 17:13	1
<b>Gasoline Range Organics (GRO)</b>	<b>33000</b>		5000		ug/L			09/13/11 17:13	1
<b>-C5-C12</b>									
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	97		67 - 130					09/13/11 17:13	1
1,2-Dichloroethane-d4 (Surr)	102		67 - 130					09/13/11 17:13	1
Toluene-d8 (Surr)	96		70 - 130					09/13/11 17:13	1

**Client Sample ID: MW-3**  
**Date Collected: 09/09/11 09:33**  
**Date Received: 09/12/11 17:45**

**Lab Sample ID: 720-37427-2**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		2.5		ug/L			09/13/11 17:44	1
<b>Benzene</b>	<b>280</b>		2.5		ug/L			09/13/11 17:44	1
<b>Ethylbenzene</b>	<b>13</b>		2.5		ug/L			09/13/11 17:44	1
<b>Toluene</b>	<b>43</b>		2.5		ug/L			09/13/11 17:44	1
<b>Xylenes, Total</b>	<b>40</b>		5.0		ug/L			09/13/11 17:44	1
<b>Gasoline Range Organics (GRO)</b>	<b>1300</b>		250		ug/L			09/13/11 17:44	1
<b>-C5-C12</b>									
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	95		67 - 130					09/13/11 17:44	1
1,2-Dichloroethane-d4 (Surr)	104		67 - 130					09/13/11 17:44	1
Toluene-d8 (Surr)	98		70 - 130					09/13/11 17:44	1

**Client Sample ID: MW-5**  
**Date Collected: 09/09/11 08:26**  
**Date Received: 09/12/11 17:45**

**Lab Sample ID: 720-37427-3**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		50		ug/L			09/13/11 18:14	1
<b>Benzene</b>	<b>9400</b>		50		ug/L			09/13/11 18:14	1
<b>Ethylbenzene</b>	<b>1800</b>		50		ug/L			09/13/11 18:14	1
<b>Toluene</b>	<b>1600</b>		50		ug/L			09/13/11 18:14	1
<b>Xylenes, Total</b>	<b>2500</b>		100		ug/L			09/13/11 18:14	1
<b>Gasoline Range Organics (GRO)</b>	<b>30000</b>		5000		ug/L			09/13/11 18:14	1
<b>-C5-C12</b>									
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	97		67 - 130					09/13/11 18:14	1
1,2-Dichloroethane-d4 (Surr)	98		67 - 130					09/13/11 18:14	1
Toluene-d8 (Surr)	96		70 - 130					09/13/11 18:14	1

# Client Sample Results

Client: Environmental Risk Services, Corp.  
 Project/Site: 1700 Jefferson, Oakland

TestAmerica Job ID: 720-37427-1

## Method: 8260B/CA\_LUFTMS - 8260B / CA LUFT MS

**Client Sample ID: MW-6**  
**Date Collected: 09/09/11 09:59**  
**Date Received: 09/12/11 17:45**

**Lab Sample ID: 720-37427-4**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			09/13/11 23:30	1
<b>Benzene</b>	<b>1.3</b>		0.50		ug/L			09/13/11 23:30	1
Ethylbenzene	ND		0.50		ug/L			09/13/11 23:30	1
Toluene	ND		0.50		ug/L			09/13/11 23:30	1
Xylenes, Total	ND		1.0		ug/L			09/13/11 23:30	1
<b>Gasoline Range Organics (GRO) -C5-C12</b>	<b>69</b>		50		ug/L			09/13/11 23:30	1
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	96		67 - 130					09/13/11 23:30	1
1,2-Dichloroethane-d4 (Surr)	105		67 - 130					09/13/11 23:30	1
Toluene-d8 (Surr)	97		70 - 130					09/13/11 23:30	1

# QC Sample Results

Client: Environmental Risk Services, Corp.  
Project/Site: 1700 Jefferson, Oakland

TestAmerica Job ID: 720-37427-1

## Method: 8260B/CA\_LUFTMS - 8260B / CA LUFT MS

**Lab Sample ID: MB 720-98890/5**

**Matrix: Water**

**Analysis Batch: 98890**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			09/13/11 09:54	1
Benzene	ND		0.50		ug/L			09/13/11 09:54	1
Ethylbenzene	ND		0.50		ug/L			09/13/11 09:54	1
Toluene	ND		0.50		ug/L			09/13/11 09:54	1
Xylenes, Total	ND		1.0		ug/L			09/13/11 09:54	1
Gasoline Range Organics (GRO) -C5-C12	ND		50		ug/L			09/13/11 09:54	1

Surrogate	MB % Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	93		67 - 130		09/13/11 09:54	1
1,2-Dichloroethane-d4 (Surr)	98		67 - 130		09/13/11 09:54	1
Toluene-d8 (Surr)	96		70 - 130		09/13/11 09:54	1

**Lab Sample ID: LCS 720-98890/6**

**Matrix: Water**

**Analysis Batch: 98890**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits
Methyl tert-butyl ether	25.0	23.0		ug/L		92	62 - 130
Benzene	25.0	23.4		ug/L		94	82 - 127
Ethylbenzene	25.0	24.7		ug/L		99	86 - 135
Toluene	25.0	24.9		ug/L		100	83 - 129
m-Xylene & p-Xylene	50.0	49.9		ug/L		100	70 - 142
o-Xylene	25.0	25.3		ug/L		101	89 - 136

Surrogate	LCS % Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	96		67 - 130
1,2-Dichloroethane-d4 (Surr)	92		67 - 130
Toluene-d8 (Surr)	98		70 - 130

**Lab Sample ID: LCS 720-98890/8**

**Matrix: Water**

**Analysis Batch: 98890**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits
Gasoline Range Organics (GRO) -C5-C12	500	411		ug/L		82	62 - 117

Surrogate	LCS % Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	97		67 - 130
1,2-Dichloroethane-d4 (Surr)	94		67 - 130
Toluene-d8 (Surr)	98		70 - 130

**Lab Sample ID: LCSD 720-98890/7**

**Matrix: Water**

**Analysis Batch: 98890**

**Client Sample ID: Lab Control Sample Dup**

**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	% Rec	% Rec. Limits	RPD	Limit
Methyl tert-butyl ether	25.0	24.9		ug/L		100	62 - 130	8	20



# QC Sample Results

Client: Environmental Risk Services, Corp.  
Project/Site: 1700 Jefferson, Oakland

TestAmerica Job ID: 720-37427-1

## Method: 8260B/CA\_LUFTMS - 8260B / CA LUFT MS (Continued)

**Lab Sample ID: LCSD 720-98890/7**

**Matrix: Water**

**Analysis Batch: 98890**

**Client Sample ID: Lab Control Sample Dup**

**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	% Rec	% Rec.		RPD
							Limits	RPD	
Benzene	25.0	23.8		ug/L		95	82 - 127	2	20
Ethylbenzene	25.0	24.2		ug/L		97	86 - 135	2	20
Toluene	25.0	24.7		ug/L		99	83 - 129	1	20
m-Xylene & p-Xylene	50.0	49.0		ug/L		98	70 - 142	2	20
o-Xylene	25.0	25.0		ug/L		100	89 - 136	1	20

Surrogate	LCSD		Limits
	% Recovery	Qualifier	
4-Bromofluorobenzene	93		67 - 130
1,2-Dichloroethane-d4 (Surr)	94		67 - 130
Toluene-d8 (Surr)	99		70 - 130

**Lab Sample ID: LCSD 720-98890/9**

**Matrix: Water**

**Analysis Batch: 98890**

**Client Sample ID: Lab Control Sample Dup**

**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	% Rec	% Rec.		RPD
							Limits	RPD	
Gasoline Range Organics (GRO) -C5-C12	500	407		ug/L		81	62 - 117	1	20

Surrogate	LCSD		Limits
	% Recovery	Qualifier	
4-Bromofluorobenzene	95		67 - 130
1,2-Dichloroethane-d4 (Surr)	93		67 - 130
Toluene-d8 (Surr)	98		70 - 130

**Lab Sample ID: MB 720-98949/5**

**Matrix: Water**

**Analysis Batch: 98949**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Methyl tert-butyl ether	ND		0.50		ug/L		09/13/11 19:57		1
Benzene	ND		0.50		ug/L		09/13/11 19:57		1
Ethylbenzene	ND		0.50		ug/L		09/13/11 19:57		1
Toluene	ND		0.50		ug/L		09/13/11 19:57		1
Xylenes, Total	ND		1.0		ug/L		09/13/11 19:57		1
Gasoline Range Organics (GRO) -C5-C12	ND		50		ug/L		09/13/11 19:57		1

Surrogate	MB		Limits	Prepared	Analyzed	Dil Fac
	% Recovery	Qualifier				
4-Bromofluorobenzene	92		67 - 130		09/13/11 19:57	1
1,2-Dichloroethane-d4 (Surr)	95		67 - 130		09/13/11 19:57	1
Toluene-d8 (Surr)	94		70 - 130		09/13/11 19:57	1

**Lab Sample ID: LCS 720-98949/6**

**Matrix: Water**

**Analysis Batch: 98949**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec.	
							Limits	RPD
Methyl tert-butyl ether	25.0	24.1		ug/L		96	62 - 130	
Benzene	25.0	23.2		ug/L		93	82 - 127	

# QC Sample Results

Client: Environmental Risk Services, Corp.  
Project/Site: 1700 Jefferson, Oakland

TestAmerica Job ID: 720-37427-1

## Method: 8260B/CA\_LUFTMS - 8260B / CA LUFT MS (Continued)

**Lab Sample ID: LCS 720-98949/6**

**Matrix: Water**

**Analysis Batch: 98949**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec.	
							Limits	
Ethylbenzene	25.0	23.8		ug/L		95	86 - 135	
Toluene	25.0	23.9		ug/L		96	83 - 129	
m-Xylene & p-Xylene	50.0	48.4		ug/L		97	70 - 142	
o-Xylene	25.0	24.8		ug/L		99	89 - 136	

Surrogate	LCS		Limits
	% Recovery	Qualifier	
4-Bromofluorobenzene	97		67 - 130
1,2-Dichloroethane-d4 (Surr)	95		67 - 130
Toluene-d8 (Surr)	100		70 - 130

**Lab Sample ID: LCS 720-98949/8**

**Matrix: Water**

**Analysis Batch: 98949**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec.	
							Limits	
Gasoline Range Organics (GRO) -C5-C12	500	404		ug/L		81	62 - 117	

Surrogate	LCS		Limits
	% Recovery	Qualifier	
4-Bromofluorobenzene	97		67 - 130
1,2-Dichloroethane-d4 (Surr)	93		67 - 130
Toluene-d8 (Surr)	98		70 - 130

**Lab Sample ID: LCSD 720-98949/7**

**Matrix: Water**

**Analysis Batch: 98949**

**Client Sample ID: Lab Control Sample Dup**

**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	% Rec	% Rec.		RPD	
							Limits		RPD	Limit
Methyl tert-butyl ether	25.0	24.1		ug/L		96	62 - 130	0	20	
Benzene	25.0	23.4		ug/L		94	82 - 127	1	20	
Ethylbenzene	25.0	23.9		ug/L		96	86 - 135	0	20	
Toluene	25.0	24.3		ug/L		97	83 - 129	2	20	
m-Xylene & p-Xylene	50.0	48.1		ug/L		96	70 - 142	1	20	
o-Xylene	25.0	24.7		ug/L		99	89 - 136	0	20	

Surrogate	LCSD		Limits
	% Recovery	Qualifier	
4-Bromofluorobenzene	95		67 - 130
1,2-Dichloroethane-d4 (Surr)	92		67 - 130
Toluene-d8 (Surr)	98		70 - 130

**Lab Sample ID: LCSD 720-98949/9**

**Matrix: Water**

**Analysis Batch: 98949**

**Client Sample ID: Lab Control Sample Dup**

**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	% Rec	% Rec.		RPD	
							Limits		RPD	Limit
Gasoline Range Organics (GRO) -C5-C12	500	411		ug/L		82	62 - 117	2	20	

# QC Sample Results

Client: Environmental Risk Services, Corp.  
Project/Site: 1700 Jefferson, Oakland

TestAmerica Job ID: 720-37427-1

## Method: 8260B/CA\_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: LCSD 720-98949/9

Matrix: Water

Analysis Batch: 98949

Client Sample ID: Lab Control Sample Dup  
Prep Type: Total/NA

Surrogate	LCSD LCSD		Limits
	% Recovery	Qualifier	
4-Bromofluorobenzene	97		67 - 130
1,2-Dichloroethane-d4 (Surr)	98		67 - 130
Toluene-d8 (Surr)	98		70 - 130

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

# QC Association Summary

Client: Environmental Risk Services, Corp.  
 Project/Site: 1700 Jefferson, Oakland

TestAmerica Job ID: 720-37427-1

## GC/MS VOA

### Analysis Batch: 98890

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-37427-1	MW-1	Total/NA	Water	8260B/CA_LUFT MS	
720-37427-2	MW-3	Total/NA	Water	8260B/CA_LUFT MS	
720-37427-3	MW-5	Total/NA	Water	8260B/CA_LUFT MS	
LCS 720-98890/6	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
LCS 720-98890/8	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
LCSD 720-98890/7	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	
LCSD 720-98890/9	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	
MB 720-98890/5	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	

### Analysis Batch: 98949

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-37427-4	MW-6	Total/NA	Water	8260B/CA_LUFT MS	
LCS 720-98949/6	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
LCS 720-98949/8	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
LCSD 720-98949/7	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	
LCSD 720-98949/9	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	
MB 720-98949/5	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	

# Certification Summary

Client: Environmental Risk Services, Corp.  
Project/Site: 1700 Jefferson, Oakland

TestAmerica Job ID: 720-37427-1

---

Laboratory	Authority	Program	EPA Region	Certification ID
TestAmerica San Francisco	California	State Program	9	2496

---

Accreditation may not be offered or required for all methods and analytes reported in this package. Please contact your project manager for the laboratory's current list of certified methods and analytes.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

# Method Summary

Client: Environmental Risk Services, Corp.  
Project/Site: 1700 Jefferson, Oakland

TestAmerica Job ID: 720-37427-1

Method	Method Description	Protocol	Laboratory
8260B/CA_LUFTMS	8260B / CA LUFT MS	SW846	TAL SF

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL SF = TestAmerica San Francisco, 1220 Quarry Lane, Pleasanton, CA 94566, TEL (925)484-1919



# Sample Summary

Client: Environmental Risk Services, Corp.  
Project/Site: 1700 Jefferson, Oakland

TestAmerica Job ID: 720-37427-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
720-37427-1	MW-1	Water	09/09/11 09:01	09/12/11 17:45
720-37427-2	MW-3	Water	09/09/11 09:33	09/12/11 17:45
720-37427-3	MW-5	Water	09/09/11 08:26	09/12/11 17:45
720-37427-4	MW-6	Water	09/09/11 09:59	09/12/11 17:45

1

2

3

4

5

6

7

8

9

10

11

12

13





## Login Sample Receipt Checklist

Client: Environmental Risk Services, Corp.

Job Number: 720-37427-1

Login Number: 37427

List Source: TestAmerica San Francisco

List Number: 1

Creator: Mullen, Joan

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	True	