



RECEIVED

By dehloptoxic at 1:08 pm, Jan 30, 2007

Denis L. Brown

Jerry Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Shell Oil Products US
HSE – Environmental Services
20945 S. Wilmington Ave.
Carson, CA 90810-1039
Tel (707) 865 0251
Fax (707) 865 2542
Email denis.l.brown@shell.com

Re: Former Shell Service Station
1285 Bancroft Avenue
San Leandro, California
SAP Code 136017
Incident No. 98996067
ACHCSA Case No. 988

Dear Mr. Wickham:

The attached document is provided for your review and comment. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

If you have any questions or concerns, please call me at (707) 865-0251.

Sincerely,

A handwritten signature in black ink, appearing to read "Denis L. Brown", is written over a horizontal line.

Denis L. Brown
Project Manager

January 30, 2007

Mr. Jerry Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: **Groundwater Monitoring Report – Fourth Quarter 2006**
Shell-branded Service Station
1285 Bancroft Avenue
San Leandro, California
SAP Code 136017
Incident No. 98996067
RO0000156




Dear Mr. Wickham:

Cambria Environmental Technology, Inc. (Cambria) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell) in accordance with the quarterly reporting requirements of 23 CCR 2652d.

If you have any questions regarding the contents of this document, please call Ana Friel at (707) 268-3812.

Sincerely,
Cambria Environmental Technology, Inc.



Ana Friel, PG
Associate Geologist

Enclosure: Groundwater Monitoring Report – Fourth Quarter 2006

cc: Denis Brown, Shell Oil Products US, 20945 S. Wilmington Ave., Carson, CA 90810
Mike Bakaldin, City of San Leandro, 835 East 14th Street, San Leandro, CA 94577
Ivan G. and Joanne Cornelius, 198 Juana Avenue, San Leandro CA 94577

**Cambria
Environmental
Technology, Inc.**

19449 Riverside Drive
Suite 230
Sonoma, CA 95476
Tel (707) 935-4850
Fax (707) 935-6649

C A M B R I A

GROUNDWATER MONITORING REPORT – FOURTH QUARTER 2006

Site Address	<u>1285 Bancroft Avenue</u>
Site Use	<u>Shell-branded Service Station</u>
Shell Project Manager	<u>Denis Brown</u>
Consultant and Contact Person	<u>Cambria, Dennis Baertschi</u>
Lead Agency and Contact	<u>ACHCSA, Jerry Wickham</u>
Agency Case No.	<u>RO0000156</u>
Shell SAP Code	<u>136017</u>
Shell Incident No.	<u>98996067</u>
Date of Most Recent Agency Correspondence	<u>November 16, 2006</u>



Current Quarter's Activities

1. Blaine Tech Services, Inc. (Blaine) gauged and sampled wells according to the established monitoring program for this site. The volatile organic analyses requested in the Alameda County Environmental Health (ACEH) correspondence dated October 20, 2006 were also included in this monitoring event.
2. Cambria prepared a vicinity map (Figure 1) and a groundwater contour and chemical concentration map (Figure 2). Blaine's report, presenting the analytical data, is included in Attachment A.
3. Shell and Cambria recieved the Alameda County Environmental Health (ACEH) correspondence dated November 16, 2006 which authorized an extension for submittal of hydrogeologic cross sections and recommendations for future activities to February 15, 2007.

Current Quarter's Findings

Groundwater Flow Direction	<u>West-southwesterly</u>
Hydraulic Gradient	<u>0.002</u>
Depth to Water	<u>32.85 to 37.18 feet below top of well casing</u>

C A M B R I A

Proposed Activities for Next Quarter

1. Blaine will gauge and sample wells during the first month of the quarter, according to the established monitoring program for this site.
2. Cambria will submit the agency response by the approved extended due date of February 15, 2007. The results of the volatile organic analyses will be addressed in that submittal.




Figures: 1- Vicinity Map
 2- Groundwater Contour and Chemical Concentration Map

Attachments: A - Blaine Tech Services, Inc. - Groundwater Monitoring Report

Cambria Environmental Technology, Inc. (Cambria) prepared this document for use by our client and appropriate regulatory agencies. It is based partially on information available to Cambria from outside sources and/or in the public domain, and partially on information supplied by Cambria and its subcontractors. Cambria makes no warranty or guarantee, expressed or implied, included or intended in this document, with respect to the accuracy of information obtained from these outside sources or the public domain, or any conclusions or recommendations based on information that was not independently verified by Cambria. This document represents the best professional judgment of Cambria. None of the work performed hereunder constitutes or shall be represented as a legal opinion of any kind or nature.

K:\San Leandro 1285 Bancroft\QM\2006\4q06\Text 4Q06 1285 Bancroft San Leandro.doc




EXPLANATION

- ⊗ Abandoned well
- ⊕ Agricultural/Irrigation well
- ⊙ Cathodic Protection well
- Domestic well
- Test well
- ⊕ Industrial well
- ⊕ Monitoring well
- ⊖ Unknown well
- ⊖ Other well
- ★ Subject site
- Study area

K:\SAN LEANDRO\1285 BANCROFT\FIGURES\VICINITY.A1

SOURCE: TOPOI MAPS

FIGURE
1




Shell-branded Service Station
1285 Bancroft Avenue
San Leandro, California



Vicinity Map

C A M B R I A

CALLAN AVENUE



EXPLANATION

- WO-1-11 ■ Soil sample location (7/19/06)
- MW-1 ● Monitoring well location
- IW-1 (25L1) ⊕ Irrigation well location
- D-1-4.0 ■ Dispenser soil sample location (1/31/05)
- SB-9 ● Soil boring location (2/04)
- SB-1 ● Soil boring location (8/03)
- SB-5 ⊕ Attempted soil boring location (8/03)
- B-1 ◆ Soil vapor survey location (6/00)
- E-1 ○ Confirmation soil sample location (WA, 10/9/95)
- D-1 ○ Soil sample location (WA, 10/4/95)
- BH-D ▲ Soil boring location (WA, 1994)
- Product dispenser number
- ND Below laboratory detection limits


— XX.XX Groundwater elevation contour, in feet above mean sea level (msl)

→ Groundwater flow direction and gradient

Well designation

ELEV Groundwater elevation, in feet above msl

Benzene
MTBE Benzene and MTBE concentrations are in parts per billion and are analyzed by EPA Method 8260.



Groundwater Contour and Chemical Concentration Map

October 19, 2006

C A M B R I A



Shell-branded Service Station

1285 Bancroft Avenue
San Leandro, California

FIGURE
2

K:\SAN LEANDRO 1285 BANCROFT\FIGURES\Q06.DWG

Attachment A

**Blaine Tech Services, Inc.
Groundwater Monitoring Report**

BLAINE
TECH SERVICES INC.

GROUNDWATER SAMPLING SPECIALISTS
SINCE 1985

November 22, 2006

Denis Brown
Shell Oil Products US
20945 South Wilmington Avenue
Carson, CA 90810

Fourth Quarter 2006 Groundwater Monitoring at
Shell-branded Service Station
1285 Bancroft Avenue
San Leandro, CA

Monitoring performed on October 19, 2006

Groundwater Monitoring Report **061019-DR-1**

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Martinez Refining Company.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Mike Ninokata
Project Coordinator

MN/ks

attachments: Cumulative Table of WELL CONCENTRATIONS
Certified Analytical Report
Field Data Sheets

cc: Ana Friel
Cambria Environmental Technology, Inc.
270 Perkins St.
Sonoma, CA 95476

WELL CONCENTRATIONS
Shell-branded Service Station
1285 Bancroft Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-1	03/13/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	42.65	23.64	NA
MW-1	06/12/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	43.14	23.15	NA
MW-1	09/13/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	44.71	21.58	NA
MW-1	12/18/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	45.23	21.06	NA
MW-1	03/07/1991	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	43.32	22.97	NA
MW-1	06/07/1991	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	42.18	24.11	NA
MW-1	09/17/1991	50 a	160 a	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	44.85	21.44	NA
MW-1	03/01/1992	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	41.56	24.73	NA
MW-1	06/03/1992	<50	NA	0.8	<0.5	0.9	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	40.74	25.55	NA
MW-1	09/01/1992	<50	NA	<0.5	5.8	5.3	7.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	43.05	23.24	NA
MW-1	12/07/1992	68	NA	<0.5	0.8	<0.5	1.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	44.19	22.10	NA
MW-1	03/01/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	34.96	31.33	NA
MW-1 (D)	03/01/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	34.96	31.33	NA
MW-1	06/22/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	36.75	29.54	NA
MW-1	09/09/1993	200 a	NA	16	5.2	2	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	39.36	26.93	NA
MW-1	12/13/1993	89 a	NA	3.4	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	40.74	25.55	NA
MW-1	03/03/1994	65 a	NA	2.6	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	38.40	27.89	NA
MW-1	07/27/1994	180	NA	30	1.8	2.6	5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	40.49	26.41	NA
MW-1 (D)	07/27/1994	240	NA	25	2.2	2.2	4	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	40.49	26.41	NA
MW-1	08/09/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	40.84	26.06	NA
MW-1	10/05/1994	<50	NA	<0.3	<0.3	<0.3	<0.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	41.98	24.92	NA
MW-1	11/11/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	41.34	25.56	NA
MW-1	12/29/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	42.06	24.84	NA
MW-1	01/04/1995	<50	NA	2.4	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	39.90	27.00	NA
MW-1 (D)	01/04/1995	<50	NA	2.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	39.90	27.00	NA
MW-1	04/14/1995	<50	NA	<0.5	0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	31.02	35.88	NA
MW-1 (D)	04/14/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	31.02	35.88	NA
MW-1	07/12/1995	<50	NA	1.2	0.8	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	34.61	32.29	NA
MW-1	12/14/1995	380	NA	230	9	1.1	49	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	39.24	27.66	NA
MW-1	01/10/1996	60	NA	3.5	<0.5	<0.5	0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	38.34	28.56	NA
MW-1	04/25/1996	<50	NA	3.3	2.4	1.2	5.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	31.95	34.95	NA
MW-1	07/09/1996	810	NA	29	7.3	<5.0	11	1,800	NA	NA	NA	NA	NA	NA	NA	NA	66.90	34.45	32.45	NA

WELL CONCENTRATIONS
Shell-branded Service Station
1285 Bancroft Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-1	10/02/1996	<125	NA	3.1	<1.2	<1.2	<1.2	960	NA	NA	NA	NA	NA	NA	NA	NA	66.90	37.72	29.18	NA
MW-1	01/09/1997	<250	NA	<2.5	<2.5	<2.5	<2.5	510	NA	NA	NA	NA	NA	NA	NA	NA	66.90	32.25	34.65	NA
MW-1	04/09/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	130	NA	NA	NA	NA	NA	NA	NA	NA	66.90	32.90	34.00	NA
MW-1	07/02/1997	<250	NA	60	7.6	4.2	18	1,300	NA	NA	NA	NA	NA	NA	NA	NA	66.90	36.65	30.25	NA
MW-1	10/24/1997	<500	NA	140	<5.0	12	40	2,600	NA	NA	NA	NA	NA	NA	NA	NA	66.90	39.75	27.15	4.5
MW-1	01/08/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	170	NA	NA	NA	NA	NA	NA	NA	NA	66.90	36.31	30.59	4.0
MW-1	04/14/1998 b	72	NA	0.82	4.9	1.8	13	2.7	NA	NA	NA	NA	NA	NA	NA	NA	66.90	26.37	40.53	2.2
MW-1	07/15/1998	<50	NA	2.5	1.5	<0.50	<0.50	12	NA	NA	NA	NA	NA	NA	NA	NA	66.90	31.23	35.67	2.4
MW-1	07/28/1998	NA	NA	NA	NA	NA	NA	193	190	<2.0	<2.0	<2.0	<100	<2.50	<2.50	<500	66.90	31.23	35.67	2.4
MW-1	10/13/1998	<50	NA	3.2	0.69	<0.50	1.1	29	NA	NA	NA	NA	NA	NA	NA	NA	66.90	35.69	31.21	1.3
MW-1	01/22/1999	567	NA	79.7	120	21.4	99.9	193	190	NA	NA	NA	NA	NA	NA	NA	66.90	35.32	31.58	1.2
MW-1	04/16/1999	<50	NA	0.69	1.1	1.2	<0.50	8.2	NA	NA	NA	NA	NA	NA	NA	NA	66.90	31.76	35.14	1.0
MW-1	07/22/1999	<50	NA	<0.500	<0.500	<0.500	<0.500	<5.00	2.17	NA	NA	NA	NA	NA	NA	NA	66.90	23.21	43.69	2.1/2.0
MW-1	12/08/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	NA	NA	NA	66.90	33.27	33.63	2.2/2.1
MW-1	01/07/2000	<50.0	NA	0.631	0.577	<0.500	1.25	14.1	NA	NA	NA	NA	NA	NA	NA	NA	66.90	38.17	28.73	d
MW-1	04/05/2000	153	NA	12.4	21.2	6.65	28.3	50.1	NA	NA	NA	NA	NA	NA	NA	NA	66.90	30.45	36.45	2.0/2.3
MW-1	07/12/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	66.90	34.29	32.61	4.4/3.8
MW-1	10/19/2000	129	NA	7.76	19.6	7.84	33.3	31.3	NA	NA	NA	NA	NA	NA	NA	NA	66.90	36.87	30.03	3.9/4.7
MW-1	01/15/2001	201	NA	7.58	29.9	9.64	42.9	24.9	NA	NA	NA	NA	NA	NA	NA	NA	66.90	36.99	29.91	2.7/3.0
MW-1	04/30/2001	<50	NA	<0.50	<0.50	<0.50	0.54	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	66.90	34.62	32.28	3.1/2.4
MW-1	07/20/2001	180	NA	8.0	16	9.5	39	NA	140	NA	NA	NA	NA	NA	NA	NA	66.90	37.25	29.65	3.9/3.8
MW-1	10/24/2001	94	NA	7.0	0.90	3.4	8.4	NA	34	NA	NA	NA	NA	NA	NA	NA	66.90	38.82	28.08	3.6/3.9
MW-1	01/03/2002	<50	NA	<0.50	0.78	<0.50	1.5	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	66.90	34.97	31.93	3.1/3.3
MW-1	04/05/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	66.90	34.04	32.86	1.6/1.8
MW-1	07/11/2002	61	NA	2.2	2.6	3.9	14	NA	28	NA	NA	NA	NA	NA	NA	NA	66.90	36.15	30.75	0.6/3.8
MW-1	10/28/2002	270	NA	7.9	3.6	17	51	NA	72	NA	NA	NA	NA	NA	NA	NA	66.33	38.35	27.98	1.0/1.2
MW-1	01/07/2003	<50	NA	<0.50	<0.50	<0.50	0.53	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	66.33	34.13	32.20	3.8/3.9
MW-1	04/14/2003	<50	NA	0.51	0.52	1.0	2.9	NA	21	NA	NA	NA	NA	NA	NA	NA	66.33	35.40	30.93	3.4/3.5
MW-1	07/01/2003	<50	NA	<0.50	<0.50	1.1	2.5	NA	4.1	<2.0	<2.0	<2.0	<5.0	<0.50	<0.50	<50	66.33	35.19	31.14	0.4/0.7
MW-1	10/08/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	66.33	38.63	27.70	2.9/2.9
MW-1	01/15/2004	72	NA	<0.50	0.75	1.4	5.2	NA	10	NA	NA	NA	NA	NA	NA	NA	66.33	36.13	30.20	4.1/4.0
MW-1	04/09/2004	98	NA	<0.50	<0.50	0.57	1.7	NA	1.6	NA	NA	NA	NA	NA	NA	NA	66.33	34.95	31.38	4.7/3.9
MW-1	07/13/2004	75	NA	0.52	<0.50	2.0	2.8	NA	11	<2.0	<2.0	<2.0	5.0	NA	NA	<50	66.33	37.68	28.65	0.77/0.81

WELL CONCENTRATIONS
Shell-branded Service Station
1285 Bancroft Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-1	11/05/2004	180	NA	4.4	0.72	4.1	9.5	NA	67	NA	NA	NA	NA	NA	NA	NA	66.33	38.86	27.47	4.1/4.8
MW-1	01/10/2005	180	NA	0.50	<0.50	1.0	3.8	NA	15	NA	NA	NA	NA	NA	NA	NA	66.33	36.10	30.23	0.1/3.8
MW-1	04/11/2005	91 k	NA	<0.50	<0.50	<0.50	<1.0	NA	0.82	NA	NA	NA	NA	NA	NA	NA	66.33	31.71	34.62	3.85/2.37
MW-1	07/12/2005	56 k	NA	<0.50	<0.50	<0.50	<1.0	NA	0.52	<2.0	<2.0	<2.0	<5.0	NA	NA	<50	66.33	34.12	32.21	4.3/3.9
MW-1	10/21/2005	85	NA	0.91	<0.50	6.7	8.7	NA	16	NA	NA	NA	NA	NA	NA	NA	66.33	37.21	29.12	4.3/4.0
MW-1	01/09/2006	<50	NA	<0.50	<0.50	<0.50	1.2	NA	3.2	NA	NA	NA	NA	NA	NA	NA	66.33	33.53	32.80	3.6/3.8
MW-1	04/17/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	NA	66.33	28.44	37.89	3.61/3.43
MW-1	07/13/2006	<50.0	NA	<0.500	<0.500	<0.500	<1.50	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	<50.0	66.33	32.35	33.98	3.41/3.23
MW-1	10/19/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	0.800	<0.500	NA	NA	NA	<0.500	<0.500	NA	66.33	35.94	30.39	3.1/2.75

MW-2	03/01/1992	910	<50	11	5.2	50	140	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	41.57	25.34	NA
MW-2	06/03/1992	1,400	NA	33	16	150	240	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	40.56	26.35	NA
MW-2	09/01/1992	230	NA	5.2	4.1	15	19	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	42.94	23.97	NA
MW-2 (D)	09/01/1992	320	NA	5.6	5	18	220	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	42.94	23.97	NA
MW-2	12/07/1992	240	NA	1.5	1.3	9.5	9.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	44.13	22.78	NA
MW-2 (D)	12/07/1992	<50	NA	1.7	1	13	12	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	44.13	22.78	NA
MW-2	03/01/1993	230	NA	260	310	27	66	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	34.82	32.09	NA
MW-2	06/22/1993	220	NA	18	3.4	3.6	5.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	36.64	30.27	NA
MW-2 (D)	06/22/1993	320	NA	29	4.8	4.2	6.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	36.64	30.27	NA
MW-2	09/09/1993	260	NA	18	4.6	16	12	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	39.24	27.67	NA
MW-2 (D)	09/09/1993	210	NA	16	3.9	14	9.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	39.24	27.67	NA
MW-2	12/13/1993	1,300 a	NA	82	34	73	15	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	40.64	26.27	NA
MW-2 (D)	12/13/1993	1,400 a	NA	110	45	72	19	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	40.64	26.27	NA
MW-2	03/03/1994	9,600	NA	1,200	600	390	710	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	38.98	27.93	NA
MW-2 (D)	03/03/1994	10,000	NA	930	500	330	590	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	38.98	27.93	NA
MW-2	07/27/1994	190	NA	<0.5	1	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	40.40	26.51	NA
MW-2	08/09/1994	1,500	NA	53.5	12.4	46.2	44	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	40.71	26.20	NA
MW-2	10/05/1994	<485	NA	<0.3	<0.3	<0.3	<0.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	41.89	25.02	NA
MW-2	11/11/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	41.22	25.69	NA
MW-2	12/29/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	41.99	24.92	NA
MW-2	01/04/1995	1,300	NA	150	35	23	51	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	39.81	27.10	NA
MW-2	04/14/1995	5,000	NA	1,000	340	400	810	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	30.83	36.08	NA
MW-2	07/12/1995	4,500	NA	440	170	170	290	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	34.50	32.41	NA

WELL CONCENTRATIONS
Shell-branded Service Station
1285 Bancroft Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-2 (D)	07/12/1995	4,300	NA	430	160	160	280	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	34.50	32.41	NA
MW-2	12/14/1995	37,000	NA	1,800	7,600	1,000	6,700	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	39.22	27.69	NA
MW-2 (D)	12/14/1995	34,000	NA	1,800	6,600	1,000	6,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	39.22	27.69	NA
MW-2	01/10/1996	69,000	NA	1,000	3,200	510	3,300	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	38.22	28.69	NA
MW-2 (D)	01/10/1996	78,000	NA	1,100	3,500	560	3,600	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	38.22	28.69	NA
MW-2	04/25/1996	11,000	NA	820	880	210	1,400	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	31.78	35.13	NA
MW-2 (D)	04/25/1996	9,300	NA	690	710	160	1,200	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	31.78	35.13	NA
MW-2	07/09/1996	100,000	NA	15,000	24,000	1,700	9,900	70,000	NA	NA	NA	NA	NA	NA	NA	NA	66.91	34.35	32.56	NA
MW-2 (D)	07/09/1996	86,000	NA	12,000	19,000	1,400	7,500	32,000	NA	NA	NA	NA	NA	NA	NA	NA	66.91	34.35	32.56	NA
MW-2	10/02/1996	82,000	NA	20,000	32,000	1,800	9,100	40,000	NA	NA	NA	NA	NA	NA	NA	NA	66.91	37.56	29.35	NA
MW-2 (D)	10/02/1996	89,000	NA	19,000	31,000	1,700	8,900	42,000	NA	NA	NA	NA	NA	NA	NA	NA	66.91	37.56	29.35	NA
MW-2	01/09/1997	17,000	NA	710	2,300	350	2,200	4,000	NA	NA	NA	NA	NA	NA	NA	NA	66.91	32.07	34.84	NA
MW-2 (D)	01/09/1997	12,000	NA	490	1,300	260	1,800	2,800	NA	NA	NA	NA	NA	NA	NA	NA	66.91	32.07	34.84	NA
MW-2	04/09/1997	20,000	NA	970	3,500	330	2,000	3,200	NA	NA	NA	NA	NA	NA	NA	NA	66.91	32.78	34.13	NA
MW-2	07/02/1997	28,000	NA	1,700	8,700	550	3,000	5,500	NA	NA	NA	NA	NA	NA	NA	NA	66.91	36.56	30.35	NA
MW-2 (D)	07/02/1997	32,000	NA	2,000	11,000	680	3,800	6,400	NA	NA	NA	NA	NA	NA	NA	NA	66.91	36.56	30.35	NA
MW-2	10/24/1997	14,000	NA	460	1,000	300	2,000	3,000	NA	NA	NA	NA	NA	NA	NA	NA	66.91	39.74	27.17	3.2
MW-2 (D)	10/24/1997	14,000	NA	420	980	270	2,000	2,800	NA	NA	NA	NA	NA	NA	NA	NA	66.91	39.74	27.17	3.2
MW-2	01/08/1998	180	NA	2.8	1.6	<0.50	<0.50	7.6	NA	NA	NA	NA	NA	NA	NA	NA	66.91	36.13	30.78	3.6
MW-2	04/14/1998 b	12,000	NA	92	1,500	260	1,900	110	NA	NA	NA	NA	NA	NA	NA	NA	66.91	26.15	40.76	4.6
MW-2	07/15/1998	36,000	NA	250	5,600	830	6,000	6,800	NA	NA	NA	NA	NA	NA	NA	NA	66.91	31.14	35.77	4.8
MW-2 (D)	07/15/1998	35,000	NA	230	5,600	860	600	570	NA	NA	NA	NA	NA	NA	NA	NA	66.91	31.14	35.77	4.8
MW-2	10/13/1998	100	NA	7	12	3.7	10	5.8	NA	NA	NA	NA	NA	NA	NA	NA	66.91	36.14	30.77	0.8
MW-2	01/22/1999	21,000	NA	701	3,330	960	5,420	772	620	<2.0	<2.0	<2.0	<100	<100	<100	<500	66.91	35.97	30.94	1.0
MW-2	04/16/1999	14,000	NA	200	1,600	560	3,300	330	NA	NA	NA	NA	NA	NA	NA	NA	66.91	31.52	35.39	1.0
MW-2	07/22/1999	1,410	NA	28.3	91.2	50.4	256	35.3	15.2	NA	NA	NA	NA	NA	NA	NA	66.91	26.14	40.77	2.1/2.5
MW-2	12/08/1999	<50.0	NA	1.45	1.34	1.15	5.31	5.08	NA	NA	NA	NA	NA	NA	NA	NA	66.91	37.72	29.19	2.1/2.5
MW-2	01/07/2000	743	NA	18.6	47.0	3.06	166	30.3	NA	NA	NA	NA	NA	NA	NA	NA	66.91	38.14	28.77	1.4/1.8
MW-2	04/05/2000	2,320	NA	60.9	101	115	606	62.5	NA	NA	NA	NA	NA	NA	NA	NA	66.91	30.46	36.45	1.7/1.9
MW-2	07/12/2000	12,100	NA	325	555	793	3,610	260	NA	NA	NA	NA	NA	NA	NA	NA	66.91	34.13	32.78	4.1/4.6
MW-2	10/19/2000	4,840	NA	188	267	318	1,370	84.4	NA	NA	NA	NA	NA	NA	NA	NA	66.91	36.50	30.41	4.8/2.6
MW-2	01/15/2001	654	NA	52.3	9.10	37.8	93.6	10.9	NA	NA	NA	NA	NA	NA	NA	NA	66.91	36.73	30.18	4.2/3.5
MW-2	04/30/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	66.91	35.25	31.66	2.4/2.0

WELL CONCENTRATIONS
Shell-branded Service Station
1285 Bancroft Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-2	07/20/2001	5,400	NA	320	110	340	1,100	NA	33	NA	NA	NA	NA	NA	NA	NA	66.91	37.00	29.91	3.4/2.4
MW-2	10/24/2001 g	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	38.63	28.28	NA
MW-2	10/31/2001	1,400	NA	81	16	76	180	NA	29	NA	NA	NA	NA	NA	NA	NA	66.91	38.71	28.20	3.8/2.9
MW-2	01/03/2002	1,800	NA	88	62	130	520	NA	17	NA	NA	NA	NA	NA	NA	NA	66.91	34.71	32.20	3.0/2.1
MW-2	04/05/2002	9,400	NA	190	120	410	1,800	NA	<50	NA	NA	NA	NA	NA	NA	NA	66.91	33.86	33.05	1.3/1.8
MW-2	07/11/2002	6,700	NA	220	73	360	1,100	NA	<20	NA	NA	NA	NA	NA	NA	NA	66.91	35.99	30.92	3.4/2.1
MW-2	10/28/2002	4,600	NA	190	25	210	370	NA	21	NA	NA	NA	NA	NA	NA	NA	66.33	38.05	28.28	0.7/0.9
MW-2	01/07/2003	1,700	NA	9.3	14	83	380	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	66.33	34.22	32.11	3.9/3.6
MW-2	04/14/2003	5,900	NA	86	53	360	1,500	NA	<50	NA	NA	NA	NA	NA	NA	NA	66.33	35.28	31.05	3.0/2.9
MW-2	07/01/2003	2,200	NA	34	24	130	510	NA	3.3	<10	<10	<10	<25	<2.5	<2.5	<250	66.33	35.13	31.20	0.9/1.1
MW-2	10/08/2003	4,000	NA	160	28	220	530	NA	<10	NA	NA	NA	NA	NA	NA	NA	66.33	38.59	27.74	2.9/0.5
MW-2	01/15/2004	3,300	NA	63	29	300	1,000	NA	15	NA	NA	NA	NA	NA	NA	NA	66.33	36.38	29.95	5.0/2.6
MW-2	04/09/2004	3,000	NA	52	20	180	520	NA	3.5	NA	NA	NA	NA	NA	NA	NA	66.33	34.01	32.32	4.2/3.1
MW-2	07/13/2004	3,400	NA	68	18	250	540	NA	4.7	<10	<10	<10	<25	NA	NA	<250	66.33	38.10	28.23	1.20/0.99
MW-2	11/05/2004	2,500	NA	120	14	190	280	NA	17	NA	NA	NA	NA	NA	NA	NA	66.33	38.82	27.51	8.1/8.5
MW-2	01/10/2005	2,700	NA	54	14	220	590	NA	38	NA	NA	NA	NA	NA	NA	NA	66.33	35.97	30.36	3.21/3.06
MW-2	04/11/2005	3,200	NA	50	15	220	500	NA	11	NA	NA	NA	NA	NA	NA	NA	66.33	31.67	34.66	3.53/0.40
MW-2	07/12/2005	3,200	NA	41	13	280	290	NA	10	<10	<10	<10	<25	NA	NA	<250	66.33	33.93	32.40	1.0/1.0
MW-2	10/21/2005	4,300	NA	96	16	420	350	NA	11	NA	NA	NA	NA	NA	NA	NA	66.33	37.19	29.14	2.3/2.0
MW-2	01/09/2006	1,900	NA	34	8.3	160	250	NA	2.3	NA	NA	NA	NA	NA	NA	NA	66.33	33.39	32.94	4.0/3.3
MW-2	04/17/2006	<50.0	NA	1.58	0.690	15.0	24.6	NA	<0.500	NA	NA	NA	NA	NA	NA	NA	66.33	28.41	37.92	3.96/2.43
MW-2	07/13/2006	2,600	NA	19.2	3.23	136	140	NA	1.63	<0.500	<0.500	<0.500	<10.0	NA	NA	<50.0	66.33	32.10	34.23	3.32/3.22
MW-2	10/19/2006	6,840	NA	41.6	7.77	293	279	NA	2.68	<0.500	NA	NA	NA	<0.500	<0.500	NA	66.33	35.83	30.50	3.0/1.5
MW-3	03/01/1992	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.31	42.00	24.31	NA
MW-3	06/03/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.31	44.30	22.01	NA
MW-3	09/01/1992	<50	NA	<0.5	<0.5	1.1	3.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.31	43.62	22.69	NA
MW-3	12/07/1992	52	NA	<0.5	<0.5	<0.5	0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.31	44.77	21.54	NA
MW-3	03/01/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.31	35.50	30.81	NA
MW-3	06/22/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.31	37.30	29.01	NA
MW-3	09/09/1993	50 a	NA	5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.31	39.90	26.41	NA
MW-3	12/13/1993	120 a	NA	7.5	<0.5	1.6	6.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.31	41.30	25.01	NA
MW-3	03/03/1994	<50	NA	0.81	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.31	38.32	27.99	NA

WELL CONCENTRATIONS
Shell-branded Service Station
1285 Bancroft Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-3	07/27/1994	<50	NA	3.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	41.07	26.45	NA
MW-3	08/09/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	41.37	26.15	NA
MW-3	10/05/1994	<57	NA	<0.3	<0.3	<0.3	<0.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	42.55	24.97	NA
MW-3	11/11/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	41.86	25.66	NA
MW-3	12/29/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	42.59	24.93	NA
MW-3	01/04/1995	<50	NA	6	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	40.54	26.98	NA
MW-3	04/14/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	31.50	36.02	NA
MW-3	07/12/1995	90	NA	16	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	35.14	32.38	NA
MW-3	12/14/1995	4,600	NA	460	390	34	1,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	39.86	27.66	NA
MW-3	01/10/1996	11,000	NA	470	460	68	670	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	39.98	27.54	NA
MW-3	04/25/1996	5,500	NA	830	910	<50	460	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	32.38	35.14	NA
MW-3	07/09/1996	72,000	NA	7,600	14,000	970	5,900	59,000	NA	NA	NA	NA	NA	NA	NA	NA	67.52	34.93	32.59	NA
MW-3	10/02/1996	77,000	NA	15,000	24,000	2,000	9,600	94,000	71,000	NA	NA	NA	NA	NA	NA	NA	67.52	38.20	29.32	NA
MW-3	01/09/1997	130	NA	15	16	2	9.7	80	NA	NA	NA	NA	NA	NA	NA	NA	67.52	32.81	34.71	NA
MW-3	04/09/1997	24,000	NA	2,900	5,300	420	2,200	4,100	NA	NA	NA	NA	NA	NA	NA	NA	67.52	33.42	34.10	NA
MW-3 (D)	04/09/1997	24,000	NA	3,000	5,600	450	2,300	4,700	NA	NA	NA	NA	NA	NA	NA	NA	67.52	33.42	34.10	NA
MW-3	07/02/1997	68,000	NA	7,400	18,000	1,600	8,700	16,000	NA	NA	NA	NA	NA	NA	NA	NA	67.52	37.22	30.30	NA
MW-3	10/24/1997	93,000	NA	1,800	8,500	2,300	14,000	3,100	NA	NA	NA	NA	NA	NA	NA	NA	67.52	40.75	26.77	1.8
MW-3	01/08/1998	16,000	NA	140	870	22	5,000	120	NA	NA	NA	NA	NA	NA	NA	NA	67.52	36.90	30.62	2.1
MW-3 (D)	01/08/1998	24,000	NA	100	840	26	5,600	<100	NA	NA	NA	NA	NA	NA	NA	NA	67.52	36.90	30.62	2.1
MW-3	04/14/1998 b	100,000	NA	270	5,000	2,100	17,000	890	NA	NA	NA	NA	NA	NA	NA	NA	67.52	26.92	40.60	1.8
MW-3 (D)	04/14/1998 b	49,000	NA	230	3,200	1,200	8,900	790	NA	NA	NA	NA	NA	NA	NA	NA	67.52	26.92	40.60	1.8
MW-3	07/15/1998	31,000	NA	1,100	3,300	300	2,800	3,700	NA	NA	NA	NA	NA	NA	NA	NA	67.52	31.74	35.78	2
MW-3	10/13/1998	51,000	NA	3,100	12,000	7,630	6,800	6,200	NA	NA	NA	NA	NA	NA	NA	NA	67.52	35.61	31.91	2.1
MW-3 (D)	10/13/1998	88,000	NA	5,800	21,000	1,400	12,000	9200	NA	NA	NA	NA	NA	NA	NA	NA	67.52	35.61	31.91	2.1
MW-3	01/22/1999	25,100	NA	855	4,400	786	5,260	1,850	1,500	<2.0	<2.0	<2.0	<100	<100	<100	<500	67.52	35.29	32.23	0.8
MW-3	04/16/1999	7,800	NA	150	550	160	1,100	370	NA	NA	NA	NA	NA	NA	NA	NA	67.52	32.29	35.23	1.0
MW-3	07/22/1999	1,970	NA	51.2	160	43.1	286	179	109	NA	NA	NA	NA	NA	NA	NA	67.52	26.67	40.85	3.1/3.0
MW-3	12/08/1999	12,500	NA	171	537	141	1,260	717	NA	NA	NA	NA	NA	NA	NA	NA	67.52	38.34	29.18	3.1/2.9
MW-3	01/07/2000	6,020	NA	<10.0	929	177	1,170	217	NA	NA	NA	NA	NA	NA	NA	NA	67.52	38.87	28.65	3.2/2.6
MW-3	04/05/2000	3,890	NA	120	351	67.8	576	231	NA	NA	NA	NA	NA	NA	NA	NA	67.52	31.08	36.44	3.4/3.8
MW-3	07/12/2000	23,300	NA	592	4,690	672	4,620	1,340	NA	NA	NA	NA	NA	NA	NA	NA	67.52	34.80	32.72	0.4/3.7
MW-3	10/19/2000	6,280	NA	124	1,280	229	1,510	311	NA	NA	NA	NA	NA	NA	NA	NA	67.52	37.34	30.18	2.1/2.9

WELL CONCENTRATIONS
Shell-branded Service Station
1285 Bancroft Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	-------------------	--------------	----------------------------	--------------------------	------------------------

MW-3	01/15/2001	4,800	NA	7.04	70.0	70.9	380	54.7	NA	NA	NA	NA	NA	NA	NA	NA	67.52	37.65	29.87	2.7/2.5
MW-3	04/30/2001	<50	NA	<0.50	<0.50	<0.50	1.8	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	67.52	35.25	32.27	1.8/1.6
MW-3	07/20/2001	2,900	NA	11	100	120	520	NA	48	NA	NA	NA	NA	NA	NA	NA	67.52	37.71	29.81	1.2/3.4
MW-3	10/24/2001 g	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	39.35	28.17	0.5
MW-3	10/31/2001	1,700	NA	4.5	43	43	230	NA	17	NA	NA	NA	NA	NA	NA	NA	67.52	39.30	28.22	0.8/3.0
MW-3	01/03/2002	12,000	NA	26	410	490	2,800	NA	99	NA	NA	NA	NA	NA	NA	NA	67.52	35.51	32.01	1.4/1.2
MW-3	04/05/2002	22,000	NA	76	930	710	4,500	NA	390	NA	NA	NA	NA	NA	NA	NA	67.52	34.56	32.96	1.7/1.9
MW-3	07/11/2002	13,000	NA	23	340	320	1,800	NA	120	NA	NA	NA	NA	NA	NA	NA	67.52	36.65	30.87	1.0/2.2
MW-3	10/28/2002	1,500	NA	<0.50	2.6	13	83	NA	45	NA	NA	NA	NA	NA	NA	NA	66.93	38.85	28.08	1.2/1.1
MW-3	01/07/2003	5,500	NA	8.3	150	130	1,000	NA	130	NA	NA	NA	NA	NA	NA	NA	66.93	34.64	32.29	3.2/3.1
MW-3	04/14/2003	14,000	NA	23	250	470	3,200	NA	330	NA	NA	NA	NA	NA	NA	NA	66.93	35.90	31.03	1.6/2.1
MW-3	07/01/2003	12,000	NA	19	100	440	2,700	NA	250	<10	<10	<10	<25	<2.5	<2.5	<250	66.93	35.70	31.23	0.9/1.0
MW-3	10/08/2003	300	NA	<0.50	0.84	3.0	16	NA	3.7	NA	NA	NA	NA	NA	NA	NA	66.93	39.25	27.68	0.4/2.6
MW-3	01/15/2004	3,500	NA	<5.0	9.4	59	340	NA	54	NA	NA	NA	NA	NA	NA	NA	66.93	36.74	30.19	2.8/3.1
MW-3	04/09/2004	8,500	NA	7.4	53	290	1,600	NA	140	NA	NA	NA	NA	NA	NA	NA	66.93	35.47	31.46	2.1/2.0
MW-3	07/13/2004	3,500	NA	<5.0	<5.0	18	64	NA	24	<20	<20	<20	<50	NA	NA	<500	66.93	38.10	28.83	1.33/1.05
MW-3	11/05/2004	3,000	NA	<5.0	9.3	35	160	NA	43	NA	NA	NA	NA	NA	NA	NA	66.93	39.44	27.49	6.1/6.7
MW-3	01/10/2005	6,000	NA	3.3	12	89	620	NA	140	NA	NA	NA	NA	NA	NA	NA	66.93	36.58	30.35	2.6/1.0
MW-3	04/11/2005	3,000	NA	2.1	8.0	87	420	NA	63	NA	NA	NA	NA	NA	NA	NA	66.93	32.34	34.59	0.19/0.17
MW-3	07/12/2005	5,000	NA	3.8	5.3	190	760	NA	120	<4.0	<4.0	<4.0	33	NA	NA	<100	66.93	34.62	32.31	2.4/2.9
MW-3	10/21/2005	180	NA	<0.50	0.59	3.7	8.4	NA	9.3	NA	NA	NA	NA	NA	NA	NA	66.93	37.80	29.13	0.4/2.2
MW-3	01/09/2006	3,100	NA	0.94	6.1	96	270	NA	26	NA	NA	NA	NA	NA	NA	NA	66.93	34.01	32.92	0.5/0.6
MW-3	04/17/2006	2,700	NA	<0.500	1.13	32.0	95.3	NA	9.55	NA	NA	NA	NA	NA	NA	NA	66.93	28.87	38.06	2.35/2.60
MW-3	07/13/2006	1,090	NA	<0.500	<0.500	17.2	28.6	NA	15.0	<0.500	<0.500	<0.500	<10.0	NA	NA	<50.0	66.93	32.80	34.13	0.8/0.6
MW-3	10/19/2006	8,720	NA	1.22	4.56	92.9	216	NA	34.8	<0.500	NA	NA	NA	<0.500	<0.500	NA	66.93	36.54	30.39	2.1/2.25

MW-4	07/27/1994	120	NA	3.4	3.9	0.6	4.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	41.78	26.30	NA
MW-4	08/09/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	42.09	25.99	NA
MW-4	10/05/1994	<50	NA	<0.3	<0.3	<0.3	<0.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	43.25	24.83	NA
MW-4 (D)	10/05/1994	<50	NA	<0.3	<0.3	<0.3	<0.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	43.25	24.83	NA
MW-4	11/11/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	42.54	25.54	NA
MW-4	12/29/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	43.34	24.74	NA
MW-4	01/04/1995	<50	NA	1.4	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	41.57	26.51	NA

WELL CONCENTRATIONS
Shell-branded Service Station
1285 Bancroft Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-4	04/14/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	32.24	35.84	NA
MW-4	07/12/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	35.88	32.20	NA
MW-4	12/14/1995	70	NA	0.6	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	40.54	27.54	NA
MW-4	01/10/1996	280	NA	3.7	1	<0.5	0.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	39.59	28.49	NA
MW-4	04/25/1996	<500	NA	63	<5.0	<5.0	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	33.22	34.86	NA
MW-4	07/09/1996	<2,000	NA	160	<20	<20	<20	5,300	NA	NA	NA	NA	NA	NA	NA	NA	68.08	35.70	32.38	NA
MW-4	10/02/1996	<5,000	NA	480	<50	<50	<50	19,000	NA	NA	NA	NA	NA	NA	NA	NA	68.08	38.95	29.13	NA
MW-4	01/09/1997	<2,000	NA	43	<20	<20	<20	7,000	NA	NA	NA	NA	NA	NA	NA	NA	68.08	33.04	35.04	NA
MW-4	04/09/1997	<2,500	NA	120	<25	<25	<25	8,100	NA	NA	NA	NA	NA	NA	NA	NA	68.08	34.15	33.93	NA
MW-4	07/02/1997	<2,000	NA	81	<20	<20	<20	6,600	NA	NA	NA	NA	NA	NA	NA	NA	68.08	37.92	30.16	NA
MW-4	10/24/1997	<500	NA	90	<5.0	11	6.3	3,200	NA	NA	NA	NA	NA	NA	NA	NA	68.08	41.00	27.08	2.1
MW-4	01/08/1998	<50	NA	3.9	<0.50	<0.50	<0.50	1,800	NA	NA	NA	NA	NA	NA	NA	NA	68.08	37.54	30.54	2.2
MW-4	04/14/1998 b	920	NA	<0.50	<0.50	<0.50	<0.50	27	NA	NA	NA	NA	NA	NA	NA	NA	68.08	27.75	40.33	1.2
MW-4	07/15/1998	2,100	NA	160	76	120	190	2,600	NA	NA	NA	NA	NA	NA	NA	NA	68.08	32.47	35.61	1.8
MW-4	10/13/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	17	NA	NA	NA	NA	NA	NA	NA	NA	68.08	36.75	31.33	1.1
MW-4	01/22/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	7.1	13	<2.0	<2.0	<2.0	<100	<0.500	<0.500	<500	68.08	36.41	31.67	1.6
MW-4	04/16/1999	1,800	NA	92	35	110	200	1,800	2,750	NA	NA	NA	NA	NA	NA	NA	68.08	33.00	35.08	1.2
MW-4	07/22/1999	Well Inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	27.59	40.49	NA
MW-4	12/08/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	22.6	NA	NA	NA	NA	NA	NA	NA	NA	68.08	39.04	29.04	2.5/2.6
MW-4	01/07/2000	871	NA	39.4	69.0	71.6	99.6	1,030	NA	NA	NA	NA	NA	NA	NA	NA	68.08	39.35	28.73	1.2/1.2
MW-4	04/05/2000	475	NA	26.9	5.24	19.8	41.5	681	NA	NA	NA	NA	NA	NA	NA	NA	68.08	31.28	36.80	1.6/1.8
MW-4	07/12/2000	1,040	NA	35.7	6.95	125	104	1,040	NA	NA	NA	NA	NA	NA	NA	NA	68.08	35.52	32.56	0.5/4.9
MW-4	10/19/2000	944	NA	23.9	6.57	122	109	372	NA	NA	NA	NA	NA	NA	NA	NA	68.08	38.08	30.00	2.3/1.4
MW-4	01/15/2001	1,170	NA	21.6	1.51	123	52.8	592	NA	NA	NA	NA	NA	NA	NA	NA	68.08	38.31	29.77	1.7/1.9
MW-4	04/30/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	26	NA	NA	NA	NA	NA	NA	NA	68.08	35.80	32.28	1.3/1.0
MW-4	07/20/2001	2,000	NA	16	5.8	230	270	NA	520	NA	NA	NA	NA	NA	NA	NA	68.08	38.46	29.62	1.6/1.8
MW-4	10/24/2001	1,000	NA	6.9	<1.0	96	44	NA	270	NA	NA	NA	NA	NA	NA	NA	68.08	40.02	28.06	0.7/0.9
MW-4	01/03/2002	390	NA	3.0	<0.50	19	5.9	NA	230	NA	NA	NA	NA	NA	NA	NA	68.08	35.71	32.37	1.2/1.9
MW-4	04/05/2002	150	NA	0.57	<0.50	3.8	<0.50	NA	250	NA	NA	NA	NA	NA	NA	NA	68.08	35.25	32.83	1.6/1.6
MW-4	07/11/2002	530	NA	2.6	<0.50	46	4.6	NA	280	NA	NA	NA	NA	NA	NA	NA	68.08	37.39	30.69	0.8/1.9
MW-4	10/28/2002	110	NA	<0.50	<0.50	1.8	<0.50	NA	180	NA	NA	NA	NA	NA	NA	NA	67.52	39.55	27.97	1.1/0.9
MW-4	01/07/2003	210	NA	0.72	<0.50	12	1.5	NA	140	NA	NA	NA	NA	NA	NA	NA	67.52	35.24	32.28	2.1/2.2
MW-4	04/14/2003	220	NA	0.77	<0.50	9.8	1.2	NA	160	NA	NA	NA	NA	NA	NA	NA	67.52	36.62	30.90	1.9/1.5

WELL CONCENTRATIONS
Shell-branded Service Station
1285 Bancroft Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-4	07/01/2003	61	NA	<0.50	<0.50	<0.50	<1.0	NA	84	<2.0	<2.0	<2.0	<5.0	<0.50	<0.50	<50 c	67.52	36.49	31.03	0.6/0.7
MW-4	10/08/2003	120	NA	<0.50	<0.50	4.4	<1.0	NA	87	NA	NA	NA	NA	NA	NA	NA	67.52	39.96	27.56	2.6/1.5
MW-4	01/15/2004	120	NA	<0.50	<0.50	1.3	<1.0	NA	71	NA	NA	NA	NA	NA	NA	NA	67.52	37.28	30.24	3.5/3.4
MW-4	04/09/2004	390	NA	<0.50	1.1	3.5	19	NA	79	NA	NA	NA	NA	NA	NA	NA	67.52	36.15	31.37	4.3/1.6
MW-4	07/13/2004	89	NA	<0.50	<0.50	<0.50	<1.0	NA	63	<2.0	<2.0	<2.0	<5.0	NA	NA	<50	67.52	39.00	28.52	0.82/0.75
MW-4	11/05/2004	120 k	NA	<0.50	<0.50	<0.50	<1.0	NA	39	NA	NA	NA	NA	NA	NA	NA	67.52	40.13	27.39	5.2/6.0
MW-4	01/10/2005	140	NA	<0.50	<0.50	<0.50	<1.0	NA	44	NA	NA	NA	NA	NA	NA	NA	67.52	37.27	30.25	0.1/0.5
MW-4	04/11/2005	75 k	NA	<0.50	<0.50	<0.50	<1.0	NA	17	NA	NA	NA	NA	NA	NA	NA	67.52	32.92	34.60	0.29/0.18
MW-4	07/12/2005	78	NA	<0.50	<0.50	<0.50	<1.0	NA	21	<2.0	<2.0	<2.0	6.0	NA	NA	<50	67.52	35.35	32.17	1.7/1.5
MW-4	10/21/2005	76	NA	<0.50	<0.50	<0.50	<1.0	NA	27	NA	NA	NA	NA	NA	NA	NA	67.52	38.57	28.95	2.2/1.8
MW-4	01/09/2006	<50	NA	<0.50	<0.50	<0.50	0.51	NA	14	NA	NA	NA	NA	NA	NA	NA	67.52	34.67	32.85	0.6/0.9
MW-4	04/17/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	1.60	NA	NA	NA	NA	NA	NA	NA	67.52	29.68	37.84	1.09/1.54
MW-4	07/13/2006	<50.0	NA	<0.500	<0.500	<0.500	<1.50	NA	6.53	<0.500	<0.500	<0.500	<10.0	NA	NA	<50.0	67.52	33.62	33.90	1.54/2.64
MW-4	10/19/2006	110	NA	<0.500	0.510	<0.500	1.63 j,n	NA	37.2	<0.500	NA	NA	NA	<0.500	<0.500	NA	67.52	37.18	30.34	0.75/1.50

MW-5*	06/04/1999	159,000	NA	7,190	39,300	2,450	16,700	<5,000	NA	NA	NA	NA	NA	NA	NA	NA	66.50	33.48	33.02	1.7
MW-5	06/04/1999	80,400	NA	4,400	26,000	1,480	11,000	3,660	NA	NA	NA	NA	NA	NA	NA	NA	66.50	33.48	33.02	1.9
MW-5	07/22/1999	97,200	NA	4,580	25,600	1,580	10,100	<5,000	4,330	NA	NA	NA	NA	NA	NA	NA	66.50	33.29	33.21	1.7/1.8
MW-5	12/08/1999	72,000	NA	3,360	16,600	1,560	8,320	3,460	NA	NA	NA	NA	NA	NA	NA	NA	66.50	37.80	28.70	1.7/1.9
MW-5	01/07/2000	104,000	NA	5,370	30,400	2,500	13,900	3,330	NA	NA	NA	NA	NA	NA	NA	NA	66.50	38.40	28.10	1.6/1.2
MW-5	04/05/2000	99,700	NA	5,710	37,000	2,410	14,200	10,800	NA	NA	NA	NA	NA	NA	NA	NA	66.50	30.72	35.78	1.7/1.5
MW-5	07/12/2000	106,000	NA	3,840	38,200	2,980	18,100	3,280	NA	NA	NA	NA	NA	NA	NA	NA	66.50	34.42	32.08	0.2/1.8
MW-5	10/19/2000	72,400	NA	3,010	32,200	2,440	15,400	2,840	NA	NA	NA	NA	NA	NA	NA	NA	66.50	36.89	29.61	1.0/2.7
MW-5	01/15/2001	78,300	NA	2,220	21,400	1,960	12,200	3,420	1,370	NA	NA	NA	NA	NA	NA	NA	66.50	37.10	29.40	1.2/1.0
MW-5	04/30/2001	83,000	NA	1,400	23,000	2,300	14,000	NA	3,400	NA	NA	NA	NA	NA	NA	NA	66.50	34.75	31.75	0.6/0.8
MW-5	07/20/2001 f	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.50	37.40	29.10	0.5
MW-5	07/24/2001	160,000	NA	2,400	37,000	3,800	24,000	NA	1,400	NA	NA	NA	NA	NA	NA	NA	66.50	37.30	29.20	0.7/0.8
MW-5	10/24/2001 g	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.50	39.00	27.50	NA
MW-5	10/31/2001	14,000	NA	150	2,700	450	2,300	NA	110	<2.0	<2.0	<2.0	<50	NA	NA	<500	66.50	39.05	27.45	0.4/0.8
MW-5	01/03/2002	62,000	NA	660	12,000	1,700	11,000	NA	860	NA	NA	NA	NA	NA	NA	NA	66.50	35.15	31.35	0.4/0.3
MW-5	04/05/2002	81,000	NA	1,500	19,000	2,400	13,000	NA	2,400	NA	NA	NA	NA	NA	NA	NA	66.50	34.18	32.32	1.7/1.4
MW-5	07/11/2002	140,000	NA	1,900	26,000	3,400	20,000	NA	1,700	NA	NA	NA	NA	NA	NA	NA	66.50	36.28	30.22	0.5/0.6
MW-5	10/28/2002	30,000	NA	340	4,900	830	5,200	NA	<200	NA	NA	NA	NA	NA	NA	NA	66.50	38.44	28.06	0.6/0.9

WELL CONCENTRATIONS
Shell-branded Service Station
1285 Bancroft Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-5	01/07/2003	72,000	NA	720	13,000	1,900	10,000	NA	1,100	NA	NA	NA	NA	NA	NA	NA	66.50	34.17	32.33	1.4/1.1
MW-5	04/14/2003	110,000	NA	900	19,000	3,000	20,000	NA	1,400	NA	NA	NA	NA	NA	NA	NA	66.50	35.52	30.98	0.8/0.6
MW-5	07/01/2003	94,000	NA	970	22,000	3,300	20,000	NA	2,900	<500	<500	<500	<1,300	<130	<130	<13,000 c	66.50	35.37	31.13	1.1/1.0
MW-5	10/08/2003	26,000	NA	290	3,000	960	5,000	NA	300	NA	NA	NA	NA	NA	NA	NA	66.50	38.87	27.63	0.4/0.4
MW-5	01/15/2004	88,000	NA	880	18,000	3,400	19,000	NA	1,500	NA	NA	NA	NA	NA	NA	NA	66.50	36.15	30.35	3.5/2.0
MW-5	04/09/2004	1,100,000	NA	990	26,000	4,400	23,000	NA	3,500	NA	NA	NA	NA	NA	NA	NA	66.50	35.07	31.43	1.1/0.9
MW-5	06/21/2004	76,000	NA	830	18,000	3,400	21,000	NA	1,400	NA	NA	NA	NA	NA	NA	NA	66.50	37.20	29.30	1.5/1.1
MW-5	07/13/2004	91,000	NA	650	14,000	3,500	20,000	NA	1,200	<200	<200	<200	<500	NA	NA	<5,000	66.50	37.80	28.70	1.00/0.96
MW-5	11/05/2004	5,700	NA	<20	400	190	1,100	NA	<20	NA	NA	NA	NA	NA	NA	NA	66.50	39.09	27.41	4.0/5.1
MW-5	01/10/2005	130,000	NA	360	14,000	5,100	35,000	NA	900	NA	NA	NA	NA	NA	NA	NA	66.50	36.22	30.28	0.2/0.1
MW-5	04/11/2005	100,000	NA	220	9,300	3,800	25,000	NA	12,000	NA	NA	NA	NA	NA	NA	NA	66.50	31.85	34.65	0.08/0.21
MW-5	07/12/2005	130,000	NA	530	19,000	6,300	42,000	NA	1,900	<200	<200	<200	730	NA	NA	<5,000	66.50	34.23	32.27	0.9/0.9
MW-5	10/21/2005	190,000	NA	550	18,000	6,700	35,000	NA	920	NA	NA	NA	NA	NA	NA	NA	66.50	37.51	28.99	0.2/0.3
MW-5	01/09/2006	72,000	NA	400	8,700	4,700	18,000	NA	1,300	NA	NA	NA	NA	NA	NA	NA	66.50	33.61	32.89	0.2/0.4
MW-5	04/17/2006	149,000	NA	277	8,630	4,470	24,600	NA	1,930	NA	NA	NA	NA	NA	NA	NA	66.50	28.47	38.03	0.78/0.58
MW-5	07/13/2006	134,000	NA	234	6,050	4,970	26,300	NA	1,160	<0.500	<0.500	<0.500	868	NA	NA	<50.0	66.50	32.47	34.03	0.5/0.3
MW-5	10/19/2006	35,500	NA	275	1,100 o	4,920	23,100	NA	206	<0.500	NA	NA	NA	<0.500	<0.500	NA	66.50	36.09	30.41	0.75/0.50
MW-6*	06/04/1999	36,000	NA	4,240	1,680	1,100	4,160	11,300	17,500	NA	NA	NA	NA	NA	NA	NA	64.98	32.13	32.85	1.3
MW-6	06/04/1999	56,900	NA	6,830	6,050	1,970	9,060	17,000	24,300	NA	NA	NA	NA	NA	NA	NA	64.98	32.13	32.85	1.3
MW-6	07/22/1999	42,800	NA	4,660	740	1,210	4,980	15,600	20,100	NA	NA	NA	NA	NA	NA	NA	64.98	32.09	32.89	2.9/2.1
MW-6	12/08/1999	9,520	NA	1,760	58.0	142	384	9,320	7,310 c	NA	NA	NA	NA	NA	NA	NA	64.98	36.62	28.36	2.9/2.2
MW-6	01/07/2000	20,000	NA	3,650	367	949	1,700	13,600	13,100	NA	NA	NA	NA	NA	NA	NA	64.98	37.03	27.95	1.2/1.4
MW-6	04/05/2000	20,500 e	NA	4,190 e	1,250 e	1,200 e	2,750 e	18,600 e	12,700 c	NA	NA	NA	NA	NA	NA	NA	64.98	29.37	35.61	1.2/1.2
MW-6	07/12/2000	27,300	NA	4,000	3,170	1,470	4,570	12,900	10,800 c	NA	NA	NA	NA	NA	NA	NA	64.98	33.04	31.94	0.8/0.4
MW-6	10/19/2000	39,600	NA	4,050	6,250	1,920	7,800	14,200	14,600 c	NA	NA	NA	NA	NA	NA	NA	64.98	35.62	29.36	1.4/1.7
MW-6	01/15/2001	64,800	NA	2,090	20,400	1,860	11,100	<1,250	NA	NA	NA	NA	NA	NA	NA	NA	64.98	35.91	29.07	1.2/1.5
MW-6	04/30/2001	27,000	NA	2,300	3,200	1,100	4,600	NA	6,800	NA	NA	NA	NA	NA	NA	NA	64.98	33.70	31.28	1.6/1.2
MW-6	07/20/2001	29,000	NA	2,100	1,900	1,100	5,600	NA	7,100	NA	NA	NA	NA	NA	NA	NA	64.98	35.98	29.00	1.0/0.7
MW-6	10/24/2001	38,000	NA	1,400	690	1,400	5,700	NA	4,800	<10	<10	<10	1,100	NA	NA	<500	64.98	37.55	27.43	1.0/0.6
MW-6	01/03/2002	10,000	NA	810	120	260	1,100	NA	4,100	NA	NA	NA	NA	NA	NA	NA	64.98	33.34	31.64	0.8/0.6
MW-6	04/05/2002	19,000	NA	1,100	1,100	510	3,000	NA	4,300	NA	NA	NA	NA	NA	NA	NA	64.98	34.60	30.38	1.1/1.5
MW-6	07/11/2002	26,000	NA	1,100	550	1,200	4,400	NA	5,400	NA	NA	NA	NA	NA	NA	NA	64.98	35.02	29.96	0.1/0.7

WELL CONCENTRATIONS
Shell-branded Service Station
1285 Bancroft Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	-------------------	--------------	----------------------------	--------------------------	------------------------

MW-6	10/28/2002	11,000	NA	230	56	140	540	NA	2,500	NA	NA	NA	NA	NA	NA	NA	65.10	37.78	27.32	0.7/1.1
MW-6	01/07/2003	Unable to sample		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	65.10	32.95	32.15	NA
MW-6	01/10/2003	17,000	NA	840	1,200	1,100	2,700	NA	3,400	NA	NA	NA	NA	NA	NA	NA	65.10	32.75	32.35	0.4/0.3
MW-6	04/14/2003	31,000	NA	810	420	1,300	4,000	NA	3,800	NA	NA	NA	NA	NA	NA	NA	65.10	34.95	30.15	3.6/1.0
MW-6	07/01/2003	1,400	NA	88	44	<10	160	NA	1,900	<40	<40	<40	340	<10	<10	<1,000 c	65.10	34.77	30.33	1.2/1.5
MW-6	10/08/2003	26,000	NA	720	92	1,100	1,800	NA	3,500	NA	NA	NA	NA	NA	NA	NA	65.10	37.57	27.53	0.5/0.6
MW-6	01/15/2004	7,300	NA	250	110	340	750	NA	1,100	NA	NA	NA	NA	NA	NA	NA	65.10	35.40	29.70	1.0/3.2
MW-6	04/09/2004	20,000	NA	590	1,700	1,200	3,300	NA	2,400	NA	NA	NA	NA	NA	NA	NA	65.10	33.70	31.40	2.1/3.3
MW-6	07/13/2004	1,700	NA	24	<10	58	84	NA	1,600	<40	<40	<40	320	NA	NA	<1,000	65.10	36.42	28.68	1.11/0.93
MW-6	11/05/2004	24,000	NA	310	33	650	1,900	NA	2,000	NA	NA	NA	NA	NA	NA	NA	65.10	37.64	27.46	3.0/1.2
MW-6	01/10/2005	17,000	NA	120	6.4	270	590	NA	520	NA	NA	NA	NA	NA	NA	NA	65.10	34.77	30.33	0.2/0.1
MW-6	04/11/2005	12,000	NA	290	300	650	1,100	NA	1,400	NA	NA	NA	NA	NA	NA	NA	65.10	31.19	33.91	0.10/0.14
MW-6	07/12/2005	21,000	NA	440	660	1,400	2,600	NA	2,700	<50	<50	<50	1,500	NA	NA	<1,300	65.10	32.85	32.25	1.6/1.7
MW-6	10/21/2005	9,000	NA	260	28	500	420	NA	1,500	NA	NA	NA	NA	NA	NA	NA	65.10	35.85	29.25	0.2/0.3
MW-6	01/09/2006	400	NA	10	1.2	6.6	7.5	NA	110 m	NA	NA	NA	NA	NA	NA	NA	65.10	32.18	32.92	0.2/0.3
MW-6	04/17/2006	Unable to sample		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	65.10	27.09	38.01	NA
MW-6	05/02/2006	7,400	NA	101	57.5	156	276	NA	596	NA	NA	NA	NA	NA	NA	NA	65.10	26.98	38.12	0.26/0.31
MW-6	07/13/2006	8,030	NA	119	91.8	305	384	NA	745	<0.500	<0.500	<0.500	370	NA	NA	<50.0	65.10	31.08	34.02	1.62/1.22
MW-6	10/19/2006	3,230	NA	175	25.3	431	416	NA	1,020	<0.500	NA	NA	NA	<0.500	<0.500	NA	65.10	34.68	30.42	3.5/2.75

MW-7*	06/04/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	NA	NA	NA	65.83	33.03	32.80	1.4
MW-7	06/04/1999	<50.0	NA	0.663	<0.500	0.677	<0.500	11.7	NA	NA	NA	NA	NA	NA	NA	NA	65.83	33.03	32.80	1.4
MW-7	07/22/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	<2.00	NA	NA	NA	NA	NA	NA	NA	65.83	33.09	32.74	2.7/2.4
MW-7	12/08/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	NA	NA	NA	65.83	37.68	28.15	2.7/2.4
MW-7	01/07/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	65.83	37.87	27.96	2.8/2.6
MW-7	04/05/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	65.83	30.30	35.53	2.8/3.1
MW-7	07/12/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	65.83	33.92	31.91	0.9/0.7
MW-7	10/19/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	65.83	36.51	29.32	1.5/1.8
MW-7	01/15/2001	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	65.83	36.73	29.10	4.7/4.3
MW-7	04/30/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	65.83	34.25	31.58	4.2/2.2
MW-7	07/20/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	65.83	36.88	28.95	1.8/1.7
MW-7	10/24/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	65.83	38.45	27.38	1.4/1.5
MW-7	01/03/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	65.83	34.52	31.31	1.2/1.8

WELL CONCENTRATIONS
Shell-branded Service Station
1285 Bancroft Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-7	04/05/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	65.83	34.51	31.32	1.7/1.4
MW-7	07/11/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	65.83	35.77	30.06	4.5/2.5
MW-7	10/28/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	65.84	37.70	28.14	0.4/0.8
MW-7	01/07/2003	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	65.84	33.76	32.08	2.24/1.9
MW-7	04/14/2003	80	NA	2.2	1.1	3.0	9.0	NA	21	NA	NA	NA	NA	NA	NA	NA	65.84	34.99	30.85	2.7/1.9
MW-7	07/01/2003	<50	NA	<0.50	0.75	<0.50	1.1	NA	0.77	<2.0	<2.0	<2.0	<5.0	<0.50	<0.50	<50	65.84	34.79	31.05	0.7/0.9
MW-7	10/08/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.84	38.37	27.47	1.7/1.8
MW-7	01/15/2004	<50	NA	3.3	1.2	2.7	4.2	NA	18	NA	NA	NA	NA	NA	NA	NA	65.84	35.64	30.20	2.5/3.6
MW-7	04/09/2004	<50	NA	<0.50	<0.50	0.56	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.84	34.56	31.28	2.0/1.6
MW-7	07/13/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.84	37.30	28.54	0.71/1.10
MW-7	11/05/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.84	38.50	27.34	3.2/3.4
MW-7	01/10/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.84	35.64	30.20	0.8/0.3
MW-7	04/11/2005	<50 l	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.84	31.41	34.43	2.00/1.38
MW-7	07/12/2005	51 k	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.84	33.78	32.06	2.7/3.2
MW-7	10/21/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.84	36.92	28.92	2.3/2.3
MW-7	01/09/2006	<50	NA	<0.50	<0.50	<0.50	0.56	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.84	33.04	32.80	0.2/1.4
MW-7	04/17/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	NA	65.84	28.00	37.84	3.11/3.69
MW-7	07/13/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	NA	65.84	32.00	33.84	2.29/2.75
MW-7	10/19/2006	<50.0	NA	<0.500	<0.500	<0.500	1.25 j,n	NA	<0.500	<0.500	NA	NA	NA	<0.500	<0.500	NA	65.84	35.57	30.27	3.0/3.25
MW-8*	06/04/1999	<50	NA	<0.500	<0.500	<0.500	<0.500	452	NA	NA	NA	NA	NA	NA	NA	NA	65.07	32.19	32.88	2.1
MW-8	06/04/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	186	NA	NA	NA	NA	NA	NA	NA	NA	65.07	32.19	32.88	1.8
MW-8	07/22/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	286	443	NA	NA	NA	NA	NA	NA	NA	65.07	32.14	32.93	2.9/2.7
MW-8	12/08/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	NA	NA	NA	65.07	36.75	28.32	2.9/2.7
MW-8	01/07/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	255	NA	NA	NA	NA	NA	NA	NA	NA	65.07	37.15	27.92	1.8/2.0
MW-8	04/05/2000	<50.0 e	NA	<0.500 e	<0.500 e	<0.500 e	<0.500 e	247 e	NA	NA	NA	NA	NA	NA	NA	NA	65.07	29.45	35.62	2.1/2.5
MW-8	07/12/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	123	NA	NA	NA	NA	NA	NA	NA	NA	65.07	33.13	31.94	0.5/0.5
MW-8	10/19/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	123	NA	NA	NA	NA	NA	NA	NA	NA	65.07	35.72	29.35	1.2/1.8
MW-8	01/15/2001	<50.0	NA	<0.500	<0.500	<0.500	<0.500	173	NA	NA	NA	NA	NA	NA	NA	NA	65.07	36.00	29.07	0.5/1.0
MW-8	04/30/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	120	NA	NA	NA	NA	NA	NA	NA	65.07	33.48	31.59	1.4/1.0
MW-8	07/20/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	210	NA	NA	NA	NA	NA	NA	NA	65.07	36.12	28.95	1.0/1.2
MW-8	10/24/2001	<100	NA	<1.0	<1.0	<1.0	<1.0	NA	360	NA	NA	NA	NA	NA	NA	NA	65.07	37.73	27.34	1.4/0.5
MW-8	01/03/2002	290	NA	<0.50	<0.50	<0.50	<0.50	NA	18	NA	NA	NA	NA	NA	NA	NA	65.07	35.37	29.70	1.2/1.1

WELL CONCENTRATIONS
Shell-branded Service Station
1285 Bancroft Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-8	04/05/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	100	NA	NA	NA	NA	NA	NA	NA	65.07	35.40	29.67	1.2/1.3
MW-8	07/11/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	230	NA	NA	NA	NA	NA	NA	NA	65.07	35.05	30.02	0.3/0.4
MW-8	10/28/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	210	NA	NA	NA	NA	NA	NA	NA	65.08	37.25	27.83	1.1/1.2
MW-8	01/07/2003	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	97	NA	NA	NA	NA	NA	NA	NA	65.08	33.01	32.07	1.4/1.7
MW-8	04/14/2003	<50	NA	<0.50	<0.50	<0.50	1.1	NA	130	NA	NA	NA	NA	NA	NA	NA	65.08	34.29	30.79	2.5/0.9
MW-8	07/01/2003	<250	NA	<2.5	<2.5	<2.5	<5.0	NA	430	<10	<10	<10	<25	<2.5	<2.5	<250	65.08	34.04	31.04	0.6/0.8
MW-8	10/08/2003	<100	NA	<1.0	<1.0	<1.0	<2.0	NA	240	NA	NA	NA	NA	NA	NA	NA	65.08	37.58	27.50	0.6/0.7
MW-8	01/15/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	78	NA	NA	NA	NA	NA	NA	NA	65.08	35.00	30.08	1.3/2.0
MW-8	04/09/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	82	NA	NA	NA	NA	NA	NA	NA	65.08	33.68	31.40	1.7/2.4
MW-8	07/13/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	120	<2.0	<2.0	<2.0	<5.0	NA	NA	<50	65.08	36.75	28.33	2.18/1.74
MW-8	11/05/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	91	NA	NA	NA	NA	NA	NA	NA	65.08	37.78	27.30	1.8/2.5
MW-8	01/10/2005	54 k	NA	<0.50	<0.50	<0.50	<1.0	NA	76	NA	NA	NA	NA	NA	NA	NA	65.08	35.15	29.93	0.1/0.2
MW-8	04/11/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	28	NA	NA	NA	NA	NA	NA	NA	65.08	30.57	34.51	0.41/0.18
MW-8	07/12/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	36	<2.0	<2.0	<2.0	6.6	NA	NA	<50	65.08	32.94	32.14	1.4/2.2
MW-8	10/21/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	31	NA	NA	NA	NA	NA	NA	NA	65.08	36.16	28.92	0.4/0.5
MW-8	01/09/2006	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	2.3	NA	NA	NA	NA	NA	NA	NA	65.08	32.53	32.55	0.5/0.7
MW-8	04/17/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	17.6	NA	NA	NA	NA	NA	NA	NA	65.08	27.48	37.60	2.65/3.31
MW-8	07/13/2006	<50.0	NA	<0.500	<0.500	<0.500	<1.50	NA	9.74	<0.500	<0.500	<0.500	<10.0	NA	NA	<50.0	65.08	31.14	33.94	0.91/1.23
MW-8	10/19/2006	<50.0	NA	<0.500	<0.500	<0.500	0.780 j,n	NA	12.6	<0.500	NA	NA	NA	<0.500	<0.500	NA	65.08	34.79	30.29	2.5/3.0
MW-9	03/15/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	65.55	34.05	31.50	NA
MW-9	04/09/2004	16,000	NA	460	330	980	3,000	NA	900	NA	NA	NA	NA	NA	NA	NA	65.55	34.02	31.53	1.6/1.4
MW-9	07/13/2004	9,600	NA	190	91	640	1,500	NA	810	<40	<40	<40	340	NA	NA	<1,000	65.55	36.90	28.65	0.77/0.80
MW-9	11/05/2004	6,300	NA	130	24	470	840	NA	450	NA	NA	NA	NA	NA	NA	NA	65.55	38.05	27.50	9.1/8.2
MW-9	01/10/2005	6,100	NA	130	80	450	1,000	NA	280	NA	NA	NA	NA	NA	NA	NA	65.55	35.42	30.13	1.67/0.29
MW-9	04/11/2005	1,100	NA	40	21	99	220	NA	120	NA	NA	NA	NA	NA	NA	NA	65.55	31.71	33.84	0.90/0.33
MW-9	07/12/2005	2,200	NA	56	19	180	350	NA	290	<4.0	<4.0	<4.0	210	NA	NA	<100	65.55	33.32	32.23	1.0/2.7
MW-9	10/21/2005	8,300	NA	190	59	610	1,100	NA	930	NA	NA	NA	NA	NA	NA	NA	65.55	36.50	29.05	0.4/0.3
MW-9	01/09/2006	6,100	NA	170	100	460	950	NA	560	NA	NA	NA	NA	NA	NA	NA	65.55	32.75	32.80	0.8/0.4
MW-9	04/17/2006	<50.0	NA	5.89	4.25	17.4	38.1	NA	15.8	NA	NA	NA	NA	NA	NA	NA	65.55	28.06	37.49	1.30/2.72
MW-9	07/13/2006	<50.0	NA	<0.500	<0.500	<0.500	<1.50	NA	1.49	<0.500	<0.500	<0.500	<10.0	NA	NA	<50.0	65.55	31.53	34.02	2.1/2.4
MW-9	10/19/2006	10,600	NA	85.5	22.7	335	442	NA	510	<0.500	NA	NA	NA	<0.500	<0.500	NA	65.55	34.98	30.57	1.00/2.25

WELL CONCENTRATIONS
Shell-branded Service Station
1285 Bancroft Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-10	03/15/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	64.36	32.74	31.62	NA
MW-10	04/09/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	17	NA	NA	NA	NA	NA	NA	NA	64.36	33.20	31.16	1.6/1.0
MW-10	07/13/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	130	<2.0	<2.0	<2.0	<5.0	NA	NA	<50	64.36	36.05	28.31	1.95/2.04
MW-10	11/05/2004	140 k	NA	<0.50	<0.50	<0.50	<1.0	NA	55	NA	NA	NA	NA	NA	NA	NA	64.36	37.16	27.20	2.8/3.4
MW-10	01/10/2005	60 k	NA	<0.50	<0.50	<0.50	<1.0	NA	22	NA	NA	NA	NA	NA	NA	NA	64.36	34.48	29.88	0.3/0.2
MW-10	04/11/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	40	NA	NA	NA	NA	NA	NA	NA	64.36	30.01	34.35	0.06/0.04
MW-10	07/12/2005	51 k	NA	<0.50	<0.50	<0.50	<1.0	NA	31	<2.0	<2.0	<2.0	290	NA	NA	<50	64.36	32.40	31.96	1.9/1.9
MW-10	10/21/2005	63 k	NA	<0.50	<0.50	<0.50	<1.0	NA	7.2	NA	NA	NA	NA	NA	NA	NA	64.36	35.54	28.82	0.3/0.5
MW-10	01/09/2006	69	NA	<0.50	<0.50	<0.50	<0.50	NA	9.0	NA	NA	NA	NA	NA	NA	NA	64.36	31.90	32.46	0.2/0.2
MW-10	04/17/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	31.6	NA	NA	NA	NA	NA	NA	NA	64.36	26.82	37.54	0.68/1.26
MW-10	07/13/2006	<50.0	NA	<0.500	<0.500	<0.500	<1.50	NA	2.36	<0.500	<0.500	<0.500	25.2	NA	NA	<50.0	64.36	30.56	33.80	0.65/1.39
MW-10	10/19/2006	<50.0	NA	<0.500	<0.500	<0.500	0.650 j,n	NA	6.72	<0.500	NA	NA	NA	<0.500	<0.500	NA	64.36	34.20	30.16	0.75/1.2
MW-11	03/15/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	63.54	32.05	31.49	NA
MW-11	04/09/2004	<50	NA	<0.50	0.64	1.6	3.8	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	63.54	32.51	31.03	2.3/4.3
MW-11	07/13/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	<50	63.54	32.79	30.75	1.73/2.10
MW-11	11/05/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	63.54	36.44	27.10	4.8/6.2
MW-11	01/10/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	63.54	33.70	29.84	3.2/3.4
MW-11	04/11/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	63.54	29.48	34.06	0.24/0.19
MW-11	07/12/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	<50	63.54	31.72	31.82	3.9/5.2
MW-11	10/21/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	63.54	35.00	28.54	1.1/3.8
MW-11	01/09/2006	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	63.54	31.18	32.36	2.6/3.8
MW-11	04/17/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	NA	63.54	26.16	37.38	4.15/5.06
MW-11	07/13/2006	<50.0	NA	<0.500	<0.500	<0.500	<1.50	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	<50.0	63.54	30.00	33.54	3.50/5.45
MW-11	10/19/2006	<50.0	NA	<0.500	<0.500	<0.500	0.570 j,n	NA	<0.500	<0.500	NA	NA	NA	<0.500	<0.500	NA	63.54	33.50	30.04	3.9/4.3
MW-12	03/15/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	65.58	33.97	31.61	NA
MW-12	04/09/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.58	34.60	30.98	3.4/5.7
MW-12	07/13/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	<50	65.58	37.15	28.43	2.13/2.57
MW-12	11/05/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.58	38.39	27.19	5.4/6.3
MW-12	01/10/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.58	35.54	30.04	5.6/4.5
MW-12	04/11/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.58	31.36	34.22	0.26/0.31
MW-12	07/12/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	<50	65.58	33.68	31.90	4.8/5.3

WELL CONCENTRATIONS
Shell-branded Service Station
1285 Bancroft Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-12	10/21/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.58	36.81	28.77	3.5/4.5
MW-12	01/09/2006	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.58	33.02	32.56	1.5/4.0
MW-12	04/17/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	NA	65.58	28.06	37.52	6.09/5.41
MW-12	07/13/2006	<50.0	NA	<0.500	<0.500	<0.500	<1.50	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	<50.0	65.58	32.03	33.55	3.65/4.12
MW-12	10/19/2006	<50.0	NA	<0.500	<0.500	<0.500	1.33	NA	<0.500	<0.500	NA	NA	NA	<0.500	<0.500	NA	65.58	35.47	30.11	5.8/5.7

IW-1	06/04/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	<2.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-1	07/22/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	<2.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-1	12/08/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-1	01/07/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-1	04/05/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	NA	27.85	NA	NA
IW-1	07/12/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-1	10/19/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.7/1.8
IW-1	01/15/2001	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	NA	34.35	NA	1.0/1.2
IW-1	04/30/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	31.74	NA	1.4/3.8
IW-1	07/20/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	34.38	NA	3.0/4.0
IW-1	10/24/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	36.28	NA	5.8/7.0
IW-1	01/03/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	31.96	NA	3.1/3.1
IW-1	04/05/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	32.00	NA	2.8/2.9
IW-1	07/11/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	33.22	NA	4.6/4.6
IW-1	10/28/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	35.55	NA	1.7/1.9
IW-1	01/07/2003	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	31.20 h	NA	1.4/1.0
IW-1	04/14/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	32.35	NA	3.9/4.3
IW-1	07/01/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	0.64	<2.0	<2.0	<2.0	<5.0	<0.50	<0.50	<50	NA	33.03	NA	3.7/4.9
IW-1	10/08/2003	<50	NA	1.1	<0.50	3.5	5.7	NA	19	NA	NA	NA	NA	NA	NA	NA	NA	35.75	NA	3.8/4.8
IW-1	01/15/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	NA	i	NA	4.0/6.0
IW-1	04/09/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	NA	32.04	NA	4.0/5.1
IW-1	07/13/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	<50	NA	35.21	NA	5.21/5.72
IW-1	11/05/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	NA	35.96	NA	5.3/5.9
IW-1	01/10/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	NA	33.08	NA	4.8/3.7
IW-1	04/11/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	NA	32.03	NA	3.76/3.14
IW-1	07/12/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	<50	NA	31.32	NA	5.3/5.8
IW-1	10/21/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	63.12	34.49	28.63	4.5/5.1

WELL CONCENTRATIONS
Shell-branded Service Station
1285 Bancroft Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
IW-1	01/09/2006	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	63.12	30.55	32.57	5.6/5.1
IW-1	04/17/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	NA	63.12	25.58	37.54	5.00/5.17
IW-1	07/13/2006	<50.0	NA	<0.500	<0.500	<0.500	<1.50	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	<50.0	63.12	29.60	33.52	4.81/4.89
IW-1	10/19/2006	<50.0	NA	<0.500	<0.500	<0.500	1.14	NA	<0.500	<0.500	NA	NA	NA	<0.500	<0.500	NA	63.12	32.85	30.27	4.6/4.8

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to April 30, 2001, analyzed by EPA Method 8015.

TEPH = Total petroleum hydrocarbons as diesel by modified EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to April 30, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether, analyzed by EPA Method 8260B.

ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260B.

TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260B.

TBA = Tertiary butyl alcohol or Tertiary butanol, analyzed by EPA Method 8260B.

1,2-DCA = 1,2-Dichloroethane, analyzed by EPA Method 8260B.

EDB = Ethylene Dibromide, analyzed by EPA Method 8260B.

TOC = Top of Casing Elevation

SPH = Separate-Phase Hydrocarbons

GW = Groundwater

DO = Dissolved Oxygen

ug/L = Parts per billion

ppm = Parts per million

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

(D) = Duplicate sample

n/n = Pre-purge/post-purge DO reading.

NA = Not applicable

WELL CONCENTRATIONS
Shell-branded Service Station
1285 Bancroft Avenue
San Leandro, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	-------------------	--------------	----------------------------	--------------------------	------------------------

Notes:

- a = Chromatogram pattern indicated an unidentified hydrocarbon.
- b = Equipment blank contained 80 ug/L TPH-G, 1.2 ug/L benzene, 17 ug/L toluene, 3.2 ug/L ethylbenzene, 16 ug/L xylenes, and 15 ug/L MTBE.
- c = Sample was analyzed outside the EPA recommended holding time.
- d = DO Reading not taken.
- e = Result was generated out of hold time.
- f = Stinger broke off in well; removed on subsequent return trip.
- g = Unable to complete sample due to equipment failure.
- h = Depth to water at five minutes purge time.
- i = Unable to gauge; sounder will not fit down access port.
- j = Result may be elevated due to carry over from previously analyzed sample.
- k = Quantity of unknown hydrocarbons in sample based on gasoline.
- l = The concentration reported reflect(s) individual or discrete unidentified peaks not matching a typical fuel pattern.
- m = The concentration indicated for this analyte is an estimated value above the calibration range of the instrument.
- n = Insufficient sample available for reanalysis.
- o = Concentration exceeds the calibration range and therefore result is semi-quantitative.
- * = Pre-purge samples.

Ethanol analyzed by EPA Method 8260B.

TOC elevation of wells MW-1, MW-2, and MW-3 resurveyed March 29, 1994.

Site surveyed on June 21, 1999 by Virgil Chavez Land Surveying of Vallejo, CA.

Site surveyed on March 14, 2002 by Virgil Chavez Land Surveying of Vallejo, CA.

Wells MW-9, MW-10, MW-11, and MW-12 surveyed on February 24, 2004 by Virgil Chavez Land Surveying of Vallejo, CA.

Well "Irrigation Well" surveyed on October 25, 2005 by Virgil Chavez Land Surveying of Vallejo, CA.

Well "IW-1" previously named "Irrigation Well."

November 06, 2006

Client: Cambria Env. Tech. (Sonoma) / SHELL (13674)
270 Perkins Street
Sonoma, CA 95476
Attn: Ana Friel

Work Order: NPJ3169
Project Name: 1285 Bancroft Ave., San Leandro, CA
Project Nbr: SAP 136017
P/O Nbr: 98996067
Date Received: 10/24/06

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
MW-1	NPJ3169-01	10/19/06 12:28
MW-2	NPJ3169-02	10/19/06 13:52
MW-3	NPJ3169-03	10/19/06 13:36
MW-4	NPJ3169-04	10/19/06 13:17
MW-5	NPJ3169-05	10/19/06 14:08
MW-6	NPJ3169-06	10/19/06 11:46
MW-7	NPJ3169-07	10/19/06 11:15
MW-8	NPJ3169-08	10/19/06 10:52
MW-9	NPJ3169-09	10/19/06 13:03
MW-10	NPJ3169-10	10/19/06 10:26
MW-11	NPJ3169-11	10/19/06 10:09
MW-12	NPJ3169-12	10/19/06 09:50
IW-1	NPJ3169-13	10/19/06 09:27

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

California Certification Number: 01168CA

The Chain(s) of Custody, 6 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

Report Approved By:



Jim Hatfield
Project Management

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-01 (MW-1 - Water) Sampled: 10/19/06 12:28								
Volatile Organic Compounds by EPA Method 8260B								
Acetone	ND		ug/L	50.0	1	10/31/06 21:43	SW846 8260B	6105327
Benzene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Bromobenzene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Bromochloromethane	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Bromodichloromethane	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Bromoform	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Bromomethane	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
2-Butanone	ND		ug/L	50.0	1	10/31/06 21:43	SW846 8260B	6105327
sec-Butylbenzene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
n-Butylbenzene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
tert-Butylbenzene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Carbon disulfide	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Carbon Tetrachloride	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Chlorobenzene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Chlorodibromomethane	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Chloroethane	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Chloroform	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Chloromethane	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
4-Chlorotoluene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
2-Chlorotoluene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
1,2-Dibromo-3-chloropropane	ND		ug/L	1.00	1	10/31/06 21:43	SW846 8260B	6105327
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Dibromomethane	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
1,4-Dichlorobenzene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
1,3-Dichlorobenzene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
1,2-Dichlorobenzene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Dichlorodifluoromethane	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
1,2-Dichloroethane	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
1,1-Dichloroethane	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
cis-1,2-Dichloroethene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
1,1-Dichloroethene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
trans-1,2-Dichloroethene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
2,2-Dichloropropane	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
1,3-Dichloropropane	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
1,2-Dichloropropane	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
trans-1,3-Dichloropropene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
cis-1,3-Dichloropropene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
1,1-Dichloropropene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Ethylbenzene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Hexachlorobutadiene	ND		ug/L	1.00	1	10/31/06 21:43	SW846 8260B	6105327
2-Hexanone	ND		ug/L	10.0	1	10/31/06 21:43	SW846 8260B	6105327
Isopropylbenzene	ND		ug/L	1.00	1	10/31/06 21:43	SW846 8260B	6105327

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-01 (MW-1 - Water) - cont. Sampled: 10/19/06 12:28								
Volatile Organic Compounds by EPA Method 8260B - cont.								
Diisopropyl Ether	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Methyl tert-Butyl Ether	0.800		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Methylene Chloride	ND		ug/L	5.00	1	10/31/06 21:43	SW846 8260B	6105327
4-Methyl-2-pentanone	ND		ug/L	10.0	1	10/31/06 21:43	SW846 8260B	6105327
Styrene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
1,1,1,2-Tetrachloroethane	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
1,1,2,2-Tetrachloroethane	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Tetrachloroethene	1.82		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Toluene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
1,2,4-Trichlorobenzene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
1,2,3-Trichlorobenzene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
1,1,2-Trichloroethane	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
1,1,1-Trichloroethane	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Trichloroethene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Trichlorofluoromethane	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
1,2,3-Trichloropropane	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
1,3,5-Trimethylbenzene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Vinyl chloride	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Xylenes, total	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
1,2,4-Trimethylbenzene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
Naphthalene	ND		ug/L	5.00	1	10/31/06 21:43	SW846 8260B	6105327
p-Isopropyltoluene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
n-Propylbenzene	ND		ug/L	0.500	1	10/31/06 21:43	SW846 8260B	6105327
<i>Surr: 1,2-Dichloroethane-d4 (62-142%)</i>	<i>96 %</i>					<i>10/31/06 21:43</i>	<i>SW846 8260B</i>	<i>6105327</i>
<i>Surr: Dibromofluoromethane (78-123%)</i>	<i>94 %</i>					<i>10/31/06 21:43</i>	<i>SW846 8260B</i>	<i>6105327</i>
<i>Surr: Toluene-d8 (79-120%)</i>	<i>87 %</i>					<i>10/31/06 21:43</i>	<i>SW846 8260B</i>	<i>6105327</i>
<i>Surr: 4-Bromofluorobenzene (75-133%)</i>	<i>85 %</i>					<i>10/31/06 21:43</i>	<i>SW846 8260B</i>	<i>6105327</i>
Purgeable Petroleum Hydrocarbons								
Gasoline Range Organics	ND		ug/L	50.0	1	10/29/06 07:32	CA LUFT GC/MS	6106281
<i>Surr: 1,2-Dichloroethane-d4 (0-200%)</i>	<i>118 %</i>					<i>10/29/06 07:32</i>	<i>CA LUFT GC/MS</i>	<i>6106281</i>
<i>Surr: Dibromofluoromethane (0-200%)</i>	<i>113 %</i>					<i>10/29/06 07:32</i>	<i>CA LUFT GC/MS</i>	<i>6106281</i>
<i>Surr: Toluene-d8 (0-200%)</i>	<i>104 %</i>					<i>10/29/06 07:32</i>	<i>CA LUFT GC/MS</i>	<i>6106281</i>
<i>Surr: 4-Bromofluorobenzene (0-200%)</i>	<i>113 %</i>					<i>10/29/06 07:32</i>	<i>CA LUFT GC/MS</i>	<i>6106281</i>

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-02 (MW-2 - Water) Sampled: 10/19/06 13:52								
Volatile Organic Compounds by EPA Method 8260B								
Acetone	ND		ug/L	50.0	1	10/28/06 17:46	SW846 8260B	6106087
Benzene	41.6		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Bromobenzene	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Bromochloromethane	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Bromodichloromethane	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Bromoform	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Bromomethane	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
2-Butanone	ND		ug/L	50.0	1	10/28/06 17:46	SW846 8260B	6106087
sec-Butylbenzene	4.05		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
n-Butylbenzene	3.62		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
tert-Butylbenzene	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Carbon disulfide	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Carbon Tetrachloride	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Chlorobenzene	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Chlorodibromomethane	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Chloroethane	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Chloroform	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Chloromethane	ND		ug/L	1.00	1	10/28/06 17:46	SW846 8260B	6106087
4-Chlorotoluene	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
2-Chlorotoluene	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
1,2-Dibromo-3-chloropropane	ND		ug/L	1.00	1	10/28/06 17:46	SW846 8260B	6106087
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Dibromomethane	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
1,4-Dichlorobenzene	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
1,3-Dichlorobenzene	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
1,2-Dichlorobenzene	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Dichlorodifluoromethane	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
1,2-Dichloroethane	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
1,1-Dichloroethane	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
cis-1,2-Dichloroethene	2.66		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
1,1-Dichloroethene	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
trans-1,2-Dichloroethene	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
2,2-Dichloropropane	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
1,3-Dichloropropane	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
1,2-Dichloropropane	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
trans-1,3-Dichloropropene	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
cis-1,3-Dichloropropene	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
1,1-Dichloropropene	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Ethylbenzene	293		ug/L	5.00	10	10/31/06 02:34	SW846 8260B	6105786
Hexachlorobutadiene	ND		ug/L	1.00	1	10/28/06 17:46	SW846 8260B	6106087
2-Hexanone	ND		ug/L	10.0	1	10/28/06 17:46	SW846 8260B	6106087
Isopropylbenzene	29.9		ug/L	1.00	1	10/28/06 17:46	SW846 8260B	6106087

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-02 (MW-2 - Water) - cont. Sampled: 10/19/06 13:52								
Volatile Organic Compounds by EPA Method 8260B - cont.								
Diisopropyl Ether	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Methyl tert-Butyl Ether	2.68		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Methylene Chloride	ND		ug/L	5.00	1	10/28/06 17:46	SW846 8260B	6106087
4-Methyl-2-pentanone	ND		ug/L	10.0	1	10/28/06 17:46	SW846 8260B	6106087
Styrene	ND		ug/L	1.00	1	10/28/06 17:46	SW846 8260B	6106087
1,1,1,2-Tetrachloroethane	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
1,1,2,2-Tetrachloroethane	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Tetrachloroethene	3.14		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Toluene	7.77		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
1,2,4-Trichlorobenzene	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
1,2,3-Trichlorobenzene	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
1,1,2-Trichloroethane	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
1,1,1-Trichloroethane	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Trichloroethene	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Trichlorofluoromethane	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
1,2,3-Trichloropropane	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
1,3,5-Trimethylbenzene	19.0		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Vinyl chloride	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Xylenes, total	279		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
1,2,4-Trimethylbenzene	126		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
Naphthalene	107		ug/L	5.00	1	10/28/06 17:46	SW846 8260B	6106087
p-Isopropyltoluene	ND		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
n-Propylbenzene	57.0		ug/L	0.500	1	10/28/06 17:46	SW846 8260B	6106087
<i>Surr: 1,2-Dichloroethane-d4 (70-130%)</i>	91 %					10/28/06 17:46	SW846 8260B	6106087
<i>Surr: 1,2-Dichloroethane-d4 (62-142%)</i>	92 %					10/31/06 02:34	SW846 8260B	6105786
<i>Surr: Dibromofluoromethane (79-122%)</i>	88 %					10/28/06 17:46	SW846 8260B	6106087
<i>Surr: Dibromofluoromethane (78-123%)</i>	95 %					10/31/06 02:34	SW846 8260B	6105786
<i>Surr: Toluene-d8 (78-121%)</i>	84 %					10/28/06 17:46	SW846 8260B	6106087
<i>Surr: Toluene-d8 (79-120%)</i>	87 %					10/31/06 02:34	SW846 8260B	6105786
<i>Surr: 4-Bromofluorobenzene (78-126%)</i>	84 %					10/28/06 17:46	SW846 8260B	6106087
<i>Surr: 4-Bromofluorobenzene (75-133%)</i>	99 %					10/31/06 02:34	SW846 8260B	6105786
Purgeable Petroleum Hydrocarbons								
Gasoline Range Organics	6840		ug/L	50.0	1	10/29/06 07:56	CA LUFT GC/MS	6106281
<i>Surr: 1,2-Dichloroethane-d4 (0-200%)</i>	119 %					10/29/06 07:56	CA LUFT GC/MS	6106281
<i>Surr: Dibromofluoromethane (0-200%)</i>	112 %					10/29/06 07:56	CA LUFT GC/MS	6106281
<i>Surr: Toluene-d8 (0-200%)</i>	101 %					10/29/06 07:56	CA LUFT GC/MS	6106281
<i>Surr: 4-Bromofluorobenzene (0-200%)</i>	112 %					10/29/06 07:56	CA LUFT GC/MS	6106281
Sample ID: NPJ3169-03 (MW-3 - Water) Sampled: 10/19/06 13:36								
Volatile Organic Compounds by EPA Method 8260B								
Acetone	ND		ug/L	50.0	1	10/28/06 18:10	SW846 8260B	6106087
Benzene	1.22		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Bromobenzene	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-03 (MW-3 - Water) - cont. Sampled: 10/19/06 13:36								
Volatile Organic Compounds by EPA Method 8260B - cont.								
Bromochloromethane	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Bromodichloromethane	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Bromoform	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Bromomethane	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
2-Butanone	ND		ug/L	50.0	1	10/28/06 18:10	SW846 8260B	6106087
sec-Butylbenzene	3.65		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
n-Butylbenzene	12.6		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
tert-Butylbenzene	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Carbon disulfide	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Carbon Tetrachloride	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Chlorobenzene	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Chlorodibromomethane	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Chloroethane	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Chloroform	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Chloromethane	ND		ug/L	1.00	1	10/28/06 18:10	SW846 8260B	6106087
4-Chlorotoluene	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
2-Chlorotoluene	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
1,2-Dibromo-3-chloropropane	ND		ug/L	1.00	1	10/28/06 18:10	SW846 8260B	6106087
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Dibromomethane	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
1,4-Dichlorobenzene	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
1,3-Dichlorobenzene	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
1,2-Dichlorobenzene	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Dichlorodifluoromethane	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
1,2-Dichloroethane	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
1,1-Dichloroethane	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
cis-1,2-Dichloroethene	0.750		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
1,1-Dichloroethene	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
trans-1,2-Dichloroethene	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
2,2-Dichloropropane	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
1,3-Dichloropropane	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
1,2-Dichloropropane	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
trans-1,3-Dichloropropene	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
cis-1,3-Dichloropropene	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
1,1-Dichloropropene	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Ethylbenzene	92.9		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Hexachlorobutadiene	ND		ug/L	1.00	1	10/28/06 18:10	SW846 8260B	6106087
2-Hexanone	ND		ug/L	10.0	1	10/28/06 18:10	SW846 8260B	6106087
Isopropylbenzene	20.7		ug/L	1.00	1	10/28/06 18:10	SW846 8260B	6106087
Diisopropyl Ether	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Methyl tert-Butyl Ether	34.8		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Methylene Chloride	ND		ug/L	5.00	1	10/28/06 18:10	SW846 8260B	6106087

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-03 (MW-3 - Water) - cont. Sampled: 10/19/06 13:36								
Volatile Organic Compounds by EPA Method 8260B - cont.								
4-Methyl-2-pentanone	ND		ug/L	10.0	1	10/28/06 18:10	SW846 8260B	6106087
Styrene	ND		ug/L	1.00	1	10/28/06 18:10	SW846 8260B	6106087
1,1,1,2-Tetrachloroethane	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
1,1,2,2-Tetrachloroethane	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Tetrachloroethene	3.78		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Toluene	4.56		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
1,2,4-Trichlorobenzene	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
1,2,3-Trichlorobenzene	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
1,1,2-Trichloroethane	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
1,1,1-Trichloroethane	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Trichloroethene	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Trichlorofluoromethane	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
1,2,3-Trichloropropane	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
1,3,5-Trimethylbenzene	107		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Vinyl chloride	ND		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Xylenes, total	216		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
1,2,4-Trimethylbenzene	365	E	ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Naphthalene	56.7		ug/L	5.00	1	10/28/06 18:10	SW846 8260B	6106087
p-Isopropyltoluene	5.51		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
n-Propylbenzene	49.0		ug/L	0.500	1	10/28/06 18:10	SW846 8260B	6106087
Surr: 1,2-Dichloroethane-d4 (70-130%)	91 %					10/28/06 18:10	SW846 8260B	6106087
Surr: Dibromofluoromethane (79-122%)	87 %					10/28/06 18:10	SW846 8260B	6106087
Surr: Toluene-d8 (78-121%)	88 %					10/28/06 18:10	SW846 8260B	6106087
Surr: 4-Bromofluorobenzene (78-126%)	86 %					10/28/06 18:10	SW846 8260B	6106087
Purgeable Petroleum Hydrocarbons								
Gasoline Range Organics	8720		ug/L	50.0	1	10/29/06 08:20	CA LUFT GC/MS	6106281
Surr: 1,2-Dichloroethane-d4 (0-200%)	120 %					10/29/06 08:20	CA LUFT GC/MS	6106281
Surr: Dibromofluoromethane (0-200%)	109 %					10/29/06 08:20	CA LUFT GC/MS	6106281
Surr: Toluene-d8 (0-200%)	103 %					10/29/06 08:20	CA LUFT GC/MS	6106281
Surr: 4-Bromofluorobenzene (0-200%)	114 %					10/29/06 08:20	CA LUFT GC/MS	6106281

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-04 (MW-4 - Water) Sampled: 10/19/06 13:17								
Volatile Organic Compounds by EPA Method 8260B								
Acetone	ND		ug/L	50.0	1	10/30/06 19:36	SW846 8260B	6105570
Benzene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Bromobenzene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Bromochloromethane	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Bromodichloromethane	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Bromoform	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Bromomethane	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
2-Butanone	ND		ug/L	50.0	1	10/30/06 19:36	SW846 8260B	6105570
sec-Butylbenzene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
n-Butylbenzene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
tert-Butylbenzene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Carbon disulfide	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Carbon Tetrachloride	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Chlorobenzene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Chlorodibromomethane	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Chloroethane	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Chloroform	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Chloromethane	ND		ug/L	1.00	1	10/30/06 19:36	SW846 8260B	6105570
4-Chlorotoluene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
2-Chlorotoluene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
1,2-Dibromo-3-chloropropane	ND		ug/L	1.00	1	10/30/06 19:36	SW846 8260B	6105570
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Dibromomethane	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
1,4-Dichlorobenzene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
1,3-Dichlorobenzene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
1,2-Dichlorobenzene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Dichlorodifluoromethane	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
1,2-Dichloroethane	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
1,1-Dichloroethane	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
cis-1,2-Dichloroethene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
1,1-Dichloroethene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
trans-1,2-Dichloroethene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
2,2-Dichloropropane	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
1,3-Dichloropropane	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
1,2-Dichloropropane	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
trans-1,3-Dichloropropene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
cis-1,3-Dichloropropene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
1,1-Dichloropropene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Ethylbenzene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Hexachlorobutadiene	ND		ug/L	1.00	1	10/30/06 19:36	SW846 8260B	6105570
2-Hexanone	ND		ug/L	10.0	1	10/30/06 19:36	SW846 8260B	6105570
Isopropylbenzene	ND		ug/L	1.00	1	10/30/06 19:36	SW846 8260B	6105570

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-04 (MW-4 - Water) - cont. Sampled: 10/19/06 13:17								
Volatile Organic Compounds by EPA Method 8260B - cont.								
Diisopropyl Ether	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Methyl tert-Butyl Ether	37.2		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Methylene Chloride	ND		ug/L	5.00	1	10/30/06 19:36	SW846 8260B	6105570
4-Methyl-2-pentanone	ND		ug/L	10.0	1	10/30/06 19:36	SW846 8260B	6105570
Styrene	ND		ug/L	1.00	1	10/30/06 19:36	SW846 8260B	6105570
1,1,1,2-Tetrachloroethane	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
1,1,2,2-Tetrachloroethane	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Tetrachloroethene	1.64		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Toluene	0.510		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
1,2,4-Trichlorobenzene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
1,2,3-Trichlorobenzene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
1,1,2-Trichloroethane	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
1,1,1-Trichloroethane	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Trichloroethene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Trichlorofluoromethane	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
1,2,3-Trichloropropane	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
1,3,5-Trimethylbenzene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Vinyl chloride	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Xylenes, total	1.63	CF7, S10	ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
1,2,4-Trimethylbenzene	1.26		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Naphthalene	ND		ug/L	5.00	1	10/30/06 19:36	SW846 8260B	6105570
p-Isopropyltoluene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
n-Propylbenzene	ND		ug/L	0.500	1	10/30/06 19:36	SW846 8260B	6105570
Surr: 1,2-Dichloroethane-d4 (70-130%)	94 %					10/30/06 19:36	SW846 8260B	6105570
Surr: Dibromofluoromethane (79-122%)	92 %					10/30/06 19:36	SW846 8260B	6105570
Surr: Toluene-d8 (78-121%)	86 %					10/30/06 19:36	SW846 8260B	6105570
Surr: 4-Bromofluorobenzene (78-126%)	83 %					10/30/06 19:36	SW846 8260B	6105570
Purgeable Petroleum Hydrocarbons								
Gasoline Range Organics	110		ug/L	50.0	1	10/29/06 08:45	CA LUFT GC/MS	6106281
Surr: 1,2-Dichloroethane-d4 (0-200%)	116 %					10/29/06 08:45	CA LUFT GC/MS	6106281
Surr: Dibromofluoromethane (0-200%)	113 %					10/29/06 08:45	CA LUFT GC/MS	6106281
Surr: Toluene-d8 (0-200%)	103 %					10/29/06 08:45	CA LUFT GC/MS	6106281
Surr: 4-Bromofluorobenzene (0-200%)	113 %					10/29/06 08:45	CA LUFT GC/MS	6106281

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-05 (MW-5 - Water) Sampled: 10/19/06 14:08								
Volatile Organic Compounds by EPA Method 8260B								
Acetone	ND		ug/L	50.0	1	10/28/06 18:59	SW846 8260B	6106087
Benzene	275		ug/L	25.0	50	10/31/06 07:36	SW846 8260B	6105620
Bromobenzene	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Bromochloromethane	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Bromodichloromethane	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Bromoform	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Bromomethane	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
2-Butanone	ND		ug/L	50.0	1	10/28/06 18:59	SW846 8260B	6106087
sec-Butylbenzene	14.4		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
n-Butylbenzene	59.5		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
tert-Butylbenzene	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Carbon disulfide	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Carbon Tetrachloride	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Chlorobenzene	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Chlorodibromomethane	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Chloroethane	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Chloroform	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Chloromethane	ND		ug/L	1.00	1	10/28/06 18:59	SW846 8260B	6106087
4-Chlorotoluene	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
2-Chlorotoluene	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
1,2-Dibromo-3-chloropropane	ND		ug/L	1.00	1	10/28/06 18:59	SW846 8260B	6106087
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Dibromomethane	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
1,4-Dichlorobenzene	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
1,3-Dichlorobenzene	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
1,2-Dichlorobenzene	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Dichlorodifluoromethane	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
1,2-Dichloroethane	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
1,1-Dichloroethane	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
cis-1,2-Dichloroethene	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
1,1-Dichloroethene	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
trans-1,2-Dichloroethene	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
2,2-Dichloropropane	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
1,3-Dichloropropane	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
1,2-Dichloropropane	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
trans-1,3-Dichloropropene	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
cis-1,3-Dichloropropene	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
1,1-Dichloropropene	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Ethylbenzene	4920		ug/L	25.0	50	10/31/06 07:36	SW846 8260B	6105620
Hexachlorobutadiene	ND		ug/L	1.00	1	10/28/06 18:59	SW846 8260B	6106087
2-Hexanone	ND		ug/L	10.0	1	10/28/06 18:59	SW846 8260B	6106087
Isopropylbenzene	107		ug/L	1.00	1	10/28/06 18:59	SW846 8260B	6106087

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-05 (MW-5 - Water) - cont. Sampled: 10/19/06 14:08								
Volatile Organic Compounds by EPA Method 8260B - cont.								
Diisopropyl Ether	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Methyl tert-Butyl Ether	206		ug/L	25.0	50	10/31/06 07:36	SW846 8260B	6105620
Methylene Chloride	ND		ug/L	5.00	1	10/28/06 18:59	SW846 8260B	6106087
4-Methyl-2-pentanone	ND		ug/L	10.0	1	10/28/06 18:59	SW846 8260B	6106087
Styrene	ND		ug/L	1.00	1	10/28/06 18:59	SW846 8260B	6106087
1,1,1,2-Tetrachloroethane	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
1,1,2,2-Tetrachloroethane	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Tetrachloroethene	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Toluene	1100	E	ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
1,2,4-Trichlorobenzene	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
1,2,3-Trichlorobenzene	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
1,1,2-Trichloroethane	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
1,1,1-Trichloroethane	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Trichloroethene	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Trichlorofluoromethane	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
1,2,3-Trichloropropane	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
1,3,5-Trimethylbenzene	495	E	ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Vinyl chloride	ND		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Xylenes, total	23100		ug/L	25.0	50	10/31/06 07:36	SW846 8260B	6105620
1,2,4-Trimethylbenzene	873	E	ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
Naphthalene	995	B	ug/L	250	50	10/31/06 07:36	SW846 8260B	6105620
p-Isopropyltoluene	30.8		ug/L	0.500	1	10/28/06 18:59	SW846 8260B	6106087
n-Propylbenzene	341		ug/L	25.0	50	10/31/06 07:36	SW846 8260B	6105620
<i>Surr: 1,2-Dichloroethane-d4 (70-130%)</i>	92 %					10/28/06 18:59	SW846 8260B	6106087
<i>Surr: 1,2-Dichloroethane-d4 (62-142%)</i>	90 %					10/31/06 07:36	SW846 8260B	6105620
<i>Surr: Dibromofluoromethane (79-122%)</i>	88 %					10/28/06 18:59	SW846 8260B	6106087
<i>Surr: Dibromofluoromethane (78-123%)</i>	88 %					10/31/06 07:36	SW846 8260B	6105620
<i>Surr: Toluene-d8 (78-121%)</i>	67 %	ZX				10/28/06 18:59	SW846 8260B	6106087
<i>Surr: Toluene-d8 (79-120%)</i>	86 %					10/31/06 07:36	SW846 8260B	6105620
<i>Surr: 4-Bromofluorobenzene (78-126%)</i>	84 %					10/28/06 18:59	SW846 8260B	6106087
<i>Surr: 4-Bromofluorobenzene (75-133%)</i>	100 %					10/31/06 07:36	SW846 8260B	6105620
Purgeable Petroleum Hydrocarbons								
Gasoline Range Organics	35500		ug/L	2500	50	11/01/06 08:19	CA LUFT GC/MS	6110172
<i>Surr: 1,2-Dichloroethane-d4 (0-200%)</i>	113 %					11/01/06 08:19	CA LUFT GC/MS	6110172
<i>Surr: Dibromofluoromethane (0-200%)</i>	108 %					11/01/06 08:19	CA LUFT GC/MS	6110172
<i>Surr: Toluene-d8 (0-200%)</i>	111 %					11/01/06 08:19	CA LUFT GC/MS	6110172
<i>Surr: 4-Bromofluorobenzene (0-200%)</i>	109 %					11/01/06 08:19	CA LUFT GC/MS	6110172
Sample ID: NPJ3169-06 (MW-6 - Water) Sampled: 10/19/06 11:46								
Volatile Organic Compounds by EPA Method 8260B								
Acetone	ND		ug/L	50.0	1	10/28/06 19:23	SW846 8260B	6106087
Benzene	175		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Bromobenzene	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-06 (MW-6 - Water) - cont. Sampled: 10/19/06 11:46								
Volatile Organic Compounds by EPA Method 8260B - cont.								
Bromochloromethane	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Bromodichloromethane	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Bromoform	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Bromomethane	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
2-Butanone	ND		ug/L	50.0	1	10/28/06 19:23	SW846 8260B	6106087
sec-Butylbenzene	8.79		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
n-Butylbenzene	25.9		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
tert-Butylbenzene	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Carbon disulfide	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Carbon Tetrachloride	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Chlorobenzene	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Chlorodibromomethane	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Chloroethane	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Chloroform	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Chloromethane	ND		ug/L	1.00	1	10/28/06 19:23	SW846 8260B	6106087
4-Chlorotoluene	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
2-Chlorotoluene	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
1,2-Dibromo-3-chloropropane	ND		ug/L	1.00	1	10/28/06 19:23	SW846 8260B	6106087
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Dibromomethane	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
1,4-Dichlorobenzene	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
1,3-Dichlorobenzene	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
1,2-Dichlorobenzene	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Dichlorodifluoromethane	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
1,2-Dichloroethane	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
1,1-Dichloroethane	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
cis-1,2-Dichloroethene	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
1,1-Dichloroethene	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
trans-1,2-Dichloroethene	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
2,2-Dichloropropane	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
1,3-Dichloropropane	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
1,2-Dichloropropane	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
trans-1,3-Dichloropropene	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
cis-1,3-Dichloropropene	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
1,1-Dichloropropene	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Ethylbenzene	431		ug/L	5.00	10	10/31/06 02:59	SW846 8260B	6105786
Hexachlorobutadiene	ND		ug/L	1.00	1	10/28/06 19:23	SW846 8260B	6106087
2-Hexanone	ND		ug/L	10.0	1	10/28/06 19:23	SW846 8260B	6106087
Isopropylbenzene	53.7		ug/L	1.00	1	10/28/06 19:23	SW846 8260B	6106087
Diisopropyl Ether	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Methyl tert-Butyl Ether	1020		ug/L	5.00	10	10/31/06 02:59	SW846 8260B	6105786
Methylene Chloride	ND		ug/L	5.00	1	10/28/06 19:23	SW846 8260B	6106087

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-06 (MW-6 - Water) - cont. Sampled: 10/19/06 11:46								
Volatile Organic Compounds by EPA Method 8260B - cont.								
4-Methyl-2-pentanone	ND		ug/L	10.0	1	10/28/06 19:23	SW846 8260B	6106087
Styrene	ND		ug/L	1.00	1	10/28/06 19:23	SW846 8260B	6106087
1,1,1,2-Tetrachloroethane	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
1,1,2,2-Tetrachloroethane	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Tetrachloroethene	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Toluene	25.3		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
1,2,4-Trichlorobenzene	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
1,2,3-Trichlorobenzene	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
1,1,2-Trichloroethane	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
1,1,1-Trichloroethane	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Trichloroethene	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Trichlorofluoromethane	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
1,2,3-Trichloropropane	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
1,3,5-Trimethylbenzene	43.5		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Vinyl chloride	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Xylenes, total	416		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
1,2,4-Trimethylbenzene	96.8		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
Naphthalene	222	E	ug/L	5.00	1	10/28/06 19:23	SW846 8260B	6106087
p-Isopropyltoluene	ND		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
n-Propylbenzene	114		ug/L	0.500	1	10/28/06 19:23	SW846 8260B	6106087
<i>Surr: 1,2-Dichloroethane-d4 (70-130%)</i>	<i>86 %</i>					<i>10/28/06 19:23</i>	<i>SW846 8260B</i>	<i>6106087</i>
<i>Surr: 1,2-Dichloroethane-d4 (62-142%)</i>	<i>98 %</i>					<i>10/31/06 02:59</i>	<i>SW846 8260B</i>	<i>6105786</i>
<i>Surr: Dibromofluoromethane (79-122%)</i>	<i>83 %</i>					<i>10/28/06 19:23</i>	<i>SW846 8260B</i>	<i>6106087</i>
<i>Surr: Dibromofluoromethane (78-123%)</i>	<i>96 %</i>					<i>10/31/06 02:59</i>	<i>SW846 8260B</i>	<i>6105786</i>
<i>Surr: Toluene-d8 (78-121%)</i>	<i>86 %</i>					<i>10/28/06 19:23</i>	<i>SW846 8260B</i>	<i>6106087</i>
<i>Surr: Toluene-d8 (79-120%)</i>	<i>86 %</i>					<i>10/31/06 02:59</i>	<i>SW846 8260B</i>	<i>6105786</i>
<i>Surr: 4-Bromofluorobenzene (78-126%)</i>	<i>82 %</i>					<i>10/28/06 19:23</i>	<i>SW846 8260B</i>	<i>6106087</i>
<i>Surr: 4-Bromofluorobenzene (75-133%)</i>	<i>101 %</i>					<i>10/31/06 02:59</i>	<i>SW846 8260B</i>	<i>6105786</i>

Purgeable Petroleum Hydrocarbons								
Gasoline Range Organics	3230		ug/L	500	10	11/01/06 08:44	CA LUFT GC/MS	6110172
<i>Surr: 1,2-Dichloroethane-d4 (0-200%)</i>	<i>113 %</i>					<i>11/01/06 08:44</i>	<i>CA LUFT GC/MS</i>	<i>6110172</i>
<i>Surr: Dibromofluoromethane (0-200%)</i>	<i>107 %</i>					<i>11/01/06 08:44</i>	<i>CA LUFT GC/MS</i>	<i>6110172</i>
<i>Surr: Toluene-d8 (0-200%)</i>	<i>110 %</i>					<i>11/01/06 08:44</i>	<i>CA LUFT GC/MS</i>	<i>6110172</i>
<i>Surr: 4-Bromofluorobenzene (0-200%)</i>	<i>110 %</i>					<i>11/01/06 08:44</i>	<i>CA LUFT GC/MS</i>	<i>6110172</i>

Sample ID: NPJ3169-07 (MW-7 - Water) Sampled: 10/19/06 11:15

Volatile Organic Compounds by EPA Method 8260B								
Acetone	ND		ug/L	50.0	1	10/30/06 20:00	SW846 8260B	6105570
Benzene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Bromobenzene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Bromochloromethane	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Bromodichloromethane	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Bromoform	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-07 (MW-7 - Water) - cont. Sampled: 10/19/06 11:15								
Volatile Organic Compounds by EPA Method 8260B - cont.								
Bromomethane	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
2-Butanone	ND		ug/L	50.0	1	10/30/06 20:00	SW846 8260B	6105570
sec-Butylbenzene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
n-Butylbenzene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
tert-Butylbenzene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Carbon disulfide	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Carbon Tetrachloride	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Chlorobenzene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Chlorodibromomethane	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Chloroethane	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Chloroform	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Chloromethane	ND		ug/L	1.00	1	10/30/06 20:00	SW846 8260B	6105570
4-Chlorotoluene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
2-Chlorotoluene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
1,2-Dibromo-3-chloropropane	ND		ug/L	1.00	1	10/30/06 20:00	SW846 8260B	6105570
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Dibromomethane	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
1,4-Dichlorobenzene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
1,3-Dichlorobenzene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
1,2-Dichlorobenzene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Dichlorodifluoromethane	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
1,2-Dichloroethane	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
1,1-Dichloroethane	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
cis-1,2-Dichloroethene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
1,1-Dichloroethene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
trans-1,2-Dichloroethene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
2,2-Dichloropropane	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
1,3-Dichloropropane	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
1,2-Dichloropropane	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
trans-1,3-Dichloropropene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
cis-1,3-Dichloropropene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
1,1-Dichloropropene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Ethylbenzene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Hexachlorobutadiene	ND		ug/L	1.00	1	10/30/06 20:00	SW846 8260B	6105570
2-Hexanone	ND		ug/L	10.0	1	10/30/06 20:00	SW846 8260B	6105570
Isopropylbenzene	ND		ug/L	1.00	1	10/30/06 20:00	SW846 8260B	6105570
Diisopropyl Ether	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Methylene Chloride	ND		ug/L	5.00	1	10/30/06 20:00	SW846 8260B	6105570
4-Methyl-2-pentanone	ND		ug/L	10.0	1	10/30/06 20:00	SW846 8260B	6105570
Styrene	ND		ug/L	1.00	1	10/30/06 20:00	SW846 8260B	6105570
1,1,1,2-Tetrachloroethane	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-07 (MW-7 - Water) - cont. Sampled: 10/19/06 11:15								
Volatile Organic Compounds by EPA Method 8260B - cont.								
1,1,2,2-Tetrachloroethane	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Tetrachloroethene	7.46		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Toluene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
1,2,4-Trichlorobenzene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
1,2,3-Trichlorobenzene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
1,1,2-Trichloroethane	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
1,1,1-Trichloroethane	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Trichloroethene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Trichlorofluoromethane	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
1,2,3-Trichloropropane	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
1,3,5-Trimethylbenzene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Vinyl chloride	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Xylenes, total	1.25	CF7, S10	ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
1,2,4-Trimethylbenzene	1.02		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Naphthalene	ND		ug/L	5.00	1	10/30/06 20:00	SW846 8260B	6105570
p-Isopropyltoluene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
n-Propylbenzene	ND		ug/L	0.500	1	10/30/06 20:00	SW846 8260B	6105570
Surr: 1,2-Dichloroethane-d4 (70-130%)	96 %					10/30/06 20:00	SW846 8260B	6105570
Surr: Dibromofluoromethane (79-122%)	97 %					10/30/06 20:00	SW846 8260B	6105570
Surr: Toluene-d8 (78-121%)	90 %					10/30/06 20:00	SW846 8260B	6105570
Surr: 4-Bromofluorobenzene (78-126%)	91 %					10/30/06 20:00	SW846 8260B	6105570
Purgeable Petroleum Hydrocarbons								
Gasoline Range Organics	ND		ug/L	50.0	1	11/01/06 07:55	CA LUFT GC/MS	6110172
Surr: 1,2-Dichloroethane-d4 (0-200%)	114 %					11/01/06 07:55	CA LUFT GC/MS	6110172
Surr: Dibromofluoromethane (0-200%)	110 %					11/01/06 07:55	CA LUFT GC/MS	6110172
Surr: Toluene-d8 (0-200%)	110 %					11/01/06 07:55	CA LUFT GC/MS	6110172
Surr: 4-Bromofluorobenzene (0-200%)	109 %					11/01/06 07:55	CA LUFT GC/MS	6110172
Sample ID: NPJ3169-08 (MW-8 - Water) Sampled: 10/19/06 10:52								
Volatile Organic Compounds by EPA Method 8260B								
Acetone	ND		ug/L	50.0	1	10/30/06 20:24	SW846 8260B	6105570
Benzene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Bromobenzene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Bromochloromethane	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Bromodichloromethane	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Bromoform	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Bromomethane	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
2-Butanone	ND		ug/L	50.0	1	10/30/06 20:24	SW846 8260B	6105570
sec-Butylbenzene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
n-Butylbenzene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
tert-Butylbenzene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Carbon disulfide	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Carbon Tetrachloride	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-08 (MW-8 - Water) - cont. Sampled: 10/19/06 10:52								
Volatile Organic Compounds by EPA Method 8260B - cont.								
Chlorobenzene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Chlorodibromomethane	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Chloroethane	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Chloroform	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Chloromethane	ND		ug/L	1.00	1	10/30/06 20:24	SW846 8260B	6105570
4-Chlorotoluene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
2-Chlorotoluene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
1,2-Dibromo-3-chloropropane	ND		ug/L	1.00	1	10/30/06 20:24	SW846 8260B	6105570
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Dibromomethane	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
1,4-Dichlorobenzene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
1,3-Dichlorobenzene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
1,2-Dichlorobenzene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Dichlorodifluoromethane	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
1,2-Dichloroethane	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
1,1-Dichloroethane	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
cis-1,2-Dichloroethene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
1,1-Dichloroethene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
trans-1,2-Dichloroethene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
2,2-Dichloropropane	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
1,3-Dichloropropane	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
1,2-Dichloropropane	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
trans-1,3-Dichloropropene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
cis-1,3-Dichloropropene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
1,1-Dichloropropene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Ethylbenzene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Hexachlorobutadiene	ND		ug/L	1.00	1	10/30/06 20:24	SW846 8260B	6105570
2-Hexanone	ND		ug/L	10.0	1	10/30/06 20:24	SW846 8260B	6105570
Isopropylbenzene	ND		ug/L	1.00	1	10/30/06 20:24	SW846 8260B	6105570
Diisopropyl Ether	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Methyl tert-Butyl Ether	12.6		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Methylene Chloride	ND		ug/L	5.00	1	10/30/06 20:24	SW846 8260B	6105570
4-Methyl-2-pentanone	ND		ug/L	10.0	1	10/30/06 20:24	SW846 8260B	6105570
Styrene	ND		ug/L	1.00	1	10/30/06 20:24	SW846 8260B	6105570
1,1,1,2-Tetrachloroethane	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
1,1,2,2-Tetrachloroethane	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Tetrachloroethene	6.14		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Toluene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
1,2,4-Trichlorobenzene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
1,2,3-Trichlorobenzene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
1,1,2-Trichloroethane	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
1,1,1-Trichloroethane	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-08 (MW-8 - Water) - cont. Sampled: 10/19/06 10:52								
Volatile Organic Compounds by EPA Method 8260B - cont.								
Trichloroethene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Trichlorofluoromethane	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
1,2,3-Trichloropropane	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
1,3,5-Trimethylbenzene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Vinyl chloride	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Xylenes, total	0.780	CF7, S10	ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
1,2,4-Trimethylbenzene	0.810		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
Naphthalene	ND		ug/L	5.00	1	10/30/06 20:24	SW846 8260B	6105570
p-Isopropyltoluene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
n-Propylbenzene	ND		ug/L	0.500	1	10/30/06 20:24	SW846 8260B	6105570
<i>Surr: 1,2-Dichloroethane-d4 (70-130%)</i>	<i>96 %</i>					<i>10/30/06 20:24</i>	<i>SW846 8260B</i>	<i>6105570</i>
<i>Surr: Dibromofluoromethane (79-122%)</i>	<i>93 %</i>					<i>10/30/06 20:24</i>	<i>SW846 8260B</i>	<i>6105570</i>
<i>Surr: Toluene-d8 (78-121%)</i>	<i>88 %</i>					<i>10/30/06 20:24</i>	<i>SW846 8260B</i>	<i>6105570</i>
<i>Surr: 4-Bromofluorobenzene (78-126%)</i>	<i>86 %</i>					<i>10/30/06 20:24</i>	<i>SW846 8260B</i>	<i>6105570</i>
Purgeable Petroleum Hydrocarbons								
Gasoline Range Organics	ND		ug/L	50.0	1	10/29/06 10:22	CA LUFT GC/MS	6106281
<i>Surr: 1,2-Dichloroethane-d4 (0-200%)</i>	<i>112 %</i>					<i>10/29/06 10:22</i>	<i>CA LUFT GC/MS</i>	<i>6106281</i>
<i>Surr: Dibromofluoromethane (0-200%)</i>	<i>110 %</i>					<i>10/29/06 10:22</i>	<i>CA LUFT GC/MS</i>	<i>6106281</i>
<i>Surr: Toluene-d8 (0-200%)</i>	<i>102 %</i>					<i>10/29/06 10:22</i>	<i>CA LUFT GC/MS</i>	<i>6106281</i>
<i>Surr: 4-Bromofluorobenzene (0-200%)</i>	<i>112 %</i>					<i>10/29/06 10:22</i>	<i>CA LUFT GC/MS</i>	<i>6106281</i>
Sample ID: NPJ3169-09 (MW-9 - Water) Sampled: 10/19/06 13:03								
Volatile Organic Compounds by EPA Method 8260B								
Acetone	ND		ug/L	50.0	1	10/28/06 20:56	SW846 8260B	6106087
Benzene	85.5		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Benzene	86.2		ug/L	10.0	20	10/31/06 04:40	SW846 8260B	6105620
Bromobenzene	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Bromochloromethane	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Bromodichloromethane	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Bromoform	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Bromomethane	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
2-Butanone	ND		ug/L	50.0	1	10/28/06 20:56	SW846 8260B	6106087
sec-Butylbenzene	6.92		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
n-Butylbenzene	11.7		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
tert-Butylbenzene	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Carbon disulfide	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Carbon Tetrachloride	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Chlorobenzene	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Chlorodibromomethane	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Chloroethane	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Chloroform	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Chloromethane	ND		ug/L	1.00	1	10/28/06 20:56	SW846 8260B	6106087
4-Chlorotoluene	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-09 (MW-9 - Water) - cont. Sampled: 10/19/06 13:03								
Volatile Organic Compounds by EPA Method 8260B - cont.								
2-Chlorotoluene	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
1,2-Dibromo-3-chloropropane	ND		ug/L	1.00	1	10/28/06 20:56	SW846 8260B	6106087
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Dibromomethane	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
1,4-Dichlorobenzene	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
1,3-Dichlorobenzene	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
1,2-Dichlorobenzene	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Dichlorodifluoromethane	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
1,2-Dichloroethane	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
1,1-Dichloroethane	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
cis-1,2-Dichloroethene	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
1,1-Dichloroethene	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
trans-1,2-Dichloroethene	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
2,2-Dichloropropane	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
1,3-Dichloropropane	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
1,2-Dichloropropane	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
trans-1,3-Dichloropropene	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
cis-1,3-Dichloropropene	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
1,1-Dichloropropene	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Ethylbenzene	335		ug/L	10.0	20	10/31/06 04:40	SW846 8260B	6105620
Hexachlorobutadiene	ND		ug/L	1.00	1	10/28/06 20:56	SW846 8260B	6106087
2-Hexanone	ND		ug/L	10.0	1	10/28/06 20:56	SW846 8260B	6106087
Isopropylbenzene	31.0		ug/L	1.00	1	10/28/06 20:56	SW846 8260B	6106087
Diisopropyl Ether	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Methyl tert-Butyl Ether	510		ug/L	10.0	20	10/31/06 04:40	SW846 8260B	6105620
Methylene Chloride	ND		ug/L	5.00	1	10/28/06 20:56	SW846 8260B	6106087
4-Methyl-2-pentanone	ND		ug/L	10.0	1	10/28/06 20:56	SW846 8260B	6106087
Styrene	ND		ug/L	1.00	1	10/28/06 20:56	SW846 8260B	6106087
1,1,1,2-Tetrachloroethane	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
1,1,2,2-Tetrachloroethane	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Tetrachloroethene	1.64		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Toluene	22.7		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
1,2,4-Trichlorobenzene	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
1,2,3-Trichlorobenzene	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
1,1,2-Trichloroethane	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
1,1,1-Trichloroethane	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Trichloroethene	0.500		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Trichlorofluoromethane	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
1,2,3-Trichloropropane	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
1,3,5-Trimethylbenzene	44.2		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Vinyl chloride	ND		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Xylenes, total	442		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-09 (MW-9 - Water) - cont. Sampled: 10/19/06 13:03								
Volatile Organic Compounds by EPA Method 8260B - cont.								
1,2,4-Trimethylbenzene	248	E	ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Naphthalene	208	B	ug/L	100	20	10/31/06 04:40	SW846 8260B	6105620
p-Isopropyltoluene	2.28		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
n-Propylbenzene	68.6		ug/L	0.500	1	10/28/06 20:56	SW846 8260B	6106087
Surr: 1,2-Dichloroethane-d4 (70-130%)	98 %					10/28/06 20:56	SW846 8260B	6106087
Surr: 1,2-Dichloroethane-d4 (62-142%)	95 %					10/31/06 04:40	SW846 8260B	6105620
Surr: Dibromofluoromethane (79-122%)	69 %	ZX				10/28/06 20:56	SW846 8260B	6106087
Surr: Dibromofluoromethane (78-123%)	98 %					10/31/06 04:40	SW846 8260B	6105620
Surr: Toluene-d8 (78-121%)	89 %					10/28/06 20:56	SW846 8260B	6106087
Surr: Toluene-d8 (79-120%)	88 %					10/31/06 04:40	SW846 8260B	6105620
Surr: 4-Bromofluorobenzene (78-126%)	87 %					10/28/06 20:56	SW846 8260B	6106087
Surr: 4-Bromofluorobenzene (75-133%)	98 %					10/31/06 04:40	SW846 8260B	6105620
Purgeable Petroleum Hydrocarbons								
Gasoline Range Organics	10600		ug/L	50.0	1	10/29/06 01:42	CA LUFT GC/MS	6106178
Surr: 1,2-Dichloroethane-d4 (0-200%)	115 %					10/29/06 01:42	CA LUFT GC/MS	6106178
Surr: Dibromofluoromethane (0-200%)	109 %					10/29/06 01:42	CA LUFT GC/MS	6106178
Surr: Toluene-d8 (0-200%)	91 %					10/29/06 01:42	CA LUFT GC/MS	6106178
Surr: 4-Bromofluorobenzene (0-200%)	98 %					10/29/06 01:42	CA LUFT GC/MS	6106178
Sample ID: NPJ3169-10 (MW-10 - Water) Sampled: 10/19/06 10:26								
Volatile Organic Compounds by EPA Method 8260B								
Acetone	ND		ug/L	50.0	1	10/30/06 20:49	SW846 8260B	6105570
Benzene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Bromobenzene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Bromochloromethane	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Bromodichloromethane	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Bromoform	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Bromomethane	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
2-Butanone	ND		ug/L	50.0	1	10/30/06 20:49	SW846 8260B	6105570
sec-Butylbenzene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
n-Butylbenzene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
tert-Butylbenzene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Carbon disulfide	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Carbon Tetrachloride	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Chlorobenzene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Chlorodibromomethane	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Chloroethane	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Chloroform	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Chloromethane	ND		ug/L	1.00	1	10/30/06 20:49	SW846 8260B	6105570
4-Chlorotoluene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
2-Chlorotoluene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
1,2-Dibromo-3-chloropropane	ND		ug/L	1.00	1	10/30/06 20:49	SW846 8260B	6105570
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-10 (MW-10 - Water) - cont. Sampled: 10/19/06 10:26								
Volatile Organic Compounds by EPA Method 8260B - cont.								
Dibromomethane	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
1,4-Dichlorobenzene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
1,3-Dichlorobenzene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
1,2-Dichlorobenzene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Dichlorodifluoromethane	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
1,2-Dichloroethane	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
1,1-Dichloroethane	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
cis-1,2-Dichloroethene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
1,1-Dichloroethene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
trans-1,2-Dichloroethene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
2,2-Dichloropropane	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
1,3-Dichloropropane	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
1,2-Dichloropropane	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
trans-1,3-Dichloropropene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
cis-1,3-Dichloropropene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
1,1-Dichloropropene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Ethylbenzene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Hexachlorobutadiene	ND		ug/L	1.00	1	10/30/06 20:49	SW846 8260B	6105570
2-Hexanone	ND		ug/L	10.0	1	10/30/06 20:49	SW846 8260B	6105570
Isopropylbenzene	ND		ug/L	1.00	1	10/30/06 20:49	SW846 8260B	6105570
Diisopropyl Ether	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Methyl tert-Butyl Ether	6.72		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Methylene Chloride	ND		ug/L	5.00	1	10/30/06 20:49	SW846 8260B	6105570
4-Methyl-2-pentanone	ND		ug/L	10.0	1	10/30/06 20:49	SW846 8260B	6105570
Styrene	ND		ug/L	1.00	1	10/30/06 20:49	SW846 8260B	6105570
1,1,1,2-Tetrachloroethane	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
1,1,2,2-Tetrachloroethane	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Tetrachloroethene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Toluene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
1,2,4-Trichlorobenzene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
1,2,3-Trichlorobenzene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
1,1,2-Trichloroethane	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
1,1,1-Trichloroethane	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Trichloroethene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Trichlorofluoromethane	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
1,2,3-Trichloropropane	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
1,3,5-Trimethylbenzene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Vinyl chloride	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Xylenes, total	0.650	CF7, S10	ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
1,2,4-Trimethylbenzene	0.670		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Naphthalene	ND		ug/L	5.00	1	10/30/06 20:49	SW846 8260B	6105570
p-Isopropyltoluene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-10 (MW-10 - Water) - cont. Sampled: 10/19/06 10:26								
Volatile Organic Compounds by EPA Method 8260B - cont.								
n-Propylbenzene	ND		ug/L	0.500	1	10/30/06 20:49	SW846 8260B	6105570
Surr: 1,2-Dichloroethane-d4 (70-130%)	97 %					10/30/06 20:49	SW846 8260B	6105570
Surr: Dibromofluoromethane (79-122%)	95 %					10/30/06 20:49	SW846 8260B	6105570
Surr: Toluene-d8 (78-121%)	88 %					10/30/06 20:49	SW846 8260B	6105570
Surr: 4-Bromofluorobenzene (78-126%)	91 %					10/30/06 20:49	SW846 8260B	6105570
Purgeable Petroleum Hydrocarbons								
Gasoline Range Organics	ND		ug/L	50.0	1	10/29/06 02:06	CA LUFT GC/MS	6106178
Surr: 1,2-Dichloroethane-d4 (0-200%)	102 %					10/29/06 02:06	CA LUFT GC/MS	6106178
Surr: Dibromofluoromethane (0-200%)	106 %					10/29/06 02:06	CA LUFT GC/MS	6106178
Surr: Toluene-d8 (0-200%)	96 %					10/29/06 02:06	CA LUFT GC/MS	6106178
Surr: 4-Bromofluorobenzene (0-200%)	114 %					10/29/06 02:06	CA LUFT GC/MS	6106178
Sample ID: NPJ3169-11 (MW-11 - Water) Sampled: 10/19/06 10:09								
Volatile Organic Compounds by EPA Method 8260B								
Acetone	ND		ug/L	50.0	1	10/30/06 21:13	SW846 8260B	6105570
Benzene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Bromobenzene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Bromochloromethane	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Bromodichloromethane	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Bromoform	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Bromomethane	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
2-Butanone	ND		ug/L	50.0	1	10/30/06 21:13	SW846 8260B	6105570
sec-Butylbenzene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
n-Butylbenzene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
tert-Butylbenzene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Carbon disulfide	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Carbon Tetrachloride	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Chlorobenzene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Chlorodibromomethane	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Chloroethane	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Chloroform	3.49		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Chloromethane	ND		ug/L	1.00	1	10/30/06 21:13	SW846 8260B	6105570
4-Chlorotoluene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
2-Chlorotoluene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
1,2-Dibromo-3-chloropropane	ND		ug/L	1.00	1	10/30/06 21:13	SW846 8260B	6105570
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Dibromomethane	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
1,4-Dichlorobenzene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
1,3-Dichlorobenzene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
1,2-Dichlorobenzene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Dichlorodifluoromethane	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
1,2-Dichloroethane	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
1,1-Dichloroethane	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-11 (MW-11 - Water) - cont. Sampled: 10/19/06 10:09								
Volatile Organic Compounds by EPA Method 8260B - cont.								
cis-1,2-Dichloroethene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
1,1-Dichloroethene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
trans-1,2-Dichloroethene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
2,2-Dichloropropane	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
1,3-Dichloropropane	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
1,2-Dichloropropane	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
trans-1,3-Dichloropropene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
cis-1,3-Dichloropropene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
1,1-Dichloropropene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Ethylbenzene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Hexachlorobutadiene	ND		ug/L	1.00	1	10/30/06 21:13	SW846 8260B	6105570
2-Hexanone	ND		ug/L	10.0	1	10/30/06 21:13	SW846 8260B	6105570
Isopropylbenzene	ND		ug/L	1.00	1	10/30/06 21:13	SW846 8260B	6105570
Diisopropyl Ether	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Methylene Chloride	ND		ug/L	5.00	1	10/30/06 21:13	SW846 8260B	6105570
4-Methyl-2-pentanone	ND		ug/L	10.0	1	10/30/06 21:13	SW846 8260B	6105570
Styrene	ND		ug/L	1.00	1	10/30/06 21:13	SW846 8260B	6105570
1,1,1,2-Tetrachloroethane	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
1,1,2,2-Tetrachloroethane	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Tetrachloroethene	2.13		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Toluene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
1,2,4-Trichlorobenzene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
1,2,3-Trichlorobenzene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
1,1,2-Trichloroethane	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
1,1,1-Trichloroethane	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Trichloroethene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Trichlorofluoromethane	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
1,2,3-Trichloropropane	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
1,3,5-Trimethylbenzene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Vinyl chloride	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Xylenes, total	0.570	CF7, S10	ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
1,2,4-Trimethylbenzene	0.530		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Naphthalene	ND		ug/L	5.00	1	10/30/06 21:13	SW846 8260B	6105570
p-Isopropyltoluene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
n-Propylbenzene	ND		ug/L	0.500	1	10/30/06 21:13	SW846 8260B	6105570
Surr: 1,2-Dichloroethane-d4 (70-130%)	94 %					10/30/06 21:13	SW846 8260B	6105570
Surr: Dibromofluoromethane (79-122%)	92 %					10/30/06 21:13	SW846 8260B	6105570
Surr: Toluene-d8 (78-121%)	85 %					10/30/06 21:13	SW846 8260B	6105570
Surr: 4-Bromofluorobenzene (78-126%)	85 %					10/30/06 21:13	SW846 8260B	6105570
Purgeable Petroleum Hydrocarbons								
Gasoline Range Organics	ND		ug/L	50.0	1	10/29/06 02:30	CA LUFT GC/MS	6106178

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-11 (MW-11 - Water) - cont. Sampled: 10/19/06 10:09								
Purgeable Petroleum Hydrocarbons - cont.								
Surr: 1,2-Dichloroethane-d4 (0-200%)	103 %					10/29/06 02:30	CA LUFT GC/MS	6106178
Surr: Dibromofluoromethane (0-200%)	108 %					10/29/06 02:30	CA LUFT GC/MS	6106178
Surr: Toluene-d8 (0-200%)	97 %					10/29/06 02:30	CA LUFT GC/MS	6106178
Surr: 4-Bromofluorobenzene (0-200%)	103 %					10/29/06 02:30	CA LUFT GC/MS	6106178

Sample ID: NPJ3169-12 (MW-12 - Water) Sampled: 10/19/06 09:50

Volatile Organic Compounds by EPA Method 8260B

Acetone	ND		ug/L	50.0	1	10/28/06 22:10	SW846 8260B	6106087
Benzene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Bromobenzene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Bromochloromethane	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Bromodichloromethane	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Bromoform	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Bromomethane	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
2-Butanone	ND		ug/L	50.0	1	10/28/06 22:10	SW846 8260B	6106087
sec-Butylbenzene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
n-Butylbenzene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
tert-Butylbenzene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Carbon disulfide	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Carbon Tetrachloride	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Chlorobenzene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Chlorodibromomethane	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Chloroethane	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Chloroform	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Chloromethane	ND		ug/L	1.00	1	10/28/06 22:10	SW846 8260B	6106087
4-Chlorotoluene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
2-Chlorotoluene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
1,2-Dibromo-3-chloropropane	ND		ug/L	1.00	1	10/28/06 22:10	SW846 8260B	6106087
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Dibromomethane	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
1,4-Dichlorobenzene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
1,3-Dichlorobenzene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
1,2-Dichlorobenzene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Dichlorodifluoromethane	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
1,2-Dichloroethane	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
1,1-Dichloroethane	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
cis-1,2-Dichloroethene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
1,1-Dichloroethene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
trans-1,2-Dichloroethene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
2,2-Dichloropropane	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
1,3-Dichloropropane	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
1,2-Dichloropropane	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
trans-1,3-Dichloropropene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-12 (MW-12 - Water) - cont. Sampled: 10/19/06 09:50								
Volatile Organic Compounds by EPA Method 8260B - cont.								
cis-1,3-Dichloropropene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
1,1-Dichloropropene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Ethylbenzene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Hexachlorobutadiene	ND		ug/L	1.00	1	10/28/06 22:10	SW846 8260B	6106087
2-Hexanone	ND		ug/L	10.0	1	10/28/06 22:10	SW846 8260B	6106087
Isopropylbenzene	ND		ug/L	1.00	1	10/28/06 22:10	SW846 8260B	6106087
Diisopropyl Ether	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Methylene Chloride	ND		ug/L	5.00	1	10/28/06 22:10	SW846 8260B	6106087
4-Methyl-2-pentanone	ND		ug/L	10.0	1	10/28/06 22:10	SW846 8260B	6106087
Styrene	ND		ug/L	1.00	1	10/28/06 22:10	SW846 8260B	6106087
1,1,1,2-Tetrachloroethane	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
1,1,2,2-Tetrachloroethane	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Tetrachloroethene	4.75		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Toluene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
1,2,4-Trichlorobenzene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
1,2,3-Trichlorobenzene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
1,1,2-Trichloroethane	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
1,1,1-Trichloroethane	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Trichloroethene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Trichlorofluoromethane	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
1,2,3-Trichloropropane	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
1,3,5-Trimethylbenzene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Vinyl chloride	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Xylenes, total	1.33		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
1,2,4-Trimethylbenzene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
Naphthalene	ND		ug/L	5.00	1	10/28/06 22:10	SW846 8260B	6106087
p-Isopropyltoluene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
n-Propylbenzene	ND		ug/L	0.500	1	10/28/06 22:10	SW846 8260B	6106087
<i>Surr: 1,2-Dichloroethane-d4 (70-130%)</i>	93 %					10/28/06 22:10	SW846 8260B	6106087
<i>Surr: Dibromofluoromethane (79-122%)</i>	90 %					10/28/06 22:10	SW846 8260B	6106087
<i>Surr: Toluene-d8 (78-121%)</i>	84 %					10/28/06 22:10	SW846 8260B	6106087
<i>Surr: 4-Bromofluorobenzene (78-126%)</i>	82 %					10/28/06 22:10	SW846 8260B	6106087
Purgeable Petroleum Hydrocarbons								
Gasoline Range Organics	ND		ug/L	50.0	1	10/29/06 02:55	CA LUFT GC/MS	6106178
<i>Surr: 1,2-Dichloroethane-d4 (0-200%)</i>	105 %					10/29/06 02:55	CA LUFT GC/MS	6106178
<i>Surr: Dibromofluoromethane (0-200%)</i>	109 %					10/29/06 02:55	CA LUFT GC/MS	6106178
<i>Surr: Toluene-d8 (0-200%)</i>	97 %					10/29/06 02:55	CA LUFT GC/MS	6106178
<i>Surr: 4-Bromofluorobenzene (0-200%)</i>	104 %					10/29/06 02:55	CA LUFT GC/MS	6106178

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-13 (IW-1 - Water) Sampled: 10/19/06 09:27								
Volatile Organic Compounds by EPA Method 8260B								
Acetone	ND		ug/L	50.0	1	10/28/06 22:34	SW846 8260B	6106087
Benzene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Bromobenzene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Bromochloromethane	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Bromodichloromethane	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Bromoform	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Bromomethane	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
2-Butanone	ND		ug/L	50.0	1	10/28/06 22:34	SW846 8260B	6106087
sec-Butylbenzene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
n-Butylbenzene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
tert-Butylbenzene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Carbon disulfide	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Carbon Tetrachloride	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Chlorobenzene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Chlorodibromomethane	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Chloroethane	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Chloroform	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Chloromethane	ND		ug/L	1.00	1	10/28/06 22:34	SW846 8260B	6106087
4-Chlorotoluene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
2-Chlorotoluene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
1,2-Dibromo-3-chloropropane	ND		ug/L	1.00	1	10/28/06 22:34	SW846 8260B	6106087
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Dibromomethane	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
1,4-Dichlorobenzene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
1,3-Dichlorobenzene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
1,2-Dichlorobenzene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Dichlorodifluoromethane	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
1,2-Dichloroethane	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
1,1-Dichloroethane	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
cis-1,2-Dichloroethene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
1,1-Dichloroethene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
trans-1,2-Dichloroethene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
2,2-Dichloropropane	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
1,3-Dichloropropane	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
1,2-Dichloropropane	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
trans-1,3-Dichloropropene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
cis-1,3-Dichloropropene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
1,1-Dichloropropene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Ethylbenzene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Hexachlorobutadiene	ND		ug/L	1.00	1	10/28/06 22:34	SW846 8260B	6106087
2-Hexanone	ND		ug/L	10.0	1	10/28/06 22:34	SW846 8260B	6106087
Isopropylbenzene	ND		ug/L	1.00	1	10/28/06 22:34	SW846 8260B	6106087

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NPJ3169-13 (IW-1 - Water) - cont. Sampled: 10/19/06 09:27								
Volatile Organic Compounds by EPA Method 8260B - cont.								
Diisopropyl Ether	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Methylene Chloride	ND		ug/L	5.00	1	10/28/06 22:34	SW846 8260B	6106087
4-Methyl-2-pentanone	ND		ug/L	10.0	1	10/28/06 22:34	SW846 8260B	6106087
Styrene	ND		ug/L	1.00	1	10/28/06 22:34	SW846 8260B	6106087
1,1,1,2-Tetrachloroethane	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
1,1,2,2-Tetrachloroethane	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Tetrachloroethene	3.22		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Toluene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
1,2,4-Trichlorobenzene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
1,2,3-Trichlorobenzene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
1,1,2-Trichloroethane	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
1,1,1-Trichloroethane	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Trichloroethene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Trichlorofluoromethane	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
1,2,3-Trichloropropane	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
1,3,5-Trimethylbenzene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Vinyl chloride	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Xylenes, total	1.14		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
1,2,4-Trimethylbenzene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
Naphthalene	ND		ug/L	5.00	1	10/28/06 22:34	SW846 8260B	6106087
p-Isopropyltoluene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
n-Propylbenzene	ND		ug/L	0.500	1	10/28/06 22:34	SW846 8260B	6106087
<i>Surr: 1,2-Dichloroethane-d4 (70-130%)</i>	92 %					10/28/06 22:34	SW846 8260B	6106087
<i>Surr: Dibromofluoromethane (79-122%)</i>	90 %					10/28/06 22:34	SW846 8260B	6106087
<i>Surr: Toluene-d8 (78-121%)</i>	85 %					10/28/06 22:34	SW846 8260B	6106087
<i>Surr: 4-Bromofluorobenzene (78-126%)</i>	82 %					10/28/06 22:34	SW846 8260B	6106087
Purgeable Petroleum Hydrocarbons								
Gasoline Range Organics	ND		ug/L	50.0	1	10/29/06 03:19	CA LUFT GC/MS	6106178
<i>Surr: 1,2-Dichloroethane-d4 (0-200%)</i>	108 %					10/29/06 03:19	CA LUFT GC/MS	6106178
<i>Surr: Dibromofluoromethane (0-200%)</i>	111 %					10/29/06 03:19	CA LUFT GC/MS	6106178
<i>Surr: Toluene-d8 (0-200%)</i>	95 %					10/29/06 03:19	CA LUFT GC/MS	6106178
<i>Surr: 4-Bromofluorobenzene (0-200%)</i>	113 %					10/29/06 03:19	CA LUFT GC/MS	6106178

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
Blank

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
---------	-------------	---	-------	------------	------------	--------------------

Volatile Organic Compounds by EPA Method 8260B

6105327-BLK1

Acetone	<3.96		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Benzene	<0.170		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Bromobenzene	<0.350		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Bromochloromethane	<0.400		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Bromodichloromethane	<0.150		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Bromoform	<0.290		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Bromomethane	<0.270		ug/L	6105327	6105327-BLK1	10/31/06 16:27
2-Butanone	<2.76		ug/L	6105327	6105327-BLK1	10/31/06 16:27
sec-Butylbenzene	<0.160		ug/L	6105327	6105327-BLK1	10/31/06 16:27
n-Butylbenzene	<0.210		ug/L	6105327	6105327-BLK1	10/31/06 16:27
tert-Butylbenzene	<0.220		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Carbon disulfide	<0.180		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Carbon Tetrachloride	<0.220		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Chlorobenzene	<0.120		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Chlorodibromomethane	<0.230		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Chloroethane	<0.190		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Chloroform	<0.270		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Chloromethane	<0.260		ug/L	6105327	6105327-BLK1	10/31/06 16:27
4-Chlorotoluene	<0.190		ug/L	6105327	6105327-BLK1	10/31/06 16:27
2-Chlorotoluene	<0.130		ug/L	6105327	6105327-BLK1	10/31/06 16:27
1,2-Dibromo-3-chloropropane	<0.880		ug/L	6105327	6105327-BLK1	10/31/06 16:27
1,2-Dibromoethane (EDB)	<0.320		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Dibromomethane	<0.230		ug/L	6105327	6105327-BLK1	10/31/06 16:27
1,4-Dichlorobenzene	<0.150		ug/L	6105327	6105327-BLK1	10/31/06 16:27
1,3-Dichlorobenzene	<0.160		ug/L	6105327	6105327-BLK1	10/31/06 16:27
1,2-Dichlorobenzene	<0.150		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Dichlorodifluoromethane	<0.140		ug/L	6105327	6105327-BLK1	10/31/06 16:27
1,2-Dichloroethane	<0.370		ug/L	6105327	6105327-BLK1	10/31/06 16:27
1,1-Dichloroethane	<0.130		ug/L	6105327	6105327-BLK1	10/31/06 16:27
cis-1,2-Dichloroethene	<0.160		ug/L	6105327	6105327-BLK1	10/31/06 16:27
1,1-Dichloroethene	<0.270		ug/L	6105327	6105327-BLK1	10/31/06 16:27
trans-1,2-Dichloroethene	<0.200		ug/L	6105327	6105327-BLK1	10/31/06 16:27
2,2-Dichloropropane	<0.190		ug/L	6105327	6105327-BLK1	10/31/06 16:27
1,3-Dichloropropane	<0.100		ug/L	6105327	6105327-BLK1	10/31/06 16:27
1,2-Dichloropropane	<0.200		ug/L	6105327	6105327-BLK1	10/31/06 16:27
trans-1,3-Dichloropropene	<0.230		ug/L	6105327	6105327-BLK1	10/31/06 16:27
cis-1,3-Dichloropropene	<0.270		ug/L	6105327	6105327-BLK1	10/31/06 16:27
1,1-Dichloropropene	<0.160		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Ethylbenzene	<0.230		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Hexachlorobutadiene	<0.360		ug/L	6105327	6105327-BLK1	10/31/06 16:27
2-Hexanone	<1.11		ug/L	6105327	6105327-BLK1	10/31/06 16:27

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
---------	-------------	---	-------	------------	------------	--------------------

Volatile Organic Compounds by EPA Method 8260B

6105327-BLK1

Isopropylbenzene	<0.230		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Diisopropyl Ether	<0.210		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Methyl tert-Butyl Ether	<0.190		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Methylene Chloride	<0.330		ug/L	6105327	6105327-BLK1	10/31/06 16:27
4-Methyl-2-pentanone	<1.53		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Styrene	<0.140		ug/L	6105327	6105327-BLK1	10/31/06 16:27
1,1,1,2-Tetrachloroethane	<0.220		ug/L	6105327	6105327-BLK1	10/31/06 16:27
1,1,2,2-Tetrachloroethane	<0.120		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Tetrachloroethene	<0.220		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Toluene	<0.220		ug/L	6105327	6105327-BLK1	10/31/06 16:27
1,2,4-Trichlorobenzene	<0.240		ug/L	6105327	6105327-BLK1	10/31/06 16:27
1,2,3-Trichlorobenzene	<0.210		ug/L	6105327	6105327-BLK1	10/31/06 16:27
1,1,2-Trichloroethane	<0.270		ug/L	6105327	6105327-BLK1	10/31/06 16:27
1,1,1-Trichloroethane	<0.160		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Trichloroethene	<0.170		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Trichlorofluoromethane	<0.110		ug/L	6105327	6105327-BLK1	10/31/06 16:27
1,2,3-Trichloropropane	<0.240		ug/L	6105327	6105327-BLK1	10/31/06 16:27
1,3,5-Trimethylbenzene	<0.240		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Vinyl chloride	<0.200		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Xylenes, total			ug/L	6105327	6105327-BLK1	10/31/06 16:27
1,2,4-Trimethylbenzene	<0.180		ug/L	6105327	6105327-BLK1	10/31/06 16:27
Naphthalene	<0.650		ug/L	6105327	6105327-BLK1	10/31/06 16:27
p-Isopropyltoluene	<0.140		ug/L	6105327	6105327-BLK1	10/31/06 16:27
n-Propylbenzene	<0.180		ug/L	6105327	6105327-BLK1	10/31/06 16:27
<i>Surrogate: 1,2-Dichloroethane-d4</i>	95%			6105327	6105327-BLK1	10/31/06 16:27
<i>Surrogate: Dibromofluoromethane</i>	99%			6105327	6105327-BLK1	10/31/06 16:27
<i>Surrogate: Toluene-d8</i>	90%			6105327	6105327-BLK1	10/31/06 16:27
<i>Surrogate: 4-Bromofluorobenzene</i>	97%			6105327	6105327-BLK1	10/31/06 16:27

6105570-BLK1

Acetone	<1.28		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Benzene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Bromobenzene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Bromochloromethane	<0.310		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Bromodichloromethane	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Bromoform	<0.290		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Bromomethane	<0.310		ug/L	6105570	6105570-BLK1	10/30/06 13:54
2-Butanone	<3.17		ug/L	6105570	6105570-BLK1	10/30/06 13:54
sec-Butylbenzene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
n-Butylbenzene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
tert-Butylbenzene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
---------	-------------	---	-------	------------	------------	--------------------

Volatile Organic Compounds by EPA Method 8260B

6105570-BLK1

Carbon disulfide	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Carbon Tetrachloride	<0.220		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Chlorobenzene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Chlorodibromomethane	<0.290		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Chloroethane	<0.250		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Chloroform	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Chloromethane	<0.220		ug/L	6105570	6105570-BLK1	10/30/06 13:54
4-Chlorotoluene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
2-Chlorotoluene	<0.190		ug/L	6105570	6105570-BLK1	10/30/06 13:54
1,2-Dibromo-3-chloropropane	<0.730		ug/L	6105570	6105570-BLK1	10/30/06 13:54
1,2-Dibromoethane (EDB)	<0.250		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Dibromomethane	<0.380		ug/L	6105570	6105570-BLK1	10/30/06 13:54
1,4-Dichlorobenzene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
1,3-Dichlorobenzene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
1,2-Dichlorobenzene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Dichlorodifluoromethane	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
1,2-Dichloroethane	<0.390		ug/L	6105570	6105570-BLK1	10/30/06 13:54
1,1-Dichloroethane	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
cis-1,2-Dichloroethene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
1,1-Dichloroethene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
trans-1,2-Dichloroethene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
2,2-Dichloropropane	<0.230		ug/L	6105570	6105570-BLK1	10/30/06 13:54
1,3-Dichloropropane	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
1,2-Dichloropropane	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
trans-1,3-Dichloropropene	<0.230		ug/L	6105570	6105570-BLK1	10/30/06 13:54
cis-1,3-Dichloropropene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
1,1-Dichloropropene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Ethylbenzene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Hexachlorobutadiene	<0.400		ug/L	6105570	6105570-BLK1	10/30/06 13:54
2-Hexanone	<1.81		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Isopropylbenzene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Diisopropyl Ether	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Methyl tert-Butyl Ether	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Methylene Chloride	1.83		ug/L	6105570	6105570-BLK1	10/30/06 13:54
4-Methyl-2-pentanone	<1.12		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Styrene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
1,1,1,2-Tetrachloroethane	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
1,1,2,2-Tetrachloroethane	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Tetrachloroethene	<0.250		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Toluene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
1,2,4-Trichlorobenzene	<0.320		ug/L	6105570	6105570-BLK1	10/30/06 13:54

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
---------	-------------	---	-------	------------	------------	--------------------

Volatile Organic Compounds by EPA Method 8260B

6105570-BLK1

1,2,3-Trichlorobenzene	<0.290		ug/L	6105570	6105570-BLK1	10/30/06 13:54
1,1,2-Trichloroethane	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
1,1,1-Trichloroethane	<0.220		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Trichloroethene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Trichlorofluoromethane	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
1,2,3-Trichloropropane	<0.310		ug/L	6105570	6105570-BLK1	10/30/06 13:54
1,3,5-Trimethylbenzene	<0.220		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Vinyl chloride	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Xylenes, total	<0.350		ug/L	6105570	6105570-BLK1	10/30/06 13:54
1,2,4-Trimethylbenzene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
Naphthalene	<0.500		ug/L	6105570	6105570-BLK1	10/30/06 13:54
p-Isopropyltoluene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
n-Propylbenzene	<0.200		ug/L	6105570	6105570-BLK1	10/30/06 13:54
<i>Surrogate: 1,2-Dichloroethane-d4</i>	97%			6105570	6105570-BLK1	10/30/06 13:54
<i>Surrogate: Dibromofluoromethane</i>	97%			6105570	6105570-BLK1	10/30/06 13:54
<i>Surrogate: Toluene-d8</i>	91%			6105570	6105570-BLK1	10/30/06 13:54
<i>Surrogate: 4-Bromofluorobenzene</i>	100%			6105570	6105570-BLK1	10/30/06 13:54

6105620-BLK1

Acetone	<3.96		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Benzene	<0.170		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Bromobenzene	<0.350		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Bromochloromethane	<0.400		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Bromodichloromethane	<0.150		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Bromoform	<0.290		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Bromomethane	<0.270		ug/L	6105620	6105620-BLK1	10/31/06 02:09
2-Butanone	<2.76		ug/L	6105620	6105620-BLK1	10/31/06 02:09
sec-Butylbenzene	<0.160		ug/L	6105620	6105620-BLK1	10/31/06 02:09
n-Butylbenzene	<0.210		ug/L	6105620	6105620-BLK1	10/31/06 02:09
tert-Butylbenzene	<0.220		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Carbon disulfide	0.560		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Carbon Tetrachloride	<0.220		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Chlorobenzene	<0.120		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Chlorodibromomethane	<0.230		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Chloroethane	<0.190		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Chloroform	<0.270		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Chloromethane	<0.260		ug/L	6105620	6105620-BLK1	10/31/06 02:09
4-Chlorotoluene	<0.190		ug/L	6105620	6105620-BLK1	10/31/06 02:09
2-Chlorotoluene	<0.130		ug/L	6105620	6105620-BLK1	10/31/06 02:09
1,2-Dibromo-3-chloropropane	<0.880		ug/L	6105620	6105620-BLK1	10/31/06 02:09
1,2-Dibromoethane (EDB)	<0.320		ug/L	6105620	6105620-BLK1	10/31/06 02:09

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B						
6105620-BLK1						
Dibromomethane	<0.230		ug/L	6105620	6105620-BLK1	10/31/06 02:09
1,4-Dichlorobenzene	<0.150		ug/L	6105620	6105620-BLK1	10/31/06 02:09
1,3-Dichlorobenzene	<0.160		ug/L	6105620	6105620-BLK1	10/31/06 02:09
1,2-Dichlorobenzene	<0.150		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Dichlorodifluoromethane	<0.140		ug/L	6105620	6105620-BLK1	10/31/06 02:09
1,2-Dichloroethane	<0.370		ug/L	6105620	6105620-BLK1	10/31/06 02:09
1,1-Dichloroethane	<0.130		ug/L	6105620	6105620-BLK1	10/31/06 02:09
cis-1,2-Dichloroethene	<0.160		ug/L	6105620	6105620-BLK1	10/31/06 02:09
1,1-Dichloroethene	<0.270		ug/L	6105620	6105620-BLK1	10/31/06 02:09
trans-1,2-Dichloroethene	<0.200		ug/L	6105620	6105620-BLK1	10/31/06 02:09
2,2-Dichloropropane	<0.190		ug/L	6105620	6105620-BLK1	10/31/06 02:09
1,3-Dichloropropane	<0.100		ug/L	6105620	6105620-BLK1	10/31/06 02:09
1,2-Dichloropropane	<0.200		ug/L	6105620	6105620-BLK1	10/31/06 02:09
trans-1,3-Dichloropropene	<0.230		ug/L	6105620	6105620-BLK1	10/31/06 02:09
cis-1,3-Dichloropropene	<0.270		ug/L	6105620	6105620-BLK1	10/31/06 02:09
1,1-Dichloropropene	<0.160		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Ethylbenzene	<0.230		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Hexachlorobutadiene	<0.360		ug/L	6105620	6105620-BLK1	10/31/06 02:09
2-Hexanone	<1.11		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Isopropylbenzene	<0.230		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Diisopropyl Ether	<0.210		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Methyl tert-Butyl Ether	<0.190		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Methylene Chloride	<0.330		ug/L	6105620	6105620-BLK1	10/31/06 02:09
4-Methyl-2-pentanone	<1.53		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Styrene	<0.140		ug/L	6105620	6105620-BLK1	10/31/06 02:09
1,1,1,2-Tetrachloroethane	<0.220		ug/L	6105620	6105620-BLK1	10/31/06 02:09
1,1,2,2-Tetrachloroethane	<0.120		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Tetrachloroethene	<0.220		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Toluene	<0.220		ug/L	6105620	6105620-BLK1	10/31/06 02:09
1,2,4-Trichlorobenzene	<0.240		ug/L	6105620	6105620-BLK1	10/31/06 02:09
1,2,3-Trichlorobenzene	<0.210		ug/L	6105620	6105620-BLK1	10/31/06 02:09
1,1,2-Trichloroethane	<0.270		ug/L	6105620	6105620-BLK1	10/31/06 02:09
1,1,1-Trichloroethane	<0.160		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Trichloroethene	<0.170		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Trichlorofluoromethane	<0.110		ug/L	6105620	6105620-BLK1	10/31/06 02:09
1,2,3-Trichloropropane	<0.240		ug/L	6105620	6105620-BLK1	10/31/06 02:09
1,3,5-Trimethylbenzene	<0.240		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Vinyl chloride	<0.200		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Xylenes, total	<0.320		ug/L	6105620	6105620-BLK1	10/31/06 02:09
1,2,4-Trimethylbenzene	<0.180		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Naphthalene	7.03		ug/L	6105620	6105620-BLK1	10/31/06 02:09

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B						
6105620-BLK1						
p-Isopropyltoluene	<0.140		ug/L	6105620	6105620-BLK1	10/31/06 02:09
n-Propylbenzene	<0.180		ug/L	6105620	6105620-BLK1	10/31/06 02:09
Surrogate: 1,2-Dichloroethane-d4	92%			6105620	6105620-BLK1	10/31/06 02:09
Surrogate: Dibromofluoromethane	94%			6105620	6105620-BLK1	10/31/06 02:09
Surrogate: Toluene-d8	87%			6105620	6105620-BLK1	10/31/06 02:09
Surrogate: 4-Bromofluorobenzene	97%			6105620	6105620-BLK1	10/31/06 02:09
6105786-BLK1						
Acetone	<3.96		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Benzene	<0.170		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Bromobenzene	<0.350		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Bromochloromethane	<0.400		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Bromodichloromethane	<0.150		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Bromoform	<0.290		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Bromomethane	<0.270		ug/L	6105786	6105786-BLK1	10/31/06 02:09
2-Butanone	<2.76		ug/L	6105786	6105786-BLK1	10/31/06 02:09
sec-Butylbenzene	<0.160		ug/L	6105786	6105786-BLK1	10/31/06 02:09
n-Butylbenzene	<0.210		ug/L	6105786	6105786-BLK1	10/31/06 02:09
tert-Butylbenzene	<0.220		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Carbon disulfide	0.560		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Carbon Tetrachloride	<0.220		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Chlorobenzene	<0.120		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Chlorodibromomethane	<0.230		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Chloroethane	<0.190		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Chloroform	<0.270		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Chloromethane	<0.260		ug/L	6105786	6105786-BLK1	10/31/06 02:09
4-Chlorotoluene	<0.190		ug/L	6105786	6105786-BLK1	10/31/06 02:09
2-Chlorotoluene	<0.130		ug/L	6105786	6105786-BLK1	10/31/06 02:09
1,2-Dibromo-3-chloropropane	<0.880		ug/L	6105786	6105786-BLK1	10/31/06 02:09
1,2-Dibromoethane (EDB)	<0.320		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Dibromomethane	<0.230		ug/L	6105786	6105786-BLK1	10/31/06 02:09
1,4-Dichlorobenzene	<0.150		ug/L	6105786	6105786-BLK1	10/31/06 02:09
1,3-Dichlorobenzene	<0.160		ug/L	6105786	6105786-BLK1	10/31/06 02:09
1,2-Dichlorobenzene	<0.150		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Dichlorodifluoromethane	<0.140		ug/L	6105786	6105786-BLK1	10/31/06 02:09
1,2-Dichloroethane	<0.370		ug/L	6105786	6105786-BLK1	10/31/06 02:09
1,1-Dichloroethane	<0.130		ug/L	6105786	6105786-BLK1	10/31/06 02:09
cis-1,2-Dichloroethene	<0.160		ug/L	6105786	6105786-BLK1	10/31/06 02:09
1,1-Dichloroethene	<0.270		ug/L	6105786	6105786-BLK1	10/31/06 02:09
trans-1,2-Dichloroethene	<0.200		ug/L	6105786	6105786-BLK1	10/31/06 02:09
2,2-Dichloropropane	<0.190		ug/L	6105786	6105786-BLK1	10/31/06 02:09

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
---------	-------------	---	-------	------------	------------	--------------------

Volatile Organic Compounds by EPA Method 8260B

6105786-BLK1

1,3-Dichloropropane	<0.100		ug/L	6105786	6105786-BLK1	10/31/06 02:09
1,2-Dichloropropane	<0.200		ug/L	6105786	6105786-BLK1	10/31/06 02:09
trans-1,3-Dichloropropene	<0.230		ug/L	6105786	6105786-BLK1	10/31/06 02:09
cis-1,3-Dichloropropene	<0.270		ug/L	6105786	6105786-BLK1	10/31/06 02:09
1,1-Dichloropropene	<0.160		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Ethylbenzene	<0.230		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Hexachlorobutadiene	<0.360		ug/L	6105786	6105786-BLK1	10/31/06 02:09
2-Hexanone	<1.11		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Isopropylbenzene	<0.230		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Diisopropyl Ether	<0.210		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Methyl tert-Butyl Ether	<0.190		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Methylene Chloride	<0.330		ug/L	6105786	6105786-BLK1	10/31/06 02:09
4-Methyl-2-pentanone	<1.53		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Styrene	<0.140		ug/L	6105786	6105786-BLK1	10/31/06 02:09
1,1,1,2-Tetrachloroethane	<0.220		ug/L	6105786	6105786-BLK1	10/31/06 02:09
1,1,2,2-Tetrachloroethane	<0.120		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Tetrachloroethene	<0.220		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Toluene	<0.220		ug/L	6105786	6105786-BLK1	10/31/06 02:09
1,2,4-Trichlorobenzene	<0.240		ug/L	6105786	6105786-BLK1	10/31/06 02:09
1,2,3-Trichlorobenzene	<0.210		ug/L	6105786	6105786-BLK1	10/31/06 02:09
1,1,2-Trichloroethane	<0.270		ug/L	6105786	6105786-BLK1	10/31/06 02:09
1,1,1-Trichloroethane	<0.160		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Trichloroethene	<0.170		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Trichlorofluoromethane	<0.110		ug/L	6105786	6105786-BLK1	10/31/06 02:09
1,2,3-Trichloropropane	<0.240		ug/L	6105786	6105786-BLK1	10/31/06 02:09
1,3,5-Trimethylbenzene	<0.240		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Vinyl chloride	<0.200		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Xylenes, total			ug/L	6105786	6105786-BLK1	10/31/06 02:09
1,2,4-Trimethylbenzene	<0.180		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Naphthalene	7.03		ug/L	6105786	6105786-BLK1	10/31/06 02:09
p-Isopropyltoluene	<0.140		ug/L	6105786	6105786-BLK1	10/31/06 02:09
n-Propylbenzene	<0.180		ug/L	6105786	6105786-BLK1	10/31/06 02:09
Surrogate: 1,2-Dichloroethane-d4	92%			6105786	6105786-BLK1	10/31/06 02:09
Surrogate: Dibromofluoromethane	94%			6105786	6105786-BLK1	10/31/06 02:09
Surrogate: Toluene-d8	87%			6105786	6105786-BLK1	10/31/06 02:09
Surrogate: 4-Bromofluorobenzene	97%			6105786	6105786-BLK1	10/31/06 02:09

6106087-BLK1

Acetone	<1.28		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Benzene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Bromobenzene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
---------	-------------	---	-------	------------	------------	--------------------

Volatile Organic Compounds by EPA Method 8260B

6106087-BLK1

Bromochloromethane	<0.310		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Bromodichloromethane	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Bromoform	<0.290		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Bromomethane	<0.310		ug/L	6106087	6106087-BLK1	10/28/06 16:08
2-Butanone	<3.17		ug/L	6106087	6106087-BLK1	10/28/06 16:08
sec-Butylbenzene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
n-Butylbenzene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
tert-Butylbenzene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Carbon disulfide	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Carbon Tetrachloride	<0.220		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Chlorobenzene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Chlorodibromomethane	<0.290		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Chloroethane	<0.250		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Chloroform	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Chloromethane	<0.220		ug/L	6106087	6106087-BLK1	10/28/06 16:08
4-Chlorotoluene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
2-Chlorotoluene	<0.190		ug/L	6106087	6106087-BLK1	10/28/06 16:08
1,2-Dibromo-3-chloropropane	<0.730		ug/L	6106087	6106087-BLK1	10/28/06 16:08
1,2-Dibromoethane (EDB)	<0.250		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Dibromomethane	<0.380		ug/L	6106087	6106087-BLK1	10/28/06 16:08
1,4-Dichlorobenzene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
1,3-Dichlorobenzene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
1,2-Dichlorobenzene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Dichlorodifluoromethane	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
1,2-Dichloroethane	<0.390		ug/L	6106087	6106087-BLK1	10/28/06 16:08
1,1-Dichloroethane	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
cis-1,2-Dichloroethene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
1,1-Dichloroethene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
trans-1,2-Dichloroethene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
2,2-Dichloropropane	<0.230		ug/L	6106087	6106087-BLK1	10/28/06 16:08
1,3-Dichloropropane	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
1,2-Dichloropropane	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
trans-1,3-Dichloropropene	<0.230		ug/L	6106087	6106087-BLK1	10/28/06 16:08
cis-1,3-Dichloropropene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
1,1-Dichloropropene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Ethylbenzene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Hexachlorobutadiene	<0.400		ug/L	6106087	6106087-BLK1	10/28/06 16:08
2-Hexanone	<1.81		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Isopropylbenzene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Diisopropyl Ether	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Methyl tert-Butyl Ether	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
---------	-------------	---	-------	------------	------------	--------------------

Volatile Organic Compounds by EPA Method 8260B

6106087-BLK1

Methylene Chloride	<0.440		ug/L	6106087	6106087-BLK1	10/28/06 16:08
4-Methyl-2-pentanone	<1.12		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Styrene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
1,1,1,2-Tetrachloroethane	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
1,1,2,2-Tetrachloroethane	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Tetrachloroethene	<0.250		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Toluene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
1,2,4-Trichlorobenzene	<0.320		ug/L	6106087	6106087-BLK1	10/28/06 16:08
1,2,3-Trichlorobenzene	<0.290		ug/L	6106087	6106087-BLK1	10/28/06 16:08
1,1,2-Trichloroethane	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
1,1,1-Trichloroethane	<0.220		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Trichloroethene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Trichlorofluoromethane	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
1,2,3-Trichloropropane	<0.310		ug/L	6106087	6106087-BLK1	10/28/06 16:08
1,3,5-Trimethylbenzene	<0.220		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Vinyl chloride	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Xylenes, total	<0.350		ug/L	6106087	6106087-BLK1	10/28/06 16:08
1,2,4-Trimethylbenzene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Naphthalene	<0.500		ug/L	6106087	6106087-BLK1	10/28/06 16:08
p-Isopropyltoluene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
n-Propylbenzene	<0.200		ug/L	6106087	6106087-BLK1	10/28/06 16:08
Surrogate: 1,2-Dichloroethane-d4	100%			6106087	6106087-BLK1	10/28/06 16:08
Surrogate: Dibromofluoromethane	98%			6106087	6106087-BLK1	10/28/06 16:08
Surrogate: Toluene-d8	92%			6106087	6106087-BLK1	10/28/06 16:08
Surrogate: 4-Bromofluorobenzene	94%			6106087	6106087-BLK1	10/28/06 16:08

Purgeable Petroleum Hydrocarbons

6106178-BLK1

Gasoline Range Organics	<50.0		ug/L	6106178	6106178-BLK1	10/29/06 01:53
Surrogate: 1,2-Dichloroethane-d4	107%			6106178	6106178-BLK1	10/29/06 01:53
Surrogate: Dibromofluoromethane	111%			6106178	6106178-BLK1	10/29/06 01:53
Surrogate: Toluene-d8	99%			6106178	6106178-BLK1	10/29/06 01:53
Surrogate: 4-Bromofluorobenzene	113%			6106178	6106178-BLK1	10/29/06 01:53

6106281-BLK1

Gasoline Range Organics	<50.0		ug/L	6106281	6106281-BLK1	10/29/06 02:15
Surrogate: 1,2-Dichloroethane-d4	118%			6106281	6106281-BLK1	10/29/06 02:15
Surrogate: Dibromofluoromethane	112%			6106281	6106281-BLK1	10/29/06 02:15
Surrogate: Toluene-d8	104%			6106281	6106281-BLK1	10/29/06 02:15
Surrogate: 4-Bromofluorobenzene	114%			6106281	6106281-BLK1	10/29/06 02:15

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
Purgeable Petroleum Hydrocarbons						
6110172-BLK1						
Gasoline Range Organics	<50.0		ug/L	6110172	6110172-BLK1	11/01/06 04:40
Surrogate: 1,2-Dichloroethane-d4	111%			6110172	6110172-BLK1	11/01/06 04:40
Surrogate: Dibromofluoromethane	106%			6110172	6110172-BLK1	11/01/06 04:40
Surrogate: Toluene-d8	109%			6110172	6110172-BLK1	11/01/06 04:40
Surrogate: 4-Bromofluorobenzene	109%			6110172	6110172-BLK1	11/01/06 04:40

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
LCS

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B								
6105327-BS1								
Acetone	250	322		ug/L	129%	57 - 160	6105327	10/31/06 14:49
Benzene	50.0	46.9		ug/L	94%	79 - 123	6105327	10/31/06 14:49
Bromobenzene	50.0	48.3		ug/L	97%	71 - 139	6105327	10/31/06 14:49
Bromochloromethane	50.0	46.3		ug/L	93%	80 - 126	6105327	10/31/06 14:49
Bromodichloromethane	50.0	50.5		ug/L	101%	68 - 133	6105327	10/31/06 14:49
Bromoform	50.0	47.6		ug/L	95%	43 - 135	6105327	10/31/06 14:49
Bromomethane	50.0	49.8		ug/L	100%	36 - 171	6105327	10/31/06 14:49
2-Butanone	250	280		ug/L	112%	72 - 138	6105327	10/31/06 14:49
sec-Butylbenzene	50.0	49.5		ug/L	99%	12 - 180	6105327	10/31/06 14:49
n-Butylbenzene	50.0	53.0		ug/L	106%	67 - 139	6105327	10/31/06 14:49
tert-Butylbenzene	50.0	48.4		ug/L	97%	12 - 180	6105327	10/31/06 14:49
Carbon disulfide	50.0	46.9		ug/L	94%	64 - 134	6105327	10/31/06 14:49
Carbon Tetrachloride	50.0	49.1		ug/L	98%	67 - 138	6105327	10/31/06 14:49
Chlorobenzene	50.0	47.5		ug/L	95%	85 - 122	6105327	10/31/06 14:49
Chlorodibromomethane	50.0	54.6		ug/L	109%	68 - 134	6105327	10/31/06 14:49
Chloroethane	50.0	52.6		ug/L	105%	60 - 138	6105327	10/31/06 14:49
Chloroform	50.0	55.2		ug/L	110%	76 - 124	6105327	10/31/06 14:49
Chloromethane	50.0	50.7		ug/L	101%	12 - 180	6105327	10/31/06 14:49
4-Chlorotoluene	50.0	47.8		ug/L	96%	81 - 127	6105327	10/31/06 14:49
2-Chlorotoluene	50.0	48.8		ug/L	98%	81 - 129	6105327	10/31/06 14:49
1,2-Dibromo-3-chloropropane	50.0	48.8		ug/L	98%	56 - 131	6105327	10/31/06 14:49
1,2-Dibromoethane (EDB)	50.0	49.0		ug/L	98%	83 - 128	6105327	10/31/06 14:49
Dibromomethane	50.0	49.0		ug/L	98%	78 - 124	6105327	10/31/06 14:49
1,4-Dichlorobenzene	50.0	49.6		ug/L	99%	80 - 124	6105327	10/31/06 14:49
1,3-Dichlorobenzene	50.0	50.3		ug/L	101%	82 - 127	6105327	10/31/06 14:49
1,2-Dichlorobenzene	50.0	51.1		ug/L	102%	83 - 130	6105327	10/31/06 14:49
Dichlorodifluoromethane	50.0	46.0		ug/L	92%	12 - 149	6105327	10/31/06 14:49
1,2-Dichloroethane	50.0	49.2		ug/L	98%	71 - 132	6105327	10/31/06 14:49
1,1-Dichloroethane	50.0	45.6		ug/L	91%	77 - 127	6105327	10/31/06 14:49
cis-1,2-Dichloroethene	50.0	46.4		ug/L	93%	77 - 126	6105327	10/31/06 14:49
1,1-Dichloroethene	50.0	44.9		ug/L	90%	73 - 129	6105327	10/31/06 14:49
trans-1,2-Dichloroethene	50.0	48.4		ug/L	97%	76 - 129	6105327	10/31/06 14:49
2,2-Dichloropropane	50.0	52.1		ug/L	104%	45 - 139	6105327	10/31/06 14:49
1,3-Dichloropropane	50.0	47.7		ug/L	95%	79 - 130	6105327	10/31/06 14:49
1,2-Dichloropropane	50.0	46.7		ug/L	93%	72 - 124	6105327	10/31/06 14:49
trans-1,3-Dichloropropene	50.0	51.0		ug/L	102%	64 - 127	6105327	10/31/06 14:49
cis-1,3-Dichloropropene	50.0	49.2		ug/L	98%	70 - 130	6105327	10/31/06 14:49
1,1-Dichloropropene	50.0	51.2		ug/L	102%	80 - 133	6105327	10/31/06 14:49
Ethylbenzene	50.0	46.5		ug/L	93%	83 - 125	6105327	10/31/06 14:49
Hexachlorobutadiene	50.0	55.9		ug/L	112%	63 - 135	6105327	10/31/06 14:49

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B								
6105327-BS1								
2-Hexanone	250	265		ug/L	106%	67 - 141	6105327	10/31/06 14:49
Isopropylbenzene	50.0	45.2		ug/L	90%	73 - 126	6105327	10/31/06 14:49
Diisopropyl Ether	50.0	46.1		ug/L	92%	70 - 128	6105327	10/31/06 14:49
Methyl tert-Butyl Ether	50.0	51.1		ug/L	102%	64 - 129	6105327	10/31/06 14:49
Methylene Chloride	50.0	49.3		ug/L	99%	81 - 128	6105327	10/31/06 14:49
4-Methyl-2-pentanone	250	246		ug/L	98%	73 - 136	6105327	10/31/06 14:49
Styrene	50.0	53.0		ug/L	106%	82 - 136	6105327	10/31/06 14:49
1,1,1,2-Tetrachloroethane	50.0	49.8		ug/L	100%	79 - 130	6105327	10/31/06 14:49
1,1,2,2-Tetrachloroethane	50.0	53.1		ug/L	106%	70 - 137	6105327	10/31/06 14:49
Tetrachloroethene	50.0	45.6		ug/L	91%	76 - 127	6105327	10/31/06 14:49
Toluene	50.0	45.5		ug/L	91%	77 - 126	6105327	10/31/06 14:49
1,2,4-Trichlorobenzene	50.0	55.8		ug/L	112%	64 - 134	6105327	10/31/06 14:49
1,2,3-Trichlorobenzene	50.0	55.4		ug/L	111%	64 - 133	6105327	10/31/06 14:49
1,1,2-Trichloroethane	50.0	48.4		ug/L	97%	78 - 128	6105327	10/31/06 14:49
1,1,1-Trichloroethane	50.0	49.0		ug/L	98%	73 - 130	6105327	10/31/06 14:49
Trichloroethene	50.0	47.4		ug/L	95%	80 - 128	6105327	10/31/06 14:49
Trichlorofluoromethane	50.0	53.2		ug/L	106%	62 - 133	6105327	10/31/06 14:49
1,2,3-Trichloropropane	50.0	47.5		ug/L	95%	50 - 153	6105327	10/31/06 14:49
1,3,5-Trimethylbenzene	50.0	49.3		ug/L	99%	79 - 129	6105327	10/31/06 14:49
Vinyl chloride	50.0	55.9		ug/L	112%	61 - 131	6105327	10/31/06 14:49
Xylenes, total	150	141		ug/L	94%	78 - 130	6105327	10/31/06 14:49
1,2,4-Trimethylbenzene	50.0	49.0		ug/L	98%	78 - 130	6105327	10/31/06 14:49
Naphthalene	50.0	55.4		ug/L	111%	66 - 137	6105327	10/31/06 14:49
p-Isopropyltoluene	50.0	48.5		ug/L	97%	74 - 131	6105327	10/31/06 14:49
n-Propylbenzene	50.0	49.2		ug/L	98%	76 - 132	6105327	10/31/06 14:49
Surrogate: 1,2-Dichloroethane-d4	25.0	23.7			95%	62 - 142	6105327	10/31/06 14:49
Surrogate: Dibromofluoromethane	25.0	23.0			92%	78 - 123	6105327	10/31/06 14:49
Surrogate: Toluene-d8	25.0	22.3			89%	79 - 120	6105327	10/31/06 14:49
Surrogate: 4-Bromofluorobenzene	25.0	24.1			96%	75 - 133	6105327	10/31/06 14:49
6105570-BS1								
Acetone	250	311		ug/L	124%	41 - 152	6105570	10/30/06 12:16
Benzene	50.0	46.6		ug/L	93%	79 - 123	6105570	10/30/06 12:16
Bromobenzene	50.0	52.2		ug/L	104%	74 - 124	6105570	10/30/06 12:16
Bromochloromethane	50.0	55.8		ug/L	112%	70 - 134	6105570	10/30/06 12:16
Bromodichloromethane	50.0	51.2		ug/L	102%	76 - 135	6105570	10/30/06 12:16
Bromoform	50.0	49.1		ug/L	98%	47 - 135	6105570	10/30/06 12:16
Bromomethane	50.0	50.5		ug/L	101%	53 - 162	6105570	10/30/06 12:16
2-Butanone	250	269		ug/L	108%	68 - 136	6105570	10/30/06 12:16
sec-Butylbenzene	50.0	51.1		ug/L	102%	76 - 128	6105570	10/30/06 12:16
n-Butylbenzene	50.0	53.1		ug/L	106%	70 - 134	6105570	10/30/06 12:16

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B								
6105570-BS1								
tert-Butylbenzene	50.0	49.3		ug/L	99%	73 - 127	6105570	10/30/06 12:16
Carbon disulfide	50.0	49.7		ug/L	99%	71 - 138	6105570	10/30/06 12:16
Carbon Tetrachloride	50.0	49.3		ug/L	99%	71 - 136	6105570	10/30/06 12:16
Chlorobenzene	50.0	46.8		ug/L	94%	80 - 120	6105570	10/30/06 12:16
Chlorodibromomethane	50.0	56.6		ug/L	113%	68 - 126	6105570	10/30/06 12:16
Chloroethane	50.0	55.3		ug/L	111%	55 - 149	6105570	10/30/06 12:16
Chloroform	50.0	56.4		ug/L	113%	77 - 126	6105570	10/30/06 12:16
Chloromethane	50.0	44.4		ug/L	89%	39 - 151	6105570	10/30/06 12:16
4-Chlorotoluene	50.0	49.9		ug/L	100%	76 - 128	6105570	10/30/06 12:16
2-Chlorotoluene	50.0	51.5		ug/L	103%	73 - 130	6105570	10/30/06 12:16
1,2-Dibromo-3-chloropropane	50.0	49.6		ug/L	99%	56 - 130	6105570	10/30/06 12:16
1,2-Dibromoethane (EDB)	50.0	50.9		ug/L	102%	75 - 128	6105570	10/30/06 12:16
Dibromomethane	50.0	50.8		ug/L	102%	76 - 129	6105570	10/30/06 12:16
1,4-Dichlorobenzene	50.0	50.2		ug/L	100%	78 - 122	6105570	10/30/06 12:16
1,3-Dichlorobenzene	50.0	51.0		ug/L	102%	80 - 124	6105570	10/30/06 12:16
1,2-Dichlorobenzene	50.0	51.7		ug/L	103%	82 - 123	6105570	10/30/06 12:16
Dichlorodifluoromethane	50.0	42.0		ug/L	84%	28 - 161	6105570	10/30/06 12:16
1,2-Dichloroethane	50.0	49.9		ug/L	100%	74 - 131	6105570	10/30/06 12:16
1,1-Dichloroethane	50.0	46.5		ug/L	93%	72 - 131	6105570	10/30/06 12:16
cis-1,2-Dichloroethene	50.0	46.8		ug/L	94%	72 - 128	6105570	10/30/06 12:16
1,1-Dichloroethene	50.0	46.3		ug/L	93%	68 - 136	6105570	10/30/06 12:16
trans-1,2-Dichloroethene	50.0	46.5		ug/L	93%	73 - 131	6105570	10/30/06 12:16
2,2-Dichloropropane	50.0	51.8		ug/L	104%	43 - 147	6105570	10/30/06 12:16
1,3-Dichloropropane	50.0	49.3		ug/L	99%	80 - 121	6105570	10/30/06 12:16
1,2-Dichloropropane	50.0	58.2		ug/L	116%	76 - 128	6105570	10/30/06 12:16
trans-1,3-Dichloropropene	50.0	53.5		ug/L	107%	57 - 127	6105570	10/30/06 12:16
cis-1,3-Dichloropropene	50.0	50.8		ug/L	102%	61 - 134	6105570	10/30/06 12:16
1,1-Dichloropropene	50.0	50.7		ug/L	101%	75 - 129	6105570	10/30/06 12:16
Ethylbenzene	50.0	45.7		ug/L	91%	79 - 125	6105570	10/30/06 12:16
Hexachlorobutadiene	50.0	54.6		ug/L	109%	64 - 133	6105570	10/30/06 12:16
2-Hexanone	250	267		ug/L	107%	67 - 133	6105570	10/30/06 12:16
Isopropylbenzene	50.0	43.5		ug/L	87%	75 - 132	6105570	10/30/06 12:16
Diisopropyl Ether	50.0	44.7		ug/L	89%	73 - 135	6105570	10/30/06 12:16
Methyl tert-Butyl Ether	50.0	49.8		ug/L	100%	66 - 142	6105570	10/30/06 12:16
Methylene Chloride	50.0	58.8		ug/L	118%	74 - 137	6105570	10/30/06 12:16
4-Methyl-2-pentanone	250	255		ug/L	102%	73 - 133	6105570	10/30/06 12:16
Styrene	50.0	51.2		ug/L	102%	74 - 133	6105570	10/30/06 12:16
1,1,1,2-Tetrachloroethane	50.0	50.5		ug/L	101%	76 - 130	6105570	10/30/06 12:16
1,1,2,2-Tetrachloroethane	50.0	58.3		ug/L	117%	68 - 128	6105570	10/30/06 12:16
Tetrachloroethene	50.0	45.7		ug/L	91%	74 - 125	6105570	10/30/06 12:16

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B								
6105570-BS1								
Toluene	50.0	45.6		ug/L	91%	78 - 122	6105570	10/30/06 12:16
1,2,4-Trichlorobenzene	50.0	55.9		ug/L	112%	65 - 135	6105570	10/30/06 12:16
1,2,3-Trichlorobenzene	50.0	53.5		ug/L	107%	67 - 139	6105570	10/30/06 12:16
1,1,2-Trichloroethane	50.0	50.4		ug/L	101%	84 - 120	6105570	10/30/06 12:16
1,1,1-Trichloroethane	50.0	49.2		ug/L	98%	74 - 134	6105570	10/30/06 12:16
Trichloroethene	50.0	47.4		ug/L	95%	73 - 136	6105570	10/30/06 12:16
Trichlorofluoromethane	50.0	53.3		ug/L	107%	60 - 138	6105570	10/30/06 12:16
1,2,3-Trichloropropane	50.0	53.9		ug/L	108%	66 - 131	6105570	10/30/06 12:16
1,3,5-Trimethylbenzene	50.0	50.6		ug/L	101%	77 - 128	6105570	10/30/06 12:16
Vinyl chloride	50.0	54.6		ug/L	109%	56 - 137	6105570	10/30/06 12:16
Xylenes, total	150	135		ug/L	90%	79 - 130	6105570	10/30/06 12:16
1,2,4-Trimethylbenzene	50.0	49.9		ug/L	100%	77 - 128	6105570	10/30/06 12:16
Naphthalene	50.0	55.2		ug/L	110%	66 - 142	6105570	10/30/06 12:16
p-Isopropyltoluene	50.0	49.4		ug/L	99%	76 - 130	6105570	10/30/06 12:16
n-Propylbenzene	50.0	51.4		ug/L	103%	75 - 129	6105570	10/30/06 12:16
Surrogate: 1,2-Dichloroethane-d4	25.0	24.1			96%	70 - 130	6105570	10/30/06 12:16
Surrogate: Dibromofluoromethane	25.0	24.1			96%	79 - 122	6105570	10/30/06 12:16
Surrogate: Toluene-d8	25.0	22.8			91%	78 - 121	6105570	10/30/06 12:16
Surrogate: 4-Bromofluorobenzene	25.0	25.5			102%	78 - 126	6105570	10/30/06 12:16
6105620-BS1								
Acetone	250	290		ug/L	116%	57 - 160	6105620	10/31/06 00:54
Benzene	50.0	44.0		ug/L	88%	79 - 123	6105620	10/31/06 00:54
Bromobenzene	50.0	45.6		ug/L	91%	71 - 139	6105620	10/31/06 00:54
Bromochloromethane	50.0	51.3		ug/L	103%	80 - 126	6105620	10/31/06 00:54
Bromodichloromethane	50.0	45.9		ug/L	92%	68 - 133	6105620	10/31/06 00:54
Bromoform	50.0	49.1		ug/L	98%	43 - 135	6105620	10/31/06 00:54
Bromomethane	50.0	41.1		ug/L	82%	36 - 171	6105620	10/31/06 00:54
2-Butanone	250	304		ug/L	122%	72 - 138	6105620	10/31/06 00:54
sec-Butylbenzene	50.0	38.1		ug/L	76%	12 - 180	6105620	10/31/06 00:54
n-Butylbenzene	50.0	33.1		ug/L	66%	67 - 139	6105620	10/31/06 00:54
tert-Butylbenzene	50.0	40.0		ug/L	80%	12 - 180	6105620	10/31/06 00:54
Carbon disulfide	50.0	42.3	B	ug/L	85%	64 - 134	6105620	10/31/06 00:54
Carbon Tetrachloride	50.0	34.7		ug/L	69%	67 - 138	6105620	10/31/06 00:54
Chlorodibromomethane	50.0	42.2		ug/L	84%	68 - 134	6105620	10/31/06 00:54
Chloroethane	50.0	45.3		ug/L	91%	60 - 138	6105620	10/31/06 00:54
Chloroform	50.0	39.7		ug/L	79%	76 - 124	6105620	10/31/06 00:54
Chloromethane	50.0	37.2		ug/L	74%	12 - 180	6105620	10/31/06 00:54
4-Chlorotoluene	50.0	40.3		ug/L	81%	81 - 127	6105620	10/31/06 00:54
2-Chlorotoluene	50.0	42.6		ug/L	85%	81 - 129	6105620	10/31/06 00:54
1,2-Dibromo-3-chloropropane	50.0	46.0		ug/L	92%	56 - 131	6105620	10/31/06 00:54

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B								
6105620-BS1								
1,2-Dibromoethane (EDB)	50.0	46.2		ug/L	92%	83 - 128	6105620	10/31/06 00:54
Dibromomethane	50.0	47.9		ug/L	96%	78 - 124	6105620	10/31/06 00:54
1,4-Dichlorobenzene	50.0	39.8		ug/L	80%	80 - 124	6105620	10/31/06 00:54
1,3-Dichlorobenzene	50.0	41.7		ug/L	83%	82 - 127	6105620	10/31/06 00:54
1,2-Dichlorobenzene	50.0	42.3		ug/L	85%	83 - 130	6105620	10/31/06 00:54
Dichlorodifluoromethane	50.0	48.1		ug/L	96%	12 - 149	6105620	10/31/06 00:54
1,2-Dichloroethane	50.0	46.0		ug/L	92%	71 - 132	6105620	10/31/06 00:54
1,1-Dichloroethane	50.0	40.3		ug/L	81%	77 - 127	6105620	10/31/06 00:54
cis-1,2-Dichloroethene	50.0	40.1		ug/L	80%	77 - 126	6105620	10/31/06 00:54
1,1-Dichloroethene	50.0	44.8		ug/L	90%	73 - 129	6105620	10/31/06 00:54
trans-1,2-Dichloroethene	50.0	38.9		ug/L	78%	76 - 129	6105620	10/31/06 00:54
2,2-Dichloropropane	50.0	37.5		ug/L	75%	45 - 139	6105620	10/31/06 00:54
1,3-Dichloropropane	50.0	43.5		ug/L	87%	79 - 130	6105620	10/31/06 00:54
1,2-Dichloropropane	50.0	45.1		ug/L	90%	72 - 124	6105620	10/31/06 00:54
trans-1,3-Dichloropropene	50.0	40.4		ug/L	81%	64 - 127	6105620	10/31/06 00:54
cis-1,3-Dichloropropene	50.0	39.6		ug/L	79%	70 - 130	6105620	10/31/06 00:54
1,1-Dichloropropene	50.0	42.0		ug/L	84%	80 - 133	6105620	10/31/06 00:54
Ethylbenzene	50.0	42.0		ug/L	84%	83 - 125	6105620	10/31/06 00:54
Hexachlorobutadiene	50.0	37.7		ug/L	75%	63 - 135	6105620	10/31/06 00:54
2-Hexanone	250	267		ug/L	107%	67 - 141	6105620	10/31/06 00:54
Isopropylbenzene	50.0	46.3		ug/L	93%	73 - 126	6105620	10/31/06 00:54
Diisopropyl Ether	50.0	45.7		ug/L	91%	70 - 128	6105620	10/31/06 00:54
Methyl tert-Butyl Ether	50.0	55.2		ug/L	110%	64 - 129	6105620	10/31/06 00:54
Methylene Chloride	50.0	46.0		ug/L	92%	81 - 128	6105620	10/31/06 00:54
4-Methyl-2-pentanone	250	250		ug/L	100%	73 - 136	6105620	10/31/06 00:54
Styrene	50.0	43.5		ug/L	87%	82 - 136	6105620	10/31/06 00:54
1,1,1,2-Tetrachloroethane	50.0	44.4		ug/L	89%	79 - 130	6105620	10/31/06 00:54
1,1,2,2-Tetrachloroethane	50.0	54.4		ug/L	109%	70 - 137	6105620	10/31/06 00:54
Tetrachloroethene	50.0	38.4		ug/L	77%	76 - 127	6105620	10/31/06 00:54
Toluene	50.0	38.8		ug/L	78%	77 - 126	6105620	10/31/06 00:54
1,2,4-Trichlorobenzene	50.0	37.1		ug/L	74%	64 - 134	6105620	10/31/06 00:54
1,2,3-Trichlorobenzene	50.0	37.1		ug/L	74%	64 - 133	6105620	10/31/06 00:54
1,1,2-Trichloroethane	50.0	50.7		ug/L	101%	78 - 128	6105620	10/31/06 00:54
1,1,1-Trichloroethane	50.0	39.1		ug/L	78%	73 - 130	6105620	10/31/06 00:54
Trichloroethene	50.0	42.3		ug/L	85%	80 - 128	6105620	10/31/06 00:54
Trichlorofluoromethane	50.0	44.6		ug/L	89%	62 - 133	6105620	10/31/06 00:54
1,2,3-Trichloropropane	50.0	53.0		ug/L	106%	50 - 153	6105620	10/31/06 00:54
Vinyl chloride	50.0	42.7		ug/L	85%	61 - 131	6105620	10/31/06 00:54
Xylenes, total	150	127		ug/L	85%	78 - 130	6105620	10/31/06 00:54
Naphthalene	50.0	45.0	B	ug/L	90%	66 - 137	6105620	10/31/06 00:54

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B								
6105620-BS1								
n-Propylbenzene	50.0	44.9		ug/L	90%	76 - 132	6105620	10/31/06 00:54
Surrogate: 1,2-Dichloroethane-d4	25.0	23.6			94%	62 - 142	6105620	10/31/06 00:54
Surrogate: Dibromofluoromethane	25.0	23.6			94%	78 - 123	6105620	10/31/06 00:54
Surrogate: Toluene-d8	25.0	21.2			85%	79 - 120	6105620	10/31/06 00:54
Surrogate: 4-Bromofluorobenzene	25.0	25.6			102%	75 - 133	6105620	10/31/06 00:54
6105786-BS1								
Acetone	250	290		ug/L	116%	57 - 160	6105786	10/31/06 00:54
Benzene	50.0	44.0		ug/L	88%	79 - 123	6105786	10/31/06 00:54
Bromobenzene	50.0	45.6		ug/L	91%	71 - 139	6105786	10/31/06 00:54
Bromochloromethane	50.0	51.3		ug/L	103%	80 - 126	6105786	10/31/06 00:54
Bromodichloromethane	50.0	45.9		ug/L	92%	68 - 133	6105786	10/31/06 00:54
Bromoform	50.0	49.1		ug/L	98%	43 - 135	6105786	10/31/06 00:54
Bromomethane	50.0	41.1		ug/L	82%	36 - 171	6105786	10/31/06 00:54
2-Butanone	250	304		ug/L	122%	72 - 138	6105786	10/31/06 00:54
sec-Butylbenzene	50.0	38.1		ug/L	76%	12 - 180	6105786	10/31/06 00:54
n-Butylbenzene	50.0	33.1		ug/L	66%	67 - 139	6105786	10/31/06 00:54
tert-Butylbenzene	50.0	40.0		ug/L	80%	12 - 180	6105786	10/31/06 00:54
Carbon disulfide	50.0	42.3	B	ug/L	85%	64 - 134	6105786	10/31/06 00:54
Carbon Tetrachloride	50.0	34.7		ug/L	69%	67 - 138	6105786	10/31/06 00:54
Chlorobenzene	50.0	40.7		ug/L	81%	85 - 122	6105786	10/31/06 00:54
Chlorodibromomethane	50.0	42.2		ug/L	84%	68 - 134	6105786	10/31/06 00:54
Chloroethane	50.0	45.3		ug/L	91%	60 - 138	6105786	10/31/06 00:54
Chloroform	50.0	39.7		ug/L	79%	76 - 124	6105786	10/31/06 00:54
Chloromethane	50.0	37.2		ug/L	74%	12 - 180	6105786	10/31/06 00:54
4-Chlorotoluene	50.0	40.3		ug/L	81%	81 - 127	6105786	10/31/06 00:54
2-Chlorotoluene	50.0	42.6		ug/L	85%	81 - 129	6105786	10/31/06 00:54
1,2-Dibromo-3-chloropropane	50.0	46.0		ug/L	92%	56 - 131	6105786	10/31/06 00:54
1,2-Dibromoethane (EDB)	50.0	46.2		ug/L	92%	83 - 128	6105786	10/31/06 00:54
Dibromomethane	50.0	47.9		ug/L	96%	78 - 124	6105786	10/31/06 00:54
1,4-Dichlorobenzene	50.0	39.8		ug/L	80%	80 - 124	6105786	10/31/06 00:54
1,3-Dichlorobenzene	50.0	41.7		ug/L	83%	82 - 127	6105786	10/31/06 00:54
1,2-Dichlorobenzene	50.0	42.3		ug/L	85%	83 - 130	6105786	10/31/06 00:54
Dichlorodifluoromethane	50.0	48.1		ug/L	96%	12 - 149	6105786	10/31/06 00:54
1,2-Dichloroethane	50.0	46.0		ug/L	92%	71 - 132	6105786	10/31/06 00:54
1,1-Dichloroethane	50.0	40.3		ug/L	81%	77 - 127	6105786	10/31/06 00:54
cis-1,2-Dichloroethene	50.0	40.1		ug/L	80%	77 - 126	6105786	10/31/06 00:54
1,1-Dichloroethene	50.0	44.8		ug/L	90%	73 - 129	6105786	10/31/06 00:54
trans-1,2-Dichloroethene	50.0	38.9		ug/L	78%	76 - 129	6105786	10/31/06 00:54
2,2-Dichloropropane	50.0	37.5		ug/L	75%	45 - 139	6105786	10/31/06 00:54
1,3-Dichloropropane	50.0	43.5		ug/L	87%	79 - 130	6105786	10/31/06 00:54

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B								
6105786-BS1								
1,2-Dichloropropane	50.0	45.1		ug/L	90%	72 - 124	6105786	10/31/06 00:54
trans-1,3-Dichloropropene	50.0	40.4		ug/L	81%	64 - 127	6105786	10/31/06 00:54
cis-1,3-Dichloropropene	50.0	39.6		ug/L	79%	70 - 130	6105786	10/31/06 00:54
1,1-Dichloropropene	50.0	42.0		ug/L	84%	80 - 133	6105786	10/31/06 00:54
Ethylbenzene	50.0	42.0		ug/L	84%	83 - 125	6105786	10/31/06 00:54
Hexachlorobutadiene	50.0	37.7		ug/L	75%	63 - 135	6105786	10/31/06 00:54
2-Hexanone	250	267		ug/L	107%	67 - 141	6105786	10/31/06 00:54
Isopropylbenzene	50.0	46.3		ug/L	93%	73 - 126	6105786	10/31/06 00:54
Diisopropyl Ether	50.0	45.7		ug/L	91%	70 - 128	6105786	10/31/06 00:54
Methyl tert-Butyl Ether	50.0	55.2		ug/L	110%	64 - 129	6105786	10/31/06 00:54
Methylene Chloride	50.0	46.0		ug/L	92%	81 - 128	6105786	10/31/06 00:54
4-Methyl-2-pentanone	250	250		ug/L	100%	73 - 136	6105786	10/31/06 00:54
Styrene	50.0	43.5		ug/L	87%	82 - 136	6105786	10/31/06 00:54
1,1,1,2-Tetrachloroethane	50.0	44.4		ug/L	89%	79 - 130	6105786	10/31/06 00:54
1,1,2,2-Tetrachloroethane	50.0	54.4		ug/L	109%	70 - 137	6105786	10/31/06 00:54
Tetrachloroethene	50.0	38.4		ug/L	77%	76 - 127	6105786	10/31/06 00:54
Toluene	50.0	38.8		ug/L	78%	77 - 126	6105786	10/31/06 00:54
1,2,4-Trichlorobenzene	50.0	37.1		ug/L	74%	64 - 134	6105786	10/31/06 00:54
1,2,3-Trichlorobenzene	50.0	37.1		ug/L	74%	64 - 133	6105786	10/31/06 00:54
1,1,2-Trichloroethane	50.0	50.7		ug/L	101%	78 - 128	6105786	10/31/06 00:54
1,1,1-Trichloroethane	50.0	39.1		ug/L	78%	73 - 130	6105786	10/31/06 00:54
Trichloroethene	50.0	42.3		ug/L	85%	80 - 128	6105786	10/31/06 00:54
Trichlorofluoromethane	50.0	44.6		ug/L	89%	62 - 133	6105786	10/31/06 00:54
1,2,3-Trichloropropane	50.0	53.0		ug/L	106%	50 - 153	6105786	10/31/06 00:54
1,3,5-Trimethylbenzene	50.0	37.2		ug/L	74%	79 - 129	6105786	10/31/06 00:54
Vinyl chloride	50.0	42.7		ug/L	85%	61 - 131	6105786	10/31/06 00:54
Xylenes, total	150	127		ug/L	85%	78 - 130	6105786	10/31/06 00:54
1,2,4-Trimethylbenzene	50.0	37.0		ug/L	74%	78 - 130	6105786	10/31/06 00:54
Naphthalene	50.0	45.0	B	ug/L	90%	66 - 137	6105786	10/31/06 00:54
p-Isopropyltoluene	50.0	35.5		ug/L	71%	74 - 131	6105786	10/31/06 00:54
n-Propylbenzene	50.0	44.9		ug/L	90%	76 - 132	6105786	10/31/06 00:54
Surrogate: 1,2-Dichloroethane-d4	25.0	23.6			94%	62 - 142	6105786	10/31/06 00:54
Surrogate: Dibromofluoromethane	25.0	23.6			94%	78 - 123	6105786	10/31/06 00:54
Surrogate: Toluene-d8	25.0	21.2			85%	79 - 120	6105786	10/31/06 00:54
Surrogate: 4-Bromofluorobenzene	25.0	25.6			102%	75 - 133	6105786	10/31/06 00:54
6106087-BS1								
Acetone	250	347		ug/L	139%	41 - 152	6106087	10/28/06 14:31
Benzene	50.0	47.9		ug/L	96%	79 - 123	6106087	10/28/06 14:31
Bromobenzene	50.0	46.5		ug/L	93%	74 - 124	6106087	10/28/06 14:31
Bromochloromethane	50.0	49.2		ug/L	98%	70 - 134	6106087	10/28/06 14:31

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B								
6106087-BS1								
Bromodichloromethane	50.0	50.1		ug/L	100%	76 - 135	6106087	10/28/06 14:31
Bromoform	50.0	47.1		ug/L	94%	47 - 135	6106087	10/28/06 14:31
Bromomethane	50.0	49.1		ug/L	98%	53 - 162	6106087	10/28/06 14:31
2-Butanone	250	284		ug/L	114%	68 - 136	6106087	10/28/06 14:31
sec-Butylbenzene	50.0	49.8		ug/L	100%	76 - 128	6106087	10/28/06 14:31
n-Butylbenzene	50.0	53.2		ug/L	106%	70 - 134	6106087	10/28/06 14:31
tert-Butylbenzene	50.0	48.6		ug/L	97%	73 - 127	6106087	10/28/06 14:31
Carbon disulfide	50.0	52.3		ug/L	105%	71 - 138	6106087	10/28/06 14:31
Carbon Tetrachloride	50.0	49.2		ug/L	98%	71 - 136	6106087	10/28/06 14:31
Chlorobenzene	50.0	48.2		ug/L	96%	80 - 120	6106087	10/28/06 14:31
Chlorodibromomethane	50.0	51.2		ug/L	102%	68 - 126	6106087	10/28/06 14:31
Chloroethane	50.0	46.5		ug/L	93%	55 - 149	6106087	10/28/06 14:31
Chloroform	50.0	55.4		ug/L	111%	77 - 126	6106087	10/28/06 14:31
Chloromethane	50.0	55.6		ug/L	111%	39 - 151	6106087	10/28/06 14:31
4-Chlorotoluene	50.0	47.6		ug/L	95%	76 - 128	6106087	10/28/06 14:31
2-Chlorotoluene	50.0	47.4		ug/L	95%	73 - 130	6106087	10/28/06 14:31
1,2-Dibromo-3-chloropropane	50.0	47.6		ug/L	95%	56 - 130	6106087	10/28/06 14:31
1,2-Dibromoethane (EDB)	50.0	45.8		ug/L	92%	75 - 128	6106087	10/28/06 14:31
Dibromomethane	50.0	47.5		ug/L	95%	76 - 129	6106087	10/28/06 14:31
1,4-Dichlorobenzene	50.0	49.6		ug/L	99%	78 - 122	6106087	10/28/06 14:31
1,3-Dichlorobenzene	50.0	51.0		ug/L	102%	80 - 124	6106087	10/28/06 14:31
1,2-Dichlorobenzene	50.0	52.5		ug/L	105%	82 - 123	6106087	10/28/06 14:31
Dichlorodifluoromethane	50.0	37.0		ug/L	74%	28 - 161	6106087	10/28/06 14:31
1,2-Dichloroethane	50.0	50.0		ug/L	100%	74 - 131	6106087	10/28/06 14:31
1,1-Dichloroethane	50.0	46.4		ug/L	93%	72 - 131	6106087	10/28/06 14:31
cis-1,2-Dichloroethene	50.0	46.4		ug/L	93%	72 - 128	6106087	10/28/06 14:31
1,1-Dichloroethene	50.0	43.8		ug/L	88%	68 - 136	6106087	10/28/06 14:31
trans-1,2-Dichloroethene	50.0	49.3		ug/L	99%	73 - 131	6106087	10/28/06 14:31
2,2-Dichloropropane	50.0	49.0		ug/L	98%	43 - 147	6106087	10/28/06 14:31
1,3-Dichloropropane	50.0	45.5		ug/L	91%	80 - 121	6106087	10/28/06 14:31
1,2-Dichloropropane	50.0	58.5		ug/L	117%	76 - 128	6106087	10/28/06 14:31
trans-1,3-Dichloropropene	50.0	46.3		ug/L	93%	57 - 127	6106087	10/28/06 14:31
cis-1,3-Dichloropropene	50.0	44.0		ug/L	88%	61 - 134	6106087	10/28/06 14:31
1,1-Dichloropropene	50.0	51.6		ug/L	103%	75 - 129	6106087	10/28/06 14:31
Ethylbenzene	50.0	48.5		ug/L	97%	79 - 125	6106087	10/28/06 14:31
Hexachlorobutadiene	50.0	55.7		ug/L	111%	64 - 133	6106087	10/28/06 14:31
2-Hexanone	250	257		ug/L	103%	67 - 133	6106087	10/28/06 14:31
Isopropylbenzene	50.0	49.3		ug/L	99%	75 - 132	6106087	10/28/06 14:31
Diisopropyl Ether	50.0	47.6		ug/L	95%	73 - 135	6106087	10/28/06 14:31
Methyl tert-Butyl Ether	50.0	51.6		ug/L	103%	66 - 142	6106087	10/28/06 14:31

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B								
6106087-BS1								
Methylene Chloride	50.0	51.8		ug/L	104%	74 - 137	6106087	10/28/06 14:31
4-Methyl-2-pentanone	250	237		ug/L	95%	73 - 133	6106087	10/28/06 14:31
Styrene	50.0	57.6		ug/L	115%	74 - 133	6106087	10/28/06 14:31
1,1,1,2-Tetrachloroethane	50.0	48.5		ug/L	97%	76 - 130	6106087	10/28/06 14:31
1,1,2,2-Tetrachloroethane	50.0	50.3		ug/L	101%	68 - 128	6106087	10/28/06 14:31
Tetrachloroethene	50.0	44.2		ug/L	88%	74 - 125	6106087	10/28/06 14:31
Toluene	50.0	45.1		ug/L	90%	78 - 122	6106087	10/28/06 14:31
1,2,4-Trichlorobenzene	50.0	55.5		ug/L	111%	65 - 135	6106087	10/28/06 14:31
1,2,3-Trichlorobenzene	50.0	55.4		ug/L	111%	67 - 139	6106087	10/28/06 14:31
1,1,2-Trichloroethane	50.0	46.5		ug/L	93%	84 - 120	6106087	10/28/06 14:31
1,1,1-Trichloroethane	50.0	49.3		ug/L	99%	74 - 134	6106087	10/28/06 14:31
Trichloroethene	50.0	47.6		ug/L	95%	73 - 136	6106087	10/28/06 14:31
Trichlorofluoromethane	50.0	48.2		ug/L	96%	60 - 138	6106087	10/28/06 14:31
1,2,3-Trichloropropane	50.0	45.5		ug/L	91%	66 - 131	6106087	10/28/06 14:31
1,3,5-Trimethylbenzene	50.0	49.5		ug/L	99%	77 - 128	6106087	10/28/06 14:31
Vinyl chloride	50.0	47.6		ug/L	95%	56 - 137	6106087	10/28/06 14:31
Xylenes, total	150	151		ug/L	101%	79 - 130	6106087	10/28/06 14:31
1,2,4-Trimethylbenzene	50.0	49.6		ug/L	99%	77 - 128	6106087	10/28/06 14:31
Naphthalene	50.0	52.6		ug/L	105%	66 - 142	6106087	10/28/06 14:31
p-Isopropyltoluene	50.0	49.2		ug/L	98%	76 - 130	6106087	10/28/06 14:31
n-Propylbenzene	50.0	48.0		ug/L	96%	75 - 129	6106087	10/28/06 14:31
Surrogate: 1,2-Dichloroethane-d4	25.0	23.8			95%	70 - 130	6106087	10/28/06 14:31
Surrogate: Dibromofluoromethane	25.0	22.5			90%	79 - 122	6106087	10/28/06 14:31
Surrogate: Toluene-d8	25.0	21.8			87%	78 - 121	6106087	10/28/06 14:31
Surrogate: 4-Bromofluorobenzene	25.0	22.6			90%	78 - 126	6106087	10/28/06 14:31
Purgeable Petroleum Hydrocarbons								
6106178-BS1								
Gasoline Range Organics	3050	2310		ug/L	76%	67 - 130	6106178	10/29/06 00:40
Surrogate: 1,2-Dichloroethane-d4	50.0	56.1			112%	70 - 130	6106178	10/29/06 00:40
Surrogate: Dibromofluoromethane	50.0	56.3			113%	70 - 130	6106178	10/29/06 00:40
Surrogate: Toluene-d8	50.0	45.9			92%	70 - 130	6106178	10/29/06 00:40
Surrogate: 4-Bromofluorobenzene	50.0	41.9			84%	70 - 130	6106178	10/29/06 00:40
6106281-BS1								
Gasoline Range Organics	3050	2970		ug/L	97%	67 - 130	6106281	10/29/06 01:02
Surrogate: 1,2-Dichloroethane-d4	50.0	57.1			114%	70 - 130	6106281	10/29/06 01:02
Surrogate: Dibromofluoromethane	50.0	56.2			112%	70 - 130	6106281	10/29/06 01:02
Surrogate: Toluene-d8	50.0	51.5			103%	70 - 130	6106281	10/29/06 01:02
Surrogate: 4-Bromofluorobenzene	50.0	56.0			112%	70 - 130	6106281	10/29/06 01:02

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Purgeable Petroleum Hydrocarbons								
6110172-BS1								
Gasoline Range Organics	3050	2870		ug/L	94%	67 - 130	6110172	11/01/06 03:27
Surrogate: 1,2-Dichloroethane-d4	50.0	54.2			108%	70 - 130	6110172	11/01/06 03:27
Surrogate: Dibromofluoromethane	50.0	54.1			108%	70 - 130	6110172	11/01/06 03:27
Surrogate: Toluene-d8	50.0	54.9			110%	70 - 130	6110172	11/01/06 03:27
Surrogate: 4-Bromofluorobenzene	50.0	54.8			110%	70 - 130	6110172	11/01/06 03:27

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA

Matrix Spike

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B										
6105570-MS1										
Acetone	79.1	399		ug/L	250	128%	32 - 152	6105570	NPJ3229-01	10/30/06 21:37
Benzene	ND	48.3		ug/L	50.0	97%	71 - 137	6105570	NPJ3229-01	10/30/06 21:37
Bromobenzene	ND	44.9		ug/L	50.0	90%	69 - 133	6105570	NPJ3229-01	10/30/06 21:37
Bromochloromethane	ND	54.0		ug/L	50.0	108%	69 - 139	6105570	NPJ3229-01	10/30/06 21:37
Bromodichloromethane	ND	49.4		ug/L	50.0	99%	70 - 143	6105570	NPJ3229-01	10/30/06 21:37
Bromoform	ND	44.6		ug/L	50.0	89%	35 - 142	6105570	NPJ3229-01	10/30/06 21:37
Bromomethane	ND	38.3		ug/L	50.0	77%	28 - 179	6105570	NPJ3229-01	10/30/06 21:37
2-Butanone	ND	267		ug/L	250	107%	59 - 139	6105570	NPJ3229-01	10/30/06 21:37
sec-Butylbenzene	5.23	54.2		ug/L	50.0	98%	66 - 144	6105570	NPJ3229-01	10/30/06 21:37
n-Butylbenzene	9.97	61.2		ug/L	50.0	102%	57 - 148	6105570	NPJ3229-01	10/30/06 21:37
tert-Butylbenzene	ND	48.3		ug/L	50.0	97%	67 - 140	6105570	NPJ3229-01	10/30/06 21:37
Carbon disulfide	ND	58.9		ug/L	50.0	118%	53 - 154	6105570	NPJ3229-01	10/30/06 21:37
Carbon Tetrachloride	ND	47.9		ug/L	50.0	96%	63 - 146	6105570	NPJ3229-01	10/30/06 21:37
Chlorobenzene	ND	49.5		ug/L	50.0	99%	76 - 129	6105570	NPJ3229-01	10/30/06 21:37
Chlorodibromomethane	ND	47.5		ug/L	50.0	95%	64 - 127	6105570	NPJ3229-01	10/30/06 21:37
Chloroethane	ND	49.5		ug/L	50.0	99%	46 - 170	6105570	NPJ3229-01	10/30/06 21:37
Chloroform	ND	54.7		ug/L	50.0	109%	74 - 135	6105570	NPJ3229-01	10/30/06 21:37
Chloromethane	ND	52.2		ug/L	50.0	104%	24 - 163	6105570	NPJ3229-01	10/30/06 21:37
4-Chlorotoluene	ND	47.3		ug/L	50.0	95%	71 - 138	6105570	NPJ3229-01	10/30/06 21:37
2-Chlorotoluene	ND	47.3		ug/L	50.0	95%	69 - 139	6105570	NPJ3229-01	10/30/06 21:37
1,2-Dibromo-3-chloropropane	ND	46.6		ug/L	50.0	93%	48 - 137	6105570	NPJ3229-01	10/30/06 21:37
1,2-Dibromoethane (EDB)	ND	46.7		ug/L	50.0	93%	71 - 138	6105570	NPJ3229-01	10/30/06 21:37
Dibromomethane	ND	47.8		ug/L	50.0	96%	71 - 139	6105570	NPJ3229-01	10/30/06 21:37
1,4-Dichlorobenzene	ND	50.4		ug/L	50.0	101%	72 - 130	6105570	NPJ3229-01	10/30/06 21:37
1,3-Dichlorobenzene	ND	51.2		ug/L	50.0	102%	74 - 133	6105570	NPJ3229-01	10/30/06 21:37
1,2-Dichlorobenzene	ND	50.6		ug/L	50.0	101%	76 - 133	6105570	NPJ3229-01	10/30/06 21:37
Dichlorodifluoromethane	ND	36.8		ug/L	50.0	74%	14 - 173	6105570	NPJ3229-01	10/30/06 21:37
1,2-Dichloroethane	ND	47.1		ug/L	50.0	94%	70 - 140	6105570	NPJ3229-01	10/30/06 21:37
1,1-Dichloroethane	ND	46.2		ug/L	50.0	92%	66 - 144	6105570	NPJ3229-01	10/30/06 21:37
cis-1,2-Dichloroethene	ND	43.6		ug/L	50.0	87%	67 - 139	6105570	NPJ3229-01	10/30/06 21:37
1,1-Dichloroethene	ND	48.3		ug/L	50.0	97%	65 - 146	6105570	NPJ3229-01	10/30/06 21:37
trans-1,2-Dichloroethene	ND	47.9		ug/L	50.0	96%	64 - 146	6105570	NPJ3229-01	10/30/06 21:37
2,2-Dichloropropane	ND	22.9		ug/L	50.0	46%	19 - 166	6105570	NPJ3229-01	10/30/06 21:37
1,3-Dichloropropane	ND	44.4		ug/L	50.0	89%	75 - 130	6105570	NPJ3229-01	10/30/06 21:37
1,2-Dichloropropane	ND	59.1		ug/L	50.0	118%	73 - 136	6105570	NPJ3229-01	10/30/06 21:37
trans-1,3-Dichloropropene	ND	38.9		ug/L	50.0	78%	49 - 130	6105570	NPJ3229-01	10/30/06 21:37

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
Matrix Spike - Cont.

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B										
6105570-MS1										
cis-1,3-Dichloropropene	ND	36.8		ug/L	50.0	74%	52 - 140	6105570	NPJ3229-01	10/30/06 21:37
1,1-Dichloropropene	ND	48.4		ug/L	50.0	97%	72 - 139	6105570	NPJ3229-01	10/30/06 21:37
Ethylbenzene	ND	51.1		ug/L	50.0	102%	72 - 139	6105570	NPJ3229-01	10/30/06 21:37
Hexachlorobutadiene	ND	52.1		ug/L	50.0	104%	50 - 143	6105570	NPJ3229-01	10/30/06 21:37
2-Hexanone	ND	268		ug/L	250	107%	62 - 136	6105570	NPJ3229-01	10/30/06 21:37
Isopropylbenzene	1.17	57.1		ug/L	50.0	112%	67 - 147	6105570	NPJ3229-01	10/30/06 21:37
Diisopropyl Ether	14.8	64.2		ug/L	50.0	99%	67 - 143	6105570	NPJ3229-01	10/30/06 21:37
Methyl tert-Butyl Ether	0.770	53.5		ug/L	50.0	105%	55 - 152	6105570	NPJ3229-01	10/30/06 21:37
Methylene Chloride	ND	50.8		ug/L	50.0	102%	68 - 146	6105570	NPJ3229-01	10/30/06 21:37
4-Methyl-2-pentanone	ND	240		ug/L	250	96%	65 - 142	6105570	NPJ3229-01	10/30/06 21:37
Styrene	ND	56.4		ug/L	50.0	113%	57 - 149	6105570	NPJ3229-01	10/30/06 21:37
1,1,1,2-Tetrachloroethane	ND	48.2		ug/L	50.0	96%	70 - 139	6105570	NPJ3229-01	10/30/06 21:37
1,1,2,2-Tetrachloroethane	ND	48.8		ug/L	50.0	98%	64 - 137	6105570	NPJ3229-01	10/30/06 21:37
Tetrachloroethene	ND	46.5		ug/L	50.0	93%	70 - 135	6105570	NPJ3229-01	10/30/06 21:37
Toluene	ND	46.9		ug/L	50.0	94%	73 - 133	6105570	NPJ3229-01	10/30/06 21:37
1,2,4-Trichlorobenzene	ND	53.5		ug/L	50.0	107%	55 - 141	6105570	NPJ3229-01	10/30/06 21:37
1,2,3-Trichlorobenzene	ND	52.8		ug/L	50.0	106%	56 - 145	6105570	NPJ3229-01	10/30/06 21:37
1,1,2-Trichloroethane	ND	51.0		ug/L	50.0	102%	77 - 130	6105570	NPJ3229-01	10/30/06 21:37
1,1,1-Trichloroethane	ND	48.0		ug/L	50.0	96%	70 - 144	6105570	NPJ3229-01	10/30/06 21:37
Trichloroethene	ND	48.0		ug/L	50.0	96%	72 - 141	6105570	NPJ3229-01	10/30/06 21:37
Trichlorofluoromethane	ND	48.6		ug/L	50.0	97%	54 - 152	6105570	NPJ3229-01	10/30/06 21:37
1,2,3-Trichloropropane	ND	38.6		ug/L	50.0	77%	57 - 142	6105570	NPJ3229-01	10/30/06 21:37
1,3,5-Trimethylbenzene	3.09	51.8		ug/L	50.0	97%	68 - 141	6105570	NPJ3229-01	10/30/06 21:37
Vinyl chloride	ND	48.0		ug/L	50.0	96%	49 - 149	6105570	NPJ3229-01	10/30/06 21:37
Xylenes, total	ND	161		ug/L	150	107%	70 - 143	6105570	NPJ3229-01	10/30/06 21:37
1,2,4-Trimethylbenzene	4.81	53.6		ug/L	50.0	98%	67 - 143	6105570	NPJ3229-01	10/30/06 21:37
Naphthalene	ND	52.6		ug/L	50.0	105%	46 - 157	6105570	NPJ3229-01	10/30/06 21:37
p-Isopropyltoluene	1.64	51.9		ug/L	50.0	101%	67 - 142	6105570	NPJ3229-01	10/30/06 21:37
n-Propylbenzene	8.78	55.4		ug/L	50.0	93%	69 - 141	6105570	NPJ3229-01	10/30/06 21:37
<i>Surrogate: 1,2-Dichloroethane-d4</i>		22.2		ug/L	25.0	89%	70 - 130	6105570	NPJ3229-01	10/30/06 21:37
<i>Surrogate: Dibromofluoromethane</i>		22.1		ug/L	25.0	88%	79 - 122	6105570	NPJ3229-01	10/30/06 21:37
<i>Surrogate: Toluene-d8</i>		22.1		ug/L	25.0	88%	78 - 121	6105570	NPJ3229-01	10/30/06 21:37
<i>Surrogate: 4-Bromofluorobenzene</i>		22.4		ug/L	25.0	90%	78 - 126	6105570	NPJ3229-01	10/30/06 21:37
6106087-MS1										
Acetone	ND	295		ug/L	250	118%	32 - 152	6106087	NPJ3396-03	10/29/06 01:00
Benzene	ND	49.7		ug/L	50.0	99%	71 - 137	6106087	NPJ3396-03	10/29/06 01:00

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
Matrix Spike - Cont.

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B										
6106087-MS1										
Bromobenzene	ND	45.9		ug/L	50.0	92%	69 - 133	6106087	NPJ3396-03	10/29/06 01:00
Bromochloromethane	ND	54.1		ug/L	50.0	108%	69 - 139	6106087	NPJ3396-03	10/29/06 01:00
Bromodichloromethane	ND	51.3		ug/L	50.0	103%	70 - 143	6106087	NPJ3396-03	10/29/06 01:00
Bromoform	ND	47.9		ug/L	50.0	96%	35 - 142	6106087	NPJ3396-03	10/29/06 01:00
Bromomethane	ND	43.7		ug/L	50.0	87%	28 - 179	6106087	NPJ3396-03	10/29/06 01:00
2-Butanone	ND	265		ug/L	250	106%	59 - 139	6106087	NPJ3396-03	10/29/06 01:00
sec-Butylbenzene	ND	51.5		ug/L	50.0	103%	66 - 144	6106087	NPJ3396-03	10/29/06 01:00
n-Butylbenzene	ND	54.7		ug/L	50.0	109%	57 - 148	6106087	NPJ3396-03	10/29/06 01:00
tert-Butylbenzene	ND	49.8		ug/L	50.0	100%	67 - 140	6106087	NPJ3396-03	10/29/06 01:00
Carbon disulfide	ND	58.9		ug/L	50.0	118%	53 - 154	6106087	NPJ3396-03	10/29/06 01:00
Carbon Tetrachloride	ND	49.5		ug/L	50.0	99%	63 - 146	6106087	NPJ3396-03	10/29/06 01:00
Chlorobenzene	ND	50.7		ug/L	50.0	101%	76 - 129	6106087	NPJ3396-03	10/29/06 01:00
Chlorodibromomethane	ND	50.2		ug/L	50.0	100%	64 - 127	6106087	NPJ3396-03	10/29/06 01:00
Chloroethane	ND	47.6		ug/L	50.0	95%	46 - 170	6106087	NPJ3396-03	10/29/06 01:00
Chloroform	ND	55.0		ug/L	50.0	110%	74 - 135	6106087	NPJ3396-03	10/29/06 01:00
Chloromethane	ND	58.0		ug/L	50.0	116%	24 - 163	6106087	NPJ3396-03	10/29/06 01:00
4-Chlorotoluene	ND	48.4		ug/L	50.0	97%	71 - 138	6106087	NPJ3396-03	10/29/06 01:00
2-Chlorotoluene	ND	47.7		ug/L	50.0	95%	69 - 139	6106087	NPJ3396-03	10/29/06 01:00
1,2-Dibromo-3-chloropropane	ND	48.8		ug/L	50.0	98%	48 - 137	6106087	NPJ3396-03	10/29/06 01:00
1,2-Dibromoethane (EDB)	ND	46.7		ug/L	50.0	93%	71 - 138	6106087	NPJ3396-03	10/29/06 01:00
Dibromomethane	ND	48.5		ug/L	50.0	97%	71 - 139	6106087	NPJ3396-03	10/29/06 01:00
1,4-Dichlorobenzene	ND	52.2		ug/L	50.0	104%	72 - 130	6106087	NPJ3396-03	10/29/06 01:00
1,3-Dichlorobenzene	ND	53.0		ug/L	50.0	106%	74 - 133	6106087	NPJ3396-03	10/29/06 01:00
1,2-Dichlorobenzene	ND	53.4		ug/L	50.0	107%	76 - 133	6106087	NPJ3396-03	10/29/06 01:00
Dichlorodifluoromethane	ND	38.1		ug/L	50.0	76%	14 - 173	6106087	NPJ3396-03	10/29/06 01:00
1,2-Dichloroethane	ND	48.0		ug/L	50.0	96%	70 - 140	6106087	NPJ3396-03	10/29/06 01:00
1,1-Dichloroethane	ND	45.1		ug/L	50.0	90%	66 - 144	6106087	NPJ3396-03	10/29/06 01:00
cis-1,2-Dichloroethene	ND	46.2		ug/L	50.0	92%	67 - 139	6106087	NPJ3396-03	10/29/06 01:00
1,1-Dichloroethene	ND	47.7		ug/L	50.0	95%	65 - 146	6106087	NPJ3396-03	10/29/06 01:00
trans-1,2-Dichloroethene	ND	48.8		ug/L	50.0	98%	64 - 146	6106087	NPJ3396-03	10/29/06 01:00
2,2-Dichloropropane	ND	45.0		ug/L	50.0	90%	19 - 166	6106087	NPJ3396-03	10/29/06 01:00
1,3-Dichloropropane	ND	45.2		ug/L	50.0	90%	75 - 130	6106087	NPJ3396-03	10/29/06 01:00
1,2-Dichloropropane	ND	62.2		ug/L	50.0	124%	73 - 136	6106087	NPJ3396-03	10/29/06 01:00
trans-1,3-Dichloropropene	ND	46.0		ug/L	50.0	92%	49 - 130	6106087	NPJ3396-03	10/29/06 01:00
cis-1,3-Dichloropropene	ND	43.4		ug/L	50.0	87%	52 - 140	6106087	NPJ3396-03	10/29/06 01:00
1,1-Dichloropropene	ND	50.3		ug/L	50.0	101%	72 - 139	6106087	NPJ3396-03	10/29/06 01:00
Ethylbenzene	ND	52.6		ug/L	50.0	105%	72 - 139	6106087	NPJ3396-03	10/29/06 01:00

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
Matrix Spike - Cont.

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B										
6106087-MS1										
Hexachlorobutadiene	ND	57.8		ug/L	50.0	116%	50 - 143	6106087	NPJ3396-03	10/29/06 01:00
2-Hexanone	ND	257		ug/L	250	103%	62 - 136	6106087	NPJ3396-03	10/29/06 01:00
Isopropylbenzene	ND	57.9		ug/L	50.0	116%	67 - 147	6106087	NPJ3396-03	10/29/06 01:00
Diisopropyl Ether	ND	51.2		ug/L	50.0	102%	67 - 143	6106087	NPJ3396-03	10/29/06 01:00
Methyl tert-Butyl Ether	ND	55.4		ug/L	50.0	111%	55 - 152	6106087	NPJ3396-03	10/29/06 01:00
Methylene Chloride	ND	53.4		ug/L	50.0	107%	68 - 146	6106087	NPJ3396-03	10/29/06 01:00
4-Methyl-2-pentanone	ND	234		ug/L	250	94%	65 - 142	6106087	NPJ3396-03	10/29/06 01:00
Styrene	ND	57.8		ug/L	50.0	116%	57 - 149	6106087	NPJ3396-03	10/29/06 01:00
1,1,1,2-Tetrachloroethane	ND	49.3		ug/L	50.0	99%	70 - 139	6106087	NPJ3396-03	10/29/06 01:00
1,1,2,2-Tetrachloroethane	ND	48.9		ug/L	50.0	98%	64 - 137	6106087	NPJ3396-03	10/29/06 01:00
Tetrachloroethene	ND	46.7		ug/L	50.0	93%	70 - 135	6106087	NPJ3396-03	10/29/06 01:00
Toluene	ND	47.0		ug/L	50.0	94%	73 - 133	6106087	NPJ3396-03	10/29/06 01:00
1,2,4-Trichlorobenzene	ND	54.9		ug/L	50.0	110%	55 - 141	6106087	NPJ3396-03	10/29/06 01:00
1,2,3-Trichlorobenzene	ND	54.5		ug/L	50.0	109%	56 - 145	6106087	NPJ3396-03	10/29/06 01:00
1,1,2-Trichloroethane	ND	45.5		ug/L	50.0	91%	77 - 130	6106087	NPJ3396-03	10/29/06 01:00
1,1,1-Trichloroethane	ND	49.3		ug/L	50.0	99%	70 - 144	6106087	NPJ3396-03	10/29/06 01:00
Trichloroethene	ND	49.3		ug/L	50.0	99%	72 - 141	6106087	NPJ3396-03	10/29/06 01:00
Trichlorofluoromethane	ND	49.5		ug/L	50.0	99%	54 - 152	6106087	NPJ3396-03	10/29/06 01:00
1,2,3-Trichloropropane	ND	44.1		ug/L	50.0	88%	57 - 142	6106087	NPJ3396-03	10/29/06 01:00
1,3,5-Trimethylbenzene	ND	50.1		ug/L	50.0	100%	68 - 141	6106087	NPJ3396-03	10/29/06 01:00
Vinyl chloride	ND	48.1		ug/L	50.0	96%	49 - 149	6106087	NPJ3396-03	10/29/06 01:00
Xylenes, total	0.690	166		ug/L	150	110%	70 - 143	6106087	NPJ3396-03	10/29/06 01:00
1,2,4-Trimethylbenzene	ND	50.4		ug/L	50.0	101%	67 - 143	6106087	NPJ3396-03	10/29/06 01:00
Naphthalene	0.470	50.1		ug/L	50.0	99%	46 - 157	6106087	NPJ3396-03	10/29/06 01:00
p-Isopropyltoluene	ND	52.6		ug/L	50.0	105%	67 - 142	6106087	NPJ3396-03	10/29/06 01:00
n-Propylbenzene	ND	48.9		ug/L	50.0	98%	69 - 141	6106087	NPJ3396-03	10/29/06 01:00
Surrogate: 1,2-Dichloroethane-d4		22.2		ug/L	25.0	89%	70 - 130	6106087	NPJ3396-03	10/29/06 01:00
Surrogate: Dibromofluoromethane		22.0		ug/L	25.0	88%	79 - 122	6106087	NPJ3396-03	10/29/06 01:00
Surrogate: Toluene-d8		21.6		ug/L	25.0	86%	78 - 121	6106087	NPJ3396-03	10/29/06 01:00
Surrogate: 4-Bromofluorobenzene		21.4		ug/L	25.0	86%	78 - 126	6106087	NPJ3396-03	10/29/06 01:00
Purgeable Petroleum Hydrocarbons										
6106178-MS1										
Gasoline Range Organics	ND	2340		ug/L	3050	77%	60 - 140	6106178	NPJ3574-03	10/29/06 09:24
Surrogate: 1,2-Dichloroethane-d4		60.5		ug/L	50.0	121%	0 - 200	6106178	NPJ3574-03	10/29/06 09:24
Surrogate: Dibromofluoromethane		60.6		ug/L	50.0	121%	0 - 200	6106178	NPJ3574-03	10/29/06 09:24
Surrogate: Toluene-d8		48.6		ug/L	50.0	97%	0 - 200	6106178	NPJ3574-03	10/29/06 09:24

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
Matrix Spike - Cont.

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Purgeable Petroleum Hydrocarbons										
6106178-MS1										
<i>Surrogate: 4-Bromofluorobenzene</i>		42.2		ug/L	50.0	84%	0 - 200	6106178	NPJ3574-03	10/29/06 09:24
6106281-MS1										
Gasoline Range Organics	2470	5310		ug/L	3050	93%	60 - 140	6106281	NPJ3348-01	10/29/06 10:47
<i>Surrogate: 1,2-Dichloroethane-d4</i>		56.3		ug/L	50.0	113%	0 - 200	6106281	NPJ3348-01	10/29/06 10:47
<i>Surrogate: Dibromofluoromethane</i>		54.5		ug/L	50.0	109%	0 - 200	6106281	NPJ3348-01	10/29/06 10:47
<i>Surrogate: Toluene-d8</i>		50.3		ug/L	50.0	101%	0 - 200	6106281	NPJ3348-01	10/29/06 10:47
<i>Surrogate: 4-Bromofluorobenzene</i>		56.5		ug/L	50.0	113%	0 - 200	6106281	NPJ3348-01	10/29/06 10:47

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

PROJECT QUALITY CONTROL DATA
Matrix Spike Dup - Cont.

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B												
6106087-MSD1												
Tetrachloroethene	ND	44.3		ug/L	50.0	89%	70 - 135	5	21	6106087	NPJ3396-03	10/29/06 01:25
Toluene	ND	45.4		ug/L	50.0	91%	73 - 133	3	25	6106087	NPJ3396-03	10/29/06 01:25
1,2,4-Trichlorobenzene	ND	54.1		ug/L	50.0	108%	55 - 141	1	26	6106087	NPJ3396-03	10/29/06 01:25
1,2,3-Trichlorobenzene	ND	55.5		ug/L	50.0	111%	56 - 145	2	34	6106087	NPJ3396-03	10/29/06 01:25
1,1,2-Trichloroethane	ND	43.6		ug/L	50.0	87%	77 - 130	4	20	6106087	NPJ3396-03	10/29/06 01:25
1,1,1-Trichloroethane	ND	47.9		ug/L	50.0	96%	70 - 144	3	23	6106087	NPJ3396-03	10/29/06 01:25
Trichloroethene	ND	47.6		ug/L	50.0	95%	72 - 141	4	25	6106087	NPJ3396-03	10/29/06 01:25
Trichlorofluoromethane	ND	48.2		ug/L	50.0	96%	54 - 152	3	23	6106087	NPJ3396-03	10/29/06 01:25
1,2,3-Trichloropropane	ND	43.4		ug/L	50.0	87%	57 - 142	2	24	6106087	NPJ3396-03	10/29/06 01:25
1,3,5-Trimethylbenzene	ND	47.7		ug/L	50.0	95%	68 - 141	5	26	6106087	NPJ3396-03	10/29/06 01:25
Vinyl chloride	ND	48.8		ug/L	50.0	98%	49 - 149	1	24	6106087	NPJ3396-03	10/29/06 01:25
Xylenes, total	0.690	163		ug/L	150	108%	70 - 143	2	27	6106087	NPJ3396-03	10/29/06 01:25
1,2,4-Trimethylbenzene	ND	47.9		ug/L	50.0	96%	67 - 143	5	23	6106087	NPJ3396-03	10/29/06 01:25
Naphthalene	0.470	53.2		ug/L	50.0	105%	46 - 157	6	43	6106087	NPJ3396-03	10/29/06 01:25
p-Isopropyltoluene	ND	50.1		ug/L	50.0	100%	67 - 142	5	24	6106087	NPJ3396-03	10/29/06 01:25
n-Propylbenzene	ND	46.6		ug/L	50.0	93%	69 - 141	5	25	6106087	NPJ3396-03	10/29/06 01:25
Surrogate: 1,2-Dichloroethane-d4		22.0		ug/L	25.0	88%	70 - 130			6106087	NPJ3396-03	10/29/06 01:25
Surrogate: Dibromofluoromethane		21.9		ug/L	25.0	88%	79 - 122			6106087	NPJ3396-03	10/29/06 01:25
Surrogate: Toluene-d8		21.5		ug/L	25.0	86%	78 - 121			6106087	NPJ3396-03	10/29/06 01:25
Surrogate: 4-Bromofluorobenzene		21.5		ug/L	25.0	86%	78 - 126			6106087	NPJ3396-03	10/29/06 01:25
Purgeable Petroleum Hydrocarbons												
6106178-MSD1												
Gasoline Range Organics	ND	2360		ug/L	3050	77%	60 - 140	0.9	40	6106178	NPJ3574-03	10/29/06 09:48
Surrogate: 1,2-Dichloroethane-d4		58.0		ug/L	50.0	116%	0 - 200			6106178	NPJ3574-03	10/29/06 09:48
Surrogate: Dibromofluoromethane		57.2		ug/L	50.0	114%	0 - 200			6106178	NPJ3574-03	10/29/06 09:48
Surrogate: Toluene-d8		44.5		ug/L	50.0	89%	0 - 200			6106178	NPJ3574-03	10/29/06 09:48
Surrogate: 4-Bromofluorobenzene		44.5		ug/L	50.0	89%	0 - 200			6106178	NPJ3574-03	10/29/06 09:48
6106281-MSD1												
Gasoline Range Organics	2470	5300		ug/L	3050	93%	60 - 140	0.2	40	6106281	NPJ3348-01	10/29/06 11:11
Surrogate: 1,2-Dichloroethane-d4		56.1		ug/L	50.0	112%	0 - 200			6106281	NPJ3348-01	10/29/06 11:11
Surrogate: Dibromofluoromethane		54.9		ug/L	50.0	110%	0 - 200			6106281	NPJ3348-01	10/29/06 11:11
Surrogate: Toluene-d8		50.4		ug/L	50.0	101%	0 - 200			6106281	NPJ3348-01	10/29/06 11:11
Surrogate: 4-Bromofluorobenzene		56.2		ug/L	50.0	112%	0 - 200			6106281	NPJ3348-01	10/29/06 11:11

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
 270 Perkins Street
 Sonoma, CA 95476
 Attn Ana Friel

Work Order: NPJ3169
 Project Name: 1285 Bancroft Ave., San Leandro, CA
 Project Number: SAP 136017
 Received: 10/24/06 08:00

CERTIFICATION SUMMARY

TestAmerica - Nashville, TN

Method	Matrix	AIHA	Nelac	California
CA LUFT GC/MS	Water			X
NA	Water			
SW846 8260B	Water	N/A	X	X

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
270 Perkins Street
Sonoma, CA 95476
Attn Ana Friel

Work Order: NPJ3169
Project Name: 1285 Bancroft Ave., San Leandro, CA
Project Number: SAP 136017
Received: 10/24/06 08:00

NELAC CERTIFICATION SUMMARY

TestAmerica Analytical - Nashville does not hold NELAC certifications for the following analytes included in this report

<u>Method</u>	<u>Matrix</u>	<u>Analyte</u>
CA LUFT GC/MS	Water	Gasoline Range Organics

Client Cambria Env. Tech. (Sonoma) / SHELL (13674)
270 Perkins Street
Sonoma, CA 95476
Attn Ana Friel

Work Order: NPJ3169
Project Name: 1285 Bancroft Ave., San Leandro, CA
Project Number: SAP 136017
Received: 10/24/06 08:00

DATA QUALIFIERS AND DEFINITIONS

B Analyte was detected in the associated Method Blank.
CF7 Result may be elevated due to carry over from previously analyzed sample.
E Concentration exceeds the calibration range and therefore result is semi-quantitative.
S10 Insufficient sample available for reanalysis.
ZX Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.

METHOD MODIFICATION NOTES

- LAB:
- TA - Irvine, California
 - TA - Morgan Hill, California
 - TA - Sacramento, California
 - TA - Nashville, Tennessee
 - Calscience
 - Other _____



SHELL Chain Of Custody Record

NAME OF PERSON TO BILL: Denis Brown				INCIDENT # (ES ONLY)							DATE: 10/19/06	
				9 8 9 9 6 0 6 7								
<input checked="" type="checkbox"/> ENVIRONMENTAL SERVICES <input type="checkbox"/> NETWORK DEV / FE <input type="checkbox"/> COMPLIANCE				<input type="checkbox"/> CHECK BOX TO VERIFY IF NO INCIDENT # APPLIES				PO # _____ SAP or CRMT # _____				PAGE: 1 of 2
<input type="checkbox"/> BILL CONSULTANT <input type="checkbox"/> RMT/CRMT												

SAMPLING COMPANY: Blaine Tech Services		LOG CODE: BTSS	SITE ADDRESS: Street and City 1285 Bancroft Ave., San Leandro		State CA	GLOBAL ID NO.: T0600101224		
ADDRESS: 1680 Rogers Avenue, San Jose, CA 95112			EDF DELIVERABLE TO (Name, Company, Office Location): <i>Ana Fried, Cambria, Sonoma</i>		PHONE NO.: (707) 266-3812	E-MAIL: sonomae@shell.em.edf@Cambria-env.com		
PROJECT CONTACT (Hardcopy or PDF Report to): Michael Ninokata			CONSULTANT PROJECT NO.: BTS # CG1019-DA1		SAMPLER NAME(S) (Print): <i>D. Rains</i>			
TELEPHONE: 408-573-0555	FAX: 408-573-7771	E-MAIL: mninokata@blainetech.com						LAB USE ONLY

TAT (STD IS 10 BUSINESS DAYS / RUSH IS CALENDAR DAYS):

STD 5 DAY 3 DAY 2 DAY 24 HOURS

RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT UST AGENCY: _____

SPECIAL INSTRUCTIONS OR NOTES:

EDD NOT NEEDED
 SHELL CONTRACT RATE APPLIES
 STATE REIMB RATE APPLIES
 RECEIPT VERIFICATION REQUESTED

REQUESTED ANALYSIS														FIELD NOTES: Container/Preservative or PID Readings or Laboratory Notes					
TPH - Gas, Purgeable (8260B)	TPH - Diesel, Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	TPH-motor oil (8015M)		TDS (160.1)	Total Iron (6010B)	Total Lead (6010B)	Chlorinated Solvents (8260)	Total Oil and Grease (1664A)
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	NO. OF CONT.	TEMPERATURE ON RECEIPT C°																	
		DATE	TIME																				
	MW-1	10/19/06	1228	W	3																		
	MW-2		1352	W	3																		
	MW-3		1336	W	3																		
	MW-4		1317	W	3																		
	MW-5		1408	W	3																		
	MW-6		1146	W	3																		
	MW-7		1115	W	3																		
	MW-8		1052	W	3																		
	MW-9		1303	W	3																		
	MW-10		1026	W	3																		

Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date: 10/19/06	Time: 1550
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) David Motta - <i>[Signature]</i> (TM MH)	Date: 10/20/06	Time: 15:08
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:

- TA - Irvine, California
- TA - Morgan Hill, California
- TA - Sacramento, California
- TA - Nashville, Tennessee
- Calscience
- Other _____



SHELL Chain of Custody Record

NAME OF PERSON TO BILL: Denis Brown				INCIDENT # (ES ONLY)				DATE: <u>10/19/06</u>
<input checked="" type="checkbox"/> ENVIRONMENTAL SERVICES <input type="checkbox"/> NETWORK DEV / FE <input type="checkbox"/> COMPLIANCE				<input type="checkbox"/> CHECK BOX TO VERIFY IF NO INCIDENT # APPLIES PO # _____				
<input type="checkbox"/> BILL CONSULTANT <input type="checkbox"/> RMT/CRMT				SAP or CRMT # _____				

SAMPLING COMPANY: Blaine Tech Services		LOG CODE: BTSS	SITE ADDRESS: Street and City 1285 Bancroft Ave., San Leandro		State CA	GLOBAL ID NO.: T0600101224		
ADDRESS: 1680 Rogers Avenue, San Jose, CA 95112			EDF DELIVERABLE TO (Name, Company, Office Location): Ana Friel, Cambria, Sonoma		PHONE NO.: (707) 268-5812	E-MAIL: ScolomedeF		
PROJECT CONTACT (Hardcopy or PDF Report to): Michael Ninokata			Anni Kreml, Cambria, Emeryville Office		548-420-3335	shell.em.edf@cambria-env.com		
TELEPHONE: 408-573-0555	FAX: 408-573-7771	E-MAIL: mminokata@blainetech.com	SAMPLER NAME(S) (Print): D. Rayne				LAB USE ONLY	

TAT (STD IS 10 BUSINESS DAYS / RUSH IS CALENDAR DAYS):
 STD 5 DAY 3 DAY 2 DAY 24 HOURS RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT UST AGENCY: _____

SPECIAL INSTRUCTIONS OR NOTES:
 EDD NOT NEEDED
 SHELL CONTRACT RATE APPLIES
 STATE REIMB RATE APPLIES
 RECEIPT VERIFICATION REQUESTED


Field Sample Identification		SAMPLING		MATRX	NO. OF CONT.	TPH - Gas, Purgeable (8260B)	TPH - Diesel, Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	TPH-motor oil (8015M)	TDS (160.1)	Total Iron (6010B)	Total Lead (6010B)	Chlorinated Solvent (8160)	Total Oil and Grease (1664A)	TEMPERATURE ON RECEIPT °C	FIELD NOTES: Container/Preservative or PID Readings or Laboratory Notes	
		DATE	TIME																								
MW-11		10/19/06	1009	W	3	X	X	X																			
MW-12		10/19/06	950	W	3	X	X	X																			
1W-1		10/19/06	927	W	3	X	X	X																			

LAB USE ONLY	Field Sample Identification		SAMPLING		MATRX	NO. OF CONT.	TPH - Gas, Purgeable (8260B)	TPH - Diesel, Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	TPH-motor oil (8015M)	TDS (160.1)	Total Iron (6010B)	Total Lead (6010B)	Chlorinated Solvent (8160)	Total Oil and Grease (1664A)	TEMPERATURE ON RECEIPT °C	FIELD NOTES: Container/Preservative or PID Readings or Laboratory Notes
			DATE	TIME																							
	MW-11		10/19/06	1009	W	3	X	X	X																		
	MW-12		10/19/06	950	W	3	X	X	X																		
	1W-1		10/19/06	927	W	3	X	X	X																		

Relinquished by: (Signature) 	Received by: (Signature) 	Date: <u>10/19/06</u>	Time: <u>1550</u>
Relinquished by: (Signature) 	Received by: (Signature) <u>Steve Mathew (TIA MIA)</u>	Date: <u>10/20/06</u>	Time: <u>15:08</u>
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:

Nashville Division

COOLER RECEIPT FORM



BC#

NPJ3169

Cooler Received/Opened On 10/24/06 0800

1. Indicate the Airbill Tracking Number (last 4 digits for Fedex only) and Name of Courier below: 2533

Fed-Ex UPS Velocity DHL Route Off-street Misc.

2. Temperature of representative sample or temperature blank when opened: 4.6 Degrees Celsius (indicate IR Gun ID#)

NA A00466 A00750 A01124 100190 101282 Raynger ST

3. Were custody seals on outside of cooler?..... YES...NO...NA
 a. If yes, how many and where: _____

4. Were the seals intact, signed, and dated correctly?..... YES...NO...NA

5. Were custody papers inside cooler?..... YES...NO...NA

I certify that I opened the cooler and answered questions 1-5 (initial)..... JP

6. Were custody seals on containers: YES NO and Intact YES NO NA
 were these signed, and dated correctly?..... YES...NO...NA

7. What kind of packing material used? Bubblewrap Peanuts Vermiculite Foam Insert
Plastic bag Paper Other _____ None

8. Cooling process: Ice Ice-pack Ice (direct contact) Dry ice Other None

9. Did all containers arrive in good condition (unbroken)?..... YES...NO...NA

10. Were all container labels complete (#, date, signed, pres., etc)?..... YES...NO...NA

11. Did all container labels and tags agree with custody papers?..... YES...NO...NA

12. a. Were VOA vials received?..... YES...NO...NA

b. Was there any observable head space present in any VOA vial?..... YES...NO...NA

I certify that I unloaded the cooler and answered questions 6-12 (initial)..... JL

13. a. On preserved bottles did the pH test strips suggest that preservation reached the correct pH level? YES...NO...NA

b. Did the bottle labels indicate that the correct preservatives were used..... YES...NO...NA

If preservation in-house was needed, record standard ID of preservative used here _____

14. Was residual chlorine present?..... YES...NO...NA

I certify that I checked for chlorine and pH as per SOP and answered questions 13-14 (initial)..... JL

15. Were custody papers properly filled out (ink, signed, etc)?..... YES...NO...NA

16. Did you sign the custody papers in the appropriate place?..... YES...NO...NA

17. Were correct containers used for the analysis requested?..... YES...NO...NA

18. Was sufficient amount of sample sent in each container?..... YES...NO...NA

I certify that I entered this project into LIMS and answered questions 15-18 (initial)..... JL

I certify that I attached a label with the unique LIMS number to each container (initial)..... JL

19. Were there Non-Conformance issues at login YES NO Was a PIPE generated YES NO # _____

LAB:

- TA - Irvine, California
- TA - Morgan Hill, California
- TA - Sacramento, California
- TA - Nashville, Tennessee
- Calscience
- Other _____



SHELL Chain Of Custody Record

NAME OF PERSON TO BILL: Denis Brown		INCIDENT # (ES ONLY)	
<input checked="" type="checkbox"/> ENVIRONMENTAL SERVICES <input type="checkbox"/> NETWORK DEV / FE <input type="checkbox"/> COMPLIANCE		<input type="checkbox"/> CHECK BOX TO VERIFY IF NO INCIDENT # APPLIES <div style="display: flex; justify-content: space-around; font-weight: bold; font-size: 1.2em;"> 98996067 </div>	
<input type="checkbox"/> BILL CONSULTANT <input type="checkbox"/> RMT/CRMT		SAP or CRMT #	
PO #			

DATE: 10/19/06
PAGE: 1 of 2

SAMPLING COMPANY: Blaine Tech Services		LOG CODE: BTSS	SITE ADDRESS: Street and City 1285 Bancroft Ave., San Leandro		State CA	GLOBAL ID NO.: T0600101224
ADDRESS: 1680 Rogers Avenue, San Jose, CA 95112		EDF DELIVERABLE TO (Name, Company, Office Location): Anni Kreml, Cambria, Emeryville Office		PHONE NO.: 510-420-3335	E-MAIL: shell.em.edf@cambria-env.com	CONSULTANT PROJECT NO.: BTS # CG1019-DA1
PROJECT CONTACT (Hardcopy or PDF Report to): Michael Ninokata		SAMPLER NAME(S) (Print): D. Rains		LAB USE ONLY		
TELEPHONE: 408-573-0555	FAX: 408-573-7771	E-MAIL: mninokata@blainetech.com				

TAT (STD IS 10 BUSINESS DAYS / RUSH IS CALENDAR DAYS):
 STD 5 DAY 3 DAY 2 DAY 24 HOURS
 RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT UST AGENCY:

SPECIAL INSTRUCTIONS OR NOTES:

NPJ3169

11/07/06 23:59

- EDD NOT NEEDED
- SHELL CONTRACT RATE APPLIES
- STATE REIMB RATE APPLIES
- RECEIPT VERIFICATION REQUESTED

REQUESTED ANALYSIS

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	NO. OF CONT.	TPH - Gas, Purgeable (8260B)	TPH - Diesel, Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	TPH-motor oil (8015M)	TDS (160.1)	Total Iron (6010B)	Total Lead (6010B)	Total Oil and Grease (1664A)	FIELD NOTES: Container/Preservative or PID Readings or Laboratory Notes
		DATE	TIME																				TEMPERATURE ON RECEIPT C°	
	MW-1	10/19/06	1248	W	3	X	X	X																
	MW-2		1352	W	3	X	X	X							2									
	MW-3		1336	W	3	X	X	X							3									
	MW-4		1317	W	3	X	X	X							4									
	MW-5		1408	W	3	X	X	X							5									
	MW-6		1146	W	3	X	X	X							6									
	MW-7		1115	W	3	X	X	X							7									
	MW-8		1052	W	3	X	X	X							8									
	MW-9		1303	W	3	X	X	X							9									
	MW-10		1026	W	3	X	X	X							10									

Relinquished by: (Signature) 	Received by: (Signature) 	Date: 10/19/06	Time: 1550
Relinquished by: (Signature) 	Received by: (Signature) Savio Motta (TM MT)	Date: 10/20/06	Time: 15:08
Relinquished by: (Signature) Julie Ng (MT)	Received by: (Signature) 	Date: 10/20/06	Time: 17:58

10/23/06 1500

10/24/06 8:00 4.6°

- LAB:
 TA - Irvine, California
 TA - Morgan Hill, California
 TA - Sacramento, California
 TA - Nashville, Tennessee
 Calscienc
 Other _____



SHELL Chain Of Custody Record

NAME OF PERSON TO BILL: Denis Brown

ENVIRONMENTAL SERVICES

CHECK BOX TO VERIFY IF NO INCIDENT # APPLIES

INCIDENT # (ES ONLY)

9 8 9 9 6 0 6 7

DATE: 10/19/06

NETWORK DEV / FE

BILL CONSULTANT

PO #

SAP or CRMT #

PAGE: 2 of 2

COMPLIANCE

RMT/CRMT

SAMPLING COMPANY: **Blaine Tech Services** LOG CODE: **BTSS** SITE ADDRESS: Street and City: **1285 Bancroft Ave., San Leandro** State: **CA** GLOBAL ID NO.: **T0600101224**

ADDRESS: **1680 Rogers Avenue, San Jose, CA 95112** EDF DELIVERABLE TO (Name, Company, Office Location): **Anni Kreml, Cambria, Emeryville Office** PHONE NO.: **510-420-3335** E-MAIL: **shell.em.edf@cambria-env.com** CONSULTANT PROJECT NO.: **BTS # 061014-D11**

PROJECT CONTACT (Hardcopy or PDF Report to): **Michael Ninokata** SAMPLER NAME(S) (Print): **D. Reynol** LAB USE ONLY

TELEPHONE: **408-573-0555** FAX: **408-573-7771** E-MAIL: **mninokata@blainetech.com**

TAT (STD IS 10 BUSINESS DAYS / RUSH IS CALENDAR DAYS):
 STD 5 DAY 3 DAY 2 DAY 24 HOURS RESULTS NEEDED ON WEEKEND

REQUESTED ANALYSIS

LA - RWQCB REPORT FORMAT UST AGENCY:

SPECIAL INSTRUCTIONS OR NOTES:
 EDD NOT NEEDED
 SHELL CONTRACT RATE APPLIES
 STATE REIMB RATE APPLIES
 RECEIPT VERIFICATION REQUESTED

FIELD NOTES:
 Container/Preservative
 or PID Readings
 or Laboratory Notes

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	NO. OF CONT.	TPH - Gas, Purgeable (8260B)	TPH - Diesel, Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	TPH-motor oil (8015M)	TDS (160.1)	Total Iron (6010B)	Total Lead (6010B)	Total Oil and Grease (1664A)	TEMPERATURE ON RECEIPT C°	
		DATE	TIME																						
	MW-11	10/19/06	1009	W	3	X	X	X					3169-11												
	MW-12	10/19/06	950	W	3	X	X	X						12											
	1W-1	10/19/06	927	W	3	X	X	X						13											

Relinquished by: (Signature) *[Signature]* Received by: (Signature) *[Signature]* Date: 10/19/06 Time: 1550

Relinquished by: (Signature) *[Signature]* Received by: (Signature) *David Motha (TA MH)* Date: 10/20/06 Time: 15:08

Relinquished by: (Signature) *Julie Ng (MH)* Received by: (Signature) *[Signature]* Date: 10/20/06 Time: 17:58

10/23/06 1500 *[Signature]* 10/24/06

TEST AMERICA SAMPLE RECEIPT LOG

CLIENT NAME: SHELL / BLAINE
 REC. BY (PRINT) EH
 WORKORDER: _____

DATE REC'D AT LAB: 10/20/06
 TIME REC'D AT LAB: 1758
 DATE LOGGED IN: _____

For Regulatory Purposes?
 DRINKING WATER YES / NO
 WASTE WATER YES / NO

CIRCLE THE APPROPRIATE RESPONSE	LAB SAMPLE #	CLIENT ID	CONTAINER DESCRIPTION	PRESERVATIVE	pH	SAMPLE MATRIX	DATE SAMPLED	REMARKS: CONDITION (ETC.)
1. Custody Seal(s) Present / <input checked="" type="radio"/> Absent Intact / Broken*								10/20/06 EH
2. Chain-of-Custody <input checked="" type="radio"/> Present / Absent*								
3. Traffic Reports or Packing List: Present / <input checked="" type="radio"/> Absent								
4. Airbill: Airbill / Sticker Present / <input checked="" type="radio"/> Absent								
5. Airbill #:								
6. Sample Labels: <input checked="" type="radio"/> Present / Absent								
7. Sample IDs: <input checked="" type="radio"/> Listed / Not Listed on Chain-of-Custody								
8. Sample Condition: <input checked="" type="radio"/> Intact / Broken* / Leaking*								
9. Does information on chain-of-custody, traffic reports and sample labels agree? <input checked="" type="radio"/> Yes / No*								
10. Sample received within hold time? <input checked="" type="radio"/> Yes / No*								
11. Adequate sample volume received? <input checked="" type="radio"/> Yes / No*								
12. Proper preservatives used? <input checked="" type="radio"/> Yes / No*								
13. Trip Blank / Temp Blank Received? (circle which, if yes) Yes / <input checked="" type="radio"/> No*								
14. Read Temp: <u>40</u> Corrected Temp: _____ Is corrected temp 4 +/-2°C? <input checked="" type="radio"/> Yes / No**								

(Acceptance range for samples requiring thermal pres.)
 **Exception (if any): METALS / DFF ON ICE
 or Problem COC

*IF CIRCLED, CONTACT PROJECT MANAGER AND ATTACH RECORD OF RESOLUTION.

WELLHEAD INSPECTION CHECKLIST

Client 08996027 Date 10/19/06
 Site Address 1285 Burrett Ave. San Leandro CA
 Job Number 061019-DR1 Technician DR

Well ID	Well Inspected - No Corrective Action Required	WELL IS SECURABLE BY DESIGN (12" or less)	WELL IS MARKED WITH THE WORDS "MONITORING WELL" (12" or less)	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)	Repair Order Submitted
MW-1	X									
MW-2	X									
MW-3	X									
MW-4	X									
MW-5	X									
MW-6	X									
MW-7	X									
MW-8	X									
MW-9	X									
MW-10	X									
MW-11	X									
MW-12	X									
1W-1								X		

NOTES: 1W-1 No bolts. Just 2 heavy lids.

WELL GAUGING DATA

Project # 061019-DRI Date 10/19/06 Client Shell 98996067

Site 1285 Bancroft Ave. San Leandro CA

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
MW-1	833	4					35.94	59.10	TOC	
MW-2	846	4					35.83	58.98	↓	
MW-3	842	4					36.54	57.55		
MW-4	839	4					37.18	55.05		
MW-5	849	4	*Stringer in well				36.09	49.55		
MW-6	826	2					34.68	50.20		
MW-7	823	2					35.57	50.33		
MW-8	808	2					34.79	50.34		
MW-9	838	4					34.98	49.36		
MW-10	803	2					34.20	39.05		
MW-11	758	2					33.50	44.49		
MW-12	819	2					35.47	44.90		
IW-1	856	8					32.85	—		↓

SHELL WELL MONITORING DATA SHEET

BTS #: <u>061019-DRI</u>	Site: <u>98996067</u>
Sampler: <u>DR</u>	Date: <u>10/19/06</u>
Well I.D.: <u>MW-2</u>	Well Diameter: 2 3 <u>4</u> 6 8 _____
Total Well Depth (TD): <u>58.98</u>	Depth to Water (DTW): <u>35.83</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>40.46</u>	

Purge Method: Bailer Disposable Bailer Positive Air Displacement Electric Submersible

Water: Peristaltic Extraction Pump Other _____

Sampling Method: Bailer Disposable Bailer Extraction Port Dedicated Tubing

Other: _____

15.0 (Gals.) X 3 = 45.0 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
<u>13411</u>	<u>65.8</u>	<u>6.9</u>	<u>525</u>	<u>10</u>	<u>15.0</u>	<u>clear</u>
<u>13421</u>	<u>65.4</u>	<u>6.8</u>	<u>526</u>	<u>9</u>	<u>30.0</u>	<u>"</u>
<u>13417</u>	<u>65.6</u>	<u>6.8</u>	<u>527</u>	<u>11</u>	<u>45.0</u>	<u>"</u>

Did well dewater? Yes No Gallons actually evacuated: 45.0

Sampling Date: 10/19/06 Sampling Time: 1352 Depth to Water: 35.96

Sample I.D.: MW-2 Laboratory: STL Other: TA

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd): <u>Pre-purge</u>	<u>3.0</u> mg/L	Post-purge	<u>1.5</u> mg/L
O.R.P. (if req'd): Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: <u>061019-DRI</u>	Site: <u>98996067</u>
Sampler: <u>DA</u>	Date: <u>10/19/06</u>
Well I.D.: <u>MW-6</u>	Well Diameter: <u>3</u> 4 6 8 _____
Total Well Depth (TD): <u>50.20</u>	Depth to Water (DTW): <u>34.68</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YST</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>37.78</u>	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing
 Other: _____

$2.5 \text{ (Gals.)} \times 3 = 7.5 \text{ Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														
1 Case Volume Specified Volumes Calculated Volume																	

Time	Temp (°F)	pH	Cond. (mS or <u>US</u>)	Turbidity (NTUs)	Gals. Removed	Observations
11 31	63.5	6.7	882	236 ²³⁶	2.5	cloudy / odor
11 36	64.0	6.7	930	389 ³⁸⁹	5.0	"
11 41	64.2	6.7	932	612 ⁶¹²	7.5	"

Did well dewater? Yes No Gallons actually evacuated: 7.5

Sampling Date: 10/19/06 Sampling Time: 1146 Depth to Water: 34.77

Sample I.D.: MW-6 Laboratory: STL Other: JA

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd): <u>Pre-purge</u> :	<u>3.5</u> mg/L	Post-purge:	<u>3.75</u> mg/L
O.R.P. (if req'd): Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: <u>061019-DN1</u>	Site: <u>98996067</u>
Sampler: <u>DN</u>	Date: <u>10/19/06</u>
Well I.D.: <u>MW-7</u>	Well Diameter: <u>3</u> 3 4 6 8 _____
Total Well Depth (TD): <u>50.33</u>	Depth to Water (DTW): <u>35.57</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>38.52</u>	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other: _____ Dedicated Tubing

$2.4 \text{ (Gals.)} \times 3 = 7.2 \text{ Gals.}$ 1 Case Volume Specified Volumes Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1100	63.1	6.6	550	71000	2.4	cloudy
1105	63.6	6.6	558	71200	4.8	"
1110	63.7	6.6	562	71600	7.2	"

Did well dewater? Yes No Gallons actually evacuated: 7.2

Sampling Date: 10/19/06 Sampling Time: 1115 Depth to Water: 35.62

Sample I.D.: MW-7 Laboratory: STL Other: JA

Analyzed for: TPH-G BTEX MPBE TPH-D Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	<u>Pre-purge</u> : <u>3.0</u> mg/L	<u>Post-purge</u> : <u>3.25</u> mg/L	
O.R.P. (if req'd):	Pre-purge: _____ mV	Post-purge: _____ mV	

SHELL WELL MONITORING DATA SHEET

BTS #: <u>061019-D11</u>	Site: <u>98996067</u>
Sampler: <u>DR</u>	Date: <u>10/19/06</u>
Well I.D.: <u>MW-10</u>	Well Diameter: <u>2</u> 3 4 6 8 _____
Total Well Depth (TD): <u>39.05</u>	Depth to Water (DTW): <u>34.20</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>35.17</u>	

Purge Method: <input checked="" type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Positive Air Displacement <input type="checkbox"/> Electric Submersible	Waterra <input type="checkbox"/> Peristaltic <input type="checkbox"/> Extraction Pump Other: _____	Sampling Method: <input checked="" type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Extraction Port <input type="checkbox"/> Dedicated Tubing Other: _____
---	---	--

$\underline{0.8} \text{ (Gals.)} \times \underline{3} = \underline{2.4} \text{ Gals.}$ 1 Case Volume Specified Volumes Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1017	64.6	6.6	630	706	0.8	cloudy
1019	65.0	6.7	639	> 1000	1.6	"
1021	64.9	6.7	639	> 1000	2.4	"

Did well dewater? Yes No Gallons actually evacuated: 2.4

Sampling Date: 10/19/06 Sampling Time: 1026 Depth to Water: 34.31

Sample I.D.: MW-10 Laboratory: STL Other: JA

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd): <u>Pre-purge</u> : <u>0.75</u> mg/L	D.O. (if req'd): <u>Post-purge</u> : <u>1.2</u> mg/L
O.R.P. (if req'd): <u>Pre-purge</u> : _____ mV	O.R.P. (if req'd): <u>Post-purge</u> : _____ mV

SHELL WELL MONITORING DATA SHEET

BTS #: <u>061019-DN1</u>	Site: <u>98996067</u>
Sampler: <u>DA</u>	Date: <u>10/19/06</u>
Well I.D.: <u>MW-11</u>	Well Diameter: <u>(2)</u> 3 4 6 8 _____
Total Well Depth (TD): <u>44.49</u>	Depth to Water (DTW): <u>33.50</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YST</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>35.70</u>	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Other: _____

<u>1.8</u> (Gals.) X <u>3</u> = <u>5.4</u> Gals. I Case Volume Specified Volumes Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
<u>956</u>	<u>62.8</u>	<u>6.8</u>	<u>518</u>	<u>781</u>	<u>1.8</u>	<u>cloudy</u>
<u>1000</u>	<u>63.8</u>	<u>6.6</u>	<u>494</u>	<u>71000</u>	<u>3.6</u>	<u>"</u>
<u>1004</u>	<u>64.1</u>	<u>6.6</u>	<u>468</u>	<u>71000</u>	<u>5.4</u>	<u>"</u>

Did well dewater? Yes No Gallons actually evacuated: 5.4

Sampling Date: 10/19/06 Sampling Time: 1009 Depth to Water: 33.81

Sample I.D.: MW-11 Laboratory: STL Other: TA

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	<u>Pre-purge</u> : <u>3.9</u> mg/L	<u>Post-purge</u> : <u>4.3</u> mg/L	
O.R.P. (if req'd):	<u>Pre-purge</u> : _____ mV	<u>Post-purge</u> : _____ mV	

SHELL WELL MONITORING DATA SHEET

BTS #: 061019-DRI	Site: 98996067
Sampler: DR	Date: 10/19/06
Well I.D.: MW-12	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 44.90	Depth to Water (DTW): 35.47
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): (YSI) HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 37.36	

Purge Method: Bailer Water: Peristaltic Sampling Method: Bailer
 Disposable Bailer Extraction Pump Disposable Bailer
 Positive Air Displacement Other _____ Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

1.5 (Gals.) X 3 = 4.5 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
938	62.7	6.3	735	21000	1.5	cloudy
941	62.6	6.3	654	21000	3.0	"
944	62.5	6.3	596	2000	4.5	"

Did well dewater? Yes No Gallons actually evacuated: 4.5

Sampling Date: 10/19/06 Sampling Time: 950 Depth to Water: 35.48

Sample I.D.: MW-12 Laboratory: STL Other: (TA)

Analyzed for: (TPH-G) (BTEX) (MPBE) TPH-D Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge: 5.8 mg/L	Post-purge: 5.7 mg/L	
O.R.P. (if req'd):	Pre-purge: mV	Post-purge: mV	

