



**CONESTOGA-ROVERS  
& ASSOCIATES**

**RECEIVED**

1:17 pm, Mar 24, 2008

Alameda County  
Environmental Health

19449 Riverside Drive, Suite 230, Sonoma, California 95476  
Telephone: 707-935-4850 Facsimile: 707-935-6649  
www.CRAworld.com

January 31, 2008

Mr. Jerry Wickham  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Re: **Groundwater Monitoring Report – Fourth Quarter 2007  
And Request for Extension**  
Shell-branded Service Station  
1285 Bancroft Avenue  
San Leandro, California  
SAP Code 136017  
Incident No. 98996067  
ACHCSA RO0000156


Dear Mr. Wickham:

Conestoga-Rovers and Associates (CRA) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell) in accordance with the quarterly reporting requirements of 23 CCR 2652d.

If you have any questions regarding the contents of this document, please call Ana Friel at (707) 268-3812.

Sincerely,  
**Conestoga-Rovers and Associates**

Ana Friel, PG



cc: Denis Brown, Shell Oil Products US, 20945 S. Wilmington Ave., Carson, CA 90810  
Mike Bakaldin, City of San Leandro, 835 East 14th Street, San Leandro, CA 94577  
Ivan G. and Joanne Cornelius, 198 Juana Avenue, San Leandro CA 94577

Equal  
Employment  
Opportunity Employer



**CONESTOGA-ROVERS  
& ASSOCIATES**

Mr. Jerry Wickham  
January 31, 2008

## **GROUNDWATER MONITORING REPORT – FOURTH QUARTER 2007**

<b>Site Address</b>	<u>1285 Bancroft Avenue</u>
<b>Site Use</b>	<u>Shell-branded Service Station</u>
<b>Shell Project Manager</b>	<u>Denis Brown</u>
<b>Consultant and Contact Person</b>	<u>CRA, Ana Friel</u>
<b>Lead Agency and Contact</b>	<u>ACHCSA, Jerry Wickham</u>
<b>Agency Case No.</b>	<u>RO0000156</u>
<b>Shell SAP Code</b>	<u>136017</u>
<b>Shell Incident No.</b>	<u>98996067</u>
<b>Date of Most Recent Agency Correspondence</b>	<u>October 31, 2007</u>

### **Current Quarter's Activities**

1. Blaine Tech Services, Inc. (Blaine) gauged and sampled wells according to the established monitoring program for this site.
2. CRA prepared a vicinity map (Figure 1) and a groundwater contour and chemical concentration map (Figure 2). Additional volatile organic analyses (VOCs) are presented on Table 1. Blaine's report, presenting the analytical data, is included in Attachment A.
3. CRA submitted the May 22, 2007 *Site Investigation Work Plan* and the ACHCSA responded in correspondence dated June 15, 2007; however, CRA did not receive this letter until August 14, 2007.
4. Due to unavoidable field delays, CRA requested an extension of the agency deliverable date of November 9, 2007. On October 31, 2007, ACHCSA granted an extension to February 8, 2008.

### **Current Quarter's Findings**

<b>Groundwater Flow Direction</b>	<u>West-southwesterly</u>
<b>Hydraulic Gradient</b>	<u>0.002</u>
<b>Depth to Water</b>	<u>36.42 to 40.47 feet below top of well casing</u>



**CONESTOGA-ROVERS  
& ASSOCIATES**

Mr. Jerry Wickham  
January 31, 2008

### **Proposed Activities for Next Quarter**

1. Blaine will gauge and sample wells during the first month of the quarter, according to the established monitoring program for this site.
2. A site investigation report will be submitted by February 8, 2008.


Figures:           1- Vicinity Map  
                      2- Groundwater Contour and Chemical Concentration Map

Tables:            1- Additional VOCs in Groundwater

Attachments:    A - Blaine Tech Services, Inc. - Groundwater Monitoring Report

Conestoga-Rovers and Associates (CRA) prepared this document for use by our client and appropriate regulatory agencies. It is based partially on information available to CRA from outside sources and/or in the public domain, and partially on information supplied by CRA and its subcontractors. CRA makes no warranty or guarantee, expressed or implied, included or intended in this document, with respect to the accuracy of information obtained from these outside sources or the public domain, or any conclusions or recommendations based on information that was not independently verified by CRA. This document represents the best professional judgment of CRA. None of the work performed hereunder constitutes or shall be represented as a legal opinion of any kind or nature.

I:\Sonoma.Shell\San Leandro 1285 Bancroft\QM\2007\4Q07\Text 4Q071285 Bancroft San Leandro.doc



I:\SON-ST\1\SHARED\SONOMA\_SHELL\SAN LEANDRO\1\_285\_BANCROFT\FIGURES\VICINITY.A1

**Shell-branded Service Station**  
 1285 Bancroft Avenue  
 San Leandro, California



**CONESTOGA-ROVERS & ASSOCIATES**

**Vicinity Map**






figure 2  
 GROUNDWATER CONTOUR MAP  
 OCTOBER 17, 2007  
 SHELL-BRANDED SERVICE STATION  
 1285 Bancroft Ave., San Leandro, California

Table 1. Additional VOCs in Groundwater, Shell-branded Service Station, 1285 Bancroft Avenue, San Leandro, California

Sample ID	Date	Acetone (µg/L)	sec-Butylbenzene (µg/L)	n-Butylbenzene (µg/L)	Carbon Disulfide (µg/L)	Chloroform (µg/L)	cis-1,2-Dichloroethene (µg/L)	Isopropylbenzene (µg/L)	PCE (µg/L)	TCE (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	Naphthalene (µg/L)	p-Isopropyltoluene (µg/L)	n-Propylbenzene (µg/L)	Styrene (µg/L)	1,1,2,2-Tetrachloroethane (µg/L)	1,1,2-Trichloroethane (µg/L)	Methylene Chloride (µg/L)	Trichlorofluoromethane (µg/L)	Bromodichloromethane (µg/L)	
MW-1	19-Oct-06	ND	ND	ND	ND	ND	ND	ND	1.82	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02-Jan-07	NA	NA	NA	NA	1.6	ND	NA	5.2	ND	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND
	20-Apr-07	ND	ND	ND	ND	1.9	ND	ND	5.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	19-Jul-07	ND	ND	ND	ND	1.9	ND	ND	3.7	ND	ND	ND	ND	ND	0.17	ND	ND	ND	ND	ND	ND	ND
	17-Oct-07	ND	ND	ND	ND	2.4	ND	ND	4.8	ND	ND	0.28	1.6	ND	0.47	ND	ND	ND	5.7	ND	ND	ND
MW-2	19-Oct-06	ND	4.05	3.62	ND	ND	2.66	29.9	3.14	ND	19.0	126	107	ND	57.0	ND	ND	ND	ND	ND	ND	ND
	02-Jan-07	NA	NA	NA	NA	0.92	1.3	NA	3.6	ND	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND
	20-Apr-07	ND	2	1.5	ND	1.6	1.6	13	4.7	0.57	13	100	57	0.50	33	ND	ND	ND	ND	ND	ND	ND
	19-Jul-07	ND	0.78	0.96	ND	1.2	0.73	5.0	3.6	ND	4.3	30	15	0.56	8.2	ND	ND	ND	ND	ND	ND	ND
	17-Oct-07	ND	ND	ND	ND	1.5	ND	0.70	4.6	0.43	0.69	2.8	1.5	ND	0.88	ND	ND	ND	5.1	ND	ND	ND
MW-3	19-Oct-06	ND	3.65	12.6	ND	ND	0.750	20.7	3.78	ND	107	365 <sup>a</sup>	56.7	5.51	49.0	ND	ND	ND	ND	ND	ND	ND
	02-Jan-07	NA	NA	NA	NA	0.73	ND	NA	3.5	ND	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND
	20-Apr-07	ND	0.41	0.50	ND	1.5	ND	0.69	4.8	ND	4.8	19	2.2	ND	2.1	ND	ND	ND	ND	ND	ND	ND
	19-Jul-07	ND	0.44	0.44	ND	1.4	ND	ND	3.0	ND	0.91	2.3	1.5	ND	0.92	ND	ND	ND	ND	ND	ND	ND
	17-Oct-07	ND	ND	ND	ND	1.7	ND	ND	4.0	ND	0.38	1.1	0.75	ND	0.29	ND	ND	ND	5.4	ND	ND	ND
MW-4	19-Oct-06	ND	ND	ND	ND	ND	ND	ND	1.64	ND	ND	1.26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02-Jan-07	NA	NA	NA	NA	ND	ND	NA	1.7	ND	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND
	20-Apr-07	ND	ND	ND	ND	0.32	ND	ND	2.0	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	19-Jul-07	ND	ND	ND	ND	0.35	ND	ND	0.93	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	17-Oct-07	ND	ND	ND	ND	0.48	ND	ND	1.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0	ND	ND	ND
MW-5	19-Oct-06	ND	14.4	59.5	ND	ND	ND	107	ND	ND	495 <sup>a</sup>	873 <sup>a</sup>	995 <sup>b</sup>	30.8	341	ND	ND	ND	ND	ND	ND	ND
	02-Jan-07	NA	NA	NA	NA	ND	ND	NA	ND	ND	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND
	20-Apr-07	ND	27	150	ND	7.0	ND	130	ND	ND	1100	14000	1200	14	460	ND	ND	ND	ND	ND	ND	ND
	19-Jul-07	ND	ND	ND	ND	ND	ND	74	ND	ND	640	2400	550	ND	230	ND	ND	ND	ND	ND	ND	ND
	17-Oct-07	ND	ND	ND	ND	ND	ND	0.34	ND	ND	2.8	10	2.4	ND	1.1	ND	ND	ND	6.2	1.2	ND	ND
MW-6	19-Oct-06	ND	8.79	25.9	ND	ND	ND	53.7	ND	ND	43.5	96.8	222 <sup>a</sup>	ND	114	ND	ND	ND	ND	ND	ND	ND
	02-Jan-07	NA	NA	NA	NA	ND	ND	NA	ND	ND	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND
	20-Apr-07	ND	9.3	19	ND	1.4	ND	30	ND	0.49	15	32	56	0.78	69	ND	ND	ND	ND	ND	ND	ND
	19-Jul-07	ND	3.0	7.3	ND	0.74	ND	9.3	1.9	ND	1.8	2.8	21	ND	28	ND	ND	ND	ND	ND	ND	ND
	17-Oct-07	ND	0.38	0.46	ND	0.6	ND	1.1	1.5	ND	ND	0.53	1.6	ND	2.8	ND	ND	ND	5.7	ND	ND	ND

Table 1. Additional VOCs in Groundwater, Shell-branded Service Station, 1285 Bancroft Avenue, San Leandro, California

Sample ID	Date	Acetone	sec-Butylbenzene	n-Butylbenzene	Carbon Disulfide	Chloroform	cis-1,2-Dichloroethene	Isopropylbenzene	PCE	TCE	1,3-Trimethylbenzene	1,4-Trimethylbenzene	Naphthalene	p-Isopropyltoluene	n-Propylbenzene	Styrene	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	Methylene Chloride	Trichlorofluoromethane	Bromodichloromethane	
MW-7	19-Oct-06	ND	ND	ND	ND	ND	ND	ND	7.46	ND	ND	1.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02-Jan-07	NA	NA	NA	NA	0.51	ND	NA	7.3	ND	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND
	20-Apr-07	ND	ND	ND	ND	0.63	ND	ND	7.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	19-Jul-07	ND	ND	ND	ND	0.44	ND	ND	4.0	ND	0.19	0.56	2.0	ND	0.17	ND	ND	ND	ND	ND	ND	ND
	17-Oct-07	ND	ND	ND	ND	0.40	ND	ND	5.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-8	19-Oct-06	ND	ND	ND	ND	ND	ND	ND	6.14	ND	ND	0.810	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02-Jan-07	NA	NA	NA	NA	ND	ND	NA	4.3	ND	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND
	20-Apr-07	ND	ND	ND	ND	ND	ND	ND	3.1	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	19-Jul-07	ND	ND	ND	ND	ND	ND	ND	3.8	0.39	ND	0.31	0.92	ND	ND	ND	ND	ND	ND	ND	ND	ND
	17-Oct-07	ND	ND	ND	ND	0.40	ND	ND	5.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-9	19-Oct-06	ND	6.92	11.7	ND	ND	ND	31.0	1.64	0.500	44.2	248 <sup>a</sup>	208 <sup>b</sup>	2.28	68.6	ND	ND	ND	ND	ND	ND	ND
	02-Jan-07	NA	NA	NA	NA	ND	ND	NA	1.2	0.580	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND
	20-Apr-07	ND	7.5	14	ND	0.63	ND	32	1.8	0.95	61	430	160	2.5	86	ND	ND	ND	ND	ND	ND	ND
	19-Jul-07	ND	5.6	9.6	ND	ND	0.51	24	0.81	0.62	38	310	150	1.7	62	0.69	0.58	0.59	ND	ND	ND	ND
	17-Oct-07	ND	4.3	7.5	ND	ND	ND	17	ND	ND	27	220	110	ND	51	ND	ND	ND	ND	ND	ND	ND
MW-10	19-Oct-06	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.670	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02-Jan-07	NA	NA	NA	NA	ND	ND	NA	ND	ND	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND
	20-Apr-07	ND	ND	ND	ND	ND	ND	0.19	ND	ND	ND	0.20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	19-Jul-07	ND	0.34	ND	ND	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	17-Oct-07	ND	ND	ND	ND	0.53	ND	ND	ND	ND	ND	ND	0.53	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-11	19-Oct-06	ND	ND	ND	ND	3.49	ND	ND	2.13	ND	ND	0.530	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02-Jan-07	NA	NA	NA	NA	3.8	ND	NA	2.2	ND	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND
	20-Apr-07	ND	ND	ND	ND	3.0	ND	ND	1.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	19-Jul-07	ND	ND	ND	ND	3.1	ND	ND	1.5	ND	ND	ND	0.65	ND	ND	ND	ND	ND	ND	ND	ND	ND
	17-Oct-07	ND	ND	ND	ND	18	ND	ND	1.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.1
MW-12	19-Oct-06	ND	ND	ND	ND	ND	ND	ND	4.75	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02-Jan-07	NA	NA	NA	NA	ND	ND	NA	5.1	ND	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND
	20-Apr-07	ND	ND	ND	ND	ND	ND	ND	4.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	19-Jul-07	ND	ND	ND	ND	ND	ND	ND	3.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	17-Oct-07	ND	ND	ND	ND	0.34	ND	ND	5.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Table 1. Additional VOCs in Groundwater, Shell-branded Service Station, 1285 Bancroft Avenue, San Leandro, California

Sample ID	Date	Acetone	sec-Butylbenzene	n-Butylbenzene	Carbon Disulfide	Chloroform	cis-1,2-Dichloroethene	isopropylbenzene	PCE	TCE	1,3,5-Trimethylbenzene	1,2,4-Trimethylbenzene	Naphthalene	p-Isopropyltoluene	n-Propylbenzene	Styrene	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	Methylene Chloride	Trichlorofluoromethane	Bromodichloromethane	
IW-1	19-Oct-06	ND	ND	ND	ND	ND	ND	ND	3.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02-Jan-07	NS	NS	NS	NA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NA	ND	ND	ND	ND	ND	ND
	20-Apr-07	ND	ND	ND	ND	0.80	ND	ND	3.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	19-Jul-07	ND	ND	ND	ND	0.77	ND	ND	2.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.4	ND	ND	ND
	17-Oct-07	ND	ND	ND	ND	0.84	ND	ND	2.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CPT-1-44-48	03-Jan-08	ND	ND	ND	ND	2.8	ND	ND	4.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
CPT-1-56-60	03-Jan-08	ND	ND	ND	0.43 c	2.2	ND	ND	5.6	ND	ND	ND	0.75	ND	ND	ND	ND	ND	ND	ND	NA	NA
CPT-1-78-82	03-Jan-08	ND	ND	ND	ND	0.37 c	ND	ND	0.91 c	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.3 c	NA	NA	NA
CPT-2-45-49	16-Nov-07	ND	1.2	ND	ND	ND	ND	1.7	ND	ND	11	40	ND	ND	5.4	ND	ND	ND	ND	NA	NA	NA
CPT-2-56-60	16-Nov-07	ND	ND	ND	ND	2.5	ND	ND	5.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
CPT-2-75-79	16-Nov-07	ND	ND	ND	ND	0.55 c	ND	ND	3.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.2 b,c	NA	NA	NA
CPT-3-53-57	14-Nov-07	13 c	ND	ND	ND	1.7	ND	ND	3.7	ND	1.1	3.1	0.57 c	ND	0.51 c	ND	ND	ND	ND	ND	NA	NA
CPT-3-75-79	14-Nov-07	8.6 c	ND	ND	ND	0.60 c	ND	ND	3.6	ND	0.41 c	1.3	ND	ND	0.18 c	ND	ND	ND	ND	ND	NA	NA
CPT-4-56-60	16-Nov-07	ND	ND	ND	ND	1.3	ND	ND	4.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
CPT-4-79-83	16-Nov-07	ND	ND	ND	ND	ND	ND	ND	2.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
ESL <sup>d</sup>		50,000	---	---	---	330	6,200	---	120	530	---	---	210	---	---	110	190	350	2,400	---	---	170

**Abbreviations and Notes:**

BTEX and 7 fuel oxygenates are reported in the BTS Well Concentration Data Table. All other VOCs were below method detection limits. Refer to laboratory report for more details.

µg/L = Micrograms per liter

VOCs analyzed by EPA Method 8260B

ND = Not detected at laboratory reporting limit

NA = Not analyzed

NS = Not sampled

PCE = tetrachloroethene analyzed by EPA Method 8260B

TCE = trichloroethene analyzed by EPA Method 8260B

ESL = Environmental screening level

--- = ESL not listed

a = Concentration exceeds the calibration range and therefore result is semi-quantitative

b = Analyte was detected in the associated Method Blank.

c = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.

d = San Francisco Regional Water Quality Control Board Environmental Screening Levels - Table D. Deep soils (23 bgs). Groundwater is not a current or potential source of drinking water.



**Attachment A**

**Blaine Tech Services, Inc.  
Groundwater Monitoring Report**

---

**BLAINE**  
TECH SERVICES INC.

---

GROUNDWATER SAMPLING SPECIALISTS  
SINCE 1985

November 1, 2007

Denis Brown  
Shell Oil Products US  
20945 South Wilmington Avenue  
Carson, CA 90810

Fourth Quarter 2007 Groundwater Monitoring at  
Shell-branded Service Station  
1285 Bancroft Avenue  
San Leandro, CA

Monitoring performed on October 17, 2007

---

Groundwater Monitoring Report **071017-DW-1**

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Martinez Refining Company.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Mike Ninokata  
Project Manager

MN/ks

attachments: Cumulative Table of WELL CONCENTRATIONS  
Certified Analytical Report  
Field Data Sheets

cc: Ana Friel  
Conestoga-Rovers & Associates  
19449 Riverside Dr., Suite 230  
Sonoma, CA 95476

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-1	03/13/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	42.65	23.64	NA
MW-1	06/12/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	43.14	23.15	NA
MW-1	09/13/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	44.71	21.58	NA
MW-1	12/18/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	45.23	21.06	NA
MW-1	03/07/1991	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	43.32	22.97	NA
MW-1	06/07/1991	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	42.18	24.11	NA
MW-1	09/17/1991	50 a	160 a	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	44.85	21.44	NA
MW-1	03/01/1992	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	41.56	24.73	NA
MW-1	06/03/1992	<50	NA	0.8	<0.5	0.9	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	40.74	25.55	NA
MW-1	09/01/1992	<50	NA	<0.5	5.8	5.3	7.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	43.05	23.24	NA
MW-1	12/07/1992	68	NA	<0.5	0.8	<0.5	1.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	44.19	22.10	NA
MW-1	03/01/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	34.96	31.33	NA
MW-1 (D)	03/01/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	34.96	31.33	NA
MW-1	06/22/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	36.75	29.54	NA
MW-1	09/09/1993	200 a	NA	16	5.2	2	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	39.36	26.93	NA
MW-1	12/13/1993	89 a	NA	3.4	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	40.74	25.55	NA
MW-1	03/03/1994	65 a	NA	2.6	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.29	38.40	27.89	NA
MW-1	07/27/1994	180	NA	30	1.8	2.6	5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	40.49	26.41	NA
MW-1 (D)	07/27/1994	240	NA	25	2.2	2.2	4	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	40.49	26.41	NA
MW-1	08/09/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	40.84	26.06	NA
MW-1	10/05/1994	<50	NA	<0.3	<0.3	<0.3	<0.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	41.98	24.92	NA
MW-1	11/11/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	41.34	25.56	NA
MW-1	12/29/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	42.06	24.84	NA
MW-1	01/04/1995	<50	NA	2.4	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	39.90	27.00	NA
MW-1 (D)	01/04/1995	<50	NA	2.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	39.90	27.00	NA
MW-1	04/14/1995	<50	NA	<0.5	0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	31.02	35.88	NA
MW-1 (D)	04/14/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	31.02	35.88	NA
MW-1	07/12/1995	<50	NA	1.2	0.8	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	34.61	32.29	NA
MW-1	12/14/1995	380	NA	230	9	1.1	49	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	39.24	27.66	NA
MW-1	01/10/1996	60	NA	3.5	<0.5	<0.5	0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	38.34	28.56	NA
MW-1	04/25/1996	<50	NA	3.3	2.4	1.2	5.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.90	31.95	34.95	NA
MW-1	07/09/1996	810	NA	29	7.3	<5.0	11	1,800	NA	NA	NA	NA	NA	NA	NA	NA	66.90	34.45	32.45	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-1	10/02/1996	<125	NA	3.1	<1.2	<1.2	<1.2	960	NA	NA	NA	NA	NA	NA	NA	NA	66.90	37.72	29.18	NA
MW-1	01/09/1997	<250	NA	<2.5	<2.5	<2.5	<2.5	510	NA	NA	NA	NA	NA	NA	NA	NA	66.90	32.25	34.65	NA
MW-1	04/09/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	130	NA	NA	NA	NA	NA	NA	NA	NA	66.90	32.90	34.00	NA
MW-1	07/02/1997	<250	NA	60	7.6	4.2	18	1,300	NA	NA	NA	NA	NA	NA	NA	NA	66.90	36.65	30.25	NA
MW-1	10/24/1997	<500	NA	140	<5.0	12	40	2,600	NA	NA	NA	NA	NA	NA	NA	NA	66.90	39.75	27.15	4.5
MW-1	01/08/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	170	NA	NA	NA	NA	NA	NA	NA	NA	66.90	36.31	30.59	4.0
MW-1	04/14/1998 b	72	NA	0.82	4.9	1.8	13	2.7	NA	NA	NA	NA	NA	NA	NA	NA	66.90	26.37	40.53	2.2
MW-1	07/15/1998	<50	NA	2.5	1.5	<0.50	<0.50	12	NA	NA	NA	NA	NA	NA	NA	NA	66.90	31.23	35.67	2.4
MW-1	07/28/1998	NA	NA	NA	NA	NA	NA	193	190	<2.0	<2.0	<2.0	<100	<2.50	<2.50	<500	66.90	31.23	35.67	2.4
MW-1	10/13/1998	<50	NA	3.2	0.69	<0.50	1.1	29	NA	NA	NA	NA	NA	NA	NA	NA	66.90	35.69	31.21	1.3
MW-1	01/22/1999	567	NA	79.7	120	21.4	99.9	193	190	NA	NA	NA	NA	NA	NA	NA	66.90	35.32	31.58	1.2
MW-1	04/16/1999	<50	NA	0.69	1.1	1.2	<0.50	8.2	NA	NA	NA	NA	NA	NA	NA	NA	66.90	31.76	35.14	1.0
MW-1	07/22/1999	<50	NA	<0.500	<0.500	<0.500	<0.500	<5.00	2.17	NA	NA	NA	NA	NA	NA	NA	66.90	23.21	43.69	2.1/2.0
MW-1	12/08/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	NA	NA	NA	66.90	33.27	33.63	2.2/2.1
MW-1	01/07/2000	<50.0	NA	0.631	0.577	<0.500	1.25	14.1	NA	NA	NA	NA	NA	NA	NA	NA	66.90	38.17	28.73	d
MW-1	04/05/2000	153	NA	12.4	21.2	6.65	28.3	50.1	NA	NA	NA	NA	NA	NA	NA	NA	66.90	30.45	36.45	2.0/2.3
MW-1	07/12/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	66.90	34.29	32.61	4.4/3.8
MW-1	10/19/2000	129	NA	7.76	19.6	7.84	33.3	31.3	NA	NA	NA	NA	NA	NA	NA	NA	66.90	36.87	30.03	3.9/4.7
MW-1	01/15/2001	201	NA	7.58	29.9	9.64	42.9	24.9	NA	NA	NA	NA	NA	NA	NA	NA	66.90	36.99	29.91	2.7/3.0
MW-1	04/30/2001	<50	NA	<0.50	<0.50	<0.50	0.54	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	66.90	34.62	32.28	3.1/2.4
MW-1	07/20/2001	180	NA	8.0	16	9.5	39	NA	140	NA	NA	NA	NA	NA	NA	NA	66.90	37.25	29.65	3.9/3.8
MW-1	10/24/2001	94	NA	7.0	0.90	3.4	8.4	NA	34	NA	NA	NA	NA	NA	NA	NA	66.90	38.82	28.08	3.6/3.9
MW-1	01/03/2002	<50	NA	<0.50	0.78	<0.50	1.5	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	66.90	34.97	31.93	3.1/3.3
MW-1	04/05/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	66.90	34.04	32.86	1.6/1.8
MW-1	07/11/2002	61	NA	2.2	2.6	3.9	14	NA	28	NA	NA	NA	NA	NA	NA	NA	66.90	36.15	30.75	0.6/3.8
MW-1	10/28/2002	270	NA	7.9	3.6	17	51	NA	72	NA	NA	NA	NA	NA	NA	NA	66.33	38.35	27.98	1.0/1.2
MW-1	01/07/2003	<50	NA	<0.50	<0.50	<0.50	0.53	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	66.33	34.13	32.20	3.8/3.9
MW-1	04/14/2003	<50	NA	0.51	0.52	1.0	2.9	NA	21	NA	NA	NA	NA	NA	NA	NA	66.33	35.40	30.93	3.4/3.5
MW-1	07/01/2003	<50	NA	<0.50	<0.50	1.1	2.5	NA	4.1	<2.0	<2.0	<2.0	<5.0	<0.50	<0.50	<50	66.33	35.19	31.14	0.4/0.7
MW-1	10/08/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	66.33	38.63	27.70	2.9/2.9
MW-1	01/15/2004	72	NA	<0.50	0.75	1.4	5.2	NA	10	NA	NA	NA	NA	NA	NA	NA	66.33	36.13	30.20	4.1/4.0
MW-1	04/09/2004	98	NA	<0.50	<0.50	0.57	1.7	NA	1.6	NA	NA	NA	NA	NA	NA	NA	66.33	34.95	31.38	4.7/3.9
MW-1	07/13/2004	75	NA	0.52	<0.50	2.0	2.8	NA	11	<2.0	<2.0	<2.0	5.0	NA	NA	<50	66.33	37.68	28.65	0.77/0.81



**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	-------------------	--------------	----------------------------	--------------------------	------------------------

MW-1	11/05/2004	180	NA	4.4	0.72	4.1	9.5	NA	67	NA	NA	NA	NA	NA	NA	NA	66.33	38.86	27.47	4.1/4.8
MW-1	01/10/2005	180	NA	0.50	<0.50	1.0	3.8	NA	15	NA	NA	NA	NA	NA	NA	NA	66.33	36.10	30.23	0.1/3.8
MW-1	04/11/2005	91 k	NA	<0.50	<0.50	<0.50	<1.0	NA	0.82	NA	NA	NA	NA	NA	NA	NA	66.33	31.71	34.62	3.85/2.37
MW-1	07/12/2005	56 k	NA	<0.50	<0.50	<0.50	<1.0	NA	0.52	<2.0	<2.0	<2.0	<5.0	NA	NA	<50	66.33	34.12	32.21	4.3/3.9
MW-1	10/21/2005	85	NA	0.91	<0.50	6.7	8.7	NA	16	NA	NA	NA	NA	NA	NA	NA	66.33	37.21	29.12	4.3/4.0
MW-1	01/09/2006	<50	NA	<0.50	<0.50	<0.50	1.2	NA	3.2	NA	NA	NA	NA	NA	NA	NA	66.33	33.53	32.80	3.6/3.8
MW-1	04/17/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	NA	66.33	28.44	37.89	3.61/3.43
MW-1	07/13/2006	<50.0	NA	<0.500	<0.500	<0.500	<1.50	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	<50.0	66.33	32.35	33.98	3.41/3.23
MW-1	10/19/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	0.800	<0.500	NA	NA	NA	<0.500	<0.500	NA	66.33	35.94	30.39	3.1/2.75
MW-1	01/02/2007	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	0.73	<2.0	<2.0	<2.0	<5.0	<0.50	<0.50	NA	66.33	36.05	30.28	2.9/3.1
MW-1	04/20/2007	<50 p	NA	<0.50	<1.0	<1.0	<1.0	NA	0.51 r	<2.0	<2.0	<2.0	<10	<0.50	<1.0	<100	66.33	35.83	30.50	3.57/3.72
MW-1	07/19/2007	<50 p	NA	0.16 r	0.28 r	0.73 r	0.63 r	NA	5.7	<2.0	<2.0	<2.0	<10	<0.50	<1.0	<100	66.33	37.90	28.43	3.9/0.6
<b>MW-1</b>	<b>10/17/2007</b>	<b>240 p</b>	<b>NA</b>	<b>0.74</b>	<b>&lt;1.0</b>	<b>1.1</b>	<b>1.9</b>	<b>NA</b>	<b>13</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;10</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;100</b>	<b>66.33</b>	<b>39.26</b>	<b>27.07</b>	<b>3.42/1.82</b>

MW-2	03/01/1992	910	<50	11	5.2	50	140	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	41.57	25.34	NA
MW-2	06/03/1992	1,400	NA	33	16	150	240	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	40.56	26.35	NA
MW-2	09/01/1992	230	NA	5.2	4.1	15	19	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	42.94	23.97	NA
MW-2 (D)	09/01/1992	320	NA	5.6	5	18	220	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	42.94	23.97	NA
MW-2	12/07/1992	240	NA	1.5	1.3	9.5	9.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	44.13	22.78	NA
MW-2 (D)	12/07/1992	<50	NA	1.7	1	13	12	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	44.13	22.78	NA
MW-2	03/01/1993	230	NA	260	310	27	66	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	34.82	32.09	NA
MW-2	06/22/1993	220	NA	18	3.4	3.6	5.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	36.64	30.27	NA
MW-2 (D)	06/22/1993	320	NA	29	4.8	4.2	6.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	36.64	30.27	NA
MW-2	09/09/1993	260	NA	18	4.6	16	12	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	39.24	27.67	NA
MW-2 (D)	09/09/1993	210	NA	16	3.9	14	9.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	39.24	27.67	NA
MW-2	12/13/1993	1,300 a	NA	82	34	73	15	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	40.64	26.27	NA
MW-2 (D)	12/13/1993	1,400 a	NA	110	45	72	19	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	40.64	26.27	NA
MW-2	03/03/1994	9,600	NA	1,200	600	390	710	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	38.98	27.93	NA
MW-2 (D)	03/03/1994	10,000	NA	930	500	330	590	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	38.98	27.93	NA
MW-2	07/27/1994	190	NA	<0.5	1	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	40.40	26.51	NA
MW-2	08/09/1994	1,500	NA	53.5	12.4	46.2	44	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	40.71	26.20	NA
MW-2	10/05/1994	<485	NA	<0.3	<0.3	<0.3	<0.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	41.89	25.02	NA
MW-2	11/11/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	41.22	25.69	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-2	12/29/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	41.99	24.92	NA
MW-2	01/04/1995	1,300	NA	150	35	23	51	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	39.81	27.10	NA
MW-2	04/14/1995	5,000	NA	1,000	340	400	810	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	30.83	36.08	NA
MW-2	07/12/1995	4,500	NA	440	170	170	290	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	34.50	32.41	NA
MW-2 (D)	07/12/1995	4,300	NA	430	160	160	280	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	34.50	32.41	NA
MW-2	12/14/1995	37,000	NA	1,800	7,600	1,000	6,700	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	39.22	27.69	NA
MW-2 (D)	12/14/1995	34,000	NA	1,800	6,600	1,000	6,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	39.22	27.69	NA
MW-2	01/10/1996	69,000	NA	1,000	3,200	510	3,300	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	38.22	28.69	NA
MW-2 (D)	01/10/1996	78,000	NA	1,100	3,500	560	3,600	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	38.22	28.69	NA
MW-2	04/25/1996	11,000	NA	820	880	210	1,400	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	31.78	35.13	NA
MW-2 (D)	04/25/1996	9,300	NA	690	710	160	1,200	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	31.78	35.13	NA
MW-2	07/09/1996	100,000	NA	15,000	24,000	1,700	9,900	70,000	NA	NA	NA	NA	NA	NA	NA	NA	66.91	34.35	32.56	NA
MW-2 (D)	07/09/1996	86,000	NA	12,000	19,000	1,400	7,500	32,000	NA	NA	NA	NA	NA	NA	NA	NA	66.91	34.35	32.56	NA
MW-2	10/02/1996	82,000	NA	20,000	32,000	1,800	9,100	40,000	NA	NA	NA	NA	NA	NA	NA	NA	66.91	37.56	29.35	NA
MW-2 (D)	10/02/1996	89,000	NA	19,000	31,000	1,700	8,900	42,000	NA	NA	NA	NA	NA	NA	NA	NA	66.91	37.56	29.35	NA
MW-2	01/09/1997	17,000	NA	710	2,300	350	2,200	4,000	NA	NA	NA	NA	NA	NA	NA	NA	66.91	32.07	34.84	NA
MW-2 (D)	01/09/1997	12,000	NA	490	1,300	260	1,800	2,800	NA	NA	NA	NA	NA	NA	NA	NA	66.91	32.07	34.84	NA
MW-2	04/09/1997	20,000	NA	970	3,500	330	2,000	3,200	NA	NA	NA	NA	NA	NA	NA	NA	66.91	32.78	34.13	NA
MW-2	07/02/1997	28,000	NA	1,700	8,700	550	3,000	5,500	NA	NA	NA	NA	NA	NA	NA	NA	66.91	36.56	30.35	NA
MW-2 (D)	07/02/1997	32,000	NA	2,000	11,000	680	3,800	6,400	NA	NA	NA	NA	NA	NA	NA	NA	66.91	36.56	30.35	NA
MW-2	10/24/1997	14,000	NA	460	1,000	300	2,000	3,000	NA	NA	NA	NA	NA	NA	NA	NA	66.91	39.74	27.17	3.2
MW-2 (D)	10/24/1997	14,000	NA	420	980	270	2,000	2,800	NA	NA	NA	NA	NA	NA	NA	NA	66.91	39.74	27.17	3.2
MW-2	01/08/1998	180	NA	2.8	1.6	<0.50	<0.50	7.6	NA	NA	NA	NA	NA	NA	NA	NA	66.91	36.13	30.78	3.6
MW-2	04/14/1998 b	12,000	NA	92	1,500	260	1,900	110	NA	NA	NA	NA	NA	NA	NA	NA	66.91	26.15	40.76	4.6
MW-2	07/15/1998	36,000	NA	250	5,600	830	6,000	6,800	NA	NA	NA	NA	NA	NA	NA	NA	66.91	31.14	35.77	4.8
MW-2 (D)	07/15/1998	35,000	NA	230	5,600	860	600	570	NA	NA	NA	NA	NA	NA	NA	NA	66.91	31.14	35.77	4.8
MW-2	10/13/1998	100	NA	7	12	3.7	10	5.8	NA	NA	NA	NA	NA	NA	NA	NA	66.91	36.14	30.77	0.8
MW-2	01/22/1999	21,000	NA	701	3,330	960	5,420	772	620	<2.0	<2.0	<2.0	<100	<100	<100	<500	66.91	35.97	30.94	1.0
MW-2	04/16/1999	14,000	NA	200	1,600	560	3,300	330	NA	NA	NA	NA	NA	NA	NA	NA	66.91	31.52	35.39	1.0
MW-2	07/22/1999	1,410	NA	28.3	91.2	50.4	256	35.3	15.2	NA	NA	NA	NA	NA	NA	NA	66.91	26.14	40.77	2.1/2.5
MW-2	12/08/1999	<50.0	NA	1.45	1.34	1.15	5.31	5.08	NA	NA	NA	NA	NA	NA	NA	NA	66.91	37.72	29.19	2.1/2.5
MW-2	01/07/2000	743	NA	18.6	47.0	3.06	166	30.3	NA	NA	NA	NA	NA	NA	NA	NA	66.91	38.14	28.77	1.4/1.8
MW-2	04/05/2000	2,320	NA	60.9	101	115	606	62.5	NA	NA	NA	NA	NA	NA	NA	NA	66.91	30.46	36.45	1.7/1.9

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-2	07/12/2000	12,100	NA	325	555	793	3,610	260	NA	NA	NA	NA	NA	NA	NA	NA	66.91	34.13	32.78	4.1/4.6
MW-2	10/19/2000	4,840	NA	188	267	318	1,370	84.4	NA	NA	NA	NA	NA	NA	NA	NA	66.91	36.50	30.41	4.8/2.6
MW-2	01/15/2001	654	NA	52.3	9.10	37.8	93.6	10.9	NA	NA	NA	NA	NA	NA	NA	NA	66.91	36.73	30.18	4.2/3.5
MW-2	04/30/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	66.91	35.25	31.66	2.4/2.0
MW-2	07/20/2001	5,400	NA	320	110	340	1,100	NA	33	NA	NA	NA	NA	NA	NA	NA	66.91	37.00	29.91	3.4/2.4
MW-2	10/24/2001 g	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.91	38.63	28.28	NA
MW-2	10/31/2001	1,400	NA	81	16	76	180	NA	29	NA	NA	NA	NA	NA	NA	NA	66.91	38.71	28.20	3.8/2.9
MW-2	01/03/2002	1,800	NA	88	62	130	520	NA	17	NA	NA	NA	NA	NA	NA	NA	66.91	34.71	32.20	3.0/2.1
MW-2	04/05/2002	9,400	NA	190	120	410	1,800	NA	<50	NA	NA	NA	NA	NA	NA	NA	66.91	33.86	33.05	1.3/1.8
MW-2	07/11/2002	6,700	NA	220	73	360	1,100	NA	<20	NA	NA	NA	NA	NA	NA	NA	66.91	35.99	30.92	3.4/2.1
MW-2	10/28/2002	4,600	NA	190	25	210	370	NA	21	NA	NA	NA	NA	NA	NA	NA	66.33	38.05	28.28	0.7/0.9
MW-2	01/07/2003	1,700	NA	9.3	14	83	380	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	66.33	34.22	32.11	3.9/3.6
MW-2	04/14/2003	5,900	NA	86	53	360	1,500	NA	<50	NA	NA	NA	NA	NA	NA	NA	66.33	35.28	31.05	3.0/2.9
MW-2	07/01/2003	2,200	NA	34	24	130	510	NA	3.3	<10	<10	<10	<25	<2.5	<2.5	<250	66.33	35.13	31.20	0.9/1.1
MW-2	10/08/2003	4,000	NA	160	28	220	530	NA	<10	NA	NA	NA	NA	NA	NA	NA	66.33	38.59	27.74	2.9/0.5
MW-2	01/15/2004	3,300	NA	63	29	300	1,000	NA	15	NA	NA	NA	NA	NA	NA	NA	66.33	36.38	29.95	5.0/2.6
MW-2	04/09/2004	3,000	NA	52	20	180	520	NA	3.5	NA	NA	NA	NA	NA	NA	NA	66.33	34.01	32.32	4.2/3.1
MW-2	07/13/2004	3,400	NA	68	18	250	540	NA	4.7	<10	<10	<10	<25	NA	NA	<250	66.33	38.10	28.23	1.20/0.99
MW-2	11/05/2004	2,500	NA	120	14	190	280	NA	17	NA	NA	NA	NA	NA	NA	NA	66.33	38.82	27.51	8.1/8.5
MW-2	01/10/2005	2,700	NA	54	14	220	590	NA	38	NA	NA	NA	NA	NA	NA	NA	66.33	35.97	30.36	3.21/3.06
MW-2	04/11/2005	3,200	NA	50	15	220	500	NA	11	NA	NA	NA	NA	NA	NA	NA	66.33	31.67	34.66	3.53/0.40
MW-2	07/12/2005	3,200	NA	41	13	280	290	NA	10	<10	<10	<10	<25	NA	NA	<250	66.33	33.93	32.40	1.0/1.0
MW-2	10/21/2005	4,300	NA	96	16	420	350	NA	11	NA	NA	NA	NA	NA	NA	NA	66.33	37.19	29.14	2.3/2.0
MW-2	01/09/2006	1,900	NA	34	8.3	160	250	NA	2.3	NA	NA	NA	NA	NA	NA	NA	66.33	33.39	32.94	4.0/3.3
MW-2	04/17/2006	<50.0	NA	1.58	0.690	15.0	24.6	NA	<0.500	NA	NA	NA	NA	NA	NA	NA	66.33	28.41	37.92	3.96/2.43
MW-2	07/13/2006	2,600	NA	19.2	3.23	136	140	NA	1.63	<0.500	<0.500	<0.500	<10.0	NA	NA	<50.0	66.33	32.10	34.23	3.32/3.22
MW-2	10/19/2006	6,840	NA	41.6	7.77	293	279	NA	2.68	<0.500	NA	NA	NA	<0.500	<0.500	NA	66.33	35.83	30.50	3.0/1.5
MW-2	01/02/2007	2,300	NA	25	5.8	210	210	NA	<0.50	<2.0	<2.0	<2.0	<5.0	<0.50	<0.50	NA	66.33	35.80	30.53	3.2/2.4
MW-2	04/20/2007	1,700 p,q	NA	23	5.1	160	183	NA	0.93 r	<2.0	<2.0	<2.0	<10	0.61	<1.0	<100	66.33	35.64	30.69	3.50/1.83
MW-2	07/19/2007	650 p,q	NA	24	2.9	69	57.4	NA	<1.0	<2.0	<2.0	<2.0	<10	<0.50	<1.0	<100	66.33	37.68	28.65	3.87/3.39
<b>MW-2</b>	<b>10/17/2007</b>	<b>120 p</b>	<b>NA</b>	<b>6.4</b>	<b>0.60 r</b>	<b>7.4</b>	<b>6.55 r</b>	<b>NA</b>	<b>&lt;1.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;10</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;100</b>	<b>66.33</b>	<b>39.17</b>	<b>27.16</b>	<b>2.23/2.19</b>
MW-3	03/01/1992	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.31	42.00	24.31	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-3	06/03/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.31	44.30	22.01	NA
MW-3	09/01/1992	<50	NA	<0.5	<0.5	1.1	3.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.31	43.62	22.69	NA
MW-3	12/07/1992	52	NA	<0.5	<0.5	<0.5	0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.31	44.77	21.54	NA
MW-3	03/01/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.31	35.50	30.81	NA
MW-3	06/22/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.31	37.30	29.01	NA
MW-3	09/09/1993	50 a	NA	5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.31	39.90	26.41	NA
MW-3	12/13/1993	120 a	NA	7.5	<0.5	1.6	6.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.31	41.30	25.01	NA
MW-3	03/03/1994	<50	NA	0.81	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.31	38.32	27.99	NA
MW-3	07/27/1994	<50	NA	3.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	41.07	26.45	NA
MW-3	08/09/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	41.37	26.15	NA
MW-3	10/05/1994	<57	NA	<0.3	<0.3	<0.3	<0.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	42.55	24.97	NA
MW-3	11/11/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	41.86	25.66	NA
MW-3	12/29/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	42.59	24.93	NA
MW-3	01/04/1995	<50	NA	6	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	40.54	26.98	NA
MW-3	04/14/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	31.50	36.02	NA
MW-3	07/12/1995	90	NA	16	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	35.14	32.38	NA
MW-3	12/14/1995	4,600	NA	460	390	34	1,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	39.86	27.66	NA
MW-3	01/10/1996	11,000	NA	470	460	68	670	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	39.98	27.54	NA
MW-3	04/25/1996	5,500	NA	830	910	<50	460	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	32.38	35.14	NA
MW-3	07/09/1996	72,000	NA	7,600	14,000	970	5,900	59,000	NA	NA	NA	NA	NA	NA	NA	NA	67.52	34.93	32.59	NA
MW-3	10/02/1996	77,000	NA	15,000	24,000	2,000	9,600	94,000	71,000	NA	NA	NA	NA	NA	NA	NA	67.52	38.20	29.32	NA
MW-3	01/09/1997	130	NA	15	16	2	9.7	80	NA	NA	NA	NA	NA	NA	NA	NA	67.52	32.81	34.71	NA
MW-3	04/09/1997	24,000	NA	2,900	5,300	420	2,200	4,100	NA	NA	NA	NA	NA	NA	NA	NA	67.52	33.42	34.10	NA
MW-3 (D)	04/09/1997	24,000	NA	3,000	5,600	450	2,300	4,700	NA	NA	NA	NA	NA	NA	NA	NA	67.52	33.42	34.10	NA
MW-3	07/02/1997	68,000	NA	7,400	18,000	1,600	8,700	16,000	NA	NA	NA	NA	NA	NA	NA	NA	67.52	37.22	30.30	NA
MW-3	10/24/1997	93,000	NA	1,800	8,500	2,300	14,000	3,100	NA	NA	NA	NA	NA	NA	NA	NA	67.52	40.75	26.77	1.8
MW-3	01/08/1998	16,000	NA	140	870	22	5,000	120	NA	NA	NA	NA	NA	NA	NA	NA	67.52	36.90	30.62	2.1
MW-3 (D)	01/08/1998	24,000	NA	100	840	26	5,600	<100	NA	NA	NA	NA	NA	NA	NA	NA	67.52	36.90	30.62	2.1
MW-3	04/14/1998 b	100,000	NA	270	5,000	2,100	17,000	890	NA	NA	NA	NA	NA	NA	NA	NA	67.52	26.92	40.60	1.8
MW-3 (D)	04/14/1998 b	49,000	NA	230	3,200	1,200	8,900	790	NA	NA	NA	NA	NA	NA	NA	NA	67.52	26.92	40.60	1.8
MW-3	07/15/1998	31,000	NA	1,100	3,300	300	2,800	3,700	NA	NA	NA	NA	NA	NA	NA	NA	67.52	31.74	35.78	2
MW-3	10/13/1998	51,000	NA	3,100	12,000	7,630	6,800	6,200	NA	NA	NA	NA	NA	NA	NA	NA	67.52	35.61	31.91	2.1
MW-3 (D)	10/13/1998	88,000	NA	5,800	21,000	1,400	12,000	9200	NA	NA	NA	NA	NA	NA	NA	NA	67.52	35.61	31.91	2.1

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-3	01/22/1999	25,100	NA	855	4,400	786	5,260	1,850	1,500	<2.0	<2.0	<2.0	<100	<100	<100	<500	67.52	35.29	32.23	0.8
MW-3	04/16/1999	7,800	NA	150	550	160	1,100	370	NA	NA	NA	NA	NA	NA	NA	NA	67.52	32.29	35.23	1.0
MW-3	07/22/1999	1,970	NA	51.2	160	43.1	286	179	109	NA	NA	NA	NA	NA	NA	NA	67.52	26.67	40.85	3.1/3.0
MW-3	12/08/1999	12,500	NA	171	537	141	1,260	717	NA	NA	NA	NA	NA	NA	NA	NA	67.52	38.34	29.18	3.1/2.9
MW-3	01/07/2000	6,020	NA	<10.0	929	177	1,170	217	NA	NA	NA	NA	NA	NA	NA	NA	67.52	38.87	28.65	3.2/2.6
MW-3	04/05/2000	3,890	NA	120	351	67.8	576	231	NA	NA	NA	NA	NA	NA	NA	NA	67.52	31.08	36.44	3.4/3.8
MW-3	07/12/2000	23,300	NA	592	4,690	672	4,620	1,340	NA	NA	NA	NA	NA	NA	NA	NA	67.52	34.80	32.72	0.4/3.7
MW-3	10/19/2000	6,280	NA	124	1,280	229	1,510	311	NA	NA	NA	NA	NA	NA	NA	NA	67.52	37.34	30.18	2.1/2.9
MW-3	01/15/2001	4,800	NA	7.04	70.0	70.9	380	54.7	NA	NA	NA	NA	NA	NA	NA	NA	67.52	37.65	29.87	2.7/2.5
MW-3	04/30/2001	<50	NA	<0.50	<0.50	<0.50	1.8	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	67.52	35.25	32.27	1.8/1.6
MW-3	07/20/2001	2,900	NA	11	100	120	520	NA	48	NA	NA	NA	NA	NA	NA	NA	67.52	37.71	29.81	1.2/3.4
MW-3	10/24/2001 g	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	67.52	39.35	28.17	0.5
MW-3	10/31/2001	1,700	NA	4.5	43	43	230	NA	17	NA	NA	NA	NA	NA	NA	NA	67.52	39.30	28.22	0.8/3.0
MW-3	01/03/2002	12,000	NA	26	410	490	2,800	NA	99	NA	NA	NA	NA	NA	NA	NA	67.52	35.51	32.01	1.4/1.2
MW-3	04/05/2002	22,000	NA	76	930	710	4,500	NA	390	NA	NA	NA	NA	NA	NA	NA	67.52	34.56	32.96	1.7/1.9
MW-3	07/11/2002	13,000	NA	23	340	320	1,800	NA	120	NA	NA	NA	NA	NA	NA	NA	67.52	36.65	30.87	1.0/2.2
MW-3	10/28/2002	1,500	NA	<0.50	2.6	13	83	NA	45	NA	NA	NA	NA	NA	NA	NA	66.93	38.85	28.08	1.2/1.1
MW-3	01/07/2003	5,500	NA	8.3	150	130	1,000	NA	130	NA	NA	NA	NA	NA	NA	NA	66.93	34.64	32.29	3.2/3.1
MW-3	04/14/2003	14,000	NA	23	250	470	3,200	NA	330	NA	NA	NA	NA	NA	NA	NA	66.93	35.90	31.03	1.6/2.1
MW-3	07/01/2003	12,000	NA	19	100	440	2,700	NA	250	<10	<10	<10	<25	<2.5	<2.5	<250	66.93	35.70	31.23	0.9/1.0
MW-3	10/08/2003	300	NA	<0.50	0.84	3.0	16	NA	3.7	NA	NA	NA	NA	NA	NA	NA	66.93	39.25	27.68	0.4/2.6
MW-3	01/15/2004	3,500	NA	<5.0	9.4	59	340	NA	54	NA	NA	NA	NA	NA	NA	NA	66.93	36.74	30.19	2.8/3.1
MW-3	04/09/2004	8,500	NA	7.4	53	290	1,600	NA	140	NA	NA	NA	NA	NA	NA	NA	66.93	35.47	31.46	2.1/2.0
MW-3	07/13/2004	3,500	NA	<5.0	<5.0	18	64	NA	24	<20	<20	<20	<50	NA	NA	<500	66.93	38.10	28.83	1.33/1.05
MW-3	11/05/2004	3,000	NA	<5.0	9.3	35	160	NA	43	NA	NA	NA	NA	NA	NA	NA	66.93	39.44	27.49	6.1/6.7
MW-3	01/10/2005	6,000	NA	3.3	12	89	620	NA	140	NA	NA	NA	NA	NA	NA	NA	66.93	36.58	30.35	2.6/1.0
MW-3	04/11/2005	3,000	NA	2.1	8.0	87	420	NA	63	NA	NA	NA	NA	NA	NA	NA	66.93	32.34	34.59	0.19/0.17
MW-3	07/12/2005	5,000	NA	3.8	5.3	190	760	NA	120	<4.0	<4.0	<4.0	33	NA	NA	<100	66.93	34.62	32.31	2.4/2.9
MW-3	10/21/2005	180	NA	<0.50	0.59	3.7	8.4	NA	9.3	NA	NA	NA	NA	NA	NA	NA	66.93	37.80	29.13	0.4/2.2
MW-3	01/09/2006	3,100	NA	0.94	6.1	96	270	NA	26	NA	NA	NA	NA	NA	NA	NA	66.93	34.01	32.92	0.5/0.6
MW-3	04/17/2006	2,700	NA	<0.500	1.13	32.0	95.3	NA	9.55	NA	NA	NA	NA	NA	NA	NA	66.93	28.87	38.06	2.35/2.60
MW-3	07/13/2006	1,090	NA	<0.500	<0.500	17.2	28.6	NA	15.0	<0.500	<0.500	<0.500	<10.0	NA	NA	<50.0	66.93	32.80	34.13	0.8/0.6
MW-3	10/19/2006	8,720	NA	1.22	4.56	92.9	216	NA	34.8	<0.500	NA	NA	NA	<0.500	<0.500	NA	66.93	36.54	30.39	2.1/2.25



**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-3	01/02/2007	3,600	NA	0.57	3.3	68	140	NA	17	<2.0	<2.0	<2.0	<5.0	<0.50	<0.50	NA	66.93	36.52	30.41	0.86/0.99
MW-3	04/20/2007	220 p	NA	<0.50	0.37 r	6.2	9.9	NA	5.3	<2.0	<2.0	<2.0	<10	<0.50	<1.0	<100	66.93	36.32	30.61	2.23/2.65
MW-3	07/19/2007	150 p,q	NA	<0.50	0.36 r	3.8	8.03 r	NA	6.0	<2.0	<2.0	<2.0	<10	<0.50	<1.0	<100	66.93	38.47	28.46	2.84/2.69
<b>MW-3</b>	<b>10/17/2007</b>	<b>&lt;50 p</b>	<b>NA</b>	<b>&lt;0.50</b>	<b>0.30 r</b>	<b>2.7</b>	<b>5.90 r</b>	<b>NA</b>	<b>2.8</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;10</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;100</b>	<b>66.93</b>	<b>39.80</b>	<b>27.13</b>	<b>4.01/3.21</b>

MW-4	07/27/1994	120	NA	3.4	3.9	0.6	4.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	41.78	26.30	NA
MW-4	08/09/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	42.09	25.99	NA
MW-4	10/05/1994	<50	NA	<0.3	<0.3	<0.3	<0.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	43.25	24.83	NA
MW-4 (D)	10/05/1994	<50	NA	<0.3	<0.3	<0.3	<0.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	43.25	24.83	NA
MW-4	11/11/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	42.54	25.54	NA
MW-4	12/29/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	43.34	24.74	NA
MW-4	01/04/1995	<50	NA	1.4	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	41.57	26.51	NA
MW-4	04/14/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	32.24	35.84	NA
MW-4	07/12/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	35.88	32.20	NA
MW-4	12/14/1995	70	NA	0.6	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	40.54	27.54	NA
MW-4	01/10/1996	280	NA	3.7	1	<0.5	0.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	39.59	28.49	NA
MW-4	04/25/1996	<500	NA	63	<5.0	<5.0	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	33.22	34.86	NA
MW-4	07/09/1996	<2,000	NA	160	<20	<20	<20	5,300	NA	NA	NA	NA	NA	NA	NA	NA	68.08	35.70	32.38	NA
MW-4	10/02/1996	<5,000	NA	480	<50	<50	<50	19,000	NA	NA	NA	NA	NA	NA	NA	NA	68.08	38.95	29.13	NA
MW-4	01/09/1997	<2,000	NA	43	<20	<20	<20	7,000	NA	NA	NA	NA	NA	NA	NA	NA	68.08	33.04	35.04	NA
MW-4	04/09/1997	<2,500	NA	120	<25	<25	<25	8,100	NA	NA	NA	NA	NA	NA	NA	NA	68.08	34.15	33.93	NA
MW-4	07/02/1997	<2,000	NA	81	<20	<20	<20	6,600	NA	NA	NA	NA	NA	NA	NA	NA	68.08	37.92	30.16	NA
MW-4	10/24/1997	<500	NA	90	<5.0	11	6.3	3,200	NA	NA	NA	NA	NA	NA	NA	NA	68.08	41.00	27.08	2.1
MW-4	01/08/1998	<50	NA	3.9	<0.50	<0.50	<0.50	1,800	NA	NA	NA	NA	NA	NA	NA	NA	68.08	37.54	30.54	2.2
MW-4	04/14/1998 b	920	NA	<0.50	<0.50	<0.50	<0.50	27	NA	NA	NA	NA	NA	NA	NA	NA	68.08	27.75	40.33	1.2
MW-4	07/15/1998	2,100	NA	160	76	120	190	2,600	NA	NA	NA	NA	NA	NA	NA	NA	68.08	32.47	35.61	1.8
MW-4	10/13/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	17	NA	NA	NA	NA	NA	NA	NA	NA	68.08	36.75	31.33	1.1
MW-4	01/22/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	7.1	13	<2.0	<2.0	<2.0	<100	<0.500	<0.500	<500	68.08	36.41	31.67	1.6
MW-4	04/16/1999	1,800	NA	92	35	110	200	1,800	2,750	NA	NA	NA	NA	NA	NA	NA	68.08	33.00	35.08	1.2
MW-4	07/22/1999	Well Inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.08	27.59	40.49	NA
MW-4	12/08/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	22.6	NA	NA	NA	NA	NA	NA	NA	NA	68.08	39.04	29.04	2.5/2.6
MW-4	01/07/2000	871	NA	39.4	69.0	71.6	99.6	1,030	NA	NA	NA	NA	NA	NA	NA	NA	68.08	39.35	28.73	1.2/1.2
MW-4	04/05/2000	475	NA	26.9	5.24	19.8	41.5	681	NA	NA	NA	NA	NA	NA	NA	NA	68.08	31.28	36.80	1.6/1.8

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-4	07/12/2000	1,040	NA	35.7	6.95	125	104	1,040	NA	NA	NA	NA	NA	NA	NA	NA	68.08	35.52	32.56	0.5/4.9
MW-4	10/19/2000	944	NA	23.9	6.57	122	109	372	NA	NA	NA	NA	NA	NA	NA	NA	68.08	38.08	30.00	2.3/1.4
MW-4	01/15/2001	1,170	NA	21.6	1.51	123	52.8	592	NA	NA	NA	NA	NA	NA	NA	NA	68.08	38.31	29.77	1.7/1.9
MW-4	04/30/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	26	NA	NA	NA	NA	NA	NA	NA	68.08	35.80	32.28	1.3/1.0
MW-4	07/20/2001	2,000	NA	16	5.8	230	270	NA	520	NA	NA	NA	NA	NA	NA	NA	68.08	38.46	29.62	1.6/1.8
MW-4	10/24/2001	1,000	NA	6.9	<1.0	96	44	NA	270	NA	NA	NA	NA	NA	NA	NA	68.08	40.02	28.06	0.7/0.9
MW-4	01/03/2002	390	NA	3.0	<0.50	19	5.9	NA	230	NA	NA	NA	NA	NA	NA	NA	68.08	35.71	32.37	1.2/1.9
MW-4	04/05/2002	150	NA	0.57	<0.50	3.8	<0.50	NA	250	NA	NA	NA	NA	NA	NA	NA	68.08	35.25	32.83	1.6/1.6
MW-4	07/11/2002	530	NA	2.6	<0.50	46	4.6	NA	280	NA	NA	NA	NA	NA	NA	NA	68.08	37.39	30.69	0.8/1.9
MW-4	10/28/2002	110	NA	<0.50	<0.50	1.8	<0.50	NA	180	NA	NA	NA	NA	NA	NA	NA	67.52	39.55	27.97	1.1/0.9
MW-4	01/07/2003	210	NA	0.72	<0.50	12	1.5	NA	140	NA	NA	NA	NA	NA	NA	NA	67.52	35.24	32.28	2.1/2.2
MW-4	04/14/2003	220	NA	0.77	<0.50	9.8	1.2	NA	160	NA	NA	NA	NA	NA	NA	NA	67.52	36.62	30.90	1.9/1.5
MW-4	07/01/2003	61	NA	<0.50	<0.50	<0.50	<1.0	NA	84	<2.0	<2.0	<2.0	<5.0	<0.50	<0.50	<50 c	67.52	36.49	31.03	0.6/0.7
MW-4	10/08/2003	120	NA	<0.50	<0.50	4.4	<1.0	NA	87	NA	NA	NA	NA	NA	NA	NA	67.52	39.96	27.56	2.6/1.5
MW-4	01/15/2004	120	NA	<0.50	<0.50	1.3	<1.0	NA	71	NA	NA	NA	NA	NA	NA	NA	67.52	37.28	30.24	3.5/3.4
MW-4	04/09/2004	390	NA	<0.50	1.1	3.5	19	NA	79	NA	NA	NA	NA	NA	NA	NA	67.52	36.15	31.37	4.3/1.6
MW-4	07/13/2004	89	NA	<0.50	<0.50	<0.50	<1.0	NA	63	<2.0	<2.0	<2.0	<5.0	NA	NA	<50	67.52	39.00	28.52	0.82/0.75
MW-4	11/05/2004	120 k	NA	<0.50	<0.50	<0.50	<1.0	NA	39	NA	NA	NA	NA	NA	NA	NA	67.52	40.13	27.39	5.2/6.0
MW-4	01/10/2005	140	NA	<0.50	<0.50	<0.50	<1.0	NA	44	NA	NA	NA	NA	NA	NA	NA	67.52	37.27	30.25	0.1/0.5
MW-4	04/11/2005	75 k	NA	<0.50	<0.50	<0.50	<1.0	NA	17	NA	NA	NA	NA	NA	NA	NA	67.52	32.92	34.60	0.29/0.18
MW-4	07/12/2005	78	NA	<0.50	<0.50	<0.50	<1.0	NA	21	<2.0	<2.0	<2.0	6.0	NA	NA	<50	67.52	35.35	32.17	1.7/1.5
MW-4	10/21/2005	76	NA	<0.50	<0.50	<0.50	<1.0	NA	27	NA	NA	NA	NA	NA	NA	NA	67.52	38.57	28.95	2.2/1.8
MW-4	01/09/2006	<50	NA	<0.50	<0.50	<0.50	0.51	NA	14	NA	NA	NA	NA	NA	NA	NA	67.52	34.67	32.85	0.6/0.9
MW-4	04/17/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	1.60	NA	NA	NA	NA	NA	NA	NA	67.52	29.68	37.84	1.09/1.54
MW-4	07/13/2006	<50.0	NA	<0.500	<0.500	<0.500	<1.50	NA	6.53	<0.500	<0.500	<0.500	<10.0	NA	NA	<50.0	67.52	33.62	33.90	1.54/2.64
MW-4	10/19/2006	110	NA	<0.500	0.510	<0.500	1.63 j,n	NA	37.2	<0.500	NA	NA	NA	<0.500	<0.500	NA	67.52	37.18	30.34	0.75/1.50
MW-4	01/02/2007	59	NA	<0.50	<0.50	<0.50	<1.0	NA	22	<2.0	<2.0	<2.0	31	<0.50	<0.50	NA	67.52	37.24	30.28	0.42/0.63
MW-4	04/20/2007	88 p	NA	<0.50	<1.0	<1.0	<1.0	NA	17	<2.0	<2.0	<2.0	<10	<0.50	<1.0	<100	67.52	34.02	33.50	1.20/0.81
MW-4	07/19/2007	<50 p	NA	<0.50	<1.0	<1.0	<1.0	NA	25	<2.0	<2.0	<2.0	<10	<0.50	<1.0	<100	67.52	39.17	28.35	0.23/0.07
<b>MW-4</b>	<b>10/17/2007</b>	<b>96 p</b>	<b>NA</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>27</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;10</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;100</b>	<b>67.52</b>	<b>40.47</b>	<b>27.05</b>	<b>0.50/0.12</b>
MW-5*	06/04/1999	159,000	NA	7,190	39,300	2,450	16,700	<5,000	NA	NA	NA	NA	NA	NA	NA	NA	66.50	33.48	33.02	1.7
MW-5	06/04/1999	80,400	NA	4,400	26,000	1,480	11,000	3,660	NA	NA	NA	NA	NA	NA	NA	NA	66.50	33.48	33.02	1.9

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-5	07/22/1999	97,200	NA	4,580	25,600	1,580	10,100	<5,000	4,330	NA	NA	NA	NA	NA	NA	NA	66.50	33.29	33.21	1.7/1.8
MW-5	12/08/1999	72,000	NA	3,360	16,600	1,560	8,320	3,460	NA	NA	NA	NA	NA	NA	NA	NA	66.50	37.80	28.70	1.7/1.9
MW-5	01/07/2000	104,000	NA	5,370	30,400	2,500	13,900	3,330	NA	NA	NA	NA	NA	NA	NA	NA	66.50	38.40	28.10	1.6/1.2
MW-5	04/05/2000	99,700	NA	5,710	37,000	2,410	14,200	10,800	NA	NA	NA	NA	NA	NA	NA	NA	66.50	30.72	35.78	1.7/1.5
MW-5	07/12/2000	106,000	NA	3,840	38,200	2,980	18,100	3,280	NA	NA	NA	NA	NA	NA	NA	NA	66.50	34.42	32.08	0.2/1.8
MW-5	10/19/2000	72,400	NA	3,010	32,200	2,440	15,400	2,840	NA	NA	NA	NA	NA	NA	NA	NA	66.50	36.89	29.61	1.0/2.7
MW-5	01/15/2001	78,300	NA	2,220	21,400	1,960	12,200	3,420	1,370	NA	NA	NA	NA	NA	NA	NA	66.50	37.10	29.40	1.2/1.0
MW-5	04/30/2001	83,000	NA	1,400	23,000	2,300	14,000	NA	3,400	NA	NA	NA	NA	NA	NA	NA	66.50	34.75	31.75	0.6/0.8
MW-5	07/20/2001 f	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.50	37.40	29.10	0.5
MW-5	07/24/2001	160,000	NA	2,400	37,000	3,800	24,000	NA	1,400	NA	NA	NA	NA	NA	NA	NA	66.50	37.30	29.20	0.7/0.8
MW-5	10/24/2001 g	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	66.50	39.00	27.50	NA
MW-5	10/31/2001	14,000	NA	150	2,700	450	2,300	NA	110	<2.0	<2.0	<2.0	<50	NA	NA	<500	66.50	39.05	27.45	0.4/0.8
MW-5	01/03/2002	62,000	NA	660	12,000	1,700	11,000	NA	860	NA	NA	NA	NA	NA	NA	NA	66.50	35.15	31.35	0.4/0.3
MW-5	04/05/2002	81,000	NA	1,500	19,000	2,400	13,000	NA	2,400	NA	NA	NA	NA	NA	NA	NA	66.50	34.18	32.32	1.7/1.4
MW-5	07/11/2002	140,000	NA	1,900	26,000	3,400	20,000	NA	1,700	NA	NA	NA	NA	NA	NA	NA	66.50	36.28	30.22	0.5/0.6
MW-5	10/28/2002	30,000	NA	340	4,900	830	5,200	NA	<200	NA	NA	NA	NA	NA	NA	NA	66.50	38.44	28.06	0.6/0.9
MW-5	01/07/2003	72,000	NA	720	13,000	1,900	10,000	NA	1,100	NA	NA	NA	NA	NA	NA	NA	66.50	34.17	32.33	1.4/1.1
MW-5	04/14/2003	110,000	NA	900	19,000	3,000	20,000	NA	1,400	NA	NA	NA	NA	NA	NA	NA	66.50	35.52	30.98	0.8/0.6
MW-5	07/01/2003	94,000	NA	970	22,000	3,300	20,000	NA	2,900	<500	<500	<500	<1,300	<130	<130	<13,000 c	66.50	35.37	31.13	1.1/1.0
MW-5	10/08/2003	26,000	NA	290	3,000	960	5,000	NA	300	NA	NA	NA	NA	NA	NA	NA	66.50	38.87	27.63	0.4/0.4
MW-5	01/15/2004	88,000	NA	880	18,000	3,400	19,000	NA	1,500	NA	NA	NA	NA	NA	NA	NA	66.50	36.15	30.35	3.5/2.0
MW-5	04/09/2004	1,100,000	NA	990	26,000	4,400	23,000	NA	3,500	NA	NA	NA	NA	NA	NA	NA	66.50	35.07	31.43	1.1/0.9
MW-5	06/21/2004	76,000	NA	830	18,000	3,400	21,000	NA	1,400	NA	NA	NA	NA	NA	NA	NA	66.50	37.20	29.30	1.5/1.1
MW-5	07/13/2004	91,000	NA	650	14,000	3,500	20,000	NA	1,200	<200	<200	<200	<500	NA	NA	<5,000	66.50	37.80	28.70	1.00/0.96
MW-5	11/05/2004	5,700	NA	<20	400	190	1,100	NA	<20	NA	NA	NA	NA	NA	NA	NA	66.50	39.09	27.41	4.0/5.1
MW-5	01/10/2005	130,000	NA	360	14,000	5,100	35,000	NA	900	NA	NA	NA	NA	NA	NA	NA	66.50	36.22	30.28	0.2/0.1
MW-5	04/11/2005	100,000	NA	220	9,300	3,800	25,000	NA	12,000	NA	NA	NA	NA	NA	NA	NA	66.50	31.85	34.65	0.08/0.21
MW-5	07/12/2005	130,000	NA	530	19,000	6,300	42,000	NA	1,900	<200	<200	<200	730	NA	NA	<5,000	66.50	34.23	32.27	0.9/0.9
MW-5	10/21/2005	190,000	NA	550	18,000	6,700	35,000	NA	920	NA	NA	NA	NA	NA	NA	NA	66.50	37.51	28.99	0.2/0.3
MW-5	01/09/2006	72,000	NA	400	8,700	4,700	18,000	NA	1,300	NA	NA	NA	NA	NA	NA	NA	66.50	33.61	32.89	0.2/0.4
MW-5	04/17/2006	149,000	NA	277	8,630	4,470	24,600	NA	1,930	NA	NA	NA	NA	NA	NA	NA	66.50	28.47	38.03	0.78/0.58
MW-5	07/13/2006	134,000	NA	234	6,050	4,970	26,300	NA	1,160	<0.500	<0.500	<0.500	868	NA	NA	<50.0	66.50	32.47	34.03	0.5/0.3
MW-5	10/19/2006	35,500	NA	275	1,100 o	4,920	23,100	NA	206	<0.500	NA	NA	NA	<0.500	<0.500	NA	66.50	36.09	30.41	0.75/0.50

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-5	01/02/2007	77,000	NA	240	12,000	4,500	28,000	NA	380	<10	<10	<10	780	<2.5	<2.5	NA	66.50	36.18	30.32	0.33/0.62
MW-5	04/20/2007	78,000 p,q	NA	280	16,000	9,100	45,000	NA	640	<20	<20	<20	430	7.1	<10	<1,000	66.50	35.86	30.64	0.05/0.04
MW-5	07/19/2007	20,000 p	NA	230	9,900	4,100	25,000	NA	380	<400	<400	<400	<2,000	<100	<200	<20,000	66.50	38.04	28.46	0.08/0.10
<b>MW-5</b>	<b>10/17/2007</b>	<b>30,000 p</b>	<b>NA</b>	<b>0.51</b>	<b>7.0</b>	<b>13</b>	<b>72</b>	<b>NA</b>	<b>&lt;1.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;10</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;100</b>	<b>66.50</b>	<b>39.44</b>	<b>27.06</b>	<b>0.04/0.03</b>

MW-6*	06/04/1999	36,000	NA	4,240	1,680	1,100	4,160	11,300	17,500	NA	NA	NA	NA	NA	NA	NA	64.98	32.13	32.85	1.3
MW-6	06/04/1999	56,900	NA	6,830	6,050	1,970	9,060	17,000	24,300	NA	NA	NA	NA	NA	NA	NA	64.98	32.13	32.85	1.3
MW-6	07/22/1999	42,800	NA	4,660	740	1,210	4,980	15,600	20,100	NA	NA	NA	NA	NA	NA	NA	64.98	32.09	32.89	2.9/2.1
MW-6	12/08/1999	9,520	NA	1,760	58.0	142	384	9,320	7,310 c	NA	NA	NA	NA	NA	NA	NA	64.98	36.62	28.36	2.9/2.2
MW-6	01/07/2000	20,000	NA	3,650	367	949	1,700	13,600	13,100	NA	NA	NA	NA	NA	NA	NA	64.98	37.03	27.95	1.2/1.4
MW-6	04/05/2000	20,500 e	NA	4,190 e	1,250 e	1,200 e	2,750 e	18,600 e	12,700 c	NA	NA	NA	NA	NA	NA	NA	64.98	29.37	35.61	1.2/1.2
MW-6	07/12/2000	27,300	NA	4,000	3,170	1,470	4,570	12,900	10,800 c	NA	NA	NA	NA	NA	NA	NA	64.98	33.04	31.94	0.8/0.4
MW-6	10/19/2000	39,600	NA	4,050	6,250	1,920	7,800	14,200	14,600 c	NA	NA	NA	NA	NA	NA	NA	64.98	35.62	29.36	1.4/1.7
MW-6	01/15/2001	64,800	NA	2,090	20,400	1,860	11,100	<1,250	NA	NA	NA	NA	NA	NA	NA	NA	64.98	35.91	29.07	1.2/1.5
MW-6	04/30/2001	27,000	NA	2,300	3,200	1,100	4,600	NA	6,800	NA	NA	NA	NA	NA	NA	NA	64.98	33.70	31.28	1.6/1.2
MW-6	07/20/2001	29,000	NA	2,100	1,900	1,100	5,600	NA	7,100	NA	NA	NA	NA	NA	NA	NA	64.98	35.98	29.00	1.0/0.7
MW-6	10/24/2001	38,000	NA	1,400	690	1,400	5,700	NA	4,800	<10	<10	<10	1,100	NA	NA	<500	64.98	37.55	27.43	1.0/0.6
MW-6	01/03/2002	10,000	NA	810	120	260	1,100	NA	4,100	NA	NA	NA	NA	NA	NA	NA	64.98	33.34	31.64	0.8/0.6
MW-6	04/05/2002	19,000	NA	1,100	1,100	510	3,000	NA	4,300	NA	NA	NA	NA	NA	NA	NA	64.98	34.60	30.38	1.1/1.5
MW-6	07/11/2002	26,000	NA	1,100	550	1,200	4,400	NA	5,400	NA	NA	NA	NA	NA	NA	NA	64.98	35.02	29.96	0.1/0.7
MW-6	10/28/2002	11,000	NA	230	56	140	540	NA	2,500	NA	NA	NA	NA	NA	NA	NA	65.10	37.78	27.32	0.7/1.1
MW-6	01/07/2003	Unable to sample		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	65.10	32.95	32.15	NA
MW-6	01/10/2003	17,000	NA	840	1,200	1,100	2,700	NA	3,400	NA	NA	NA	NA	NA	NA	NA	65.10	32.75	32.35	0.4/0.3
MW-6	04/14/2003	31,000	NA	810	420	1,300	4,000	NA	3,800	NA	NA	NA	NA	NA	NA	NA	65.10	34.95	30.15	3.6/1.0
MW-6	07/01/2003	1,400	NA	88	44	<10	160	NA	1,900	<40	<40	<40	340	<10	<10	<1,000 c	65.10	34.77	30.33	1.2/1.5
MW-6	10/08/2003	26,000	NA	720	92	1,100	1,800	NA	3,500	NA	NA	NA	NA	NA	NA	NA	65.10	37.57	27.53	0.5/0.6
MW-6	01/15/2004	7,300	NA	250	110	340	750	NA	1,100	NA	NA	NA	NA	NA	NA	NA	65.10	35.40	29.70	1.0/3.2
MW-6	04/09/2004	20,000	NA	590	1,700	1,200	3,300	NA	2,400	NA	NA	NA	NA	NA	NA	NA	65.10	33.70	31.40	2.1/3.3
MW-6	07/13/2004	1,700	NA	24	<10	58	84	NA	1,600	<40	<40	<40	320	NA	NA	<1,000	65.10	36.42	28.68	1.11/0.93
MW-6	11/05/2004	24,000	NA	310	33	650	1,900	NA	2,000	NA	NA	NA	NA	NA	NA	NA	65.10	37.64	27.46	3.0/1.2
MW-6	01/10/2005	17,000	NA	120	6.4	270	590	NA	520	NA	NA	NA	NA	NA	NA	NA	65.10	34.77	30.33	0.2/0.1
MW-6	04/11/2005	12,000	NA	290	300	650	1,100	NA	1,400	NA	NA	NA	NA	NA	NA	NA	65.10	31.19	33.91	0.10/0.14
MW-6	07/12/2005	21,000	NA	440	660	1,400	2,600	NA	2,700	<50	<50	<50	1,500	NA	NA	<1,300	65.10	32.85	32.25	1.6/1.7

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-6	10/21/2005	9,000	NA	260	28	500	420	NA	1,500	NA	NA	NA	NA	NA	NA	NA	65.10	35.85	29.25	0.2/0.3
MW-6	01/09/2006	400	NA	10	1.2	6.6	7.5	NA	110 m	NA	NA	NA	NA	NA	NA	NA	65.10	32.18	32.92	0.2/0.3
MW-6	04/17/2006	Unable to sample		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	65.10	27.09	38.01	NA
MW-6	05/02/2006	7,400	NA	101	57.5	156	276	NA	596	NA	NA	NA	NA	NA	NA	NA	65.10	26.98	38.12	0.26/0.31
MW-6	07/13/2006	8,030	NA	119	91.8	305	384	NA	745	<0.500	<0.500	<0.500	370	NA	NA	<50.0	65.10	31.08	34.02	1.62/1.22
MW-6	10/19/2006	3,230	NA	175	25.3	431	416	NA	1,020	<0.500	NA	NA	NA	<0.500	<0.500	NA	65.10	34.68	30.42	3.5/2.75
MW-6	01/02/2007	6,000	NA	150	10	140	78	NA	750	<10	<10	<10	1,300	<2.5	<2.5	NA	65.10	34.75	30.35	0.17/0.49
MW-6	04/20/2007	4,100 p	NA	110	14	91	165	NA	550	<2.0	<2.0	<2.0	500	2.8	<1.0	<100	65.10	34.55	30.55	0.07/0.05
MW-6	07/19/2007	1,700 p	NA	44	2.5	15	8.71 r	NA	240	<4.0	<4.0	<4.0	450	<1.0	<2.0	<200	65.10	36.72	28.38	2.37/0.25
<b>MW-6</b>	<b>10/17/2007</b>	<b>480 p</b>	<b>NA</b>	<b>6.8</b>	<b>&lt;1.0</b>	<b>0.50 r</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>65</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>220</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;100</b>	<b>65.10</b>	<b>37.95</b>	<b>27.15</b>	<b>0.27/0.21</b>

MW-7*	06/04/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	NA	NA	NA	65.83	33.03	32.80	1.4
MW-7	06/04/1999	<50.0	NA	0.663	<0.500	0.677	<0.500	11.7	NA	NA	NA	NA	NA	NA	NA	NA	65.83	33.03	32.80	1.4
MW-7	07/22/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	<2.00	NA	NA	NA	NA	NA	NA	NA	65.83	33.09	32.74	2.7/2.4
MW-7	12/08/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	NA	NA	NA	65.83	37.68	28.15	2.7/2.4
MW-7	01/07/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	65.83	37.87	27.96	2.8/2.6
MW-7	04/05/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	65.83	30.30	35.53	2.8/3.1
MW-7	07/12/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	65.83	33.92	31.91	0.9/0.7
MW-7	10/19/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	65.83	36.51	29.32	1.5/1.8
MW-7	01/15/2001	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	65.83	36.73	29.10	4.7/4.3
MW-7	04/30/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	65.83	34.25	31.58	4.2/2.2
MW-7	07/20/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	65.83	36.88	28.95	1.8/1.7
MW-7	10/24/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	65.83	38.45	27.38	1.4/1.5
MW-7	01/03/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	65.83	34.52	31.31	1.2/1.8
MW-7	04/05/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	65.83	34.51	31.32	1.7/1.4
MW-7	07/11/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	65.83	35.77	30.06	4.5/2.5
MW-7	10/28/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	65.84	37.70	28.14	0.4/0.8
MW-7	01/07/2003	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	65.84	33.76	32.08	2.24/1.9
MW-7	04/14/2003	80	NA	2.2	1.1	3.0	9.0	NA	21	NA	NA	NA	NA	NA	NA	NA	65.84	34.99	30.85	2.7/1.9
MW-7	07/01/2003	<50	NA	<0.50	0.75	<0.50	1.1	NA	0.77	<2.0	<2.0	<2.0	<5.0	<0.50	<0.50	<50	65.84	34.79	31.05	0.7/0.9
MW-7	10/08/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.84	38.37	27.47	1.7/1.8
MW-7	01/15/2004	<50	NA	3.3	1.2	2.7	4.2	NA	18	NA	NA	NA	NA	NA	NA	NA	65.84	35.64	30.20	2.5/3.6
MW-7	04/09/2004	<50	NA	<0.50	<0.50	0.56	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.84	34.56	31.28	2.0/1.6



**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	-------------------	--------------	----------------------------	--------------------------	------------------------

MW-7	07/13/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.84	37.30	28.54	0.71/1.10
MW-7	11/05/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.84	38.50	27.34	3.2/3.4
MW-7	01/10/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.84	35.64	30.20	0.8/0.3
MW-7	04/11/2005	<50 l	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.84	31.41	34.43	2.00/1.38
MW-7	07/12/2005	51 k	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.84	33.78	32.06	2.7/3.2
MW-7	10/21/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.84	36.92	28.92	2.3/2.3
MW-7	01/09/2006	<50	NA	<0.50	<0.50	<0.50	0.56	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.84	33.04	32.80	0.2/1.4
MW-7	04/17/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	NA	65.84	28.00	37.84	3.11/3.69
MW-7	07/13/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	NA	65.84	32.00	33.84	2.29/2.75
MW-7	10/19/2006	<50.0	NA	<0.500	<0.500	<0.500	1.25 j,n	NA	<0.500	<0.500	NA	NA	NA	<0.500	<0.500	NA	65.84	35.57	30.27	3.0/3.25
MW-7	01/02/2007	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	<0.50	<0.50	NA	65.84	35.64	30.20	1.93/2.64
MW-7	04/20/2007	<50 p	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	<0.50	<1.0	<100	65.84	35.42	30.42	0.03/0.04
MW-7	07/19/2007	<50 p	NA	<0.50	1.6	0.75 r	3.81 r	NA	<1.0	<2.0	<2.0	<2.0	<10	<0.50	<1.0	<100	65.84	37.65	28.19	2.8/1.9
<b>MW-7</b>	<b>10/17/2007</b>	<b>&lt;50 p</b>	<b>NA</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>&lt;1.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;10</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;100</b>	<b>65.84</b>	<b>38.88</b>	<b>26.96</b>	<b>0.9/1.5</b>

MW-8*	06/04/1999	<50	NA	<0.500	<0.500	<0.500	<0.500	452	NA	NA	NA	NA	NA	NA	NA	NA	65.07	32.19	32.88	2.1
MW-8	06/04/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	186	NA	NA	NA	NA	NA	NA	NA	NA	65.07	32.19	32.88	1.8
MW-8	07/22/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	286	443	NA	NA	NA	NA	NA	NA	NA	65.07	32.14	32.93	2.9/2.7
MW-8	12/08/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	NA	NA	NA	65.07	36.75	28.32	2.9/2.7
MW-8	01/07/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	255	NA	NA	NA	NA	NA	NA	NA	NA	65.07	37.15	27.92	1.8/2.0
MW-8	04/05/2000	<50.0 e	NA	<0.500 e	<0.500 e	<0.500 e	<0.500 e	247 e	NA	NA	NA	NA	NA	NA	NA	NA	65.07	29.45	35.62	2.1/2.5
MW-8	07/12/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	123	NA	NA	NA	NA	NA	NA	NA	NA	65.07	33.13	31.94	0.5/0.5
MW-8	10/19/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	123	NA	NA	NA	NA	NA	NA	NA	NA	65.07	35.72	29.35	1.2/1.8
MW-8	01/15/2001	<50.0	NA	<0.500	<0.500	<0.500	<0.500	173	NA	NA	NA	NA	NA	NA	NA	NA	65.07	36.00	29.07	0.5/1.0
MW-8	04/30/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	120	NA	NA	NA	NA	NA	NA	NA	65.07	33.48	31.59	1.4/1.0
MW-8	07/20/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	210	NA	NA	NA	NA	NA	NA	NA	65.07	36.12	28.95	1.0/1.2
MW-8	10/24/2001	<100	NA	<1.0	<1.0	<1.0	<1.0	NA	360	NA	NA	NA	NA	NA	NA	NA	65.07	37.73	27.34	1.4/0.5
MW-8	01/03/2002	290	NA	<0.50	<0.50	<0.50	<0.50	NA	18	NA	NA	NA	NA	NA	NA	NA	65.07	35.37	29.70	1.2/1.1
MW-8	04/05/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	100	NA	NA	NA	NA	NA	NA	NA	65.07	35.40	29.67	1.2/1.3
MW-8	07/11/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	230	NA	NA	NA	NA	NA	NA	NA	65.07	35.05	30.02	0.3/0.4
MW-8	10/28/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	210	NA	NA	NA	NA	NA	NA	NA	65.08	37.25	27.83	1.1/1.2
MW-8	01/07/2003	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	97	NA	NA	NA	NA	NA	NA	NA	65.08	33.01	32.07	1.4/1.7
MW-8	04/14/2003	<50	NA	<0.50	<0.50	<0.50	1.1	NA	130	NA	NA	NA	NA	NA	NA	NA	65.08	34.29	30.79	2.5/0.9

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-8	07/01/2003	<250	NA	<2.5	<2.5	<2.5	<5.0	NA	430	<10	<10	<10	<25	<2.5	<2.5	<250	65.08	34.04	31.04	0.6/0.8
MW-8	10/08/2003	<100	NA	<1.0	<1.0	<1.0	<2.0	NA	240	NA	NA	NA	NA	NA	NA	NA	65.08	37.58	27.50	0.6/0.7
MW-8	01/15/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	78	NA	NA	NA	NA	NA	NA	NA	65.08	35.00	30.08	1.3/2.0
MW-8	04/09/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	82	NA	NA	NA	NA	NA	NA	NA	65.08	33.68	31.40	1.7/2.4
MW-8	07/13/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	120	<2.0	<2.0	<2.0	<5.0	NA	NA	<50	65.08	36.75	28.33	2.18/1.74
MW-8	11/05/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	91	NA	NA	NA	NA	NA	NA	NA	65.08	37.78	27.30	1.8/2.5
MW-8	01/10/2005	54 k	NA	<0.50	<0.50	<0.50	<1.0	NA	76	NA	NA	NA	NA	NA	NA	NA	65.08	35.15	29.93	0.1/0.2
MW-8	04/11/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	28	NA	NA	NA	NA	NA	NA	NA	65.08	30.57	34.51	0.41/0.18
MW-8	07/12/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	36	<2.0	<2.0	<2.0	6.6	NA	NA	<50	65.08	32.94	32.14	1.4/2.2
MW-8	10/21/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	31	NA	NA	NA	NA	NA	NA	NA	65.08	36.16	28.92	0.4/0.5
MW-8	01/09/2006	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	2.3	NA	NA	NA	NA	NA	NA	NA	65.08	32.53	32.55	0.5/0.7
MW-8	04/17/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	17.6	NA	NA	NA	NA	NA	NA	NA	65.08	27.48	37.60	2.65/3.31
MW-8	07/13/2006	<50.0	NA	<0.500	<0.500	<0.500	<1.50	NA	9.74	<0.500	<0.500	<0.500	<10.0	NA	NA	<50.0	65.08	31.14	33.94	0.91/1.23
MW-8	10/19/2006	<50.0	NA	<0.500	<0.500	<0.500	0.780 j,n	NA	12.6	<0.500	NA	NA	NA	<0.500	<0.500	NA	65.08	34.79	30.29	2.5/3.0
MW-8	01/02/2007	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	9.0	<2.0	<2.0	<2.0	<5.0	<0.50	<0.50	NA	65.08	34.88	30.20	0.48/0.77
MW-8	04/20/2007	<50 p	NA	<0.50	<1.0	<1.0	<1.0	NA	8.1	<2.0	<2.0	<2.0	<10	<0.50	<1.0	NA	65.08	34.63	30.45	0.03/0.02
MW-8	07/19/2007	<50 p	NA	<0.50	0.92 r	0.36 r	1.95 r	NA	13	<2.0	<2.0	<2.0	<10	<0.50	<1.0	110	65.08	36.80	28.28	0.75/0.06
<b>MW-8</b>	<b>10/17/2007</b>	<b>&lt;50 p</b>	<b>NA</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>11</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;10</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;100</b>	<b>65.08</b>	<b>38.08</b>	<b>27.00</b>	<b>0.15/0.09</b>
MW-9	03/15/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	65.55	34.05	31.50	NA
MW-9	04/09/2004	16,000	NA	460	330	980	3,000	NA	900	NA	NA	NA	NA	NA	NA	NA	65.55	34.02	31.53	1.6/1.4
MW-9	07/13/2004	9,600	NA	190	91	640	1,500	NA	810	<40	<40	<40	340	NA	NA	<1,000	65.55	36.90	28.65	0.77/0.80
MW-9	11/05/2004	6,300	NA	130	24	470	840	NA	450	NA	NA	NA	NA	NA	NA	NA	65.55	38.05	27.50	9.1/8.2
MW-9	01/10/2005	6,100	NA	130	80	450	1,000	NA	280	NA	NA	NA	NA	NA	NA	NA	65.55	35.42	30.13	1.67/0.29
MW-9	04/11/2005	1,100	NA	40	21	99	220	NA	120	NA	NA	NA	NA	NA	NA	NA	65.55	31.71	33.84	0.90/0.33
MW-9	07/12/2005	2,200	NA	56	19	180	350	NA	290	<4.0	<4.0	<4.0	210	NA	NA	<100	65.55	33.32	32.23	1.0/2.7
MW-9	10/21/2005	8,300	NA	190	59	610	1,100	NA	930	NA	NA	NA	NA	NA	NA	NA	65.55	36.50	29.05	0.4/0.3
MW-9	01/09/2006	6,100	NA	170	100	460	950	NA	560	NA	NA	NA	NA	NA	NA	NA	65.55	32.75	32.80	0.8/0.4
MW-9	04/17/2006	<50.0	NA	5.89	4.25	17.4	38.1	NA	15.8	NA	NA	NA	NA	NA	NA	NA	65.55	28.06	37.49	1.30/2.72
MW-9	07/13/2006	<50.0	NA	<0.500	<0.500	<0.500	<1.50	NA	1.49	<0.500	<0.500	<0.500	<10.0	NA	NA	<50.0	65.55	31.53	34.02	2.1/2.4
MW-9	10/19/2006	10,600	NA	85.5	22.7	335	442	NA	510	<0.500	NA	NA	NA	<0.500	<0.500	NA	65.55	34.98	30.57	1.00/2.25
MW-9	01/02/2007	7,700	NA	160	53	740	1,100	NA	470	<2.0	<2.0	<2.0	600	<0.50	<0.50	NA	65.55	35.37	30.18	0.62/0.54
MW-9	04/20/2007	5,000 p	NA	130	40	490	451	NA	310	<2.0	<2.0	<2.0	350	3.4	<1.0	<100	65.55	35.00	30.55	0.61/0.92

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-9	07/19/2007	3,500 p,q	NA	79	15	390	303	NA	240	<2.0	<2.0	<2.0	290	<0.50	<1.0	<100	65.55	37.20	28.35	2.38/0.02
<b>MW-9</b>	<b>10/17/2007</b>	<b>1,600 p</b>	<b>NA</b>	<b>55</b>	<b>6.9</b>	<b>280</b>	<b>244.2 r</b>	<b>NA</b>	<b>170</b>	<b>&lt;10</b>	<b>&lt;10</b>	<b>&lt;10</b>	<b>160</b>	<b>&lt;2.5</b>	<b>&lt;5.0</b>	<b>&lt;500</b>	<b>65.55</b>	<b>38.48</b>	<b>27.07</b>	<b>1.45/2.65</b>
MW-10	03/15/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	64.36	32.74	31.62	NA
MW-10	04/09/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	17	NA	NA	NA	NA	NA	NA	NA	64.36	33.20	31.16	1.6/1.0
MW-10	07/13/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	130	<2.0	<2.0	<2.0	<5.0	NA	NA	<50	64.36	36.05	28.31	1.95/2.04
MW-10	11/05/2004	140 k	NA	<0.50	<0.50	<0.50	<1.0	NA	55	NA	NA	NA	NA	NA	NA	NA	64.36	37.16	27.20	2.8/3.4
MW-10	01/10/2005	60 k	NA	<0.50	<0.50	<0.50	<1.0	NA	22	NA	NA	NA	NA	NA	NA	NA	64.36	34.48	29.88	0.3/0.2
MW-10	04/11/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	40	NA	NA	NA	NA	NA	NA	NA	64.36	30.01	34.35	0.06/0.04
MW-10	07/12/2005	51 k	NA	<0.50	<0.50	<0.50	<1.0	NA	31	<2.0	<2.0	<2.0	290	NA	NA	<50	64.36	32.40	31.96	1.9/1.9
MW-10	10/21/2005	63 k	NA	<0.50	<0.50	<0.50	<1.0	NA	7.2	NA	NA	NA	NA	NA	NA	NA	64.36	35.54	28.82	0.3/0.5
MW-10	01/09/2006	69	NA	<0.50	<0.50	<0.50	<0.50	NA	9.0	NA	NA	NA	NA	NA	NA	NA	64.36	31.90	32.46	0.2/0.2
MW-10	04/17/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	31.6	NA	NA	NA	NA	NA	NA	NA	64.36	26.82	37.54	0.68/1.26
MW-10	07/13/2006	<50.0	NA	<0.500	<0.500	<0.500	<1.50	NA	2.36	<0.500	<0.500	<0.500	25.2	NA	NA	<50.0	64.36	30.56	33.80	0.65/1.39
MW-10	10/19/2006	<50.0	NA	<0.500	<0.500	<0.500	0.650 j,n	NA	6.72	<0.500	NA	NA	NA	<0.500	<0.500	NA	64.36	34.20	30.16	0.75/1.2
MW-10	01/02/2007	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	14	<2.0	<2.0	<2.0	420	<0.50	<0.50	NA	64.36	34.27	30.09	0.42/0.87
MW-10	04/20/2007	130 p	NA	3.8	<1.0	0.14 r	<1.0	NA	11	<2.0	<2.0	<2.0	610	<0.50	<1.0	<100	64.36	33.98	30.38	0.04/0.03
MW-10	07/19/2007	150 p	NA	<0.50	<1.0	<1.0	<1.0	NA	11	<2.0	<2.0	<2.0	380	<0.50	<1.0	<100	64.36	36.28	28.08	0.10/0.41
<b>MW-10</b>	<b>10/17/2007</b>	<b>260 p</b>	<b>NA</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>35</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>470</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;100</b>	<b>64.36</b>	<b>37.54</b>	<b>26.82</b>	<b>0.10/0.14</b>
MW-11	03/15/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	63.54	32.05	31.49	NA
MW-11	04/09/2004	<50	NA	<0.50	0.64	1.6	3.8	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	63.54	32.51	31.03	2.3/4.3
MW-11	07/13/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	<50	63.54	32.79	30.75	1.73/2.10
MW-11	11/05/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	63.54	36.44	27.10	4.8/6.2
MW-11	01/10/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	63.54	33.70	29.84	3.2/3.4
MW-11	04/11/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	63.54	29.48	34.06	0.24/0.19
MW-11	07/12/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	<50	63.54	31.72	31.82	3.9/5.2
MW-11	10/21/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	63.54	35.00	28.54	1.1/3.8
MW-11	01/09/2006	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	63.54	31.18	32.36	2.6/3.8
MW-11	04/17/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	NA	63.54	26.16	37.38	4.15/5.06
MW-11	07/13/2006	<50.0	NA	<0.500	<0.500	<0.500	<1.50	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	<50.0	63.54	30.00	33.54	3.50/5.45
MW-11	10/19/2006	<50.0	NA	<0.500	<0.500	<0.500	0.570 j,n	NA	<0.500	<0.500	NA	NA	NA	<0.500	<0.500	NA	63.54	33.50	30.04	3.9/4.3
MW-11	01/02/2007	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	<0.50	<0.50	NA	63.54	33.57	29.97	2.39/3.17

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-11	04/20/2007	<50 p	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	<0.50	<1.0	<100	63.54	33.33	30.21	2.62/2.08
MW-11	07/19/2007	<50 p	NA	<0.50	0.33 r	<1.0	0.57 r	NA	<1.0	<2.0	<2.0	<2.0	<10	<0.50	<1.0	120	63.54	35.56	27.98	3.37/1.16
<b>MW-11</b>	<b>10/17/2007</b>	<b>&lt;50 p</b>	<b>NA</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>&lt;1.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;10</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;100</b>	<b>63.54</b>	<b>36.78</b>	<b>26.76</b>	<b>3.05/2.98</b>
MW-12	03/15/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	65.58	33.97	31.61	NA
MW-12	04/09/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.58	34.60	30.98	3.4/5.7
MW-12	07/13/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	<50	65.58	37.15	28.43	2.13/2.57
MW-12	11/05/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.58	38.39	27.19	5.4/6.3
MW-12	01/10/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.58	35.54	30.04	5.6/4.5
MW-12	04/11/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.58	31.36	34.22	0.26/0.31
MW-12	07/12/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	<50	65.58	33.68	31.90	4.8/5.3
MW-12	10/21/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.58	36.81	28.77	3.5/4.5
MW-12	01/09/2006	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	65.58	33.02	32.56	1.5/4.0
MW-12	04/17/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	NA	65.58	28.06	37.52	6.09/5.41
MW-12	07/13/2006	<50.0	NA	<0.500	<0.500	<0.500	<1.50	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	<50.0	65.58	32.03	33.55	3.65/4.12
MW-12	10/19/2006	<50.0	NA	<0.500	<0.500	<0.500	1.33	NA	<0.500	<0.500	NA	NA	NA	<0.500	<0.500	NA	65.58	35.47	30.11	5.8/5.7
MW-12	01/02/2007	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	<0.50	<0.50	NA	65.58	35.50	30.08	2.1/3.6
MW-12	04/20/2007	<50 p	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	<0.50	<1.0	<100	65.58	35.25	30.33	3.59/4.12
MW-12	07/19/2007	<50 p	NA	<0.50	0.29 r	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	<0.50	<1.0	110	65.58	37.57	28.01	0.11/2.64
<b>MW-12</b>	<b>10/17/2007</b>	<b>&lt;50 p</b>	<b>NA</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>&lt;1.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;10</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;100</b>	<b>65.58</b>	<b>38.76</b>	<b>26.82</b>	<b>1.47/2.17</b>
IW-1	06/04/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	<2.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-1	07/22/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	<2.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-1	12/08/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-1	01/07/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-1	04/05/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	NA	27.85	NA	NA
IW-1	07/12/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
IW-1	10/19/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.7/1.8
IW-1	01/15/2001	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	NA	34.35	NA	1.0/1.2
IW-1	04/30/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	31.74	NA	1.4/3.8
IW-1	07/20/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	34.38	NA	3.0/4.0
IW-1	10/24/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	36.28	NA	5.8/7.0
IW-1	01/03/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	31.96	NA	3.1/3.1

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
IW-1	04/05/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	32.00	NA	2.8/2.9
IW-1	07/11/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	33.22	NA	4.6/4.6
IW-1	10/28/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	35.55	NA	1.7/1.9
IW-1	01/07/2003	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	31.20 h	NA	1.4/1.0
IW-1	04/14/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	32.35	NA	3.9/4.3
IW-1	07/01/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	0.64	<2.0	<2.0	<2.0	<5.0	<0.50	<0.50	<50	NA	33.03	NA	3.7/4.9
IW-1	10/08/2003	<50	NA	1.1	<0.50	3.5	5.7	NA	19	NA	NA	NA	NA	NA	NA	NA	NA	35.75	NA	3.8/4.8
IW-1	01/15/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	NA	i	NA	4.0/6.0
IW-1	04/09/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	NA	32.04	NA	4.0/5.1
IW-1	07/13/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	<50	NA	35.21	NA	5.21/5.72
IW-1	11/05/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	NA	35.96	NA	5.3/5.9
IW-1	01/10/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	NA	33.08	NA	4.8/3.7
IW-1	04/11/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	NA	32.03	NA	3.76/3.14
IW-1	07/12/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	<50	NA	31.32	NA	5.3/5.8
IW-1	10/21/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	63.12	34.49	28.63	4.5/5.1
IW-1	01/09/2006	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	63.12	30.55	32.57	5.6/5.1
IW-1	04/17/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	NA	63.12	25.58	37.54	5.00/5.17
IW-1	07/13/2006	<50.0	NA	<0.500	<0.500	<0.500	<1.50	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	<50.0	63.12	29.60	33.52	4.81/4.89
IW-1	10/19/2006	<50.0	NA	<0.500	<0.500	<0.500	1.14	NA	<0.500	<0.500	NA	NA	NA	<0.500	<0.500	NA	63.12	32.85	30.27	4.6/4.8
IW-1	01/02/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	63.12	33.15	29.97	NA
IW-1	04/20/2007	<50 p	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	<0.50	<1.0	<100	63.12	32.88	30.24	4.86/5.02
IW-1	07/19/2007	<50 p	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	<0.50	<1.0	210	63.12	35.07	28.05	6.78/4.49
<b>IW-1</b>	<b>10/17/2007</b>	<b>&lt;50 p</b>	<b>NA</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>NA</b>	<b>&lt;1.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;10</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;100</b>	<b>63.12</b>	<b>36.42</b>	<b>26.70</b>	<b>3.98/5.12</b>

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	-------------------	--------------	----------------------------	--------------------------	------------------------

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to April 30, 2001, analyzed by EPA Method 8015.

TEPH = Total petroleum hydrocarbons as diesel by modified EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to April 30, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether, analyzed by EPA Method 8260B.

ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260B.

TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260B.

TBA = Tertiary butyl alcohol or Tertiary butanol, analyzed by EPA Method 8260B.

1,2-DCA = 1,2-Dichloroethane, analyzed by EPA Method 8260B.

EDB = Ethylene Dibromide, analyzed by EPA Method 8260B.

TOC = Top of Casing Elevation

SPH = Separate-Phase Hydrocarbons

GW = Groundwater

DO = Dissolved Oxygen

ug/L = Parts per billion

ppm = Parts per million

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

(D) = Duplicate sample

n/n = Pre-purge/post-purge DO reading.


NA = Not applicable

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	-------------------	--------------	----------------------------	--------------------------	------------------------

Notes:

- a = Chromatogram pattern indicated an unidentified hydrocarbon.
  - b = Equipment blank contained 80 ug/L TPH-G, 1.2 ug/L benzene, 17 ug/L toluene, 3.2 ug/L ethylbenzene, 16 ug/L xylenes, and 15 ug/L MTBE.
  - c = Sample was analyzed outside the EPA recommended holding time.
  - d = DO Reading not taken.
  - e = Result was generated out of hold time.
  - f = Stinger broke off in well; removed on subsequent return trip.
  - g = Unable to complete sample due to equipment failure.
  - h = Depth to water at five minutes purge time.
  - i = Unable to gauge; sounder will not fit down access port.
  - j = Result may be elevated due to carry over from previously analyzed sample.
  - k = Quantity of unknown hydrocarbons in sample based on gasoline.
  - l = The concentration reported reflect(s) individual or discrete unidentified peaks not matching a typical fuel pattern.
  - m = The concentration indicated for this analyte is an estimated value above the calibration range of the instrument.
  - n = Insufficient sample available for reanalysis.
  - o = Concentration exceeds the calibration range and therefore result is semi-quantitative.
  - p = Analyzed by EPA Method 8015B (M).
  - q = The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
  - r = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
  - \* = Pre-purge samples.
- Ethanol analyzed by EPA Method 8260B.  
 TOC elevation of wells MW-1, MW-2, and MW-3 resurveyed March 29, 1994.  
 Site surveyed on June 21, 1999 by Virgil Chavez Land Surveying of Vallejo, CA.  
 Site surveyed on March 14, 2002 by Virgil Chavez Land Surveying of Vallejo, CA.  
 Wells MW-9, MW-10, MW-11, and MW-12 surveyed on February 24, 2004 by Virgil Chavez Land Surveying of Vallejo, CA.  
 Well "Irrigation Well" surveyed on October 25, 2005 by Virgil Chavez Land Surveying of Vallejo, CA.  
 Well "IW-1" previously named "Irrigation Well."



October 25, 2007

Michael Ninokata  
Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Subject: **Calscience Work Order No.: 07-10-1358**  
**Client Reference: 1285 Bancroft Ave., San Leandro, CA**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 10/18/2007 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read 'Danielle Gonsman', with a horizontal line extending to the right.

Calscience Environmental  
Laboratories, Inc.  
Danielle Gonsman  
Project Manager





## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: 1285 Bancroft Ave., San Leandro, CA

Page 1 of 4

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-1	07-10-1358-1	10/17/07	Aqueous	GC 25	10/18/07	10/18/07	071018B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	240	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	69	38-134			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-2	07-10-1358-2	10/17/07	Aqueous	GC 25	10/18/07	10/18/07	071018B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	120	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	70	38-134			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-3	07-10-1358-3	10/17/07	Aqueous	GC 25	10/18/07	10/18/07	071018B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	68	38-134			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-4	07-10-1358-4	10/17/07	Aqueous	GC 25	10/18/07	10/18/07	071018B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	96	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	68	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: 1285 Bancroft Ave., San Leandro, CA

Page 2 of 4

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
<b>MW-5</b>	<b>07-10-1358-5</b>	<b>10/17/07</b>	<b>Aqueous</b>	<b>GC 25</b>	<b>10/18/07</b>	<b>10/19/07</b>	<b>071018B02</b>

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	30000	250	5		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	132	38-134			

<b>MW-6</b>	<b>07-10-1358-6</b>	<b>10/17/07</b>	<b>Aqueous</b>	<b>GC 25</b>	<b>10/18/07</b>	<b>10/18/07</b>	<b>071018B01</b>
-------------	---------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	480	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	87	38-134			

<b>MW-7</b>	<b>07-10-1358-7</b>	<b>10/17/07</b>	<b>Aqueous</b>	<b>GC 25</b>	<b>10/18/07</b>	<b>10/18/07</b>	<b>071018B01</b>
-------------	---------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	72	38-134			

<b>MW-8</b>	<b>07-10-1358-8</b>	<b>10/17/07</b>	<b>Aqueous</b>	<b>GC 25</b>	<b>10/18/07</b>	<b>10/18/07</b>	<b>071018B01</b>
-------------	---------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	65	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: 1285 Bancroft Ave., San Leandro, CA

Page 3 of 4

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
<b>MW-9</b>	<b>07-10-1358-9</b>	<b>10/17/07</b>	<b>Aqueous</b>	<b>GC 25</b>	<b>10/18/07</b>	<b>10/19/07</b>	<b>071018B02</b>

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	1600	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	122	38-134			

<b>MW-10</b>	<b>07-10-1358-10</b>	<b>10/17/07</b>	<b>Aqueous</b>	<b>GC 25</b>	<b>10/18/07</b>	<b>10/18/07</b>	<b>071018B01</b>
--------------	----------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	260	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	78	38-134			

<b>MW-11</b>	<b>07-10-1358-11</b>	<b>10/17/07</b>	<b>Aqueous</b>	<b>GC 25</b>	<b>10/18/07</b>	<b>10/19/07</b>	<b>071018B01</b>
--------------	----------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	61	38-134			

<b>MW-12</b>	<b>07-10-1358-12</b>	<b>10/17/07</b>	<b>Aqueous</b>	<b>GC 25</b>	<b>10/18/07</b>	<b>10/19/07</b>	<b>071018B01</b>
--------------	----------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	78	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: 1285 Bancroft Ave., San Leandro, CA

Page 4 of 4

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
IW-1	07-10-1358-13	10/17/07	Aqueous	GC 25	10/18/07	10/19/07	071018B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	80	38-134			

<b>Method Blank</b>	<b>099-12-436-1,033</b>	<b>N/A</b>	<b>Aqueous</b>	<b>GC 25</b>	<b>10/18/07</b>	<b>10/19/07</b>	<b>071018B01</b>
---------------------	-------------------------	------------	----------------	--------------	-----------------	-----------------	------------------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	71	38-134			

<b>Method Blank</b>	<b>099-12-436-1,040</b>	<b>N/A</b>	<b>Aqueous</b>	<b>GC 25</b>	<b>10/18/07</b>	<b>10/19/07</b>	<b>071018B02</b>
---------------------	-------------------------	------------	----------------	--------------	-----------------	-----------------	------------------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	70	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

## Analytical Report

Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1285 Bancroft Ave., San Leandro, CA


Page 1 of 18

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-1	07-10-1358-1	10/17/07	Aqueous	GC/MS Q	10/19/07	10/19/07	071019L01

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	ND	50	6.3	1		c-1,3-Dichloropropene	ND	0.50	0.31	1	
Benzene	0.74	0.50	0.14	1		t-1,3-Dichloropropene	ND	0.50	0.49	1	
Bromobenzene	ND	1.0	0.27	1		Ethylbenzene	1.1	1.0	0.23	1	
Bromochloromethane	ND	1.0	0.70	1		2-Hexanone	ND	10	5.4	1	
Bromodichloromethane	ND	1.0	0.24	1		Isopropylbenzene	ND	1.0	0.26	1	
Bromoform	ND	1.0	0.66	1		p-Isopropyltoluene	ND	1.0	0.31	1	
Bromomethane	ND	10	5.1	1		Methylene Chloride	5.7	10	4.3	1	J,B
2-Butanone	ND	10	6.7	1		4-Methyl-2-Pentanone	ND	10	3.7	1	
n-Butylbenzene	ND	1.0	0.29	1		Naphthalene	1.6	10	0.50	1	J
sec-Butylbenzene	ND	1.0	0.32	1		n-Propylbenzene	0.47	1.0	0.12	1	J
tert-Butylbenzene	ND	1.0	0.33	1		Styrene	ND	1.0	0.29	1	
Carbon Disulfide	ND	10	0.40	1		1,1,1,2-Tetrachloroethane	ND	1.0	0.34	1	
Carbon Tetrachloride	ND	0.50	0.32	1		1,1,2,2-Tetrachloroethane	ND	1.0	0.30	1	
Chlorobenzene	ND	1.0	0.14	1		Tetrachloroethene	4.8	1.0	0.35	1	
Chloroethane	ND	1.0	0.69	1		Toluene	ND	1.0	0.27	1	
Chloroform	2.4	1.0	0.24	1		1,2,3-Trichlorobenzene	ND	1.0	0.43	1	
Chloromethane	ND	10	0.63	1		1,2,4-Trichlorobenzene	ND	1.0	0.33	1	
2-Chlorotoluene	ND	1.0	0.18	1		1,1,1-Trichloroethane	ND	1.0	0.26	1	
4-Chlorotoluene	ND	1.0	0.27	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.68	1	
Dibromochloromethane	ND	1.0	0.41	1		1,1,2-Trichloroethane	ND	1.0	0.49	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	3.2	1		Trichloroethene	ND	1.0	0.37	1	
1,2-Dibromoethane	ND	1.0	0.49	1		Trichlorofluoromethane	ND	10	0.21	1	
Dibromomethane	ND	1.0	0.57	1		1,2,3-Trichloropropane	ND	5.0	1.4	1	
1,2-Dichlorobenzene	ND	1.0	0.33	1		1,2,4-Trimethylbenzene	0.28	1.0	0.23	1	J
1,3-Dichlorobenzene	ND	1.0	0.23	1		1,3,5-Trimethylbenzene	ND	1.0	0.18	1	
1,4-Dichlorobenzene	ND	1.0	0.22	1		Vinyl Acetate	ND	10	3.7	1	
Dichlorodifluoromethane	ND	1.0	0.89	1		Vinyl Chloride	ND	0.50	0.36	1	
1,1-Dichloroethane	ND	1.0	0.27	1		p/m-Xylene	1.9	1.0	0.54	1	
1,2-Dichloroethane	ND	0.50	0.26	1		o-Xylene	ND	1.0	0.17	1	
1,1-Dichloroethene	ND	1.0	0.29	1		Methyl-t-Butyl Ether (MTBE)	13	1.0	0.26	1	
c-1,2-Dichloroethene	ND	1.0	0.35	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
t-1,2-Dichloroethene	ND	1.0	0.38	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
1,2-Dichloropropane	ND	1.0	0.36	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
1,3-Dichloropropane	ND	1.0	0.26	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
2,2-Dichloropropane	ND	1.0	0.28	1		Ethanol	ND	100	86	1	
1,1-Dichloropropene	ND	1.0	0.24	1							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>		
Dibromofluoromethane	121	74-140			1,2-Dichloroethane-d4	125	74-146				
Toluene-d8	101	88-112			1,4-Bromofluorobenzene	89	74-110				

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1285 Bancroft Ave., San Leandro, CA


Page 2 of 18

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-2	07-10-1358-2	10/17/07	Aqueous	GC/MS Q	10/18/07	10/18/07	071018L01

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	ND	50	6.3	1		c-1,3-Dichloropropene	ND	0.50	0.31	1	
Benzene	6.4	0.50	0.14	1		t-1,3-Dichloropropene	ND	0.50	0.49	1	
Bromobenzene	ND	1.0	0.27	1		Ethylbenzene	7.4	1.0	0.23	1	
Bromochloromethane	ND	1.0	0.70	1		2-Hexanone	ND	10	5.4	1	
Bromodichloromethane	ND	1.0	0.24	1		Isopropylbenzene	0.70	1.0	0.26	1	J
Bromoform	ND	1.0	0.66	1		p-Isopropyltoluene	ND	1.0	0.31	1	
Bromomethane	ND	10	5.1	1		Methylene Chloride	5.1	10	4.3	1	J
2-Butanone	ND	10	6.7	1		4-Methyl-2-Pentanone	ND	10	3.7	1	
n-Butylbenzene	ND	1.0	0.29	1		Naphthalene	1.5	10	0.50	1	J
sec-Butylbenzene	ND	1.0	0.32	1		n-Propylbenzene	0.88	1.0	0.12	1	J
tert-Butylbenzene	ND	1.0	0.33	1		Styrene	ND	1.0	0.29	1	
Carbon Disulfide	ND	10	0.40	1		1,1,1,2-Tetrachloroethane	ND	1.0	0.34	1	
Carbon Tetrachloride	ND	0.50	0.32	1		1,1,2,2-Tetrachloroethane	ND	1.0	0.30	1	
Chlorobenzene	ND	1.0	0.14	1		Tetrachloroethene	4.6	1.0	0.35	1	
Chloroethane	ND	1.0	0.69	1		Toluene	0.60	1.0	0.27	1	J
Chloroform	1.5	1.0	0.24	1		1,2,3-Trichlorobenzene	ND	1.0	0.43	1	
Chloromethane	ND	10	0.63	1		1,2,4-Trichlorobenzene	ND	1.0	0.33	1	
2-Chlorotoluene	ND	1.0	0.18	1		1,1,1-Trichloroethane	ND	1.0	0.26	1	
4-Chlorotoluene	ND	1.0	0.27	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.68	1	
Dibromochloromethane	ND	1.0	0.41	1		1,1,2-Trichloroethane	ND	1.0	0.49	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	3.2	1		Trichloroethene	0.43	1.0	0.37	1	J
1,2-Dibromoethane	ND	1.0	0.49	1		Trichlorofluoromethane	ND	10	0.21	1	
Dibromomethane	ND	1.0	0.57	1		1,2,3-Trichloropropane	ND	5.0	1.4	1	
1,2-Dichlorobenzene	ND	1.0	0.33	1		1,2,4-Trimethylbenzene	2.8	1.0	0.23	1	
1,3-Dichlorobenzene	ND	1.0	0.23	1		1,3,5-Trimethylbenzene	0.69	1.0	0.18	1	J
1,4-Dichlorobenzene	ND	1.0	0.22	1		Vinyl Acetate	ND	10	3.7	1	
Dichlorodifluoromethane	ND	1.0	0.89	1		Vinyl Chloride	ND	0.50	0.36	1	
1,1-Dichloroethane	ND	1.0	0.27	1		p/m-Xylene	6.1	1.0	0.54	1	
1,2-Dichloroethane	ND	0.50	0.26	1		o-Xylene	0.45	1.0	0.17	1	J
1,1-Dichloroethene	ND	1.0	0.29	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
c-1,2-Dichloroethene	ND	1.0	0.35	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
t-1,2-Dichloroethene	ND	1.0	0.38	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
1,2-Dichloropropane	ND	1.0	0.36	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
1,3-Dichloropropane	ND	1.0	0.26	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
2,2-Dichloropropane	ND	1.0	0.28	1		Ethanol	ND	100	86	1	
1,1-Dichloropropene	ND	1.0	0.24	1							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>		
Dibromofluoromethane	123	74-140			1,2-Dichloroethane-d4	124	74-146				
Toluene-d8	102	88-112			1,4-Bromofluorobenzene	91	74-110				

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1285 Bancroft Ave., San Leandro, CA


Page 3 of 18

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-3	07-10-1358-3	10/17/07	Aqueous	GC/MS Q	10/18/07	10/18/07	071018L01

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	ND	50	6.3	1		c-1,3-Dichloropropene	ND	0.50	0.31	1	
Benzene	ND	0.50	0.14	1		t-1,3-Dichloropropene	ND	0.50	0.49	1	
Bromobenzene	ND	1.0	0.27	1		Ethylbenzene	2.7	1.0	0.23	1	
Bromochloromethane	ND	1.0	0.70	1		2-Hexanone	ND	10	5.4	1	
Bromodichloromethane	ND	1.0	0.24	1		Isopropylbenzene	ND	1.0	0.26	1	
Bromoform	ND	1.0	0.66	1		p-Isopropyltoluene	ND	1.0	0.31	1	
Bromomethane	ND	10	5.1	1		Methylene Chloride	5.4	10	4.3	1	J
2-Butanone	ND	10	6.7	1		4-Methyl-2-Pentanone	ND	10	3.7	1	
n-Butylbenzene	ND	1.0	0.29	1		Naphthalene	0.75	10	0.50	1	J
sec-Butylbenzene	ND	1.0	0.32	1		n-Propylbenzene	0.29	1.0	0.12	1	J
tert-Butylbenzene	ND	1.0	0.33	1		Styrene	ND	1.0	0.29	1	
Carbon Disulfide	ND	10	0.40	1		1,1,1,2-Tetrachloroethane	ND	1.0	0.34	1	
Carbon Tetrachloride	ND	0.50	0.32	1		1,1,2,2-Tetrachloroethane	ND	1.0	0.30	1	
Chlorobenzene	ND	1.0	0.14	1		Tetrachloroethene	4.0	1.0	0.35	1	
Chloroethane	ND	1.0	0.69	1		Toluene	0.30	1.0	0.27	1	J
Chloroform	1.7	1.0	0.24	1		1,2,3-Trichlorobenzene	ND	1.0	0.43	1	
Chloromethane	ND	10	0.63	1		1,2,4-Trichlorobenzene	ND	1.0	0.33	1	
2-Chlorotoluene	ND	1.0	0.18	1		1,1,1-Trichloroethane	ND	1.0	0.26	1	
4-Chlorotoluene	ND	1.0	0.27	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.68	1	
Dibromochloromethane	ND	1.0	0.41	1		1,1,2-Trichloroethane	ND	1.0	0.49	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	3.2	1		Trichloroethene	ND	1.0	0.37	1	
1,2-Dibromoethane	ND	1.0	0.49	1		Trichlorofluoromethane	ND	10	0.21	1	
Dibromomethane	ND	1.0	0.57	1		1,2,3-Trichloropropane	ND	5.0	1.4	1	
1,2-Dichlorobenzene	ND	1.0	0.33	1		1,2,4-Trimethylbenzene	1.1	1.0	0.23	1	
1,3-Dichlorobenzene	ND	1.0	0.23	1		1,3,5-Trimethylbenzene	0.38	1.0	0.18	1	J
1,4-Dichlorobenzene	ND	1.0	0.22	1		Vinyl Acetate	ND	10	3.7	1	
Dichlorodifluoromethane	ND	1.0	0.89	1		Vinyl Chloride	ND	0.50	0.36	1	
1,1-Dichloroethane	ND	1.0	0.27	1		p/m-Xylene	5.3	1.0	0.54	1	
1,2-Dichloroethane	ND	0.50	0.26	1		o-Xylene	0.60	1.0	0.17	1	J
1,1-Dichloroethene	ND	1.0	0.29	1		Methyl-t-Butyl Ether (MTBE)	2.8	1.0	0.26	1	
c-1,2-Dichloroethene	ND	1.0	0.35	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
t-1,2-Dichloroethene	ND	1.0	0.38	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
1,2-Dichloropropane	ND	1.0	0.36	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
1,3-Dichloropropane	ND	1.0	0.26	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
2,2-Dichloropropane	ND	1.0	0.28	1		Ethanol	ND	100	86	1	
1,1-Dichloropropene	ND	1.0	0.24	1							
<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>	<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>		
Dibromofluoromethane	125	74-140			1,2-Dichloroethane-d4	126	74-146				
Toluene-d8	102	88-112			1,4-Bromofluorobenzene	91	74-110				

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1285 Bancroft Ave., San Leandro, CA


Page 4 of 18

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-4	07-10-1358-4	10/17/07	Aqueous	GC/MS Q	10/22/07	10/22/07	071022L01

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	ND	50	6.3	1		c-1,3-Dichloropropene	ND	0.50	0.31	1	
Benzene	ND	0.50	0.14	1		t-1,3-Dichloropropene	ND	0.50	0.49	1	
Bromobenzene	ND	1.0	0.27	1		Ethylbenzene	ND	1.0	0.23	1	
Bromochloromethane	ND	1.0	0.70	1		2-Hexanone	ND	10	5.4	1	
Bromodichloromethane	ND	1.0	0.24	1		Isopropylbenzene	ND	1.0	0.26	1	
Bromoform	ND	1.0	0.66	1		p-Isopropyltoluene	ND	1.0	0.31	1	
Bromomethane	ND	10	5.1	1		Methylene Chloride	5.0	10	4.3	1	J
2-Butanone	ND	10	6.7	1		4-Methyl-2-Pentanone	ND	10	3.7	1	
n-Butylbenzene	ND	1.0	0.29	1		Naphthalene	ND	10	0.50	1	
sec-Butylbenzene	ND	1.0	0.32	1		n-Propylbenzene	ND	1.0	0.12	1	
tert-Butylbenzene	ND	1.0	0.33	1		Styrene	ND	1.0	0.29	1	
Carbon Disulfide	ND	10	0.40	1		1,1,1,2-Tetrachloroethane	ND	1.0	0.34	1	
Carbon Tetrachloride	ND	0.50	0.32	1		1,1,2,2-Tetrachloroethane	ND	1.0	0.30	1	
Chlorobenzene	ND	1.0	0.14	1		Tetrachloroethene	1.2	1.0	0.35	1	
Chloroethane	ND	1.0	0.69	1		Toluene	ND	1.0	0.27	1	
Chloroform	0.48	1.0	0.24	1	J	1,2,3-Trichlorobenzene	ND	1.0	0.43	1	
Chloromethane	ND	10	0.63	1		1,2,4-Trichlorobenzene	ND	1.0	0.33	1	
2-Chlorotoluene	ND	1.0	0.18	1		1,1,1-Trichloroethane	ND	1.0	0.26	1	
4-Chlorotoluene	ND	1.0	0.27	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.68	1	
Dibromochloromethane	ND	1.0	0.41	1		1,1,2-Trichloroethane	ND	1.0	0.49	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	3.2	1		Trichloroethene	ND	1.0	0.37	1	
1,2-Dibromoethane	ND	1.0	0.49	1		Trichlorofluoromethane	ND	10	0.21	1	
Dibromomethane	ND	1.0	0.57	1		1,2,3-Trichloropropane	ND	5.0	1.4	1	
1,2-Dichlorobenzene	ND	1.0	0.33	1		1,2,4-Trimethylbenzene	ND	1.0	0.23	1	
1,3-Dichlorobenzene	ND	1.0	0.23	1		1,3,5-Trimethylbenzene	ND	1.0	0.18	1	
1,4-Dichlorobenzene	ND	1.0	0.22	1		Vinyl Acetate	ND	10	3.7	1	
Dichlorodifluoromethane	ND	1.0	0.89	1		Vinyl Chloride	ND	0.50	0.36	1	
1,1-Dichloroethane	ND	1.0	0.27	1		p/m-Xylene	ND	1.0	0.54	1	
1,2-Dichloroethane	ND	0.50	0.26	1		o-Xylene	ND	1.0	0.17	1	
1,1-Dichloroethene	ND	1.0	0.29	1		Methyl-t-Butyl Ether (MTBE)	27	1.0	0.26	1	
c-1,2-Dichloroethene	ND	1.0	0.35	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
t-1,2-Dichloroethene	ND	1.0	0.38	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
1,2-Dichloropropane	ND	1.0	0.36	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
1,3-Dichloropropane	ND	1.0	0.26	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
2,2-Dichloropropane	ND	1.0	0.28	1		Ethanol	ND	100	86	1	
1,1-Dichloropropene	ND	1.0	0.24	1							
<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>	<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>		
Dibromofluoromethane	128	74-140			1,2-Dichloroethane-d4	130	74-146				
Toluene-d8	101	88-112			1,4-Bromofluorobenzene	90	74-110				

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1285 Bancroft Ave., San Leandro, CA


Page 5 of 18

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-5	07-10-1358-5	10/17/07	Aqueous	GC/MS Q	10/22/07	10/22/07	071022L01

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	ND	50	6.3	1		c-1,3-Dichloropropene	ND	0.50	0.31	1	
Benzene	0.51	0.50	0.14	1		t-1,3-Dichloropropene	ND	0.50	0.49	1	
Bromobenzene	ND	1.0	0.27	1		Ethylbenzene	13	1.0	0.23	1	
Bromochloromethane	ND	1.0	0.70	1		2-Hexanone	ND	10	5.4	1	
Bromodichloromethane	ND	1.0	0.24	1		Isopropylbenzene	0.34	1.0	0.26	1	J
Bromoform	ND	1.0	0.66	1		p-Isopropyltoluene	ND	1.0	0.31	1	
Bromomethane	ND	10	5.1	1		Methylene Chloride	6.2	10	4.3	1	J
2-Butanone	ND	10	6.7	1		4-Methyl-2-Pentanone	ND	10	3.7	1	
n-Butylbenzene	ND	1.0	0.29	1		Naphthalene	2.4	10	0.50	1	J
sec-Butylbenzene	ND	1.0	0.32	1		n-Propylbenzene	1.1	1.0	0.12	1	
tert-Butylbenzene	ND	1.0	0.33	1		Styrene	ND	1.0	0.29	1	
Carbon Disulfide	ND	10	0.40	1		1,1,1,2-Tetrachloroethane	ND	1.0	0.34	1	
Carbon Tetrachloride	ND	0.50	0.32	1		1,1,2,2-Tetrachloroethane	ND	1.0	0.30	1	
Chlorobenzene	ND	1.0	0.14	1		Tetrachloroethene	ND	1.0	0.35	1	
Chloroethane	ND	1.0	0.69	1		Toluene	7.0	1.0	0.27	1	
Chloroform	ND	1.0	0.24	1		1,2,3-Trichlorobenzene	ND	1.0	0.43	1	
Chloromethane	ND	10	0.63	1		1,2,4-Trichlorobenzene	ND	1.0	0.33	1	
2-Chlorotoluene	ND	1.0	0.18	1		1,1,1-Trichloroethane	ND	1.0	0.26	1	
4-Chlorotoluene	ND	1.0	0.27	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.68	1	
Dibromochloromethane	ND	1.0	0.41	1		1,1,2-Trichloroethane	ND	1.0	0.49	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	3.2	1		Trichloroethene	ND	1.0	0.37	1	
1,2-Dibromoethane	ND	1.0	0.49	1		Trichlorofluoromethane	1.2	10	0.21	1	J
Dibromomethane	ND	1.0	0.57	1		1,2,3-Trichloropropane	ND	5.0	1.4	1	
1,2-Dichlorobenzene	ND	1.0	0.33	1		1,2,4-Trimethylbenzene	10	1.0	0.23	1	
1,3-Dichlorobenzene	ND	1.0	0.23	1		1,3,5-Trimethylbenzene	2.8	1.0	0.18	1	
1,4-Dichlorobenzene	ND	1.0	0.22	1		Vinyl Acetate	ND	10	3.7	1	
Dichlorodifluoromethane	ND	1.0	0.89	1		Vinyl Chloride	ND	0.50	0.36	1	
1,1-Dichloroethane	ND	1.0	0.27	1		p/m-Xylene	55	1.0	0.54	1	
1,2-Dichloroethane	ND	0.50	0.26	1		o-Xylene	17	1.0	0.17	1	
1,1-Dichloroethene	ND	1.0	0.29	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
c-1,2-Dichloroethene	ND	1.0	0.35	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
t-1,2-Dichloroethene	ND	1.0	0.38	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
1,2-Dichloropropane	ND	1.0	0.36	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
1,3-Dichloropropane	ND	1.0	0.26	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
2,2-Dichloropropane	ND	1.0	0.28	1		Ethanol	ND	100	86	1	
1,1-Dichloropropene	ND	1.0	0.24	1							
<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>	<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>		
Dibromofluoromethane	124	74-140			1,2-Dichloroethane-d4	125	74-146				
Toluene-d8	101	88-112			1,4-Bromofluorobenzene	94	74-110				

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1285 Bancroft Ave., San Leandro, CA


Page 6 of 18

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-6	07-10-1358-6	10/17/07	Aqueous	GC/MS Q	10/22/07	10/22/07	071022L01

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	ND	50	6.3	1		c-1,3-Dichloropropene	ND	0.50	0.31	1	
Benzene	6.8	0.50	0.14	1		t-1,3-Dichloropropene	ND	0.50	0.49	1	
Bromobenzene	ND	1.0	0.27	1		Ethylbenzene	0.50	1.0	0.23	1	J
Bromochloromethane	ND	1.0	0.70	1		2-Hexanone	ND	10	5.4	1	
Bromodichloromethane	ND	1.0	0.24	1		Isopropylbenzene	1.1	1.0	0.26	1	
Bromoform	ND	1.0	0.66	1		p-Isopropyltoluene	ND	1.0	0.31	1	
Bromomethane	ND	10	5.1	1		Methylene Chloride	5.7	10	4.3	1	J
2-Butanone	ND	10	6.7	1		4-Methyl-2-Pentanone	ND	10	3.7	1	
n-Butylbenzene	0.46	1.0	0.29	1	J	Naphthalene	1.6	10	0.50	1	J
sec-Butylbenzene	0.38	1.0	0.32	1	J	n-Propylbenzene	2.8	1.0	0.12	1	
tert-Butylbenzene	ND	1.0	0.33	1		Styrene	ND	1.0	0.29	1	
Carbon Disulfide	ND	10	0.40	1		1,1,1,2-Tetrachloroethane	ND	1.0	0.34	1	
Carbon Tetrachloride	ND	0.50	0.32	1		1,1,2,2-Tetrachloroethane	ND	1.0	0.30	1	
Chlorobenzene	ND	1.0	0.14	1		Tetrachloroethene	1.5	1.0	0.35	1	
Chloroethane	ND	1.0	0.69	1		Toluene	ND	1.0	0.27	1	
Chloroform	0.60	1.0	0.24	1	J	1,2,3-Trichlorobenzene	ND	1.0	0.43	1	
Chloromethane	ND	10	0.63	1		1,2,4-Trichlorobenzene	ND	1.0	0.33	1	
2-Chlorotoluene	ND	1.0	0.18	1		1,1,1-Trichloroethane	ND	1.0	0.26	1	
4-Chlorotoluene	ND	1.0	0.27	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.68	1	
Dibromochloromethane	ND	1.0	0.41	1		1,1,2-Trichloroethane	ND	1.0	0.49	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	3.2	1		Trichloroethene	ND	1.0	0.37	1	
1,2-Dibromoethane	ND	1.0	0.49	1		Trichlorofluoromethane	ND	10	0.21	1	
Dibromomethane	ND	1.0	0.57	1		1,2,3-Trichloropropane	ND	5.0	1.4	1	
1,2-Dichlorobenzene	ND	1.0	0.33	1		1,2,4-Trimethylbenzene	0.53	1.0	0.23	1	J
1,3-Dichlorobenzene	ND	1.0	0.23	1		1,3,5-Trimethylbenzene	ND	1.0	0.18	1	
1,4-Dichlorobenzene	ND	1.0	0.22	1		Vinyl Acetate	ND	10	3.7	1	
Dichlorodifluoromethane	ND	1.0	0.89	1		Vinyl Chloride	ND	0.50	0.36	1	
1,1-Dichloroethane	ND	1.0	0.27	1		p/m-Xylene	ND	1.0	0.54	1	
1,2-Dichloroethane	ND	0.50	0.26	1		o-Xylene	ND	1.0	0.17	1	
1,1-Dichloroethene	ND	1.0	0.29	1		Methyl-t-Butyl Ether (MTBE)	65	1.0	0.26	1	
c-1,2-Dichloroethene	ND	1.0	0.35	1		Tert-Butyl Alcohol (TBA)	220	10	5.4	1	
t-1,2-Dichloroethene	ND	1.0	0.38	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
1,2-Dichloropropane	ND	1.0	0.36	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
1,3-Dichloropropane	ND	1.0	0.26	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
2,2-Dichloropropane	ND	1.0	0.28	1		Ethanol	ND	100	86	1	
1,1-Dichloropropene	ND	1.0	0.24	1							
<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>	<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>		
Dibromofluoromethane	124	74-140			1,2-Dichloroethane-d4	124	74-146				
Toluene-d8	103	88-112			1,4-Bromofluorobenzene	92	74-110				

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1285 Bancroft Ave., San Leandro, CA


Page 7 of 18

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-7	07-10-1358-7	10/17/07	Aqueous	GC/MS T	10/24/07	10/24/07	071024L01

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	6.4	50	6.3	1	J	c-1,3-Dichloropropene	ND	0.50	0.31	1	
Benzene	ND	0.50	0.14	1		t-1,3-Dichloropropene	ND	0.50	0.49	1	
Bromobenzene	ND	1.0	0.27	1		Ethylbenzene	ND	1.0	0.23	1	
Bromochloromethane	ND	1.0	0.70	1		2-Hexanone	ND	10	5.4	1	
Bromodichloromethane	ND	1.0	0.24	1		Isopropylbenzene	ND	1.0	0.26	1	
Bromoform	ND	1.0	0.66	1		p-Isopropyltoluene	ND	1.0	0.31	1	
Bromomethane	ND	10	5.1	1		Methylene Chloride	ND	10	4.3	1	
2-Butanone	ND	10	6.7	1		4-Methyl-2-Pentanone	ND	10	3.7	1	
n-Butylbenzene	ND	1.0	0.29	1		Naphthalene	ND	10	0.50	1	
sec-Butylbenzene	ND	1.0	0.32	1		n-Propylbenzene	ND	1.0	0.12	1	
tert-Butylbenzene	ND	1.0	0.33	1		Styrene	ND	1.0	0.29	1	
Carbon Disulfide	ND	10	0.40	1		1,1,1,2-Tetrachloroethane	ND	1.0	0.34	1	
Carbon Tetrachloride	ND	0.50	0.32	1		1,1,2,2-Tetrachloroethane	ND	1.0	0.30	1	
Chlorobenzene	ND	1.0	0.14	1		Tetrachloroethene	5.6	1.0	0.35	1	
Chloroethane	ND	1.0	0.69	1		Toluene	ND	1.0	0.27	1	
Chloroform	0.40	1.0	0.24	1	J	1,2,3-Trichlorobenzene	ND	1.0	0.43	1	
Chloromethane	ND	10	0.63	1		1,2,4-Trichlorobenzene	ND	1.0	0.33	1	
2-Chlorotoluene	ND	1.0	0.18	1		1,1,1-Trichloroethane	ND	1.0	0.26	1	
4-Chlorotoluene	ND	1.0	0.27	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.68	1	
Dibromochloromethane	ND	1.0	0.41	1		1,1,2-Trichloroethane	ND	1.0	0.49	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	3.2	1		Trichloroethene	ND	1.0	0.37	1	
1,2-Dibromoethane	ND	1.0	0.49	1		Trichlorofluoromethane	ND	10	0.21	1	
Dibromomethane	ND	1.0	0.57	1		1,2,3-Trichloropropane	ND	5.0	1.4	1	
1,2-Dichlorobenzene	ND	1.0	0.33	1		1,2,4-Trimethylbenzene	ND	1.0	0.23	1	
1,3-Dichlorobenzene	ND	1.0	0.23	1		1,3,5-Trimethylbenzene	ND	1.0	0.18	1	
1,4-Dichlorobenzene	ND	1.0	0.22	1		Vinyl Acetate	ND	10	3.7	1	
Dichlorodifluoromethane	ND	1.0	0.89	1		Vinyl Chloride	ND	0.50	0.36	1	
1,1-Dichloroethane	ND	1.0	0.27	1		p/m-Xylene	ND	1.0	0.54	1	
1,2-Dichloroethane	ND	0.50	0.26	1		o-Xylene	ND	1.0	0.17	1	
1,1-Dichloroethene	ND	1.0	0.29	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
c-1,2-Dichloroethene	ND	1.0	0.35	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
t-1,2-Dichloroethene	ND	1.0	0.38	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
1,2-Dichloropropane	ND	1.0	0.36	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
1,3-Dichloropropane	ND	1.0	0.26	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
2,2-Dichloropropane	ND	1.0	0.28	1		Ethanol	ND	100	86	1	
1,1-Dichloropropene	ND	1.0	0.24	1							
<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>	<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>		
Dibromofluoromethane	104	74-140			1,2-Dichloroethane-d4	100	74-146				
Toluene-d8	100	88-112			1,4-Bromofluorobenzene	99	74-110				

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1285 Bancroft Ave., San Leandro, CA


Page 8 of 18

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-8	07-10-1358-8	10/17/07	Aqueous	GC/MS Q	10/22/07	10/22/07	071022L01

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	ND	50	6.3	1		c-1,3-Dichloropropene	ND	0.50	0.31	1	
Benzene	ND	0.50	0.14	1		t-1,3-Dichloropropene	ND	0.50	0.49	1	
Bromobenzene	ND	1.0	0.27	1		Ethylbenzene	ND	1.0	0.23	1	
Bromochloromethane	ND	1.0	0.70	1		2-Hexanone	ND	10	5.4	1	
Bromodichloromethane	ND	1.0	0.24	1		Isopropylbenzene	ND	1.0	0.26	1	
Bromoform	ND	1.0	0.66	1		p-Isopropyltoluene	ND	1.0	0.31	1	
Bromomethane	ND	10	5.1	1		Methylene Chloride	5.2	10	4.3	1	J
2-Butanone	ND	10	6.7	1		4-Methyl-2-Pentanone	ND	10	3.7	1	
n-Butylbenzene	ND	1.0	0.29	1		Naphthalene	ND	10	0.50	1	
sec-Butylbenzene	ND	1.0	0.32	1		n-Propylbenzene	ND	1.0	0.12	1	
tert-Butylbenzene	ND	1.0	0.33	1		Styrene	ND	1.0	0.29	1	
Carbon Disulfide	ND	10	0.40	1		1,1,1,2-Tetrachloroethane	ND	1.0	0.34	1	
Carbon Tetrachloride	ND	0.50	0.32	1		1,1,2,2-Tetrachloroethane	ND	1.0	0.30	1	
Chlorobenzene	ND	1.0	0.14	1		Tetrachloroethene	4.7	1.0	0.35	1	
Chloroethane	ND	1.0	0.69	1		Toluene	ND	1.0	0.27	1	
Chloroform	ND	1.0	0.24	1		1,2,3-Trichlorobenzene	ND	1.0	0.43	1	
Chloromethane	ND	10	0.63	1		1,2,4-Trichlorobenzene	ND	1.0	0.33	1	
2-Chlorotoluene	ND	1.0	0.18	1		1,1,1-Trichloroethane	ND	1.0	0.26	1	
4-Chlorotoluene	ND	1.0	0.27	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.68	1	
Dibromochloromethane	ND	1.0	0.41	1		1,1,2-Trichloroethane	ND	1.0	0.49	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	3.2	1		Trichloroethene	0.56	1.0	0.37	1	J
1,2-Dibromoethane	ND	1.0	0.49	1		Trichlorofluoromethane	ND	10	0.21	1	
Dibromomethane	ND	1.0	0.57	1		1,2,3-Trichloropropane	ND	5.0	1.4	1	
1,2-Dichlorobenzene	ND	1.0	0.33	1		1,2,4-Trimethylbenzene	ND	1.0	0.23	1	
1,3-Dichlorobenzene	ND	1.0	0.23	1		1,3,5-Trimethylbenzene	ND	1.0	0.18	1	
1,4-Dichlorobenzene	ND	1.0	0.22	1		Vinyl Acetate	ND	10	3.7	1	
Dichlorodifluoromethane	ND	1.0	0.89	1		Vinyl Chloride	ND	0.50	0.36	1	
1,1-Dichloroethane	ND	1.0	0.27	1		p/m-Xylene	ND	1.0	0.54	1	
1,2-Dichloroethane	ND	0.50	0.26	1		o-Xylene	ND	1.0	0.17	1	
1,1-Dichloroethene	ND	1.0	0.29	1		Methyl-t-Butyl Ether (MTBE)	11	1.0	0.26	1	
c-1,2-Dichloroethene	ND	1.0	0.35	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
t-1,2-Dichloroethene	ND	1.0	0.38	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
1,2-Dichloropropane	ND	1.0	0.36	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
1,3-Dichloropropane	ND	1.0	0.26	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
2,2-Dichloropropane	ND	1.0	0.28	1		Ethanol	ND	100	86	1	
1,1-Dichloropropene	ND	1.0	0.24	1							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>		
Dibromofluoromethane	125	74-140			1,2-Dichloroethane-d4	126	74-146				
Toluene-d8	101	88-112			1,4-Bromofluorobenzene	89	74-110				

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1285 Bancroft Ave., San Leandro, CA


Page 9 of 18

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-9	07-10-1358-9	10/17/07	Aqueous	GC/MS T	10/24/07	10/24/07	071024L01

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	ND	250	31	5		c-1,3-Dichloropropene	ND	2.5	1.5	5	
Benzene	55	2.5	0.70	5		t-1,3-Dichloropropene	ND	2.5	2.5	5	
Bromobenzene	ND	5.0	1.3	5		Ethylbenzene	280	5.0	1.1	5	
Bromochloromethane	ND	5.0	3.5	5		2-Hexanone	ND	50	27	5	
Bromodichloromethane	ND	5.0	1.2	5		Isopropylbenzene	17	5.0	1.3	5	
Bromoform	ND	5.0	3.3	5		p-Isopropyltoluene	ND	5.0	1.6	5	
Bromomethane	ND	50	26	5		Methylene Chloride	ND	50	21	5	
2-Butanone	ND	50	33	5		4-Methyl-2-Pentanone	ND	50	19	5	
n-Butylbenzene	7.5	5.0	1.4	5		Naphthalene	110	50	2.5	5	
sec-Butylbenzene	4.3	5.0	1.6	5	J	n-Propylbenzene	51	5.0	0.62	5	
tert-Butylbenzene	ND	5.0	1.6	5		Styrene	ND	5.0	1.5	5	
Carbon Disulfide	ND	50	2.0	5		1,1,1,2-Tetrachloroethane	ND	5.0	1.7	5	
Carbon Tetrachloride	ND	2.5	1.6	5		1,1,2,2-Tetrachloroethane	ND	5.0	1.5	5	
Chlorobenzene	ND	5.0	0.72	5		Tetrachloroethene	ND	5.0	1.7	5	
Chloroethane	ND	5.0	3.5	5		Toluene	6.9	5.0	1.4	5	
Chloroform	ND	5.0	1.2	5		1,2,3-Trichlorobenzene	ND	5.0	2.1	5	
Chloromethane	ND	50	3.2	5		1,2,4-Trichlorobenzene	ND	5.0	1.6	5	
2-Chlorotoluene	ND	5.0	0.92	5		1,1,1-Trichloroethane	ND	5.0	1.3	5	
4-Chlorotoluene	ND	5.0	1.4	5		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	50	3.4	5	
Dibromochloromethane	ND	5.0	2.1	5		1,1,2-Trichloroethane	ND	5.0	2.5	5	
1,2-Dibromo-3-Chloropropane	ND	25	16	5		Trichloroethene	ND	5.0	1.9	5	
1,2-Dibromoethane	ND	5.0	2.4	5		Trichlorofluoromethane	ND	50	1.1	5	
Dibromomethane	ND	5.0	2.8	5		1,2,3-Trichloropropane	ND	25	6.8	5	
1,2-Dichlorobenzene	ND	5.0	1.7	5		1,2,4-Trimethylbenzene	220	5.0	1.1	5	
1,3-Dichlorobenzene	ND	5.0	1.2	5		1,3,5-Trimethylbenzene	27	5.0	0.89	5	
1,4-Dichlorobenzene	ND	5.0	1.1	5		Vinyl Acetate	ND	50	19	5	
Dichlorodifluoromethane	ND	5.0	4.5	5		Vinyl Chloride	ND	2.5	1.8	5	
1,1-Dichloroethane	ND	5.0	1.4	5		p/m-Xylene	240	5.0	2.7	5	
1,2-Dichloroethane	ND	2.5	1.3	5		o-Xylene	4.2	5.0	0.84	5	J
1,1-Dichloroethene	ND	5.0	1.5	5		Methyl-t-Butyl Ether (MTBE)	170	5.0	1.3	5	
c-1,2-Dichloroethene	ND	5.0	1.8	5		Tert-Butyl Alcohol (TBA)	160	50	27	5	
t-1,2-Dichloroethene	ND	5.0	1.9	5		Diisopropyl Ether (DIPE)	ND	10	1.7	5	
1,2-Dichloropropane	ND	5.0	1.8	5		Ethyl-t-Butyl Ether (ETBE)	ND	10	0.92	5	
1,3-Dichloropropane	ND	5.0	1.3	5		Tert-Amyl-Methyl Ether (TAME)	ND	10	5.6	5	
2,2-Dichloropropane	ND	5.0	1.4	5		Ethanol	ND	500	430	5	
1,1-Dichloropropene	ND	5.0	1.2	5							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>		
Dibromofluoromethane	106	74-140			1,2-Dichloroethane-d4	101	74-146				
Toluene-d8	103	88-112			1,4-Bromofluorobenzene	100	74-110				

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1285 Bancroft Ave., San Leandro, CA


Page 10 of 18

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-10	07-10-1358-10	10/17/07	Aqueous	GC/MS T	10/24/07	10/24/07	071024L01

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	13	50	6.3	1	J	c-1,3-Dichloropropene	ND	0.50	0.31	1	
Benzene	ND	0.50	0.14	1		t-1,3-Dichloropropene	ND	0.50	0.49	1	
Bromobenzene	ND	1.0	0.27	1		Ethylbenzene	ND	1.0	0.23	1	
Bromochloromethane	ND	1.0	0.70	1		2-Hexanone	ND	10	5.4	1	
Bromodichloromethane	ND	1.0	0.24	1		Isopropylbenzene	ND	1.0	0.26	1	
Bromoform	ND	1.0	0.66	1		p-Isopropyltoluene	ND	1.0	0.31	1	
Bromomethane	ND	10	5.1	1		Methylene Chloride	ND	10	4.3	1	
2-Butanone	ND	10	6.7	1		4-Methyl-2-Pentanone	ND	10	3.7	1	
n-Butylbenzene	ND	1.0	0.29	1		Naphthalene	0.53	10	0.50	1	J
sec-Butylbenzene	ND	1.0	0.32	1		n-Propylbenzene	ND	1.0	0.12	1	
tert-Butylbenzene	ND	1.0	0.33	1		Styrene	ND	1.0	0.29	1	
Carbon Disulfide	ND	10	0.40	1		1,1,1,2-Tetrachloroethane	ND	1.0	0.34	1	
Carbon Tetrachloride	ND	0.50	0.32	1		1,1,2,2-Tetrachloroethane	ND	1.0	0.30	1	
Chlorobenzene	ND	1.0	0.14	1		Tetrachloroethene	ND	1.0	0.35	1	
Chloroethane	ND	1.0	0.69	1		Toluene	ND	1.0	0.27	1	
Chloroform	0.53	1.0	0.24	1	J	1,2,3-Trichlorobenzene	ND	1.0	0.43	1	
Chloromethane	ND	10	0.63	1		1,2,4-Trichlorobenzene	ND	1.0	0.33	1	
2-Chlorotoluene	ND	1.0	0.18	1		1,1,1-Trichloroethane	ND	1.0	0.26	1	
4-Chlorotoluene	ND	1.0	0.27	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.68	1	
Dibromochloromethane	ND	1.0	0.41	1		1,1,2-Trichloroethane	ND	1.0	0.49	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	3.2	1		Trichloroethene	ND	1.0	0.37	1	
1,2-Dibromoethane	ND	1.0	0.49	1		Trichlorofluoromethane	ND	10	0.21	1	
Dibromomethane	ND	1.0	0.57	1		1,2,3-Trichloropropane	ND	5.0	1.4	1	
1,2-Dichlorobenzene	ND	1.0	0.33	1		1,2,4-Trimethylbenzene	ND	1.0	0.23	1	
1,3-Dichlorobenzene	ND	1.0	0.23	1		1,3,5-Trimethylbenzene	ND	1.0	0.18	1	
1,4-Dichlorobenzene	ND	1.0	0.22	1		Vinyl Acetate	ND	10	3.7	1	
Dichlorodifluoromethane	ND	1.0	0.89	1		Vinyl Chloride	ND	0.50	0.36	1	
1,1-Dichloroethane	ND	1.0	0.27	1		p/m-Xylene	ND	1.0	0.54	1	
1,2-Dichloroethane	ND	0.50	0.26	1		o-Xylene	ND	1.0	0.17	1	
1,1-Dichloroethene	ND	1.0	0.29	1		Methyl-t-Butyl Ether (MTBE)	35	1.0	0.26	1	
c-1,2-Dichloroethene	ND	1.0	0.35	1		Tert-Butyl Alcohol (TBA)	470	10	5.4	1	
t-1,2-Dichloroethene	ND	1.0	0.38	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
1,2-Dichloropropane	ND	1.0	0.36	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
1,3-Dichloropropane	ND	1.0	0.26	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
2,2-Dichloropropane	ND	1.0	0.28	1		Ethanol	ND	100	86	1	
1,1-Dichloropropene	ND	1.0	0.24	1							
<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>			<b>Qual</b>	<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>			<b>Qual</b>
Dibromofluoromethane	104	74-140				1,2-Dichloroethane-d4	99	74-146			
Toluene-d8	102	88-112				1,4-Bromofluorobenzene	99	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1285 Bancroft Ave., San Leandro, CA


Page 11 of 18

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-11	07-10-1358-11	10/17/07	Aqueous	GC/MS T	10/24/07	10/24/07	071024L01

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	ND	50	6.3	1		c-1,3-Dichloropropene	ND	0.50	0.31	1	
Benzene	ND	0.50	0.14	1		t-1,3-Dichloropropene	ND	0.50	0.49	1	
Bromobenzene	ND	1.0	0.27	1		Ethylbenzene	ND	1.0	0.23	1	
Bromochloromethane	ND	1.0	0.70	1		2-Hexanone	ND	10	5.4	1	
Bromodichloromethane	1.1	1.0	0.24	1		Isopropylbenzene	ND	1.0	0.26	1	
Bromoform	ND	1.0	0.66	1		p-Isopropyltoluene	ND	1.0	0.31	1	
Bromomethane	ND	10	5.1	1		Methylene Chloride	ND	10	4.3	1	
2-Butanone	ND	10	6.7	1		4-Methyl-2-Pentanone	ND	10	3.7	1	
n-Butylbenzene	ND	1.0	0.29	1		Naphthalene	ND	10	0.50	1	
sec-Butylbenzene	ND	1.0	0.32	1		n-Propylbenzene	ND	1.0	0.12	1	
tert-Butylbenzene	ND	1.0	0.33	1		Styrene	ND	1.0	0.29	1	
Carbon Disulfide	ND	10	0.40	1		1,1,1,2-Tetrachloroethane	ND	1.0	0.34	1	
Carbon Tetrachloride	ND	0.50	0.32	1		1,1,2,2-Tetrachloroethane	ND	1.0	0.30	1	
Chlorobenzene	ND	1.0	0.14	1		Tetrachloroethene	1.7	1.0	0.35	1	
Chloroethane	ND	1.0	0.69	1		Toluene	ND	1.0	0.27	1	
Chloroform	18	1.0	0.24	1		1,2,3-Trichlorobenzene	ND	1.0	0.43	1	
Chloromethane	ND	10	0.63	1		1,2,4-Trichlorobenzene	ND	1.0	0.33	1	
2-Chlorotoluene	ND	1.0	0.18	1		1,1,1-Trichloroethane	ND	1.0	0.26	1	
4-Chlorotoluene	ND	1.0	0.27	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.68	1	
Dibromochloromethane	ND	1.0	0.41	1		1,1,2-Trichloroethane	ND	1.0	0.49	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	3.2	1		Trichloroethene	ND	1.0	0.37	1	
1,2-Dibromoethane	ND	1.0	0.49	1		Trichlorofluoromethane	ND	10	0.21	1	
Dibromomethane	ND	1.0	0.57	1		1,2,3-Trichloropropane	ND	5.0	1.4	1	
1,2-Dichlorobenzene	ND	1.0	0.33	1		1,2,4-Trimethylbenzene	ND	1.0	0.23	1	
1,3-Dichlorobenzene	ND	1.0	0.23	1		1,3,5-Trimethylbenzene	ND	1.0	0.18	1	
1,4-Dichlorobenzene	ND	1.0	0.22	1		Vinyl Acetate	ND	10	3.7	1	
Dichlorodifluoromethane	ND	1.0	0.89	1		Vinyl Chloride	ND	0.50	0.36	1	
1,1-Dichloroethane	ND	1.0	0.27	1		p/m-Xylene	ND	1.0	0.54	1	
1,2-Dichloroethane	ND	0.50	0.26	1		o-Xylene	ND	1.0	0.17	1	
1,1-Dichloroethene	ND	1.0	0.29	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
c-1,2-Dichloroethene	ND	1.0	0.35	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
t-1,2-Dichloroethene	ND	1.0	0.38	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
1,2-Dichloropropane	ND	1.0	0.36	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
1,3-Dichloropropane	ND	1.0	0.26	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
2,2-Dichloropropane	ND	1.0	0.28	1		Ethanol	ND	100	86	1	
1,1-Dichloropropene	ND	1.0	0.24	1							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>		
Dibromofluoromethane	104	74-140			1,2-Dichloroethane-d4	102	74-146				
Toluene-d8	101	88-112			1,4-Bromofluorobenzene	96	74-110				

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1285 Bancroft Ave., San Leandro, CA


Page 12 of 18

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-12	07-10-1358-12	10/17/07	Aqueous	GC/MS Z	10/24/07	10/24/07	071024L01

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	ND	50	6.3	1		c-1,3-Dichloropropene	ND	0.50	0.31	1	
Benzene	ND	0.50	0.14	1		t-1,3-Dichloropropene	ND	0.50	0.49	1	
Bromobenzene	ND	1.0	0.27	1		Ethylbenzene	ND	1.0	0.23	1	
Bromochloromethane	ND	1.0	0.70	1		2-Hexanone	ND	10	5.4	1	
Bromodichloromethane	ND	1.0	0.24	1		Isopropylbenzene	ND	1.0	0.26	1	
Bromoform	ND	1.0	0.66	1		p-Isopropyltoluene	ND	1.0	0.31	1	
Bromomethane	ND	10	5.1	1		Methylene Chloride	ND	10	4.3	1	
2-Butanone	ND	10	6.7	1		4-Methyl-2-Pentanone	ND	10	3.7	1	
n-Butylbenzene	ND	1.0	0.29	1		Naphthalene	ND	10	0.50	1	
sec-Butylbenzene	ND	1.0	0.32	1		n-Propylbenzene	ND	1.0	0.12	1	
tert-Butylbenzene	ND	1.0	0.33	1		Styrene	ND	1.0	0.29	1	
Carbon Disulfide	ND	10	0.40	1		1,1,1,2-Tetrachloroethane	ND	1.0	0.34	1	
Carbon Tetrachloride	ND	0.50	0.32	1		1,1,2,2-Tetrachloroethane	ND	1.0	0.30	1	
Chlorobenzene	ND	1.0	0.14	1		Tetrachloroethene	5.1	1.0	0.35	1	
Chloroethane	ND	1.0	0.69	1		Toluene	ND	1.0	0.27	1	
Chloroform	0.34	1.0	0.24	1	J	1,2,3-Trichlorobenzene	ND	1.0	0.43	1	
Chloromethane	ND	10	0.63	1		1,2,4-Trichlorobenzene	ND	1.0	0.33	1	
2-Chlorotoluene	ND	1.0	0.18	1		1,1,1-Trichloroethane	ND	1.0	0.26	1	
4-Chlorotoluene	ND	1.0	0.27	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.68	1	
Dibromochloromethane	ND	1.0	0.41	1		1,1,2-Trichloroethane	ND	1.0	0.49	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	3.2	1		Trichloroethene	ND	1.0	0.37	1	
1,2-Dibromoethane	ND	1.0	0.49	1		Trichlorofluoromethane	ND	10	0.21	1	
Dibromomethane	ND	1.0	0.57	1		1,2,3-Trichloropropane	ND	5.0	1.4	1	
1,2-Dichlorobenzene	ND	1.0	0.33	1		1,2,4-Trimethylbenzene	ND	1.0	0.23	1	
1,3-Dichlorobenzene	ND	1.0	0.23	1		1,3,5-Trimethylbenzene	ND	1.0	0.18	1	
1,4-Dichlorobenzene	ND	1.0	0.22	1		Vinyl Acetate	ND	10	3.7	1	
Dichlorodifluoromethane	ND	1.0	0.89	1		Vinyl Chloride	ND	0.50	0.36	1	
1,1-Dichloroethane	ND	1.0	0.27	1		p/m-Xylene	ND	1.0	0.54	1	
1,2-Dichloroethane	ND	0.50	0.26	1		o-Xylene	ND	1.0	0.17	1	
1,1-Dichloroethene	ND	1.0	0.29	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
c-1,2-Dichloroethene	ND	1.0	0.35	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
t-1,2-Dichloroethene	ND	1.0	0.38	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
1,2-Dichloropropane	ND	1.0	0.36	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
1,3-Dichloropropane	ND	1.0	0.26	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
2,2-Dichloropropane	ND	1.0	0.28	1		Ethanol	ND	100	86	1	
1,1-Dichloropropene	ND	1.0	0.24	1							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>		
Dibromofluoromethane	99	74-140			1,2-Dichloroethane-d4	93	74-146				
Toluene-d8	98	88-112			1,4-Bromofluorobenzene	98	74-110				

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





## Analytical Report

Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1285 Bancroft Ave., San Leandro, CA


Page 13 of 18

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
IW-1	07-10-1358-13	10/17/07	Aqueous	GC/MS Z	10/24/07	10/24/07	071024L01

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	ND	50	6.3	1		c-1,3-Dichloropropene	ND	0.50	0.31	1	
Benzene	ND	0.50	0.14	1		t-1,3-Dichloropropene	ND	0.50	0.49	1	
Bromobenzene	ND	1.0	0.27	1		Ethylbenzene	ND	1.0	0.23	1	
Bromochloromethane	ND	1.0	0.70	1		2-Hexanone	ND	10	5.4	1	
Bromodichloromethane	ND	1.0	0.24	1		Isopropylbenzene	ND	1.0	0.26	1	
Bromoform	ND	1.0	0.66	1		p-Isopropyltoluene	ND	1.0	0.31	1	
Bromomethane	ND	10	5.1	1		Methylene Chloride	ND	10	4.3	1	
2-Butanone	ND	10	6.7	1		4-Methyl-2-Pentanone	ND	10	3.7	1	
n-Butylbenzene	ND	1.0	0.29	1		Naphthalene	ND	10	0.50	1	
sec-Butylbenzene	ND	1.0	0.32	1		n-Propylbenzene	ND	1.0	0.12	1	
tert-Butylbenzene	ND	1.0	0.33	1		Styrene	ND	1.0	0.29	1	
Carbon Disulfide	ND	10	0.40	1		1,1,1,2-Tetrachloroethane	ND	1.0	0.34	1	
Carbon Tetrachloride	ND	0.50	0.32	1		1,1,2,2-Tetrachloroethane	ND	1.0	0.30	1	
Chlorobenzene	ND	1.0	0.14	1		Tetrachloroethene	2.8	1.0	0.35	1	
Chloroethane	ND	1.0	0.69	1		Toluene	ND	1.0	0.27	1	
Chloroform	0.84	1.0	0.24	1	J	1,2,3-Trichlorobenzene	ND	1.0	0.43	1	
Chloromethane	ND	10	0.63	1		1,2,4-Trichlorobenzene	ND	1.0	0.33	1	
2-Chlorotoluene	ND	1.0	0.18	1		1,1,1-Trichloroethane	ND	1.0	0.26	1	
4-Chlorotoluene	ND	1.0	0.27	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.68	1	
Dibromochloromethane	ND	1.0	0.41	1		1,1,2-Trichloroethane	ND	1.0	0.49	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	3.2	1		Trichloroethene	ND	1.0	0.37	1	
1,2-Dibromoethane	ND	1.0	0.49	1		Trichlorofluoromethane	ND	10	0.21	1	
Dibromomethane	ND	1.0	0.57	1		1,2,3-Trichloropropane	ND	5.0	1.4	1	
1,2-Dichlorobenzene	ND	1.0	0.33	1		1,2,4-Trimethylbenzene	ND	1.0	0.23	1	
1,3-Dichlorobenzene	ND	1.0	0.23	1		1,3,5-Trimethylbenzene	ND	1.0	0.18	1	
1,4-Dichlorobenzene	ND	1.0	0.22	1		Vinyl Acetate	ND	10	3.7	1	
Dichlorodifluoromethane	ND	1.0	0.89	1		Vinyl Chloride	ND	0.50	0.36	1	
1,1-Dichloroethane	ND	1.0	0.27	1		p/m-Xylene	ND	1.0	0.54	1	
1,2-Dichloroethane	ND	0.50	0.26	1		o-Xylene	ND	1.0	0.17	1	
1,1-Dichloroethene	ND	1.0	0.29	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
c-1,2-Dichloroethene	ND	1.0	0.35	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
t-1,2-Dichloroethene	ND	1.0	0.38	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
1,2-Dichloropropane	ND	1.0	0.36	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
1,3-Dichloropropane	ND	1.0	0.26	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
2,2-Dichloropropane	ND	1.0	0.28	1		Ethanol	ND	100	86	1	
1,1-Dichloropropene	ND	1.0	0.24	1							
<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>	<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>		
Dibromofluoromethane	100	74-140			1,2-Dichloroethane-d4	95	74-146				
Toluene-d8	98	88-112			1,4-Bromofluorobenzene	99	74-110				

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1285 Bancroft Ave., San Leandro, CA


Page 14 of 18

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-10-006-23,175	N/A	Aqueous	GC/MS Q	10/18/07	10/18/07	071018L01

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	ND	50	6.3	1		c-1,3-Dichloropropene	ND	0.50	0.31	1	
Benzene	ND	0.50	0.14	1		t-1,3-Dichloropropene	ND	0.50	0.49	1	
Bromobenzene	ND	1.0	0.27	1		Ethylbenzene	ND	1.0	0.23	1	
Bromochloromethane	ND	1.0	0.70	1		2-Hexanone	ND	10	5.4	1	
Bromodichloromethane	ND	1.0	0.24	1		Isopropylbenzene	ND	1.0	0.26	1	
Bromoform	ND	1.0	0.66	1		p-Isopropyltoluene	ND	1.0	0.31	1	
Bromomethane	ND	10	5.1	1		Methylene Chloride	ND	10	4.3	1	
2-Butanone	ND	10	6.7	1		4-Methyl-2-Pentanone	ND	10	3.7	1	
n-Butylbenzene	ND	1.0	0.29	1		Naphthalene	ND	10	0.50	1	
sec-Butylbenzene	ND	1.0	0.32	1		n-Propylbenzene	ND	1.0	0.12	1	
tert-Butylbenzene	ND	1.0	0.33	1		Styrene	ND	1.0	0.29	1	
Carbon Disulfide	ND	10	0.40	1		1,1,1,2-Tetrachloroethane	ND	1.0	0.34	1	
Carbon Tetrachloride	ND	0.50	0.32	1		1,1,2,2-Tetrachloroethane	ND	1.0	0.30	1	
Chlorobenzene	ND	1.0	0.14	1		Tetrachloroethene	ND	1.0	0.35	1	
Chloroethane	ND	1.0	0.69	1		Toluene	ND	1.0	0.27	1	
Chloroform	ND	1.0	0.24	1		1,2,3-Trichlorobenzene	ND	1.0	0.43	1	
Chloromethane	ND	10	0.63	1		1,2,4-Trichlorobenzene	ND	1.0	0.33	1	
2-Chlorotoluene	ND	1.0	0.18	1		1,1,1-Trichloroethane	ND	1.0	0.26	1	
4-Chlorotoluene	ND	1.0	0.27	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.68	1	
Dibromochloromethane	ND	1.0	0.41	1		1,1,2-Trichloroethane	ND	1.0	0.49	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	3.2	1		Trichloroethene	ND	1.0	0.37	1	
1,2-Dibromoethane	ND	1.0	0.49	1		Trichlorofluoromethane	ND	10	0.21	1	
Dibromomethane	ND	1.0	0.57	1		1,2,3-Trichloropropane	ND	5.0	1.4	1	
1,2-Dichlorobenzene	ND	1.0	0.33	1		1,2,4-Trimethylbenzene	ND	1.0	0.23	1	
1,3-Dichlorobenzene	ND	1.0	0.23	1		1,3,5-Trimethylbenzene	ND	1.0	0.18	1	
1,4-Dichlorobenzene	ND	1.0	0.22	1		Vinyl Acetate	ND	10	3.7	1	
Dichlorodifluoromethane	ND	1.0	0.89	1		Vinyl Chloride	ND	0.50	0.36	1	
1,1-Dichloroethane	ND	1.0	0.27	1		p/m-Xylene	ND	1.0	0.54	1	
1,2-Dichloroethane	ND	0.50	0.26	1		o-Xylene	ND	1.0	0.17	1	
1,1-Dichloroethene	ND	1.0	0.29	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
c-1,2-Dichloroethene	ND	1.0	0.35	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
t-1,2-Dichloroethene	ND	1.0	0.38	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
1,2-Dichloropropane	ND	1.0	0.36	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
1,3-Dichloropropane	ND	1.0	0.26	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
2,2-Dichloropropane	ND	1.0	0.28	1		Ethanol	ND	100	86	1	
1,1-Dichloropropene	ND	1.0	0.24	1							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>		
Dibromofluoromethane	116	74-140			1,2-Dichloroethane-d4	112	74-146				
Toluene-d8	101	88-112			1,4-Bromofluorobenzene	85	74-110				

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1285 Bancroft Ave., San Leandro, CA


Page 15 of 18

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-10-006-23,191	N/A	Aqueous	GC/MS Q	10/19/07	10/19/07	071019L01

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	ND	50	6.3	1		c-1,3-Dichloropropene	ND	0.50	0.31	1	
Benzene	ND	0.50	0.14	1		t-1,3-Dichloropropene	ND	0.50	0.49	1	
Bromobenzene	ND	1.0	0.27	1		Ethylbenzene	ND	1.0	0.23	1	
Bromochloromethane	ND	1.0	0.70	1		2-Hexanone	ND	10	5.4	1	
Bromodichloromethane	ND	1.0	0.24	1		Isopropylbenzene	ND	1.0	0.26	1	
Bromoform	ND	1.0	0.66	1		p-Isopropyltoluene	ND	1.0	0.31	1	
Bromomethane	ND	10	5.1	1		Methylene Chloride	6.1	10	4.3	1	J
2-Butanone	ND	10	6.7	1		4-Methyl-2-Pentanone	ND	10	3.7	1	
n-Butylbenzene	ND	1.0	0.29	1		Naphthalene	ND	10	0.50	1	
sec-Butylbenzene	ND	1.0	0.32	1		n-Propylbenzene	ND	1.0	0.12	1	
tert-Butylbenzene	ND	1.0	0.33	1		Styrene	ND	1.0	0.29	1	
Carbon Disulfide	ND	10	0.40	1		1,1,1,2-Tetrachloroethane	ND	1.0	0.34	1	
Carbon Tetrachloride	ND	0.50	0.32	1		1,1,2,2-Tetrachloroethane	ND	1.0	0.30	1	
Chlorobenzene	ND	1.0	0.14	1		Tetrachloroethene	ND	1.0	0.35	1	
Chloroethane	ND	1.0	0.69	1		Toluene	ND	1.0	0.27	1	
Chloroform	ND	1.0	0.24	1		1,2,3-Trichlorobenzene	ND	1.0	0.43	1	
Chloromethane	ND	10	0.63	1		1,2,4-Trichlorobenzene	ND	1.0	0.33	1	
2-Chlorotoluene	ND	1.0	0.18	1		1,1,1-Trichloroethane	ND	1.0	0.26	1	
4-Chlorotoluene	ND	1.0	0.27	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.68	1	
Dibromochloromethane	ND	1.0	0.41	1		1,1,2-Trichloroethane	ND	1.0	0.49	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	3.2	1		Trichloroethene	ND	1.0	0.37	1	
1,2-Dibromoethane	ND	1.0	0.49	1		Trichlorofluoromethane	ND	10	0.21	1	
Dibromomethane	ND	1.0	0.57	1		1,2,3-Trichloropropane	ND	5.0	1.4	1	
1,2-Dichlorobenzene	ND	1.0	0.33	1		1,2,4-Trimethylbenzene	ND	1.0	0.23	1	
1,3-Dichlorobenzene	ND	1.0	0.23	1		1,3,5-Trimethylbenzene	ND	1.0	0.18	1	
1,4-Dichlorobenzene	ND	1.0	0.22	1		Vinyl Acetate	ND	10	3.7	1	
Dichlorodifluoromethane	ND	1.0	0.89	1		Vinyl Chloride	ND	0.50	0.36	1	
1,1-Dichloroethane	ND	1.0	0.27	1		p/m-Xylene	ND	1.0	0.54	1	
1,2-Dichloroethane	ND	0.50	0.26	1		o-Xylene	ND	1.0	0.17	1	
1,1-Dichloroethene	ND	1.0	0.29	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
c-1,2-Dichloroethene	ND	1.0	0.35	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
t-1,2-Dichloroethene	ND	1.0	0.38	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
1,2-Dichloropropane	ND	1.0	0.36	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
1,3-Dichloropropane	ND	1.0	0.26	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
2,2-Dichloropropane	ND	1.0	0.28	1		Ethanol	ND	100	86	1	
1,1-Dichloropropene	ND	1.0	0.24	1							
<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>	<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>		
Dibromofluoromethane	124	74-140			1,2-Dichloroethane-d4	121	74-146				
Toluene-d8	100	88-112			1,4-Bromofluorobenzene	83	74-110				

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1285 Bancroft Ave., San Leandro, CA


Page 16 of 18

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-10-006-23,197	N/A	Aqueous	GC/MS Q	10/22/07	10/22/07	071022L01

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	ND	50	6.3	1		c-1,3-Dichloropropene	ND	0.50	0.31	1	
Benzene	ND	0.50	0.14	1		t-1,3-Dichloropropene	ND	0.50	0.49	1	
Bromobenzene	ND	1.0	0.27	1		Ethylbenzene	ND	1.0	0.23	1	
Bromochloromethane	ND	1.0	0.70	1		2-Hexanone	ND	10	5.4	1	
Bromodichloromethane	ND	1.0	0.24	1		Isopropylbenzene	ND	1.0	0.26	1	
Bromoform	ND	1.0	0.66	1		p-Isopropyltoluene	ND	1.0	0.31	1	
Bromomethane	ND	10	5.1	1		Methylene Chloride	ND	10	4.3	1	
2-Butanone	ND	10	6.7	1		4-Methyl-2-Pentanone	ND	10	3.7	1	
n-Butylbenzene	ND	1.0	0.29	1		Naphthalene	ND	10	0.50	1	
sec-Butylbenzene	ND	1.0	0.32	1		n-Propylbenzene	ND	1.0	0.12	1	
tert-Butylbenzene	ND	1.0	0.33	1		Styrene	ND	1.0	0.29	1	
Carbon Disulfide	ND	10	0.40	1		1,1,1,2-Tetrachloroethane	ND	1.0	0.34	1	
Carbon Tetrachloride	ND	0.50	0.32	1		1,1,2,2-Tetrachloroethane	ND	1.0	0.30	1	
Chlorobenzene	ND	1.0	0.14	1		Tetrachloroethene	ND	1.0	0.35	1	
Chloroethane	ND	1.0	0.69	1		Toluene	ND	1.0	0.27	1	
Chloroform	ND	1.0	0.24	1		1,2,3-Trichlorobenzene	ND	1.0	0.43	1	
Chloromethane	ND	10	0.63	1		1,2,4-Trichlorobenzene	ND	1.0	0.33	1	
2-Chlorotoluene	ND	1.0	0.18	1		1,1,1-Trichloroethane	ND	1.0	0.26	1	
4-Chlorotoluene	ND	1.0	0.27	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.68	1	
Dibromochloromethane	ND	1.0	0.41	1		1,1,2-Trichloroethane	ND	1.0	0.49	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	3.2	1		Trichloroethene	ND	1.0	0.37	1	
1,2-Dibromoethane	ND	1.0	0.49	1		Trichlorofluoromethane	ND	10	0.21	1	
Dibromomethane	ND	1.0	0.57	1		1,2,3-Trichloropropane	ND	5.0	1.4	1	
1,2-Dichlorobenzene	ND	1.0	0.33	1		1,2,4-Trimethylbenzene	ND	1.0	0.23	1	
1,3-Dichlorobenzene	ND	1.0	0.23	1		1,3,5-Trimethylbenzene	ND	1.0	0.18	1	
1,4-Dichlorobenzene	ND	1.0	0.22	1		Vinyl Acetate	ND	10	3.7	1	
Dichlorodifluoromethane	ND	1.0	0.89	1		Vinyl Chloride	ND	0.50	0.36	1	
1,1-Dichloroethane	ND	1.0	0.27	1		p/m-Xylene	ND	1.0	0.54	1	
1,2-Dichloroethane	ND	0.50	0.26	1		o-Xylene	ND	1.0	0.17	1	
1,1-Dichloroethene	ND	1.0	0.29	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
c-1,2-Dichloroethene	ND	1.0	0.35	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
t-1,2-Dichloroethene	ND	1.0	0.38	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
1,2-Dichloropropane	ND	1.0	0.36	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
1,3-Dichloropropane	ND	1.0	0.26	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
2,2-Dichloropropane	ND	1.0	0.28	1		Ethanol	ND	100	86	1	
1,1-Dichloropropene	ND	1.0	0.24	1							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>		
Dibromofluoromethane	120	74-140			1,2-Dichloroethane-d4	121	74-146				
Toluene-d8	101	88-112			1,4-Bromofluorobenzene	89	74-110				

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1285 Bancroft Ave., San Leandro, CA


Page 17 of 18

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-10-006-23,213	N/A	Aqueous	GC/MS Z	10/24/07	10/24/07	071024L01

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	ND	50	6.3	1		c-1,3-Dichloropropene	ND	0.50	0.31	1	
Benzene	ND	0.50	0.14	1		t-1,3-Dichloropropene	ND	0.50	0.49	1	
Bromobenzene	ND	1.0	0.27	1		Ethylbenzene	ND	1.0	0.23	1	
Bromochloromethane	ND	1.0	0.70	1		2-Hexanone	ND	10	5.4	1	
Bromodichloromethane	ND	1.0	0.24	1		Isopropylbenzene	ND	1.0	0.26	1	
Bromoform	ND	1.0	0.66	1		p-Isopropyltoluene	ND	1.0	0.31	1	
Bromomethane	ND	10	5.1	1		Methylene Chloride	ND	10	4.3	1	
2-Butanone	ND	10	6.7	1		4-Methyl-2-Pentanone	ND	10	3.7	1	
n-Butylbenzene	ND	1.0	0.29	1		Naphthalene	ND	10	0.50	1	
sec-Butylbenzene	ND	1.0	0.32	1		n-Propylbenzene	ND	1.0	0.12	1	
tert-Butylbenzene	ND	1.0	0.33	1		Styrene	ND	1.0	0.29	1	
Carbon Disulfide	ND	10	0.40	1		1,1,1,2-Tetrachloroethane	ND	1.0	0.34	1	
Carbon Tetrachloride	ND	0.50	0.32	1		1,1,2,2-Tetrachloroethane	ND	1.0	0.30	1	
Chlorobenzene	ND	1.0	0.14	1		Tetrachloroethene	ND	1.0	0.35	1	
Chloroethane	ND	1.0	0.69	1		Toluene	ND	1.0	0.27	1	
Chloroform	ND	1.0	0.24	1		1,2,3-Trichlorobenzene	ND	1.0	0.43	1	
Chloromethane	ND	10	0.63	1		1,2,4-Trichlorobenzene	ND	1.0	0.33	1	
2-Chlorotoluene	ND	1.0	0.18	1		1,1,1-Trichloroethane	ND	1.0	0.26	1	
4-Chlorotoluene	ND	1.0	0.27	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.68	1	
Dibromochloromethane	ND	1.0	0.41	1		1,1,2-Trichloroethane	ND	1.0	0.49	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	3.2	1		Trichloroethene	ND	1.0	0.37	1	
1,2-Dibromoethane	ND	1.0	0.49	1		Trichlorofluoromethane	ND	10	0.21	1	
Dibromomethane	ND	1.0	0.57	1		1,2,3-Trichloropropane	ND	5.0	1.4	1	
1,2-Dichlorobenzene	ND	1.0	0.33	1		1,2,4-Trimethylbenzene	ND	1.0	0.23	1	
1,3-Dichlorobenzene	ND	1.0	0.23	1		1,3,5-Trimethylbenzene	ND	1.0	0.18	1	
1,4-Dichlorobenzene	ND	1.0	0.22	1		Vinyl Acetate	ND	10	3.7	1	
Dichlorodifluoromethane	ND	1.0	0.89	1		Vinyl Chloride	ND	0.50	0.36	1	
1,1-Dichloroethane	ND	1.0	0.27	1		p/m-Xylene	ND	1.0	0.54	1	
1,2-Dichloroethane	ND	0.50	0.26	1		o-Xylene	ND	1.0	0.17	1	
1,1-Dichloroethene	ND	1.0	0.29	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
c-1,2-Dichloroethene	ND	1.0	0.35	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
t-1,2-Dichloroethene	ND	1.0	0.38	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
1,2-Dichloropropane	ND	1.0	0.36	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
1,3-Dichloropropane	ND	1.0	0.26	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
2,2-Dichloropropane	ND	1.0	0.28	1		Ethanol	ND	100	86	1	
1,1-Dichloropropene	ND	1.0	0.24	1							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>		
Dibromofluoromethane	97	74-140			1,2-Dichloroethane-d4	96	74-146				
Toluene-d8	99	88-112			1,4-Bromofluorobenzene	98	74-110				

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Analytical Report

Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: 1285 Bancroft Ave., San Leandro, CA


Page 18 of 18


Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-10-006-23,217	N/A	Aqueous	GC/MS T	10/24/07	10/24/07	071024L01

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Acetone	ND	50	6.3	1		c-1,3-Dichloropropene	ND	0.50	0.31	1	
Benzene	ND	0.50	0.14	1		t-1,3-Dichloropropene	ND	0.50	0.49	1	
Bromobenzene	ND	1.0	0.27	1		Ethylbenzene	ND	1.0	0.23	1	
Bromochloromethane	ND	1.0	0.70	1		2-Hexanone	ND	10	5.4	1	
Bromodichloromethane	ND	1.0	0.24	1		Isopropylbenzene	ND	1.0	0.26	1	
Bromoform	ND	1.0	0.66	1		p-Isopropyltoluene	ND	1.0	0.31	1	
Bromomethane	ND	10	5.1	1		Methylene Chloride	ND	10	4.3	1	
2-Butanone	ND	10	6.7	1		4-Methyl-2-Pentanone	ND	10	3.7	1	
n-Butylbenzene	ND	1.0	0.29	1		Naphthalene	ND	10	0.50	1	
sec-Butylbenzene	ND	1.0	0.32	1		n-Propylbenzene	ND	1.0	0.12	1	
tert-Butylbenzene	ND	1.0	0.33	1		Styrene	ND	1.0	0.29	1	
Carbon Disulfide	ND	10	0.40	1		1,1,1,2-Tetrachloroethane	ND	1.0	0.34	1	
Carbon Tetrachloride	ND	0.50	0.32	1		1,1,2,2-Tetrachloroethane	ND	1.0	0.30	1	
Chlorobenzene	ND	1.0	0.14	1		Tetrachloroethene	ND	1.0	0.35	1	
Chloroethane	ND	1.0	0.69	1		Toluene	ND	1.0	0.27	1	
Chloroform	ND	1.0	0.24	1		1,2,3-Trichlorobenzene	ND	1.0	0.43	1	
Chloromethane	ND	10	0.63	1		1,2,4-Trichlorobenzene	ND	1.0	0.33	1	
2-Chlorotoluene	ND	1.0	0.18	1		1,1,1-Trichloroethane	ND	1.0	0.26	1	
4-Chlorotoluene	ND	1.0	0.27	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	0.68	1	
Dibromochloromethane	ND	1.0	0.41	1		1,1,2-Trichloroethane	ND	1.0	0.49	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	3.2	1		Trichloroethene	ND	1.0	0.37	1	
1,2-Dibromoethane	ND	1.0	0.49	1		Trichlorofluoromethane	ND	10	0.21	1	
Dibromomethane	ND	1.0	0.57	1		1,2,3-Trichloropropane	ND	5.0	1.4	1	
1,2-Dichlorobenzene	ND	1.0	0.33	1		1,2,4-Trimethylbenzene	ND	1.0	0.23	1	
1,3-Dichlorobenzene	ND	1.0	0.23	1		1,3,5-Trimethylbenzene	ND	1.0	0.18	1	
1,4-Dichlorobenzene	ND	1.0	0.22	1		Vinyl Acetate	ND	10	3.7	1	
Dichlorodifluoromethane	ND	1.0	0.89	1		Vinyl Chloride	ND	0.50	0.36	1	
1,1-Dichloroethane	ND	1.0	0.27	1		p/m-Xylene	ND	1.0	0.54	1	
1,2-Dichloroethane	ND	0.50	0.26	1		o-Xylene	ND	1.0	0.17	1	
1,1-Dichloroethene	ND	1.0	0.29	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
c-1,2-Dichloroethene	ND	1.0	0.35	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
t-1,2-Dichloroethene	ND	1.0	0.38	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
1,2-Dichloropropane	ND	1.0	0.36	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
1,3-Dichloropropane	ND	1.0	0.26	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
2,2-Dichloropropane	ND	1.0	0.28	1		Ethanol	ND	100	86	1	
1,1-Dichloropropene	ND	1.0	0.24	1							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>		
Dibromofluoromethane	106	74-140			1,2-Dichloroethane-d4	105	74-146				
Toluene-d8	100	88-112			1,4-Bromofluorobenzene	97	74-110				

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





## Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project 1285 Bancroft Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-10	Aqueous	GC 25	10/18/07	10/18/07	071018S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	86	95	68-122	9	0-18	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8015B (M)


Project 1285 Bancroft Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-10-1429-2	Aqueous	GC 25	10/18/07	10/19/07	071018S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	90	87	68-122	4	0-18	

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B

Project 1285 Bancroft Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-10-1301-1	Aqueous	GC/MS Q	10/18/07	10/18/07	071018S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	99	100	88-118	0	0-7	
Carbon Tetrachloride	112	111	67-145	0	0-11	
Chlorobenzene	102	102	88-118	1	0-7	
1,2-Dibromoethane	108	108	70-130	0	0-30	
1,2-Dichlorobenzene	98	102	86-116	4	0-8	
1,1-Dichloroethene	98	93	70-130	4	0-25	
Ethylbenzene	104	103	70-130	1	0-30	
Toluene	103	103	87-123	0	0-8	
Trichloroethene	95	95	79-127	1	0-10	
Vinyl Chloride	94	90	69-129	4	0-13	
Methyl-t-Butyl Ether (MTBE)	95	94	71-131	1	0-13	
Tert-Butyl Alcohol (TBA)	107	108	36-168	1	0-45	
Diisopropyl Ether (DIPE)	100	100	81-123	0	0-9	
Ethyl-t-Butyl Ether (ETBE)	91	92	72-126	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	96	97	72-126	1	0-12	
Ethanol	114	107	53-149	7	0-31	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B

Project 1285 Bancroft Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-10-1338-9	Aqueous	GC/MS Q	10/19/07	10/19/07	071019S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	89	84	89-119	2	0-9	3
Chloroform	104	102	85-127	1	0-10	
1,1-Dichloroethane	100	99	87-123	0	0-10	
1,2-Dichloroethane	113	111	87-129	2	0-11	
1,1-Dichloroethene	100	99	77-125	2	0-15	
Tetrachloroethene	85	85	84-120	0	0-9	
Toluene	108	106	88-124	2	0-10	
Trichloroethene	97	98	89-119	1	0-10	
Methyl-t-Butyl Ether (MTBE)	100	99	73-127	1	0-17	
Ethanol	118	121	51-153	3	0-40	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B


Project 1285 Bancroft Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-8	Aqueous	GC/MS Q	10/22/07	10/22/07	071022SO1

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	100	101	88-118	1	0-7	
Carbon Tetrachloride	112	114	67-145	2	0-11	
Chlorobenzene	94	105	88-118	10	0-7	4
1,2-Dibromoethane	101	111	70-130	9	0-30	
1,2-Dichlorobenzene	96	100	86-116	4	0-8	
1,1-Dichloroethene	94	99	70-130	5	0-25	
Ethylbenzene	95	104	70-130	9	0-30	
Toluene	103	106	87-123	3	0-8	
Trichloroethene	97	99	79-127	3	0-10	
Vinyl Chloride	90	91	69-129	0	0-13	
Methyl-t-Butyl Ether (MTBE)	95	94	71-131	0	0-13	
Tert-Butyl Alcohol (TBA)	114	124	36-168	8	0-45	
Diisopropyl Ether (DIPE)	101	101	81-123	0	0-9	
Ethyl-t-Butyl Ether (ETBE)	99	97	72-126	2	0-12	
Tert-Amyl-Methyl Ether (TAME)	103	103	72-126	0	0-12	
Ethanol	114	106	53-149	7	0-31	

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B


Project 1285 Bancroft Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-10-1674-1	Aqueous	GC/MS T	10/24/07	10/24/07	071024S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	97	96	88-118	0	0-7	
Carbon Tetrachloride	90	89	67-145	0	0-11	
Chlorobenzene	98	97	88-118	1	0-7	
1,2-Dibromoethane	76	72	70-130	5	0-30	
1,2-Dichlorobenzene	99	98	86-116	1	0-8	
1,1-Dichloroethene	90	86	70-130	5	0-25	
Ethylbenzene	98	97	70-130	1	0-30	
Toluene	98	99	87-123	2	0-8	
Trichloroethene	94	91	79-127	3	0-10	
Vinyl Chloride	75	77	69-129	2	0-13	
Methyl-t-Butyl Ether (MTBE)	90	88	71-131	2	0-13	
Tert-Butyl Alcohol (TBA)	96	92	36-168	4	0-45	
Diisopropyl Ether (DIPE)	95	96	81-123	1	0-9	
Ethyl-t-Butyl Ether (ETBE)	90	91	72-126	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	89	90	72-126	1	0-12	
Ethanol	128	115	53-149	11	0-31	

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: 10/18/07  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B

Project 1285 Bancroft Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-10-1435-1	Aqueous	GC/MS Z	10/24/07	10/24/07	071024S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	92	98	88-118	6	0-7	
Carbon Tetrachloride	83	90	67-145	8	0-11	
Chlorobenzene	96	102	88-118	7	0-7	
1,2-Dibromoethane	94	102	70-130	8	0-30	
1,2-Dichlorobenzene	95	100	86-116	5	0-8	
1,1-Dichloroethene	90	96	70-130	7	0-25	
Ethylbenzene	96	104	70-130	7	0-30	
Toluene	94	100	87-123	6	0-8	
Trichloroethene	92	99	79-127	7	0-10	
Vinyl Chloride	75	80	69-129	6	0-13	
Methyl-t-Butyl Ether (MTBE)	85	93	71-131	8	0-13	
Tert-Butyl Alcohol (TBA)	79	88	36-168	11	0-45	
Diisopropyl Ether (DIPE)	88	95	81-123	8	0-9	
Ethyl-t-Butyl Ether (ETBE)	86	93	72-126	8	0-12	
Tert-Amyl-Methyl Ether (TAME)	88	94	72-126	7	0-12	
Ethanol	78	88	53-149	12	0-31	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: N/A  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: 1285 Bancroft Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-1,033	Aqueous	GC 25	10/18/07	10/18/07	071018B01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	88	79	78-120	10	0-10	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: N/A  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: 1285 Bancroft Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-1,040	Aqueous	GC 25	10/18/07	10/19/07	071018B02

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	92	89	78-120	3	0-10	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: N/A  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B


Project: 1285 Bancroft Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-23,175	Aqueous	GC/MS Q	10/18/07	10/18/07	071018L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	99	98	84-120	0	0-8	
Carbon Tetrachloride	110	109	63-147	1	0-10	
Chlorobenzene	102	102	89-119	1	0-7	
1,2-Dibromoethane	98	100	80-120	2	0-20	
1,2-Dichlorobenzene	98	97	89-119	0	0-9	
1,1-Dichloroethene	99	97	77-125	2	0-16	
Ethylbenzene	105	105	80-120	0	0-20	
Toluene	102	102	83-125	0	0-9	
Trichloroethene	96	97	89-119	0	0-8	
Vinyl Chloride	97	94	63-135	3	0-13	
Methyl-t-Butyl Ether (MTBE)	78	81	82-118	3	0-13	X
Tert-Butyl Alcohol (TBA)	102	108	46-154	5	0-32	
Diisopropyl Ether (DIPE)	87	89	81-123	3	0-11	
Ethyl-t-Butyl Ether (ETBE)	77	80	74-122	4	0-12	
Tert-Amyl-Methyl Ether (TAME)	82	85	76-124	3	0-10	
Ethanol	111	111	60-138	0	0-32	

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: N/A  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B

Project: 1285 Bancroft Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-23,191	Aqueous	GC/MS Q	10/19/07	10/19/07	071019L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	100	100	84-120	1	0-8	
Carbon Tetrachloride	118	117	63-147	0	0-10	
Chlorobenzene	102	102	89-119	0	0-7	
1,2-Dibromoethane	101	103	80-120	2	0-20	
1,2-Dichlorobenzene	100	100	89-119	1	0-9	
1,1-Dichloroethene	103	102	77-125	0	0-16	
Ethylbenzene	106	107	80-120	1	0-20	
Toluene	102	102	83-125	0	0-9	
Trichloroethene	99	99	89-119	0	0-8	
Vinyl Chloride	95	97	63-135	2	0-13	
Methyl-t-Butyl Ether (MTBE)	85	83	82-118	3	0-13	
Tert-Butyl Alcohol (TBA)	110	114	46-154	3	0-32	
Diisopropyl Ether (DIPE)	95	93	81-123	2	0-11	
Ethyl-t-Butyl Ether (ETBE)	86	83	74-122	3	0-12	
Tert-Amyl-Methyl Ether (TAME)	87	86	76-124	2	0-10	
Ethanol	116	120	60-138	4	0-32	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: N/A  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B

Project: 1285 Bancroft Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-23,197	Aqueous	GC/MS Q	10/22/07	10/22/07	071022L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	99	97	84-120	1	0-8	
Carbon Tetrachloride	109	108	63-147	1	0-10	
Chlorobenzene	99	99	89-119	0	0-7	
1,2-Dibromoethane	102	103	80-120	1	0-20	
1,2-Dichlorobenzene	92	92	89-119	1	0-9	
1,1-Dichloroethene	94	94	77-125	1	0-16	
Ethylbenzene	100	99	80-120	1	0-20	
Toluene	102	101	83-125	1	0-9	
Trichloroethene	96	95	89-119	1	0-8	
Vinyl Chloride	90	92	63-135	1	0-13	
Methyl-t-Butyl Ether (MTBE)	89	89	82-118	1	0-13	
Tert-Butyl Alcohol (TBA)	114	143	46-154	22	0-32	
Diisopropyl Ether (DIPE)	94	93	81-123	0	0-11	
Ethyl-t-Butyl Ether (ETBE)	89	89	74-122	0	0-12	
Tert-Amyl-Methyl Ether (TAME)	96	95	76-124	1	0-10	
Ethanol	106	114	60-138	7	0-32	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: N/A  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B

Project: 1285 Bancroft Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-23,217	Aqueous	GC/MS T	10/24/07	10/24/07	071024L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	96	97	84-120	1	0-8	
Carbon Tetrachloride	91	91	63-147	0	0-10	
Chlorobenzene	97	98	89-119	0	0-7	
1,2-Dibromoethane	95	93	80-120	2	0-20	
1,2-Dichlorobenzene	99	100	89-119	1	0-9	
1,1-Dichloroethene	88	87	77-125	1	0-16	
Ethylbenzene	99	99	80-120	1	0-20	
Toluene	98	100	83-125	3	0-9	
Trichloroethene	93	91	89-119	2	0-8	
Vinyl Chloride	77	79	63-135	2	0-13	
Methyl-t-Butyl Ether (MTBE)	90	90	82-118	1	0-13	
Tert-Butyl Alcohol (TBA)	101	95	46-154	6	0-32	
Diisopropyl Ether (DIPE)	96	96	81-123	0	0-11	
Ethyl-t-Butyl Ether (ETBE)	90	92	74-122	2	0-12	
Tert-Amyl-Methyl Ether (TAME)	90	93	76-124	3	0-10	
Ethanol	106	102	60-138	4	0-32	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: N/A  
Work Order No: 07-10-1358  
Preparation: EPA 5030B  
Method: EPA 8260B

Project: 1285 Bancroft Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-23,213	Aqueous	GC/MS Z	10/24/07	10/24/07	071024L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	94	95	84-120	2	0-8	
Carbon Tetrachloride	84	86	63-147	2	0-10	
Chlorobenzene	98	100	89-119	2	0-7	
1,2-Dibromoethane	95	97	80-120	2	0-20	
1,2-Dichlorobenzene	97	98	89-119	1	0-9	
1,1-Dichloroethene	90	91	77-125	1	0-16	
Ethylbenzene	97	99	80-120	2	0-20	
Toluene	95	98	83-125	3	0-9	
Trichloroethene	96	97	89-119	2	0-8	
Vinyl Chloride	89	90	63-135	1	0-13	
Methyl-t-Butyl Ether (MTBE)	87	89	82-118	2	0-13	
Tert-Butyl Alcohol (TBA)	70	75	46-154	7	0-32	
Diisopropyl Ether (DIPE)	90	91	81-123	1	0-11	
Ethyl-t-Butyl Ether (ETBE)	89	90	74-122	2	0-12	
Tert-Amyl-Methyl Ether (TAME)	90	92	76-124	3	0-10	
Ethanol	73	72	60-138	0	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Work Order Number: 07-10-1358

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.



# SHELL Chain Of Custody Record

- TA - Irvine, California
- TA - Morgan Hill, California
- TA - Sacramento, California
- TA - Nashville, Tennessee
- Calscienc
- Other \_\_\_\_\_

**NAME OF PERSON TO BILL: Denis Brown**

ENVIRONMENTAL SERVICES

NETWORK DEV. / FE

COMPLIANCE

BILL CONSULTANT

RMT/CRMT

CHECK BOX TO VERIFY IF NO INCIDENT # APPLIES

INCIDENT # (ES ONLY)

9 8 9 6 0 6 7

DATE: **10-17-07**

PAGE: **1** of **2**

SAMPLING COMPANY: **Blaine Tech Services**      LOG CODE: **BTSS**

ADDRESS: **1680 Rogers Avenue, San Jose, CA 95112**

PROJECT CONTACT (Hardcopy or PDF Report to): **Michael Ninokata**

TELEPHONE: **408-573-0555**      FAX: **408-573-7771**      E-MAIL: **mninokata@blainetech.com**

TAT (STD IS 10 BUSINESS DAYS / RUSH IS CALENDAR DAYS):  STD    5 DAY    3 DAY    2 DAY    24 HOURS    RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT    UST AGENCY: \_\_\_\_\_

SPECIAL INSTRUCTIONS OR NOTES:

- EDD NOT NEEDED
- SHELL CONTRACT RATE APPLIES
- STATE REIMB RATE APPLIES
- RECEIPT VERIFICATION REQUESTED

**\*\*See attached list**

SITE ADDRESS: Street and City  
**1285 Bancroft Ave., San Leandro**

State: **CA**

GLOBAL ID NO.: **T0600101224**

EDF DELIVERABLE TO (Name, Company, Office Location): **Ana Friel, CRA, Eureka Office**

PHONE NO.: **(707) 268-3812**

E-MAIL: **sonomaedf@croworld.com**

CONSULTANT PROJECT NO.: **071017-0w1**  
BTS #

SAMPLER NAME(S) (Print): **Dave Walter**

LAB USE ONLY: **10-1358**

### REQUESTED ANALYSIS

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	NO. OF CONT.	TPH - Gas, Purgeable (8260B)	TPH - Diesel, Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	TPH-motor oil (8015M)	TDS (160.1)	Total Iron (6010B)	Total Lead (6010B)	Total Oil and Grease (1664A)	VOC's w/Oxygenates (8260)**	FIELD NOTES:
		DATE	TIME																						TEMPERATURE ON RECEIPT C°
1	mw-1	10-17	1246	W	5	X	X																	X	
2	mw-2	10-17	1357			X	X																	X	
3	mw-3	10-17	1335			X	X																	X	
4	mw-4	10-17	1303			X	X																	X	
5	mw-5	10-17	1441			X	X																	X	
6	mw-6	10-17	1216			X	X																	X	
7	mw-7	10-17	1129			X	X																	X	
8	mw-8	10-17	1014			X	X																	X	
9	mw-9	10-17	1421			X	X																	X	
10	mw-10	10-17	1151			X	X																	X	

Relinquished by: (Signature) **David C. Hatt**

Relinquished by: (Signature) \_\_\_\_\_

Relinquished by: (Signature) \_\_\_\_\_

Received by: (Signature) **David C. Hatt (Sample Custodian)**

Received by: (Signature) \_\_\_\_\_

Received by: (Signature) \_\_\_\_\_

Date: **10-17-07**      Time: **1615**

Date: **10-17-07**      Time: **1636**

Date: **10/18/07**      Time: **1015**



(1358)

## COMPOUND LISTING / MDL / CALC REPORTING LIMIT FOR TESTCODE

VOC W OXYGENA1 ( 4408 )

METHOD: EPA 8260B

MATRIX: W

COMPOUND NAME	MDL	RL	UNITS
1,1,1,2-Tetrachloroethane	0.4441	1.0000	ug/L
1,1,1-Trichloroethane	0.3473	1.0000	ug/L
1,1,2,2-Tetrachloroethane	0.4508	1.0000	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	0.6103	10.0000	ug/L
1,1,2-Trichloroethane	0.7880	1.0000	ug/L
1,1-Dichloroethane	0.2479	1.0000	ug/L
1,1-Dichloroethene	0.2567	1.0000	ug/L
1,1-Dichloropropene	0.6209	1.0000	ug/L
1,2,3-Trichlorobenzene	0.2584	1.0000	ug/L
1,2,3-Trichloropropane	2.7713	5.0000	ug/L
1,2,4-Trichlorobenzene	0.2940	1.0000	ug/L
1,2,4-Trimethylbenzene	0.1338	1.0000	ug/L
1,2-Dibromo-3-Chloropropane	3.1296	5.0000	ug/L
1,2-Dibromoethane	0.4075	1.0000	ug/L
1,2-Dichlorobenzene	0.1477	1.0000	ug/L
1,2-Dichloroethane	0.2452	0.5000	ug/L
1,2-Dichloropropane	0.5510	1.0000	ug/L
1,3,5-Trimethylbenzene	0.8644	1.0000	ug/L
1,3-Dichlorobenzene	0.1510	1.0000	ug/L
1,3-Dichloropropane	0.2784	1.0000	ug/L
1,4-Dichlorobenzene	0.1735	1.0000	ug/L
2,2-Dichloropropane	0.2891	1.0000	ug/L
2-Butanone	7.9532	10.0000	ug/L
2-Chlorotoluene	0.1573	1.0000	ug/L
2-Hexanone	3.3873	10.0000	ug/L
4-Chlorotoluene	0.1776	1.0000	ug/L
4-Methyl-2-Pentanone	2.0294	10.0000	ug/L
Acetone	6.9516	50.0000	ug/L
Benzene	0.1910	0.5000	ug/L
Bromobenzene	0.2568	1.0000	ug/L
Bromochloromethane	0.8783	1.0000	ug/L
Bromodichloromethane	0.2148	1.0000	ug/L
Bromoform	0.8699	1.0000	ug/L
Bromomethane	3.4997	10.0000	ug/L
Carbon Disulfide	1.8390	10.0000	ug/L
Carbon Tetrachloride	0.2940	0.5000	ug/L
Chlorobenzene	0.1628	1.0000	ug/L
Chloroethane	0.6967	1.0000	ug/L



1358

## COMPOUND LISTING / MDL / CALC REPORTING LIMIT FOR TESTCODE


VOC W OXYGENAT ( 4408 )

METHOD: EPA 8260B

MATRIX: W

COMPOUND NAME	MDL	RL	UNITS
Chloroform	0.2945	1.0000	ug/L
Chloromethane	2.0584	10.0000	ug/L
Dibromochloromethane	0.3901	1.0000	ug/L
Dibromomethane	0.8176	1.0000	ug/L
Dichlorodifluoromethane	0.3258	1.0000	ug/L
Diisopropyl Ether (DIPE)	0.3888	2.0000	ug/L
Ethanol	70.3868	100.0000	ug/L
Ethyl-t-Butyl Ether (ETBE)	0.4578	2.0000	ug/L
Ethylbenzene	0.1336	1.0000	ug/L
Isopropylbenzene	0.1009	1.0000	ug/L
Methyl-t-Butyl Ether (MTBE)	0.2255	1.0000	ug/L
Methylene Chloride	9.7329	10.0000	ug/L
Naphthalene	0.4197	10.0000	ug/L
Styrene	0.1556	1.0000	ug/L
Tert-Amyl-Methyl Ether (TAME)	0.4993	2.0000	ug/L
Tert-Butyl Alcohol (TBA)	9.1596	10.0000	ug/L
Tetrachloroethene	0.2987	1.0000	ug/L
Toluene	0.2267	1.0000	ug/L
Trichloroethene	0.3075	1.0000	ug/L
Trichlorofluoromethane	0.8298	10.0000	ug/L
Vinyl Acetate	6.4050	10.0000	ug/L
Vinyl Chloride	0.2405	0.5000	ug/L
c-1,2-Dichloroethene	0.6316	1.0000	ug/L
c-1,3-Dichloropropene	0.2831	0.5000	ug/L
n-Butylbenzene	0.2452	1.0000	ug/L
n-Propylbenzene	0.1229	1.0000	ug/L
o-Xylene	0.1693	1.0000	ug/L
p-Isopropyltoluene	0.1366	1.0000	ug/L
p/m-Xylene	0.2728	1.0000	ug/L
sec-Butylbenzene	0.2928	1.0000	ug/L
t-1,2-Dichloroethene	0.8260	1.0000	ug/L
t-1,3-Dichloropropene	0.2557	0.5000	ug/L
tert-Butylbenzene	0.1858	1.0000	ug/L

MATRIX - W = Water/Aqueous. S = Soil/Solid. A = Air. T = Tissue.



WORK ORDER #: 07 - 10 - 1358

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: Blaine Tech

DATE: 10/18/07

TEMPERATURE - SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
Chilled, cooler without temperature blank.
Chilled and placed in cooler with wet ice.
Ambient and placed in cooler with wet ice.
Ambient temperature.
C Temperature blank.

LABORATORY (Other than Calscience Courier):

- 4.1 C Temperature blank.
C IR thermometer.
Ambient temperature.

Initial: AP

CUSTODY SEAL INTACT:

Sample(s): Cooler: No (Not Intact): Not Present: [checked]

Initial: [signature]

SAMPLE CONDITION:

Table with 4 columns: Item, Yes, No, N/A. Rows include Chain-Of-Custody document(s), Sampler's name, Sample container label(s), Sample container(s) intact, Correct containers and volume, Proper preservation, VOA vial(s) free of headspace, Tedlar bag(s) free of condensation.

Initial: AP

COMMENTS:

Blank lines for handwritten comments.

# SHELL WELLHEAD INSPECTION FORM

(FOR SAMPLE TECHNICIAN)

Site Address 1285 Bancroft Ave San Leandro Date 10.17.07

Job Number 071017-DW-1 Technician DW Page 1 of 1

Well ID	Well Inspected - No Corrective Action Required	Well Box Meets Compliance Requirements *See Below	Water Bailed From Wellbox	Cap Replaced	Lock Replaced	Well Not Inspected (explain in notes)	New Deficiency Identified	Previously Identified Deficiency Persists	Notes
MW-1	X	X							
MW-2	X	X							
MW-3	X	X							
MW-4	X	X							
MW-5	X	X							
MW-6	X	X							
MW-7	X	X							
MW-8	X	X							
MW-9	X	X							
MW-10	X	X							
MW-11	X	X	X						
MW-12	X	X							
IW-1	X								

\*Well box must meet all three criteria to be compliant: 1) WELL IS SECURABLE BY DESIGN (12" or less) 2) WELL IS MARKED WITH THE WORDS "MONITORING WELL" (12" or less) 3) WELL TAG IS PRESENT, SECURE, AND CORRECT

Notes:

---

## WELL GAUGING DATA

Project # 071017-DW-1 Date 10-17-07 Client Shell

Site 1285 Bancroft Ave San Leandro

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or <u>TOC</u>	Notes
MW-1	0841	4					39.26	59.05	↓	
MW-2	0852	4					39.17	59.02		
MW-3	0848	4					39.80	57.75		
MW-4	0846	4					40.47	54.63		
MW-5	0915	4					39.44	49.60		
MW-6	0900	2					37.95	50.05 <del>50.00</del>		
MW-7	0836	4.2					38.88	50.00		
MW-8	1000	2					38.08	50.00		
MW-9	0907	4					38.48	49.38		
MW-10	1141	2					37.54	39.00		
MW-11	0930	2					36.78	44.56		
MW-12	0832	2					38.76	44.75		
IW-1	0830	8					36.42	-		↓



## SHELL WELL MONITORING DATA SHEET

BTS #: <u>071017-0W-1</u>	Site: <u>1285 Bancroft Ave</u>
Sampler: <u>DW</u>	Date: <u>10-17-07</u>
Well I.D.: <u>MW-2</u>	Well Diameter: 2 3 <u>(4)</u> 6 8 _____
Total Well Depth (TD): <u>59.02</u>	Depth to Water (DTW): <u>39.17</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): <u>(YSI)</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>43.14</u>	

Purge Method: Bailer       Waterra       Sampling Method:  Bailer  
 Disposable Bailer       Peristaltic       Disposable Bailer   
 Positive Air Displacement       Extraction Pump       Extraction Port   
 Electric Submersible  Other \_\_\_\_\_      Dedicated Tubing

$\underline{12.9} \text{ (Gals.)} \times \underline{3} = \underline{38.7} \text{ Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														
1 Case Volume      Specified Volumes      Calculated Volume																	

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
<u>1346</u>	<u>64.7</u>	<u>6.7</u>	<u>509</u>	<u>62</u>	<u>13</u>	
<u>1349</u>	<u>64.8</u>	<u>6.7</u>	<u>516</u>	<u>36</u>	<u>26</u>	
<u>1352</u>	<u>65.0</u>	<u>6.7</u>	<u>520</u>	<u>23</u>	<u>39</u>	

Did well dewater?    Yes     No      Gallons actually evacuated: 39

Sampling Date: 10-17-07    Sampling Time: 1357    Depth to Water: 39.22

Sample I.D.: MW-2      Laboratory:    STL    Other: Cal Science

Analyzed for: (TPH-G) (BTEX)    MTBE    TPH-D    Other: VOC's w/ oxy's

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time    Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for:    TPH-G    BTEX    MTBE    TPH-D    Other: \_\_\_\_\_

D.O. (if req'd): <u>Pre-purge:</u> <u>2.23</u> mg/L	Post-purge: <u>2.19</u> mg/L
O.R.P. (if req'd): Pre-purge: _____ mV	Post-purge: _____ mV







## SHELL WELL MONITORING DATA SHEET

BTS #: 071017-0W-1	Site: 1285 Bancroft Ave
Sampler: DW	Date: 10-17-07
Well I.D.: MW-5	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 49.60	Depth to Water (DTW): 39.44
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 41.47	

Purge Method: Bailer       Watertra       Sampling Method:  Bailer  
 Disposable Bailer       Peristaltic       Disposable Bailer   
 Positive Air Displacement       Extraction Pump       Extraction Port   
 Electric Submersible  Other \_\_\_\_\_      Dedicated Tubing   
 Other: \_\_\_\_\_

$\underline{6.6} \text{ (Gals.)} \times \underline{3} = \underline{19.8} \text{ Gals.}$ 1 Case Volume      Specified Volumes      Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
1433	65.7	6.4	639	142	6.6	odor
1435	66.2	6.3	677	61	13.2	"
1436	66.2	6.3	651	85	19.8	"

Did well dewater? Yes  NO      Gallons actually evacuated: 19.8

Sampling Date: 10-17-07      Sampling Time: 1441      Depth to Water: 41.40

Sample I.D.: MW-5      Laboratory: STL      Other: Ca/science

Analyzed for: TPH-G BTEX MTBE TPH-D      Other: VOC's w/ oxys

EB I.D. (if applicable): @ \_\_\_\_\_ Time      Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D      Other:

D.O. (if req'd):	<u>Pre-purge</u> 0.04 mg/L	<u>Post-purge</u> 0.03 mg/L	
O.R.P. (if req'd):	Pre-purge: _____ mV	Post-purge: _____ mV	







## SHELL WELL MONITORING DATA SHEET

BTS #: 071017-0W-1	Site: 1285 Bancroft Ave
Sampler: DW	Date: 10-17-07
Well I.D.: mw-9	Well Diameter: 2 3 4 6 8 _____
Total Well Depth (TD): 49.38	Depth to Water (DTW): 38.48
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 40.66	

Purge Method: Bailer       Waterra       Sampling Method:  Bailer  
 Disposable Bailer       Peristaltic       Disposable Bailer   
 Positive Air Displacement       Extraction Pump       Extraction Port   
 Electric Submersible  Other \_\_\_\_\_      Dedicated Tubing

Other: \_\_\_\_\_

$\underline{7.1} \text{ (Gals.)} \times \underline{3} = \underline{21.3} \text{ Gals.}$ <p style="font-size: small; margin: 0;">1 Case Volume      Specified Volumes      Calculated Volume</p>	<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
1413	65.6	6.8	476	258	7.1	odor
1415	65.8	6.7	498	702	14.2	odor
1416	66.0	6.7	507	308	21.3	odor

Did well dewater?    Yes     No       Gallons actually evacuated: 21.3

Sampling Date: 10-17-07    Sampling Time: 1421      Depth to Water: 39.75

Sample I.D.: mw-9      Laboratory: STL    Other: Cal Science

Analyzed for: TPH-G BTEX    MTBE    TPH-D    Other: VOC's w/ oxys

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time      Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Other: \_\_\_\_\_

D.O. (if req'd): <u>Pre-purge</u> : 1.45 mg/L	Post-purge: 2.65 mg/L
O.R.P. (if req'd): Pre-purge: _____ mV	Post-purge: _____ mV

## SHELL WELL MONITORING DATA SHEET

BTS #: 071017-0W-1	Site: 1285 Bancroft Ave
Sampler: DW	Date: 10-17-07
Well I.D.: MW-10	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 39.00	Depth to Water (DTW): 37.54
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): (YS) HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 57.83	

Purge Method:  Bailer      Water      Sampling Method:  Bailer  
                          Disposable Bailer      Peristaltic      Disposable Bailer  
                          Positive Air Displacement      Extraction Pump      Extraction Port  
                          Electric Submersible      Other \_\_\_\_\_      Dedicated Tubing

Other: \_\_\_\_\_

0.2 (Gals.) X 3 = 0.6 Gals.  
 I Case Volume      Specified Volumes      Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
1144	64.2	6.4	586	>1000	0.2	
1145	65.4	6.4	618	>1000	0.4	
1146	65.5	6.4	632	>1000	0.6	

Did well dewater?    Yes     No      Gallons actually evacuated: 0.6

Sampling Date: 10-17-07    Sampling Time: 1151      Depth to Water: 37.55

Sample I.D.: MW-10      Laboratory: STL    Other \_\_\_\_\_

Analyzed for: (TPH-G) (BTEX) MTBE TPH-D    Other: VOC's w/ oxy's

EB I.D. (if applicable): @ Time      Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D    Other:

D.O. (if req'd):	Pre-purge:	0.10 mg/L	Post-purge:	0.14 mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV







