

FACSIMILE BEING SENT BY:



AQUA SCIENCE ENGINEERS, INC.
2500 OLD CROW CANYON ROAD, SUITE 121
SAN RAMON, CA 94583
(415) 820-9391
FAX # (415) 837-4853

DATE: 5-3-91

TO: Scott Seery
Ala. Co. Health

FROM: Greg Fowler
ASE

NUMBER OF PAGES TO FOLLOW: 5

COMMENTS:
2-28-91 analytical
2896 CV Blvd.

J

CHAIN OF CUSTODY RECORD

CHROMALAB FILE # 39101:

Client name AQUA SCIENCE		Project or PO# DETAIL SHOP	
Address		Phone #	
City, State, Zip		Report attention GREG GOUVERA	

1726

Hazardous samples
Special handling required

Lab Sample number	Date sampled	Time sampled	Type* See key below	Sampled by	Number of containers	Sample description	Remarks
	4/28/91		GW	MW-1	7		PLEASE CALL GREG FOR ANALYSIS
			GW	MW-2	7		
			GW	MW-3	7		

Signature	Print Name	Company	Date	Ti
	JOHN STREET	SS	3/4/91	1
Received by Laboratory	T. Donovan	Chromalab	3-4-91	2

Fax 798-6908
BILL AQUASCIENCE

Note:
Samples are discarded 30 days after results are reported unless other arrangements are made.
Hazardous samples will be returned to client or disposed of at client expense.
*KEY: AD—Aqueous HA—Nonaqueous SL—Sludge GW—Groundwater SO—Soil OT—Other PE—

570 P05

AQUA SC.

MAY 03 '91 11:35

CHROMALAB, INC.

Analytical Laboratory
Specializing in GC-GC/MS

- Environmental Analysis
- Hazardous Waste (#E694)
- Drinking Water (#955)
- Waste Water
- Consultation

Page 2

Chromalab File # 0391015 A

Project Name: Detail Shop

Sample I.D. [REDACTED]

Method of Analysis: [REDACTED]


Matrix: water

COMPOUND NAME	Sample ug/l	MDL ug/L	Spike Recovery
2,4-DINITROTOLUENE	N.D.	0.01	-----
2,6-DINITROTOLUENE	N.D.	0.01	113.1% 90.2%
DIETHYL PHTHALATE	N.D.	0.01	-----
4-CHLORO-PHENYL PHENYL ETHER	N.D.	0.01	-----
FLUORENE	N.D.	0.01	-----
4-NITROANILINE	N.D.	0.05	-----
4,6-DINITRO-2-METHYL PHENOL	N.D.	0.05	-----
N-NITROSODIPHENYLAMINE	N.D.	0.01	-----
4-BROMOPHENYL PHENYL ETHER	N.D.	0.01	-----
HEXACHLOROBENZENE	N.D.	0.01	-----
PENTAChloroBENzOL	N.D.	0.05	82.1% 75.3%
PHLHANTHRENE	N.D.	0.01	-----
ANTHRACENE	N.D.	0.01	-----
DI-N-BUTYL PHTHALATE	N.D.	0.01	-----
FLUORANTHRENE	N.D.	0.01	-----
PYRENE	N.D.	0.01	-----
BUTYLBENZYLPHthalate	N.D.	0.01	-----
3,3'-DICHloroBENzIDINE	N.D.	0.02	-----
BENZO(A)ANTHRACENE	N.D.	0.01	-----
BIS(2-ETHYLHEXYL)PHTHALATE	N.D.	0.01	-----
CHRYSENE	N.D.	0.01	89.1% 87.5%
DI-N-OCTYL PHTHALATE	N.D.	0.01	-----
BENZO(G)FLUORANTHRENE	N.D.	0.01	-----
BENZO(K)FLUORANTHRENE	N.D.	0.01	-----
BENZO(A)PYRENE	N.D.	0.01	-----
INDENO(1,2,3-C,D)PYRENE	N.D.	0.01	-----
DIBENZO(A,H)ANTHRACENE	N.D.	0.01	-----
BENZO(G,H,I)PERYLENE	N.D.	0.01	-----

Chromalab, Inc.



David Duong
Senior Chemist



Eric Tam
Lab Director

CHROMALAB, INC.

Analytical Laboratory
Specializing in GC-GC/MS

- Environmental Analysis
- Hazardous Waste (#E694)
- Drinking Water (#955)
- Waste Water
- Consultation

March 19, 1991

Chromalab File # 0391015 A

Client: Aqua Science Engineers Attn: Greg Gouvea
Date Sampled: Feb. 28, 1991 Date Submitted: Mar. 04, 1991
Date Extracted: Mar. 10, 1991 Date of Analysis: Mar. 16, 1991

Project Name: Detail Shop

Sample I.D.: [REDACTED]

Method of Analysis: [REDACTED] Matrix: water

COMPOUND NAME	Sample mg/L	MDL mg/L	Spike Recovery
PHENOL	N.D.	0.01	-----
BIS(2-CHLOROETHYL) ETHER	N.D.	0.01	82.1% 85.6%
2-CHLOROPHENOL	N.D.	0.01	-----
1,3-DICHLOROBENZENE	N.D.	0.01	-----
1,4-DICHLOROBENZENE	N.D.	0.01	-----
BENZYL ALCOHOL	N.D.	0.02	-----
1,2-DICHLOROBENZENE	N.D.	0.01	-----
2-METHYLPHENOL	N.D.	0.01	85.1% 81.7%
BIS(2-CHLOROETHOXY) ETHER	N.D.	0.01	-----
4-METHYLPHENOL	N.D.	0.01	-----
N-NITROSO DI-N-PROPYLENE	N.D.	0.01	-----
HEXACHLOROETHANE	N.D.	0.01	-----
NITROBENZENE	N.D.	0.01	-----
ISOPHTHENE	N.D.	0.01	-----
2-NITROPHENOL	N.D.	0.01	-----
2,4-DIMETHYLPHENOL	N.D.	0.01	-----
BENZOIC ACID	N.D.	0.05	-----
BIS(2-CHLOROETHOXY)METHANE	N.D.	0.01	87.3% 101.3%
2,4-DICHLOROPHENOL	N.D.	0.01	-----
1,2,4-TRICHLOROBENZENE	N.D.	0.01	-----
NAPHTHALENE	N.D.	0.01	-----
4-CHLOROANILINE	N.D.	0.02	-----
HEXACHLOROBTADIENE	N.D.	0.01	-----
4-CHLORO-3-METHYLPHENOL	N.D.	0.02	-----
2-METHYLNAPHTHALENE	N.D.	0.01	107.9% 91.5%
HEXACHLOROOCYCLOPENTADIENE	N.D.	0.01	-----
2,4,6-TRICHLOROPHENOL	N.D.	0.01	-----
2,4,5-TRICHLOROPHENOL	N.D.	0.01	-----
2-CHLORONAPHTHALENE	N.D.	0.01	-----
2-NITROANILINE	N.D.	0.05	-----
DIMETHYL PHTHALATE	N.D.	0.01	-----
ACENAPHTHYLENE	N.D.	0.01	-----
3-NITROANILINE	N.D.	0.05	-----
ACENAPHTHENE	N.D.	0.01	82.4% 75.6%
2,4-DINITROPHENOL	N.D.	0.05	-----
4-NITROPHENOL	N.D.	0.05	-----
DIBENZOFURAN	N.D.	0.01	-----

(continued on next page)

CHROMALAB, INC.

Analytical Laboratory
Specializing in GC-GC/MS

March 19, 1991

- Environmental Analysis
- Hazardous Waste (#E694)
- Drinking Water (#955)
- Waste Water
- Consultation

Chromalab File # 0391015 A

Client: ADWA Science Engineers
Date Sampled: Feb. 28, 1991
Date of Analysis: Mar. 11, 1991

Attn: Greg Gouvea
Date Submitted: Mar. 04, 1991

Project Name: Delta 1 Lot
Sample ID: [REDACTED]
Method of Analysis: [REDACTED]

Detection Limit: [REDACTED]

COMPOUND NAME	20%L	Spike Recovery
CHLOROMETHANE	N.D.	---
VINYL CHLORIDE	N.D.	---
BROMOMETHANE	N.D.	---
CHLOROETHANE	N.D.	---
TRICHLOROETHYLENE	N.D.	---
1,1-DICHLOROETHYLENE	N.D.	---
METHYLENE CHLORIDE	N.D.	85.7% 92.4%
1,2-DICHLOROETHANE (TOTAL)	N.D.	---
1,1-DICHLOROETHANE	N.D.	---
CHLOROFORM	N.D.	---
1,1,1-TRICHLOROETHANE	N.D.	---
1,1,1-TRICHLOROETHYLENE	N.D.	---
1,1,2-DICHLOROETHANE	N.D.	---
TRICHLOROETHYLENE	N.D.	---
1,2-DICHLOROETHANE	N.D.	92.8% 93.1%
BROMOCHLOROMETHANE	N.D.	---
2-CHLOROETHYL VINYL ETHER	N.D.	---
TRANS-1,2-DICHLOROETHYLENE	N.D.	---
CIS-1,2-DICHLOROETHYLENE	N.D.	---
1,1,2-TRICHLOROETHANE	N.D.	---
TETRACHLOROETHYLENE	N.D.	86.7% 88.4%
DIBROMOCHLOROETHANE	N.D.	---
CHLOROBENZENE	N.D.	---
BROMOFORM	N.D.	---
1,1,2,2-TETRACHLOROETHANE	N.D.	35.2% 83.7%
1,3-DICHLOROBENZENE	N.D.	---
1,4-DICHLOROBENZENE	N.D.	---
1,2-DICHLOROBENZENE	N.D.	---

Chromalab, Inc.

David Duong
David Duong
Senior Chemist

Eric Tam
Eric Tam
Lab Director

CHROMALAB, INC.

Analytical Laboratory
Specializing in GC-GC/MS

- Environmental Analysis
- Hazardous Waste (#E694)
- Drinking Water (#955)
- Waste Water
- Consultation

March 19, 1991

Chromalab File No.: 0391015

AQUA SCIENCE ENGINEERS, INC.

Attn: Greg Couva

RE: Water samples for Contaminants, Diesel, Oil & Grease,
and other analyses

Project # 0391015

Date Sampled: Feb 22, 1991 Date Submitted: March 4, 1991

Date Collected: March 2-23, 1991 Date Analyzed: March 8-13, 1991

RESULTS

Sample	Concentration	Total Petroleum Hydrocarbons	Polynuclear Aromatic Hydrocarbons	Ethyl Benzene	Total Volatiles
NO.	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
MR-1	1	N.D.	N.D.	N.D.	N.D.
MR-2	1	N.D.	N.D.	N.D.	N.D.
MR-3	1	N.D.	N.D.	N.D.	N.D.
Blank	1	N.D.	N.D.	N.D.	N.D.
RECOVERY	100%	98.1%	98.1%	98.1%	98.1%
DETECTION	1.0	1.0	1.0	1.0	1.0
LIMIT	1.0	1.0	1.0	1.0	1.0
METHOD OF ANALYSIS	GC	GC	GC	GC	GC

Sample	Concentration	Total Petroleum Hydrocarbons	Polynuclear Aromatic Hydrocarbons	Ethyl Benzene	Total Volatiles
NO.	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
MR-1	1	N.D.	N.D.	N.D.	N.D.
MR-2	1	N.D.	N.D.	N.D.	N.D.
MR-3	1	N.D.	N.D.	N.D.	N.D.
Blank	1	N.D.	N.D.	N.D.	N.D.
RECOVERY	100%	98.1%	98.1%	98.1%	98.1%
DETECTION	1.0	1.0	1.0	1.0	1.0
LIMIT	1.0	1.0	1.0	1.0	1.0
METHOD OF ANALYSIS	GC	GC	GC	GC	GC

Chromalab, Inc.

David Duong
David Duong
 Chief Chemist

Eric Tan
Eric Tan
 Laboratory Director

91 FEB 11 11:05

February 8, 1991

Mr. Scott O. Seery
Alameda County Health
Care Services Agency
Department of Environmental Health
Hazardous Materials Program
80 Swan Way, Room 200
Oakland, California 94621

Dear Scott:

Aqua Science Engineers, the firm we hired to perform the required testing, informs me that their report will not be ready until after the February 16th deadline provided for in your letter of February 1, 1991.

We respectfully ask for an extension of two weeks to turn in the required information.

Sincerely,



Dan Dineen

DD/jad

Lakeshore Financial

Dan Dineen

21060 Redwood Rd., Suite 250
Castro Valley, CA 94546

415/582-6300
Fax 582-6601

5867 40,8

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. **CAC0000A1604870901**
 Manifest Document No.

2. Page 1 of 1
 Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address (Site): **2896 Castro Valley Blvd, CV**

A. State Manifest Document Number
87066363

Walter Quigley c/o Jack Quarle & Assoc.
88 Kearney Street, Suite 1802, San Francisco CA 94108

B. State Generator's ID

4. Generator's Phone **(415) 392-0092 or 415-893-8257 (ZWS-broker)**

C. State Transporter's ID **801092**

5. Transporter 1 Company Name
Zero Waste Systems

6. US EPA ID Number
CAD071692016

D. Transporter's Phone **415-893-8257**

7. Transporter 2 Company Name

8. US EPA ID Number

E. State Transporter's ID

9. Designated Facility Name and Site Address
Envirosafe Services of Idaho, Inc.
10.5 miles NW of Grandview
Idaho 83624

10. US EPA ID Number
IDD073114654

G. State Facility's ID
 H. Facility's Phone
208-384-1500

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No. Type

13. Total Quantity

14. Unit Wt/Vol

15. Waste No.

a. **waste, hazardous waste NOS (D008)solid, ORM-E**
NA9189 **RQ**

1 **DT** **1.8** **Y**

State **611**
 EPA/Other **D008**

12. Additional Descriptions for Materials Listed Above
oil soft contaminated with gas/diesel oil and 2800 ppm lead
ESTP WPC ID 701020-022

K. Handling Codes for Wastes Listed Above
03

15. Special Handling Instructions and Additional Information
protective clothing, gloves, goggles, respirator
Generator warrants that this shipment contains no polychlorinated biphenyls

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
 If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name **WALTER QUIGLEY** Signature *Walter Quigley* Month Day Year **09 19 87**

17. Transporter 1 Acknowledgement of Receipt of Materials
 Printed/Typed Name **THOMAS E. UPTON** Signature *Thomas E Upton* Month Day Year **09 19 87**

18. Transporter 2 Acknowledgement of Receipt of Materials
 Printed/Typed Name _____ Signature _____ Month Day Year _____

19. Discrepancy Indication Space
#11A DOT desc incorrect. Spoke to Don Watkins who will send letter of correction. 11:20 am 9-21-87.

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
 Printed/Typed Name **Starla Pineda** Signature *Starla Pineda* Month Day Year **10 21 87**

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550
 GENERATOR
 TRANSPORTER
 FACILITY

87066363