



ENVIRONMENTAL
PROTECTION

00 JUN -6 AM 8:55

2201 Broadway, Suite 101
Oakland, CA 94612-3023
Tel. 510.740.5800
Fax. 510.663.3315

SHD
3942

June 2, 2000
Project 806775

Mr. Jeffrey Enebly
6267 Sunnymere Avenue
Oakland, California 94605

Re: Quarterly Groundwater Monitoring Results, First Quarter 2000, for 6267
Sunnymere Avenue, Oakland, California

Dear Mr. Enebly:

On February 16, 2000, IT Corporation (IT) attempted to collect groundwater samples from well MW-8, located at 6267 Sunnymere Avenue, Oakland, California. The well was scheduled for sampling during quarterly sampling of former ARCO Products Company (ARCO) **Service Station No. 6002**, located at 6235 Seminary Avenue, Oakland, California. However, due to the presence of a dilapidated vehicle over the well, and because no one at the property was available or able to move the vehicle, the sampling technician could not access the well, and consequently, the well was not sampled.

Please call if you have any questions.

Sincerely,

IT Corporation

Stephen Lofholm, R.G. 4793
Technical Coordinator

Attachments: Figure 1 - Generalized Site Plan

cc: **Amir Gholami, ACHCSA**
Chuck Carmel, ARCO Products Company
File



2201 Broadway, Suite 101
Oakland, CA 94612-3023
Tel. 510.740.5800
Fax. 510.663.3315

June 2, 2000
Project 806775

Mr. Chuck Carmel
ARCO Products Company
2620 Lunada Lane
Alamo, California 94507

Re: Quarterly Groundwater Monitoring Report, First Quarter 2000, for Former ARCO
Service Station No. 6002, Located at 6235 Seminary Avenue, Oakland, California


Dear Mr. Carmel:


IT Corporation (IT) is submitting the attached report, which presents the results of the first quarter 2000 groundwater monitoring program at former ARCO Products Company (ARCO) Service Station No. 6002, located at 6235 Seminary Avenue, Oakland, California. The monitoring program complies with the Alameda County Health Care Services Agency (ACHCSA) requirements regarding underground tank investigations.

Please call if you have questions.

Sincerely,

IT Corporation


Stephen Lofholm, R.G.
Technical Coordinator



Attachment: Quarterly Groundwater Monitoring Report, First Quarter 2000

cc: Mr. Amir Gholami, ACHCSA

Date: June 2, 2000**ARCO QUARTERLY GROUNDWATER MONITORING REPORT**

Station No.: 6002 Address: 6235 Seminary Avenue, Oakland, California
 ARCO Environmental Engineer/Phone No.: Chuck Carmel/(925) 946-1085
 Consulting Co./Contact Person: IT Corporation/Stephen Lofholm
 Consultant Project No.: 806775
 Primary Agency/Regulatory ID No.: ACHCSA

WORK PERFORMED THIS QUARTER (FIRST - 2000):

1. Prepared and submitted quarterly groundwater monitoring report for fourth quarter 1999.
2. Performed quarterly groundwater monitoring and sampling for first quarter 2000.

WORK PROPOSED FOR NEXT QUARTER (SECOND - 2000):

1. Prepare and submit quarterly groundwater monitoring report for first quarter 2000.
2. Perform quarterly groundwater monitoring and sampling for second quarter 2000.

QUARTERLY MONITORING:

Current Phase of Project: Quarterly Groundwater Monitoring
 Frequency of Sampling: Annual (1st Quarter): MW-3, MW-6
Quarterly: MW-4, MW-5, MW-7, MW-8, VW-1, VW-4
 Frequency of Monitoring: Quarterly (groundwater)
 Is Floating Product (FP) Present On-site: Yes No
 Bulk Soil Removed to Date : approximately 370 cubic yards of TPH impacted soil
 Bulk Soil Removed This Quarter : None
 Water Wells or Surface Waters,
 within 2000 ft., impacted by site: None
 Current Remediation Techniques: Natural Attenuation
 Average Depth to Groundwater: 7.7 feet
 Groundwater Flow Direction and Gradient
 (Average): 0.05 ft/ft toward Southwest

DISCUSSION:

- Well MW-8 was last sampled during the first quarter 1999. Due to the presence of a dilapidated vehicle over the well, and because no one at the property was available or able to move the vehicle, IT Corporation was not able to sample the well during the following quarterly sampling events.
- ARCO will transfer this project to another consultant. The new consultant will begin providing services during the second quarter 2000.

ATTACHMENTS:

- Table 1 - Historical Groundwater Elevation and Analytical Data, Petroleum Hydrocarbons and Their Constituents
- Table 2 - Groundwater Flow Direction and Gradient
- Figure 1 - Groundwater Analytical Summary Map
- Figure 2 - Groundwater Elevation Contour Map
- Appendix A - Sampling and Analysis Procedures
- Appendix B - Certified Analytical Reports and Chain-of-Custody Documentation
- Appendix C - Field Data Sheets

PROJECT NUMBER 791666
DRAWN BY K Black 10-20-99

ARCO
SERVICE
STATION 6002

4' block wall

PLANTER PLANTER

8' block wall

TREE

TREE

6267

GARAGE

● MW-8

Approximate property
line (Typ.)



SCALE



EXPLANATION

● Groundwater monitoring well



PROPERTY OF JEFFREY ENEBLY
FORMER ARCO
SERVICE STATION 6002

FIGURE 1
SITE PLAN

6267 SUNNYMERE AVENUE
OAKLAND, CALIFORNIA

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Well Number	Date Gauged	TOC	Depth to	FP	Groundwater	Date Sampled	TPH			Ethyl-	Total	MTBE	MTBE	Dissolved	Purged/	
		Elevation (ft-MSL)	Water (feet)	Thickness (feet)	Elevation (ft-MSL)		Gasoline (µg/L)	Benzene (µg/L)	Toluene (µg/L)	benzene (µg/L)	Xylenes (µg/L)	8021B* (µg/L)	8260 (µg/L)	Oxygen (mg/L)	Not Purged (P/NP)	
MW-1	03-15-95	247.06	7.37	ND	239.69	03-15-95	13,000	1,200	44	770	1,100	--	--			
MW-1	05-30-95	247.06	8.48	ND	238.58	05-30-95	19,000	1,600	30	890	1,400	--	--			
MW-1	09-01-95	247.06	9.47	ND	237.59	09-01-95	14,000	1,300	28	480	780	24,000	--			
MW-1	11-13-95	247.06	8.78	0.01	238.29[1]	11-13-95	11,000	570	17	260	410	--	25,000[2]			
MW-1	02-23-96	247.06	Well was decommissioned on 2-12-96													
MW-2	03-15-95	249.30	8.25	ND	241.05	03-15-95	<50	<0.5	<0.5	<0.5	<0.5	--	--			
MW-2	05-30-95	249.30	9.93	ND	239.37	05-30-95	<50	<0.5	<0.5	<0.5	<0.5	--	--			
MW-2	09-01-95	249.30	10.69	ND	238.61	09-01-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-2	11-13-95	249.30	10.32	ND	238.98	11-13-95	<50	<0.5	<0.5	<0.5	<0.5	--	--			
MW-2	02-23-96	249.30	Well was decommissioned on 2-12-96													
MW-3	03-15-95	248.35	6.76	ND	241.59	03-15-95	<50	<0.5	<0.5	<0.5	<0.5	--	--			
MW-3	05-30-95	248.35	7.81	ND	240.54	05-30-95	<50	<0.5	<0.5	<0.5	<0.5	--	--			
MW-3	09-01-95	248.35	8.65	ND	239.70	09-01-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-3	11-13-95	248.35	8.25	ND	240.10	11-13-95	120	45	0.7	<0.5	6.2	--	--			
MW-3	02-23-96	248.35	6.64	ND	241.71	03-01-96	<50	<0.5	<0.5	0.6	1.9	<3	--			
MW-3	05-10-96	248.35	7.95	ND	240.40	05-10-96	Not sampled: well sampled annually, during the first quarter									
MW-3	08-09-96	248.35	8.06	ND	240.29	08-09-96	Not sampled: well sampled annually, during the first quarter									
MW-3	11-08-96	248.35	Not surveyed: inaccessible				11-11-96	Not sampled: inaccessible								
MW-3	03-21-97	248.35	8.21	ND	240.14	03-21-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-3	05-27-97	248.35	8.25	ND	240.10	05-27-97	Not sampled: well sampled annually, during the first quarter									
MW-3	08-05-97	248.35	8.29	ND	240.06	08-05-97	Not sampled: well sampled annually, during the first quarter									
MW-3	10-29-97	248.35	8.58	ND	239.77	10-29-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-3	02-25-98	248.35	7.69	ND	240.66	02-25-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-3	05-12-98	248.35	8.20	ND	240.15	05-12-98	Not sampled: well sampled annually, during the first quarter									
MW-3	07-28-98	248.35	8.55	ND	239.80	07-28-98	Not sampled: well sampled annually, during the first quarter									

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Well Number	Date Gauged	TOC	Depth to Water (feet)	FP Thickness (feet)	Groundwater Elevation (ft-MSL)	Date Sampled	TPH			Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE 8021B* (µg/L)	MTBE 8260 (µg/L)	Dissolved Oxygen (mg/L)	Purged/Not Purged (P/NP)
		Elevation (ft-MSL)					Gasoline (µg/L)	Benzene (µg/L)	Toluene (µg/L)						
MW-3	10-27-98	248.35	8.30	ND	240.05	10-27-98	Not sampled: well sampled annually, during the first quarter								
MW-3	02-08-99	248.35	7.90	ND	240.45	02-08-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-3	06-01-99	248.35	8.40	ND	239.95	06-01-99	Not sampled: well sampled annually, during the first quarter								
MW-3	08-25-99	248.35	8.49	ND	239.86	08-25-99	Not sampled: well sampled annually, during the first quarter						1.67		
MW-3	10-29-99	248.35	8.52	ND	239.83	10-29-99	Not sampled: well sampled annually, during the first quarter						6.90		
MW-3	02-16-00	248.35	8.03	ND	240.32	02-16-00	<50	<0.5	0.8	<0.5	<1	<3	--	8.51	NP
MW-4	03-15-95	242.91	9.37	ND	233.54	03-15-95	<50	<0.5	<0.5	<0.5	<0.5	--	--		
MW-4	05-30-95	242.91	11.47	ND	231.44	05-30-95	<50	<0.5	<0.5	<0.5	<0.5	--	--		
MW-4	09-01-95	242.91	12.28	ND	230.63	09-01-95	78	<0.5	0.7	<0.5	<0.5	<3	--		
MW-4	11-13-95	242.91	11.75	ND	231.16	11-13-95	<50	<0.5	<0.5	<0.5	<0.5	--	--		
MW-4	02-23-96	242.91	8.51	ND	234.40	03-01-96	59	1.2	7.4	1.6	9.3	3	--		
MW-4	05-10-96	242.91	11.35	ND	231.56	05-10-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-4	08-09-96	242.91	9.70	ND	233.21	08-09-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-4	11-08-96	242.91	11.79	ND	231.12	11-08-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-4	03-21-97	242.91	10.94	ND	231.97	03-21-97	<50	<0.5	<0.5	<0.5	<0.5	81	--		
MW-4	05-27-97	242.91	11.51	ND	231.40	05-27-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-4	08-05-97	242.91	11.90	ND	231.01	08-05-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-4	10-29-97	242.91	12.00	ND	230.91	10-29-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-4	02-25-98	242.91	8.34	ND	234.57	02-25-98	<50	<0.5	0.9	<0.5	0.9	4	--		
MW-4	05-12-98	242.91	10.93	ND	231.98	05-12-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-4	07-28-98	242.91	12.08	ND	230.83	07-28-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-4	10-27-98	242.91	11.40	ND	231.51	10-27-98	<5,000	<50	<50	160	64	6,400	--		
MW-4	02-08-99	242.91	8.40	ND	234.51	02-08-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-4	06-01-99	242.91	11.93	ND	230.98	06-01-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--	4.0	NP
MW-4	08-25-99	242.91	12.21	ND	230.70	08-25-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.29	NP
MW-4	10-29-99	242.91	12.37	ND	230.54	10-29-99	<50	<0.5	<0.5	<0.5	<1	<3	--	1.50	NP

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Well Number	Date Gauged	TOC	Depth to	FP	Groundwater	Date Sampled	TPH			Ethyl-	Total	MTBE	MTBE	Dissolved	Purged/	
		Elevation (ft-MSL)	Water (feet)	Thickness (feet)	Elevation (ft-MSL)		Gasoline (µg/L)	Benzene (µg/L)	Toluene (µg/L)	benzene (µg/L)	Xylenes (µg/L)	8021B* (µg/L)	8260 (µg/L)	Oxygen (mg/L)	Not Purged (P/NP)	
MW-4	02-16-00	242.91	7.45	ND	235.46	02-16-00	<50	<0.5	<0.5	<0.5	<1	<3	--	2.38	NP	
MW-5	03-15-95	244.82	11.99	ND	232.83	03-15-95	21,000	870	22	1,600	1,900	--	--			
MW-5	05-30-95	244.82	12.97	ND	231.85	05-30-95	17,000	2,100	250	1,000	520	--	--			
MW-5	09-01-95	244.82	14.03	ND	230.79	09-01-95	19,000	1,500	25	1,600	880	8,300	--			
MW-5	11-13-95	244.82	13.65	ND	231.17	11-13-95	21,000	1,300	22	1,400	630	--	--			
MW-5	02-23-96	244.82	11.93	ND	232.89	03-01-96	27,000	1,300	<50	1,600	1,500	730	--			
MW-5	05-10-96	244.82	13.05	ND	231.77	05-10-96	17,000	460	21	760	480	1,000	--			
MW-5	08-09-96	244.82	13.22	ND	231.60	08-09-96	16,000	420	14	870	390	1,500	--			
MW-5	11-08-96	244.82	Not surveyed: inaccessible			11-11-96	Not sampled: well inaccessible									
MW-5	03-21-97	244.82	13.24	ND	231.58	03-21-97	18,000	110	<50	730	1,500	1,800	--			
MW-5	05-27-97	244.82	13.10	ND	231.72	05-27-97	21,000	86	<20	810	610	1,700	--			
MW-5	08-05-97	244.82	13.14	ND	231.68	08-05-97	340	2.2	<0.5	15	8.8	39	--			
MW-5	10-29-97	244.82	13.03	ND	231.79	10-29-97	19,000	130	<20	1,400	620	1,700	--			
MW-5	02-25-98	244.82	11.33	ND	233.49	02-25-98	8,500	19	13	190	100	170	--			
MW-5	05-12-98	244.82	12.81	ND	232.01	05-12-98	10,000	34	<10	390	220	610	--			
MW-5	07-28-98	244.82	13.12	ND	231.70	07-28-98	15,000	68	<10	690	620	1,000	--			
MW-5	10-27-98	244.82	12.90	ND	231.92	10-27-98	15,000	60	<10	770	400	890	--			
MW-5	02-08-99	244.82	11.08	ND	233.74	02-08-99	8,200	23	<10	290	120	<60	--			
MW-5	06-01-99	244.82	12.95	ND	231.87	06-01-99	11,000	33	3.3	340	180	580	--	1.0	NP	
MW-5	08-25-99	244.82	12.99	ND	231.83	08-25-99	9,200	26	14	420	270	1,100	--	0.37	NP	
MW-5	10-29-99	244.82	13.10	ND	231.72	10-29-99	11,000	19	9.8	260	150	590	--	1.27	NP	
MW-5	02-16-00	244.82	8.21	ND	236.61	02-16-00	12,000	8.1	10	340	160	130	--	1.42	NP	
MW-6	06-29-95	NR	6.63	ND	NR	06-30-95	<50	<0.5	<0.5	<0.5	<0.5	--	--			
MW-6	09-01-95	NR	Not surveyed			09-01-95	Not sampled									
MW-6	11-13-95	NR	7.70	ND	NR	11-13-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--			

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Well Number	Date Gauged	TOC	Depth to	FP	Groundwater	Date Sampled	TPH			Ethyl-	Total	MTBE	MTBE	Dissolved	Purged/
		Elevation (ft-MSL)	Water (feet)	Thickness (feet)	Elevation (ft-MSL)		Gasoline (µg/L)	Benzene (µg/L)	Toluene (µg/L)	benzene (µg/L)	Xylenes (µg/L)	8021B* (µg/L)	8260 (µg/L)	Oxygen (mg/L)	Not Purged (P/NP)
MW-6	02-23-96	NR	9.82	ND	NR	03-01-96	<50	<0.5	0.8	<0.5	0.6	<3	--		
MW-6	05-10-96	NR	15.25	ND	NR	05-10-96	Not sampled: well sampled annually, during the first quarter								
MW-6	08-09-96	252.20	11.11	ND	241.09	08-09-96	Not sampled: well sampled annually, during the first quarter								
MW-6	11-08-96	252.20	9.31	ND	242.89	11-11-96	Not sampled: well sampled annually, during the first quarter								
MW-6	03-21-97	252.20	9.40	ND	242.80	03-21-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-6	05-27-97	252.20	7.08	ND	245.12	05-27-97	Not sampled: well sampled annually, during the first quarter								
MW-6	08-05-97	252.20	7.12	ND	245.08	08-05-97	Not sampled: well sampled annually, during the first quarter								
MW-6	10-29-97	252.20	7.42	ND	244.78	10-29-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-6	02-25-98	252.20	10.35	ND	241.85	02-25-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-6	05-12-98	252.20	15.83	ND	236.37	05-12-98	Not sampled: well sampled annually, during the first quarter								
MW-6	07-28-98	252.20	11.84	ND	240.36	07-28-98	Not sampled: well sampled annually, during the first quarter								
MW-6	10-27-98	252.20	9.73	ND	242.47	10-27-98	Not sampled: well sampled annually, during the first quarter								
MW-6	02-08-99	252.20	8.10	ND	244.10	02-08-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-6	06-01-99	252.20	17.84	ND	234.36	06-01-99	Not sampled: well sampled annually, during the first quarter								
MW-6	08-25-99	252.20	11.00	ND	241.20	08-25-99	Not sampled: well sampled annually, during the first quarter								
MW-6	10-29-99	252.20	9.03	ND	243.17	10-29-99	Not sampled: well sampled annually, during the first quarter								
MW-6	02-16-00	252.20	7.71	ND	244.49	02-16-00	<50	<0.5	<0.5	<0.5	<1	<3	--	2.42 P	
MW-7	08-09-96	235.95	Not surveyed: well was dry			08-09-96	Not sampled: well was dry								
MW-7	11-08-96	235.95	Not surveyed: well was dry			11-11-96	Not sampled: well was dry								
MW-7	01-27-97	235.95	NR	ND	NR	01-27-97	2,900	29	<5	<5	580	220	--		
MW-7	03-21-97	235.95	7.13	ND	228.82	03-21-97	590	3.5	<0.5	<0.5	1.3	90	--		
MW-7	05-27-97	235.95	9.02	ND	226.93	05-27-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-7	08-05-97	235.95	12.33	ND	223.62	08-05-97	110	0.5	<0.5	<0.5	0.8	81	--		
MW-7	10-29-97	235.95	Not surveyed: well was dry			10-29-97	Not sampled: well was dry								
MW-7	02-25-98	235.95	8.04	ND	227.91	02-25-98	<50	<0.5	0.6	<0.5	0.7	<3	--		
MW-7	05-12-98	235.95	8.88	ND	227.07	05-12-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--		

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Well Number	Date Gauged	TOC	Depth to	FP	Groundwater	Date Sampled	TPH			Ethyl-	Total	MTBE	MTBE	Dissolved	Purged/
		Elevation (ft-MSL)	Water (feet)	Thickness (feet)	Elevation (ft-MSL)		Gasoline (µg/L)	Benzene (µg/L)	Toluene (µg/L)	benzene (µg/L)	Xylenes (µg/L)	8021B* (µg/L)	8260 (µg/L)	Oxygen (mg/L)	Not Purged (P/NP)
MW-7	07-28-98	235.95	10.50	ND	225.45	07-28-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-7	10-27-98	235.95	8.75	ND	227.20	10-27-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-7	02-08-99	235.95	9.35	ND	226.60	02-08-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-7	06-01-99	235.95	9.85	ND	226.10	06-01-99	250	<0.5	0.6	<0.5	1.6	18	--	1.0	NP
MW-7	08-25-99	235.95	11.31	ND	224.64	08-25-99	119	<0.5	5.7	<0.5	<0.5	11	--	0.41	NP
MW-7	10-29-99	235.95	9.08	ND	226.87	10-29-99	<50	<0.5	<0.5	<0.5	<1	<3	--	1.29	NP
MW-7	02-25-00	235.95	8.02	ND	227.93	02-25-00	<50	<0.5	<0.5	<0.5	<1	38	--	2.10	NP
MW-8	08-09-96	240.37	9.41	ND	230.96	08-09-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-8	11-08-96	240.37	9.19	ND	231.18	11-11-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-8	03-21-97	240.37	8.55	ND	231.82	03-21-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-8	05-27-97	240.37	11.06	ND	229.31	05-27-97	91	0.6	<0.5	<0.5	0.6	66	--		
MW-8	08-05-97	240.37	9.32	ND	231.05	08-05-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-8	10-29-97	240.37	9.35	ND	231.02	10-29-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-8	02-25-98	240.37	7.08	ND	233.29	02-25-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-8	05-12-98	240.37	8.61	ND	231.76	05-12-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-8	07-28-98	240.37	9.63	ND	230.74	07-28-98	<50	<0.5	<0.5	<0.5	<0.5	4	--		
MW-8	10-27-98	240.37	9.30	ND	231.07	10-27-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-8	02-08-99	240.37	5.56	ND	234.81	02-17-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-8	06-01-99	240.37	Not surveyed: inaccessible			06-01-99	Not sampled: well inaccessible								
MW-8	08-25-99	240.37	Not surveyed: inaccessible			08-25-99	Not sampled: well inaccessible								
MW-8	10-29-99	240.37	Not surveyed: inaccessible			10-29-99	Not sampled: well inaccessible								
MW-8	02-16-00	240.37	Not surveyed: inaccessible			02-16-00	Not sampled: well inaccessible								
AS-1	06-29-95	NR	9.20	ND	NR	06-30-95	<50	1.6	<0.5	0.9	0.9	--	--		

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Well Number	Date Gauged	TOC	Depth to	FP	Groundwater	Date Sampled	TPH			Ethyl-	Total	MTBE	MTBE	Dissolved	Purged/
		Elevation (ft-MSL)	Water (feet)	Thickness (feet)	Elevation (ft-MSL)		Gasoline (µg/L)	Benzene (µg/L)	Toluene (µg/L)	benzene (µg/L)	Xylenes (µg/L)	8021B* (µg/L)	8260 (µg/L)	Oxygen (mg/L)	Not Purged (P/NP)
VW-1	02-23-96	NR	5.29	ND	NR	03-01-96	21,000	490	57	520	1,500	240	--		
VW-1	05-10-96	NR	6.80	ND	NR	05-10-96	3,700	61	<5	100	50	200	--		
VW-1	08-09-96	NR	7.03	ND	NR	08-09-96	970	2.7	<2.5	2.7	3.7	180	--		
VW-1	11-08-96	NR	Not surveyed: inaccessible			11-11-96	Not sampled: well inaccessible								
VW-1	03-21-97	NR	7.51	ND	NR	03-21-97	640	<4	<1	1	3	194	--		
VW-1	05-27-97	NR	7.51	ND	NR	05-27-97	Not sampled: well sampled semi-annually, during the first and third quarters								
VW-1	08-05-97	NR	7.51	ND	NR	08-05-97	630	<1	<1	3	2	120	--		
VW-1	10-29-97	NR	7.53	ND	NR	10-29-97	600	<0.5	<0.5	<0.5	1.6	84	--		
VW-1	02-25-98	NR	6.77	ND	NR	02-25-98	230	<4	<0.7	1.2	0.5	27	--		
VW-1	05-12-98	NR	7.43	ND	NR	05-12-98	340	<0.5	0.5	2.3	0.8	29	--		
VW-1	07-28-98	NR	7.00	ND	NR	07-28-98	240	<0.5	<0.5	<0.5	1.1	54	--		
VW-1	10-27-98	NR	7.52	ND	NR	10-27-98	230	<0.5	<0.5	<0.5	<0.5	65	--		
VW-1	02-08-99	NR	7.05	ND	NR	02-08-99	<50	<0.5	<0.5	<0.5	<0.5	<3	36[3]		
VW-1	06-01-99	NR	7.55	ND	NR	06-01-99	180	<0.5	<0.5	<0.5	<0.5	23	--	1.0 NP	
VW-1	08-25-99	NR	7.66	ND	NR	08-25-99	130	<0.5	5.6	<0.5	<0.5	40	--	0.39 NP	
VW-1	10-29-99	NR	7.59	ND	NR	10-29-99	200	1.0	<0.5	0.6	1.6	36	--	0.89 NP	
VW-1	02-16-00	NR	7.03	ND	NR	02-16-00	210	<0.5	0.9	2.2	1.9	11	--	1.41 NP	
VW-2	02-23-96	NR	6.92	ND	NR	03-01-96	Not sampled: well not part of sampling program								
VW-4	05-10-96	NR	8.58	ND	NR	05-10-96	13,000	2,500	41	420	660	43,000	--		
VW-4	08-09-96	NR	11.70	ND	NR	08-09-96	<50	<0.5	<0.5	<0.5	<0.5	6,200	--		
VW-4	11-08-96	NR	9.38	ND	NR	11-08-96	7,800	510	7	180	370	21,000	--		
VW-4	03-21-97	NR	9.11	ND	NR	03-21-97	10,000	290	10	270	230	8,900	--		
VW-4	05-27-97	NR	9.34	ND	NR	05-27-97	Not sampled: well sampled semi-annually, during the first and third quarters								
VW-4	08-05-97	NR	9.47	ND	NR	08-05-97	<10,000	180	<100	<100	110	12,000	--		
VW-4	10-29-97	NR	9.35	ND	NR	10-29-97	9,800	200	69	260	360	4,900	--		

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Well Number	Date Gauged	TOC	Depth to	FP	Groundwater	Date Sampled	TPH			Ethyl-	Total	MTBE	MTBE	Dissolved	Purged/
		Elevation (ft-MSL)	Water (feet)	Thickness (feet)	Elevation (ft-MSL)		Gasoline (µg/L)	Benzene (µg/L)	Toluene (µg/L)	benzene (µg/L)	Xylenes (µg/L)	8021B* (µg/L)	8260 (µg/L)	Oxygen (mg/L)	Not Purged (P/NP)
VW-4	02-25-98	NR	7.08	ND	NR	02-25-98	<50	2.5	<0.5	<0.5	0.7	<3	--		
VW-4	05-12-98	NR	9.17	ND	NR	05-12-98	3,200	<20	22	29	52	2,100	--		
VW-4	07-28-98	NR	9.55	ND	NR	07-28-98	<10,000	<100	<100	<100	<100	5,100	--		
VW-4	10-27-98	NR	9.92	ND	NR	10-27-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
VW-4	02-08-99	NR	7.50	ND	NR	02-08-99	<2,500	<25	<25	28	<25	2,400	3,100[3]		
VW-4	06-01-99	NR	9.87	ND	NR	06-01-99	2,100	2.5	1.1	2.5	15	3,300	--	2.0	NP
VW-4	08-25-99	NR	9.78	ND	NR	08-25-99	1,300	4.4	4.9	1.7	2.9	4,600	--	0.36	NP
VW-4	10-29-99	NR	9.93	ND	NR	10-29-99	1,400	<0.5	1.8	1.6	3.0	4,200	--	1.18	NP
VW-4	02-16-00	NR	7.45	ND	NR	02-16-00	1,800	<0.5	2.9	15	10	3,400	--	1.01	NP

TPH: Total petroleum hydrocarbons by modified EPA method 8015

BTEX: Benzene, toluene, ethylbenzene, xylenes by EPA method 8021B. (EPA method 8020 prior to 10/29/99).

MTBE: Methyl tert-butyl ether

*: EPA method 8020 prior to 10/29/99

TOC: Top of Casing

ft-MSL: elevation in feet, relative to mean sea level

µg/L: micrograms per liter

mg/L: milligrams per liter

ND: none detected

NR: not reported; data not available or not measurable

--: not analyzed or not applicable

<: less than laboratory detection limit stated to the right

[1]: [corrected elevation (Z')] = Z + (h * 0.73) where: Z: measured elevation, h: floating product thickness, 0.73: density ratio of oil to water

[2]: analyzed by EPA method 8240

[3]: also analyzed for fuel oxygenates

** : For previous historical groundwater elevation data please refer to *Fourth Quarter 1995 Groundwater Monitoring Program Results, ARCO Service Station 6002, Oakland, California, (EMCON, February 23, 1996)*

Table 2
Groundwater Flow Direction and Gradient

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Date Measured	Average Flow Direction	Average Hydraulic Gradient
03-15-95	West-Southwest	0.08
05-30-95	West-Southwest	0.08
09-01-95	West-Southwest	0.09
11-13-95	West-Southwest	0.08
02-23-96	West-Southwest	0.08
05-10-96	West-Southwest	0.08
08-09-96	Southwest	0.08
11-08-96	Southwest	0.055
03-21-97	West-Southwest	0.051
05-27-97	West-Southwest	0.069
08-05-97	West	0.076
10-29-97	West-Southwest	0.036
02-25-98	West-Southwest	0.052
05-12-98	West	0.07
07-28-98	West	0.07
10-27-98	West-Southwest	0.06
02-08-99	West-Southwest	0.07
06-01-99	West-Northwest	0.07
08-25-99	West-Southwest	0.07
10-29-99	West	0.07
02-16-00	Southwest	0.05


PROJECT NUMBER 806775
 DRAWN BY K. Block 5-23-00




OVERDALE AVENUE

SEMINARY AVENUE

SUNNYMERE AVENUE



- EXPLANATION**
- ⊙ Groundwater monitoring well
 - ⊘ Decommissioned monitoring well
 - Vapor extraction well
 - ⊕ Air sparge well
- (12,000/8.1/130) Concentration of total petroleum hydrocarbons as gasoline (TPHG), benzene, and MTBE in groundwater (ug/L); samples collected 2/16/00, MW-7 sampled 2/25/00
- < Not detected at or above indicated laboratory detection limit
 - NS Not sampled



Base map modified from GSI, 1994.


	ARCO PRODUCTS COMPANY SERVICE STATION 6002
	FIGURE 1 GROUNDWATER ANALYTICAL SUMMARY FIRST QUARTER 2000 6235 SEMINARY AVENUE OAKLAND, CALIFORNIA

PROJECT NUMBER 806775
 DRAWN BY K. Black 5-23-00

OVERDALE AVENUE


SEMINARY AVENUE

SUNNYMERE AVENUE



EXPLANATION

- ⊙ Groundwater monitoring well
- ⊘ Decommissioned monitoring well
- Vapor extraction well
- ⊙ Air sparge well
- (240.32) Groundwater elevation (Ft.-MSL) measured 2/16/00, MW-7 measured 2/25/00
- ? ——— Groundwater elevation contour (Ft.-MSL)
- ← Approximate direction of groundwater flow showing gradient
- NM Not measured; well inaccessible



ARCO PRODUCTS COMPANY
 SERVICE STATION 6002

FIGURE 2
 GROUNDWATER ELEVATION CONTOURS
 FIRST QUARTER 2000
 6235 SEMINARY AVENUE
 OAKLAND, CALIFORNIA

Base map modified from GSI, 1994.

APPENDIX A

SAMPLING AND ANALYSIS PROCEDURES

The sampling and analysis procedures for water quality monitoring programs are contained in this appendix. The procedures provided for consistent and reproducible sampling methods, proper application of analytical methods, and accurate and precise analytical results. Finally, these procedures provided guidelines so that the overall objectives of the monitoring program were achieved.

The following documents have been used as guidelines for developing these procedures:

- Procedures Manual for Groundwater Monitoring at Solid Waste Disposal Facilities, Environmental Protection Agency (EPA)-530/SW-611, August 1977
- Resource Conservation and Recovery Act (RCRA) Groundwater Monitoring Technical Enforcement Guidance Document, Office of Solid Waste and Emergency Response (OSWER) 9950.1, September 1986
- Test Methods for Evaluating Solid Waste: Physical/Chemical Methods, EPA SW-846, 3rd edition, November 1986
- Methods for Organic Chemical Analysis of Municipal and Industrial Waste Water, EPA-600/4-82-057, July 1982
- Methods for Organic Chemical Analysis of Water and Wastes, EPA-600/4-79-020, revised March 1983
- Leaking Underground Fuel Tank (LUFT) Field Manual, California State Water Resources Control Board, revised October 1989

Sample Collection

Sample collection procedures include equipment cleaning, water level and total well depth measurements, and well purging and sampling.

Equipment Cleaning

Before the sampling event was started, equipment that was used to sample groundwater was disassembled and cleaned with detergent water and then rinsed with deionized water. During field sampling, equipment surfaces that were placed in the well or came into contact with groundwater during field sampling were steam cleaned with deionized water before the next well was purged or sampled.

Water Level, Floating Hydrocarbon, and Total Well Depth Measurements

Before purging and sampling occurred, the depth to water, floating hydrocarbon thickness and total well depth were measured using an oil/water interface measuring system. The oil/water interface measuring system consists of a probe that emits a continuous audible tone when immersed in a nonconductive fluid, such as oil or gasoline and an intermittent tone when immersed in a conductive fluid, such as water. The floating hydrocarbon thickness and water level were measured by lowering the probe into the well. Liquid levels were recorded relative to the tone emitted at the groundwater surface. The sonic probe was decontaminated by being rinsed with deionized water or steam cleaned after each use. A bottom-filling, clear Teflon[®] bailer was used to verify floating hydrocarbon thickness measurements of less than 0.02 foot. Alternatively, an electric sounder and a bottom-filling Teflon bailer may have been used to record floating hydrocarbon thickness and depth to water.

The electric sounder is a transistorized instrument that uses a reel-mounted, two-conductor, coaxial cable that connects the control panel to the sensor. Cable markings are stamped at 1-foot intervals. The water level was measured by lowering the sensor into the monitoring well. A low-current circuit was completed when the sensor contacted the water, which served as an electrolyte. The current was amplified and fed into an indicator light and audible buzzer, signaling when water had been contacted. A sensitivity control compensated for highly saline or conductive water. The electric sounder was decontaminated by being rinsed with deionized water after each use. The bailer was lowered to a point just below the liquid level, retrieved, and observed for floating hydrocarbon.

Liquid measurements were recorded to the nearest 0.01 foot on the depth to water/floating product survey form. The groundwater elevation at each monitoring well was calculated by subtracting the measured depth to water from the surveyed elevation of the top of the well casing. (Every attempt was made to measure depth to water for all wells on the same day.) Total well depth was then measured by lowering the sensor to the bottom of the well. Total well depth, used to calculate purge volumes and to determine whether the well screen was partially obstructed by silt, was recorded to the nearest 0.1 foot on the depth to water/floating product survey form.

Well Purging

If the depth to groundwater was above the top of screens of the monitoring wells, then the wells were purged. Before sampling occurred, a polyvinyl chloride (PVC) bailer, centrifugal pump, low-flow submersible pump, or Teflon bailer was used to purge standing water in the casing and gravel pack from the monitoring well. Monitoring wells were purged according to the protocol presented in Figure A-1. In most monitoring wells, the amount of water purged before sampling was greater than or equal to three casing volumes. Some monitoring wells were expected to be evacuated to dryness after removing fewer than three casing volumes. These low-yield monitoring wells were allowed to recharge for up to 24 hours. Samples were obtained as soon as the monitoring wells recharged to a level sufficient for sample collection. If insufficient water recharged after 24 hours, the monitoring well was recorded as dry for the sampling event.

Groundwater purged from the monitoring wells was transported in a 500-gallon water trailer, 55-gallon drum, or a 325-gallon truck-mounted tank to IT's San Jose or Sacramento office location for temporary storage. IT arranged for transport and disposal of the purged groundwater through Integrated Waste Stream Management, Inc.

Field measurements of pH, specific conductance, and temperature were recorded in a waterproof field logbook. Figure A-2 shows an example of the water sample field data sheet on which field data are recorded. Field data sheets were reviewed for completeness by the sampling coordinator after the sampling event was completed.

The pH, specific conductance, and temperature meter were calibrated each day before field activities were begun. The calibration was checked once each day to verify meter performance. Field meter calibrations were recorded on the water sample field data sheet.

Well Sampling

A Teflon bailer was the only equipment acceptable for well sampling. When samples for volatile organic analysis were being collected, the flow of groundwater from the bailer was regulated to minimize turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa were used in sampling for volatile organics. These bottles were filled completely to prevent air from remaining in the bottle. A positive meniscus formed when the bottle was completely full. A convex Teflon septum was placed over the positive meniscus to eliminate air. After the bottle was capped, it was inverted and tapped to verify that it contained no air bubbles. The sample containers for other parameters were filled, filtered as required, and capped.

When required, dissolved concentrations of metals were determined using appropriate field filtration techniques. The sample was filtered by emptying the contents of the Teflon bailer into a pressure transfer vessel. A disposable 0.45-micron acrylic copolymer filter was threaded onto the transfer vessel at the discharge point, and the vessel was sealed. Pressure was applied to the vessel with a hand pump and the filtrate directed into the appropriate containers. Each filter was used once and discarded.

Sample Preservation and Handling

The following section specifies sample containers, preservation methods, and sample handling procedures.

Sample Containers and Preservation

Sample containers vary with each type of analytical parameter. Container types and materials were selected to be nonreactive with the particular analytical parameter tested.

Sample Handling

Sample containers were labeled immediately prior to sample collection. Samples were kept cool with cold packs until received by the laboratory. At the time of sampling, each sample was logged on an ARCO chain-of-custody record that accompanied the sample to the laboratory.

Samples that required overnight storage prior to shipping to the laboratory were kept cool (4° C) in a refrigerator. The refrigerator was kept in a warehouse, which was locked when not occupied by an IT employee. A sample/refrigerator log was kept to record the date and time that samples were placed into and removed from the refrigerator.

Samples were transferred from IT to an ARCO-approved laboratory by courier or taken directly to the laboratory by the environmental sampler. Sample shipments from IT to laboratories performing the selected analyses routinely occurred within 24 hours of sample collection.

Sample Documentation

The following procedures were used during sampling and analysis to provide chain-of-custody control during sample handling from collection through storage. Sample documentation included the use of the following:

- Water sample field data sheets to document sampling activities in the field
- Labels to identify individual samples
- Chain-of-custody record sheets for documenting possession and transfer of samples
- Laboratory analysis request sheets for documenting analyses to be performed

Field Logbook

In the field, the sampler recorded the following information on the water sample field data sheet (see Figure A-2) for each sample collected:

- Project number
- Client's name
- Location
- Name of sampler
- Date and time
- Well accessibility and integrity
- Pertinent well data (e.g., casing diameter, depth to water, well depth)
- Calculated and actual purge volumes
- Purging equipment used
- Sampling equipment used
- Appearance of each sample (e.g., color, turbidity, sediment)
- Results of field analyses (temperature, pH, specific conductance)
- General comments

The water sample field data sheet was signed by the sampler and reviewed by the sampling coordinator.

Labels

Sample labels contained the following information:

- Project number
- Sample number (i.e., well designation)
- Sample depth
- Sampler's initials
- Date and time of collection
- Type of preservation used (if any)

Sampling and Analysis Chain-of-Custody Record

The ARCO chain-of-custody record initiated at the time of sampling contained, at a minimum, the sample designation (including the depth at which the sample was collected), sample type, analytical request, date of sampling, and the name of the sampler. The record sheet was signed, timed, and dated by the sampler when transferring the samples. The number of custodians in the chain of possession was minimized. A copy of the ARCO chain-of-custody record was returned to IT with the analytical results.

Groundwater Sampling and Analysis Request Form

A groundwater sampling and analysis request form (see Figure A-3) was used to communicate to the environmental sampler the requirements of the monitoring event. At a minimum, the groundwater sampling and analysis request form included the following information:

- Date scheduled
- Site-specific instructions
- Specific analytical parameters
- Well number
- Well specifications (expected total depth, depth of water, and product thickness)

MONITORING WELL PURGING PROTOCOL

MEASURE AND RECORD DEPTH TO WATER AND WELL TOTAL DEPTH

CHECK FOR FLOATING PRODUCT

YES

MEASURE AND DOCUMENT FLOATING PRODUCT THICKNESS. DO NOT SAMPLE WELL FOR DISSOLVED CONSTITUENTS.

NO

CALCULATE PURGE VOLUME BY USING THE FOLLOWING EQUATION:

$$P = \pi r^2 h \times 7.48 \times 3$$

where:

P = calculated purge volume (gallons)

$\pi = 3.14$

r = radius of well casing in feet

h = height of water column in feet

WELL EVACUATED TO PRACTICAL LIMITS OF DRYNESS BEFORE REMOVING CALCULATED PURGE VOLUME

EVACUATE WATER FROM WELL EQUAL TO THE CALCULATED PURGE VOLUME WHILE MONITORING GROUNDWATER STABILIZATION INDICATOR PARAMETERS (pH, CONDUCTIVITY, TEMPERATURE) AT INTERVALS OF ONE CASING VOLUME.

NO

FINAL TWO SETS OF GROUNDWATER STABILIZATION INDICATOR PARAMETER MEASUREMENTS MEET THE FOLLOWING CRITERIA:

pH = ± 0.1 pH units

COND. = $\pm 10\%$

TEMP. = ± 1.0 °F

YES

WELL PURGING CRITERIA MET; PROCEED TO WELL SAMPLING.

NO

CONTINUE PURGING; EVACUATE ADDITIONAL CASING VOLUME OF WATER, MONITORING INDICATOR PARAMETERS FOR STABILITY.

YES

WELL RECHARGES TO A LEVEL SUFFICIENT FOR SAMPLE COLLECTION WITHIN 24 HOURS OF EVACUATION TO DRYNESS.

YES

FIELD TEST FIRST RECHARGE WATER FOR INDICATOR PARAMETERS, THEN PROCEED TO WELL SAMPLING.

NO

RECORD WELL AS DRY FOR PURPOSES OF SAMPLING.

MONITORING WELL PURGING PROTOCOL

FIGURE

A-1

WATER SAMPLE FIELD DATA SHEET

PROJECT NO : _____

SAMPLE ID : _____

PURGED BY : _____

CLIENT NAME : _____

SAMPLED BY : _____

LOCATION : _____

TYPE: Groundwater _____ Surface Water _____ Leachate _____ Other _____

CASING DIAMETER (inches): 2 _____ 3 _____ 4 _____ 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL) : _____

VOLUME IN CASING (gal.) : _____

DEPTH OF WELL (feet) : _____

CALCULATED PURGE (gal.) : _____

DEPTH OF WATER (feet) : _____

ACTUAL PURGE VOL. (gal.) : _____

DATE PURGED : _____

END PURGE : _____

DATE SAMPLED : _____

SAMPLING TIME : _____

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	TURBIDITY (visual/NTU)	TIME (2400 HR)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

OTHER: _____ ODOR: _____
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): _____

PURGING EQUIPMENT

SAMPLING EQUIPMENT

_____ 2" Bladder Pump
 _____ Centrifugal Pump
 _____ Submersible Pump
 _____ Well Wizard™
 Other: _____

_____ Bailer (Teflon)
 _____ Bailer (PVC)
 _____ Bailer (Stainless Steel)
 _____ Dedicated

_____ 2" Bladder Pump
 _____ Bomb Sampler
 _____ Dipper
 _____ Well Wizard™
 Other: _____

_____ Bailer (Teflon)
 _____ Bailer (Stainless Steel)
 _____ Submersible Pump
 _____ Dedicated

WELL INTEGRITY: _____ LOCK: _____

REMARKS: _____

pH, E.C., Temp. Meter Calibration: Date: _____ Time: _____ Meter Serial No.: _____

E.C. 1000 _____ / _____ pH 7 _____ / _____ pH 10 _____ / _____ pH 4 _____ / _____

Temperature °F _____

SIGNATURE: _____ REVIEWED BY: _____ PAGE _____ OF _____

**IT - SACRAMENTO
GROUNDWATER SAMPLING AND ANALYSIS REQUEST FORM**

PROJECT NAME :

SCHEDULED DATE :

SPECIAL INSTRUCTIONS / CONSIDERATIONS :

Project
Authorization: _____
EMCON Project No.: _____
OWT Project No.: _____
Task Code: _____
Originals To: _____
cc: _____

Well Lock Number (s)

CHECK BOX TO AUTHORIZE DATA ENTRY

Site Contact: _____
Name Phone #

Well Number or Source	Casing Diameter (inches)	Casing Length (feet)	Depth to Water (feet)	ANAYSES REQUESTED

Laboratory and Lab QC Istructions:



SAMPLING AND ANALYSIS REQUEST FORM

FIGURE
A-3



February 28, 2000

Service Request No.: S2000585

Mr. Glen Vanderveen
IT/EMCON
2201 Broadway, Suite 101
Oakland, CA 94612

RE: TO#24118.00/6002 OAKLAND

Dear Mr. Vanderveen:

Enclosed are the results of the sample(s) submitted to our laboratory on February 16, 2000. All analyses were performed in accordance with our laboratory's quality assurance program. Results are intended to be considered in their entirety and apply to the sample(s) analyzed. Columbia Analytical Services is not responsible for use of less than the complete report. Signature of this CAS Analytical Report confirms that pages 2 through 15, following, have been thoroughly reviewed and approved for release.

Columbia Analytical Services is certified for environmental analyses by the California Department of Health Services (certificate number: 2352, expiration: January 31, 2001).


If you have any questions, please call me at (408) 748-9700.

Respectfully submitted,

Columbia Analytical Services, Inc.

Bernadette Troncales
Project Chemist

Greg Jordan
Laboratory Director



COLUMBIA ANALYTICAL SERVICES, Inc.

Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLC	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/6002 OAKLAND
Sample Matrix: Water

Service Request: S2000585
Date Collected: 02/16/00
Date Received: 02/16/00

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-3(8)
Lab Code: S2000585-001
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	02/17/00	ND	
Benzene	EPA 5030	8021B	0.5	1	NA	02/17/00	ND	
Toluene	EPA 5030	8021B	0.5	1	NA	02/17/00	0.8	
Ethylbenzene	EPA 5030	8021B	0.5	1	NA	02/17/00	ND	
Xylenes, Total	EPA 5030	8021B	1	1	NA	02/17/00	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	3	1	NA	02/17/00	ND	

Approved By: _____



Date: _____

02/29/00

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/6002 OAKLAND
Sample Matrix: Water

Service Request: S2000585
Date Collected: 02/16/00
Date Received: 02/16/00

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-6(32)
Lab Code: S2000585-002
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	02/17/00	ND	
Benzene	EPA 5030	8021B	0.5	1	NA	02/17/00	ND	
Toluene	EPA 5030	8021B	0.5	1	NA	02/17/00	ND	
Ethylbenzene	EPA 5030	8021B	0.5	1	NA	02/17/00	ND	
Xylenes, Total	EPA 5030	8021B	1	1	NA	02/17/00	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	3	1	NA	02/17/00	ND	

Approved By: _____

MT

Date: _____

02/29/00

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/6002 OAKLAND
Sample Matrix: Water

Service Request: S2000585
Date Collected: 02/16/00
Date Received: 02/16/00

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-4(8)
Lab Code: S2000585-003
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	02/17/00	ND	
Benzene	EPA 5030	8021B	0.5	1	NA	02/17/00	ND	
Toluene	EPA 5030	8021B	0.5	1	NA	02/17/00	ND	
Ethylbenzene	EPA 5030	8021B	0.5	1	NA	02/17/00	ND	
Xylenes, Total	EPA 5030	8021B	1	1	NA	02/17/00	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	3	1	NA	02/17/00	ND	

Approved By: _____



Date: _____

02/29/00

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/6002 OAKLAND
Sample Matrix: Water

Service Request: S2000585
Date Collected: 02/16/00
Date Received: 02/16/00

BTEX, MTBE and TPH as Gasoline

Sample Name: VW-1(14)
Lab Code: S2000585-004
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	02/17/00	210	
Benzene	EPA 5030	8021B	0.5	1	NA	02/17/00	ND	
Toluene	EPA 5030	8021B	0.5	1	NA	02/17/00	0.9	
Ethylbenzene	EPA 5030	8021B	0.5	1	NA	02/17/00	2.2	
Xylenes, Total	EPA 5030	8021B	1	1	NA	02/17/00	1.9	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	3	1	NA	02/17/00	11	

Approved By: _____



Date: _____

02/29/00

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
 Project: TO#24118.00/6002 OAKLAND
 Sample Matrix: Water

Service Request: S2000585
 Date Collected: 02/16/00
 Date Received: 02/16/00

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-5(24)
 Lab Code: S2000585-005
 Test Notes:

Units: ug/L (ppb)
 Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	10	NA	02/18/00	12000	
Benzene	EPA 5030	8021B	0.5	10	NA	02/18/00	8.1	
Toluene	EPA 5030	8021B	0.5	10	NA	02/18/00	10	
Ethylbenzene	EPA 5030	8021B	0.5	10	NA	02/18/00	340	
Xylenes, Total	EPA 5030	8021B	1	10	NA	02/18/00	160	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	3	10	NA	02/18/00	130	

Approved By: _____

PT

Date: _____

02/29/00

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/6002 OAKLAND
Sample Matrix: Water

Service Request: S2000585
Date Collected: 02/16/00
Date Received: 02/16/00

BTEX, MTBE and TPH as Gasoline

Sample Name: VW-4(15)
Lab Code: S2000585-006
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	02/17/00	1800	
Benzene	EPA 5030	8021B	0.5	1	NA	02/17/00	ND	
Toluene	EPA 5030	8021B	0.5	1	NA	02/17/00	2.9	
Ethylbenzene	EPA 5030	8021B	0.5	1	NA	02/17/00	15	
Xylenes, Total	EPA 5030	8021B	1	1	NA	02/17/00	10	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	3	10	NA	02/28/00	3400	

Approved By: _____



Date: _____

02/29/00

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/6002 OAKLAND
Sample Matrix: Water

Service Request: S2000585
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S200216-WB2
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	02/17/00	ND	
Benzene	EPA 5030	8021B	0.5	1	NA	02/17/00	ND	
Toluene	EPA 5030	8021B	0.5	1	NA	02/17/00	ND	
Ethylbenzene	EPA 5030	8021B	0.5	1	NA	02/17/00	ND	
Xylenes, Total	EPA 5030	8021B	1	1	NA	02/17/00	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	3	1	NA	02/17/00	ND	

Approved By: _____

MT

Date: _____

02/29/00

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/6002 OAKLAND
Sample Matrix: Water

Service Request: S2000585
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S200217-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	02/17/00	ND	
Benzene	EPA 5030	8021B	0.5	1	NA	02/17/00	ND	
Toluene	EPA 5030	8021B	0.5	1	NA	02/17/00	ND	
Ethylbenzene	EPA 5030	8021B	0.5	1	NA	02/17/00	ND	
Xylenes, Total	EPA 5030	8021B	1	1	NA	02/17/00	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	3	1	NA	02/17/00	ND	

Approved By: _____



Date: _____



COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/6002 OAKLAND
Sample Matrix: Water

Service Request: S2000585
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S200218-WB2
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	02/18/00	ND	
Benzene	EPA 5030	8021B	0.5	1	NA	02/18/00	ND	
Toluene	EPA 5030	8021B	0.5	1	NA	02/18/00	ND	
Ethylbenzene	EPA 5030	8021B	0.5	1	NA	02/18/00	ND	
Xylenes, Total	EPA 5030	8021B	1	1	NA	02/18/00	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	3	1	NA	02/18/00	ND	

Approved By: _____



Date: _____

02/29/00

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/6002 OAKLAND
Sample Matrix: Water

Service Request: S2000585
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S200228-WB1 GC 3
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	02/28/00	ND	
Benzene	EPA 5030	8021B	0.5	1	NA	02/28/00	ND	
Toluene	EPA 5030	8021B	0.5	1	NA	02/28/00	ND	
Ethylbenzene	EPA 5030	8021B	0.5	1	NA	02/28/00	ND	
Xylenes, Total	EPA 5030	8021B	1	1	NA	02/28/00	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	3	1	NA	02/28/00	ND	

Approved By: _____



Date: _____

02/29/00

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/6002 OAKLAND
Sample Matrix: Water

Service Request: S2000585
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: NA

Surrogate Recovery Summary
 BTEX, MTBE and TPH as Gasoline

Prep Method: EPA 5030
Analysis Method: 8021B CA/LUFT

Units: PERCENT
Basis: NA

Sample Name	Lab Code	Test Notes	Percent Recovery	
			a,a,a-Trifluorotoluene	a,a,a-Trifluorotoluene
MW-3(8)	S2000585-001		104	100
MW-6(32)	S2000585-002		104	103
MW-4(8)	S2000585-003		105	98
VW-1(14)	S2000585-004		106	107
MW-5(24)	S2000585-005		93	105
VW-4(15)	S2000585-006		97	116
MW-4(8)	S2000585-003MS		105	111
MW-4(8)	S2000585-003DMS		103	111
Lab Control Sample	S200217-LCS		103	116
Method Blank	S200216-WB2		104	104
Method Blank	S200217-WB1		104	100
Method Blank	S200218-WB2		104	106
Method Blank	S200228-WB1 GC 3		91	84

CAS Acceptance Limits: 70-130% 70-130%

Approved By: _____



Date: _____

02/29/00

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
 Project: TO#24118.00/6002 OAKLAND
 Sample Matrix: Water

Service Request: S2000585
 Date Collected: NA
 Date Received: NA
 Date Extracted: NA
 Date Analyzed: 02/17/00

Matrix Spike/Duplicate Matrix Spike Summary
 BTEX and TPH as Gasoline

Sample Name: MW-4(8)
 Lab Code: S2000585-003MS, S2000585-003DMS
 Test Notes:

Units: ug/L (ppb)
 Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Spike Level		Sample Result	Spike Result		Percent Recovery				Relative Percent Difference
				MS	DMS		MS	DMS	CAS Acceptance Limits		MS	DMS	
				MS	DMS		MS	DMS	MS	DMS			
Benzene	EPA 5030	8021B	0.5	25	25	ND	25	25	100	100	75-135	<1	
Toluene	EPA 5030	8021B	0.5	25	25	ND	29	29	116	116	73-136	<1	
Ethylbenzene	EPA 5030	8021B	0.5	25	25	ND	25	26	100	104	69-142	4	
Gasoline	EPA 5030	CA/LUFT	50	500	500	ND	490	470	98	94	75-135	4	

Approved By: _____

MT

Date: _____

02/29/00

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/6002 OAKLAND
LCS Matrix: Water

Service Request: S2000585
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 02/17/00

Laboratory Control Sample Summary
BTEX and TPH as Gasoline

Sample Name: Lab Control Sample
Lab Code: S200217-LCS
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	True Value	Result	Percent Recovery	CAS	Result Notes
						Percent Recovery Acceptance Limits	
Benzene	EPA 5030	8021B	25	24	96	75-135	
Toluene	EPA 5030	8021B	25	28	112	73-136	
Ethylbenzene	EPA 5030	8021B	25	25	100	69-142	
Gasoline	EPA 5030	CA/LUFT	500	490	98	75-135	

Approved By:

Date:

02/29/00

ARCO Facility no. <u>6002</u>	City (Facility) <u>OAKLAND</u>	Project manager (Consultant) <u>Glenn Vander Vleg</u>	Laboratory name <u>CAS</u>
ARCO engineer <u>Paul Supple</u>	Telephone no. (ARCO)	Telephone no. (Consultant) <u>(408) 453-7300</u>	Contract number
Consultant name <u>EMCON/IT</u>	Address (Consultant) <u>1921 Ringwood Ave. San Jose, CA. 95131</u>		
		Fax no. (Consultant) <u>(408) 437-9526</u>	

Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX 802/EPA 8020	BTEX/TPH EPA 146/8020/8015	TPH Modified 8015 Gas <input type="checkbox"/> Diesel <input type="checkbox"/>	Oil and Grease 413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/>	TPH EPA 418.1/SM503E	EPA 601/8010	EPA 624/8240	EPA 625/8270	TCCLP Metals <input type="checkbox"/> VOA <input type="checkbox"/> VOA <input type="checkbox"/>	Semi Metals <input type="checkbox"/> VOA <input type="checkbox"/> VOA <input type="checkbox"/>	CAM Metals EPA 6010/7000 TTLIC <input type="checkbox"/> STLIC <input type="checkbox"/>	Lead Org./DHS <input type="checkbox"/> Lead EPA 7420/7421 <input type="checkbox"/>	
			Soil	Water	Other	Ice	Acid															
MW-3 (8')	2	①	X	X		X	HCL	2-16-00	1130		X											
MW-6 (32')	2	②	X	X		X	HCL		1330		X											
MW-4 (8')	2	③	X	X		X	HCL		1225		X											
VW-1 (14')	2	④	X	X		X	HCL		1150		X											
MW-5 (24')	2	⑤	X	X		X	HCL		1245		X											
VW-4 (15')	2	⑥	X	X		X	HCL		1215		X											

Method of shipment
Sampler will deliver

Special detection Limit/reporting
Lowest possible

Special QA/QC
AS Normal

Remarks
RAT-8
2-40mL HCL
VOAS

Lab number

Turnaround time
Priority Rush 1 Business Day
Rush 2 Business Days
Expedited 5 Business Days
Standard 10 Business Days

Condition of sample:		Temperature received: <u>Due: 3/2/00 RII/D3-F</u>	
Relinquished by sampler <u>[Signature]</u>	Date <u>2-16-00</u>	Time <u>1510</u>	Received by <u>[Signature]</u>
Relinquished by	Date	Time	Received by <u>2/16/00 1510</u>
Relinquished by	Date	Time	Received by laboratory
	Date	Time	Date
			Time



March 9, 2000

Service Request No.: S2000708

Mr. Glen Vanderveen
IT/EMCON
2201 Broadway, Suite 101
Oakland, CA 94612

RE: TO#24118.00/RAT8/6002 OAKLAND

Dear Mr. Vanderveen:

Enclosed are the results of the sample(s) submitted to our laboratory on February 25, 2000. All analyses were performed in accordance with our laboratory's quality assurance program. Results are intended to be considered in their entirety and apply to the sample(s) analyzed. Columbia Analytical Services is not responsible for use of less than the complete report. Signature of this CAS Analytical Report confirms that pages 2 through 7, following, have been thoroughly reviewed and approved for release.

Columbia Analytical Services is certified for environmental analyses by the California Department of Health Services (certificate number: 2352, expiration: January 31, 2001).


If you have any questions, please call me at (408) 748-9700.

Respectfully submitted,

Columbia Analytical Services, Inc.

Bernadette Troncales
Project Chemist

Greg Jordan
Laboratory Director



COLUMBIA ANALYTICAL SERVICES, Inc.

Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLC	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT8/6002 OAKLAND
Sample Matrix: Water

Service Request: S2000708
Date Collected: 02/25/00
Date Received: 02/25/00

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-7(9)
Lab Code: S2000708-001
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	03/01/00	ND	
Benzene	EPA 5030	8021B	0.5	1	NA	03/01/00	ND	
Toluene	EPA 5030	8021B	0.5	1	NA	03/01/00	ND	
Ethylbenzene	EPA 5030	8021B	0.5	1	NA	03/01/00	ND	
Xylenes, Total	EPA 5030	8021B	1	1	NA	03/01/00	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	3	1	NA	03/01/00	38	

Approved By: _____

Date: _____

03/09/00

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT8/6002 OAKLAND
Sample Matrix: Water

Service Request: S2000708
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S200229-WB2
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	03/01/00	ND	
Benzene	EPA 5030	8021B	0.5	1	NA	03/01/00	ND	
Toluene	EPA 5030	8021B	0.5	1	NA	03/01/00	ND	
Ethylbenzene	EPA 5030	8021B	0.5	1	NA	03/01/00	ND	
Xylenes, Total	EPA 5030	8021B	1	1	NA	03/01/00	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8021B	3	1	NA	03/01/00	ND	

Approved By: _____



Date: _____

03/09/00

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/RAT8/6002 OAKLAND
Sample Matrix: Water

Service Request: S2000708
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: NA

Surrogate Recovery Summary
BTEX, MTBE and TPH as Gasoline

Prep Method: EPA 5030
Analysis Method: 8021B CA/LUFT

Units: PERCENT
Basis: NA

Sample Name	Lab Code	Test Notes	Percent Recovery	
			a,a,a-Trifluorotoluene	a,a,a-Trifluorotoluene
MW-7(9)	S2000708-001		96	89
Method Blank	S200229-WB2		94	87
BATCH QC	S2000229-001MS		86	105
Lab Control Sample	S200229-LCS		91	103
Lab Control Sample	S200229-DLCS		89	100

CAS Acceptance Limits: 70-130% 70-130%

Approved By: _____



Date: _____

03/09/00

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/RAT8/6002 OAKLAND
LCS Matrix: Water

Service Request: S2000708
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 02/29/00

Laboratory Control Sample/Duplicate Laboratory Control Sample Summary
 BTEX and TPH as Gasoline

Sample Name: Lab Control Sample Units: ug/L (ppb)
Lab Code: S200229-LCS, S200229-DLCS Basis: NA
Test Notes:

Analyte	Prep Method	Analysis Method	True Value		Result		Percent Recovery		CAS Acceptance Limits	Relative Percent Difference	Result Notes
			LCS	DLCS	LCS	DLCS	LCS	DLCS			
			Benzene	EPA 5030	8021B	25	25	25			
Toluene	EPA 5030	8021B	25	25	24	24	96	96	73-136	<1	
Ethylbenzene	EPA 5030	8021B	25	25	25	25	100	100	69-142	<1	
Gasoline	EPA 5030	CA/LUFT	500	500	467	447	93	89	75-135	4	

Approved By: _____

PT

Date: _____

03/09/00

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/RAT8/6002 OAKLAND
Sample Matrix: Water

Service Request: S2000708
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 03/01/00

Matrix Spike Summary
 BTEX and TPH as Gasoline

Sample Name: BATCH QC
Lab Code: S2000229-001MS
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Spike Level	Sample Result	Spiked Sample Result	Percent Recovery	CAS	Result Notes
								Percent Recovery	
Benzene	EPA 5030	8021B	0.5	25	ND	31	124	75-135	
Toluene	EPA 5030	8021B	0.5	25	ND	31	124	73-136	
Ethylbenzene	EPA 5030	8021B	0.5	25	ND	31	124	69-142	
Gasoline	EPA 5030	CA/LUFT	50	500	ND	443	89	75-135	

Approved By: _____

Handwritten signature

Date: _____

03/09/00

ARCO Products Company 

Division of AtlanticRichfieldCompany

Task Order No. 24118.00

Chain of Custody

ARCO Facility no. <u>6002</u>	City (Facility) <u>OAKLAND</u>	Project manager (Consultant) <u>Glenn VanderVeen</u>	
ARCO engineer <u>Paul Supple</u>	Telephone no. (ARCO)	Telephone no. (Consultant) <u>(408) 453-7300</u>	Fax no. (Consultant) <u>(408) 437-9526</u>
Consultant name <u>EMCON/IT</u>		Address (Consultant) <u>1921 Ringwood Ave. San Jose, CA 95131</u>	

Laboratory name CAS

Contract number

Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX 602/EPA 8020	BTEX/TPH EPA 801/8015	TPH Modified 8015 Gas <input type="checkbox"/> Diesel <input type="checkbox"/>	Oil and Grease 413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/>	TPH EPA 418.1/SM503E	EPA 601/8010	EPA 624/8240	EPA 625/8270	TCLP Metals VOA <input type="checkbox"/> VOA <input type="checkbox"/>	Semi Metals VOA <input type="checkbox"/> VOA <input type="checkbox"/>	CMM Metals EPA 601/7000 TTL <input type="checkbox"/> STL <input type="checkbox"/>	Lead Org./DHS Lead EPA 7420/7421 <input type="checkbox"/>				
			Soil	Water	Other	Ice	Acid																		
<u>MW-7</u>	<u>(91)</u>	<u>2</u>		<u>X</u>	<u>0</u>	<u>X</u>	<u>HCL</u>	<u>2/25/00</u>	<u>11:30 AM</u>		<u>X</u>														
MW-7	()	2		X		X	HCL				X														

Method of shipment Sampler will deliver

Special detection Limit/reporting Lowest possible

Special QA/QC As Normal

Remarks RAF8
2-40 ml HCL
VOOS

Lab number S2000708

Turnaround time

Condition of sample:				Temperature received:			
Relinquished by sampler <u>[Signature]</u>	Date <u>2/25/00</u>	Time <u>1305</u>	Received by <u>[Signature]</u>	Date <u>2/25/00</u>	Time <u>1330</u>		
Relinquished by	Date	Time	Received by	Date	Time		
Relinquished by	Date	Time	Received by laboratory	Date	Time		

Priority Rush 1 Business Day

Rush 2 Business Days

Expedited 5 Business Days

Standard 10 Business Days

**FIELD REPORT
DEPTH TO WATER / FLOATING PRODUCT SURVEY**

PROJECT # : 792266

STATION ADDRESS : 6235 Seminary Avenue, Oakland

DATE : 2/16/00

ARCO STATION # : 6002

FIELD TECHNICIAN : John Fernandez

DAY : Wednesday

DTW Order	WELL ID	Well Box Seal Condition	Type Of Well Lid	Gasket Present	Lock Number	Type Of Well Cap	FIRST DEPTH TO WATER (feet)	SECOND DEPTH TO WATER (feet)	DEPTH TO FLOATING PRODUCT (feet)	FLOATING PRODUCT THICKNESS (feet)	WELL TOTAL DEPTH (feet)	COMMENTS
1	MW-3	OK	15/16"	NO	NONE	LWC	8.03	8.03	N/D	N/R	24.45	
2	MW-6	OK	6"	NO	NONE	LWC	7.71	7.71			31.82	
3	MW-8	OK	9/16"	NO	DOLPHI	LWC	N/R	N/R			N/R	People were not home
4	MW-4	OK	15/16"	YES	ARCO	LWC	7.45	7.45			24.91	
5	MW-7	OK	9/16"	NO	dolpin	LWC	8.02	8.02			213.6	unable to find person home
6	VW-1	OK	15/16"	NO	NONE	LWC	7.03	7.03			13.75	
7	MW-5	OK	15/16"	NO	ARCO	LWC	8.21	8.21			24.17	
8	VW-4	OK		YES	3616	LWC	7.45	7.45			14.91	

SURVEY POINTS ARE TOP OF WELL CASINGS

RECEIVED
MAR 23 2000
BY: _____

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



PROJECT NO: 792236

SAMPLE ID: MW-3(9')

PURGED BY: J. FERNANDEZ

CLIENT NAME: ARCO #6002

EMCON SAMPLED BY: J. FERNANDEZ

LOCATION: Oakland, CA

TYPE: Groundwater X Surface Water _____ Leachate _____ Other _____
CASING DIAMETER (inches): 2 _____ 3 _____ 4 X 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): N/A VOLUME IN CASING (gal.): N/A
DEPTH OF WELL (feet): 24.45 CALCULATED PURGE (gal.): N/A
DEPTH OF WATER (feet): 8.03 ACTUAL PURGE VOL. (gal.): N/A

DATE PURGED: N/A END PURGE: N/A
DATE SAMPLED: 2-16-00 SAMPLING TIME: 1130

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1135</u>	<u>GRAB</u>	<u>6.60</u>	<u>8332</u>	<u>60.5</u>	<u>clear</u>	<u>low</u>
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

OTHER: Dissolved Oxygen= 8.51 ODOR: NO _____
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
<u>N/A</u> 2" Bladder Pump	_____ Bailer (Teflon)	_____ 2" Bladder Pump	<u>X</u> Bailer (Teflon)
_____ Centrifugal Pump	_____ Bailer (PVC)	_____ Bomb Sampler	_____ Bailer (Stainless Steel)
<u>X</u> Submersible Pump	_____ Bailer (Stainless Steel)	_____ Dipper	_____ Submersible Pump
_____ Well Wizard [®]	_____ Dedicated	_____ Well Wizard [®]	_____ Dedicated
Other: _____		Other: _____	

WELL INTEGRITY: good LOCK: NONE

REMARKS: All samples taken

pH, E.C., Temp. Meter Calibration: Date: 2-16-00 Time: 1105 Meter Serial No.: 8701
E.C. 1000 1003 / 1000 pH7 764 / 700 pH10 1056 / 1000 pH4 486 / 400

Temperature °F 61.5
SIGNATURE: J. Fernandez REVIEWED BY: MJM PAGE 1 OF 8

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



EMCON

PROJECT NO: 792236
 PURGED BY: J. FERNANDEZ
 SAMPLED BY: J. FERNANDEZ

SAMPLE ID: MW-4(8')
 CLIENT NAME: ARCO #6002
 LOCATION: Oakland, CA

TYPE: Groundwater Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches): 2 _____ 3 _____ 4 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): N/A VOLUME IN CASING (gal.): N/A
 DEPTH OF WELL (feet): 24.9 CALCULATED PURGE (gal.): N/A
 DEPTH OF WATER (feet): 7.45 ACTUAL PURGE VOL. (gal.): N/A

DATE PURGED: N/A END PURGE: N/A
 DATE SAMPLED: 2-16-00 SAMPLING TIME: 1225

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1225</u>	<u>grab</u>	<u>6.72</u>	<u>4493</u>	<u>60.8</u>	<u>clear</u>	<u>clear</u>

OTHER: Dissolved Oxygen= 2.38 ODOR: NO _____ N/A _____ N/A
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

PURGING EQUIPMENT

SAMPLING EQUIPMENT

2" Bladder Pump _____ Bailer (Teflon)
 _____ Centrifugal Pump _____ Bailer (PVC)
 Submersible Pump _____ Bailer (Stainless Steel)
 _____ Well Wizard[®] _____ Dedicated
 Other: _____

_____ 2" Bladder Pump Bailer (Teflon)
 _____ Bomb Sampler _____ Bailer (Stainless Steel)
 _____ Dipper _____ Submersible Pump
 _____ Well Wizard[®] _____ Dedicated
 Other: Disposable Teflon Bailer

WELL INTEGRITY: Good LOCK: ARCO

REMARKS: All samples taken

pH, E.C., Temp. Meter Calibration: Date: MW-3 Time: _____ Meter Serial No.: 87M
 E.C. 1000 / _____ pH 7 / _____ pH 10 / _____ pH 4 / _____

Temperature °F _____
 SIGNATURE: J. Fernandez REVIEWED BY: MMP PAGE 208

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



EMCON

PROJECT NO: 792236
 PURGED BY: J. FERNANDEZ
 SAMPLED BY: J. FERNANDEZ

SAMPLE ID: MW-5 (25')
 CLIENT NAME: ARCO #6002
 LOCATION: Oakland, CA

TYPE: Groundwater Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches): 2 _____ 3 _____ 4 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): N/A VOLUME IN CASING (gal.): 13
 DEPTH OF WELL (feet): 24.17 CALCULATED PURGE (gal.): 1A
 DEPTH OF WATER (feet): 8.21 ACTUAL PURGE VOL. (gal.): _____

DATE PURGED: 2-16-00 END PURGE: N/A
 DATE SAMPLED: 2-16-00 SAMPLING TIME: 1245

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1245</u>	<u>grab</u>	<u>6.98</u>	<u>7429</u>	<u>61.2</u>	<u>clear</u>	<u>clear</u>

OTHER: Dissolved Oxygen= 1.42 ODOR: NO N/A N/A
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

IRRIGATING EQUIPMENT

_____ 2" Bladder Pump _____ Bailer (Teflon)
 _____ Centrifugal Pump A _____ Bailer (PVC)
X _____ Submersible Pump _____ Bailer (Stainless Steel)
 _____ Well Wizard[®] _____ Dedicated
 Other: _____

SAMPLING EQUIPMENT

_____ 2" Bladder Pump X _____ Bailer (Teflon)
 _____ Bomb Sampler _____ Bailer (Stainless Steel)
 _____ Dipper _____ Submersible Pump
 _____ Well Wizard[®] _____ Dedicated
 Other: Disposable Teflon Bailer

WELL INTEGRITY: good LOCK: ARCO

REMARKS: All samples taken

pH, E.C., Temp. Meter Calibration: Date: See MW-3 Time: _____ Meter Serial No.: 87m

E.C. 1000 / pH 7 / pH 10 / pH 4 /

Temperature °F _____

SIGNATURE: J. Fernandez REVIEWED BY: M. Smith PAGE 3 OF 8

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



EMCON

PROJECT NO: 792236
 PURGED BY: J. FERNANDEZ
 SAMPLED BY: J. FERNANDEZ

SAMPLE ID: MW-6 (32')
 CLIENT NAME: ARCO #6002
 LOCATION: Oakland, CA

TYPE: Groundwater Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches): 2 3 _____ 4 _____ 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): N/A VOLUME IN CASING (gal.): 3.93
 DEPTH OF WELL (feet): 31.82 CALCULATED PURGE (gal.): 11.80
 DEPTH OF WATER (feet): 7.71 ACTUAL PURGE VOL. (gal.): 12.0

DATE PURGED: 2-16-00 END PURGE: 1525
 DATE SAMPLED: 2-16-00 SAMPLING TIME: 1330

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1315</u>	<u>3.9</u>	<u>7.87</u>	<u>4622</u>	<u>60.7</u>	<u>Clear</u>	<u>Clear</u>
<u>1320</u>	<u>7.8</u>	<u>7.84</u>	<u>4504</u>	<u>60.9</u>	<u>↓</u>	<u>↓</u>
<u>1325</u>	<u>11.8</u>	<u>7.83</u>	<u>4492</u>	<u>61.2</u>	<u>↓</u>	<u>↓</u>

OTHER: Dissolved Oxygen= 2.42 ODOR: NO N/A N/A
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

PURGING EQUIPMENT

SAMPLING EQUIPMENT

<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input checked="" type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated
Other: _____		Other: <u>Disposable Teflon Bailer</u>	

WELL INTEGRITY: good LOCK: none

REMARKS: All samples taken

pH, E.C., Temp. Meter Calibration: Date: See MW-3 Time: _____ Meter Serial No.: 87M
 E.C. 1000 / _____ pH 7 / _____ pH 10 / _____ pH 4 / _____

Temperature °F _____
 SIGNATURE: J. Fernandez REVIEWED BY: msj PAGE 408

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



EMCON

PROJECT NO: 792236
 PURGED BY: J. FERNANDEZ
 SAMPLED BY: J. FERNANDEZ

SAMPLE ID: MW-8(9')
 CLIENT NAME: ARCO
 LOCATION: OAKLAND Ca

TYPE: Groundwater X Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches): 2 X 3 _____ 4 _____ 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): N/A VOLUME IN CASING (gal.): N/A
 DEPTH OF WELL (feet): 13.6 CALCULATED PURGE (gal.): ↓
 DEPTH OF WATER (feet): 8.02 ACTUAL PURGE VOL. (gal.): _____

DATE PURGED: N/A END PURGE: N/A
 DATE SAMPLED: 2-25-00 SAMPLING TIME: 1130

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1130</u>	<u>grab</u>	<u>7.02</u>	<u>4160</u>	<u>59.1</u>	<u>Clear</u>	<u>Clear</u>

OTHER: Dissolved Oxygen= 2.10 ODOR: NONE N/A N/A
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

PURGING EQUIPMENT

SAMPLING EQUIPMENT

<input checked="" type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)
<input checked="" type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated
Other: _____		Other: <u>Disposable Teflon Bailer</u>	

WELL INTEGRITY: good LOCK: 3900

REMARKS: All Samples Taken

pH, E.C., Temp. Meter Calibration: Date: 2-25-00 Time: 1110 Meter Serial No.: 87
 E.C. 1000 1028, 1000 pH 7 746, 700 pH 10 1007, 1000 pH 4 482, 400

Temperature °F 60.1
 SIGNATURE: [Signature] REVIEWED BY: [Signature] PAGE 5 of 8

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



EMCON

PROJECT NO: 792236
 PURGED BY: J. FERNANDEZ
 SAMPLED BY: J. FERNANDEZ

SAMPLE ID: MW-8
 CLIENT NAME: ARCO #6002
 LOCATION: Oakland, CA

TYPE: Groundwater Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches): 2 3 _____ 4 _____ 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): N/A VOLUME IN CASING (gal.): N/A
 DEPTH OF WELL (feet): N/A CALCULATED PURGE (gal.): ↓
 DEPTH OF WATER (feet): ↓ ACTUAL PURGE VOL. (gal.): ↓

DATE PURGED: N/A ↓ END PURGE: N/A
 DATE SAMPLED: ↓ SAMPLING TIME: _____

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>NO SAMPLE TAKEN</u>						

OTHER: Dissolved Oxygen= N/A ODOR: N/A (COBALT 0-100) N/A (NTU 0-200) N/A

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

<u>PURGING EQUIPMENT</u>	<u>SAMPLING EQUIPMENT</u>
_____ 2" Bladder Pump _____ Centrifugal Pump _____ Submersible Pump _____ Well Wizard Other: _____	_____ Bailer (Teflon) _____ Bailer (PVC) _____ Bailer (Stainless Steel) _____ Dedicated _____ 2" Bladder Pump _____ Bomb Sampler _____ Dipper _____ Well Wizard Other: _____

WELL INTEGRITY: N/A LOCK: N/A

REMARKS: Knocked on house 6153 OVERDALE AVE. No one was home for me to get WL'S and Samples. 1250

pH, E.C., Temp. Meter Calibration: Date: _____ Time: _____ Meter Serial No.: _____
 E.C. 1000 _____ / pH 7 _____ / pH 10 _____ / pH 4 _____ /

Temperature °F _____
 SIGNATURE: J. Fernandez REVIEWED BY: M.A. PAGE 6 OF 8

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



EMCON

PROJECT NO: 792236
 PURGED BY: J. FERNANDEZ
 SAMPLED BY: J. FERNANDEZ

SAMPLE ID: VW-1 (14')
 CLIENT NAME: ARCO #6002
 LOCATION: Oakland, CA

TYPE: Groundwater Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches): 2 _____ 3 _____ 4 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): N/A VOLUME IN CASING (gal.): N/A
 DEPTH OF WELL (feet): 13.75 CALCULATED PURGE (gal.): ↓
 DEPTH OF WATER (feet): 7.03 ACTUAL PURGE VOL. (gal.): ↓

DATE PURGED: N/A END PURGE: N/A
 DATE SAMPLED: 2-16-00 SAMPLING TIME: 1150

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
1150	GRAB	6.36	1684	59.9	Cloudy	low

OTHER: Dissolved Oxygen= 1.41 ODOR: NO N/A N/A
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

PURGING EQUIPMENT

SAMPLING EQUIPMENT

2" Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC)
 Submersible Pump Bailer (Stainless Steel)
 Well Wizard Dedicated
 Other: _____

2" Bladder Pump Bailer (Teflon)
 Bomb Sampler Bailer (Stainless Steel)
 Dipper Submersible Pump
 Well Wizard Dedicated
 Other: _____

WELL INTEGRITY: Good LOCK: NONE

REMARKS: All Samples Taken

pH, E.C., Temp. Meter Calibration: Date: See MW-3 Time: _____ Meter Serial No.: 87m
 E.C. 1000 / _____ pH 7 / _____ pH 10 / _____ pH 4 / _____

Temperature °F _____
 SIGNATURE: J. Fernandez REVIEWED BY: M. J. [Signature] PAGE 7 OF 8

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



EMCON

PROJECT NO: 792236
 PURGED BY: J. FERNANDEZ
 SAMPLED BY: J. FERNANDEZ

SAMPLE ID: VW-4(8')
 CLIENT NAME: ARCO #6002
 LOCATION: Oakland, CA

TYPE: Groundwater Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches): 2 _____ 3 _____ 4 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): N/A VOLUME IN CASING (gal.): N/A
 DEPTH OF WELL (feet): 14.91 CALCULATED PURGE (gal.): N/A
 DEPTH OF WATER (feet): 7.45 ACTUAL PURGE VOL. (gal.): _____

DATE PURGED: 2-16-00 END PURGE: N/A
 DATE SAMPLED: 2-16-00 SAMPLING TIME: 1215

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1210</u>	<u>grab</u>	<u>7.20</u>	<u>6552</u>	<u>59.5</u>	<u>clear</u>	<u>clear</u>

OTHER: Dissolved Oxygen= 1.01 ODOR: NO N/A N/A
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

PURGING EQUIPMENT

SAMPLING EQUIPMENT

<input checked="" type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input checked="" type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated
Other: _____		Other: <u>Disposable Teflon Bailer</u>	

WELL INTEGRITY: good LOCK: 3616

REMARKS: ALL SAMPLES TAKEN

pH, E.C., Temp. Meter Calibration: Date: See MW-3 Time: _____ Meter Serial No.: 87M
 E.C. 1000 / pH 7 / pH 10 / pH 4 /

Temperature °F _____
 SIGNATURE: J. Fernandez REVIEWED BY: [Signature] PAGE 808

ARCO Facility no. <u>6002</u>	City (Facility) <u>OAKLAND</u>	Project manager (Consultant) <u>Glenn VanderVeen</u>	Laboratory name <u>CAS</u>
ARCO engineer <u>Paul Supple</u>	Telephone no. (ARCO)	Telephone no. (Consultant) <u>(408) 453-7300</u>	Contract number
Consultant name <u>EMCON/IT</u>		Fax no. (Consultant) <u>(408) 437-9526</u>	
Address (Consultant) <u>1921 Ringwood Ave. San Jose, CA 95131</u>			

Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX 602/EPA 8020	BTEX/TPH EPA 1602/8020/8015	TPH Modified 8015 Gas <input type="checkbox"/> Diesel <input type="checkbox"/>	Oil and Grease 413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/>	TPH EPA 418.1/SM503E	EPA 801/8010	EPA 824/8240	EPA 825/8270	TCMP Metals <input type="checkbox"/> VOA <input type="checkbox"/> VOA <input type="checkbox"/>	Semi Metals <input type="checkbox"/> VOA <input type="checkbox"/> VOA <input type="checkbox"/>	CWM Metals EPA 6010/7000 TLC <input type="checkbox"/> STLC <input type="checkbox"/>	Lead Org./DHS <input type="checkbox"/> Lead EPA 7420/7421 <input type="checkbox"/>					
			Soil	Water	Other	Ice	Acid																			
MW-8(9)	2	2		X		X	HCL	2/25/00	1130		X															
MW-9()	2	2		X		X	HCL				X															

Method of shipment
Sampler will deliver

Special detection Limit/reporting
Lowest possible

Special QA/QC
As normal

Remarks
RAT 8
2-40 ml HCL
- VOCS

Condition of sample:		Temperature received:	
Relinquished by sampler <u>[Signature]</u>	Date <u>2/25/00</u>	Time <u>1305</u>	Received by <u>[Signature] P. BINS CAS 2/25/00 1330</u>
Relinquished by	Date	Time	Received by
Relinquished by	Date	Time	Received by laboratory
			Date
			Time

Lab number

Turnaround time

Priority Rush 1 Business Day

Rush 2 Business Days

Expedited 5 Business Days

Standard 10 Business Days

ARCO Facility no. 6002 City (Facility) OAKLAND Project manager (Consultant) Glenn Vander Veen
 ARCO engineer Paul Supple Telephone no. (ARCO) _____ Telephone no. (Consultant) (108) 453-7300 Fax no. (Consultant) (108) 437-9576
 Consultant name EMCON/ITT Address (Consultant) 1921 Ringwood Ave. San Jose, CA 95131

Laboratory name CAS
 Contract number _____

Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX 602/EPA 8020	BTEX/TPH EPA 1631/821/20015	TPH Modified 8015 Gas <input type="checkbox"/> Diesel <input type="checkbox"/>	Oil and Grease 413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/>	TPH EPA 418.1/SM503E	EPA 601/8010	EPA 624/8240	EPA 625/8270	TCCLP Metals <input type="checkbox"/> VOA <input type="checkbox"/> VOA <input type="checkbox"/>	Semi Metals <input type="checkbox"/> VOA <input type="checkbox"/> VOA <input type="checkbox"/>	CAN Metals EPA 601/07000 TLC <input type="checkbox"/> STLC <input type="checkbox"/>	Lead Org./DHS Lead EPA 7420/7421 <input type="checkbox"/>	
			Soil	Water	Other	Ice	Acid															
MW-3 (8)		2		X		X	HCL	7-16-00	1130		X											
MW-6 (32)		2		X		X	HCL		1230		X											
MW-4 (8)		2		X		X	HCL		1215		X											
VW-1 (10)		2		X		X	HCL		1130		X											
MW-5 (21)		2		X		X	HCL		1245		X											
VW-4 (15)		2		X		X	HCL		1210		X											

Method of shipment Sampler will deliver

Special detection Limit/reporting Lowest possible

Special QA/QC AS Normal

Remarks RAT-8
2-40ml HCL
VOAs

Lab number _____

Turnaround time
 Priority Rush 1 Business Day
 Rush 2 Business Days
 Expedited 5 Business Days
 Standard 10 Business Days

Condition of sample: _____ Temperature received: _____

Relinquished by sampler <u>[Signature]</u>	Date <u>7-16-00</u>	Time <u>1510</u>	Received by <u>[Signature]</u>	Date <u>2/16/01</u>	Time <u>1510</u>
Relinquished by _____	Date _____	Time _____	Received by _____	Date _____	Time _____
Relinquished by _____	Date _____	Time _____	Received by laboratory _____	Date _____	Time _____