RECEIVED

By dehloptoxic at 11:19 am, Feb 01, 2007





Atlantic Richfield Company (a BP affiliated company)

P.O. Box 1257 San Ramon, CA 94583 Phone: (925) 275-3801 Fax: (925) 275-3815

30 January 2007

Re: Fourth Quarter 2006 Ground-Water Monitoring Report Former Atlantic Richfield Company Station #6002 6235 Seminary Avenue Oakland, California ACEH Case #RO0000163

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct."

Submitted by:

Paul Supple

Environmental Business Manger

Fourth Quarter 2006 Ground-Water Monitoring Report Former Atlantic Richfield Company Station #6002 6235 Seminary Avenue Oakland, California

Prepared for

Mr. Paul Supple Environmental Business Manager Atlantic Richfield Company P.O. Box 1257 San Ramon, California 94583

Prepared by



1324 Mangrove Avenue, Suite 212 Chico, California 95926 (530) 566-1400 www.broadbentinc.com

30 January 2007

Project No. 06-08-634



30 January 2007

Project No. 06-08-634

Atlantic Richfield Company P.O. Box 1257 San Ramon, CA 94583 Submitted via ENFOS

Attn.: Mr. Paul Supple

Re:

Fourth Quarter 2006 Ground-Water Monitoring Report, Former Atlantic Richfield Company (a BP affiliated company) Station #6002, 6235 Seminary Avenue, Oakland, Alameda County, California; ACEH Case #RO0000163

Dear Mr. Supple:

Attached is the Fourth Quarter 2006 Ground-Water Monitoring Report for Former Atlantic Richfield Company Station #6002 (herein referred to as Station #6002) located at 6235 Seminary Avenue, Oakland, California (Site). This report presents a summary of results from ground-water monitoring and sampling conducted during the Fourth Quarter of 2006.

Should you have questions regarding the work performed or results obtained, please do not hesitate to contact us at (530) 566-1400.

Sincerely,

BROADBENT & ASSOCIATES, INC.

Thomas A. Venus, P.E.

Senior Engineer

Robert H. Miller, P.G., C.HG. Principal Hydrogeologist

Enclosures

cc:

Mr. Steven Plunkett, Alameda County Environmental Health (Submitted via ACEH ftp site)

Electronic copy uploaded to GeoTracker

ARIZONA CALIFORNIA

NEVADA

ROBERT H. MILLER

No. 4893

TEXAS

STATION # 6002 OUARTERLY GROUND-WATER MONITORING REPORT

Facility: #6002 Address: 6235 Seminary Avenue

Environmental Business Manager: Mr. Paul Supple

Consulting Co./Contact Persons: Broadbent & Associates, Inc.(BAI)/Rob Miller & Tom Venus (530) 566-1400

Consultant Project No.: 06-08-634

Primary Agency/Regulatory ID No.: Alameda County Environmental Health (ACEH) ACEH Case #RO0000163

Facility Permits/Permitting Agency: NA

WORK PERFORMED THIS QUARTER (Fourth Quarter 2006):

- 1. Prepared and submitted the Third Quarter 2006 Groundwater Monitoring Report.
- 2. Conducted ground-water monitoring/sampling for Fourth Quarter 2006. Work performed by Stratus Environmental, Inc. (Stratus) on 2 November 2006.

WORK PROPOSED FOR NEXT QUARTER (First Quarter 2007):

- 1. Prepared and submitted this Fourth Quarter 2006 Ground-Water Monitoring Report (contained herein).
- 2. Conduct ground-water monitoring/sampling for First Quarter 2007.
- 3. Prepare and submit the First Quarter 2007 Ground-Water Monitoring Report.

QUARTERLY RESULTS SUMMARY:

Current phase of project:	Ground-Water Monitoring/Sampling
Frequency of ground-water	Quarterly: Wells MW-3, MW-4, MW-5, MW-6, MW-7,
monitoring:	MW-8, VW-1, VW-3, VW-4
Frequency of ground-water sampling:	Quarterly: Wells MW-5, VW-1, VW-4
	Annually (3Q): Wells MW-3, MW-4, MW-6, MW-7, MW-8
Is free product (FP) present on-site:	No
Bulk Soil removed to Date:	Approximately 370 cubic yards of TPH-impacted soil
Current remediation techniques:	NA
Depth to ground water (below TOC):	7.15 ft (MW-6) to 13.15 ft (MW-7)
General ground-water flow direction:	West
Approximate hydraulic gradient:	0.09 ft/ft

DISCUSSION:

Fourth quarter 2006 ground-water monitoring and sampling was conducted at Former ARCO Service Station #6002 on 2 November 2006 by Stratus personnel. Ground-water monitoring was conducted at eight of the nine wells associated with Station #6002. A depth to water measurement was not taken from well MW-8 because the property owners were not available to grant access. No other significant irregularities were noted during monitoring of the remaining wells. Depth to water measurements ranged from 7.15 ft. at MW-6 to 13.15 ft. at MW-7. Resulting ground-water surface elevations ranged from 250.79 ft. above mean sea level in up-gradient well MW-6 to 228.49 ft. at downgradient well MW-7. Water level elevations were within the historic minimum and maximum ranges, as summarized in Table 1, with the following exception: the minimum water level elevation was observed in well VW-3 at 243.18 ft. Water level elevations yielded a potentiometric ground-water flow direction and gradient to the west at approximately 0.09 ft/ft, generally consistent with the historic general flow

directions and gradients. Ground-water monitoring field data sheets are provided within Appendix A. Measured depths to water and respective ground-water elevations are summarized in Table 1. Potentiometric ground-water elevation contours are presented in Drawing 1. Historic flow directions and gradients are summarized in Table 3.

Consistent with the current ground-water sampling schedule, water samples were collected from wells MW-5, VW-1, and VW-4. No irregularities were noted during sampling. Samples were submitted under chain of custody documentation to Test America Analytical Testing Corporation (Morgan Hill, California) for analysis of Gasoline Range Organics (GRO, C4-C12) by LUFT GCMS method; Benzene, Toluene, Ethylbenzene, and Total Xylenes by EPA Method 8260B; and tert-Amyl methyl ether, tert-Butyl alcohol (TBA), Di-isopropyl ether, 1,2-Dibromomethane, 1,2-Dichloroethane, Ethanol, Ethyl tert-butyl ether (ETBE), and Methyl tert-butyl ether (MTBE) by EPA Method 8260B. No significant irregularities were noted during analysis of the samples by the laboratory. Ground-water sampling field data sheets and the laboratory analytical report, including chain-of-custody documentation, are provided in Appendix A.

Gasoline Range Organics were detected above the laboratory reporting limit in each of the wells sampled this quarter with concentrations up to 5,700 micrograms per liter (µg/L) in MW-5. Toluene was detected in one well above the laboratory reporting limit at 1.5 µg/L in well MW-5. Ethylbenzene was detected above the laboratory reporting limit in one well at 4.3 µg/L in well MW-5. Total Xylenes were detected above the laboratory reporting limit in one well at a concentration of 1.7 µg/L in well MW-5. TBA was detected above laboratory detection limits in two of the wells sampled at concentrations up of 2.400 ug/L in well VW-4. ETBE was detected above the laboratory reporting limit in one well at a concentration of 2.3 ug/L in well VW-4. MTBE was detected above the laboratory reporting limit in each of the wells sampled at concentrations up to 20 µg/L in VW-4. The remaining fuel additives and oxygenates were not detected above their laboratory reporting limits in the three wells sampled this quarter. Detected analyte concentrations were within the historic minimum and maximum ranges recorded for each well. Historic laboratory analytical results are summarized in Table 1 and Table 2. The most recent GRO, Benzene, and MTBE concentrations are also presented in Drawing 1. A copy of the Laboratory Analytical Report, including chain-of-custody documentation, is provided in Appendix A. Ground-water monitoring data (GEO WELL) and laboratory analytical results (EDF) were uploaded to the GeoTracker AB2886 database. Upload confirmation pages are provided in Appendix B.

CLOSURE:

The findings presented in this report are based upon: observations of Stratus field personnel (see Appendix A), the points investigated, and results of laboratory tests performed by Test America. Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of Atlantic Richfield Company. It is possible that variations in soil or ground-water conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

ATTACHMENTS:


- Drawing 1. Ground-Water Elevation Contours and Analytical Summary Map, 2 November 2006, Former ARCO Service Station #6002, 6235 Seminary Avenue, Oakland, California
- Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses, Station #6002, 6235 Seminary Ave., Oakland, CA

Table 2. Summary of Fuel Additives Analytical Data, Station #6002, 6235 Seminary Ave., Oakland, CA

Table 3. Historical Ground-Water Flow Direction and Gradient, Station #6002, 6235 Seminary Avenue, Oakland, CA

Appendix A. Stratus Ground-Water Sampling Data Package (Includes Field Data Sheets and Laboratory Analytical Report with Chain-of-Custody Documentation)

Appendix B. GeoTracker Upload Confirmation



				Top of	Bottom of		Product	Water Level		С	oncentrati	ons in (µg/	L)			
Well and			TOC	Screen	Screen	DTW	Thickness	Elevation	GRO/		<u> </u>	Ethyl-	Total		DO	
Sample Date	P/NP	Comments	(feet msl)	(ft bgs)	(ft bgs)	(feet bgs)	(feet)	(feet msl)	TPHg	Benzene	Toluene	Benzene	Xylenes	MtBE	(mg/L)	pН
AS-1																
6/29/1995			**	20.0	22.0	9.2			<50	1.6	<0.5	0.9	0.9	_		_
MW-1																
3/15/1995			247.06	45	24.5	7.57		239 69	13,000	1,200	4	770	1,100			
5/30/1995		**************************************	247.06	4.5	24.5	8.48		238.58	19,000	1,600	30	890	1,400		_	
9/1/1995			247.06	45	245	9,47		237.59	14,000	1,300	28	480	780	24,000		
11/13/1995		a, b	247.06	4.5	24.5	8.78		238.29	11,000	570	17	260	410	25,000		-
2/23/1996		d	247.06	4.5	24.5											
MW-2								****								
3/15/1995			249.3	5.0	17.5	8.25		241.05	<50	<0.5	<0.5	<0.5	<0.5			_
5/30/1995			249,3	5,0	175	9,95		239,37	450	₹05	₹0.5	\$0.5	-0.5			
9/1/1995			249.3	5.0	17.5	10.69		238.61	<50	<0.5	<0.5	<0.5	<0.5	3		
11/13/1995			249.3	50	17.5	1032		238.98	<50	<0,5	<0.5	₹0.5	<0.5			
2/23/1996		d	249.3	5.0	17.5	-		-			-		_		_	
MW-3																
3/15/1995			248.35	5.0	24.5	676		241 59	50	1805	≤0.5	<0.5	<0.5			
5/30/1995	***	***************************************	248.35	5.0	24.5	7.81		240.54	<50	<0.5	<0.5	<0.5	< 0.5		_	
9/1/1995			248.35	50	245	8.65		239.7	\$50	505	\$05	205	<0 5	3 43 11		
11/13/1995			248.35	5.0	24.5	8.25	**	240.1	120	45	0.7	<0.5	6.2		_	
2/23/1996			248.35	5.0	245	6.64		241,71	<50	<0.5	<0.5	0.6	1,9	<3		
5/10/1996		Transferentskie sterken besker blende i de sken besker besker besker besker besker besker besker besker besker	248.35	5.0	24.5	7.95	************************	240.4		_						-
8/9/1996			248.35	5.0	24.5	8.06		240.29						Ŧ	<u> </u>	
11/8/1996	-	e sasanananananan	248.35	5.0	24.5	-	### ##################################	—								
3/21/1997			248:35	5.0	245	8.21		240,14	<50	\$0.5	≤0.5	<0.5	K0.5	Q		
5/27/1997	 (110110111111111111111111111111111111		248.35	5.0	24.5	8.25	 Induanament	240.1	 Hingingaess	 316153765765	 			44201818 100 22 117 117 117 117	 *******************	alijachannijotrej
8/5/1997			24835	5.0	245	8129		240.06								
10/29/1997	 ##90#################################		248.35	5.0	24.5	8.58	 Walengangangan	239.77	<50	<0.5	<0.5	<0.5	<0.5	<3		
2/25/1998			248.35	5.0	245	7,69		240.66	<50	<0.5	<0.5	0.5	<0.5	13		
5/12/1998			248.35	5.0	24.5	8.2		240.15	 1633111111111111111111111111111111111	 Monskapanke			— Nansananan	erenamikası	—	
7/28/1998			248.35	5.0	24.5	8.55		239,8								

				Top of	Bottom of		Product	Water Level		C	oncentrati	ons in (μg/	L)			
Well and			TOC	Screen	Screen	DTW	Thickness	Elevation	GRO/			Ethyl-	Total		DO	
Sample Date	P/NP	Comments	(feet msl)	(ft bgs)	(ft bgs)	(feet bgs)	(feet)	(feet msl)	TPHg	Benzene	Toluene	Benzene	Xylenes	MtBE	(mg/L)	pН
MW-3 Cont.										Í						
10/27/1998			248.35	50	245	8.3		240.05								
2/8/1999		**************************************	248.35	5.0	24.5	7.9	—	240.45	<50	<0.5	<0.5	<0.5	<0.5	<3		
6/1/1999			248,35	50	245	8.4		239.95								
8/25/1999	 !!!!!!!!!!!!!!!	Secondard necessions	248.35	5.0	24.5	8.49		239.86			_				1.67	
10/29/1999			248.35	50	245	8.52		239.83							6.9	
2/16/2000 6/23/2000	NP		248.35 248.35	5.0 5.0	24.5 24.5	8.03	— 	240.32	<50	<0.5	0.8 disatemanne	<0.5	<1	<3	8.51	
8/17/2000			248.35	5.0 5.0	24-3 24.5	7:55 8:65		240.8 239.7							2) 1.1	
11/10/2000			248.35	50	245	7.19		241.16								
2/12/2001	NP		248.35	5.0	24.5	8.6		239.75	=0000000000000000000000000000000000000	<0.50	<0.50	<0.50	<0.50	<2.5	0.81	
4/13/2001			248/35	5.0	24.5	6.13		242:22								
7/18/2001			248.35	5.0	24.5	6.47	**	241.88				· ·			<u></u>	
10/1/2001			248.35	5.0	245	6.99		241.36								
1/14/2002	NP		248.35	5.0	24.5	5.47	 Duguennaaansiya	242.88	<50	< 0.50	<0.50	<0.50	<0.50	<5.0	<u></u>	
4/3/2002 8/8/2002			248.35 248.35	5.0 5.0	24.5 24.5	6.95 8.78		241.4 239.57	5							
11/27/2002			248 35	5.0	245	8.52		239.83						-		
2/10/2003	NP		248.35	5.0	24.5	8.4	::::::::::::::::::::::::::::::::::::::	239.95	50 <50	<0.50	< 0.50	<0.50	<0.50	<0.50	0.7	6.4
6/3/2003			248:35	5.0	245	84		239.95								
8/14/2003		Strong and the strong	248.35	5.0	24.5	8.6	-	239.75				_				
11/13/2003			248.35	5.0	24.5	8.41		239.94			ļ					
02/13/2004 05/05/2004			253.88	5.0	24.5	8.40	— Halisakinskong ngara	245.48	 ***********************************		— 				 	
08/30/2004 08/30/2004	NP		253.88 253.88	5.0 5.0	24.5 24.5	8.28 10.32		245.60 243.56	<50	<0.50	<0.50	<0.50	<0.50			
11708/2004			253.88	5.0	24.5	8.12		245.76		טר: פ	ייבייט	V.30	0.50	0.72	1,4 	6.4
02/07/2005	-		253.88	5.0	24.5	8.20	——————————————————————————————————————	245.68	5115111211112ED 					-		
05/09/2005			253.88	5.0	245	8.23	i - i	245.65								
08/11/2005	NP		253.88	5.0	24.5	8.72		245.16	<50	<0.50	<0.50	<0.50	<0.50	0.73	1.6	6.1
12/02/2005			253.88	5.0	245	8.15		245.73								
02/15/2006	######################################	HERRICH GOOGLESSER	253.88	5.0	24.5	8.23		245.65	intimikatrumaa.				-			
5/19/2006			253.88	5.0	245	838		245,50								

				Top of	Bottom of		Product	Water Level		C	oncentrati	ons in (μg/	L)			
Well and			тос	Screen	Screen	DTW	Thickness	Elevation	GRO/			Ethyl-	Total		ро	
Sample Date	P/NP	Comments	(feet msl)	(ft bgs)	(ft bgs)	(feet bgs)	(feet)	(feet msl)	TPHg	Benzene	Toluene	Benzene	Xylenes	MtBE	(mg/L)	pН
MW-3 Cont.																
8725/2006	P		253,88	\$10	24.5	8.59		245 29	 	 ≤0.50	<0.50	 <0.50	≤ 0!50	≤ 0.50	1,115	62
11/2/2006			253.88	5.0	24.5	8.65		245.23			_	_	_		-	
MW-4																
3/15/1995			242.91	45	24.5	9.37		233,54	450	₹0.5	 <0.5	<0.5	<0.5			
5/30/1995		Date Addició de distila vécéba (di i é é e e e e e e	242.91	4.5	24.5	11.47		231.44	<50	<0.5	<0.5	<0.5	<0.5			
9/1/1995			242.91	4.5	24.5	12.28	L	230,63	78	<0.5	0.7	<0.5	<0.5	9		
11/13/1995	— ====================================		242.91	4.5	24.5	11.75		231.16	<50	< 0.5	<0.5	< 0.5	<0.5	_ -	_ 	_ ************************************
2/23/1996			242,91	4.5	245	851		2344	59		7.4	16	93	3		
5/10/1996			242.91 242.91	4.5	24.5	11.35 9.7		231.56 233.21	<50 ≤50	<0.5	<0.5	<0.5	<0.5	<3	— —	
8/9/1996 11/8/1996			242.91	4.5 4.5	24.5	11.79		231.12	<50	<0.5	<0.5	<0.5		3		
372171997			242.91	45	24.5	10.94		251 97	250 250	K0.5	¥0.5	50.5	20.5	81		
5/27/1997			242.91	4.5	24.5	11.51	— 	231.4	<50	<0.5	<0.5	<0.5	<0.5	†1001100000000000000000000000000000000		
8/5/1997			242 91	45	245	פונוווו		231 01	₹50	<0.5	₹0.5	205	20.5	l a		
10/29/1997		1947X1 ET EX 9 EN	242.91	4.5	24.5	12	-	230.91	<50	<0.5	<0.5	<0.5	<0.5	<3		
2/25/1998			242.91	45	24.5	8 34		234.57	¥50	15°05	0.9	305	0.9	4		
5/12/1998		THE THE PERSON NAMED IN THE PERSON NAMED IN	242.91	4.5	24.5	10.93	-	231.98	<50	<0.5	<0.5	< 0.5	< 0.5	<3		
7/28/1998			242 91	4.5	245	12/08		230.83	450 - 5 000	<0.5 <50	<0.5 <50	<0.5	<0.5	6 400		
10/27/1998 2/8/1 99 9			242.91 242.91	4.5 4.5	24.5 24.5	11.4		231.51 234.5	<5,000 <50	<0.5	<0.5	160 €0.5	64 <0.5	6,400		_
6/1/1999	NP		242.91	4.5	24.5	11.93	-	230.98	<50	<0.5	<0.5	<0.5	<0.5	<3	4	6.26
8/25/1999	NE NE		242.91	45	24.5	122	-	250.7	30	<0.5	803	<0.5	<0.5	3	1,29	6.34
10/29/1999	NP		242.91	4.5	24.5	12.37	— —	230.54	<50	<0.5	<0.5	<0.5	<1	<3	1.5	5.60
2/16/2000	NP		24291	4.5	24.5	7,45		235,46	<50	₹0.5	₹0.5	₹0.5		a	2,38	
6/23/2000	NP		242.91	4.5	24.5	12.31		230.6	<50	<0.50	<0.50	<0.50	<0.50	<2.50	2.8	-
8/17/2000	NP		242.91	45	24.5	11,92	_	290.99	30	<0.50	<0.50	<0.50	<0,50	<2,50	2.38	
8/17/2000		f	242.91	4.5	24.5		 :::::::::::::::::::::::::::::::::::		<50	< 0.50	<0.50	<0.50	< 0.50	<2.50	— ************************************	
11/10/2000	NP.		242.91	45	24.5	1018		232.11	<50	₹0150 -0.50	<0.50	₹0.50	<0.50	\$2,50 2,50	1.55	
2/12/2001	NP		242.91	4.5	24.5 24.5	11.65		231.26 234.74	<50 ≪50	<0.50 <0.50	<0.50 <0.50	<0.50	<0.50	<2.50 ≪2,50	1.12	
4/13/2001	NP		242.91	45		8.17		Z2#4/#	J. SJU							

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #6002, 6235 Seminary Ave., Oakland, CA

••••	•			Top of	Bottom of		Product	Water Level		C	oncentrati	ons in (μg/	L)			
Well and			тос	Screen	Screen	DTW	Thickness	Elevation	GRO/			Ethyl-	Total		ро	
Sample Date	P/NP	Comments	(feet msl)	(ft bgs)	(ft bgs)	(feet bgs)	(feet)	(feet msl)	TPHg	Benzene	Toluene	Benzene	Xylenes	MtBE	(mg/L)	pН
MW-4 Cont.										***						
4/13/2001		f f	242.91	45	245				≓ 5 0	\$0.50	<0.50	<0.50	<0.50	<2.50		
7/18/2001	NP	12212111111111111111111111111111111111	242.91	4.5	24.5	8.51		234.4	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	
10/1/2001	NP.		242.91	4.5	24.5	8.71		234.2	~50	₹0.50	₹0.50	<0.50	50:50	<2.5		
1/14/2002	 :::::::::::::::::::::::::::::::::::	f	242.91	4.5	24.5		41131601638016680166816		<50	< 0.50	<0.50	<0.50	<0.50	<5.0		
1/14/2002	NP		242.91	45	24.5			235.78	<50 <50	<0.50 <0.50	<0.50 <0.50	<0.50 <0.50	<0.50 <0.50	<5.0 <2.5		
4/3/2002 8/8/2002	NP NP		242.91 242.91	4.5 4.5	24.5 24.5	10.1		232.81 230.27	<50	<0.50 8050	<0.50 20.50	<0.50	<0.50	\2.5 		- 8 1
8/8/2002 11/27/2002	NP		242.91	4.5	24.5	12.01		230.9	<50	<0.50	<0.50	<0.50	<0.50	4.7	2.5	6.5
2/10/2003	NP		242.91	45 11	243	1122		231 69	<50	≤ 0.50	<0.50	40.5 0	<0.50	 ₹0250	0.8	6.6
6/3/2003	 		242.91	4.5	24.5	11.54	 	231.37	<50	< 0.50	< 0.50	<0.50	<0.50	<0.50	3.9	6
8/14/2003			242,91	45	24.5	1241		2905	₹50	<0.50	<0.50	่<0.50	<0.50	<0.50	1/8	6.3
11/13/2003		1	242.91	4.5	24.5	11.64	_	231.27				_	_	-	_	_
02/13/2004			248.62	45	24.5	10:28	3	23834								
05/05/2004	 Intervencia		248.62 248.62	4.5 4.5	24.5 24.5	12.04 12.98		236.58 235.64	 	_ _<0.50	<0.50	- \$0.50	 	 	- 1.6	
08/30/2004 11/08/2004	NP in		248.62	4.5	24.5	11.29		237.33								
02/07/2005			248.62	4.5	245	10.03		238.59								
05/09/2005			248.62	4.5	24.5	10.65	- -	237.97		-	—	 tuusmatasan	-			
08/11/2005	NP		248.62	45	245	12.68		23594	-50	₹0.50	<0.50	<0.50	<0.50	<0.50	19-	65
12/02/2005		2. A 22 COM REPAREMENTAL (***) A 12-20-20-21-21 2 m	248.62	4.5	24.5	10.35		238,27					_			_
02/15/2006			248.62	4.5	245	838		240.24								
5/19/2006			248.62	4.5	24.5	11.24	 	237.38		 	 ***********************************	 THEOLOGICALISTS (15)		— 	_ 	-
8/25/2006	P		248.62 248.62	4.5 4.5	24.5 24.5	12.28 12.64		236/34 235.98	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.51	57
11/2/2006		<u>.</u>	248.02	4.3	24.5	12.04		233.90								-
MW-5		A TOTAL OF THE PERSON NAMED IN COLUMN TO THE PERSON NAMED IN COLUM			;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	1 - MARKARA (LVINA TOVINCITA		yezeetystytytytelelelikielikiselikiselikis	******************							E-1011101171111111
3/15/1995			244.82	5.0	24.5	11,99		232.83	21,000	870	-22	1,600	1,900			
5/30/1995	-		244.82	5.0	24.5	12.97		231.85 230.79	17,000	2,100	250 25	1,000	520 880	 		
9/1/1995 11/13/1995			244.82 244.82	5.0 5.0	24.5 24.5	14.03 13.65		230.79	19,000 21,000	1,300 1,300	22	1,600 1,400	630	8,300 		
2/23/1996			244.82	3.0 	24.5	13.03		232.17	27,000	1,300		1,400	1/500	730	494	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #6002, 6235 Seminary Ave., Oakland, CA

				Top of	Bottom of		Product	Water Level		С	oncentrati	ons in (μg/	L)			
Well and			тос	Screen	Screen	DTW	Thickness	Elevation	GRO/			Ethyl-	Total		ро	
Sample Date	P/NP	Comments	(feet msl)	(ft bgs)	(ft bgs)	(feet bgs)	(feet)	(feet msl)	TPHg	Benzene	Toluene	Benzene	Xylenes	MtBE	(mg/L)	pН
MW-5 Cont.										Language						
5/10/1996			244.82	# # 50	245	13.05		2311777	17,000	460	21	760	480	1,000		
8/9/1996			244.82	5.0	24.5	13.22		231.6	16,000	420	14	870	390	1,500		
11/8/1996		e je	244.82	5.0	24.5	11 -		1 4						115		
3/21/1997		on arth a desired falority activity for the grant grants.	244.82	5.0	24.5	13.24		231.58	18,000	110	<50	730	1,500	1,800	_	_
5/27/1997			244.82	5.0	24.5	194		231.72	21,000	86	20	810	610	700		
8/5/1997			244.82	5.0	24.5	13.14	— Alcontormoniumon	231.68	340	2.2	<0.5	15	8.8	39		-
10/29/1997			244.82	5.0	245	19:03		231,79	19,000	130	\$20	1,400	620	111700		
2/25/1998	 		244.82	5.0	24.5	11.33	 *###################################	233.49	8,500	19	13 ::::::::::::::::::::::::::::::::::::	190	100	170	_ audinomana	-
5/12/1998			244.82	50	245	12.81		232.01	15,000	34	¥10	390	220	610		
7/28/1998 10/27/1998			244.82 244.82	5.0 5.0	24.5 24.5	13.12 12.9		231.7 231.92	15,000 15,000	68 60	<10 <10	690 770	620	1,000 890		
2/8/1999			244.82	5.0	24.5	11.08		233.74	8,200	23	417141 <10	290	400 120	<60		
6/1/1999	NP		244.82	5.0	24.5	12.95		231.87	1 000		1133	250 	120	580	— ————————————————————————————————————	6.49
8/25/1999	NP		244.82	5.0	24.5	12.99		231.83	9,200	26	14	420	1660 A	1,100	0.37	7.78
10/29/1999	NP		244.82	5.0	245			231 72	Hi i i ööö H	19:19	9.8	260	150	590	11127	62
2/16/2000	NP	De alles de la constante de la	244.82	5.0	24.5	8.21	######################################	236.61	12,000	8.1	10	340	160	130	1.42	
6/23/2000	NP		244.82	5.0	245	29		231.92	9,680	38	20.0	212	114	930	114	
8/17/2000	NP		244.82	5.0	24.5	13	<u></u>	231.82	10,500	15	7.98	223	118	430	0.68	_
11/10/2000	NP		244 82	5.0	24.5	12.5		232 32	7,030	19.7	<10.0	190	43.6	445	1.27	
2/12/2001	NP		244.82	5.0	24.5	12.81	***	232.01	8,840	33.9	<10.0	186	56.4	352	0.4	
4/13/2001	NP		244.82	50	245	1131		233.51	9,020	54.2	43.3	127	96	297		
7/18/2001	NP		244.82	5.0	24.5	11.59		233.23	13,000	19	10	110	49	230		-
10/1/2001	NP		244,82	5.0	24.5	11.84		232.98	8,500	6.9	21.0	87	27	220		
1/14/2002	NP		244.82	5.0	24.5	10.75	end begrinded publication in account and problem from	234.07	9,500	<20	<20	140	22	<200		
4/3/2002	NP		244.82	5.0	245				2,700	24	51	92	8.5	130		
4/3/2002	NP		244.82	5.0	24.5	12.5	 Charachthamanachta	232.32	2,400	21	<5.0	91	8.5	130	 	
8/8/2002	NP		244,82	5.0	24.5	12.83		231.99	2,000	20	₹20	48	₹20	520	0.8	69
11/27/2002	NP		244.82	5.0	24.5	12.79	 	232.03	2,200	<10	<10 	33	<10	150	0.8 	6.4
2/10/2003	NP		244.82	5.0	24.5	12.62		232.2	2,600	2.5	<2.5	47	42	100	0.7	6.6
6/3/2003			244.82	5.0	24.5	12.41	inggramma.	232.41	2,400	<5.0	<5.0	26	<5.0	160	1.8	6.3
8/14/2003			244.82	5.0	24.5											

				Top of	Bottom of		Product	Water Level		c	oncentrati	ons in (µg/	L)			
Well and			TOC	Screen	Screen	DTW	Thickness	Elevation	GRO/			Ethyl-	Total		ро	
Sample Date	P/NP	Comments	(feet msl)	(ft bgs)	(ft bgs)	(feet bgs)	(feet)	(feet msl)	TPHg	Benzene	Toluene	Benzene	Xylenes	MtBE	(mg/L)	рH
MW-5 Cont.		An extraordinate the state of t														
11/13/2003	NP.		244.82	5.0	24.5	12.49		232.33	1,900	≤5.0	= 5.0	13	<5.0	90	2.0	6.4
02/13/2004	NP	Air to the Communication of the Control	250.55	5.0	24.5	12.38		238.17	1,400	1.4	1.9	23	3.6	90	1.1	62.8
05/05/2004	NP.		250.55	50	245	12.68		237.87	5,800	i≤2.5	\$2.5		125	130		63
08/30/2004 11/08/2004	P NP		250.55 250.55	5.0 510	24.5 24.5	12.96 12.10		237.59 238.45	4,100 3,300	<2.5 14	<2.5	<2.5	<2.5	85	_ 	6.4
02/07/2005	NP		250.55	5.0	24.5	12.02		238.53	3,500	<1.0	1.1	17 16	6.1 2.6	69 15	1.05 0.95	6.0 6.5
05/09/2005	NP III		250.55	50	243	11 04		238.6	3,400		117	10	2.0	19	7.57	67
08/11/2005	NP		250.55	5.0	24.5	12.77	4600160050000000000000000000000000000000	237.78	5,700	<2.5	<2.5	13	<2.5	51	0.7	6.0
12/02/2005	NP		250.55	50	245	11 81		238 72	3,900	215	<25	15	83	13	141	6.9
02/15/2006	NP		250.55	5.0	24.5	10.77		239.78	790	<0.50	<0.50	1.2	<0.50	<0.50	1.2	6.9
5/19/2006	NP P		250-55	5.0	24.5	10.00		238.26	4,100	0.97	113	3 9	1.8	15	0.98	6.5
8/25/2006 11/2/2006	P Billia		250.55 250.55	5.0 5.0	24.5 24.5	12.62 12.90		237.93 237.65	3,700 5.700	<2.5 <1.0	<2.5 11.5	4.0 43	<2.5 117	17 18	1.15	6.2
MW-6															1,86	6.67
6/29/1995				17.0												
6/29/1995 				17.0	31.5	6.63			<50 開網運搬車	<0.5	<0.5	<0.5	<0.5		— EHOTOUMET(1988	
11/13/1995				17.0	31.5	7.7			<50	<0.5	<0.5	<0.5	<0.5	<3		
2/23/1996				17.0	315	9.82			450	≤0.5	0.8	≤0.5	0.6			
5/10/1996		1001100017017017117117117117117117117117		17.0	31.5	15.25	<u> </u>	ena		-		——————————————————————————————————————	<u>—</u>		——————————————————————————————————————	
8/9/1996			252.2	17.0	315			241.09								
11/8/1996			252.2	17.0	31.5	9.31	 RECONSTRUCTOR SECURE	242,89						::::::::::::::::::::::::::::::::::::::		
3/21/1997 5/27/1997			252.2 252.2	17.0 17.0	31.5 31.5	9.4 7.08		242.8 245.12	<50	₹ 0 .5	≼0.5 _	<0.5	<0,5	6		
8/5/1997	<u> </u>		2522	17.0	31.5	7.00		245.08								
10/29/1997	— —		252.2	17.0	31.5	7.42	######################################	244.78	<50	<0.5	<0.5	<0.5	<0.5	-		
2/25/1998			252.2	17.0	315	1035		241,85	250	205	<0,5	1 1805	₹0.5	- 3		
5/12/1998	###		252.2	17.0	31.5	15.83		236.37						**	-	
7/28/1998			252.2	17.0	315	11.84		240.36								
10/27/1998	 (6)		252.2	17.0	31.5	9.73		242.47	 :::::::::::::::::::::::::::::::::::	 311046191		- 1001244444	- -	_ (UNEXTENSE)		 Meneralis
2/8/1999			252.2	17.0	315	8.1		244	≤50	1 1€0.5	<0.5	<0.5	<0.5	÷3		

				Top of	Bottom of		Product	Water Level		C	oncentrati	ons in (μg/	L)			
Well and			тос	Screen	Screen	DTW	Thickness	Elevation	GRO/			Ethyl-	Total		DO	
Sample Date	P/NP	Comments	(feet msl)	(ft bgs)	(ft bgs)	(feet bgs)	(feet)	(feet msl)	TPHg	Benzene	Toluene	Benzene	Xylenes	MtBE	(mg/L)	pН
MW-6 Cont.											•					
6/1/1999			252.2	17.0	315	17,84		23436								
8/25/1999		et street liver treet treet record treet a	252.2	17.0	31.5	11	_	241.2	_				_		0.77	
10/29/1999			252(2)	17.0	315	9,03		245,17							3.42	
2/16/2000	P	i i i i i i i i i i i i i i i i i i i	252.2	17.0	31.5	7.71	— 	244.49	<50	<0.5	<0.5	<0.5	<1	<3	2.42	
6/23/2000	-		252.2	17.0		6.69		24551							2.3	
8/17/2000 11/10/2000			252.2 252.2	17.0	31.5 31.5	6.95 11.79		245.25		 1100500000	 300000000000000	 180000000000	 		2.51	
2/12/2001		f		17.0	31.5			240.41								
2/12/2001	P		252.2	17.0		7.35		244,85	- - - - - - - - -	 ≪0.50	_ <0.50∰	- - - - - - - - - - - - - - - - - - -	_ <0.50	- 825	 [166	_ 777
4/13/2001	######################################		252.2	17.0	18110000011111111111111111111111111111	10.52	iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	241.68								
7/18/2001			252 2	17.0	31.5	11.03		241117								
10/1/2001	-	THE REAL PROPERTY OF THE PARTY	252.2	17.0	31.5	11.31		240.89							— —	
1/14/2002	P		252.2	17.0	3115	9.87		242.33	<50	<0.50±	\$050	<0.50	<0.50	<5.0		
4/3/2002	 ***********************************		252.2	17.0	31.5	12.19		240.01	 manusannyanya							_
8/8/2002			252.2	17.0	3 (5)	7.04		245,16								
11/27/2002 2/10/2003	 NP		252.2 252.2	17.0 17.0	31.5	6.85 6.74		245.35 245.46	 Ikipanganan		 ATOMENIA	_ ====================================		— ::::::::::::::::::::::::::::::::::::		 TREESTREEN
6/3/2003			252.2	17.0	31.5	14.35		237.85	≰50 —	<0.50	60,50	<0.50	<0.50	<0.50		74
8/14/2003			2522	17.0		10.74		241.46								
11/13/2003	— —	1999 :	252.20	17.0	31.5	10.68		241.52	91011111111111111111111111111111111111	 	——————————————————————————————————————				######################################	
02/13/2004			257.94	17.0	315	7,38		25056		<u> </u>						
05/05/2004		7747774476167746	257.94	17.0	31.5	7.43	***	250.51		-			-		— eminimiza	***************************************
08/30/2004	P		257,94	17.0	315	739		250.55	450	<0.50	₹0.50	<0.50	<0.50	<0.50	25	7.0
11/08/2004	 :::::::::::::::::::::::::::::::::::		257.94	17.0	31.5	15.57		242.37	 20003300300300300							
02/07/2005			257.94	17.0	315	15 26		242.68								
05/09/2005 08/11/2005	 E	The state of the s	257.94 257.94	17.0 17.0	31.5 31.5	11.31 9.80		246.63 248.14		– Hijewiekski	 Therivani			 UNIDAJEAN	— 2248 3 11 3 81633	
12/02/2005			257.94	17.0	31.5	۷.۵u 14.55		243.39	₹50	<0.50	<0.50	₹0.50	<0.50	≤0,50	2.4	171
02/15/2006			257.94	17.0	315	10:33		245.59 247.61								— Miesikainii
5/19/2006			257.94	17.0	31.5	6.50		251.44				-				
8/25/2006	P		257.94	17.0	315	6.75		251.19	i: i≮50	<0.50	<0.50	<0.50	<0.50	<0.50	1.90	6.6

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #6002, 6235 Seminary Ave., Oakland, CA

				Top of	Bottom of		Product	Water Level		C	oncentrati	ons in (μg/	L)			
Well and			тос	Screen	Screen	DTW	Thickness	Elevation	GRO/			Ethyl-	Total		ро	
Sample Date	P/NP	Comments	(feet msl)	(ft bgs)	(ft bgs)	(fect bgs)	(feet)	(feet msl)	TPHg	Benzene	Toluene	Benzene	Xylenes	MtBE	(mg/L)	pН
MW-6 Cont.		The second secon				ļ								ļ		
11/2/2006			257,94	17.0	315	7.15		250.79								
MW-7		-														
8/9/1996		g	235.95	8.5	13.5		-				_		_			_
11/8/1996		g	235,95	8.5	13.5		-									
1/27/1997			235.95	8.5	13.5		_		2,900	29	<5	<5	580	220	—	
3/21/1997			235.95	8.5	13.5	7,13		228.82	590	35	<0.5	<0.5	13	90		
5/27/1997			235.95	8.5	13.5	9.02		226.93	<50	< 0.5	<0.5	<0.5	<0.5	<3	 :tt:::::::::::::::::::::::::::::::::	
8/5/1 997 10/29/1997			235.95 235.95	8.5 8.5	13.5	12.33		223.62	110	0.5	<05	\$0.5	0.8	81		
2/25/1998		g	233.93	8.5	13.5 13.5	- 8.04	 Unicipies de la company	227/91	_ 	_ ≥0.5	0.6	_ 	0.7		- -	
5/12/1998			235.95	8.5	13.5	8.88		227.07		<0.5	<0.5		<0.5			
7/28/1998			235,95	8.5	e iigg	1025		225,45	-50	≼ 0.5	20.5	20.5	<0.5	3		
10/27/1998	 PRIMERISHHMEN	HARCHICEROCKELINICALINICATERINA	235.95	8.5	13.5	8.75	<u></u>	227.2	<50	<0.5	<0.5	<0.5	<0.5	<3		
2/8/1999	4		235.95	85	185	9.35		226.6	≤50	<0,5	\$0.5	\$0.5	\$0.5	44		
6/1/1999	NP		235.95	8,5	13.5	9.85		226.1	250	<0.5	0.6	<0.5	1.6	18	1	6.43
8/25/1999	NP		235 95	8.5	13.5	1131		224.64	119	<0.5	5.7	≮0.5	40.5		0.41	8.28
10/29/1999 2/25/2000	NP NP		235.95 235.95	8.5 8.5	13.5	9.08 8.02		226.87 227.93	<50 <50	<0.5	<0.5 ≰0.5	<0.5	<1 <1	<3	1.29	5.82
6/23/2000	NP		235.95	8.5	13.5	10.68		225.27	<50	<0.50	<0.50	<0.50	<0.50	38 14.4	2.1 1.6	
8/17/2000	NP		235 95	8.5	135	11.85		224 i	70	<0.500	0.678	₩0 1500	1.07	14.2	1.59	
11/10/2000	. NP	ini 1944 Gradini Amerika i ing	235.95	8.5	13.5	9.62	 	226.33	<50	<0.50	<0.50	<0.50	<0.50	<2.5	1.09	
2/12/2001	ΝĖ		235.95	8.5	135	12.1		225.85	₹50	<0.50	<0.50	<0.50	 <0.50	25	0.84	
4/13/2001	P		235.95	8.5	13.5	7.95	adval.	228	<50	<0.50	<0.50	<0.50	<0.50	<2.5	***	
7/18/2001	P		235.95	8.5	13.5	8.2		227,75	- 50	<0.50	<0.50	<0.50	<0.50	2.5		
10/1/2001	NP	ensember der der	235.95	8.5	13.5 shearannean	8.59	_	227.36	<50	<0.50	< 0.50	<0.50	<0.50	<2.5		
1/14/2002	P		235.95	8.5	13.5	6.93		229,02	<50	< 0.50	<0.50	¥0.50	<0.50	25.0		
4/3/2002 8/8/2002	P P	le l	235.95 235.95	8.5 8.5	13.5	8.31 12.11		227.64 223.84	<50	<0.50	<0.50	<0.50	<0.50	<2.5	– Manusion	anumus
11/27/2002	NP	h	235.95	8.5	13.5	13.01		222.94								
2/10/2003	NP		235.95	85		10.02		225,93	450	<0.50	<0.50	- <0.50	<0.50	<0.50	- 1. 10.5	6.7

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #6002, 6235 Seminary Ave., Oakland, CA

·				Top of	Bottom of		Product	Water Level								
Well and			тос	Screen	Screen	DTW	Thickness	Elevation	GRO/			Ethyl-	Total		DO	
Sample Date	P/NP	Comments	(feet msl)	(ft bgs)	(ft bgs)	(feet bgs)	(fect)	(feet msl)	TPHg	Benzene	Toluene	Benzene	Xylenes	MtBE	(mg/L)	pН
MW-7 Cont.																
6/3/2003	NP		235 95	8.5	135	6.82		229 [3]	₹50	≤0.50	<0.50	≈ 0.50	<0.50	<0.50	8.1	6.8
8/14/2003	P	***************************************	235.95	8.5	13.5	8.16		227.79	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.8	6.7
11/13/2003			235.95	8.5	ii ii 355	8.07		227.88								
02/13/2004 05/05/2004			241.64 241.64	8.5 8.5	13.5 13.5	7.62 11.01		234.02 230.63						_ 		-
08/30/2004		h	241.64	8.5	13.5	13.27		228.37								
11/08/2004			241,64	8.5	13.5	13.22		228.42								
02/07/2005			241.64	8.5	13.5	13.07	—	228.57			_	_	_	-		
05/09/2005			241.64	8.5	135	7.57		234,07								
08/11/2005	NP	************************	241.64	8.5	13.5	11.55		230.09	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.1	6.7
12/02/2005	-		241 64	8.5	13.5	13.12		228.52 234.37								
02/15/2006 5/19/2006	 		241.64 241.64	8.5 8.5	13.5	7.27 7.84		233.80								
8/25/2006	indikaji dis P		241.64	8.5	13.5	12.19		229.45	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.33	6.2
11/2/2006			241,64	8.5	13.5	13.15		228.49							1041	
MW-8																
8/9/1996			240.37	5.5	14.0	9.41		230.96	<50	<0.5	<0.5	<0.5	<0.5	<3	_	
1178/1996			240.37	5.5	14:0	9119		231-18	350	<0.5	iii <0.5	 <0.5	€0.5	4		
3/21/1997			240.37	5.5	14.0	8.55		231.82	<50	< 0.5	< 0.5	<0.5	< 0.5	<3	 	
6/27/1997			24037	5.5	14.0	11.06		22931 231.05	91 <50	0.6 <0.5	<0.5 <0.5	<0.5	0.6 <0.5	66 <3	-	
8/5/1997 10/29/1997			240.37 240.37	5.5	14.0 14.0	9.32 9.35		23 02	 ≤50	<0.5	<0.5	<0.5	<0.5	G		
2/25/1998			240.37	5.5	14.0	7.08		233.29	<50	<0.5	<0.5	<0.5	<0.5			
5/12/1998			240,37	55	14.0	8.61		231,76	₹50		\$05	<0.5	<0.5	Ġ		
7/28/1998	-		240.37	5.5	14.0	9.63		230.74	<50	<0.5	<0.5	<0.5	<0.5	4		
10/27/1998			240.57	5.5	14,0	93		291.07	45 0	<0.5	₹0.5	≒0.5	<0.5	a		
2/8/1999			240.37	5.5	14.0	5.56	Hilimitoraanaman 	234.81	<50	<0.5	<0.5	< 0.5	<0.5	<3	-	 11111111111111111111111111111111111
6/1/1999		e e	24037	5,5	140											
8/25/1999		e Linear a	240.37	5.5	14.0 14.0		_ 									
10/29/1999		6	240 37	5.5	14.0											

				Top of	Bottom of		Product	Water Level		c	oncentrati	ons in (μg/	L)			
Well and			TOC	Screen	Screen	DTW	Thickness	Elevation	GRO/			Ethyl-	Total		DO	
Sample Date	P/NP	Comments	(feet msl)	(ft bgs)	(ft bgs)	(feet bgs)	(feet)	(feet msl)	TPHg	Benzene	Toluene	Benzene	Xylenes	MtBE	(mg/L)	pН
MW-8 Cont.						Part 4 19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		****								
2/16/2000			240.37	SS	140											
6/23/2000	NP		240.37	5.5	14.0	9.45		230.92	<50	<0.50	<0.50	<0.500	<0.50	<2.5	1.9	
8/17/2000	NP		240,37	- 55	14.0	64		235.97	<50	<0.50	<0.50	<0.50	<0.50	<2.5	2.56	
11/10/2000		f	240.37	5.5	14.0				<50	<0.50	<0.50	<0.50	<0.50	<2.5		
11/10/2000	NP		240.37	5.5	140	6.25		234.12	<50	<0.50	<0.50	<0.50	<0.50	<2.5	1.93	
2/12/2001	NP	1:224X78577X3048800020013+X42X1444808+	240.37	5.5	14.0	8.11		232.26	<50	<0.50	<0.50	<0.50	<0.50	<2.5	1.65	
4/13/2001	P		240,37	5.5	1410	5.19		235 [8	₹50	<0.50	<0.50	<0.50	<0.50	<2.5		
7/18/2001	NP	112444	240.37	5.5	14.0	5.55	-	234.82	<50	<0.50	< 0.50	<0.50	<0.50	<2.5		
10/1/2001	NP		240,37	55	140	6.41		233.96	450	<0.50	<0.50	<0.50	<0.50	<2.5		
1/14/2002	P		240.37	5.5	14.0	5.07	 1868:::::::::::::::::::::::::::::::::::	235.3	<50	<0.50	<0.50	< 0.50	<0.50	<5.0		
4/3/2002			240.37	5.5	140	8.6		251.77	450	<0.50	<0.50	<0.50	<0.50	<2.5		
8/8/2002 11/27/2002	P		240.37 240.37	5.5 5.5	14.0 1 4.0	9.58 9.15		230.79 231.22	<50 	<0.50 ∰≪0.50∰	<0.50	<0.50	<0.50	<2.5	1.7	7 3372112114#
2/10/2003	P		240.37	5.5	14.0	8.55		231.82	<50	<0.50 <0.50	≤0.50 <0.50	<0.50	<0.50 <0.50	<0.50 <0.50		67
6/3/2003			240.37	5.5	14.0	8.72		231.65		<0.50 ≤0.50	₹0.50 	<0.50	<0.50 80.50	<0.50 ≰0.50	1.3 9.1	6.6 6.3
8/14/2003			240.37	5.5	14.0	9.52		230.85		<0.50	<0.50	<0.50	<0.50	<0.50	5.5	6.4
11/13/2003			240.37	35	140	9,45		230.92								
02/13/2004	 		246.09	5.5	I 4.0	8.38	<u>-</u>	237.71				######################################	-		======================================	
05/05/2004			246.09	55	1470	930		236.79								
08/30/2004	P	Harrican de California Particio de cara	246.09	5.5	14.0	9.69		236.40	<50	<0.50	<0.50	<0.50	0.75	< 0.50	5.1	6.5
11/08/2004			246.09	5.5	140	8.34		237,75								
02/07/2005		gardin Valginia lafari, che en diri y di entre perio etterapi e spi y albentua	246.09	5.5	14.0	8.23		237.86								
05/09/2005			246.09	5.5	14.0	7.07		239.02		-	T	-				
08/11/2005		е	246.09	5.5	14.0		-	-		_					**	-
12/02/2005	4		246.09	5.5	14.0	8.15		237,94								
02/15/2006		e	246.09	5.5	14.0								-		4000 (100) (1000 (1000 (1000 (1000 (1000 (1000 (1000 (1000 (1000 (1000 (1000 (100) (1000 (1000 (1000 (100) (1000 (1000 (1000 (100) (1000 (1000 (100) (1000 (1000 (100) (1000 (1000 (1000 (100) (1000 (100) (1000 (100) (1000 (100) (1000 (100) (1000 (100) (1000 (100) (1000 (100) (1000 (100) (1000 (100) (1000 (100) (1000 (100) (1000) (1000 (100) (1000 (100) (100	_
5/19/2006			246.09	5.5	140	8.48		237,61								12:11:12:11:13:13:13:13:13:13:13:13:13:13:13:13:
8/25/2006	P omninistration		246.09	5.5	14.0	9.45	(111)/111/111/111/111/11/11/11/11/11/11/1	236.64	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.27	6.0
11/2/2006				5.5	14.0											
VW-1																
	1	I	l	! !		ı	ļ	· •	l	ı İ	i	1	ا	 		l .

				Top of	Bottom of		Product	Water Level		C	oncentrati	ons in (μg/	L)			
Well and			тос	Screen	Screen	DTW	Thickness	Elevation	GRO/			Ethyl-	Total		DO	
Sample Date	P/NP	Comments	(feet msl)	(ft bgs)	(ft bgs)	(feet bgs)	(feet)	(feet msl)	TPHg	Benzene	Toluene	Benzene	Xylenes	MtBE	(mg/L)	pH
VW-1 Cont.							:									
2/23/1996				6.0	140	529			21,000	490	57	520	1,500	240		
5/10/1996	**************************************	***************************************		6.0	14.0	6.8			3,700	61	<5	100	50	200		
8/9/1996				6.0	140	7.03			970	2.7	2.5	27	37	180		
11/8/1996		e		6.0	14.0		— (1404)334(115)334(4)44(4)			 :::::::::::::::::::::::::::::::::::	 			_ 		
3/21/1997				6.0	140	7.51			640	1 44	31		3			
5/27/1997			_	6.0	14.0	7.51 7.51			630				2	120		
8/5/1997				6.0	14.0 14.0	7.53			600	<0.5	<0.5	<0.5	1.6	84	######################################	
10/29/1997 2/25/1998				6.0	14.0	6.77			280		207	112	0.5	27		
5/12/1998				6.0	14.0	7.43			340	<0.5	0.5	2.3	0.8	29		
7/28/1998				60	140				240	₩ 60.5	105	40.5		54		
10/27/1998			—	6.0	14.0	7.52		 	230	<0.5	<0.5	<0.5	<0.5	65		
2/8/1999		التاعات		6.0	140	7.05			<50	40.5	<0.5	-0.5	≤0.5	<3/36		
6/1/1999	NP	I INTERNITATION PROPERTY OF THE PROPERTY OF TH		6.0	14.0	7.55			180	< 0.5	<0.5	< 0.5	<0.5	23	I moreovensu	6.36
8/25/1999	NP			6.0	140	7.66			130	€0.5	5.6	<0.5	<0.5	40 36	0.89 0.89	7.5 5.65
10/29/1999	NP			6.0	14.0	7.59	_		200 210	1 205	<0.5 0.9	0.6 2.2	1.6 1.9	30 11	1.41	ده.د
2/16/2000	NP			6.0	14.0 14.0	7,03 7,71			175	1.04	<0.500	<0.500	<0.500	14.4	1.9	
6/23/2000	NP NP			6.0 6.0	14.0	7.75			17.5	<0.500	<0.500	0.622	0.76	29.7	0.63	
8/17/2000 11/10/2000	NP			6.0	14.0	6.83	-		157	0.955	<0.500	0.973	<0.500	32.5	1.03	-
2/12/2001	NP			6.0	14.0	7.85			273	0.627	<0.500	< 0,500	0.507	9,19	0.47	
4/13/2001	P		—	6.0	14.0	5.11		-	213	<0.500	<0.500	<0.500	<0.500	6.38		
7/18/2001	P			6.0	140	5 39			270	<0.50	<0.50	<0.50	<0.50	20		
10/1/2001	NP	11 12 12 18 19 19 19 19 19 19 19 19 19 19 19 19 19		6.0	14.0	6.5			200	<0.50	<0.50	<0.50	0.81	14		
1/14/2002	Р			6.0	14.0	5.04			110	<0.50	<0.50	<0.50	<0.50	6.4		
4/3/2002	P			6.0	14.0	7.51			91	0.72	<0.50	<0.50	<0.50	12 33	0.6	6.3
8/8/2002	P			6.0	140	9.58			K 50	≪0.50 0.72	0.78	<0.50	<0.50	21	1	6.1
11/27/2002	P		 (s)	6.0	14.0	7.42 7.38			52 52	0.72 \$0.50	0.78 ≮0.50	<0.50 <0.50	<0.50		17.	6.5
2/10/2003	NP.			6.0	14.0 14.0	7.3	_		71	<0.50	<0.50	<0.50	<0.50	13	3.3	6.3
6/3/2003				6.0	14.0	7.59			 	<0.50	<0.50	<0.50	<0.50	18	0.3	61
8/14/2003				J. U.V.										ausumani	1388888888	and designation of the same

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6002, 6235 Seminary Ave., Oakland, CA

				Top of	Bottom of		Product	Water Level	Water Level Concentrations in (µg/L)							
Well and			тос	Screen	Screen	DTW	Thickness	Elevation	GRO/			Ethyl-	Total		DO	
Sample Date	P/NP	Comments	(feet msl)	(ft bgs)	(ft bgs)	(feet bgs)	(feet)	(feet msl)	TPHg	Benzene	Toluene	Benzene	Xylenes	MtBE	(mg/L)	pH
VW-1 Cont.																
11/13/2003	P.			6.0	140	7,43			450	<0.50	<0.50	<0.50	<0.50	13	0.6	61
02/13/2004	P		253.19	6.0	14.0	7.35	***************************************	245.84	59	<0.50	< 0.50	<0.50	0.56	8.0	1.0	6.0
05/05/2004	P		253.19	6.0	14.0	7.30		245.89	<50	0.71	<0.50	<0.50	0.60	111	0.1	64
08/30/2004	P		253.19	6.0	14.0	8.50		244.69	<50	<0.50 <0.50	<0.50	<0.50	<0.50 0.75	24 27 1	0.2 0.65	6.2
11/08/2004	P P		253,19 253,19	6.0	14.0 14.0	7,22 7,25		245.97 245.94	230 <50	<0.50	<0.50 <0.50	<0.50	<0.50	5.1	1.57	5.9
02/07/2005 05/09/2005	P P		253119	6.0	14.0	7.10		246.09	64	<0.50	<0.50	<0.50	-0.50 	69	3.5	
08/11/2005	P		253.19	6.0	14.0	7.89	 	245.30	<50	<0.50	<0.50	<0.50	<0.50	10	0.04	6.3
12/02/2005	P		253.19	6.0	140	7.32		245.87	130	≪0.50	≼0.50	₹0.50	057	9.0	1.85	6.6
02/15/2006	P		253.19	6.0	14.0	7.16		246.03	<50	<0.50	<0.50	<0.50	<0.50	2.8	0.9	6.2
5/19/2006	P		253 19	6.0	14.0	724	-	245.95	<50	0.71	<0.50	0.65	14	37	0,85	6.2
8/25/2006	P	***************************************	253.19	6.0	14.0	7.48		245.71	50	<0.50	<0.50	<0.50	< 0.50	8.3	0.49	6.2
11/2/2006	P		253.19	6.0	14.0	7.77		245,42	57	<0.50	<0.50	<0.50	<0.50	11	1.84	6.88
VW-2		ļ }														
2/23/1996		i		_		6.92	### ##################################						 			
8/8/2002						10.51										
VW-3						ļ										
8/8/2002				5.5	14.5	8.85			<50	<0.50	<0.50	<0.50	<0.50	2.5	0.7	6.1
11/27/2002				55	14.5	8.8										
2/10/2003		i Personantanantan		5.5	14.5	8.41			_ 	 						
6/3/2003				5.5	14.5 14.5	8.71 8.81										
8/14/2003 11/13/2003		i	<u>-</u>	5.5 5.5	14.5	8.75										
02/13/2004			252.26	5.5	14.5	8.48	<u>-</u>	243.78				######################################		-		-
05/05/2004			252126	5,5	145	8,85		243.41								
08/30/2004	 		252.26	5.5	14.5	9.07		243.19				a yaşəqəqəndə əşəşəində il				
17/08/2004			252 26	55	14.5	832		243.94								
02/07/2005		AND	252.26	5.5	14.5	8.28	-	243.98		-	-					-
05/09/2005			252,26	5.5	14.5	8.44		243.82							1	

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6002, 6235 Seminary Ave., Oakland, CA

				Top of Bottom of Product Water Level Concentrations in (µg/L)												
Well and			тос	Screen	Screen	DTW	Thickness	Elevation	GRO/			Ethyl-	Total		DO	
Sample Date	P/NP	Comments	(feet msl)	(ft bgs)	(ft bgs)	(feet bgs)	(feet)	(feet msl)	TPHg	Benzene	Toluene	Benzene	Xylenes	MtBE	(mg/L)	pH
VW-3 Cont.		C. C													***************************************	
08/11/2005			25226	5.5	14.5	8.96		243 30			141					
12/02/2005		A A A A A A A A A A A A A A A A A A A	252.26	5.5	14.5	8.26		244.00		-		_	_	_	_	_
02/15/2006			252.26	55	14.5	7.61		244,65								
5/19/2006	 		252.26 252.26	5.5	14.5	8.83 8.95	 Lengen and production	243.43 243.33								
8/25/2006 11/2/2006			252.26	5.5	14.5	9.08		243.18				-				
VW-4			252.20	5.0						<u> </u>				<u> </u>		
				i i i i i i i i i i i i i i i i i i i	14.5	8.58			13,000	2.500	41	420	660	43,000		
5/10/1996 8/9/1996				5.5	14.5	11.7			<50	<0.5	<0.5	<0.5	<0.5	6,200		
11/8/1996				5.5	14.5	9.38			7,800	510	7	180	370	21,000		
3/21/1997	 		 	5.5	14.5	9.11	—		10,000	290	10	270	230	8,900		
5/27/1997				55	14.5	9154										
8/5/1997				5.5	14.5	9.47	 Estreggistation estation		<10,000	180	<100	<100	110	12,000	_	-
10/29/1997				5.5	14.5 14.5	9.35 7.08			9,800 <50	200 2.5	69 <0.5	260 <0.5	360 0.7	4,900 <3		
2/25/1998 5/12/1998				5.5 5.5	14.5	7.06 			3,200	2.5 20	22	29	52	2,100		
7/28/1998				5.5	14.5	9.55		isinialiminidumini 	<10,000	<100	<100	<100	<100	5,100		-
10/27/1998				55	14.5	9,92			450	₹0,5	20.5	20.5	<0.5	a		
2/8/1999		C		5.5	14.5	7.5			<2,500	<25	<25	28	<25	,400/3,100		_
6/1/1999	NP			55	14.5	9.87			2,100	2.5		2.5	15	3,300		6.69
8/25/1999 10/29/1999	NP NP		 Intervisioni	5.5 5.5	14.5	9.78 9.93			1,300 1,400	4.4 ≷0.5	4.9 1.8	1.7	2.9	4,600 4,200	0.36 1.18	7.94 6.64
2/16/2000	NP NP			5.5	14.5	7.45			1,800	<0.5	2.9	15	10	3,400	1.01	
6/23/2000		i i i i i i i i i i i i i i i i i i i		55	14.5				1,260	≰2,00	≈ <2.00	<2.00	2.73	2,720		
6/23/2000	NP		 	5.5	14.5	9.74		—	1,360	<2.00	2.26	<2.00	2.25	4,900	1.5	-
8/17/2000	NP			5.5	145	9.95			2,230	<10.0	<10.0	<10.0	<10.0	5,310	1.13	
11/10/2000	NP	ca interestitatilijijanikaminostalanent		5.5	14.5	9.22	— 	— —	1,390	18.5	<5.00	<5.00	<5.00	8,840	1.25	-
2/12/2001	NP			5.5	145	8.99			1,400	9.42	2,00	17.8	16:1 <1.25	3.570	0.91	
4/13/2001 7/18/2001	NP NP			5.5 5.5	14.5 14.5	7.8 7.73			556 2100	3.82 92	<1,25 <2.6	<1.25	<1.25 2.0	2,450 3,700		
//18/2001														Humateratio		

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6002, 6235 Seminary Ave., Oakland, CA

			Top of Bottom of Product Water Level Concentrations in (µg/L)													
Well and			тос	Screen	Screen	DTW	Thickness	Elevation	GRO/			Ethyl-	Total		DO	
Sample Date	P/NP	Comments	(feet msl)	(ft bgs)	(ft bgs)	(feet bgs)	(feet)	(feet msl)	TPHg	Benzene	Toluene	Вепzепе	Xylenes	MtBE	(mg/L)	pН
VW-4 Cont.																
7/18/2001		ſ		55	145				2,000	8.7	2.2	\$2.0	32 0	3,400		
10/1/2001	NP			5.5	14.5	6.69			2,000	<10	<10	<10	13	5,900		
10/1/2001		i i i		5.5	14.5				1,800	<10	\$10	<10	<10	5,800		
1/14/2002	P	POOP TO THE PERSON NAMED OF THE PARTY.		5.5	14.5	5.93	-		580	<2.0	<2.0	<2.0	<2.0	2,700		-
4/3/2002	NP			5.5	14.5	9.6			1,400	5.2	16	₩ ₹5.0 ∰	9.6	-2,200		
8/8/2002		i		5.5	14.5	10.01			_				-		_	-
11/27/2002	P			55	145	103			<10,000	<100	<100	<100	<100	3,800	1.7	67
2/10/2003	NP	1764.(\$551434 posterded # ### 1177 # 1177 # 1177		5.5	14.5	10.06	_		<5,000	<50	<50	<50	<50	2,500	1	6.8
6/3/2003				55	14.5	10.04			<1,000	310	<10	₹10	<10-	440	1.9	6.6
8/14/2003		174 E81 1921 213454 74 Ban-Calategram, 200		5.5	14.5	9,66	_		<500	<5.0	<5.0	<5.0	<5.0	170	0.8	6.7
11/13/2003	P			5.5	145	10.01			<500	<5.0	<5.0	<5.0	<5.0	130	17	64
02/13/2004	P		252.69	5.5	14.5	9.34		243.35	330	<2.5	<2.5	<2.5	3.0	210	2.0	6.6
05/05/2004	P		252.69	5.5	14.5	10.07		242.62	130	<1.0	*110	41.0	\$1.0	66	12	6.8
08/30/2004	P		252.69	5 <i>.</i> 5	14.5	10.32		242.37	<500	<5.0	<5.0	<5.0	<5.0	220	1.1	6.6
11/08/2004	P		252,69	55	14.5	9.35		243 34	480	<2.5	<2.5	<2.5	€2.5	140		5.0
02/07/2005	P		252.69	5.5	14.5	9.22		243.47	180	<0.50	<0.50	<0.50	<0.50	47	1.83	6.5
05/09/2005	P		252.69	55	14.5	9.78		242.91	120	0.63	<0.50	∥<0.50 ∥	# < 0.50	37.		
08/11/2005	P		252.69	5.5	14.5	10.11	-	242.58	74	<0.50	<0.50	<0.50	<0.50	15	0.7	6.7
12/02/2005	P		252.69	5.5	14.5	9.59		243.10	160	≰d,0	£1.0	<1.0	S1,0	28	0.75	6.9
02/15/2006	P		252.69	5.5	14.5	8.56	_	244.13	64	<0.50	<0.50	<0.50	<0.50	11	0.9	6.9
5/19/2006	P. III		252 69	55	14.5	9.95		242.74	150	<0.50	≮0.50	<0.50	12	16	0.76	6.7
8/25/2006	P		252.69	5.5	14.5	10.03	-	242.66	140	<0.50	<0.50	<0.50	<0.50	17	1.14	6.7
11/2/2006	P		252.69	55	14.5	10.13		242.56	120	<0.50	<0.50	<0.50	<0.50	20	1.76	6.49

SYMBOLS AND ABBREVIATIONS:

- = Not analyzed/applicable/measured/available
- < = Not detected at or above laboratory reporting limit

BTEX = Benzene, toluene, ethylbenzene and xylenes

DO = Dissolved oxygen

DTW = Depth to water in ft bgs

ft bgs = feet below ground surface

ft MSL = feet above mean sea level

GRO = Gasoline range organics

GWE = Groundwater elevation measured in ft MSL

mg/L = Milligrams per liter

MTBE = Methyl tert butyl ether

NP = Well not purged prior to sampling

P = Well purged prior to sampling

TOC = Top of casing measured in ft MSL

TPH-g = Total petroleum hydrocarbons as gasoline

μg/L = Micrograms per liter

FOOTNOTES:

- a = SPH detected and GWE corrected: Corrected elevation (Z') = Z + (h * 0.73) where: Z: measured elevation, h: floating product thickness, 0.73: density ratio of oil to water.
- b = MTBE analyzed by EPA method 8240.
- c = MTBE, sample also analyzed for fuel oxygenates.
- d = Well was decommissioned on 2/12/1996.
- e = Well inaccessible.
- f = Duplicate
- g = Well was dry.
- h = Insufficient water to sample.
- i = Well is not part of the sampling program and therefore was not sampled.
- j = Sheen in well.

NOTES:

Wells surveyed to NAVD'88 datum on 1/27/2004.

Beginning on the first quarter 2003 sampling event (2/10/2003), TPH-g, BTEX and MTBE analyzed by EPA method 8260. Prior to 2/10/2003, BTEX by EPA method 8021B from 10/29/99 to 2/10/03, and 8020 prior to 10/29/99.

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported.

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12.

Values for DO and pH were obtained through field measurements.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 2. Summary of Fuel Additives Analytical Data Station #6002, 6235 Seminary Ave., Oakland, CA

Well and			·	Concentration	ns in (μg/L)				
Sample Date	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	Comments
MW-3									
2/10/2003	≓40	20	<0.50	650	<0.50	20,50			
08/30/2004	<100	<20	0.72	<0.50	<0.50	<0.50	<0.50	<0.50	3873771 (APPENDING AND
08/11/2005	<100	<20	0.73	<0.50	<0.50	<0.50	<0.50	<0.50	
8/25/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-4			· ·						
2/10/2003	<40	<20	<0.50 ≡	<0.50	<0.50	₹0.50			
6/3/2003	<100	<20	<0.50	<0.50	<0.50	<0.50			
8/14/2003	≥100	\$20	<0.50	<0.50	<0.50	<050	\$0.50	\$0,50	
08/30/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
08/11/2005	<100	₹2 0	<0.50 <0.50	<0.50 <0.50	<0,50 <0.50	<0.50 <0.50	<0.50 <0.50	<0.50	
8/25/2006	<300	<20	~0.30	V0.30	\U.50	٥٠.٥٠	V0.50	10.50	
MW-5		******							
2/10/2003	<200	<100	100	<0.50	<0.50	<0,50			
6/3/2003	<1,000	<200 <200	160 90	<5.0	<5.0	<5.0	 Esta House diction		
11/13/2003 02/13/2004	<1,000 <200	41	90	<1.0	<1.0	<1.0	<1.0	<1.0	
05/05/2004	≤500 	*100	130	2 25	~2.5	2i5	2.5	2.5	
08/30/2004	<500	100	85	<2.5	<2.5	<2.5	<2.5	<2.5	<u>amakalenganungan pasa demandapananan demandapan delakan delakan delakan delakan dalah mandan delakan delakan d</u>
11/08/2004	<200ii	43	69	<1.0	 <1 0	\$10	€1 ,0	\$1.0	
02/07/2005	<200	<40	15	<1.0	<1.0	<1.0	<1.0	<1.0	
05/09/2005	₹200	~40	19	<1.0	<10	<1.0	\$1.0	<1.0	4
08/11/2005	<500	<100	51 	<2.5	<2.5	<2.5	<2.5	<2.5	
12/02/2005	<500	<100	13	<2.5	<2.5 <0.50	<2.5 <0.50	<2.5 <0.50	<2.5 <0.50	
02/15/2006 5/19/2006	<300 <300	<20 25	<0.50 15	<0.50 	<0.50 <0.50	<0.50 	<0.50 <0.50	<0.50	l
8/25/2006	<1,500	<100	17	<2.5	42.5	<2.5	<2.5	<2.5	Erandigiakan erasionen armian oleh birtum tahun kalikan leben birtum birtum birtum birtum birtum birtum birtum T
1 1/2/2006	<600	70	18	<1.0	≤1.0	₹1.0	<1.0	41.0	e
<u> </u>	· Languisting in the Automatic	44-21/2[15](12/2011)2[15]	**************************************	TERRETERISTICAL SEISTMENT	4-manumung-ng	13::::::::::::::::::::::::::::::::::::	***************************************		
2/10/2003	<40	<20	<0,50	<0.50	<0.50	<0.50			
2/10/2003 08/30/2004	<40 <100	_20 	<0.50 <0.50	-0.50 	K0.50	<0.50	<0.50	4050	

Table 2. Summary of Fuel Additives Analytical Data Station #6002, 6235 Seminary Ave., Oakland, CA

Well and				Concentration	ns in (μg/L)				
Sample Date	Ethanol	TBA	MTBE	DIPE	ЕТВЕ	TAME	1,2-DCA	EDB	Comments
MW-6 Cont.									
08/11/2005	≥ 100	\$20	<0.50	<0.50	₹0.50	<0.50	<0.50	<050	
8/25/2006	<300	<20	< 0.50	<0.50	<0.50	<0.50	< 0.50	<0.50	paramatangan ang ang ang ang ang ang ang ang an
MW-7									
2/10/2003	<40	<20	≤0.50	<0.50	<0.50	₹050			
6/3/2003	<100	<20	<0.50	<0.50	<0.50	<0.50			
8/14/2003	<100	<20	<0.50	<0.50	<0.50	<050	<0.50	<0.50	
08/11/2005	<100	<20	< 0.50	<0.50	< 0.50	<0.50	<0.50	<0.50	
8/25/2006	<500	₹2 0	<0.50	<050	<0.50	<0.50	≥0.50	<0.50	
MW-8									
2/10/2003	<40	<20	<0.50	<0.50	<0.50	<0.50			THE PROPERTY OF THE PROPERTY O
6/3/2003	<100	<20	<0.50	<0.50	<0.50	<050			
8/14/2003	<100	<20	<0.50	<0.50	<0.50	< 0.50	<0.50	<0.50	
08/30/2004 02/15/2006	≤100	<20 -	<0.50	<0.50	<0.50 	<0.50	<0.50 	<0.50	Well inaccessible
8/25/2006	 	 	 	- - - - - - - - - - - - - - - - - - -	 	- -<0.50		 	
VW-1				(1) Allegan minally		THE HELD OF THE PERSON NAMED AND THE	standaminint	Shiritara	iminarajaneaniseminasanininasanijaniselleiteleiteleiteleiteneaa mananasaniseminiseminiseminiseminiseminiseminis
				*0.50	40.50	-0.50			
2/10/2003 6/3/2003	<40 ≪100	<20 <20	11 13	<0.50 60.50	<0.50 <0.50	<0.50 <0.50			
8/14/2003	<100	<20	18	<0.50	<0.50	<0.50	<0.50	<0.50	
11/13/2003	 -	\$20	13	<0.50	≈ 0.50	\$0.50			
02/13/2004	<100	<20	8.0	<0.50	<0.50	<0.50	<0.50	<0.50	eringanjan main isakon kalalusti ili kalalai aliahan hita kara tankan su passa karan main maga kulan k
05/05/2004	# ≤ 100	ii ≤2ŏ	11	<0.50	≮0,50	<0.50 la	<0.50	₹0.50	
08/30/2004	<100	<20	24	<0.50	<0.50	<0.50	<0.50	<0.50	
11/08/2004	<100.	≥20	27	<0.50	<0.50	≤0.50	<0.50	<0.50	
02/07/2005	<100	<20	5.1	<0.50	< 0.50	< 0.50	<0.50	<0.50	
05/09/2005	<100	₹20	6.9	S0.50	<0.50	≤0.50	<0.50	<0,50	
08/11/2005	<100	<20 ≼20	10 9.0	<0.50 <0.50	<0.50	<0.50	<0.50 <0.50	<0.50 <0.50	
12/02/2005	<100 <200	≼20 <20	9.0 2.8	<0.50 <0.50	<0.50 <0.50	<0.50 <0.50	<0.50 <0.50	<0.50	
02/15/2006 5/19/2006	<300	<20 <20	2.6 3.7	<0.50 €0.50	<0.50 <0.50	<0.50 20.50	<0.50	20.50	i ajc
11 12 12 12 12 12 12 12 12 12 12 12 12 1									

Table 2. Summary of Fuel Additives Analytical Data Station #6002, 6235 Seminary Ave., Oakland, CA

				2,000			.,,	,	
Well and	,			Concentration	ns in (μg/L)				
Sample Date	Ethanol	ТВА	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	Comments
VW-1 Cont.									
8/25/2006	≤300	\$ 20	8,3	<0.50	2030	2050	<0.50	<0.50	
11/2/2006	<300	<20	11	<0.50	<0.50	<0.50	<0.50	<0.50	Ω
VW-3									
VW-4	:					******			
2/10/2003	<4,000	₹2,000	2500	<0.50	≥0.50	₹0.50			
6/3/2003	<2,000	4,100	440	<10	<10	<10		_	
8/14/2003	<1,000	3 200	170	\$5.0	r 5.0	<50	<50	<5.0	
11/13/2003	<1,000	3,300	130	<5.0	<5.0	<5.0	-	_	
02/13/2004	\$500	1200	210	2 5	25	<25	25	25	
05/05/2004	<200	1,500	66	<1.0	1.3	<1.0	<1.0	<1.0	
08/30/2004	< ,000	5,400	220	₹5.0	54	<50	₹5.0	<5.0	
11/08/2004	<500	2,700	140	<2.5	<2.5	<2.5	<2.5	<2.5	
02/07/2005	<100	1,000	47	<0.50	0.89	<0.50	<0.50	<0.50	
05/09/2005	<100	1,200	37	<0.50	0.92	<0.50	<0.50	<0.50	
08/11/2005	<100	2:000	15	<0.50	1.8	<0.50	<0.50	<0.50	
12/02/2005	<200	2,400	28	<1.0	2.2	<1.0	<1.0	<1.0	
02/15/2006	<300	230		<0.50	<0.50	< 0.50	<0.50	4 0.50	
5/19/2006	<300	580	16	<0.50	<0.50	<0.50	<0.50	<0.50	a
8/25/2006	<300	1,900	17	<0.50	19	<0.50	<0.50	<0.50	
11/2/2006	<300	2,400	20	<0.50	2.3	<0.50	<0.50	<0.50	n

SYMBOLS AND ABBREVIATIONS:

- -- = Not analyzed/applicable/measured/available
- < = Not detected at or above the laboratory reporting limit

1,2-DCA = 1,2-Dichloroethane

DIPE = Di-isopropyl ether

EDB = 1,2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

μg/L = Micrograms per Liter

FOOTNOTES:

- a = Calibration verification for ethanol was within the method limits but outside the contract limits.
- b = The initial analysis for TBA was within holding time but required dilution.

NOTES:

All volatile organic compounds analyzed using EPA Method 8260B.

The data within this table collected prior to August 2002 was provided to URS by RM and their previous consultants. URS has not verified the accuracy of this information.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 3. Historical Ground-Water Flow Direction and Gradient Station #6002, 6235 Seminary Ave., Oakland, CA

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
3/15/1995	West-Southwest	80.0
5/30/1995 9/1/1995	West-Southwest West-Southwest	0.09
2/23/1995 2/23/1996	West-Southwest West-Southwest	0.08 0.08
5/10/1996 8/9/1996	West-Southwest Southwest	0.08
10/8/1996 3/21/1997	Southwest West-Southwest	0.05
\$/27/1997 8/5/1997	West-Sputhwest West	0.08
10/29/1997 2/25/1998	West-Southwest West-Southwest	0.05
5/12/1998: 7/28/1998	West West	0.07
2/8/1998 2/8/1999	West-Southwest West-Southwest	0.06
6/1/1999 8/25/1999	West-Northwest West-Southwest	0.07
2/16/2000	West Southwest	0.05
8/17/2000	West:	0.09
11/10/2000 2/12/2001	West-Southwest West-Southwest	0.07
7/18/2001 7/18/2001	West	0.08
10/1/2001 1/14/2002	West-Southwest West-Southwest	0.07
8/8/2002 8/8/2002	West-Southwest West-Southwest	0;08 0.09
11/27/2002 2/10/2003	West-Southwest Southwest	0.06
6/3/2003 8/14/2003	West-Southwest	0.07
2/13/2003 2/13/2004	West-Southwest Southwest	0.05
5/4/2004 8/30/2004	Southwest Southwest	0.07
2/7/2005	Southwest Southwest	0.1
5/9/2005	Southwest	0.07

Table 3. Historical Ground-Water Flow Direction and Gradient Station #6002, 6235 Seminary Ave., Oakland, CA

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
8/11/2005	West	0,07
12/2/2005	Southwest	0.10
2/15/2006	Southwest	0.07
4/28/2006	West	0.07
8/25/2006	West West West	0.07
11/2/2006	West	0.09

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

APPENDIX A

STRATUS GROUND-WATER SAMPLING DATA PACKAGE (INCLUDES FIELD DATA SHEET AND LABORATORY ANALYTICAL REPORT WITH CHAIN-OF-CUSTORDY DOCUMENTATION)



NOV 3 0 2006

3330 Cameron Park Drive, \$te 550 Cameron Park, California 95682 (530) 676-6004 ~ Fax: (530) 676-6005

November 21, 2006

Mr. Rob Miller Broadbent & Associates 2000 Kirman Ave. Reno, NV 89502

Re:

Groundwater Sampling Data Package, BP Service Station No. 6002, located at 6235 Seminary Avenue, Oakland, California (Quarterly Monitoring performed on

November 2, 2006)

General Information

Data Submittal Prepared / Reviewed by: Sandy Hayes / Jay Johnson

Phone Number: (530) 676-6000

On-Site Supplier Representative: Jerry Gonzales

Date: November 2, 2006

Arrival: 09:45 Departure: 12:00

Weather Conditions: Cloudy Unusual Field Conditions: None

Scope of Work Performed: Quarterly monitoring and sampling

Variations from Work Scope: None

This submittal presents the tabulation of data collected in association with routine groundwater monitoring. The attachments include field data sheets, chain of custody documentation, and analytical results. The information is being provided to BP-ARCO's Scoping Supplier for use in preparing a report for regulatory submittal. This submittal is limited to presentation of collected data and does not include data interpretation or conclusions or recommendations. Any questions concerning this submittal should be addressed to the Preparer/Reviewer identified above.

Sincerely, STRATUS ENVIRONMENTAL, INC. No. 5867 Project Manager

Attachments:

- Field Data Sheets
- Chain of Custody Documentation
- Analytical Results

CC: Mr. Paul Supple, BP/ARCO

BP ALAMEDA PORTFOLIO

HYDROLOGIC DATA SHEET

Gauge Date: Project Name: Oakland - 6235 Seminary Ave.

Field Technician: Project Number: 6002

TOC = Top of Well Casing Elevation
DTP = Depth to Free Product (FP or NAPH) Below TOC
DTW = Depth to Groundwater Below TOC
DTB = Depth to Bottom of Well Casing Below TOC

DIA = Well Casing Diameter ELEV = Groundwater Elevation DUP = Duplicate

WELL OR LOCATION	TIME			MEASU	REMENT	PURGE & SAMPLE	SHEEN CONFIRMATION	COMMENTS		
		тос	DTP	DTW	DTB	DIA	ELEV		(w/bailer)	
MW.3	9:19			2.65	24.30					
MW4	8:51				24.05					
MU-5	9:25			12.90	27.90					
Nue-6	8:48			7.15	32.90					
MW-3 MW-5 MW-6 MW-9 MW-8	8:40			12.75	15.19					
MW 8										Mil horic
VWZ	9:75			7.77	13.08					CONCROUTS BELL ON CAP
MW-3	9.00				14.70					
114-3 12-4	9:06			10.13		,				
									7	
,										
· · · · · · · · · · · · · · · · · · ·										
									14	
				· · · · · · · · · · · · · · · · · · ·						16 10
								-12 -7		
	1									
				1	<u> </u>					

BP ALAMEDA PORTFOLIO WATER SAMPLE FIELD DATA SHEET WELL I.D.: VW-/ PURGED BY: ______ PROJECT #: 6002 SAMPLED BY: SAMPLE I.D.: CLIENT NAME: Oakland - 6235 Seminary Ave. QA SAMPLES: LOCATION: 9:48 1.2-06 END (2400hr) 95/ DATE PURGED START (2400hr) DATE SAMPLED SAMPLE TIME (2400hr) SAMPLE TYPE: Surface Water Treatment Effluent Other Groundwater Other CASING DIAMETER: (0.17)(0.38) (1.02)(1.50)(2.60)Casing Volume: (gallons per foot) CASING VOLUME (gal) = DEPTH TO BOTTOM (feet) = CALCULATED PURGE (gal) = DEPTH TO WATER (feet) = WATER COLUMN HEIGHT (feet) = ACTUAL PURGE (gal) = FIELD MEASUREMENTS COLOR TURBIDITY DATE TIME VOLUME TEMP. CONDUCTIVITY pН (2400hr) (units) (degrees F) (umhos/cm) (visual) (NTU) (gal) 2001 21.9 doca 1.0 SAMPLE INFORMATION SAMPLE TURBIDITY: clean SAMPLE DEPTH TO WATER: ANALYSES: 200 Gem 80% RECHARGE: YES ✓ NO ODOR: 150 SAMPLE VESSEL / PRESERVATIVE: HCL 100 PURGING EQUIPMENT SAMPLING EQUIPMENT Bladder Pump Bailer (Teflon) Bailer (Teflon) Bladder Pump Bailer (PVC or X disposable) Bailer (PVC) Centrifugal Pump Centrifugal Pump Bailer (Stainless Steel) Bailer (Stainless Steel) Submersible Pump Submersible Pump Dedicated Peristalic Pump Dedicated Peristalic Pump Other: Other: Pump Depth: 17 11 Just 6 7 2 WELL INTEGRITY: 5000 LOCK#: REMARKS: bucake out concrete SIGNATURE:

BP ALAMEDA PORTFOLIO WATER SAMPLE FIELD DATA SHEET WELL I.D.: 1/W-4 PROJECT#: 6002 PURGED BY: SAMPLED BY: SAMPLE I.D.: U Go GO CLIENT NAME: LOCATION: Oakland - 6235 Seminary Ave. QA SAMPLES: START (2400hr) 9:33 DATE PURGED 11.7.05 END (2400hr) 434 SAMPLE TIME (2400hr) ___/ 0 : 80 DATE SAMPLED 11-7-6 Surface Water Treatment Effluent Other SAMPLE TYPE: Groundwater x CASING DIAMETER: Other (0.17)(0.67) Casing Volume: (gallons per foot) (0.38)(1.02)(2.60)DEPTH TO BOTTOM (feet) = CASING VOLUME (gal) = DEPTH TO WATER (feet) = CALCULATED PURGE (gal) == WATER COLUMN HEIGHT (feet) = ACTUAL PURGE (gal) = FIELD MEASUREMENTS VOLUME TEMP. CONDUCTIVITY COLOR 3. TURBIDITY DATE TIME (degrees F) (2400hr) (gal) (umhos/cm) (units) (visual) (NTU) 9-6 SAMPLE INFORMATION SAMPLE DEPTH TO WATER: 11.87 SAMPLE TURBIDITY: Clan 80% RECHARGE: YES ANALYSES: 200 G-en SAMPLE VESSEL/PRESERVATIVE: VOR - HCL ODOR: Wes SAMPLING EQUIPMENT PURGING EQUIPMENT Bladder Pump Bailer (Teflon) Bladder Pump Bailer (Teflon) Bailer (____PVC or 🗴 disposable) Centrifugal Pump Bailer (PVC) Centrifugal Pump Bailer (Stainless Steel) Submersible Pump Bailer (Stainless Steel) Submersible Pump Peristalic Pump Dedicated Peristalic Pump Dedicated Other: Other: Pump Depth: LOCK#: 1/1/1/2/2/2 WELL INTEGRITY: REMARKS: SIGNATURE:

BP ALAMEDA PORTFOLIO WATER SAMPLE FIELD DATA SHEET WELL I.D.: MM PURGED BY: 6002 PROJECT #: SAMPLE I.D.: 4 SAMPLED BY: CLIENT NAME: Oakland - 6235 Seminary Ave. OA SAMPLES: LOCATION: DATE PURGED //. 2.06 START (2400hr) /0://~ END (2400hr) DATE SAMPLED SAMPLE TIME (2400hr) Surface Water Treatment Effluent SAMPLE TYPE: Groundwater Other CASING DIAMETER: (2.60) (0.38) (0.17) Casing Volume: (gallons per foot) 74.90 CASING VOLUME (gal) = DEPTH TO BOTTOM (feet) = 7.*9*0 CALCULATED PURGE (gal) = DEPTH TO WATER (feet) = ACTUAL PURGE (gal) = WATER COLUMN HEIGHT (feet) = FIELD MEASUREMENTS TURBIDITY COLOR VOLUME TEMP. CONDUCTIVITY рH DATE TIME (gal) (µmhos/cm) (visual) (NTU) (units) (2400hr) (degrees F) 607 clouder 10.14 0.0 21.1 SAMPLE INFORMATION SAMPLE TURBIDITY: Clean SAMPLE DEPTH TO WATER: 12,98 ANALYSES: see Gem 80% RECHARGE: YES SAMPLE VESSEL / PRESERVATIVE: MOG PURGING EQUIPMENT SAMPLING EQUIPMENT Bladder Pump Bailer (Teflon) Bladder Pump Bailer (Teflon) Bailer (____PVC or 🐰 disposable) Centrifugal Pump Centrifugal Pump Bailer (PVC) Bailer (Stainless Steel) Bailer (Stainless Steel) Submersible Pump Submersible Pump Dedicated Dedicated Peristalic Pump Peristalic Pump Other: Other: 7 7.00 Pump Depth: LOCK#: MENTES / 18m WELL INTEGRITY: REMARKS:

Page_1	of _	1
--------	------	---



Chain of Custody Record

Project Name: Arco 6002
BP BU/AR Region/Enfos Segment: BP > Americas > West > Retail > CA > Alameda>

>6002

State or Lead Regulatory Agency:

Requested Due Date (mm/dd/yy):

On-site Time: 945	Temp: Cool.
Off-site Time: /2-00	Temp: cool
Sky Conditions: Clan	
Meteorological Events:	
Wind Speed:	Direction: 1/A

Lab Name: TestAmerica	BP/AR Facility No.: 6002	Consultant/Contractor: Stratus Environmental, Inc.						
Address: 885 Jarvis Drive	BP/AR Facility Address: 6235 Seminary Ave., Oakland	Address: 3330 Cameron Park Drive, Suite 550						
Morgan Hill, CA 95937	Site Lat/Long:	Cameron Park, CA 95682						
Lab PM: Lisa Race	California Global ID #: T0600100105	Consultant/Contractor Project No.:						
Tele/Fax: 408-782-8156 408-782-6308 (fax)	Enfos Project No.:	Consultant/Contractor PM: Jay Johnson						
BP/AR PM Contact: Paul Supple	Provision or RCOP (circle one) Provision	Tele/Fax: (530) 676-6000 / (530) 676-6005						
Address: 2010 Crow Canyon Place, Suite 150	Phase/WBS: 04-Monitoring	Report Type & QC Level: Level 1 with EDF						
San Ramon, CA	Sub Phase/Task: 03-Analytical	B-mail EDD To: cjewitt@stratusinc.net						
Tele/Fax: 925-275-3506	Cost Element: 01-Contractor labor	Invoice to: Atlantic Richfield Co.						
Lab Bottle Order No: Matrix		tested Analysis						
No. Samble Describtion Time Soil/Solid Water/Liquid	No. of Containers Unpreserved H-SO4 HCI BIEX/Oxy*/TPHg BIEX/Oxy*/TPHg	Sample Point Lat/Long and Comments: Oxygenates include MtBE, TAME, DIPE, EtBE, TBA, ethanol, 1,2-DCA & EDB						
MW-5 /035 /1-2-66 X	3 x x x	x x x						
VW-1 //30 X								
VW-4 /0 YO X		x x x						
TB-6002 11-200 600 1 X		X X X						
		+ + + Rold						
		2000						
		 						
Sampler's Name: Jerry Garrae	Relinquished By / Affiliation Date Time							
Sampler's Company: Onulos	2// 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Accepted By / Affiliation Date Time						
Shipment Date:	Julio 1030	1/3/64 1238						
Shipment Method:								
Shipment Tracking No:								
Special Instructions: Please cc results to bovalley	/@secor.com							
Custody Seals In Place Yes No Temp Blank	Yes No Cooler Temporature on Remint Onco							
Distribution: White Copy - Laboratory / Yellow Copy - RP/	X Yes No Cooler Temperature on Receipt OF/C	Trip Blank Yes No						
Distribution: White Copy - Laboratory / Yellow Copy - BP/Atlantic Richfield Co. / Pink Copy - Consultant/Contractor BP COC Rev. 4 10/1/04								



17 November, 2006

Jay Johnson Stratus Environmental Inc. [Arco] 3330 Cameron Park Dr., Suite 550 Cameron Park, CA 95682

RE: ARCO #6002, Oakland, CA

Work Order: MPK0165

Enclosed are the results of analyses for samples received by the laboratory on 11/04/06 15:30. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Lisa Race

Senior Project Manager

CA ELAP Certificate # 1210

The results in this laboratory report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the BPGCLN Technical Specifications, applicable Federal, State, local regulations and certification requirements as well as the methodologies as described in laboratory SOPs reviewed by the BPGCLN. This entire report was reviewed and approved for release.





Stratus Environmental Inc. [Arco]	Project: ARCO #6002, Oakland, CA	MPK0165
3330 Cameron Park Dr., Suite 550	Project Number: G0C8K-	Reported:
Cameron Park CA, 95682	Project Manager: Jay Johnson	11/17/06 16:50

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-5	MPK0165-01	Water	11/02/06 10:35	11/04/06 15:30
VW-1	MPK0165-02	Water	11/02/06 11:30	11/04/06 15:30
VW-4	MPK0165-03	Water	11/02/06 10:40	11/04/06 15:30
TB-600211-2-06	MPK0165-04	Water	11/02/06 06:00	11/04/06 15:30

The carbon range for the TPH-GRO has been changed from C6-C10 to C4-C12. The carbon range for TPH-DRO has been changed from C10-C28 to C10-C36. EPA 8015B has been modified to better meet the requirements of California regulatory agencies. These samples were received with no custody seals.





Project: ARCO #6002, Oakland, CA

Project Number: G0C8K-Project Manager: Jay Johnson MPK0165 Reported: 11/17/06 16:50

Total Purgeable Hydrocarbons by GC/MS (CA LUFT)

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-5 (MPK0165-01) Water	Sampled: 11/02/06 10:35	Received:	11/04/06	15:30					
Gasoline Range Organics (C4-	C12) 5700	100	ug/l	2	6K10006	11/10/06	11/10/06	LUFT GCMS	
Surrogate: 1,2-Dichloroethane-a	14	107 %	60-	145	11	n	rt	н	17.00
VW-1 (MPK0165-02) Water	Sampled: 11/02/06 11:30	Received:	11/04/06	15:30					
Gasoline Range Organics (C4-0	C12) 57	50	ug/i	1	6K10006	11/10/06	11/10/06	LUFT GCMS	
Surrogate: 1,2-Dichloroethane-a	14	105 %	60-	145	"	"	n	rr	
VW-4 (MPK0165-03) Water	Sampled: 11/02/06 10:40	Received:	11/04/06	15:30					
Gasoline Range Organics (C4-0	C12) 120	50	ug/l	1	6K10006	11/10/06	11/10/06	LUFT GCMS	
Surrogate: 1,2-Dichloroethane-d	14	107 %	60-	145	71	11	**	"	





Project: ARCO #6002, Oakland, CA

Project Number: G0C8K-Project Manager: Jay Johnson MPK0165 Reported: 11/17/06 16:50

Volatile Organic Compounds by EPA Method 8260B

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Note
MW-5 (MPK0165-01) Water	Sampled: 11/02/06 10:35	Received:	11/04/06	15:30					
tert-Amyl methyl ether	ND	1.0	ug/l	2	6K10006	11/10/06	11/10/06	EPA 8260B	
Benzene	ND	1.0	11	n	16	10	U	II .	
tert-Butyl alcohol	70	40	11	#	J+	11	D	II .	
Di-isopropyl ether	ND	1.0	41	et .	И	ti	ti	II	
1,2-Dibromoethane (EDB)	ND	1.0	. н	0	И	ti	н	ii	
1,2-Dichloroethane	ND	1.0	н	n	11	Ħ	H	II	
Ethanol	ND	600	U	n	*1	н	11	#1	IC
Ethyl tert-butyl ether	ND	1.0	"	U	*1	U	#	11	
Ethylbenzene	4.3	1.0	U	0	tt	O O	H	11	
Methyl tert-butyl ether	18	1.0	0	0	a	0	Ħ	μ	
Toluene	1.5	1.0	l)	0	U	D	Ħ	11	
Xylenes (total)	1.7	1.0	17	I†	()	l)	н	11	
Surrogate: Dibromofluoromethan	те	99 %	75-1.	30	n	"	41	u	
Surrogate: 1,2-Dichloroethane-d-	4	107 %	60-1-	45	n	Tf.	n	n	
Surrogate: Toluene-d8		102 %	70-1.	30	"	n	"	u	
Surrogate: 4-Bromofluorobenzen	e	114%	60-1.	20	"	rr	"	u	
VW-1 (MPK0165-02) Water S	Sampled: 11/02/06 11:30	Received:	11/04/06 1	5:30					
tert-Amyl methyl ether	ND	0.50	ug/l	ī	6K10006	11/10/06	11/10/06	EPA 8260B	•
Benzene	ND	0.50	0	n n	π	11	n	и	
tert-Butyl alcohol	ND	20	11	0		19	II .	li .	
Di-isopropyl ether	ND	0.50	It	19	Ü	If	U	п	
1,2-Dibromoethane (EDB)	ND	0.50	H	В	0	lf	п	11	
1,2-Dichloroethane	ND	0.50	It	15	н	If	U	п	
Ethanol	ND	300	If	16	н	Ir	ij	11	10
Ethyl tert-butyl ether	ND	0.50	ji	11	ti	Д	n	H	
Ethylbenzene	ND	0.50	н	P	U	11	ij	II .	
Methyl tert-butyl ether	11	0.50	п	H	10	11	ij	II	
Toluene	ND	0.50	п	Je .	16	11	n	И	
Xylenes (total)	ND	0.50	Ħ	It .	10		11	II .	
Surrogate: Dibromofluoromethan	e	99 %	75-1.	30	n	11	u	n n	
Surrogate: 1,2-Dichloroethane-de	1	105 %	60-1-	45	н	"	tt	u	
Surrogate: Toluene-d8		98 %	70-1.	30	"	**	"	n	
Surrogate: 4-Bromofluorobenzen	e	102 %	60-1.	20	n	r r	n	n	
G									





Project: ARCO #6002, Oakland, CA

Project Number: G0C8K-

Project Manager: Jay Johnson

MPK0165 Reported: 11/17/06 16:50

Volatile Organic Compounds by EPA Method 8260B

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Note
VW-4 (MPK0165-03) Water	Sampled: 11/02/06 10:40	Received:	11/04/06	15:30					
tert-Amyl methyl ether	ND	0.50	ug/l	ı	6K10006	11/10/06	11/10/06	EPA 8260B	a
Benzene	ND	0.50	Ц	ŧ	n	R	U	Ħ	
tert-Butyl alcohol	2400	20	ji	0	n	IP.	IJ	n	
Dî-isopropyl ether	ND	0.50	11	tt	n n	II .	n	IF.	
1,2-Dibromoethane (EDB)	ND	0.50	н	"	н	11	H	н	
1,2-Dichloroethane	ND	0.50	и	И	н	a	11	II.	
Ethanol	ND	300	Ħ	II	ti	Ħ	**	ij	IC
Ethyl tert-butyl ether	2.3	0.50	0	11	σ	н	Ħ	н	
Ethylbenzene	ND	0.50	n	**	t)	10	ti	И	
Methyl tert-butyl ether	20	0.50	n	Ħ	10	It	U	11	
Toluene	ND	0.50	h	18	н	ir	n	ti .	
Xylenes (total)	ND	0.50	H	15	Л	11	ij	Ħ	
Surrogate: Dibromofluorometha	пе	100 %	75-	130	ır	17	"	n	
Surrogate: 1,2-Dichloroethane-d	14	107 %	60-	145	и	u	H	и	
Surrogate: Toluene-d8		100 %	70-	130	17	"	n	н	
Surrogate: 4-Bromofluorobenzen	ne e	104 %	60-	120	n	#	n	"	





Project: ARCO #6002, Oakland, CA

MPK0165 Project Number: G0C8K-Reported: Project Manager: Jay Johnson 11/17/06 16:50

Total Purgeable Hydrocarbons by GC/MS (CA LUFT) - Quality Control TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6K10006 - EPA 5030B P/T /	LUFT GCMS									
Blank (6K10006-BLK1)				Prepared	& Analyze	ed: 11/10/	06			
Gasoline Range Organics (C4-C12)	ND	50	ug/l							
Surrogate: 1,2-Dichloroethane-d4	2.59		"	2.50		104	60-145			
Laboratory Control Sample (6K10006	-BS2)			Prepared	& Analyze	ed: 11/10/	06			
Gasoline Range Organics (C4-C12)	415	50	ug/l	440	*	94	75-140			
Surrogate: 1,2-Dichloroethane-d4	2.68		#1	2.50		107	60-145			
Laboratory Control Sample Dup (6K1	0006-BSD2)			Prepared	& Analyze	ed: 11/10/0	06			
Gasoline Range Organics (C4-C12)	377	50	ug/l	440		86	75-140	10	20	
Surrogate: 1,2-Dichloroethane-d4	2.47		n	2.50		99	60-145		· · · · · · · · · · · · · · · · · · ·	





Project: ARCO #6002, Oakland, CA

MPK0165 Reported: 11/17/06 16:50

Project Number: G0C8K-Project Manager: Jay Johnson

Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica - Morgan Hill, CA

		Reporting		Spike	Source		%REC		RPD	
Алаlyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes

Blank (6K10006-BLK1)				Prepared & An	alyzed: 11/10/	06	
tert-Amyl methyl ether	ND	0.50	ug/l				
Benzene	ND	0.50	11				
tert-Butyl alcohol	ND	20	lt .				
Di-isopropyl ether	ND	0.50	u				
1,2-Dibromoethane (EDB)	ND	0.50	**				
1,2-Dichloroethane	ND	0.50	lt				
Ethanol	ND	300	П				
Ethyl tert-butyl ether	ND	0.50	n				
Ethylbenzene	ND	0.50	#				
Methyl tert-butyl ether	ND	0,50	н				
Toluene	ND	0.50	Ħ				
Xylenes (total)	ND	0.50	41				
Surrogate: Dibromofluoromethane	2,42		11	2.50	97	75-130	
Surrogate: 1,2-Dichloroethane-d4	2.59		n	2.50	104	60-145	
Surrogate: Toluene-d8	2.41		u	2.50	96	70-130	
Surrogate: 4-Bromofluorobenzene	2.41		"	2.50	96	60-120	
Laboratory Control Sample (6K10006	-BS1)			Prepared & An	alyzed: 11/10/	06	
tert-Amyl methyl ether	12.1	0.50	ug/l	10.0	121	65-135	
Вепzепе	11.1	0.50	n	10.0	111	70-125	
tert-Butyl alcohol	223	20	17	200	112	60-135	
Di-isopropyl ether	12.4	0.50	17	10,0	124	70-130	
1,2-Dibromoethane (EDB)	11.5	0.50	17	10.0	115	80-125	
1,2-Dichloroethane	12.3	0.50	If	10.0	123	75-125	
Ethanol	288	300	H	200	144	15-150	
Ethyl tert-butyl ether	12.1	0.50	H	10.0	121	65-130	
Ethylbenzene	11.1	0.50	H	0.01	I11	70-130	
Methyl tert-butyl ether	11.8	0.50	н	10.0	118	50-140	
Toluene	11.1	0.50	0	10.0	111	70-120	
Xylenes (total)	34.2	0.50	Ħ	30.0	114	80-125	
Surrogate: Dibromofluoromethane	2,58		11	2.50	103	75-130	
Surrogate: 1,2-Dichloroethane-d4	2.73			2.50	109	60-145	
Surrogate: Toluene-d8	2.49		**	2.50	100	70-130	
Surrogate: 4-Bromofluorobenzene	2.55		11	2.50	102	60-120	





Project: ARCO #6002, Oakland, CA

Spike

Source

%REC

MPK0165 Reported: 11/17/06 16:50

RPD

Project Number: G0C8K-Project Manager: Jay Johnson

Reporting

Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica - Morgan Hill, CA

Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 6K10006 - EPA 5030B P/T / E	EPA 8260B									
Matrix Spike (6K10006-MS1)	Source: MF	K0165-03		Prepared	& Analyz	ed: 11/10/	06			
tert-Amyl methyl ether	10.8	0.50	ug/l	10.0	ND	108	65-135			
Benzene	10,1	0.50	h	0.01	ND	101	70-125			
tert-Butyl alcohol	2360	20	н	200	2400	0	60-135			BB,LN
Di-isopropyl ether	11.0	0.50	11	0.01	ND	110	70-130			
1,2-Dibromoethane (EDB)	10.7	0.50	11	0.01	ND	107	80-125			
1,2-Dichloroethane	11.0	0.50	н	10.0	ND	110	75-125			
Ethanol	201	300	I#	200	ND	100	15-150			
Ethyl tert-butyl ether	12.7	0.50	P	10.0	2.3	104	65-130			
Ethylbenzene	9.77	0.50	H	10.0	ND	98	70-130			
Methyl tert-butyl ether	28.8	0.50	H	10.0	20	88	50-140			
Toluene	9.96	0.50	н	10.0	ND	100	70-120			
Xylenes (total)	30.2	0.50	Ħ	30.0	ND	101	80-125			
Surrogate: Dibromofluoromethane	2.59		31	2.50		104	75-130			
Surrogate: 1,2-Dichloroethane-d4	2.74		n	2.50		110	60-145			
Surrogate: Toluene-d8	2.51		n	2.50		100	70-130			
Surrogate: 4-Bromofluorobenzene	2.59		n	2.50		104	60-120			
Matrix Spike Dup (6K10006-MSD1)	Source: MP	K0165-03		Prepared	& Analyz	ed: 11/10/	06			
tert-Amyl methyl ether	11.7	0.50	ug/l	10.0	ND	117	65-135	8	25	
Benzene	10.9	0.50	U	10.0	ND	109	70-125	8	15	
tert-Butyl alcohol	2490	20	н	200	2400	45	60-135	5	35	BB,LN
Di-isopropyl ether	12.2	0.50	tt	10.0	ND	122	70-130	10	35	
1,2-Dibramoethane (EDB)	11.3	0.50	n	10.0	ND	113	80-125	5	15	
1,2-Dichloroethane	11.8	0.50	п	10.0	ND	118	75-125	7	10	
Ethanol	247	300	. #	200	ND	124	15-150	21	35	
Ethyl tert-butyl ether	14.0	0.50	н	10.0	2.3	117	65-130	10	35	
Ethylbenzene	10.4	0.50	п	10.0	ND	104	70-130	6	15	
Methyl tert-butyl ether	30.8	0.50	II.	10.0	20	108	50-140	7	25	
Toluene	10.8	0.50		10.0	ND	108	70-120	8	15	
Xylenes (total)	32.2	0.50	μ	30.0	ND	107	80-125	6	15	
Surrogate: Dibromofluoromethane	2.63		"	2.50		105	75-130			
Surrogate: 1,2-Dichloroethane-d4	2.66		rt	2.50		106	60-145			
Surrogate: Toluene-d8	2.51		ir	2,50		100	70-130			
Surrogate: 4-Bromofluorobenzene	2.68		n	2.50		107	60-120			





Project: ARCO #6002, Oakland, CA

Project Number: G0C8K-Project Manager: Jay Johnson MPK0165 Reported: 11/17/06 16:50

Notes and Definitions

IC Calib. verif. is within method limits but outside contract limits

BB,LN Sample > 4x spike concentration.

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference



Chain of Custody Record

Chain of	Custody Record
BP BU/AR Region/Enfos Segment:	RP > American Miles
	- tanditions West > Refail > CA > Alemedo >
State or Lead Regulatory Agency:	
Requested Due 1	Date (mm/dd/yy):
=== <u>==</u>	

On-site Time: (44.) Temp: Con Off-site Time: /2 Temp: CAD Sky Conditions: Meteorological Events: Wind Speed:

Name: TestAmerica Requested Due Date (mm/dd/yy):	ended of the first
	Meleorological Events: 100
iress: 885 Jarvis Drive BP/AR Facility No.: 6002	Direction: 1/A
gan Hill, CA 95937 BP/AR Facility Address:	
PM: Lisa Ruce Site Lat/Long: V253 Seminary Ave., Oaldar	nd Address: 3330 Cameron Park Drivenmental, Inc.
/Fax: 408-782-8156 408-782-6308 (5-1) California Global ID #- T0680108108	5330 Cameron Park Drive Suite 550
AR PM Contact: Paul Supple	
Provision of POOP (Consultant/Contractor Project Ma.
San Ramon, CA Phase/WBS: 04-Monitoring	Consultant/Contractor PM: Jay Johnson
For the second of the second o	(530) 676-6000 / (530) 635 coop
In	The part of the pa
Matrix Waterian Book	The state of the s
Preservative	in the second of
	Requested Analysis
Sample Description E	Sample Point Lat/Long and Comments: Oxygenates includ MtBE, TAME, DIPE, EtBE, TB, ethanol, 1,2-DCA & EDB X X X X X X X X X X X X X X X X X X X
's Name: Jarry 5 arrue	3.400
's Company: Apulos Relinquished By Affiliation	1 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
t Date;	Date Time
t Method;	113/10 (3-30) Accepted By Affiliation Date Time
t Tracking No:	11/3 1530 10 0 0 0 0 17/3/64 1238
	119 53
	1 1 1 1 1 1 1 1 1 1 2 1 1 1 2 1 1 1 2 1 1 2 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 1 1 2 1
structions: Please cc results to bpvalley@secor.com	33
structions; Please co results to bpvalley@secor.com	
structions; Please co results to bpvalley@secor.com	
structions; Please co results to bpvalley@secor.com	

TEST AMERICA SAMPLE RECEIPT LOG

CLIENT NAME: REC. BY (PRINT) WORKORDER: MPK-0165		DATE REC'D AT LAB: TIME REC'D AT LAB: DATE LOGGED IN:		100 30 10 U		For Regulatory Purposes? DRINKING WATER YES / NO WASTE WATER YES / NO			
CIRCLE THE APPROPRIATE RESPONSE	LAB SAMPLE#	CLIENT ID	CONTAINER DESCRIPTION		pH	SAMPLE MATRIX	DATE SAMPLED	REMARKS: CONDITION (ETC.)	
Custody Seal(s) Present / Absent									
· Intact / Broken*	•				•				
2. Chain-of-Custody Present / Absent*			ar 1	7).(Ĭ		· · ·	
3. Traffic Reports or					/				
Packing List: Present / Absent			٠		•		•		
4. Airbill: Airbill / Sticker				•					
Present / Absent			,						
5. Airbill #: Ser= AT.		•				-			
6. Sample Labels: Present / Absent		-	•					/ · · · · · · · · · · · · · · · · · · ·	
7. Sample IDs: Listed / Not Listed		-		-					
on Chain-of-Custody									
8. Sample Condition: Intact / Broken* /		••					7		
Leaking*		,			•				
9. Does information on chain-of-custody,				*, .		/ ::			
traffic reports and sample labels						·			
agree? Yes/No*	ļ-, , , , , , , , , , , , , , , , , , ,		1/5	0	CH.			Į.	
10. Sample received within			10.		-				
hold time? Yes / No*	-	1	18/		_			4	
1. Adequate sample volume		·\	. سبلز)						
received? Yes / No*		بل	<i></i>			•	-		
12. Proper preservatives used? Yes / No*					•			·	
13. Trip Blank / Temp Blank Received?					•				
(circle which, if yes) Yes / No*			-				,		
4. Read Temp:		<u>/</u>							
Corrected Temp: 4.5°C		:	<u>.</u>						
Is corrected temp 4 +/-2°C? (Yes)/ No**							1		
(Acceptance range for samples requiring thermal pres.)	/ .								
**Exception (if any): METALS / DFF ON ICE	<u> </u>		•						
or Problem COC									

SRL Revision 8 Replaces Rev 7 (07/19/05) Sifective 09/13/06 *IF CIRCLED, CONTACT PROJECT MANAGER AND ATTACH RECORD OF RESOLUTION.

Page ____ of ____

California Overnight Shipping Label



Date Printed 11/3/2006

Shipped From: TEST AMERICA - SACRAMENTO 819 STRIKER AVENUE 8 SACRAMENTO, CA 95834



Tracking#D10010110045427

Sent By: TIM ALBRIGHT Phone#: (916)921-9600

wgt(lbs): 38 Reference:

Decl. Value: \$0.00

Ship To Company:

TESTAMERICA - MORGAN HILL 885 JARVIS DR MORGAN HILL, CA 95037 SAMPLE CONTROL (408)776-9600 Service: S

Sort Code: SJC

Special Services: Saturday Delivery

APPENDIX B

GEOTRACKER UPLOAD CONFIRMATION

Electronic Submittal Information

Main Menu | View/Add Facilities | Upload EDD | Check EDD

UPLOADING A GEO_WELL FILE

Processing is complete. No errors were found! Your file has been successfully submitted!

Submittal Title:

4Q06 GEO_WELL

Submittal Date/Time:

1/24/2007 3:39:55 PM

Confirmation Number:

9492065250

Back to Main Menu

Logged in as BROADBENT-C (CONTRACTOR)

CONTACT SITE ADMINISTRATOR.

Electronic Submittal Information

Main Menu | View/Add Facilities | Upload EDD | Check EDD

Your EDF file has been successfully uploaded!

Confirmation Number: 9413773179

Date/Time of Submittal: 1/26/2007 4:38:46 PM

Facility Global ID: T0600100105 Facility Name: ARCO #6002

Submittal Title: 4Q06 GW Monitoring Submittal Type: GW Monitoring Report

Click here to view the detections report for this upload.

ARCO #6002 Regional Board - Case #: 01-0113
6235 SEMINARY SAN FRANCISCO BAY RWQCB (REGION 2)
OAKLAND, CA 94605 Local Agency (lead agency) - Case #: RO0000163
ALAMEDA COUNTY LOP - (SP)

 CONF #
 TITLE
 QUARTER

 9413773179
 4Q06 GW Monitoring
 Q4 2006

<u>SUBMITTED BY</u>
Broadbent & Associates, Inc.

SUBMIT DATE
1/26/2007

PENDING REVIEW

SAMPLE DETECTIONS REPORT

FIELD POINTS SAMPLED 3
FIELD POINTS WITH DETECTIONS 3
FIELD POINTS WITH WATER SAMPLE DETECTIONS ABOVE MCL 2
SAMPLE MATRIX TYPES WATER

METHOD QA/QC REPORT

METHODS USED 8260FA,8260TPH
TESTED FOR REQUIRED ANALYTES? Y
LAB NOTE DATA QUALIFIERS Y

OA/OC FOR 8021/8260 SERIES SAMPLES

0 TECHNICAL HOLDING TIME VIOLATIONS D METHOD HOLDING TIME VIOLATIONS LAB BLANK DETECTIONS ABOVE REPORTING DETECTION LIMIT 0 0 LAB BLANK DETECTIONS DO ALL BATCHES WITH THE 8021/8260 SERIES INCLUDE THE FOLLOWING? - LAB METHOD BLANK - MATRIX SPIKE Ν - MATRIX SPIKE DUPLICATE Ν Υ - BLANK SPIKE - SURROGATE SPIKE

WATER SAMPLES FOR 8021/8260 SERIES

MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) % RECOVERY BETWEEN 65-135%

MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) RPD LESS THAN 30%

SURROGATE SPIKES % RECOVERY BETWEEN 85-115%

Y
BLANK SPIKE / BLANK SPIKE DUPLICATES % RECOVERY BETWEEN 70-130%

Y

SOIL SAMPLES FOR 8021/8260 SERIES

MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) % RECOVERY BETWEEN 65-135% n/a
MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) RPD LESS THAN 30% n/a
SURROGATE SPIKES % RECOVERY BETWEEN 70-125% n/a
BLANK SPIKE / BLANK SPIKE DUPLICATES % RECOVERY BETWEEN 70-130% n/a

FIELD QC SAMPLES

<u>SAMPLE</u>	COLLECTED	DETECTIONS > REPDL
QCTB SAMPLES	N	0
QCEB SAMPLES	N	0
QCAB SAMPLES	N	0

Logged in as BROADBENT-C (CONTRACTOR)

CONTACT SITE ADMINISTRATOR.