



Atlantic Richfield Company  
(a BP affiliated company)

P.O. Box 1257  
San Ramon, CA 94583  
Phone: (925) 275-3801  
Fax: (925) 275-3815

20 April 2007

Re: First Quarter 2007 Ground-Water Monitoring Report  
Former Atlantic Richfield Company Station #6002  
6235 Seminary Avenue  
Oakland, California  
ACEH Case #RO0000163

**RECEIVED**

1:19 pm, May 01, 2007

Alameda County  
Environmental Health



“I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct.”

Submitted by:

Paul Supple  
Environmental Business Manger

**First Quarter 2007 Ground-Water Monitoring Report**  
Former Atlantic Richfield Company Station #6002  
6235 Seminary Avenue  
Oakland, California

Prepared for

Mr. Paul Supple  
Environmental Business Manager  
Atlantic Richfield Company  
P.O. Box 1257  
San Ramon, California 94583

Prepared by



1324 Mangrove Avenue, Suite 212  
Chico, California 95926  
(530) 566-1400  
[www.broadbentinc.com](http://www.broadbentinc.com)

20 April 2007

Project No. 06-08-634

Broadbent & Associates, Inc.  
1324 Mangrove Ave., Suite 212  
Chico, CA 95926  
Voice (530) 566-1400  
Fax (530) 566-1401



20 April 2007

Project No. 06-08-634

Atlantic Richfield Company  
P.O. Box 1257  
San Ramon, CA 94583  
Submitted via ENFOS

Attn.: Mr. Paul Supple

Re: First Quarter 2007 Ground-Water Monitoring Report, Former Atlantic Richfield Company (a BP affiliated company) Station #6002, 6235 Seminary Avenue, Oakland, Alameda County, California; ACEH Case #RO0000163

Dear Mr. Supple:

Attached is the *First Quarter 2007 Ground-Water Monitoring Report* for Former Atlantic Richfield Company Station #6002 (herein referred to as Station #6002) located at 6235 Seminary Avenue, Oakland, California (Site). This report presents a summary of results from ground-water monitoring and sampling conducted during the First Quarter of 2007.

Should you have questions regarding the work performed or results obtained, please do not hesitate to contact us at (530) 566-1400.

Sincerely,


BROADBENT & ASSOCIATES, INC.

A handwritten signature in black ink, appearing to read 'Thomas A. Venus'.

Thomas A. Venus, P.E.  
Senior Engineer

A handwritten signature in black ink, appearing to read 'Robert H. Miller'.

Robert H. Miller, P.G., C.HG.  
Principal Hydrogeologist



Enclosures

cc: Mr. Steven Plunkett, Alameda County Environmental Health (Submitted via ACEH ftp site)  
Electronic copy uploaded to GeoTracker

## STATION # 6002 QUARTERLY GROUND-WATER MONITORING REPORT

Facility: #6002	Address:	6235 Seminary Avenue
Environmental Business Manager:		Mr. Paul Supple
Consulting Co./Contact Persons:		Broadbent & Associates, Inc.(BAI)/Rob Miller & Tom Venus (530) 566-1400
Consultant Project No.:		06-08-634
Primary Agency/Regulatory ID No.:		Alameda County Environmental Health (ACEH) ACEH Case #RO0000163
Facility Permits/Permitting Agency:		NA

### WORK PERFORMED THIS QUARTER (First Quarter 2007):

1. Prepared and submitted the Fourth Quarter 2006 Groundwater Monitoring Report.
2. Conducted ground-water monitoring/sampling for First Quarter 2007. Work performed by Stratus Environmental, Inc. (Stratus) on 6 February 2007.

### WORK PROPOSED FOR NEXT QUARTER (Second Quarter 2007):

1. Prepared and submitted this First Quarter 2007 Ground-Water Monitoring Report (contained herein).
2. Conduct ground-water monitoring/sampling for Second Quarter 2007.

### QUARTERLY RESULTS SUMMARY:

Current phase of project:	<u>Ground-Water Monitoring/Sampling</u>
Frequency of ground-water monitoring:	<u>Quarterly: Wells MW-3, MW-4, MW-5, MW-6, MW-7, MW-8, VW-1, VW-3, VW-4</u>
Frequency of ground-water sampling:	<u>Quarterly: Wells MW-5, VW-1, VW-4</u> <u>Annually (3Q): Wells MW-3, MW-4, MW-6, MW-7, MW-8</u>
Is free product (FP) present on-site:	<u>No</u>
Bulk Soil removed to Date:	<u>Approximately 370 cubic yards of TPH-impacted soil</u>
Current remediation techniques:	<u>NA</u>
Depth to ground water (below TOC):	<u>6.93 ft (MW-6) to 12.39 ft (MW-5)</u>
General ground-water flow direction:	<u>West</u>
Approximate hydraulic gradient:	<u>0.05 ft/ft</u>

### DISCUSSION:

First quarter 2007 ground-water monitoring and sampling was conducted at Former ARCO Service Station #6002 on 6 February 2007 by Stratus personnel. Ground-water monitoring was conducted at eight of the nine wells associated with Station #6002. A depth to water measurement was not taken from well MW-8 because the property owners were not available to grant access. No other significant irregularities were noted during monitoring of the remaining wells. Depth to water measurements ranged from 6.93 ft. at MW-6 to 12.39 ft. at MW-5. Resulting ground-water surface elevations ranged from 251.01 ft. above mean sea level in up-gradient well MW-6 to 230.52 ft. at down-gradient well MW-7. Water level elevations were within the historic minimum and maximum ranges, as summarized in Table 1. Water level elevations yielded a potentiometric ground-water flow direction and gradient to the west at approximately 0.05 ft/ft, generally consistent with the historic general flow directions and gradients. Ground-water monitoring field data sheets are provided within Appendix A. Measured depths to water and respective ground-water elevations are summarized in Table 1.

Potentiometric ground-water elevation contours are presented in Drawing 1. Historic flow directions and gradients are summarized in Table 3.

Consistent with the current ground-water sampling schedule, water samples were collected from wells MW-5, VW-1, and VW-4. No irregularities were noted during sampling. Samples were submitted under chain of custody documentation to Test America Analytical Testing Corporation (Morgan Hill, California) for analysis of Gasoline Range Organics (GRO, C4-C12) by LUFT GCMS method; Benzene, Toluene, Ethylbenzene, and Total Xylenes by EPA Method 8260B; and tert-Amyl methyl ether, tert-Butyl alcohol (TBA), Di-isopropyl ether, 1,2-Dibromomethane, 1,2-Dichloroethane, Ethanol, Ethyl tert-butyl ether (ETBE), and Methyl tert-butyl ether (MTBE) by EPA Method 8260B. No significant irregularities were noted during analysis of the samples by the laboratory. Ground-water sampling field data sheets and the laboratory analytical report, including chain-of-custody documentation, are provided in Appendix A.

Gasoline Range Organics were detected above the laboratory reporting limit in two of the three wells sampled this quarter with concentrations up to 4,800 micrograms per liter ( $\mu\text{g/L}$ ) in MW-5. Ethylbenzene was detected above the laboratory reporting limit in one of the three wells sampled at a concentration of 5.2  $\mu\text{g/L}$  in well MW-5. Total Xylenes were detected above the laboratory reporting limit in one of the three wells sampled at a concentration of 1.3  $\mu\text{g/L}$  in well MW-5. TBA was detected above laboratory reporting limits in one of the three wells sampled at a concentration of 45  $\mu\text{g/L}$  in well MW-5. MTBE was detected above the laboratory reporting limit in each of the wells sampled at concentrations up to 13  $\mu\text{g/L}$  in MW-5. The remaining fuel additives and oxygenates were not detected above their laboratory reporting limits in the three wells sampled this quarter. Detected analyte concentrations were within the historic minimum and maximum ranges recorded for each well with the following exception: the MTBE concentration of 2.3  $\mu\text{g/L}$  in well VW-1 reached a historic minimum value. Historic laboratory analytical results are summarized in Table 1 and Table 2. The most recent GRO, Benzene, and MTBE concentrations are also presented in Drawing 1. A copy of the Laboratory Analytical Report, including chain-of-custody documentation, is provided in Appendix A. Ground-water monitoring data (GEO\_WELL) and laboratory analytical results (EDF) were uploaded to the GeoTracker AB2886 database. Upload confirmation pages are provided in Appendix B.

#### **CLOSURE:**


The findings presented in this report are based upon: observations of Stratus field personnel (see Appendix A), the points investigated, and results of laboratory tests performed by Test America. Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of Atlantic Richfield Company. It is possible that variations in soil or ground-water conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

#### **ATTACHMENTS:**

Drawing 1. Ground-Water Elevation Contours and Analytical Summary Map, 6 February 2007, Former ARCO Service Station #6002, 6235 Seminary Avenue, Oakland, California


Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses, Station #6002, 6235 Seminary Ave., Oakland, CA

- Table 2. Summary of Fuel Additives Analytical Data, Station #6002, 6235 Seminary Ave., Oakland, CA
- Table 3. Historical Ground-Water Flow Direction and Gradient, Station #6002, 6235 Seminary Avenue, Oakland, CA
- Appendix A. Stratus Ground-Water Sampling Data Package (Includes Field Data Sheets and Laboratory Analytical Report with Chain-of-Custody Documentation)
- Appendix B. GeoTracker Upload Confirmation



NOTE: SITE MAP ADAPTED FROM CAMBRIA ENVIRONMENTAL FIGURES. SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.

LEGEND	
	Monitoring well
	Decommissioned monitoring well
	Vapor extraction well
	Air sparge well
<b>Well</b>	Well designation
<b>ELEV</b>	Ground-water elevation (ft above MSL)
<b>GRO</b>	Concentration of GRO, Benzene and MTBE in ground water (µg/L)
<b>MTBE</b>	
<b>A/O</b>	Sampling frequency
A(3)	Sampled annually during 3rd quarter
Q	Sampled quarterly
NS	Not sampled
NM	Not measured
<	Not detected at or above laboratory reporting limits
— 240	Ground-water elevation contour (ft/MSL)
	Approximate ground-water flow direction and gradient (ft/ft)



**BROADBENT & ASSOCIATES, INC.**  
 ENGINEERING, WATER RESOURCES & ENVIRONMENTAL  
 1324 Mangrove Ave. Suite 212, Chico, California 95926  
 Project No.: 06-08-634 Date: 3/13/07

Former ARCO Service Station #6002  
 6235 Seminary Avenue  
 Oakland, California

Ground-Water Elevation Contours  
 and Analytical Summary Map  
 6 February 2007

Drawing  
**1**

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6002, 6235 Seminary Ave., Oakland, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
									GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE		
AS-1																
6/29/1995				20.0	22.0	9.20			<50	1.6	<0.5	0.9	0.9			
MW-1																
3/15/1995	--		247.06	4.5	24.5	7.37	--	239.69	13,000	1,200	44	770	1,100	--	--	--
5/30/1995	--		247.06	4.5	24.5	8.48	--	238.58	19,000	1,600	30	890	1,400	--	--	--
9/1/1995	--		247.06	4.5	24.5	9.47	--	237.59	14,000	1,300	28	480	780	24,000	--	--
11/13/1995	--	a, b	247.06	4.5	24.5	8.78	--	238.28	11,000	570	17	260	410	25,000	--	--
2/23/1996	--	d	247.06	4.5	24.5	--	--	--	--	--	--	--	--	--	--	--
MW-2																
3/15/1995	--		249.30	5.0	17.5	8.25	--	241.05	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
5/30/1995	--		249.30	5.0	17.5	9.93	--	239.37	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
9/1/1995	--		249.30	5.0	17.5	10.69	--	238.61	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
11/13/1995	--		249.30	5.0	17.5	10.32	--	238.98	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
2/23/1996	--	d	249.30	5.0	17.5	--	--	--	--	--	--	--	--	--	--	--
MW-3																
3/15/1995	--		248.35	5.0	24.5	6.76	--	241.59	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
5/30/1995	--		248.35	5.0	24.5	7.81	--	240.54	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
9/1/1995	--		248.35	5.0	24.5	8.65	--	239.70	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
11/13/1995	--		248.35	5.0	24.5	8.25	--	240.10	120	45	0.7	<0.5	6.2	--	--	--
2/23/1996	--		248.35	5.0	24.5	6.64	--	241.71	<50	<0.5	<0.5	0.6	1.9	<3	--	--
5/10/1996	--		248.35	5.0	24.5	7.95	--	240.40	--	--	--	--	--	--	--	--
8/9/1996	--		248.35	5.0	24.5	8.06	--	240.29	--	--	--	--	--	--	--	--
11/8/1996	--	c	248.35	5.0	24.5	--	--	--	--	--	--	--	--	--	--	--
3/21/1997	--		248.35	5.0	24.5	8.21	--	240.14	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
5/27/1997	--		248.35	5.0	24.5	8.25	--	240.10	--	--	--	--	--	--	--	--
8/5/1997	--		248.35	5.0	24.5	8.29	--	240.06	--	--	--	--	--	--	--	--
10/29/1997	--		248.35	5.0	24.5	8.58	--	239.77	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
2/25/1998	--		248.35	5.0	24.5	7.69	--	240.66	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
5/12/1998	--		248.35	5.0	24.5	8.20	--	240.15	--	--	--	--	--	--	--	--
7/28/1998	--		248.35	5.0	24.5	8.55	--	239.80	--	--	--	--	--	--	--	--



Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6002, 6235 Seminary Ave., Oakland, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
									GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE		
MW-3 Cont.																
10/27/1998	--		248.35	5.0	24.5	8.30	--	240.05	--	--	--	--	--	--	--	--
2/8/1999	--		248.35	5.0	24.5	7.90	--	240.45	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
6/1/1999	--		248.35	5.0	24.5	8.40	--	239.95	--	--	--	--	--	--	--	--
8/25/1999	--		248.35	5.0	24.5	8.49	--	239.86	--	--	--	--	--	--	1.67	--
10/29/1999	--		248.35	5.0	24.5	8.52	--	239.83	--	--	--	--	--	--	6.9	--
2/16/2000	NP		248.35	5.0	24.5	8.03	--	240.32	<50	<0.5	0.8	<0.5	<1	<3	8.51	--
6/23/2000	--		248.35	5.0	24.5	7.55	--	240.80	--	--	--	--	--	--	2.1	--
8/17/2000	--		248.35	5.0	24.5	8.65	--	239.70	--	--	--	--	--	--	1.1	--
11/10/2000	--		248.35	5.0	24.5	7.19	--	241.16	--	--	--	--	--	--	--	--
2/12/2001	NP		248.35	5.0	24.5	8.60	--	239.75	<50	<0.50	<0.50	<0.50	<0.50	<2.5	0.81	--
4/13/2001	--		248.35	5.0	24.5	6.13	--	242.22	--	--	--	--	--	--	--	--
7/18/2001	--		248.35	5.0	24.5	6.47	--	241.88	--	--	--	--	--	--	--	--
10/1/2001	--		248.35	5.0	24.5	6.99	--	241.36	--	--	--	--	--	--	--	--
1/14/2002	NP		248.35	5.0	24.5	5.47	--	242.88	<50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
4/3/2002	--		248.35	5.0	24.5	6.95	--	241.40	--	--	--	--	--	--	--	--
8/8/2002	--		248.35	5.0	24.5	8.78	--	239.57	--	--	--	--	--	--	--	--
11/27/2002	--		248.35	5.0	24.5	8.52	--	239.83	--	--	--	--	--	--	--	--
2/10/2003	NP		248.35	5.0	24.5	8.40	--	239.95	<50	<0.50	<0.50	<0.50	<0.50	<0.50	0.7	6.4
6/3/2003	--		248.35	5.0	24.5	8.40	--	239.95	--	--	--	--	--	--	--	--
8/14/2003	--		248.35	5.0	24.5	8.60	--	239.75	--	--	--	--	--	--	--	--
11/13/2003	--		248.35	5.0	24.5	8.41	--	239.94	--	--	--	--	--	--	--	--
02/13/2004	--		253.88	5.0	24.5	8.40	--	245.48	--	--	--	--	--	--	--	--
05/05/2004	--		253.88	5.0	24.5	8.28	--	245.60	--	--	--	--	--	--	--	--
08/30/2004	NP		253.88	5.0	24.5	10.32	--	243.56	<50	<0.50	<0.50	<0.50	<0.50	0.72	1.4	6.4
11/08/2004	--		253.88	5.0	24.5	8.12	--	245.76	--	--	--	--	--	--	--	--
02/07/2005	--		253.88	5.0	24.5	8.20	--	245.68	--	--	--	--	--	--	--	--
05/09/2005	--		253.88	5.0	24.5	8.23	--	245.65	--	--	--	--	--	--	--	--
08/11/2005	NP		253.88	5.0	24.5	8.72	--	245.16	<50	<0.50	<0.50	<0.50	<0.50	0.73	1.6	6.1
12/02/2005	--		253.88	5.0	24.5	8.15	--	245.73	--	--	--	--	--	--	--	--
02/15/2006	--		253.88	5.0	24.5	8.23	--	245.65	--	--	--	--	--	--	--	--
5/19/2006	--		253.88	5.0	24.5	8.38	--	245.50	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6002, 6235 Seminary Ave., Oakland, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
									GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE		
MW-3 Cont.																
8/25/2006	P		253.88	5.0	24.5	8.59	--	245.29	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.15	6.2
11/2/2006	--		253.88	5.0	24.5	8.65	--	245.23	--	--	--	--	--	--	--	--
2/6/2007	--		253.88	5.0	24.5	8.38	--	245.50	--	--	--	--	--	--	--	--
MW-4																
3/15/1995	--		242.91	4.5	24.5	9.37	--	233.54	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
5/30/1995	--		242.91	4.5	24.5	11.47	--	231.44	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
9/1/1995	--		242.91	4.5	24.5	12.28	--	230.63	78	<0.5	0.7	<0.5	<0.5	<3	--	--
11/13/1995	--		242.91	4.5	24.5	11.75	--	231.16	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
2/23/1996	--		242.91	4.5	24.5	8.51	--	234.40	59	1.2	7.4	1.6	9.3	3	--	--
5/10/1996	--		242.91	4.5	24.5	11.35	--	231.56	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
8/9/1996	--		242.91	4.5	24.5	9.70	--	233.21	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
11/8/1996	--		242.91	4.5	24.5	11.79	--	231.12	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
3/21/1997	--		242.91	4.5	24.5	10.94	--	231.97	<50	<0.5	<0.5	<0.5	<0.5	81	--	--
5/27/1997	--		242.91	4.5	24.5	11.51	--	231.40	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
8/5/1997	--		242.91	4.5	24.5	11.90	--	231.01	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
10/29/1997	--		242.91	4.5	24.5	12.00	--	230.91	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
2/25/1998	--		242.91	4.5	24.5	8.34	--	234.57	<50	<0.5	0.9	<0.5	0.9	4	--	--
5/12/1998	--		242.91	4.5	24.5	10.93	--	231.98	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
7/28/1998	--		242.91	4.5	24.5	12.08	--	230.83	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
10/27/1998	--		242.91	4.5	24.5	11.40	--	231.51	<5,000	<50	<50	160	64	6,400	--	--
2/8/1999	--		242.91	4.5	24.5	8.40	--	234.51	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
6/1/1999	NP		242.91	4.5	24.5	11.93	--	230.98	<50	<0.5	<0.5	<0.5	<0.5	<3	4	6.26
8/25/1999	NP		242.91	4.5	24.5	12.21	--	230.70	<50	<0.5	<0.5	<0.5	<0.5	<3	1.29	6.34
10/29/1999	NP		242.91	4.5	24.5	12.37	--	230.54	<50	<0.5	<0.5	<0.5	<1	<3	1.5	5.60
2/16/2000	NP		242.91	4.5	24.5	7.45	--	235.46	<50	<0.5	<0.5	<0.5	<1	<3	2.38	--
6/23/2000	NP		242.91	4.5	24.5	12.31	--	230.60	<50	<0.50	<0.50	<0.50	<0.50	<2.50	2.8	--
8/17/2000	NP		242.91	4.5	24.5	11.92	--	230.99	<50	<0.50	<0.50	<0.50	<0.50	<2.50	2.38	--
8/17/2000	--	f	242.91	4.5	24.5	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.50	--	--
11/10/2000	NP		242.91	4.5	24.5	10.80	--	232.11	<50	<0.50	<0.50	<0.50	<0.50	<2.50	1.55	--
2/12/2001	NP		242.91	4.5	24.5	11.65	--	231.26	<50	<0.50	<0.50	<0.50	<0.50	<2.50	1.12	--

**Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses**  
**Station #6002, 6235 Seminary Ave., Oakland, CA**

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
									GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE		
<b>MW-4 Cont.</b>																
4/13/2001	NP		242.91	4.5	24.5	8.17	--	234.74	<50	<0.50	<0.50	<0.50	<0.50	<2.50	--	--
4/13/2001	--	f	242.91	4.5	24.5	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.50	--	--
7/18/2001	NP		242.91	4.5	24.5	8.51	--	234.40	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
10/1/2001	NP		242.91	4.5	24.5	8.71	--	234.20	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
1/14/2002	NP		242.91	4.5	24.5	7.13	--	235.78	<50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
1/14/2002	--	f	242.91	4.5	24.5	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
4/3/2002	NP		242.91	4.5	24.5	10.10	--	232.81	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
8/8/2002	NP		242.91	4.5	24.5	12.64	--	230.27	<50	<0.50	<0.50	<0.50	<0.50	<2.5	2.4	8.1
11/27/2002	NP		242.91	4.5	24.5	12.01	--	230.90	<50	<0.50	<0.50	<0.50	<0.50	4.7	2.5	6.5
2/10/2003	NP		242.91	4.5	24.5	11.22	--	231.69	<50	<0.50	<0.50	<0.50	<0.50	<0.50	0.8	6.6
6/3/2003	--		242.91	4.5	24.5	11.54	--	231.37	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.9	6
8/14/2003	--		242.91	4.5	24.5	12.41	--	230.50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.8	6.3
11/13/2003	--		242.91	4.5	24.5	11.64	--	231.27	--	--	--	--	--	--	--	--
02/13/2004	--		248.62	4.5	24.5	10.28	--	238.34	--	--	--	--	--	--	--	--
05/05/2004	--		248.62	4.5	24.5	12.04	--	236.58	--	--	--	--	--	--	--	--
08/30/2004	NP		248.62	4.5	24.5	12.98	--	235.64	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.6	5.8
11/08/2004	--		248.62	4.5	24.5	11.29	--	237.33	--	--	--	--	--	--	--	--
02/07/2005	--		248.62	4.5	24.5	10.03	--	238.59	--	--	--	--	--	--	--	--
05/09/2005	--		248.62	4.5	24.5	10.65	--	237.97	--	--	--	--	--	--	--	--
08/11/2005	NP		248.62	4.5	24.5	12.68	--	235.94	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.9	6.5
12/02/2005	--		248.62	4.5	24.5	10.35	--	238.27	--	--	--	--	--	--	--	--
02/15/2006	--		248.62	4.5	24.5	8.38	--	240.24	--	--	--	--	--	--	--	--
5/19/2006	--		248.62	4.5	24.5	11.24	--	237.38	--	--	--	--	--	--	--	--
8/25/2006	P		248.62	4.5	24.5	12.28	--	236.34	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.51	5.7
11/2/2006	--		248.62	4.5	24.5	12.64	--	235.98	--	--	--	--	--	--	--	--
2/6/2007	--		248.62	4.5	24.5	10.52	--	238.10	--	--	--	--	--	--	--	--
<b>MW-5</b>																
3/15/1995	--		244.82	5.0	24.5	11.99	--	232.83	21,000	870	22	1,600	1,900	--	--	--
5/30/1995	--		244.82	5.0	24.5	12.97	--	231.85	17,000	2,100	250	1,000	520	--	--	--
9/1/1995	--		244.82	5.0	24.5	14.03	--	230.79	19,000	1,500	25	1,600	880	8,300	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6002, 6235 Seminary Ave., Oakland, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
									GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE		
MW-5 Cont.																
11/13/1995	--		244.82	5.0	24.5	13.65	--	231.17	21,000	1,300	22	1,400	630		--	--
2/23/1996	--		244.82	5.0	24.5	11.93	--	232.89	27,000	1,300	<50	1,600	1,500	730	--	--
5/10/1996	--		244.82	5.0	24.5	13.05	--	231.77	17,000	460	21	760	480	1,000	--	--
8/9/1996	--		244.82	5.0	24.5	13.22	--	231.60	16,000	420	14	870	390	1,500	--	--
11/8/1996	--	e	244.82	5.0	24.5	--	--	--	--	--	--	--	--	--	--	--
3/21/1997	--		244.82	5.0	24.5	13.24	--	231.58	18,000	110	<50	730	1,500	1,800	--	--
5/27/1997	--		244.82	5.0	24.5	13.10	--	231.72	21,000	86	<20	810	610	1,700	--	--
8/5/1997	--		244.82	5.0	24.5	13.14	--	231.68	340	2.2	<0.5	15	8.8	39	--	--
10/29/1997	--		244.82	5.0	24.5	13.03	--	231.79	19,000	150	<20	1,400	620	1,700	--	--
2/25/1998	--		244.82	5.0	24.5	11.33	--	233.49	8,500	19	13	190	100	170	--	--
5/12/1998	--		244.82	5.0	24.5	12.81	--	232.01	10,000	34	<10	390	220	610	--	--
7/28/1998	--		244.82	5.0	24.5	13.12	--	231.70	15,000	68	<10	690	620	1,000	--	--
10/27/1998	--		244.82	5.0	24.5	12.90	--	231.92	15,000	60	<10	770	400	890	--	--
2/8/1999	--		244.82	5.0	24.5	11.08	--	233.74	8,200	23	<10	290	120	<60	--	--
6/1/1999	NP		244.82	5.0	24.5	12.95	--	231.87	11,000	33	3.3	340	180	580	1	6.49
8/25/1999	NP		244.82	5.0	24.5	12.99	--	231.83	9,200	26	14	420	270	1,100	0.37	7.78
10/29/1999	NP		244.82	5.0	24.5	13.10	--	231.72	11,000	19	9.8	260	150	590	1.27	6.2
2/16/2000	NP		244.82	5.0	24.5	8.21	--	236.61	12,000	8.1	10	340	160	130	1.42	--
6/23/2000	NP		244.82	5.0	24.5	12.90	--	231.92	9,680	38	<20.0	212	114	930	1.4	--
8/17/2000	NP		244.82	5.0	24.5	13.00	--	231.82	10,500	15	7.98	223	118	430	0.68	--
11/10/2000	NP		244.82	5.0	24.5	12.50	--	232.32	7,030	19.7	<10.0	190	43.6	445	1.27	--
2/12/2001	NP		244.82	5.0	24.5	12.81	--	232.01	8,840	33.9	<10.0	186	56.4	352	0.4	--
4/13/2001	NP		244.82	5.0	24.5	11.31	--	233.51	9,020	54.2	43.3	137	96	297	--	--
7/18/2001	NP		244.82	5.0	24.5	11.59	--	233.23	13,000	19	10	110	49	230	--	--
10/1/2001	NP		244.82	5.0	24.5	11.84	--	232.98	8,500	6.9	<1.0	87	27	220	--	--
1/14/2002	NP		244.82	5.0	24.5	10.75	--	234.07	9,500	<20	<20	140	22	<200	--	--
4/3/2002	NP	f	244.82	5.0	24.5	--	--	--	2,700	24	5.1	92	8.5	130	--	--
4/3/2002	NP		244.82	5.0	24.5	12.50	--	232.32	2,400	21	<5.0	91	8.5	130	--	--
8/8/2002	NP		244.82	5.0	24.5	12.83	--	231.99	2,000	<20	<20	48	<20	520	0.8	6.9
11/27/2002	NP		244.82	5.0	24.5	12.79	--	232.03	2,200	<10	<10	33	<10	150	0.8	6.4
2/10/2003	NP		244.82	5.0	24.5	12.62	--	232.20	2,600	<2.5	<2.5	47	4.2	100	0.7	6.6

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6002, 6235 Seminary Ave., Oakland, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
									GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE		
<b>MW-5 Cont.</b>																
6/3/2003	--		244.82	5.0	24.5	12.41	--	232.41	2,400	<5.0	<5.0	26	<5.0	160	1.8	6.3
8/14/2003	--	e	244.82	5.0	24.5	--	--	--	--	--	--	--	--	--	--	--
11/13/2003	NP		244.82	5.0	24.5	12.49	--	232.33	1,900	<5.0	<5.0	13	<5.0	90	0.9	6.4
02/13/2004	NP		250.55	5.0	24.5	12.38	--	238.17	1,400	1.4	1.9	23	3.6	90	1.1	62.8
05/05/2004	NP		250.55	5.0	24.5	12.68	--	237.87	5,800	<2.5	<2.5	13	<2.5	130	1.1	6.3
08/30/2004	P		250.55	5.0	24.5	12.96	--	237.59	4,100	<2.5	<2.5	<2.5	<2.5	85	--	6.4
11/08/2004	NP		250.55	5.0	24.5	12.10	--	238.45	3,500	14	1.9	17	6.1	69	1.05	6.0
02/07/2005	NP		250.55	5.0	24.5	12.02	--	238.53	3,500	<1.0	1.1	16	2.6	15	0.95	6.5
05/09/2005	NP	j	250.55	5.0	24.5	11.94	--	238.61	3,400	<1.0	1.7	12	2.2	19	2.2	6.7
08/11/2005	NP		250.55	5.0	24.5	12.77	--	237.78	5,700	<2.5	<2.5	13	<2.5	51	0.7	6.0
12/02/2005	NP		250.55	5.0	24.5	11.83	--	238.72	3,900	<2.5	<2.5	15	8.3	13	1.41	6.9
02/15/2006	NP		250.55	5.0	24.5	10.77	--	239.78	790	<0.50	<0.50	1.2	<0.50	<0.50	1.2	6.9
5/19/2006	NP		250.55	5.0	24.5	12.29	--	238.26	4,100	0.97	1.5	3.9	1.8	15	0.98	6.5
8/25/2006	P		250.55	5.0	24.5	12.62	--	237.93	3,700	<2.5	<2.5	4.0	<2.5	17	1.15	6.2
11/2/2006	P		250.55	5.0	24.5	12.90	--	237.65	5,700	<1.0	1.5	4.3	1.7	18	1.86	6.67
2/6/2007	NP		250.55	5.0	24.5	12.37	--	238.18	4,800	<1.0	<1.0	5.2	1.3	13	0.96	6.99
<b>MW-6</b>																
6/29/1995	--		--	17.0	31.5	6.63	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
9/1/1995	--		--	17.0	31.5	--	--	--	--	--	--	--	--	--	--	--
11/13/1995	--		--	17.0	31.5	7.70	--	--	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
2/23/1996	--		--	17.0	31.5	9.82	--	--	<50	<0.5	0.8	<0.5	0.6	<3	--	--
5/10/1996	--		--	17.0	31.5	15.25	--	--	--	--	--	--	--	--	--	--
8/9/1996	--		252.20	17.0	31.5	11.11	--	241.09	--	--	--	--	--	--	--	--
11/8/1996	--		252.20	17.0	31.5	9.31	--	242.89	--	--	--	--	--	--	--	--
3/21/1997	--		252.20	17.0	31.5	9.40	--	242.80	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
5/27/1997	--		252.20	17.0	31.5	7.08	--	245.12	--	--	--	--	--	--	--	--
8/5/1997	--		252.20	17.0	31.5	7.12	--	245.08	--	--	--	--	--	--	--	--
10/29/1997	--		252.20	17.0	31.5	7.42	--	244.78	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
2/25/1998	--		252.20	17.0	31.5	10.35	--	241.85	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
5/12/1998	--		252.20	17.0	31.5	15.83	--	236.37	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6002, 6235 Seminary Ave., Oakland, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
									GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE		
MW-6 Cont.																
7/28/1998	--		252.20	17.0	31.5	11.84	--	240.36	--	--	--	--	--	--	--	--
10/27/1998	--		252.20	17.0	31.5	9.73	--	242.47	--	--	--	--	--	--	--	--
2/8/1999	--		252.20	17.0	31.5	8.10	--	244.10	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
6/1/1999	--		252.20	17.0	31.5	17.84	--	234.36	--	--	--	--	--	--	--	--
8/25/1999	--		252.20	17.0	31.5	11.00	--	241.20	--	--	--	--	--	--	0.77	--
10/29/1999	--		252.20	17.0	31.5	9.03	--	243.17	--	--	--	--	--	--	3.42	--
2/16/2000	P		252.20	17.0	31.5	7.71	--	244.49	<50	<0.5	<0.5	<0.5	<1	<3	2.42	--
6/23/2000	--		252.20	17.0	31.5	6.69	--	245.51	--	--	--	--	--	--	2.3	--
8/17/2000	--		252.20	17.0	31.5	6.95	--	245.25	--	--	--	--	--	--	2.51	--
11/10/2000	--		252.20	17.0	31.5	11.79	--	240.41	--	--	--	--	--	--	--	--
2/12/2001	--		--	17.0	31.5	--	--	--	--	--	--	--	--	--	--	--
2/12/2001	P		252.20	17.0	31.5	7.35	--	244.85	<50	<0.50	<0.50	<0.50	<0.50	<2.5	1.66	7.77
4/13/2001	--		252.20	17.0	31.5	10.52	--	241.68	--	--	--	--	--	--	--	--
7/18/2001	--		252.20	17.0	31.5	11.03	--	241.17	--	--	--	--	--	--	--	--
10/1/2001	--		252.20	17.0	31.5	11.31	--	240.89	--	--	--	--	--	--	--	--
1/14/2002	P		252.20	17.0	31.5	9.87	--	242.33	<50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
4/3/2002	--		252.20	17.0	31.5	12.19	--	240.01	--	--	--	--	--	--	--	--
8/8/2002	--		252.20	17.0	31.5	7.04	--	245.16	--	--	--	--	--	--	--	--
11/27/2002	--		252.20	17.0	31.5	6.85	--	245.35	--	--	--	--	--	--	--	--
2/10/2003	NP		252.20	17.0	31.5	6.74	--	245.46	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.1	7.4
6/3/2003	--		252.20	17.0	31.5	14.35	--	237.85	--	--	--	--	--	--	--	--
8/14/2003	--		252.20	17.0	31.5	10.74	--	241.46	--	--	--	--	--	--	--	--
11/13/2003	--		252.20	17.0	31.5	10.68	--	241.52	--	--	--	--	--	--	--	--
02/13/2004	--		257.94	17.0	31.5	7.38	--	250.56	--	--	--	--	--	--	--	--
05/05/2004	--		257.94	17.0	31.5	7.43	--	250.51	--	--	--	--	--	--	--	--
08/30/2004	P		257.94	17.0	31.5	7.39	--	250.55	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.5	7.0
11/08/2004	--		257.94	17.0	31.5	15.57	--	242.37	--	--	--	--	--	--	--	--
02/07/2005	--		257.94	17.0	31.5	15.26	--	242.68	--	--	--	--	--	--	--	--
05/09/2005	--		257.94	17.0	31.5	11.31	--	246.63	--	--	--	--	--	--	--	--
08/11/2005	P		257.94	17.0	31.5	9.80	--	248.14	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.4	7.1
12/02/2005	--		257.94	17.0	31.5	14.55	--	243.39	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6002, 6235 Seminary Ave., Oakland, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
									GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE		
<b>MW-6 Cont.</b>																
02/15/2006	--		257.94	17.0	31.5	10.33	--	247.61	--	--	--	--	--	--	--	--
5/19/2006	--		257.94	17.0	31.5	6.50	--	251.44	--	--	--	--	--	--	--	--
8/25/2006	P		257.94	17.0	31.5	6.75	--	251.19	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.90	6.6
11/2/2006	--		257.94	17.0	31.5	7.15	--	250.79	--	--	--	--	--	--	--	--
2/6/2007	--		257.94	17.0	31.5	6.93	--	251.01	--	--	--	--	--	--	--	--
<b>MW-7</b>																
8/9/1996	--	g	235.95	8.5	13.5	--	--	--	--	--	--	--	--	--	--	--
11/8/1996	--	g	235.95	8.5	13.5	--	--	--	--	--	--	--	--	--	--	--
1/27/1997	--		235.95	8.5	13.5	--	--	--	2,900	29	<5	<5	580	220	--	--
3/21/1997	--		235.95	8.5	13.5	7.13	--	228.82	590	3.5	<0.5	<0.5	1.3	90	--	--
5/27/1997	--		235.95	8.5	13.5	9.02	--	226.93	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
8/5/1997	--		235.95	8.5	13.5	12.33	--	223.62	110	0.5	<0.5	<0.5	0.8	81	--	--
10/29/1997	--	g	235.95	8.5	13.5	--	--	--	--	--	--	--	--	--	--	--
2/25/1998	--		235.95	8.5	13.5	8.04	--	227.91	<50	<0.5	0.6	<0.5	0.7	<3	--	--
5/12/1998	--		235.95	8.5	13.5	8.88	--	227.07	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
7/28/1998	--		235.95	8.5	13.5	10.50	--	225.45	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
10/27/1998	--		235.95	8.5	13.5	8.75	--	227.20	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
2/8/1999	--		235.95	8.5	13.5	9.35	--	226.60	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
6/1/1999	NP		235.95	8.5	13.5	9.85	--	226.10	250	<0.5	0.6	<0.5	1.6	18	1	6.43
8/25/1999	NP		235.95	8.5	13.5	11.31	--	224.64	119	<0.5	5.7	<0.5	<0.5	11	0.41	8.28
10/29/1999	NP		235.95	8.5	13.5	9.08	--	226.87	<50	<0.5	<0.5	<0.5	<1	<3	1.29	5.82
2/25/2000	NP		235.95	8.5	13.5	8.02	--	227.93	<50	<0.5	<0.5	<0.5	<1	38	2.1	--
6/23/2000	NP		235.95	8.5	13.5	10.68	--	225.27	<50	<0.50	<0.50	<0.50	<0.50	14.4	1.6	--
8/17/2000	NP		235.95	8.5	13.5	11.85	--	224.10	70	<0.500	0.678	<0.500	1.07	14.2	1.59	--
11/10/2000	NP		235.95	8.5	13.5	9.62	--	226.33	<50	<0.50	<0.50	<0.50	<0.50	<2.5	1.09	--
2/12/2001	NP		235.95	8.5	13.5	12.10	--	223.85	<50	<0.50	<0.50	<0.50	<0.50	<2.5	0.84	--
4/13/2001	P		235.95	8.5	13.5	7.95	--	228.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
7/18/2001	P		235.95	8.5	13.5	8.20	--	227.75	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
10/1/2001	NP		235.95	8.5	13.5	8.59	--	227.36	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
1/14/2002	P		235.95	8.5	13.5	6.93	--	229.02	<50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6002, 6235 Seminary Ave., Oakland, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
									GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE		
<b>MW-7 Cont.</b>																
4/3/2002	P		235.95	8.5	13.5	8.31	--	227.64	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--
8/8/2002	P	h	235.95	8.5	13.5	12.11	--	223.84	--	--	--	--	--	--	--	--
11/27/2002	NP	h	235.95	8.5	13.5	13.01	--	222.94	--	--	--	--	--	--	--	--
2/10/2003	NP		235.95	8.5	13.5	10.02	--	225.93	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.5	6.7
6/3/2003	NP		235.95	8.5	13.5	6.82	--	229.13	<50	<0.50	<0.50	<0.50	<0.50	<0.50	8.1	6.8
8/14/2003	P		235.95	8.5	13.5	8.16	--	227.79	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.8	6.7
11/13/2003	--		235.95	8.5	13.5	8.07	--	227.88	--	--	--	--	--	--	--	--
02/13/2004	--		241.64	8.5	13.5	7.62	--	234.02	--	--	--	--	--	--	--	--
05/05/2004	--		241.64	8.5	13.5	11.01	--	230.63	--	--	--	--	--	--	--	--
08/30/2004	--	h	241.64	8.5	13.5	13.27	--	228.37	--	--	--	--	--	--	--	--
11/08/2004	--		241.64	8.5	13.5	13.22	--	228.42	--	--	--	--	--	--	--	--
02/07/2005	--		241.64	8.5	13.5	13.07	--	228.57	--	--	--	--	--	--	--	--
05/09/2005	--		241.64	8.5	13.5	7.57	--	234.07	--	--	--	--	--	--	--	--
08/11/2005	NP		241.64	8.5	13.5	11.55	--	230.09	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.1	6.7
12/02/2005	--		241.64	8.5	13.5	13.12	--	228.52	--	--	--	--	--	--	--	--
02/15/2006	--		241.64	8.5	13.5	7.27	--	234.37	--	--	--	--	--	--	--	--
5/19/2006	--		241.64	8.5	13.5	7.84	--	233.80	--	--	--	--	--	--	--	--
8/25/2006	P		241.64	8.5	13.5	12.19	--	229.45	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.33	6.2
11/2/2006	--		241.64	8.5	13.5	13.15	--	228.49	--	--	--	--	--	--	--	--
2/6/2007	--		241.64	8.5	13.5	11.12	--	230.52	--	--	--	--	--	--	--	--
<b>MW-8</b>																
8/9/1996	--		240.37	5.5	14.0	9.41	--	230.96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
11/8/1996	--		240.37	5.5	14.0	9.19	--	231.18	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
3/21/1997	--		240.37	5.5	14.0	8.55	--	231.82	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
5/27/1997	--		240.37	5.5	14.0	11.06	--	229.31	91	0.6	<0.5	<0.5	0.6	66	--	--
8/5/1997	--		240.37	5.5	14.0	9.32	--	231.05	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
10/29/1997	--		240.37	5.5	14.0	9.35	--	231.02	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
2/25/1998	--		240.37	5.5	14.0	7.08	--	233.29	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
5/12/1998	--		240.37	5.5	14.0	8.61	--	231.76	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
7/28/1998	--		240.37	5.5	14.0	9.63	--	230.74	<50	<0.5	<0.5	<0.5	<0.5	4	--	--



Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6002, 6235 Seminary Ave., Oakland, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
									GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE		
MW-8 Cont.																
10/27/1998	--		240.37	5.5	14.0	9.30	--	231.07	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
2/8/1999	--		240.37	5.5	14.0	5.56	--	234.81	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
6/1/1999	--	e	240.37	5.5	14.0	--	--	--	--	--	--	--	--	--	--	--
8/25/1999	--	e	240.37	5.5	14.0	--	--	--	--	--	--	--	--	--	--	--
10/29/1999	--	e	240.37	5.5	14.0	--	--	--	--	--	--	--	--	--	--	--
2/16/2000	--	e	240.37	5.5	14.0	--	--	--	--	--	--	--	--	--	--	--
6/23/2000	NP		240.37	5.5	14.0	9.45	--	230.92	<50	<0.50	<0.50	<0.500	<0.50	<2.5	1.9	--
8/17/2000	NP		240.37	5.5	14.0	6.40	--	233.97	<50	<0.50	<0.50	<0.50	<0.50	<2.5	2.56	--
11/10/2000	NP		240.37	5.5	14.0	6.25	--	234.12	<50	<0.50	<0.50	<0.50	<0.50	<2.5	1.93	--
11/10/2000	--	f	240.37	5.5	14.0	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
2/12/2001	NP		240.37	5.5	14.0	8.11	--	232.26	<50	<0.50	<0.50	<0.50	<0.50	<2.5	1.65	--
4/13/2001	P		240.37	5.5	14.0	5.19	--	235.18	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
7/18/2001	NP		240.37	5.5	14.0	5.55	--	234.82	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
10/1/2001	NP		240.37	5.5	14.0	6.41	--	233.96	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
1/14/2002	P		240.37	5.5	14.0	5.07	--	235.30	<50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--
4/3/2002	P		240.37	5.5	14.0	8.60	--	231.77	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
8/8/2002	P		240.37	5.5	14.0	9.58	--	230.79	<50	<0.50	<0.50	<0.50	<0.50	<2.5	1.7	7
11/27/2002	P		240.37	5.5	14.0	9.15	--	231.22	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.1	6.7
2/10/2003	P		240.37	5.5	14.0	8.55	--	231.82	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.3	6.6
6/3/2003	--		240.37	5.5	14.0	8.72	--	231.65	<50	<0.50	<0.50	<0.50	<0.50	<0.50	9.1	6.3
8/14/2003	--		240.37	5.5	14.0	9.52	--	230.85	<50	<0.50	<0.50	<0.50	<0.50	<0.50	5.5	6.4
11/13/2003	--		240.37	5.5	14.0	9.45	--	230.92	--	--	--	--	--	--	--	--
02/13/2004	--		246.09	5.5	14.0	8.38	--	237.71	--	--	--	--	--	--	--	--
05/05/2004	--		246.09	5.5	14.0	9.30	--	236.79	--	--	--	--	--	--	--	--
08/30/2004	P		246.09	5.5	14.0	9.69	--	236.40	<50	<0.50	<0.50	<0.50	0.75	<0.50	5.1	6.5
11/08/2004	--		246.09	5.5	14.0	8.34	--	237.75	--	--	--	--	--	--	--	--
02/07/2005	--		246.09	5.5	14.0	8.23	--	237.86	--	--	--	--	--	--	--	--
05/09/2005	--		246.09	5.5	14.0	7.07	--	239.02	--	--	--	--	--	--	--	--
08/11/2005	--	e	246.09	5.5	14.0	--	--	--	--	--	--	--	--	--	--	--
12/02/2005	--		246.09	5.5	14.0	8.15	--	237.94	--	--	--	--	--	--	--	--
02/15/2006	--	e	246.09	5.5	14.0	--	--	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6002, 6235 Seminary Ave., Oakland, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
									GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE		
<b>MW-8 Cont.</b>																
5/19/2006	--		246.09	5.5	14.0	8.48	--	237.61	--	--	--	--	--	--	--	--
8/25/2006	P		246.09	5.5	14.0	9.45	--	236.64	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.27	6.0
11/2/2006	--		--	5.5	14.0	--	--	--	--	--	--	--	--	--	--	--
2/6/2007	--		246.09	5.5	14.0	--	--	--	--	--	--	--	--	--	--	--
<b>VW-1</b>																
2/23/1996	--		--	6.0	14.0	5.29	--	--	21,000	490	57	520	1,500	240	--	--
5/10/1996	--		--	6.0	14.0	6.80	--	--	3,700	61	<5	100	50	200	--	--
8/9/1996	--		--	6.0	14.0	7.03	--	--	970	2.7	<2.5	2.7	3.7	180	--	--
11/8/1996	--	e	--	6.0	14.0	--	--	--	--	--	--	--	--	--	--	--
3/21/1997	--		--	6.0	14.0	7.51	--	--	640	<4	<1	1	3	194	--	--
5/27/1997	--		--	6.0	14.0	7.51	--	--	--	--	--	--	--	--	--	--
8/5/1997	--		--	6.0	14.0	7.51	--	--	630	<1	<1	3	2	120	--	--
10/29/1997	--		--	6.0	14.0	7.53	--	--	600	<0.5	<0.5	<0.5	1.6	84	--	--
2/25/1998	--		--	6.0	14.0	6.77	--	--	230	<4	<0.7	1.2	0.5	27	--	--
5/12/1998	--		--	6.0	14.0	7.43	--	--	340	<0.5	0.5	2.3	0.8	29	--	--
7/28/1998	--		--	6.0	14.0	7.00	--	--	240	<0.5	<0.5	<0.5	1.1	54	--	--
10/27/1998	--		--	6.0	14.0	7.52	--	--	230	<0.5	<0.5	<0.5	<0.5	65	--	--
2/8/1999	--	e	--	6.0	14.0	7.05	--	--	<50	<0.5	<0.5	<0.5	<0.5	<3/36	--	--
6/1/1999	NP		--	6.0	14.0	7.55	--	--	180	<0.5	<0.5	<0.5	<0.5	23	1	6.36
8/25/1999	NP		--	6.0	14.0	7.66	--	--	130	<0.5	5.6	<0.5	<0.5	40	0.39	7.5
10/29/1999	NP		--	6.0	14.0	7.59	--	--	200	1	<0.5	0.6	1.6	36	0.89	5.65
2/16/2000	NP		--	6.0	14.0	7.03	--	--	210	<0.5	0.9	2.2	1.9	11	1.41	--
6/23/2000	NP		--	6.0	14.0	7.71	--	--	175	1.04	<0.500	<0.500	<0.500	14.4	1.9	--
8/17/2000	NP		--	6.0	14.0	7.75	--	--	180	<0.500	<0.500	0.622	0.76	23.7	0.63	--
11/10/2000	NP		--	6.0	14.0	6.83	--	--	157	0.955	<0.500	0.973	<0.500	32.5	1.03	--
2/12/2001	NP		--	6.0	14.0	7.85	--	--	273	0.627	<0.500	<0.500	0.507	9.19	0.47	--
4/13/2001	P		--	6.0	14.0	5.11	--	--	213	<0.500	<0.500	<0.500	<0.500	6.38	--	--
7/18/2001	P		--	6.0	14.0	5.39	--	--	270	<0.50	<0.50	<0.50	<0.50	20	--	--
10/1/2001	NP		--	6.0	14.0	6.50	--	--	200	<0.50	<0.50	<0.50	0.81	14	--	--
1/14/2002	P		--	6.0	14.0	5.04	--	--	110	<0.50	<0.50	<0.50	<0.50	6.4	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6002, 6235 Seminary Ave., Oakland, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
									GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE		
<b>VW-1 Cont.</b>																
4/3/2002	P		—	6.0	14.0	7.51	—	—	91	0.72	<0.50	<0.50	<0.50	12	—	—
8/8/2002	P		—	6.0	14.0	9.58	—	—	<50	<0.50	<0.50	<0.50	<0.50	33	0.6	6.3
11/27/2002	P		—	6.0	14.0	7.42	—	—	52	0.72	0.78	<0.50	<0.50	21	1	6.1
2/10/2003	NP		—	6.0	14.0	7.38	—	—	52	<0.50	<0.50	<0.50	<0.50	11	1.7	6.5
6/3/2003	—		—	6.0	14.0	7.30	—	—	71	<0.50	<0.50	<0.50	<0.50	13	3.3	6.3
8/14/2003	—		—	6.0	14.0	7.59	—	—	<50	<0.50	<0.50	<0.50	<0.50	18	0.3	6.1
11/13/2003	P		—	6.0	14.0	7.43	—	—	<50	<0.50	<0.50	<0.50	<0.50	15	0.6	6.1
02/13/2004	P		253.19	6.0	14.0	7.35	—	245.84	59	<0.50	<0.50	<0.50	0.56	8.0	1.0	6.0
05/05/2004	P		253.19	6.0	14.0	7.30	—	245.89	<50	0.71	<0.50	<0.50	0.60	11	0.1	6.4
08/30/2004	P		253.19	6.0	14.0	8.50	—	244.69	<50	<0.50	<0.50	<0.50	<0.50	24	0.2	6.2
11/08/2004	P		253.19	6.0	14.0	7.22	—	245.97	230	<0.50	<0.50	<0.50	0.75	27	0.65	5.1
02/07/2005	P		253.19	6.0	14.0	7.25	—	245.94	<50	<0.50	<0.50	<0.50	<0.50	5.1	1.57	5.9
05/09/2005	P		253.19	6.0	14.0	7.10	—	246.09	64	<0.50	<0.50	<0.50	<0.50	6.9	3.5	—
08/11/2005	P		253.19	6.0	14.0	7.89	—	245.30	<50	<0.50	<0.50	<0.50	<0.50	10	0.04	6.3
12/02/2005	P		253.19	6.0	14.0	7.32	—	245.87	130	<0.50	<0.50	<0.50	0.57	9.0	1.85	6.6
02/15/2006	P		253.19	6.0	14.0	7.16	—	246.03	<50	<0.50	<0.50	<0.50	<0.50	2.8	0.9	6.2
5/19/2006	P		253.19	6.0	14.0	7.24	—	245.95	<50	0.71	<0.50	0.65	1.4	3.7	0.85	6.2
8/25/2006	P		253.19	6.0	14.0	7.48	—	245.71	50	<0.50	<0.50	<0.50	<0.50	8.3	0.49	6.2
11/2/2006	P		253.19	6.0	14.0	7.77	—	245.42	57	<0.50	<0.50	<0.50	<0.50	11	1.84	6.88
2/6/2007	NP		253.19	6.0	14.0	7.35	—	245.84	64	<0.50	<0.50	<0.50	<0.50	2.3	0.70	6.92
<b>VW-2</b>																
2/23/1996	—	i	—	—	—	6.92	—	—	—	—	—	—	—	—	—	—
8/8/2002	—	i	—	—	—	10.51	—	—	—	—	—	—	—	—	—	—
<b>VW-3</b>																
8/8/2002	—		—	5.5	14.5	8.85	—	—	<50	<0.50	<0.50	<0.50	<0.50	2.5	0.7	6.1
11/27/2002	—	i	—	5.5	14.5	8.80	—	—	—	—	—	—	—	—	—	—
2/10/2003	—	i	—	5.5	14.5	8.41	—	—	—	—	—	—	—	—	—	—
6/3/2003	—	i	—	5.5	14.5	8.71	—	—	—	—	—	—	—	—	—	—
8/14/2003	—	i	—	5.5	14.5	8.81	—	—	—	—	—	—	—	—	—	—

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6002, 6235 Seminary Ave., Oakland, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
									GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE		
<b>VW-3 Cont.</b>																
11/13/2003	--		--	5.5	14.5	8.75	--	--	--	--	--	--	--	--	--	--
02/13/2004	--		252.26	5.5	14.5	8.48	--	243.78	--	--	--	--	--	--	--	--
05/05/2004	--		252.26	5.5	14.5	8.85	--	243.41	--	--	--	--	--	--	--	--
08/30/2004	--		252.26	5.5	14.5	9.07	--	243.19	--	--	--	--	--	--	--	--
11/08/2004	--		252.26	5.5	14.5	8.32	--	243.94	--	--	--	--	--	--	--	--
02/07/2005	--		252.26	5.5	14.5	8.28	--	243.98	--	--	--	--	--	--	--	--
05/09/2005	--		252.26	5.5	14.5	8.44	--	243.82	--	--	--	--	--	--	--	--
08/11/2005	--		252.26	5.5	14.5	8.96	--	243.30	--	--	--	--	--	--	--	--
12/02/2005	--		252.26	5.5	14.5	8.26	--	244.00	--	--	--	--	--	--	--	--
02/15/2006	--		252.26	5.5	14.5	7.61	--	244.65	--	--	--	--	--	--	--	--
5/19/2006	--		252.26	5.5	14.5	8.83	--	243.43	--	--	--	--	--	--	--	--
8/25/2006	--		252.26	5.5	14.5	8.95	--	243.31	--	--	--	--	--	--	--	--
11/2/2006	--		252.26	5.5	14.5	9.08	--	243.18	--	--	--	--	--	--	--	--
2/6/2007	--		252.26	5.5	14.5	8.61	--	243.65	--	--	--	--	--	--	--	--
<b>VW-4</b>																
5/10/1996	--		--	5.5	14.5	8.58	--	--	13,000	2,500	41	420	660	43,000	--	--
8/9/1996	--		--	5.5	14.5	11.70	--	--	<50	<0.5	<0.5	<0.5	<0.5	6,200	--	--
11/8/1996	--		--	5.5	14.5	9.38	--	--	7,800	510	7	180	370	21,000	--	--
3/21/1997	--		--	5.5	14.5	9.11	--	--	10,000	290	10	270	230	8,900	--	--
5/27/1997	--		--	5.5	14.5	9.34	--	--	--	--	--	--	--	--	--	--
8/5/1997	--		--	5.5	14.5	9.47	--	--	<10,000	180	<100	<100	110	12,000	--	--
10/29/1997	--		--	5.5	14.5	9.35	--	--	9,800	200	69	260	360	4,900	--	--
2/25/1998	--		--	5.5	14.5	7.08	--	--	<50	2.5	<0.5	<0.5	0.7	<3	--	--
5/12/1998	--		--	5.5	14.5	9.17	--	--	3,200	<20	22	29	52	2,100	--	--
7/28/1998	--		--	5.5	14.5	9.55	--	--	<10,000	<100	<100	<100	<100	5,100	--	--
10/27/1998	--		--	5.5	14.5	9.92	--	--	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
2/8/1999	--	c	--	5.5	14.5	7.50	--	--	<2,500	<25	<25	28	<25	2,400/3,100	--	--
6/1/1999	NP		--	5.5	14.5	9.87	--	--	2,100	2.5	1.1	2.5	15	3,300	2	6.69
8/25/1999	NP		--	5.5	14.5	9.78	--	--	1,300	4.4	4.9	1.7	2.9	4,600	0.36	7.94
10/29/1999	NP		--	5.5	14.5	9.93	--	--	1,400	<0.5	1.8	1.6	3	4,200	1.18	6.64

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6002, 6235 Seminary Ave., Oakland, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Product Thickness (feet)	Water Level (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
									GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE		
VW-4 Cont.																
2/16/2000	NP		--	5.5	14.5	7.45	--	--	1,800	<0.5	2.9	15	10	3,400	1.01	--
6/23/2000	NP		--	5.5	14.5	9.74	--	--	1,360	<2.00	2.26	<2.00	2.25	4,900	1.5	--
6/23/2000		f	--	5.5	14.5	--	--	--	1,260	<2.00	<2.00	<2.00	2.73	2,720	--	--
8/17/2000	NP		--	5.5	14.5	9.95	--	--	2,230	<10.0	<10.0	<10.0	<10.0	5,310	1.13	--
11/10/2000	NP		--	5.5	14.5	9.22	--	--	1,390	18.5	<5.00	<5.00	<5.00	8,840	1.25	--
2/12/2001	NP		--	5.5	14.5	8.99	--	--	1,400	9.42	<2.00	17.8	16.1	3,570	0.91	--
4/13/2001	NP		--	5.5	14.5	7.80	--	--	556	3.82	<1.25	<1.25	<1.25	2,450	--	--
7/18/2001	NP		--	5.5	14.5	7.73	--	--	2,100	9.2	<2.0	<2.0	<2.0	3,700	--	--
7/18/2001		f	--	5.5	14.5	--	--	--	2,000	8.7	2.2	<2.0	<2.0	3,400	--	--
10/1/2001	--	f	--	5.5	14.5	--	--	--	1,800	<10	<10	<10	<10	5,800	--	--
10/1/2001	NP		--	5.5	14.5	6.69	--	--	2,000	<10	<10	<10	13	5,900	--	--
1/14/2002	P		--	5.5	14.5	5.93	--	--	580	<2.0	<2.0	<2.0	<2.0	2,700	--	--
4/3/2002	NP		--	5.5	14.5	9.60	--	--	1,400	5.2	16	<5.0	9.6	2,200	--	--
8/8/2002	--	i	--	5.5	14.5	10.01	--	--	--	--	--	--	--	--	--	--
11/27/2002	P		--	5.5	14.5	10.30	--	--	<10,000	<100	<100	<100	<100	3,800	1.7	6.7
2/10/2003	NP		--	5.5	14.5	10.06	--	--	<5,000	<50	<50	<50	<50	2,500	1	6.8
6/3/2003	--		--	5.5	14.5	10.04	--	--	<1,000	<10	<10	<10	<10	440	1.9	6.6
8/14/2003	--		--	5.5	14.5	9.66	--	--	<500	<5.0	<5.0	<5.0	<5.0	170	0.8	6.7
11/13/2003	P		--	5.5	14.5	10.01	--	--	<500	<5.0	<5.0	<5.0	<5.0	130	1.7	6.4
02/13/2004	P		252.69	5.5	14.5	9.34	--	243.35	330	<2.5	<2.5	<2.5	3.0	210	2.0	6.6
05/05/2004	P		252.69	5.5	14.5	10.07	--	242.62	130	<1.0	<1.0	<1.0	<1.0	66	1.2	6.8
08/30/2004	P		252.69	5.5	14.5	10.32	--	242.37	<500	<5.0	<5.0	<5.0	<5.0	220	1.1	6.6
11/08/2004	P		252.69	5.5	14.5	9.35	--	243.34	480	<2.5	<2.5	<2.5	<2.5	140	1.1	6.0
02/07/2005	P		252.69	5.5	14.5	9.22	--	243.47	180	<0.50	<0.50	<0.50	<0.50	47	1.83	6.5
05/09/2005	P		252.69	5.5	14.5	9.78	--	242.91	120	0.63	<0.50	<0.50	<0.50	37	--	--
08/11/2005	P		252.69	5.5	14.5	10.11	--	242.58	74	<0.50	<0.50	<0.50	<0.50	15	0.7	6.7
12/02/2005	P		252.69	5.5	14.5	9.59	--	243.10	160	<1.0	<1.0	<1.0	<1.0	28	0.75	6.9
02/15/2006	P		252.69	5.5	14.5	8.56	--	244.13	64	<0.50	<0.50	<0.50	<0.50	11	0.9	6.9
5/19/2006	P		252.69	5.5	14.5	9.95	--	242.74	150	<0.50	<0.50	<0.50	1.2	16	0.76	6.7
8/25/2006	P		252.69	5.5	14.5	10.03	--	242.66	140	<0.50	<0.50	<0.50	<0.50	17	1.14	6.7
11/2/2006	P		252.69	5.5	14.5	10.13	--	242.56	120	<0.50	<0.50	<0.50	<0.50	20	1.76	6.49

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6002, 6235 Seminary Ave., Oakland, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
									GRO/ TPHg	Benzene	Toluene	Ethyl- Benzene	Total Xylenes	MtBE		
VW-4 Cont.																
2/6/2007	NP		252.69	5.5	14.5	9.57	--	243.12	<50	<0.50	<0.50	<0.50	<0.50	1.6	0.98	6.89

**SYMBOLS AND ABBREVIATIONS:**

-- = Not analyzed/applicable/measured/available  
< = Not detected at or above laboratory reporting limit  
BTEX = Benzene, toluene, ethylbenzene and xylenes  
DO = Dissolved oxygen  
DTW = Depth to water in ft bgs  
ft bgs = feet below ground surface  
ft MSL = feet above mean sea level  
GRO = Gasoline range organics  
GWE = Groundwater elevation measured in ft MSL  
mg/L = Milligrams per liter  
MTBE = Methyl tert butyl ether  
NP = Well not purged prior to sampling  
P = Well purged prior to sampling  
TOC = Top of casing measured in ft MSL  
TPH-g = Total petroleum hydrocarbons as gasoline  
µg/L = Micrograms per liter

**FOOTNOTES:**

a = SPH detected and GWE corrected: Corrected elevation (Z') = Z + (h \* 0.73) where: Z: measured elevation, h: floating product thickness, 0.73: density ratio of oil to water.  
b = MTBE analyzed by EPA method 8240.  
c = MTBE, sample also analyzed for fuel oxygenates.  
d = Well was decommissioned on 2/12/1996.  
e = Well inaccessible.  
f = Duplicate  
g = Well was dry.  
h = Insufficient water to sample.  
i = Well is not part of the sampling program and therefore was not sampled.  
j = Sheen in well.

**NOTES:**

Wells surveyed to NAVD'88 datum on 1/27/2004.

Beginning on the first quarter 2003 sampling event (2/10/2003), TPH-g, BTEX and MTBE analyzed by EPA method 8260. Prior to 2/10/2003, BTEX by EPA method 8021B from 10/29/99 to 2/10/03, and 8020 prior to 10/29/99.

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported.

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12.

Values for DO and pH were obtained through field measurements.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

**Table 2. Summary of Fuel Additives Analytical Data**  
**Station #6002, 6235 Seminary Ave., Oakland, CA**

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
<b>MW-3</b>									
2/10/2003	<40	<20	<0.50	<0.50	<0.50	<0.50	-	-	
08/30/2004	<100	<20	0.72	<0.50	<0.50	<0.50	<0.50	<0.50	
08/11/2005	<100	<20	0.73	<0.50	<0.50	<0.50	<0.50	<0.50	
8/25/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>MW-4</b>									
2/10/2003	<40	<20	<0.50	<0.50	<0.50	<0.50	-	-	
6/3/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	-	-	
8/14/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
08/30/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
08/11/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/25/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>MW-5</b>									
2/10/2003	<200	<100	100	<0.50	<0.50	<0.50	-	-	
6/3/2003	<1,000	<200	160	<5.0	<5.0	<5.0	-	-	
11/13/2003	<1,000	<200	90	<5.0	<5.0	<5.0	-	-	
02/13/2004	<200	41	90	<1.0	<1.0	<1.0	<1.0	<1.0	
05/05/2004	<500	<100	130	<2.5	<2.5	<2.5	<2.5	<2.5	
08/30/2004	<500	100	85	<2.5	<2.5	<2.5	<2.5	<2.5	
11/08/2004	<200	43	69	<1.0	<1.0	<1.0	<1.0	<1.0	
02/07/2005	<200	<40	15	<1.0	<1.0	<1.0	<1.0	<1.0	
05/09/2005	<200	<40	19	<1.0	<1.0	<1.0	<1.0	<1.0	a
08/11/2005	<500	<100	51	<2.5	<2.5	<2.5	<2.5	<2.5	
12/02/2005	<500	<100	13	<2.5	<2.5	<2.5	<2.5	<2.5	
02/15/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
5/19/2006	<300	25	15	<0.50	<0.50	<0.50	<0.50	<0.50	a, c
8/25/2006	<1,500	<100	17	<2.5	<2.5	<2.5	<2.5	<2.5	
11/2/2006	<600	70	18	<1.0	<1.0	<1.0	<1.0	<1.0	a
2/6/2007	<600	45	13	<1.0	<1.0	<1.0	<1.0	<1.0	
<b>MW-6</b>									
2/10/2003	<40	<20	<0.50	<0.50	<0.50	<0.50	-	-	



**Table 2. Summary of Fuel Additives Analytical Data**  
**Station #6002, 6235 Seminary Ave., Oakland, CA**

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
<b>MW-6 Cont.</b>									
08/30/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
08/11/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/25/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>MW-7</b>									
2/10/2003	<40	<20	<0.50	<0.50	<0.50	<0.50	--	--	
6/3/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
8/14/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
08/11/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/25/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>MW-8</b>									
2/10/2003	<40	<20	<0.50	<0.50	<0.50	<0.50	--	--	
6/3/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
8/14/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
08/30/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
02/15/2006	--	--	--	--	--	--	--	--	Well Inaccessible
8/25/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>VW-1</b>									
2/10/2003	<40	<20	11	<0.50	<0.50	<0.50	--	--	
6/3/2003	<100	<20	13	<0.50	<0.50	<0.50	--	--	
8/14/2003	<100	<20	18	<0.50	<0.50	<0.50	<0.50	<0.50	
11/13/2003	<100	<20	13	<0.50	<0.50	<0.50	--	--	
02/13/2004	<100	<20	8.0	<0.50	<0.50	<0.50	<0.50	<0.50	
05/05/2004	<100	<20	11	<0.50	<0.50	<0.50	<0.50	<0.50	
08/30/2004	<100	<20	24	<0.50	<0.50	<0.50	<0.50	<0.50	
11/08/2004	<100	<20	27	<0.50	<0.50	<0.50	<0.50	<0.50	
02/07/2005	<100	<20	5.1	<0.50	<0.50	<0.50	<0.50	<0.50	
05/09/2005	<100	<20	6.9	<0.50	<0.50	<0.50	<0.50	<0.50	
08/11/2005	<100	<20	10	<0.50	<0.50	<0.50	<0.50	<0.50	
12/02/2005	<100	<20	9.0	<0.50	<0.50	<0.50	<0.50	<0.50	a
02/15/2006	<300	<20	2.8	<0.50	<0.50	<0.50	<0.50	<0.50	

**Table 2. Summary of Fuel Additives Analytical Data  
Station #6002, 6235 Seminary Ave., Oakland, CA**

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
<b>VW-1 Cont.</b>									
5/19/2006	<300	<20	3.7	<0.50	<0.50	<0.50	<0.50	<0.50	a, c
8/25/2006	<300	<20	8.3	<0.50	<0.50	<0.50	<0.50	<0.50	
11/2/2006	<300	<20	11	<0.50	<0.50	<0.50	<0.50	<0.50	a
2/6/2007	<300	<20	2.3	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>VW-3</b>									
<b>VW-4</b>									
2/10/2003	<4,000	<2,000	2500	<0.50	<0.50	<0.50	--	--	
6/3/2003	<2,000	4,100	440	<10	<10	<10	--	--	
8/14/2003	<1,000	3,200	170	<5.0	<5.0	<5.0	<5.0	<5.0	
11/13/2003	<1,000	3,300	130	<5.0	<5.0	<5.0	--	--	
02/13/2004	<500	1,300	210	<2.5	<2.5	<2.5	<2.5	<2.5	
05/05/2004	<200	1,500	66	<1.0	1.3	<1.0	<1.0	<1.0	
08/30/2004	<1,000	5,400	220	<5.0	5.4	<5.0	<5.0	<5.0	
11/08/2004	<500	2,700	140	<2.5	<2.5	<2.5	<2.5	<2.5	
02/07/2005	<100	1,000	47	<0.50	0.89	<0.50	<0.50	<0.50	
05/09/2005	<100	1,200	37	<0.50	0.92	<0.50	<0.50	<0.50	
08/11/2005	<100	2,000	15	<0.50	1.8	<0.50	<0.50	<0.50	b
12/02/2005	<200	2,400	28	<1.0	2.2	<1.0	<1.0	<1.0	
02/15/2006	<300	230	11	<0.50	<0.50	<0.50	<0.50	<0.50	
5/19/2006	<300	580	16	<0.50	<0.50	<0.50	<0.50	<0.50	a
8/25/2006	<300	1,900	17	<0.50	1.9	<0.50	<0.50	<0.50	
11/2/2006	<300	2,400	20	<0.50	2.3	<0.50	<0.50	<0.50	a
2/6/2007	<300	<20	1.6	<0.50	<0.50	<0.50	<0.50	<0.50	

SYMBOLS AND ABBREVIATIONS:

-- = Not analyzed/applicable/measured/available  
< = Not detected at or above the laboratory reporting limit  
1,2-DCA = 1,2-Dichloroethane  
DIPE = Di-isopropyl ether  
EDB = 1,2-Dibromoethane  
ETBE = Ethyl tert-butyl ether  
MTBE = Methyl tert-butyl ether  
TAME = tert-Amyl methyl ether  
TBA = tert-Butyl alcohol  
µg/L = Micrograms per Liter

FOOTNOTES:

a = Calibration verification for ethanol was within the method limits but outside the contract limits.  
b = The initial analysis for TBA was within holding time but required dilution.

NOTES:

All volatile organic compounds analyzed using EPA Method 8260B.

The data within this table collected prior to August 2002 was provided to URS by RM and their previous consultants. URS has not verified the accuracy of this information.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

**Table 3. Historical Ground-Water Flow Direction and Gradient**  
**Station #6002, 6235 Seminary Ave., Oakland, CA**

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
3/15/1995	West-Southwest	0.08
5/30/1995	West-Southwest	0.08
9/1/1995	West-Southwest	0.09
11/13/1995	West-Southwest	0.08
2/23/1996	West-Southwest	0.08
5/10/1996	West-Southwest	0.08
8/9/1996	Southwest	0.08
11/8/1996	Southwest	0.06
3/21/1997	West-Southwest	0.05
5/27/1997	West-Southwest	0.07
8/5/1997	West	0.08
10/29/1997	West-Southwest	0.04
2/25/1998	West-Southwest	0.05
5/12/1998	West	0.07
7/28/1998	West	0.07
10/27/1998	West-Southwest	0.06
2/8/1999	West-Southwest	0.07
6/1/1999	West-Northwest	0.07
8/25/1999	West-Southwest	0.07
10/29/1999	West	0.07
2/16/2000	Southwest	0.05
6/23/2000	West	0.04
8/17/2000	West	0.09
11/10/2000	West-Southwest	0.08
2/12/2001	West-Southwest	0.07
4/13/2001	West	0.09
7/18/2001	West	0.08
10/1/2001	West-Southwest	0.08
1/14/2002	West-Southwest	0.07
4/3/2002	West-Southwest	0.08
8/8/2002	West-Southwest	0.09
11/27/2002	West-Southwest	0.08
2/10/2003	Southwest	0.06
6/3/2003	West	0.07
8/14/2003	West-Southwest	0.07
11/13/2003	West-Southwest	0.07
2/13/2004	Southwest	0.05
5/4/2004	Southwest	0.06
8/30/2004	Southwest	0.07
11/8/2004	Southwest	0.10
2/7/2005	Southwest	0.1
5/9/2005	Southwest	0.07

**Table 3. Historical Ground-Water Flow Direction and Gradient**  
**Station #6002, 6235 Seminary Ave., Oakland, CA**

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
8/11/2005	West	0.07
12/2/2005	Southwest	0.10
2/15/2006	Southwest	0.07
4/28/2006	West	0.07
8/25/2006	West	0.07
11/2/2006	West	0.09
2/6/2007	West	0.05

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

**APPENDIX A**

STRATUS GROUND-WATER SAMPLING DATA PACKAGE  
(INCLUDES FIELD DATA SHEET AND LABORATORY ANALYTICAL REPORT  
WITH CHAIN-OF-CUSTODY DOCUMENTATION)



3330 Cameron Park Drive, Ste 550  
Cameron Park, California 95682  
(530) 676-6004 ~ Fax: (530) 676-6005

March 6, 2007

Mr. Rob Miller  
Broadbent & Associates, Inc.  
2000 Kirman Avenue  
Reno, NV 89502

Re: Groundwater Sampling Data Package, BP Service Station No. 6002, located at 6235 Seminary Avenue, Oakland, California (Quarterly Monitoring performed on February 6, 2007)

### **General Information**

*Data Submittal Prepared / Reviewed by:* Sandy Hayes / Jay Johnson

*Phone Number:* (530) 676-6000

*On-Site Supplier Representative:* Jerry Gonzales

*Date:* February 6, 2007

*Arrival:* 14:30      *Departure:* 16:00

*Weather Conditions:* Clear

*Unusual Field Conditions:* None

*Scope of Work Performed:* Quarterly monitoring and sampling

*Variations from Work Scope:* The depth to water measurement was not taken from Well MW-8 because the property owners were not home to grant access.

This submittal presents the tabulation of data collected in association with routine groundwater monitoring. The attachments include field data sheets, chain of custody documentation, and certified analytical results. The information is being provided to BP-ARCO's Scoping Supplier for use in preparing a report for regulatory submittal. This submittal is limited to presentation of collected data and does not include data interpretation or conclusions or recommendations. Any questions concerning this submittal should be addressed to the Preparer/Reviewer identified above.

Sincerely,

**STRATUS ENVIRONMENTAL, INC.**

Jay R. Johnson, P.G.  
Project Manager



**Attachments:**

- Field Data Sheets
- Chain of Custody Documentation
- Certified Analytical Results

CC: Mr. Paul Supple, BP/ARCO



## BP ALAMEDA PORTFOLIO

### HYDROLOGIC DATA SHEET

Gauge Date: 2/6/07

Project Name: Oakland - 6235 Seminary Ave.

Field Technician: Jerry

Project Number: 6002

TOC = Top of Well Casing Elevation  
 DTP = Depth to Free Product (FP or NAPL) Below TOC  
 DTW = Depth to Groundwater Below TOC  
 DTB = Depth to Bottom of Well Casing Below TOC

DIA = Well Casing Diameter  
 ELEV = Groundwater Elevation  
 DUP = Duplicate

WELL OR LOCATION	TIME	MEASUREMENT						PURGE & SAMPLE	SHEEN CONFIRMATION (w/bailer)	COMMENTS
		TOC	DTP	DTW	DTB	DIA	ELEV			
MW-3	14:48			8.38	2430	4"				
MW-4	14:43			10.52	2405	4"				
MW-5	4:46			12.37	2490	4"	yes			
MW-6	14:35			6.93	3290	2"				
MW-7	14:40			11.12	13.18	2"				
MW-8	14:58								not Home	
VW-1	14:50			7.35	1308	4"	yes			
VW-3	14:53			8.61	1410	4"				
VW-4	14:55			9.57	1481	4"	yes			

# BP ALAMEDA PORTFOLIO

## WATER SAMPLE FIELD DATA SHEET

PROJECT #: 6002 PURGED BY: [Signature] WELL I.D.: VW-1  
 CLIENT NAME: \_\_\_\_\_ SAMPLED BY: [Signature] SAMPLE I.D.: VW-1  
 LOCATION: Oakland - 6235 Seminary Ave. QA SAMPLES: \_\_\_\_\_

DATE PURGED 2-6-07 START (2400hr) 15:25 END (2400hr) 15:28  
 DATE SAMPLED 2-6-07 SAMPLE TIME (2400hr) 15:26  
 SAMPLE TYPE: Groundwater  Surface Water \_\_\_\_\_ Treatment Effluent \_\_\_\_\_ Other \_\_\_\_\_

CASING DIAMETER: 2" \_\_\_\_\_ 3" \_\_\_\_\_ 4"  5" \_\_\_\_\_ 6" \_\_\_\_\_ 8" \_\_\_\_\_ Other \_\_\_\_\_  
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ( )

DEPTH TO BOTTOM (feet) = 13.08 CASING VOLUME (gal) = \_\_\_\_\_  
 DEPTH TO WATER (feet) = 7.35 CALCULATED PURGE (gal) = NO  
 WATER COLUMN HEIGHT (feet) = 5.7 ACTUAL PURGE (gal) = \_\_\_\_\_

### FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>2-6-07</u>	<u>15:29</u>	<u>0</u>	<u>17.2</u>	<u>678</u>	<u>6.92</u>	<u>clear</u>	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

SAMPLE DEPTH TO WATER: 7.35 SAMPLE INFORMATION SAMPLE TURBIDITY: LT orange

80% RECHARGE:  YES  NO ANALYSES: see work order  
 ODOR: no SAMPLE VESSEL / PRESERVATIVE: 3 Uoa-HCC

#### PURGING EQUIPMENT

Bladder Pump                       Bailer (Teflon)  
 Centrifugal Pump                   Bailer (PVC)  
 Submersible Pump                   Bailer (Stainless Steel)  
 Peristaltic Pump                    Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_  
 Pump Depth: none

#### SAMPLING EQUIPMENT

Bladder Pump                       Bailer (Teflon)  
 Centrifugal Pump                   Bailer ( \_\_\_\_\_ PVC or  disposable)  
 Submersible Pump                   Bailer (Stainless Steel)  
 Peristaltic Pump                    Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_

WELL INTEGRITY: good LOCK#: master  
 REMARKS: D.O - 0.70

SIGNATURE: [Signature] Page \_\_\_\_\_ of \_\_\_\_\_

**BP ALAMEDA PORTFOLIO**  
**WATER SAMPLE FIELD DATA SHEET**

PROJECT #: 6002 PURGED BY: [Signature] WELL I.D.: VW-4  
 CLIENT NAME: \_\_\_\_\_ SAMPLED BY: [Signature] SAMPLE I.D.: VW-4  
 LOCATION: Oakland - 6235 Seminary Ave. QA SAMPLES: \_\_\_\_\_

DATE PURGED 2/6/09 START (2400hr) 15:17 END (2400hr) 15:20  
 DATE SAMPLED 2/6/09 SAMPLE TIME (2400hr) 15:18  
 SAMPLE TYPE: Groundwater  Surface Water \_\_\_\_\_ Treatment Effluent \_\_\_\_\_ Other \_\_\_\_\_

CASING DIAMETER: 2" \_\_\_\_\_ 3" \_\_\_\_\_ 4"  5" \_\_\_\_\_ 6" \_\_\_\_\_ 8" \_\_\_\_\_ Other \_\_\_\_\_  
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ( )

DEPTH TO BOTTOM (feet) = 19.81 CASING VOLUME (gal) = \_\_\_\_\_  
 DEPTH TO WATER (feet) = 9.57 CALCULATED PURGE (gal) = N/A  
 WATER COLUMN HEIGHT (feet) = 5.2 ACTUAL PURGE (gal) = \_\_\_\_\_

FIELD MEASUREMENTS							
DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>2-6-09</u>	<u>15:19</u>	<u>0</u>	<u>17.9</u>	<u>550</u>	<u>6.88</u>	<u>clear</u>	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

SAMPLE DEPTH TO WATER: 9.57 SAMPLE INFORMATION SAMPLE TURBIDITY: Clear

80% RECHARGE:  YES  NO ANALYSES: see work order  
 ODOR: NO SAMPLE VESSEL / PRESERVATIVE: 3. Voa-HLL

**PURGING EQUIPMENT**  
 Bladder Pump  Bailer (Teflon)  
 Centrifugal Pump  Bailer (PVC)  
 Submersible Pump  Bailer (Stainless Steel)  
 Peristaltic Pump  Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_  
 Pump Depth: NONE

**SAMPLING EQUIPMENT**  
 Bladder Pump  Bailer (Teflon)  
 Centrifugal Pump  Bailer (  PVC or  disposable)  
 Submersible Pump  Bailer (Stainless Steel)  
 Peristaltic Pump  Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_

WELL INTEGRITY: Good LOCK#: Master

REMARKS: DO-0.98

SIGNATURE: [Signature] Page \_\_\_\_\_ of \_\_\_\_\_

**BP ALAMEDA PORTFOLIO**  
**WATER SAMPLE FIELD DATA SHEET**

PROJECT #: 6002 PURGED BY: JC WELL I.D.: MW-5  
 CLIENT NAME: \_\_\_\_\_ SAMPLED BY: [Signature] SAMPLE I.D.: MW-5  
 LOCATION: Oakland - 6235 Seminary Ave. QA SAMPLES: \_\_\_\_\_

DATE PURGED 2/6/07 START (2400hr) 15:04 END (2400hr) 15:07  
 DATE SAMPLED 2/6/07 SAMPLE TIME (2400hr) 15:05  
 SAMPLE TYPE: Groundwater  Surface Water \_\_\_\_\_ Treatment Effluent \_\_\_\_\_ Other \_\_\_\_\_

CASING DIAMETER: 2" \_\_\_\_\_ 3" \_\_\_\_\_ 4"  5" \_\_\_\_\_ 6" \_\_\_\_\_ 8" \_\_\_\_\_ Other \_\_\_\_\_  
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ( )

DEPTH TO BOTTOM (feet) = 24.90 CASING VOLUME (gal) = \_\_\_\_\_  
 DEPTH TO WATER (feet) = 12.37 CALCULATED PURGE (gal) = \_\_\_\_\_  
 WATER COLUMN HEIGHT (feet) = 12.5 ACTUAL PURGE (gal) = NP

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>2/6/07</u>	<u>15:06</u>	<u>[Signature]</u>	<u>18.9</u>	<u>467.2</u>	<u>6.99</u>	<u>clear</u>	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	<u>NP</u>	<u>[Signature]</u>	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

SAMPLE DEPTH TO WATER: 12.37 SAMPLE INFORMATION SAMPLE TURBIDITY: clear

80% RECHARGE:  YES  NO ANALYSES: See work order  
 ODOR: no SAMPLE VESSEL / PRESERVATIVE: 6 VOA-HCL

PURGING EQUIPMENT

SAMPLING EQUIPMENT

\_\_\_\_ Bladder Pump  Bailer (Teflon)  
 \_\_\_\_ Centrifugal Pump \_\_\_\_\_ Bailer (PVC)  
 \_\_\_\_ Submersible Pump \_\_\_\_\_ Bailer (Stainless Steel)  
 \_\_\_\_ Peristaltic Pump \_\_\_\_\_ Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_  
 Pump Depth: None

\_\_\_\_ Bladder Pump \_\_\_\_\_ Bailer (Teflon)  
 \_\_\_\_ Centrifugal Pump  Bailer (\_\_\_\_ PVC or  disposable)  
 \_\_\_\_ Submersible Pump \_\_\_\_\_ Bailer (Stainless Steel)  
 \_\_\_\_ Peristaltic Pump \_\_\_\_\_ Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_

WELL INTEGRITY: good LOCK#: None

REMARKS: DO. 0.96

SIGNATURE: [Signature] Page \_\_\_\_\_ of \_\_\_\_\_





# Chain of Custody Record

Project Name: BP 6002  
 BP BU/AR Region/Enfos Segment: BP > Americas > West > Retail > CA > Alameda > 6002  
 State or Lead Regulatory Agency: \_\_\_\_\_  
 Requested Due Date (mm/dd/yy): \_\_\_\_\_

On-site Time: <u>1430</u>	Temp: <u>1501</u>
Off-site Time: <u>1600</u>	Temp: <u>6001</u>
Sky Conditions: <u>clear</u>	
Meteorological Events: <u>none</u>	
Wind Speed: <u>0</u>	Direction: <u>N/A</u>

A BP affiliated company

Lab Name: <u>TestAmerica</u>	BP/AR Facility No.: <u>6002</u>	Consultant/Contractor: <u>Stratus Environmental, Inc.</u>
Address: <u>885 Jarvis Drive</u>	BP/AR Facility Address: <u>6235 Seminary Avenue, Oakland</u>	Address: <u>3330 Cameron Park Drive, Suite 550</u>
<u>Morgan Hill, CA 95937</u>	Site Lat/Long:	<u>Cameron Park, CA 95682</u>
Lab PM: <u>Lisa Race</u>	California Global ID #: <u>T0600100105</u>	Consultant/Contractor Project No.: <u>E6002-04</u>
Tele/Fax: <u>408-782-8156 408-782-6308 (fax)</u>	Enfos Project No.: <u>G0C8K-0015</u>	Consultant/Contractor PM: <u>Jay Johnson</u>
BP/AR PM Contact: <u>Paul Supple</u>	Provision or RCOP (circle one) <u>Provision</u>	Tele/Fax: <u>(530) 676-6000 / (530) 676-6005</u>
Address: <u>2010 Crow Canyon Place, Suite 150</u>	Phase/WBS: <u>04-Monitoring</u>	Report Type & QC Level: <u>Level 1 with EDF</u>
<u>San Ramon, CA</u>	Sub Phase/Task: <u>03-Analytical</u>	E-mail EDD To: <u>cjewitt@stratusinc.net</u>
Tele/Fax: <u>925-275-3506</u>	Cost Element: <u>01-Contractor labor</u>	Invoice to: <u>Atlantic Richfield Co.</u>

Item No.	Sample Description	Time	Date	Matrix			Laboratory No.	No. of Containers	Preservative					Requested Analysis				Sample Point Lat/Long and Comments *Oxy = MTBD, TAME, ETBE, DIPE, TBA	
				Soil/Solid	Water/Liquid	Air			Unpreserved	H <sub>2</sub> SO <sub>4</sub>	HNO <sub>3</sub>	HCl	Methanol	GRO/BTEX/Oxy*	1,2 DCA	EDB	Ethanol by 8260		
1	MW-5	1508	2/1/07	X				6					X	X	X	X			
2	VW-1	1526	/	X				3					X	X	X	X			
3	VW-4	1518	/	X				3					X	X	X	X			
4	TB 6002	500	/	X				2					X	X	X	X			HOLD
5																			
6																			
7																			
8																			
9																			
10																			

Sampler's Name: <u>Jerry Gonzalez</u>	Relinquished By / Affiliation: <u>Jerry Gonzalez</u>	Date: <u>9/9/07</u>	Time: <u>1655</u>	Accepted By: <u>[Signature]</u>	Affiliation: <u>TA SAC</u>	Date: <u>2/1/07</u>	Time: <u>1655</u>
Sampler's Company: <u>Douglas Env.</u>							
Shipment Date:							
Shipment Method:							
Shipment Tracking No:							

Special Instructions: Please cc results to: rmiller@broadbentinc.com

Custody Seals In Place: Yes / No	Temp Blank: Yes / No	Cooler Temp on Receipt: _____ °F/C	Trip Blank: Yes / No	MS/MSD Sample Submitted: Yes / No
----------------------------------	----------------------	------------------------------------	----------------------	-----------------------------------

26 February, 2007

Jay Johnson  
Stratus Environmental Inc. [Arco]  
3330 Cameron Park Dr., Suite 550  
Cameron Park, CA 95682

RE: ARCO #6002, Oakland, CA  
Work Order: MQB0412

Enclosed are the results of analyses for samples received by the laboratory on 02/13/07 07:55. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Lisa Race  
Senior Project Manager

CA ELAP Certificate # 1210

The results in this laboratory report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the BPGCLN Technical Specifications, applicable Federal, State, local regulations and certification requirements as well as the methodologies as described in laboratory SOPs reviewed by the BPGCLN. This entire report was reviewed and approved for release.

Stratus Environmental Inc. [Arco]  
3330 Cameron Park Dr., Suite 550  
Cameron Park CA, 95682

Project: ARCO #6002, Oakland, CA  
Project Number: G0C8K-0015  
Project Manager: Jay Johnson

MQB0412  
Reported:  
02/26/07 15:25

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-5	MQB0412-01	Water	02/06/07 15:05	02/13/07 07:55
VW-1	MQB0412-02	Water	02/06/07 15:26	02/13/07 07:55
VW-4	MQB0412-03	Water	02/06/07 15:18	02/13/07 07:55
TB 6002	MQB0412-04	Water	02/06/07 05:00	02/13/07 07:55

The carbon range for the TPH-GRO has been changed from C6-C10 to C4-C12. The carbon range for TPH-DRO has been changed from C10-C28 to C10-C36. EPA 8015B has been modified to better meet the requirements of California regulatory agencies. These samples were received with intact custody seals.



Stratus Environmental Inc. [Arco]  
3330 Cameron Park Dr., Suite 550  
Cameron Park CA, 95682

Project: ARCO #6002, Oakland, CA  
Project Number: G0C8K-0015  
Project Manager: Jay Johnson

MQB0412  
Reported:  
02/26/07 15:25

**Total Purgeable Hydrocarbons by GC/MS (CA LUFT)**  
**TestAmerica - Morgan Hill, CA**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>MW-5 (MQB0412-01) Water</b> Sampled: 02/06/07 15:05 Received: 02/13/07 07:55									
Gasoline Range Organics (C4-C12)	4800	100	ug/l	2	7B17001	02/17/07	02/17/07	LUFT GCMS	
Surrogate: 1,2-Dichloroethane-d4		101 %	60-145		"	"	"	"	
<b>VW-1 (MQB0412-02) Water</b> Sampled: 02/06/07 15:26 Received: 02/13/07 07:55									
Gasoline Range Organics (C4-C12)	64	50	ug/l	1	7B17001	02/17/07	02/17/07	LUFT GCMS	
Surrogate: 1,2-Dichloroethane-d4		99 %	60-145		"	"	"	"	
<b>VW-4 (MQB0412-03) Water</b> Sampled: 02/06/07 15:18 Received: 02/13/07 07:55									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	7B17001	02/17/07	02/17/07	LUFT GCMS	
Surrogate: 1,2-Dichloroethane-d4		100 %	60-145		"	"	"	"	

Stratus Environmental Inc. [Arco]  
3330 Cameron Park Dr., Suite 550  
Cameron Park CA, 95682

Project: ARCO #6002, Oakland, CA  
Project Number: G0C8K-0015  
Project Manager: Jay Johnson

MQB0412  
Reported:  
02/26/07 15:25

**Volatile Organic Compounds by EPA Method 8260B**  
**TestAmerica - Morgan Hill, CA**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

MW-5 (MQB0412-01) Water Sampled: 02/06/07 15:05 Received: 02/13/07 07:55

tert-Amyl methyl ether	ND	1.0	ug/l	2	7B17001	02/17/07	02/17/07	EPA 8260B	
Benzene	ND	1.0	"	"	"	"	"	"	
<b>tert-Butyl alcohol</b>	<b>45</b>	<b>40</b>	"	"	"	"	"	"	
Di-isopropyl ether	ND	1.0	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	1.0	"	"	"	"	"	"	
1,2-Dichloroethane	ND	1.0	"	"	"	"	"	"	
Ethanol	ND	600	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	
<b>Ethylbenzene</b>	<b>5.2</b>	<b>1.0</b>	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>13</b>	<b>1.0</b>	"	"	"	"	"	"	
Toluene	ND	1.0	"	"	"	"	"	"	
<b>Xylenes (total)</b>	<b>1.3</b>	<b>1.0</b>	"	"	"	"	"	"	

<i>Surrogate: Dibromofluoromethane</i>		97 %	75-130	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		101 %	60-145	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		99 %	70-130	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		120 %	60-120	"	"	"	"	"	

VW-1 (MQB0412-02) Water Sampled: 02/06/07 15:26 Received: 02/13/07 07:55

tert-Amyl methyl ether	ND	0.50	ug/l	1	7B17001	02/17/07	02/17/07	EPA 8260B	
Benzene	ND	0.50	"	"	"	"	"	"	
tert-Butyl alcohol	ND	20	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethanol	ND	300	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>2.3</b>	<b>0.50</b>	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
<b>Xylenes (total)</b>	<b>ND</b>	<b>0.50</b>	"	"	"	"	"	"	

<i>Surrogate: Dibromofluoromethane</i>		100 %	75-130	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		99 %	60-145	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		99 %	70-130	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		96 %	60-120	"	"	"	"	"	

Stratus Environmental Inc. [Arco]  
3330 Cameron Park Dr., Suite 550  
Cameron Park CA, 95682

Project: ARCO #6002, Oakland, CA  
Project Number: G0C8K-0015  
Project Manager: Jay Johnson

MQB0412  
Reported:  
02/26/07 15:25

**Volatile Organic Compounds by EPA Method 8260B**  
**TestAmerica - Morgan Hill, CA**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

VW-4 (MQB0412-03) Water Sampled: 02/06/07 15:18 Received: 02/13/07 07:55

tert-Amyl methyl ether	ND	0.50	ug/l	1	7B17001	02/17/07	02/17/07	EPA 8260B	
Benzene	ND	0.50	"	"	"	"	"	"	
tert-Butyl alcohol	ND	20	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethanol	ND	300	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>1.6</b>	<b>0.50</b>	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		<i>100 %</i>	<i>75-130</i>		<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		<i>100 %</i>	<i>60-145</i>		<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	
<i>Surrogate: Toluene-d8</i>		<i>96 %</i>	<i>70-130</i>		<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	
<i>Surrogate: 4-Bromofluorobenzene</i>		<i>90 %</i>	<i>60-120</i>		<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	

Stratus Environmental Inc. [Arco]  
3330 Cameron Park Dr., Suite 550  
Cameron Park CA, 95682

Project: ARCO #6002, Oakland, CA  
Project Number: G0C8K-0015  
Project Manager: Jay Johnson

MQB0412  
Reported:  
02/26/07 15:25

**Total Purgeable Hydrocarbons by GC/MS (CA LUFT) - Quality Control**  
**TestAmerica - Morgan Hill, CA**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 7B17001 - EPA 5030B P/T / LUFT GCMS**

**Blank (7B17001-BLK1)**

Prepared & Analyzed: 02/17/07

Gasoline Range Organics (C4-C12)	ND	50	ug/l							
Surrogate: 1,2-Dichloroethane-d4	2.54		"	2.50		102	60-145			

**Laboratory Control Sample (7B17001-BS2)**

Prepared & Analyzed: 02/17/07

Gasoline Range Organics (C4-C12)	536	50	ug/l	500		107	75-140			
Surrogate: 1,2-Dichloroethane-d4	2.70		"	2.50		108	60-145			

**Laboratory Control Sample Dup (7B17001-BSD2)**

Prepared & Analyzed: 02/17/07

Gasoline Range Organics (C4-C12)	503	50	ug/l	500		101	75-140	6	20	
Surrogate: 1,2-Dichloroethane-d4	2.68		"	2.50		107	60-145			

Stratus Environmental Inc. [Arco]  
3330 Cameron Park Dr., Suite 550  
Cameron Park CA, 95682

Project: ARCO #6002, Oakland, CA  
Project Number: G0C8K-0015  
Project Manager: Jay Johnson

MQB0412  
Reported:  
02/26/07 15:25

**Volatile Organic Compounds by EPA Method 8260B - Quality Control**  
**TestAmerica - Morgan Hill, CA**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 7B17001 - EPA 5030B P/T / EPA 8260B**

**Blank (7B17001-BLK1)**

Prepared & Analyzed: 02/17/07

tert-Amyl methyl ether	ND	0.50	ug/l							
Benzene	ND	0.50	"							
tert-Butyl alcohol	ND	20	"							
Di-isopropyl ether	ND	0.50	"							
1,2-Dibromoethane (EDB)	ND	0.50	"							
1,2-Dichloroethane	ND	0.50	"							
Ethanol	ND	300	"							
Ethyl tert-butyl ether	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Methyl tert-butyl ether	ND	0.50	"							
Toluene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
<i>Surrogate: Dibromofluoromethane</i>	2.50		"	2.50		100	75-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.54		"	2.50		102	60-145			
<i>Surrogate: Toluene-d8</i>	2.40		"	2.50		96	70-130			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.31		"	2.50		92	60-120			

**Laboratory Control Sample (7B17001-BS1)**

Prepared & Analyzed: 02/17/07

tert-Amyl methyl ether	9.03	0.50	ug/l	10.0		90	65-135			
Benzene	8.99	0.50	"	10.0		90	70-125			
tert-Butyl alcohol	163	20	"	200		82	60-135			
Di-isopropyl ether	7.56	0.50	"	10.0		76	70-130			
1,2-Dibromoethane (EDB)	9.43	0.50	"	10.0		94	80-125			
1,2-Dichloroethane	9.36	0.50	"	10.0		94	75-125			
Ethanol	176	300	"	200		88	15-150			
Ethyl tert-butyl ether	8.23	0.50	"	10.0		82	65-130			
Ethylbenzene	9.07	0.50	"	10.0		91	70-130			
Methyl tert-butyl ether	8.19	0.50	"	10.0		82	50-140			
Toluene	8.51	0.50	"	10.0		85	70-120			
Xylenes (total)	26.3	0.50	"	30.0		88	80-125			
<i>Surrogate: Dibromofluoromethane</i>	2.58		"	2.50		103	75-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.52		"	2.50		101	60-145			
<i>Surrogate: Toluene-d8</i>	2.48		"	2.50		99	70-130			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.49		"	2.50		100	60-120			

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Stratus Environmental Inc. [Arco]  
3330 Cameron Park Dr., Suite 550  
Cameron Park CA, 95682

Project: ARCO #6002, Oakland, CA  
Project Number: G0C8K-0015  
Project Manager: Jay Johnson

MQB0412  
Reported:  
02/26/07 15:25

**Volatile Organic Compounds by EPA Method 8260B - Quality Control**  
**TestAmerica - Morgan Hill, CA**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 7B17001 - EPA 5030B P/T / EPA 8260B**

<b>Matrix Spike (7B17001-MS1)</b>	<b>Source: MQB0412-01</b>			<b>Prepared &amp; Analyzed: 02/17/07</b>						
tert-Amyl methyl ether	19.8	1.0	ug/l	20.0	ND	99	65-135			
Benzene	19.8	1.0	"	20.0	0.28	98	70-125			
tert-Butyl alcohol	392	40	"	400	45	87	60-135			
Di-isopropyl ether	15.7	1.0	"	20.0	ND	78	70-130			
1,2-Dibromoethane (EDB)	22.8	1.0	"	20.0	ND	114	80-125			
1,2-Dichloroethane	18.5	1.0	"	20.0	ND	92	75-125			
Ethanol	329	600	"	400	ND	82	15-150			
Ethyl tert-butyl ether	17.2	1.0	"	20.0	ND	86	65-130			
Ethylbenzene	24.0	1.0	"	20.0	5.2	94	70-130			
Methyl tert-butyl ether	29.4	1.0	"	20.0	13	82	50-140			
Toluene	19.9	1.0	"	20.0	0.88	95	70-120			
Xylenes (total)	59.0	1.0	"	60.0	1.3	96	80-125			
<i>Surrogate: Dibromofluoromethane</i>	<i>2.48</i>		<i>"</i>	<i>2.50</i>		<i>99</i>	<i>75-130</i>			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>2.35</i>		<i>"</i>	<i>2.50</i>		<i>94</i>	<i>60-145</i>			
<i>Surrogate: Toluene-d8</i>	<i>2.52</i>		<i>"</i>	<i>2.50</i>		<i>101</i>	<i>70-130</i>			
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>2.61</i>		<i>"</i>	<i>2.50</i>		<i>104</i>	<i>60-120</i>			

<b>Matrix Spike Dup (7B17001-MSD1)</b>	<b>Source: MQB0412-01</b>			<b>Prepared &amp; Analyzed: 02/17/07</b>						
tert-Amyl methyl ether	20.1	1.0	ug/l	20.0	ND	100	65-135	2	25	
Benzene	20.3	1.0	"	20.0	0.28	100	70-125	2	15	
tert-Butyl alcohol	396	40	"	400	45	88	60-135	1	35	
Di-isopropyl ether	16.0	1.0	"	20.0	ND	80	70-130	2	35	
1,2-Dibromoethane (EDB)	22.8	1.0	"	20.0	ND	114	80-125	0	15	
1,2-Dichloroethane	18.6	1.0	"	20.0	ND	93	75-125	0.5	10	
Ethanol	342	600	"	400	ND	86	15-150	4	35	
Ethyl tert-butyl ether	18.3	1.0	"	20.0	ND	92	65-130	6	35	
Ethylbenzene	24.1	1.0	"	20.0	5.2	94	70-130	0.4	15	
Methyl tert-butyl ether	29.6	1.0	"	20.0	13	83	50-140	0.7	25	
Toluene	20.5	1.0	"	20.0	0.88	98	70-120	3	15	
Xylenes (total)	59.7	1.0	"	60.0	1.3	97	80-125	1	15	
<i>Surrogate: Dibromofluoromethane</i>	<i>2.47</i>		<i>"</i>	<i>2.50</i>		<i>99</i>	<i>75-130</i>			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>2.31</i>		<i>"</i>	<i>2.50</i>		<i>92</i>	<i>60-145</i>			
<i>Surrogate: Toluene-d8</i>	<i>2.54</i>		<i>"</i>	<i>2.50</i>		<i>102</i>	<i>70-130</i>			
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>2.58</i>		<i>"</i>	<i>2.50</i>		<i>103</i>	<i>60-120</i>			

Stratus Environmental Inc. [Arco]  
3330 Cameron Park Dr., Suite 550  
Cameron Park CA, 95682

Project: ARCO #6002, Oakland, CA  
Project Number: G0C8K-0015  
Project Manager: Jay Johnson

MQB0412  
Reported:  
02/26/07 15:25

**Notes and Definitions**

DET Analyte DETECTED  
ND Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified  
NR Not Reported  
dry Sample results reported on a dry weight basis  
RPD Relative Percent Difference



### Chain of Custody Record

Project Name: BP 6002  
 BP BU/AR Region/Enfos Segment: BP > Americas > West > Retail > CA > Alameda > 6002  
 State or Lead Regulatory Agency: \_\_\_\_\_  
 Requested Due Date (mm/dd/yy): \_\_\_\_\_

On-site Time: <u>1430</u>	Temp: <u>050</u>
Off-site Time: <u>1600</u>	Temp: <u>000</u>
Sky Conditions: <u>clear</u>	
Meteorological Events: <u>None</u>	
Wind Speed: <u>0</u>	Direction: <u>N/A</u>

Lab Name: <u>TestAmerica</u>	BP/AR Facility No.: <u>6002</u>	Consultant/Contractor: <u>Stratus Environmental, Inc.</u>
Address: <u>885 Jarvis Drive</u>	BP/AR Facility Address: <u>6235 Seminary Avenue, Oakland</u>	Address: <u>3330 Cameron Park Drive, Suite 550</u>
<u>Morgan Hill, CA 95937</u>	Site Lat/Long:	<u>Cameron Park, CA 95682</u>
Lab PM: <u>Lisa Race</u>	California Global ID #: <u>T0600100105</u>	Consultant/Contractor Project No.: <u>E6002-04</u>
Tele/Fax: <u>408-782-8156 408-782-6308 (fax)</u>	Enfos Project No.: <u>G0C8K-0015</u>	Consultant/Contractor PM: <u>Jay Johnson</u>
BP/AR PM Contact: <u>Paul Supple</u>	Provision or RCOP (circle one) <u>Provision</u>	Tele/Fax: <u>(530) 676-6000 / (530) 676-6005</u>
Address: <u>2010 Crow Canyon Place, Suite 150</u>	Phase/WBS: <u>04-Monitoring</u>	Report Type & QC Level: <u>Level I with EDF</u>
<u>San Ramon, CA</u>	Sub Phase/Task: <u>03-Analytical</u>	E-mail EDD To: <u>ciewitt@stratusinc.net</u>
Tele/Fax: <u>925-275-3506</u>	Cost Element: <u>01-Contractor labor</u>	Invoice to: <u>Atlantic Richfield Co.</u>

Item No.	Sample Description	Time	Date	Matrix			Laboratory No.	No. of Containers	Preservative					Requested Analysis				Sample Point Lat/Long and Comments *Oxy = MTBD, TAME, ETBE, DIPE, TBA	
				Soil/Solid	Water/Liquid	Air			Unpreserved	H <sub>2</sub> SO <sub>4</sub>	HNO <sub>3</sub>	HCl	Methanol	GRO/BTEX/Oxy*	1,2 DCA	EDB	Ethanol by 8260		
1	MW-5	1505	2/6/07	X			01	6			X			X	X	X	X		
2	VW-1	1526	/	X			02	3			X			X	X	X	X		
3	VW-4	1518	/	X			03	3			X			X	X	X	X		
4	TB 6002	500	/	X			04	2			X			X	X	X	X		HOLD
5																			
6																			
7																			
8																			
9																			
10																			

Sampler's Name: <u>Jerry Gonzalez</u>	Relinquished By / Affiliation: <u>[Signature]</u>	Date: <u>4/9/07</u>	Time: <u>1655</u>	Accepted By / Affiliation: <u>[Signature]</u>	Date: <u>2/6/07</u>	Time: <u>1655</u>
Sampler's Company: <u>Douglas ENV.</u>						
Shipment Date: _____						
Shipment Method: _____						
Shipment Tracking No: _____						

Special Instructions: Please cc results to: rmiller@broadbentinc.com

Custody Seals In Place: Yes / No | Temp Blank: Yes / No | Cooler Temp on Receipt: 6 °F | Trip Blank: Yes / No | MS/MSD Sample Submitted: Yes / No



## TEST AMERICA SAMPLE RECEIPT LOG

**CLIENT NAME:** BP  
**REC. BY (PRINT):** A.M.  
**WORKORDER:** MQB0412

**DATE REC'D AT LAB:** 2-13-07  
**TIME REC'D AT LAB:** 7:55  
**DATE LOGGED IN:** 2/13/07


**For Regulatory Purposes?**  
**DRINKING WATER YES /  NO**  
**WASTE WATER YES /  NO**

CIRCLE THE APPROPRIATE RESPONSE	LAB SAMPLE #	CLIENT ID	CONTAINER DESCRIPTION	PRESERVATIVE	pH	SAMPLE MATRIX	DATE SAMPLED	REMARKS: CONDITION (ETC.)
1. Custody Seal(s) <input checked="" type="checkbox"/> Present / Absent <input checked="" type="checkbox"/> Intact / Broken*								2-13-07 A.M. See COC
2. Chain-of-Custody <input checked="" type="checkbox"/> Present / Absent*								
3. Traffic Reports or Packing List: <input checked="" type="checkbox"/> Present / Absent								
4. Airbill: <input checked="" type="checkbox"/> Airbill / Sticker <input checked="" type="checkbox"/> Present / Absent								
5. Airbill #: <u>See Attached</u>								
6. Sample Labels: <input checked="" type="checkbox"/> Present / Absent								
7. Sample IDs: <input checked="" type="checkbox"/> Listed / Not Listed on Chain-of-Custody								
8. Sample Condition: <input checked="" type="checkbox"/> Intact / Broken* / Leaking*								
9. Does information on chain-of-custody, traffic reports and sample labels agree? <input checked="" type="checkbox"/> Yes / No*								
10. Sample received within hold time? <input checked="" type="checkbox"/> Yes / No*								
11. Adequate sample volume received? <input checked="" type="checkbox"/> Yes / No*								
12. Proper preservatives used? <input checked="" type="checkbox"/> Yes / No*								
13. <input checked="" type="checkbox"/> Trip Blank / <input checked="" type="checkbox"/> Temp Blank Received? (circle which, if yes) <input checked="" type="checkbox"/> Yes / No*								
14. Read Temp: <u>6°C</u> Corrected Temp: <u>6°C</u> Is corrected temp 4 +/-2°C? <input checked="" type="checkbox"/> Yes / No**								

(Acceptance range for samples requiring thermal pres.)  
**\*\*Exception (if any): METALS / DFF ON ICE  
 or Problem COC**

\*IF CIRCLED, CONTACT PROJECT MANAGER AND ATTACH RECORD OF RESOLUTION.

California Overnight Shipping Label



D10010120563667

Date Printed 2/12/2007

Tracking#D10010120563667

*Shipped From:*  
 TEST AMERICA - SACRAMENTO  
 819 STRIKER AVENUE 8  
 SACRAMENTO, CA 95834

*Sent By:* TIM ALBRIGHT  
*Phone#:* (916)921-9600  
*wgt(lbs):* 60  
*Reference:*  
*Decl. Value:* \$0.00

<p><i>Ship To Company:</i>          TESTAMERICA - MORGAN HILL          885 JARVIS DR          MORGAN HILL, CA 95037          SAMPLE CONTROL (408)776-9600</p>	<p><i>Service:</i> <b>S</b>  <i>Sort Code:</i> <b>SJC</b>  <i>Special Services:</i></p>
---	---

**APPENDIX B**

**GEOTRACKER UPLOAD CONFIRMATION**

# Electronic Submittal Information

[Main Menu](#) | [View/Add Facilities](#) | [Upload EDD](#) | [Check EDD](#)

## UPLOADING A GEO\_WELL FILE

Processing is complete. No errors were found!  
Your file has been successfully submitted!

**Submittal Title:** 1Q07 GEO\_WELL 6002

**Submittal Date/Time:** 4/5/2007 4:14:24 PM

**Confirmation Number:** 5635374307

[Back to Main Menu](#)

Logged in as BROADBENT-C  
(CONTRACTOR)

[CONTACT SITE ADMINISTRATOR.](#)

## Electronic Submittal Information

[Main Menu](#) | [View/Add Facilities](#) | [Upload EDD](#) | [Check EDD](#)

### UPLOADING A GEO\_WELL FILE

Processing is complete. No errors were found!  
Your file has been successfully submitted!

**Submittal Title:** 1Q07 GEO\_WELL 6002

**Submittal Date/Time:** 4/5/2007 4:14:24 PM

**Confirmation Number:** 5635374307

[Back to Main Menu](#)

Logged in as BROADBENT-C  
(CONTRACTOR)

[CONTACT SITE ADMINISTRATOR.](#)

# Electronic Submittal Information

[Main Menu](#) | [View/Add Facilities](#) | [Upload EDD](#) | [Check EDD](#)

Your EDF file has been successfully uploaded!

**Confirmation Number:** 1389693319

**Date/Time of Submittal:** 4/5/2007 4:16:21 PM

**Facility Global ID:** T0600100105

**Facility Name:** ARCO #6002

**Submittal Title:** 1Q07 GW Monitoring

**Submittal Type:** GW Monitoring Report

Click [here](#) to view the detections report for this upload.

<b>ARCO #6002</b> 6235 SEMINARY OAKLAND, CA 94605	<b>Regional Board - Case #: 01-0113</b> SAN FRANCISCO BAY RWQCB (REGION 2) - (CM) <b>Local Agency (lead agency) - Case #: RO0000163</b> ALAMEDA COUNTY LOP - (SP)
---	--

<u>CONF #</u>	<u>TITLE</u>	<u>QUARTER</u>
1389693319	1Q07 GW Monitoring	Q1 2007
<u>SUBMITTED BY</u>	<u>SUBMIT DATE</u>	<u>STATUS</u>
Broadbent & Associates, Inc.	4/5/2007	PENDING REVIEW

## SAMPLE DETECTIONS REPORT

# FIELD POINTS SAMPLED	3
# FIELD POINTS WITH DETECTIONS	3
# FIELD POINTS WITH WATER SAMPLE DETECTIONS ABOVE MCL	1
SAMPLE MATRIX TYPES	WATER

## METHOD QA/QC REPORT

METHODS USED	8260FA,8260TPH
TESTED FOR REQUIRED ANALYTES?	Y
LAB NOTE DATA QUALIFIERS	N

## QA/QC FOR 8021/8260 SERIES SAMPLES

TECHNICAL HOLDING TIME VIOLATIONS	0
METHOD HOLDING TIME VIOLATIONS	0
LAB BLANK DETECTIONS ABOVE REPORTING DETECTION LIMIT	0
LAB BLANK DETECTIONS	0
DO ALL BATCHES WITH THE 8021/8260 SERIES INCLUDE THE FOLLOWING?	
- LAB METHOD BLANK	Y
- MATRIX SPIKE	N
- MATRIX SPIKE DUPLICATE	N
- BLANK SPIKE	Y
- SURROGATE SPIKE	Y

## WATER SAMPLES FOR 8021/8260 SERIES

MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) % RECOVERY BETWEEN 65-135%	Y
MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) RPD LESS THAN 30%	Y
SURROGATE SPIKES % RECOVERY BETWEEN 85-115%	N
BLANK SPIKE / BLANK SPIKE DUPLICATES % RECOVERY BETWEEN 70-130%	Y

**SOIL SAMPLES FOR 8021/8260 SERIES**

MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) % RECOVERY BETWEEN 65-135% n/a  
MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) RPD LESS THAN 30% n/a  
SURROGATE SPIKES % RECOVERY BETWEEN 70-125% n/a  
BLANK SPIKE / BLANK SPIKE DUPLICATES % RECOVERY BETWEEN 70-130% n/a

**FIELD QC SAMPLES**

<u>SAMPLE</u>	<u>COLLECTED</u>	<u>DETECTIONS &gt; REPD</u>
QCTB SAMPLES	N	0
QCEB SAMPLES	N	0
QCAB SAMPLES	N	0

Logged in as BROADBENT-C (CONTRACTOR)

CONTACT SITE ADMINISTRATOR.