



RECEIVED

2:40 pm, Nov 08, 2007

Alameda County
Environmental Health

Denis L. Brown

Jerry Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Shell Oil Products US
HSE – Environmental Services
20945 S. Wilmington Ave.
Carson, CA 90810-1039
Tel (707) 865 0251
Fax (707) 865 2542
Email denis.l.brown@shell.com

Re: Shell-branded Service Station
2120 Montana Street
Oakland, California
SAP Code 135675
Incident No. 98995740
ACHCSA Case No. 0173

Dear Mr. Wickham:

The attached document is provided for your review and comment. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

If you have any questions or concerns, please call me at (707) 865-0251.

Sincerely,

A handwritten signature in black ink, appearing to read "Denis L. Brown", is written over a horizontal line.

Denis L. Brown
Project Manager



**CONESTOGA-ROVERS
& ASSOCIATES**

19449 Riverside Drive, Suite 230, Sonoma, California 95476
Telephone: 707-935-4850 Facsimile: 707-935-6649
www.CRAworld.com

November 8, 2007

Mr. Jerry Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: **Groundwater Monitoring Report – Third Quarter 2007**
Shell-branded Service Station
2120 Montana Street
Oakland, California
SAP Code 135675
Incident No. 98995740
ACHCSA Case No. 0173

Dear Mr. Wickham:

Conestoga-Rovers & Associates (CRA) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell) in accordance with the quarterly reporting requirements of 23 CCR 2652d.

If you have any questions regarding the contents of this document, please call Ana Friel at (707) 268-3812.

Sincerely,
Conestoga-Rovers & Associates

Ana Friel, PG
Project Manager



cc: Mr. Denis Brown, Shell

Equal
Employment
Opportunity Employer



**CONESTOGA-ROVERS
& ASSOCIATES**

Mr. Jerry Wickham
November 8, 2007

GROUNDWATER MONITORING AND REMEDIATION REPORT THIRD QUARTER 2007

Site Address	<u>2120 Montana St., Oakland</u>
Site Use	<u>Shell-branded Service Station</u>
Shell Project Manager	<u>Denis Brown</u>
Consultant and Contact Person	<u>CRA, Ana Friel</u>
Lead Agency and Contact	<u>ACHCSA, Jerry Wickham</u>
Agency Case No.	<u>0173</u>
Shell SAP Code	<u>135675</u>
Shell Incident No.	<u>98995740</u>
Date of Most Recent Agency Correspondence	<u>September 21, 2007</u>

Current Quarter's Activities

1. Blaine Tech Services, Inc. (Blaine) gauged and sampled wells according to the established monitoring program for this site.
2. CRA prepared a vicinity map (Figure 1) and a groundwater contour and chemical concentration map (Figure 2). The Blaine report, presenting the analytical data, is included in Attachment A.
3. In correspondence dated September 21, 2007, the ACEH concurred with Shell's recommendation to discontinue the active groundwater extraction at this site, based on diminished returns. The System Analytical Data and Operation and Mass Removal Data are presented on Tables 1 and 2, respectively, and the associated analytical reports are included in Attachment B.

Current Quarter's Findings

Groundwater Flow Direction	<u>Southwesterly</u>
Hydraulic Gradient	<u>0.02</u>
Depth to Water	<u>10.34 to 13.92 feet below top of well casing</u>



**CONESTOGA-ROVERS
& ASSOCIATES**

Mr. Jerry Wickham
November 8, 2007

As of September 25, 2007 the operational period system performance data is as follows:

System Up-Time	<u>96%</u>
Cumulative Volume Extracted	<u>1,028,698 gallons of groundwater</u>
Cumulative Mass Removed	<u>21.9 pounds of TPHg, 0.829 pounds of benzene, and 4.89 pounds of MTBE.</u>

Proposed Activities for Next Quarter

1. Blaine will gauge and sample wells during the third month of the quarter, according to the established monitoring program for this site.
2. CRA submitted the results of recent onsite soil vapor sampling in correspondence dated October 26, 2007.
3. Shell continues thier access negotiations with the neighboring property owner in order to perform outstanding proposed off site vapor investigation.

Figures: 1 - Vicinity Map
2 - Groundwater Contour and Chemical Concentration Map


Tables: 1 - Groundwater Extraction - System Analytical Data
2 - Groundwater Extraction - Operation and Mass Removal Data

Attachment: A - Blaine Tech Services, Inc. - Groundwater Monitoring Report
B - System Analytical Laboratory Reports

Conestoga-Rovers & Associates (CRA) prepared this document for use by our client and appropriate regulatory agencies. It is based partially on information available to CRA from outside sources and/or in the public domain, and partially on information supplied by CRA and its subcontractors. CRA makes no warranty or guarantee, expressed or implied, included or intended in this document, with respect to the accuracy of information obtained from these outside sources or the public domain, or any conclusions or recommendations based on information that was not independently verified by CRA. This document represents the best professional judgment of CRA. None of the work performed hereunder constitutes or shall be represented as a legal opinion of any kind or nature.

II:\Sonoma.Shell\Oakland 2120 Montana\Qm\2007\3Q07\Text 2120 Montana Oakland 3Q07.doc

I:\SON-S1\SHARED\SONOMA_SHELL\OAKLAND_2120_MONTANA\FIGURES\VICINITY_MAP



Alland
FIGURE
1

Shell-branded Service Station
2120 Montana Street
Oakland, California



**CONESTOGA-ROVERS
& ASSOCIATES**

Vicinity Map




figure 2
GROUNDWATER CONTOUR AND CHEMICAL CONCENTRATION MAP
 AUGUST 27, 2007
SHELL BRANDED SERVICE STATION
 2120 Montana Street, Oakland, California

Table 1. Groundwater Extraction - System Analytical Data, Shell-branded Service Station, 2120 Montana Street, Oakland, California

Sample Date (mm/dd/yy)	Influent			Midfluent 1			Midfluent 2			Effluent		
	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)
04/02/2003	51,000	1,300	7,100	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
04/08/2003	45,000	1,200	8,600	1,600	5.3	3.2	220	<0.50	<0.50	<50	<0.50	<0.50
04/22/2003	<50	<25	1,700	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
05/01/2003	45,000	1,600	8,300	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
05/21/2003	12,000	370	1,500	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
06/03/2003	10,000	470	1,900	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
06/17/2003	1,200	42	29	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
04/21/2004	10,000	540	950	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
06/08/2004	970	26	290	<50	<0.50	<0.50	<50	<0.50	<0.50	94	<0.50	<0.50
06/30/2004	NS	NS	NS	NS	NS	NS	NS	NS	NS	<50	<0.50	<0.50
07/07/2004	1,700	71	500	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
08/03/2004	1,000	52	390	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
09/14/2004	4,100	230	1,100	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
10/12/2004	140	3.9	140	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
11/12/2004	2,600	180	680	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
12/02/2004	690	41	340	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
01/03/2005	<500	17	1,500	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
02/14/2005	<100	<1.0	120	<50	<0.50	<0.50	<50	<0.50	<0.50	150 a	<0.50	<0.50
03/02/2005	4,900	190	1,000	<50	<0.50	<0.50	<50 b	<0.50	<0.50	<50 b	<0.50	<0.50
04/11/2005	440	6.7	320	<50 b	<0.50	<0.50	<50	<0.50	<0.50	<50 b	<0.50	<0.50
05/09/2005	120	<0.50	79	<50 b	<0.50	<0.50	<50 b	<0.50	<0.50	<50 b	<0.50	<0.50
06/09/2005	<500	<0.50	<0.50	<500	<5.0	<5.0	<50	<0.50	<0.50	<50	<0.50	<0.50
07/15/2005	480	18	220	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
08/04/2005	290	18	130	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
09/30/2005	<50	<0.50	52	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50

Table 1. Groundwater Extraction - System Analytical Data, Shell-branded Service Station, 2120 Montana Street, Oakland, California

Sample Date (mm/dd/yy)	Influent			Midfluent 1			Midfluent 2			Effluent		
	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)
10/14/2005	160	1.9	150	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
11/11/2005	240	4.8	140	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
12/05/2005	770	12	1,100	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
01/05/2006	5,700	140	740	<50	<0.50	0.66	<50	<0.50	<0.50	<50	<0.50	<0.50
02/17/2006	4,300	43	330	77	<0.50	0.85	54	<0.50	<0.50	<50	<0.50	<0.50
03/03/2006	1,900	29	320	<50	<0.50	1.4	50	<0.50	<0.50	<50	<0.50	<0.50
04/13/2006	3,900	180	450	61	<0.50	5.8	76	<0.50	<0.50	51 c	<0.50	<0.50
05/11/2006	1,700	55	140	<50	<0.50	5.3	<50	<0.50	<0.50	<50	<0.50	<0.50
06/08/2006	6,500	450	420	76	<0.50	6.5	98	<0.50	<0.50	86 c	<0.50	<0.50
07/07/2006	270	5.6	82	58	<0.50	8.9	100 c	<0.50	<0.50	75 c	<0.50	<0.50
08/02/2006	140	7.9	31	76	<0.50	8.9	130 c	<0.50	<0.50	110 c	<0.50	<0.50
09/05/2006	160	0.53	10	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
10/02/2006	<50	2.58	12.6	<50	<0.50	4.1	<50	<0.50	<0.50	<50	<0.50	<0.50
11/13/2006	360	11	37	<50	<0.50	7.0	<50	<0.50	7.9	<50	<0.50	10
12/11/2006	<50	0.59	20	<50	<0.50	3.7	<50	<0.50	<0.50	52	<0.50	<0.50
01/08/2007	<50	<0.50	69	<50	<0.50	3.8	<50	<0.50	<0.50	<50	<0.50	<0.50
02/06/2007	100	<0.50	64	<50	<0.50	3.2	73	<0.50	<0.50	91	<0.50	<0.50
03/09/2007	76	<0.50	48	<50	<0.50	4.8	<50	<0.50	<0.50	72	<0.50	<0.50
04/02/2007	<50	<0.50	36	<50	<0.50	5.2	<50	<0.50	<1.00	<50	<0.50	<1.00
05/14/2007	97	4.7	14	<50	<0.50	7.3	<50	<0.50	<1.00	<50	<0.50	<1.00
06/11/2007	84	<0.50	6.1	78	<0.50	9.6	230	<0.50	<1.00	150	<0.50	<1.00
07/06/2007	61	1.3	11	<50	<0.50	<1.00	<50	<0.50	<1.00	<50	<0.50	<1.00
08/16/2007	87	<0.50	6.7	<50	<0.50	<1.00	<50	<0.50	<1.00	<50	<0.50	<1.00
09/11/2007	<50	<0.50	5.7	<50	<0.50	<1.00	52	<0.50	<1.00	<50	<0.50	<1.00

Table 1. Groundwater Extraction - System Analytical Data, Shell-branded Service Station, 2120 Montana Street, Oakland, California

Sample Date (mm/dd/yy)	Influent			Midfluent 1			Midfluent 2			Effluent		
	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)

Abbreviations & Notes:

TPHg = Total purgeable hydrocarbons as gasoline

MTBE = Methyl tertiary butyl ether

Conc. = Concentration

ppb = parts per billion, equivalent to µg/L

µg/L = Micrograms per liter

TPHg, benzene, and MTBE analyzed by EPA Method 8260B As of 4/3/07 TPHg is analyzed by EPA Method 8015.

a = TPHg contains a discrete peak of ethylhexanol, which are not believed to be gasoline related

b = Siloxane peaks were found in sample which are not believed to be gasoline related

c = Concentration reported presented individual or discrete peaks not matching a typical fuel pattern but quantitated as Gasoline.

As of February 1, 2006, gasoline range organics reported as TPHg include MTBE, tertiary-butyl alcohol, and di-isopropyl ether concentrations. TPHg concentrations reported prior to February 1, 2006 may not include one or more of these constituents.

Table 2: Groundwater Extraction - Operation and Mass Removal Data
 Shell-branded Service Station, Incident #98995740, 2120 Montana Street, Oakland, California

Site Visit (mm/dd/yy)	Hour Meter hours	Flow Meter Reading (gal)	Period Volume (gal)	Period Operational Flow Rate (gpm)	Cumulative Volume (gal)	TPHg			Benzene			MTBE		
						TPHg Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)	Benzene Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)	MTBE Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)
04/02/2003	0.0	393	0	0	0		0.000	0.000		0.000	0.000		0.000	0.000
04/02/2003	5.3	1,006	613	1.93	613	51,000	0.261	0.261	1,300	0.007	0.007	7,100	0.036	0.036
04/08/2003	11.4	2,010	1,004	2.74	1,617	45,000	0.377	0.638	1,200	0.010	0.017	8,600	0.072	0.108
04/22/2003	303.0	15,640	13,630	0.78	15,247	<50	0.003	0.641	<25	0.001	0.018	1,700	0.193	0.302
05/01/2003	399.0	17,840	2,200	0.38	17,447	45,000	0.826	1.47	1,600	0.029	0.047	8,300	0.152	0.454
05/20/2003	784.0	43,320	25,480	1.10	42,927		9.568	11.0		0.340	0.388		1.765	2.22
05/21/2003	808.5	44,639	1,319	0.90	44,246	12,000	0.132	11.2	370	0.004	0.392	1,500	0.017	2.24
06/03/2003	1116.9	59,813	15,174	0.82	59,420	10,000	1.266	12.4	470	0.060	0.451	1,900	0.241	2.48
06/17/2003	1455.5	64,741	4,928	0.24	64,348	1,200	0.049	12.5	42	0.002	0.453	29	0.001	2.48
07/01/2003	1697.4	68,668	3,927	0.27	68,275		0.039	12.5		0.001	0.454		0.001	2.48
07/18/2003	1867.0	69,099	431	0.04	68,706		0.004	12.5		0.000	0.455		0.000	2.48
System Shutdown due to presence of SPH														
04/21/2004	1984.4	1,516.3	0	0.00	68,706	10,000	0.000	12.5	540	0.000	0.455	950	0.000	2.48
05/25/2004	1984.4	1,516.3	0	0.00	68,706		0.000	12.5		0.000	0.455		0.000	2.48
06/08/2004	2,107.5	4,798.2	3,282	0.44	71,988	970	0.027	12.6	26	0.001	0.455	290	0.008	2.49
06/22/2004	2280.6	10,108	5,310	0.51	77,298		0.043	12.6		0.001	0.456		0.013	2.50
06/30/2004	2475.2	18,527.5	8,420	0.72	85,717		0.068	12.7		0.002	0.458		0.020	2.52
07/07/2004	2494.5	19,377	850	0.73	86,567	1,700	0.012	12.7	71	0.001	0.459	500	0.004	2.52
07/22/2004	2861.5	34,214	14,837	0.67	101,404		0.210	12.9		0.009	0.468		0.062	2.58
08/03/2004	3142.1	59,767	25,553	1.52	126,957	1,000	0.213	13.1	52	0.011	0.479	390	0.083	2.67
08/17/2004	3501.3	81,350	21,583	1.00	148,540		0.180	13.3		0.009	0.488		0.070	2.74
08/31/2004	3813.2	81,571	221	0.01	148,761		0.002	13.3		0.000	0.488		0.001	2.74
09/14/2004	4153.4	101,123	19,552	0.96	168,313	4,100	0.669	13.9	230	0.038	0.526	1,100	0.179	2.92
09/29/2004	4513.1	120,885	19,762	0.92	188,075		0.676	14.6		0.038	0.564		0.181	3.10
10/12/2004	4824.1	134,612	13,727	0.74	201,802	140	0.016	14.6	3.9	0.000	0.564	140	0.016	3.12
10/22/2004	4990.6	145,220	10,608	1.06	212,410		0.012	14.7		0.000	0.564		0.012	3.13
11/02/2004	5021.0	147,500	2,280	1.25	214,690		0.003	14.7		0.000	0.564		0.003	3.13
11/12/2004	5263.0	163,212	15,712	1.08	230,402	2,600	0.341	15.0	180	0.024	0.588	680	0.089	3.22
11/22/2004	5498.2	164,899	1,687	0.12	232,089		0.037	15.0		0.003	0.590		0.010	3.23
12/02/2004	5734.9	172,940	8,041	0.57	240,130	690	0.046	15.1	41	0.003	0.593	340	0.023	3.25
12/13/2004	6001.6	178,400	5,460	0.34	245,590		0.031	15.1		0.002	0.595		0.015	3.27
12/27/2004	6338.4	180,207	1,807	0.09	247,397		0.010	15.1		0.001	0.596		0.005	3.27
01/03/2005	6501.9	182,474	2,267	0.23	249,664	<500	0.005	15.1	17	0.000	0.596	1,500	0.028	3.30
01/21/2005	6941.6	197,770	15,296	0.58	264,960		0.032	15.2		0.002	0.598		0.191	3.49

Table 2: Groundwater Extraction - Operation and Mass Removal Data
 Shell-branded Service Station, Incident #98995740, 2120 Montana Street, Oakland, California

Site Visit (mm/dd/yy)	Hour Meter hours	Flow Meter Reading (gal)	Period Volume (gal)	Period Operational Flow Rate (gpm)	Cumulative Volume (gal)	TPHg			Benzene			MTBE		
						TPHg Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)	Benzene Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)	MTBE Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)
01/31/2005	7172.4	209,951	12,181	0.88	277,141		0.025	15.2		0.002	0.600		0.152	3.65
02/14/2005	7512.9	210,719	768	0.04	277,909	<100	0.000	15.2	<1.0	0.000	0.600	120	0.001	3.65
03/02/2005	7897.9	231,103	20,384	0.88	298,293	4,900	0.833	16.0	190	0.032	0.632	1,000	0.170	3.82
03/17/2005	7901.2	231,419	316	1.60	298,609		0.013	16.0		0.001	0.633		0.003	3.82
03/29/2005	8042.9	241,058	9,639	1.13	308,248		0.394	16.4		0.015	0.648		0.080	3.90
04/11/2005	8168.4	249,172	8,114	1.08	316,362	440	0.030	16.5	6.7	0.000	0.649	320	0.022	3.92
04/25/2005	8503.2	269,805	20,633	1.03	336,995		0.076	16.5		0.001	0.650		0.055	3.98
05/09/2005	8841.9	283,739	13,934	0.69	350,929	120	0.014	16.5	<0.50	0.000	0.650	79	0.009	3.99
05/27/2005	9271.3	290,449	6,710	0.26	357,639		0.007	16.6		0.000	0.650		0.004	3.99
06/09/2005	9581.5	290,688	239	0.01	357,878	<500	0.000	16.6	<0.50	0.000	0.650	<0.50	0.000	3.99
06/20/2005	9682.4	291,021	333	0.06	358,211		0.001	16.6		0.000	0.650		0.000	3.99
07/15/2005	10283.3	306,225	15,204	0.42	373,415	480	0.061	16.6	18	0.002	0.652	220	0.028	4.02
07/29/2005	10621.9	313,437	7,212	0.35	380,627		0.029	16.6		0.001	0.653		0.013	4.03
08/04/2005	10762.1	315,854	2,417	0.29	383,044	290	0.006	16.6	18	0.000	0.653	130	0.003	4.03
08/23/2005	11213.3	319,640	3,786	0.14	386,830		0.009	16.7		0.001	0.654		0.004	4.04
09/02/2005	11452.0	319,642	2	0.00	386,832		0.000	16.7		0.000	0.654		0.000	4.04
09/20/2005	11452.0	319,642	0	0.00	386,832		0.000	16.7		0.000	0.654		0.000	4.04
09/30/2005	11693.8	320,701	1,059	0.07	387,891	<50	0.000	16.7	<0.50	0.000	0.654	52	0.000	4.04
10/14/2005	11810.0	324,654	3,953	0.57	391,844	160	0.005	16.7	1.9	0.000	0.654	150	0.005	4.04
10/28/2005	12146.0	338,868	14,214	0.71	406,058		0.019	16.7		0.000	0.654		0.018	4.06
11/11/2005	12482.0	345,193	6,325	0.31	412,383	240	0.013	16.7	4.8	0.000	0.655	140	0.007	4.07
11/23/2005	12482.0	345,259	66	0.00	412,449		0.000	16.7		0.000	0.655		0.000	4.07
12/05/2005	0.5	348,540	3,281	0.19	415,730	770	0.021	16.7	12	0.000	0.655	1,100	0.030	4.10
12/19/2005	26.1	350,253	1,713	1.12	417,443		0.011	16.7		0.000	0.655		0.016	4.11
12/30/2005	286.3	364,949	14,696	0.94	432,139		0.094	16.8		0.001	0.657		0.135	4.25
01/05/2006	427.8	372,368	7,419	0.87	439,558	5,700	0.353	17.2	140	0.009	0.665	740	0.046	4.29
01/20/2006	791.4	390,500	18,132	0.83	457,690		0.862	18.0		0.021	0.686		0.112	4.41
01/30/2006	912.5	398,790	8,290	1.14	465,980		0.394	18.4		0.010	0.696		0.051	4.46
02/17/2006	956.6	401,816	3,026	1.14	469,006	4,300	0.109	18.5	43	0.001	0.697	330	0.008	4.47
03/03/2006	1049.2	408,675	6,859	1.23	475,865	1,900	0.109	18.6	29	0.002	0.699	320	0.018	4.48
03/17/2006	1384.9	433,900	25,225	1.25	501,090		0.400	19.0		0.006	0.705		0.067	4.55

Table 2: Groundwater Extraction - Operation and Mass Removal Data
 Shell-branded Service Station, Incident #98995740, 2120 Montana Street, Oakland, California

Site Visit (mm/dd/yy)	Hour Meter hours	Flow Meter Reading (gal)	Period Volume (gal)	Period Operational Flow Rate (gpm)	Cumulative Volume (gal)	TPHg			Benzene			MTBE		
						TPHg Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)	Benzene Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)	MTBE Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)
03/31/2006	1721.2	458,770	24,870	1.23	525,960		0.394	19.4		0.006	0.711		0.066	4.62
04/13/2006	2030.3	481,365	22,595	1.22	548,555	3,900	0.735	20.2	180	0.034	0.745	450	0.085	4.70
04/27/2006	2063.1	483,653	2,288	1.16	550,843		0.074	20.3		0.003	0.748		0.009	4.71
05/11/2006	2397.6	506,301	22,648	1.13	573,491	1,700	0.321	20.6	55	0.010	0.759	140	0.026	4.74
05/22/2006	2661.1	519,010	12,709	0.80	586,200		0.180	20.8		0.006	0.765		0.015	4.75
06/08/2006	2664.4	519,447	437	2.21	586,637	6,500	0.024	20.8	450	0.002	0.766	420	0.002	4.75
06/22/2006	2666.4	519,670	223	0.00	586,860		0.012	20.8		0.001	0.767		0.001	4.76
06/23/2006	2689.2	522,566	2,896	2.12	589,756		0.157	20.9		0.011	0.778		0.010	4.77
06/26/2006	2763.5	533,562	10,996	2.47	600,752		0.596	21.5		0.041	0.819		0.039	4.80
07/07/2006	3025.9	564,498	30,936	1.96	631,688	270	0.070	21.6	5.6	0.001	0.821	82	0.021	4.83
07/18/2006	3289.3	586,303	21,805	1.38	653,493		0.049	21.7		0.001	0.822		0.015	4.84
08/02/2006	3647.0	613,860	27,557	1.28	681,050	140	0.032	21.7	7.9	0.002	0.823	31	0.007	4.85
08/09/2006	3745.5	620,674	6,814	1.15	687,864		0.008	21.7		0.000	0.824		0.002	4.85
08/11/2006	3772.3	622,160	1,486	0.92	689,350		0.002	21.7		0.000	0.824		0.000	4.85
08/16/2006	3890.2	628,629	6,469	0.91	695,819		0.008	21.7		0.000	0.824		0.002	4.85
09/05/2006	3963.9	636,466	7,837	1.77	703,656	160	0.010	21.7	0.53	0.000	0.824	10	0.001	4.85
09/19/2006	4042.2	643,630	7,164	1.52	710,820		0.010	21.7		0.000	0.824		0.001	4.85
10/2/2006	4048.6	644,290	660	1.72	711,480	<50	0.000	21.7	2.58	0.000	0.825	12.6	0.000	4.85
10/16/2006	4113.2	649,940	5,650	1.46	717,130		0.001	21.7		0.000	0.825		0.001	4.85
10/30/2006	4448.5	650,247	307	0.02	717,437		0.000	21.7		0.000	0.825		0.000	4.85
11/13/2006	4785.0	656,368	6,121	0.30	723,558	360	0.018	21.8	11	0.001	0.825	37	0.002	4.85
11/27/2006	4830.1	660,792	4,424	1.63	727,982		0.013	21.8		0.000	0.826		0.001	4.86
12/11/2006	4955.3	673,911	13,119	1.75	741,101	<50	0.003	21.8	0.59	0.000	0.826	20	0.002	4.86
12/27/2006	4970.5	675,617	1,706	1.87	742,807		0.000	21.8		0.000	0.826		0.000	4.86
1/8/2007	5259.1	676,894	1,277	0.07	744,084	<50	0.000	21.8	<0.50	0.000	0.826	69	0.001	4.86
1/22/2007	5332.5	679,910	3,016	0.68	747,100		0.001	21.8		0.000	0.826		0.001	4.86
2/6/2007	5694.6	680,468	558	0.03	747,658	100	0.000	21.8	<0.50	0.000	0.826	64	0.000	4.86
2/20/2007	6024.9	680,875	407	0.02	748,065		0.000	21.8		0.000	0.826		0.000	4.86
3/9/2007	6167.2	700,260	19,385	2.27	767,450	76	0.012	21.8	<0.50	0.000	0.826	48	0.008	4.87
3/19/2007	6409.2	700,753	493	0.03	767,943		0.000	21.8		0.000	0.826		0.000	4.87
4/2/2007	6633.9	702,280	1,527	0.11	769,470	<50	0.000	21.8	<0.50	0.000	0.826	36	0.000	4.87
4/16/2007	6637.1	702,548	268	1.40	769,738		0.000	21.8		0.000	0.826		0.000	4.87
4/24/2007	6704.2	705,110	2,562	0.64	772,300		0.000	21.8		0.000	0.826		0.001	4.87
4/30/2007	6844.8	724,017	18,907	2.24	791,207		0.004	21.8		0.000	0.826		0.006	4.88
5/14/2007	7161.8	764,080	40,063	2.11	831,270	97	0.032	21.8	4.7	0.002	0.827	14	0.005	4.88
5/30/2007	7296.7	781,317	17,237	2.13	848,507		0.014	21.8		0.001	0.828		0.002	4.88

Table 2: Groundwater Extraction - Operation and Mass Removal Data
 Shell-branded Service Station, Incident #98995740, 2120 Montana Street, Oakland, California

Site Visit (mm/dd/yy)	Hour Meter hours	Flow Meter Reading (gal)	Period Volume (gal)	Period Operational Flow Rate (gpm)	Cumulative Volume (gal)	TPHg			Benzene			MTBE					
						TPHg Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)	Benzene Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)	MTBE Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)			
6/11/2007	7526.2	813,855	32,538	2.36	881,045	84	0.023	21.9	<0.50	0.000	0.828	6.1	0.002	4.88			
6/20/2007	7741.3	824,120	10,265	0.80	891,310		0.007	21.9		0.000	0.828		0.001	4.88			
6/29/2007	7745.0	824,917	797	3.59	892,107		0.001	21.9		0.000	0.828		0.000	4.88			
7/6/2007	7910.0	851,627	26,710	2.70	918,817	61	0.014	21.9	1.3	0.000	0.828	11	0.002	4.89			
7/23/2007	8244.4	890,033	38,406	1.91	957,223		0.020	21.9		0.000	0.829		0.004	4.89			
8/16/2007	8817.3	956,540	66,507	1.93	1,023,730	87	0.048	21.9	<0.50	0.000	0.829	7	0.004	4.89			
8/27/2007	9080.8	958,918	2,378	0.15	1,026,108		0.002	21.9		0.000	0.829		0.000	4.89			
9/11/2007	9446.2	960,452	1,534	0.07	1,027,642	<50	0.000	21.9	<0.50	0.000	0.829	6	0.000	4.89			
9/25/2007	9775.1	961,508	1,056	0.05	1,028,698		0.000	21.9		0.000	0.829		0.000	4.89			
Total Extracted Volume =					1,028,698	Total Pounds Removed:			21.9	Total Pounds Removed:			0.829	Total Pounds Removed:			4.89
Average Operational Flow Rate =					0.77	Total Gallons Removed:			3.60	Total Gallons Removed:			0.113	Total Gallons Removed:			0.793

Abbreviations & Notes:

TPHg = Total purgeable hydrocarbons as gasoline
 MTBE = Methyl tertiary butyl ether
 Conc. = Concentration
 ppb = Parts per billion, equivalent to µg/L
 µg/L = Micrograms per liter
 L = Liter
 gal = Gallon
 gpm = Gallons per minute
 g = Gram
 Mass removed based on the formula: volume extracted (gal) x Concentration (µg/L) x (g/10⁶µg) x (pound/453.6g) x (3.785 L/gal)
 When constituents are not detected, the concentration is assumed to be equal to half the detection limit in subsequent calculations.
 Volume removal data based on the formula: mass (pounds) x (density)⁻¹ (cc/g) x 453.6 (g/pound) x (L/1000 cc) * (gal/3.785 L)
 Density inputs: TPHg = 0.73 g/cc, benzene = 0.88 g/cc, MTBE = 0.74 g/cc
 TPHg, BTEX, and MTBE analyzed by EPA Method 8260B
 Italicized hour meter reading is calculated value.
 As of February 1, 2006, gasoline range organics reported as TPHg include MTBE, tertiary-butyl alcohol, and di-isopropyl ether concentrations.
 TPHg concentrations reported prior to February 1, 2006 may not include one or more of these constituents.

Attachment A

**Blaine Tech Services, Inc.
Groundwater Monitoring Report**

BLAINE
TECH SERVICES INC.

GROUNDWATER SAMPLING SPECIALISTS
SINCE 1985

September 24, 2007

Denis Brown
Shell Oil Products US
20945 South Wilmington Avenue
Carson, CA 90810

Third Quarter 2007 Groundwater Monitoring at
Shell-branded Service Station
2120 Montana Street
Oakland, CA

Monitoring performed on August 27, 2007

Groundwater Monitoring Report **070827-WW-1**

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Martinez Refining Company.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Mike Ninokata
Project Manager

MN/np

attachments: Cumulative Table of WELL CONCENTRATIONS
Certified Analytical Report
Field Data Sheets

cc: Ana Friel
Conestoga-Rovers & Associates
19449 Riverside Dr., Suite 230
Sonoma, CA 95476

WELL CONCENTRATIONS
Shell-branded Service Station
2120 Montana Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-1	03/19/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.59	12.14	147.45	ND
MW-1	03/23/2001	16,600	753	1,720	407	2,330	NA	27,500	NA	NA	NA	NA	159.59	12.25	147.34	ND
MW-1	05/31/2001	<20,000 d	1,000 d	920 d	490 d	2,000 d	NA	54,000 d	NA	NA	NA	NA	161.13	12.22	148.91	ND
MW-1	06/27/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.59	13.00b	NA	ND
MW-1	07/09/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.59	13.17	146.67	0.31
MW-1	09/25/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.59	14.27	145.66	0.43
MW-1	11/20/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.59	13.49	146.14	0.05
MW-1	12/05/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.59	11.32	148.31	0.05
MW-1	03/01/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.59	13.22	146.56	0.24
MW-1	06/06/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.59	12.99	147.00	0.50
MW-1	07/16/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.59	13.37	146.22	ND
MW-1	09/06/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.57	13.30	146.70	0.54
MW-1	12/12/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.57	13.78	146.61	1.03
MW-1	03/31/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.57	11.21	148.38	0.03
MW-1	06/30/2003	7,800	<25	37	<25	380	NA	2,000	NA	NA	NA	NA	159.57	12.20	147.37	ND
MW-1	09/09/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.08	15.70	145.28	2.38
MW-1	12/29/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.08	11.25	147.89	0.07
MW-1	03/17/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.08	11.80	147.40	0.15
MW-1	05/24/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.08	12.42	146.71	0.06
MW-1	09/17/2004	8,000	530	380	330	960	NA	1,100	<20	<20	<20	4,100	159.08	15.95	143.13	ND
MW-1	12/06/2004	2,800	150	<5.0	120	120	NA	300	NA	NA	NA	NA	159.08	13.15	145.93	ND
MW-1	03/02/2005	13,000	490	710	360	2,200	NA	5,000	NA	NA	NA	NA	159.08	12.14	146.94	ND
MW-1	06/10/2005	5,600	210	120	120	910	NA	3,100	NA	NA	NA	NA	159.08	NA	NA	<0.01
MW-1	09/01/2005	<1,300	73	<13	30	42	NA	2,400	<50	<50	<50	13,000	159.08	11.71	147.37	ND
MW-1	11/16/2005	4,150	62.7	10.9	45.2	98.9	NA	845	NA	NA	NA	NA	159.08	11.71	147.37	ND
MW-1 i	03/03/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	0.790	NA	NA	NA	<10.0	159.08	13.37	145.71	ND
MW-1	05/12/2006	3,430	80.0	0.530	26.8	71.9	NA	154	NA	NA	NA	1,040	159.08	17.41	141.67	ND
MW-1	09/05/2006	5,390	24.8	2.44	6.69	22.2	NA	106	<0.500	<0.500	<0.500	4,860	159.08	12.12	146.96	ND
MW-1	12/18/2006	6,800	120	28	110	840	NA	1,100	NA	NA	NA	5,400	159.08	10.74	148.34	ND
MW-1	03/21/2007	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	159.08	NA	NA	ND

WELL CONCENTRATIONS
Shell-branded Service Station
2120 Montana Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-1	06/14/2007	6,200	18	<5.0	11	4.6 k	NA	68	NA	NA	NA	1,800	159.08	19.82	139.26	ND
MW-1	08/27/2007	2,700 l	13	<5.0	3.9 k	5.6 k	NA	54	<10	<10	<10	1,200	159.08	12.20	146.88	ND
MW-2	03/19/3001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	158.03	11.60	146.43	ND
MW-2	03/23/2001	4,450	280	41.0	62.1	63.0	NA	16,600	NA	NA	NA	NA	158.03	11.76	146.27	ND
MW-2	05/31/2001	<20,000 a	820 a	<200 a	<200 a	<200 a	NA	63,000 a	NA	NA	NA	NA	158.03	11.40	146.63	ND
MW-2	06/27/2001	<50,000	610	4.0	13	9.2	NA	47,000	NA	NA	NA	NA	158.03	12.65	145.38	ND
MW-2	09/25/2001	<2,000	41	<20	<20	<20	NA	6,400	NA	NA	NA	NA	158.03	12.89	145.14	ND
MW-2	12/05/2001	<2,000	74	<20	<20	<20	NA	8,400	NA	NA	NA	NA	158.03	10.40	147.63	ND
MW-2	03/01/2002	<1,000	<10	<10	<10	<10	NA	2,900	NA	NA	NA	NA	158.03	11.52	146.51	ND
MW-2	06/06/2002	<5,000	210	<50	<50	<50	NA	23,000	NA	NA	NA	NA	158.03	12.15	145.88	ND
MW-2	07/16/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	158.03	12.25	145.78	ND
MW-2	09/06/2002	<2,000	56	<20	<20	<20	NA	11,000	NA	NA	NA	NA	158.01	12.44	145.57	ND
MW-2	12/12/2002	<2,500	80	<25	<25	<25	NA	13,000	NA	NA	NA	NA	158.01	12.53	145.48	ND
MW-2	03/31/2003	<5,000	230	1,200	95	150	NA	13,000	NA	NA	NA	NA	158.01	11.98	146.03	ND
MW-2	06/30/2003	<12,000	780	<120	170	250	NA	9,000	NA	NA	NA	NA	158.01	12.10	145.91	ND
MW-2	09/09/2003	140,000	4,600	40,000	4,800	32,000	NA	11,000	NA	NA	NA	NA	158.01	12.94	145.07	ND
MW-2	12/29/2003	220,000	240	4,800	2,900	19,000	NA	1,000	NA	NA	NA	NA	158.01	11.20	146.81	ND
MW-2	03/17/2004	25,000	170	390	280	1,400	NA	1,500	NA	NA	NA	NA	158.01	11.40	146.61	ND
MW-2	05/24/2004	140,000	<25	220	1,200	6,800	NA	320	NA	NA	NA	NA	158.01	12.28	145.73	ND
MW-2	09/17/2004	64,000	2,900	230	2,300	9,700	NA	6,300	<100	<100	<100	4,100	158.01	12.90	145.11	ND
MW-2	12/06/2004	47,000	1,200	46	1,300	6,000	NA	3,900	NA	NA	NA	NA	158.01	13.02	144.99	ND
MW-2	03/02/2005	85,000	1,600	81	1,900	6,900	NA	2,500	NA	NA	NA	NA	158.01	11.06	146.95	ND
MW-2	06/10/2005	100,000	450	<25	440	800	NA	300	NA	NA	NA	NA	158.01	11.71	146.30	ND
MW-2	09/01/2005	140,000 g	490	<25	550	850	NA	110	<100	<100	<100	1,900	158.01	12.11	145.90	ND
MW-2	11/16/2005	473,000 h	776	18.7	1,300	2,730	NA	374	NA	NA	NA	NA	158.01	12.15	145.86	ND
MW-2 i	03/03/2006	4,830	6.25	2.29	14.6	5.45	NA	106	NA	NA	NA	228	158.01	11.40	146.61	ND
MW-2	05/12/2006	7,610	1,200	27.9	858	396	NA	688	NA	NA	NA	681	158.01	14.22	143.79	ND
MW-2	09/05/2006	84,000	683	10.2	314	300	NA	96.7	<0.500	<0.500	<0.500	1,250	158.01	12.20	145.81	ND
MW-2	12/18/2006	19,000	230	6.2	130	64	NA	94	NA	NA	NA	1,600	158.01	11.03	146.98	ND

WELL CONCENTRATIONS
Shell-branded Service Station
2120 Montana Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-2	03/21/2007	30,000	380	31	460	290	NA	95	NA	NA	NA	1,700	158.01	11.75	146.26	ND
MW-2	06/14/2007	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	158.01	NA	NA	ND
MW-2	08/27/2007	83,000 l	220	8.7 k	99	24.5k	NA	<10	<20	<20	<20	980	158.01	12.54	145.47	ND
MW-3	03/19/3001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	161.13	11.42	149.71	ND
MW-3	03/23/2001	<50.0	<0.500	<0.500	<0.500	<0.500	NA	1.26	NA	NA	NA	NA	161.13	11.42	149.71	ND
MW-3	05/31/2001	<50 e	<0.50 e	<0.50 e	<0.50 e	<0.50 e	NA	<5.0 e	NA	NA	NA	NA	159.59	13.00	146.59	ND
MW-3	06/27/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	161.13	12.32	148.81	ND
MW-3	09/25/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	161.13	12.50	148.63	ND
MW-3	12/05/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	161.13	10.13	151.00	ND
MW-3	03/01/2002	<50	<0.50	<0.50	<0.50	0.73	NA	<5.0	NA	NA	NA	NA	161.13	11.63	149.50	ND
MW-3	06/06/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	161.13	11.55	149.58	ND
MW-3	07/16/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	161.13	11.72	149.41	ND
MW-3	09/06/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	161.11	12.24	148.87	ND
MW-3	12/12/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	161.11	12.18	148.93	ND
MW-3	03/31/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	0.78	NA	NA	NA	NA	161.11	11.94	149.17	ND
MW-3	06/30/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	161.11	12.50	148.61	ND
MW-3	09/09/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	161.11	12.55	148.56	ND
MW-3	12/29/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	0.70	NA	NA	NA	NA	161.11	10.90	150.21	ND
MW-3	03/17/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	2.1	NA	NA	NA	NA	161.11	11.63	149.48	ND
MW-3	05/24/2004	<50	<0.50	<0.50	<0.50	1.0	NA	0.96	NA	NA	NA	NA	161.11	11.32	149.79	ND
MW-3	09/17/2004	<50	<0.50	<0.50	<0.50	1.0	NA	2.6	<2.0	<2.0	<2.0	<5.0	161.11	12.13	148.98	ND
MW-3	12/06/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	6.1	NA	NA	NA	NA	161.11	12.28	148.83	ND
MW-3	03/02/2005	<50 f	<0.50	<0.50	<0.50	<1.0	NA	2.4	NA	NA	NA	NA	161.11	10.42	150.69	ND
MW-3	06/10/2005	<50 f	<0.50	<0.50	<0.50	<1.0	NA	1.6	NA	NA	NA	NA	161.11	11.15	149.96	ND
MW-3	09/01/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	0.54	<2.0	<2.0	<2.0	<5.0	161.11	12.55	148.56	ND
MW-3	11/16/2005	<50.0	<0.500	<0.500	<0.500	<0.500	NA	0.570	NA	NA	NA	NA	161.11	12.04	149.07	ND
MW-3 i	03/03/2006	16,000 j	191	107 j	127	997 j	NA	1090 j	NA	NA	NA	NA	161.11	10.36	150.75	ND
MW-3	05/12/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	1.45	NA	NA	NA	NA	161.11	12.24	148.87	ND
MW-3	09/05/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	1.62	<0.500	<0.500	<0.500	<10.0	161.11	12.52	148.59	ND

WELL CONCENTRATIONS
Shell-branded Service Station
2120 Montana Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-3	12/18/2006	<50	<0.50	<0.50	<0.50	<1.0	NA	0.88	NA	NA	NA	NA	161.11	11.00	150.11	ND
MW-3	03/21/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	<1.0	NA	NA	NA	NA	161.11	12.10	149.01	ND
MW-3	06/14/2007	100	<0.50	<1.0	<1.0	<1.0	NA	2.4	NA	NA	NA	NA	161.11	12.08	149.03	ND
MW-3	08/27/2007	<50 l	<0.50	<1.0	<1.0	<1.0	NA	1.3	<2.0	<2.0	<2.0	<10	161.11	12.54	148.57	ND
MW-4	07/10/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NM	13.19	NA	ND
MW-4	07/16/2002	800	1.1	1.1	2.6	2.4	NA	450	NA	NA	NA	NA	NM	13.56	NA	ND
MW-4	09/06/2002	1,100	3.0	1.8	8.0	4.6	NA	110	NA	NA	NA	NA	160.09	13.67	146.42	ND
MW-4	12/12/2002	130	<0.50	<0.50	<0.50	<0.50	NA	940	NA	NA	NA	NA	160.09	14.06	146.03	ND
MW-4	03/31/2003	<250	<2.5	<2.5	<2.5	<5.0	NA	500	NA	NA	NA	NA	160.09	13.69	146.40	ND
MW-4	06/30/2003	3,100	5.3	<5.0	7.1	<10	NA	420	NA	NA	NA	NA	160.09	14.12	145.97	ND
MW-4	09/09/2003	1,400	2.4	2.0	2.6	3.2	NA	140	NA	NA	NA	NA	160.09	14.92	145.17	ND
MW-4	12/29/2003	2,700	10	6.2	20	11	NA	420	NA	NA	NA	NA	160.09	12.71	147.38	ND
MW-4	03/17/2004	1,900	6.9	3.0	33	22	NA	290	NA	NA	NA	NA	160.09	13.24	146.85	ND
MW-4	05/24/2004	1,800	<2.5	<2.5	<2.5	11	NA	44	NA	NA	NA	NA	160.09	14.03	146.06	ND
MW-4	09/17/2004	3,300	57	10	47	32	NA	310	<10	<10	<10	700	160.09	13.58	146.51	ND
MW-4	12/06/2004	4,700	9.4	3.8	34	12	NA	150	NA	NA	NA	NA	160.09	14.65	145.44	ND
MW-4	03/02/2005	<1,300	<13	<13	<13	<25	NA	150	NA	NA	NA	NA	160.09	12.67	147.42	ND
MW-4	06/10/2005	2,600	4.1	1.9	25	5.6	NA	61	NA	NA	NA	NA	160.09	13.11	146.98	ND
MW-4	09/01/2005	4,000 g	<13	<13	22	<25	NA	36	<50	<50	<50	<130	160.09	14.00	146.09	ND
MW-4	11/16/2005	4,740	3.23	1.75	12.8	6.06	NA	12.2	NA	NA	NA	NA	160.09	13.87	146.22	ND
MW-4 i	03/03/2006	79,300 j	649 j	37.2	470 j	326	NA	577 j	NA	NA	NA	NA	160.09	12.80	147.29	ND
MW-4	05/12/2006	2,750	8.03	<0.500	<0.500	<0.500	NA	244	NA	NA	NA	NA	160.09	16.26	143.83	ND
MW-4	09/05/2006	2,230	2.04	1.24	<0.500	1.50	NA	95.9	<0.500	<0.500	<0.500	239	160.09	13.92	146.17	ND
MW-4	12/18/2006	1,400	4.3	1.7	7.3	2.8	NA	140	NA	NA	NA	NA	160.09	12.71	147.38	ND
MW-4	03/21/2007	540	0.68	0.51	4.0	<1.0	NA	140	NA	NA	NA	NA	160.09	13.35	146.74	ND
MW-4	06/14/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	160.09	19.02	141.07	ND
MW-4	08/27/2007	880 l, m	0.38 k	<1.0	<1.0	<1.0	NA	8.5	<2.0	<2.0	<2.0	98	160.09	13.92	146.17	ND
MW-5	07/10/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NM	12.22	NA	ND

WELL CONCENTRATIONS
Shell-branded Service Station
2120 Montana Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-5	07/16/2002	6,100	65	7.2	100	130	NA	410	NA	NA	NA	NA	NM	12.50	NA	ND
MW-5	09/06/2002	5,900	100	8.1	41	32	NA	230	NA	NA	NA	NA	158.25	12.77	145.48	ND
MW-5	12/12/2002	4,900	70	5.7	25	17	NA	280	NA	NA	NA	NA	158.25	12.71	145.54	ND
MW-5	03/31/2003	6,400	61	4.9	23	13	NA	330	NA	NA	NA	NA	158.25	11.93	146.32	ND
MW-5	06/30/2003	3,400	18	<2.5	17	5.5	NA	47	NA	NA	NA	NA	158.25	11.97	146.28	ND
MW-5	09/09/2003	6,800	46	23	39	42	NA	67	NA	NA	NA	NA	158.25	12.44	145.81	ND
MW-5	12/29/2003	8,400	44	6.2	36	16	NA	60	NA	NA	NA	NA	158.25	11.38	146.87	ND
MW-5	03/17/2004	7,100	120	22	42	27	NA	300	NA	NA	NA	NA	158.25	11.68	146.57	ND
MW-5	05/24/2004	6,100	72	17	34	23	NA	110	NA	NA	NA	NA	158.25	12.30	145.95	ND
MW-5	09/17/2004	5,700	27	5.3	35	<10	NA	28	<20	<20	<20	<50	158.25	12.15	146.10	ND
MW-5	12/06/2004	4,500	11	<5.0	22	<10	NA	7.5	NA	NA	NA	NA	158.25	12.85	145.40	ND
MW-5	03/02/2005	6,500	14	<2.5	18	<5.0	NA	6.0	NA	NA	NA	NA	158.25	10.83	147.42	ND
MW-5	06/10/2005	5,300	19	2.4	17	4.3	NA	7.2	NA	NA	NA	NA	158.25	12.00	146.25	ND
MW-5	09/01/2005	1,900 g	5.3	<2.5	6.9	<5.0	NA	<2.5	<10	<10	<10	<25	158.25	12.30	145.95	ND
MW-5	11/16/2005	3,590	4.66	0.580	7.69	1.45	NA	1.13	NA	NA	NA	NA	158.25	12.58	145.67	ND
MW-5	03/03/2006	5,760	7.08	0.960	8.46	2.18	NA	2.65	NA	NA	NA	NA	158.25	11.15	147.10	ND
MW-5	05/12/2006	1,960	3.66	<0.500	1.03	<0.500	NA	1.45	NA	NA	NA	NA	158.25	12.55	145.70	ND
MW-5	09/05/2006	3,730	4.23	0.780	3.19	0.790	NA	1.77	<0.500	<0.500	<0.500	32.9	158.25	12.70	145.55	ND
MW-5	12/18/2006	1,600	5.1	0.66	6.0	3.3	NA	<0.50	NA	NA	NA	NA	158.25	11.40	146.85	ND
MW-5	03/21/2007	210	1.7	<0.50	<0.50	<1.0	NA	<1.0	NA	NA	NA	NA	158.25	12.17	146.08	ND
MW-5	06/14/2007	2,300	1.5	<1.0	0.43 k	<1.0	NA	<1.0	NA	NA	NA	NA	158.25	13.50	144.75	ND
MW-5	08/27/2007	2,500 l,m	3.2	0.41 k	2.8	2.48 k	NA	<1.0	<2.0	<2.0	<2.0	6.8 k	158.25	12.55	145.70	ND

TBW-N	09/25/2001 c	120,000	3,200	2,800	4,000	18,000	NA	31,000	NA	NA	NA	NA	NM	12.25	NM	ND
TBW-N	11/20/2001	72,000	2,200	3,600	2,600	14,000	NA	35,000	NA	NA	NA	NA	NM	12.13	NM	ND
TBW-N	12/05/2001	76,000	1,600	3,200	2,900	15,000	NA	30,000	NA	NA	NA	NA	NM	11.51	NM	ND
TBW-N	03/01/2002	91,000	1,200	4,200	2,800	14,000	NA	29,000	NA	NA	NA	NA	NM	11.88	NM	ND
TBW-N	06/06/2002	100,000	2,100	8,200	3,400	17,000	NA	18,000	NA	NA	NA	NA	NM	12.48	NM	ND
TBW-N	07/16/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NM	12.39	NM	ND
TBW-N	09/06/2002	69,000	870	4,800	2,300	11,000	NA	17,000	NA	NA	NA	NA	161.26	12.36	148.90	ND

WELL CONCENTRATIONS
Shell-branded Service Station
2120 Montana Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------

TBW-N	12/12/2002	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	161.26	NA	NA	NA
TBW-N	12/19/2002	110,000	1,900	13,000	3,100	18,000	NA	19,000	NA	NA	NA	NA	161.26	10.82	150.44	ND
TBW-N	03/31/2003	62,000	1,600	6,500	2,200	11,000	NA	11,000	NA	NA	NA	NA	161.26	10.63	150.63	ND
TBW-N	06/30/2003	260,000	7,700	<120	5,800	40,000	NA	8,400	NA	NA	NA	NA	161.26	11.51	149.75	ND
TBW-N	09/09/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.92	11.37	148.64	0.11
TBW-N	12/29/2003	130,000	840	8,200	2,400	18,000	NA	5,400	NA	NA	NA	NA	159.92	10.40	149.52	ND
TBW-N	03/17/2004	32,000	440	1,500	580	4,500	NA	3,700	NA	NA	NA	NA	159.92	10.49	149.44	0.01
TBW-N	05/24/2004	110,000	380	2,600	1,600	11,000	NA	3,100	NA	NA	NA	NA	159.92	10.72	149.20	ND
TBW-N	09/17/2004	25,000	120	490	570	3,900	NA	490	<200	<200	<200	4,500	159.92	10.80	149.12	ND
TBW-N	12/06/2004	15,000	33	11	410	1,500	NA	200	NA	NA	NA	NA	159.92	11.00	148.92	ND
TBW-N	03/02/2005	7,900	15	<10	120	610	NA	460	NA	NA	NA	NA	159.92	10.58	149.34	ND
TBW-N	06/10/2005	1,200	<5.0	<5.0	13	25	NA	93	NA	NA	NA	NA	159.92	10.68	149.24	ND
TBW-N	09/01/2005	3,500 g	<10	<10	86	330	NA	47	<40	<40	<40	1,700	159.92	11.05	148.87	ND
TBW-N	11/16/2005	8,830	1.53	1.59	86.6	404	NA	35.0	NA	NA	NA	NA	159.92	10.95	148.97	ND
TBW-N	03/03/2006	955	<0.500	<0.500	1.25	<0.500	NA	70.4	NA	NA	NA	4,930	159.92	10.31	149.61	ND
TBW-N	05/12/2006	706	<0.500	<0.500	5.81	<0.500	NA	14.5	NA	NA	NA	488	159.92	10.73	149.19	ND
TBW-N	09/05/2006	1,230	<0.500	<0.500	6.05	2.68	NA	15.3	<0.500	<0.500	<0.500	265	159.92	11.46	148.46	ND
TBW-N	12/18/2006	290	0.68	<0.50	<0.50	<1.0	NA	37	NA	NA	NA	3,400	159.92	10.12	149.80	ND
TBW-N	03/21/2007	300	<0.50	<0.50	<0.50	<1.0	NA	15	NA	NA	NA	820	159.92	10.67	149.25	ND
TBW-N	06/14/2007	530	<0.50	<1.0	<1.0	<1.0	NA	7.7	NA	NA	NA	240	159.92	11.22	148.70	ND
TBW-N	08/27/2007	100 l	0.52	<1.0	<1.0	<1.0	NA	18	<2.0	<2.0	<2.0	40	159.92	11.44	148.48	ND

EW-1	05/05/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	15.42	NA	ND
EW-1	05/12/2006	5,550	52.9	30.2	86.9	249	NA	939	<0.500	<0.500	<0.500	3,900	NA	17.33	NA	ND
EW-1	09/05/2006	2,700	28.3	1.64	11.8	7.98	NA	325	<0.500	<0.500	<0.500	1,900	158.63	12.44	146.19	ND
EW-1	12/18/2006	4,900	140	63	170	790	NA	640	NA	NA	NA	NA	158.63	11.00	147.63	ND
EW-1	03/21/2007	1,000	32	<2.5	14	48	NA	420	NA	NA	NA	NA	158.63	14.61	144.02	ND
EW-1	06/14/2007	2,100	14	1.1	5.0	9.3	NA	46	NA	NA	NA	NA	158.63	21.00	137.63	ND
EW-1	08/27/2007	97 l	<0.50	<1.0	<1.0	0.19 k	NA	3.6	<2.0	<2.0	<2.0	32	158.63	12.80	145.83	ND

WELL CONCENTRATIONS
Shell-branded Service Station
2120 Montana Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
EW-2	05/05/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	16.83	NA	ND
EW-2	05/12/2006	11,400	377	135	335	313	NA	401	<0.500	<0.500	<0.500	1,220	NA	15.91	NA	ND
EW-2	09/05/2006	1,810	41.1	4.52	17.2	74.0	NA	87.8	<0.500	<0.500	<0.500	606	157.51	11.21	146.30	ND
EW-2	12/18/2006	3,200	75	33	90	470	NA	130	NA	NA	NA	NA	157.51	9.93	147.58	ND
EW-2	03/21/2007	61	<0.50	<0.50	<0.50	1.5	NA	18	NA	NA	NA	NA	157.51	10.55	146.96	ND
EW-2	06/14/2007	570	3.8	<1.0	<1.0	<1.0	NA	10	NA	NA	NA	NA	157.51	12.82	144.69	ND
EW-2	08/27/2007	320 l	2.6	0.36 k	1.4	6.31 k	NA	10	<2.0	<2.0	<2.0	230	157.51	10.34	147.17	ND

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to May 31, 2001, analyzed by EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to May 31, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether, analyzed by EPA Method 8260B

ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260B

TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260B

TBA = Tertiary butyl alcohol, analyzed by EPA Method 8260B

TOC = Top of Casing Elevation

GW = Groundwater

TBW-N = tank backfill well-North

NA = Not analyzed

ND = Not detected

NM = Not measured

ug/L = parts per billion

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

WELL CONCENTRATIONS
Shell-branded Service Station
2120 Montana Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	---------------------------

Notes:

a = Resampled on June 27, 2001 due to possible mislabeling.

b = Separate phase hydrocarbons encountered during purge; groundwater elevation may not be accurate.

c = Sample TBW-N was analyzed once within hold time, but the analyte concentrations all exceeded the instrument working ranges. The sample was diluted and re-analyzed out of hold time. The diluted analysis is reported because it more accurately reflects the concentrations present.

d = These results are listed as MW-3 on analytical report due to possible mislabeling in field or laboratory. Resampled on June 27, 2001, to confirm mislabeling.

e = These results are listed as MW-1 on analytical report due to possible mislabeling in field or laboratory. Resampled on June 27, 2001, to confirm mislabeling.

f = The concentration reported reflect(s) individual or discrete unidentified peaks not matching a typical fuel pattern.

g = Quantity of unknown hydrocarbon(s) in sample based on gasoline.

h = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

i = Several of the results were above the instrument calibration range and should be considered estimated values. The results from the different VOA vials were not consistent; therefore the highest results were reported.

j = Concentration exceeds the calibration range and therefore result is semi-quantitative.

k = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.

l = Analyzed by EPA Method 8015B (M).

m = The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based on Survey data provided by Cambria Environmental Technology, May 2001.


Site surveyed February 12, 2002 and June 26, 2002 by Virgil Chavez Land Surveying of Vallejo, CA.

Wells MW-1 and TBW-N surveyed September 23, 2003 by Virgil Chavez Land Surveying of Vallejo, CA.

When separate phase hydrocarbons are present, ground water elevation is adjusted using the relation:

Corrected groundwater elevation = Top-of-casing elevation - Depth to water + (0.8 x Hydrocarbon thickness).

Wells EW-1 and EW-2 surveyed July 7, 2006 by Virgil Chavez Land Surveying of Vallejo, CA.



September 10, 2007

Michael Ninokata
Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Subject: **Calscience Work Order No.: 07-08-2171**
Client Reference: 2120 Montana St., Oakland, CA

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 8/31/2007 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read "Danielle Gonsman", with a horizontal line extending to the right.

Calscience Environmental
Laboratories, Inc.
Danielle Gonsman
Project Manager

Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 08/31/07
Work Order No: 07-08-2171
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2120 Montana St., Oakland, CA

Page 1 of 3

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-1	07-08-2171-1	08/27/07	Aqueous	GC 25	08/31/07	08/31/07	070831B01

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	2700	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	121	38-134			

MW-2	07-08-2171-2	08/27/07	Aqueous	GC 25	08/31/07	08/31/07	070831B01
-------------	---------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	83000	2500	50		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	100	38-134			

MW-3	07-08-2171-3	08/27/07	Aqueous	GC 25	08/31/07	08/31/07	070831B01
-------------	---------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	73	38-134			

MW-4	07-08-2171-4	08/27/07	Aqueous	GC 25	08/31/07	08/31/07	070831B01
-------------	---------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	880	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	77	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 08/31/07
Work Order No: 07-08-2171
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2120 Montana St., Oakland, CA

Page 2 of 3

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-5	07-08-2171-5	08/27/07	Aqueous	GC 25	08/31/07	08/31/07	070831B01

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	2500	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	111	38-134			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
TBW-N	07-08-2171-6	08/27/07	Aqueous	GC 25	09/04/07	09/04/07	070904B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	100	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	81	38-134			


Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
EW-1	07-08-2171-7	08/27/07	Aqueous	GC 25	08/31/07	08/31/07	070831B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	97	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	80	38-134			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
EW-2	07-08-2171-8	08/27/07	Aqueous	GC 25	08/31/07	08/31/07	070831B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	320	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	81	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 08/31/07
Work Order No: 07-08-2171
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2120 Montana St., Oakland, CA

Page 3 of 3

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-12-436-857	N/A	Aqueous	GC 25	08/31/07	08/31/07	070831B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	77	38-134			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-12-436-863	N/A	Aqueous	GC 25	09/04/07	09/04/07	070904B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	74	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report

Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 08/31/07
Work Order No: 07-08-2171
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: 2120 Montana St., Oakland, CA

Page 1 of 4

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-1	07-08-2171-1	08/27/07	Aqueous	GC/MS R	09/07/07	09/08/07	070907L02

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	13	2.5	0.70	5		Methyl-t-Butyl Ether (MTBE)	54	5.0	1.3	5	
Ethylbenzene	3.9	5.0	1.1	5	J	Tert-Butyl Alcohol (TBA)	1200	50	27	5	
Toluene	ND	5.0	1.4	5		Diisopropyl Ether (DIPE)	ND	10	1.7	5	
p/m-Xylene	4.1	5.0	2.7	5	J	Ethyl-t-Butyl Ether (ETBE)	ND	10	0.92	5	
o-Xylene	1.5	5.0	0.84	5	J	Tert-Amyl-Methyl Ether (TAME)	ND	10	5.6	5	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	102	74-140				1,2-Dichloroethane-d4	98	74-146			
Toluene-d8	98	88-112				1,4-Bromofluorobenzene	99	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-2	07-08-2171-2	08/27/07	Aqueous	GC/MS R	09/10/07	09/10/07	070910L01

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.


Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	220	5.0	1.4	10		Methyl-t-Butyl Ether (MTBE)	ND	10	2.6	10	
Ethylbenzene	99	10	2.3	10		Tert-Butyl Alcohol (TBA)	980	100	54	10	
Toluene	8.7	10	2.7	10	J	Diisopropyl Ether (DIPE)	ND	20	3.3	10	
p/m-Xylene	17	10	5.4	10		Ethyl-t-Butyl Ether (ETBE)	ND	20	1.8	10	
o-Xylene	7.5	10	1.7	10	J	Tert-Amyl-Methyl Ether (TAME)	ND	20	11	10	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	101	74-140				1,2-Dichloroethane-d4	97	74-146			
Toluene-d8	104	88-112				1,4-Bromofluorobenzene	102	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-3	07-08-2171-3	08/27/07	Aqueous	GC/MS R	09/07/07	09/08/07	070907L02

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		Methyl-t-Butyl Ether (MTBE)	1.3	1.0	0.26	1	
Ethylbenzene	ND	1.0	0.23	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
Toluene	ND	1.0	0.27	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
p/m-Xylene	ND	1.0	0.54	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
o-Xylene	ND	1.0	0.17	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	102	74-140				1,2-Dichloroethane-d4	97	74-146			
Toluene-d8	99	88-112				1,4-Bromofluorobenzene	98	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 08/31/07
Work Order No: 07-08-2171
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: 2120 Montana St., Oakland, CA

Page 2 of 4

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-4	07-08-2171-4	08/27/07	Aqueous	GC/MS R	09/07/07	09/08/07	070907L02

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	0.38	0.50	0.14	1	J	Methyl-t-Butyl Ether (MTBE)	8.5	1.0	0.26	1	
Ethylbenzene	ND	1.0	0.23	1		Tert-Butyl Alcohol (TBA)	98	10	5.4	1	
Toluene	ND	1.0	0.27	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
p/m-Xylene	ND	1.0	0.54	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
o-Xylene	ND	1.0	0.17	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	102	74-140				1,2-Dichloroethane-d4	101	74-146			
Toluene-d8	99	88-112				1,4-Bromofluorobenzene	100	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-5	07-08-2171-5	08/27/07	Aqueous	GC/MS R	09/07/07	09/08/07	070907L02

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.


Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	3.2	0.50	0.14	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Ethylbenzene	2.8	1.0	0.23	1		Tert-Butyl Alcohol (TBA)	6.8	10	5.4	1	J
Toluene	0.41	1.0	0.27	1	J	Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
p/m-Xylene	2.2	1.0	0.54	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
o-Xylene	0.28	1.0	0.17	1	J	Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	101	74-140				1,2-Dichloroethane-d4	100	74-146			
Toluene-d8	101	88-112				1,4-Bromofluorobenzene	101	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
TBW-N	07-08-2171-6	08/27/07	Aqueous	GC/MS R	09/07/07	09/08/07	070907L02

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	0.52	0.50	0.14	1		Methyl-t-Butyl Ether (MTBE)	18	1.0	0.26	1	
Ethylbenzene	ND	1.0	0.23	1		Tert-Butyl Alcohol (TBA)	40	10	5.4	1	
Toluene	ND	1.0	0.27	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
p/m-Xylene	ND	1.0	0.54	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
o-Xylene	ND	1.0	0.17	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	102	74-140				1,2-Dichloroethane-d4	99	74-146			
Toluene-d8	99	88-112				1,4-Bromofluorobenzene	100	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 08/31/07
Work Order No: 07-08-2171
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: 2120 Montana St., Oakland, CA

Page 3 of 4

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
EW-1	07-08-2171-7	08/27/07	Aqueous	GC/MS R	09/07/07	09/08/07	070907L02

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		Methyl-t-Butyl Ether (MTBE)	3.6	1.0	0.26	1	
Ethylbenzene	ND	1.0	0.23	1		Tert-Butyl Alcohol (TBA)	32	10	5.4	1	
Toluene	ND	1.0	0.27	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
p/m-Xylene	ND	1.0	0.54	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
o-Xylene	0.19	1.0	0.17	1	J	Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	101	74-140				1,2-Dichloroethane-d4	101	74-146			
Toluene-d8	96	88-112				1,4-Bromofluorobenzene	101	74-110			

EW-2	07-08-2171-8	08/27/07	Aqueous	GC/MS R	09/07/07	09/08/07	070907L02
------	--------------	----------	---------	---------	----------	----------	-----------

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.


Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	2.6	0.50	0.14	1		Methyl-t-Butyl Ether (MTBE)	10	1.0	0.26	1	
Ethylbenzene	1.4	1.0	0.23	1		Tert-Butyl Alcohol (TBA)	230	10	5.4	1	
Toluene	0.36	1.0	0.27	1	J	Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
p/m-Xylene	5.5	1.0	0.54	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
o-Xylene	0.81	1.0	0.17	1	J	Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	101	74-140				1,2-Dichloroethane-d4	98	74-146			
Toluene-d8	98	88-112				1,4-Bromofluorobenzene	100	74-110			

Method Blank	099-10-006-22,702	N/A	Aqueous	GC/MS R	09/07/07	09/08/07	070907L02
--------------	-------------------	-----	---------	---------	----------	----------	-----------

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Ethylbenzene	ND	1.0	0.23	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
Toluene	ND	1.0	0.27	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
p/m-Xylene	ND	1.0	0.54	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
o-Xylene	ND	1.0	0.17	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	99	74-140				1,2-Dichloroethane-d4	97	74-146			
Toluene-d8	98	88-112				1,4-Bromofluorobenzene	98	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 08/31/07
Work Order No: 07-08-2171
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: 2120 Montana St., Oakland, CA


Page 4 of 4


Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-10-006-22,731	N/A	Aqueous	GC/MS R	09/10/07	09/10/07	070910L01

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Ethylbenzene	ND	1.0	0.23	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
Toluene	ND	1.0	0.27	1		Diisopropyl Ether (DIPE)	ND	2.0	0.33	1	
p/m-Xylene	ND	1.0	0.54	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	0.18	1	
o-Xylene	ND	1.0	0.17	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1.1	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Dibromofluoromethane	102	74-140				1,2-Dichloroethane-d4	96	74-146			
Toluene-d8	98	88-112				1,4-Bromofluorobenzene	96	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: 08/31/07
Work Order No: 07-08-2171
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project 2120 Montana St., Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-4	Aqueous	GC 25	08/31/07	08/31/07	070831S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	76	69	68-122	6	0-18	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: 08/31/07
Work Order No: 07-08-2171
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project 2120 Montana St., Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-09-0048-6	Aqueous	GC 25	09/04/07	09/04/07	070904S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	85	82	68-122	4	0-18	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: 08/31/07
Work Order No: 07-08-2171
Preparation: EPA 5030B
Method: EPA 8260B

Project 2120 Montana St., Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-08-2167-3	Aqueous	GC/MS R	09/07/07	09/07/07	070907S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	91	95	88-118	4	0-7	
Carbon Tetrachloride	92	97	67-145	5	0-11	
Chlorobenzene	96	99	88-118	4	0-7	
1,2-Dibromoethane	104	104	70-130	0	0-30	
1,2-Dichlorobenzene	95	98	86-116	2	0-8	
1,1-Dichloroethene	91	94	70-130	3	0-25	
Ethylbenzene	91	95	70-130	4	0-30	
Toluene	92	95	87-123	4	0-8	
Trichloroethene	93	96	79-127	3	0-10	
Vinyl Chloride	79	83	69-129	5	0-13	
Methyl-t-Butyl Ether (MTBE)	90	95	71-131	3	0-13	
Tert-Butyl Alcohol (TBA)	28	25	36-168	0	0-45	3
Diisopropyl Ether (DIPE)	96	97	81-123	2	0-9	
Ethyl-t-Butyl Ether (ETBE)	100	103	72-126	3	0-12	
Tert-Amyl-Methyl Ether (TAME)	101	102	72-126	1	0-12	
Ethanol	84	83	53-149	2	0-31	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: 08/31/07
Work Order No: 07-08-2171
Preparation: EPA 5030B
Method: EPA 8260B


Project 2120 Montana St., Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-09-0249-2	Aqueous	GC/MS R	09/10/07	09/10/07	070910S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	93	90	88-118	3	0-7	
Carbon Tetrachloride	95	91	67-145	4	0-11	
Chlorobenzene	102	97	88-118	5	0-7	
1,2-Dibromoethane	105	102	70-130	3	0-30	
1,2-Dichlorobenzene	102	97	86-116	5	0-8	
1,1-Dichloroethene	94	95	70-130	1	0-25	
Ethylbenzene	97	94	70-130	4	0-30	
Toluene	97	93	87-123	5	0-8	
Trichloroethene	101	96	79-127	6	0-10	
Vinyl Chloride	66	68	69-129	3	0-13	3
Methyl-t-Butyl Ether (MTBE)	93	94	71-131	1	0-13	
Tert-Butyl Alcohol (TBA)	83	86	36-168	3	0-45	
Diisopropyl Ether (DIPE)	91	89	81-123	2	0-9	
Ethyl-t-Butyl Ether (ETBE)	90	91	72-126	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	95	92	72-126	3	0-12	
Ethanol	81	78	53-149	3	0-31	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: N/A
Work Order No: 07-08-2171
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2120 Montana St., Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-857	Aqueous	GC 25	08/31/07	08/31/07	070831B01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	97	98	78-120	1	0-10	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: N/A
Work Order No: 07-08-2171
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2120 Montana St., Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-863	Aqueous	GC 25	09/04/07	09/04/07	070904B01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	81	79	78-120	2	0-10	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: N/A
Work Order No: 07-08-2171
Preparation: EPA 5030B
Method: EPA 8260B

Project: 2120 Montana St., Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-22,702	Aqueous	GC/MS R	09/07/07	09/08/07	070907L02

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	92	95	84-120	3	0-8	
Carbon Tetrachloride	95	100	63-147	6	0-10	
Chlorobenzene	98	100	89-119	2	0-7	
1,2-Dibromoethane	100	105	80-120	5	0-20	
1,2-Dichlorobenzene	96	97	89-119	2	0-9	
1,1-Dichloroethene	96	100	77-125	5	0-16	
Ethylbenzene	94	98	80-120	4	0-20	
Toluene	94	98	83-125	3	0-9	
Trichloroethene	97	101	89-119	4	0-8	
Vinyl Chloride	72	77	63-135	6	0-13	
Methyl-t-Butyl Ether (MTBE)	97	97	82-118	1	0-13	
Tert-Butyl Alcohol (TBA)	96	109	46-154	12	0-32	
Diisopropyl Ether (DIPE)	97	98	81-123	1	0-11	
Ethyl-t-Butyl Ether (ETBE)	93	93	74-122	0	0-12	
Tert-Amyl-Methyl Ether (TAME)	97	96	76-124	1	0-10	
Ethanol	92	109	60-138	16	0-32	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: N/A
Work Order No: 07-08-2171
Preparation: EPA 5030B
Method: EPA 8260B

Project: 2120 Montana St., Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-22,731	Aqueous	GC/MS R	09/10/07	09/10/07	070910L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	93	96	84-120	3	0-8	
Carbon Tetrachloride	100	105	63-147	4	0-10	
Chlorobenzene	102	105	89-119	3	0-7	
1,2-Dibromoethane	104	104	80-120	0	0-20	
1,2-Dichlorobenzene	101	102	89-119	1	0-9	
1,1-Dichloroethene	103	105	77-125	2	0-16	
Ethylbenzene	98	103	80-120	4	0-20	
Toluene	96	100	83-125	4	0-9	
Trichloroethene	101	105	89-119	4	0-8	
Vinyl Chloride	71	77	63-135	8	0-13	
Methyl-t-Butyl Ether (MTBE)	95	94	82-118	1	0-13	
Tert-Butyl Alcohol (TBA)	90	97	46-154	8	0-32	
Diisopropyl Ether (DIPE)	97	90	81-123	7	0-11	
Ethyl-t-Butyl Ether (ETBE)	91	90	74-122	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	93	92	76-124	1	0-10	
Ethanol	93	100	60-138	8	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Work Order Number: 07-08-2171

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.





SHELL Chain Of Custody Record

- TA - Irvine, California
- TA - Morgan Hill, California
- TA - Sacramento, California
- TA - Nashville, Tennessee
- Calscienc
- Other _____

NAME OF PERSON TO BILL: Denis Brown		<input type="checkbox"/> CHECK BOX TO VERIFY IF NO INCIDENT # APPLIES		INCIDENT # (ES ONLY)	
<input checked="" type="checkbox"/> ENVIRONMENTAL SERVICES				9	8
<input type="checkbox"/> NETWORK DEV / FE		<input type="checkbox"/> BILL CONSULTANT		9	5
<input type="checkbox"/> COMPLIANCE		<input type="checkbox"/> RMT/CRMT		7	4
				0	
PO #				SAP or CRMT #	

DATE: 08-27-07


PAGE: 1 of 1

SAMPLING COMPANY: Blaine Tech Services		LOG CODE: BTSS	SITE ADDRESS: Street and City 2120 Montana St., Oakland		State CA	GLOBAL ID NO.: T0600101805
ADDRESS: 1680 Rogers Avenue, San Jose, CA 95112			EDF DELIVERABLE TO (Name, Company, Office Location): Ana Friel, CRA, Eureka Office		PHONE NO.: (707) 268-3812	E-MAIL: sonomaedf@croworld.com
PROJECT CONTACT (Hardcopy or PDF Report to): Michael Ninokata			CONSULTANT PROJECT NO.: 070827-ww		BTS #	
TELEPHONE: 408-573-0555	FAX: 408-573-7771	E-MAIL: mninokata@blainetech.com	SAMPLER NAME(S) (Print): WILLIAM WONG			LAB USE ONLY 08 2171
TAT (STD IS 10 BUSINESS DAYS / RUSH IS CALENDAR DAYS): <input checked="" type="checkbox"/> STD <input type="checkbox"/> 5 DAY <input type="checkbox"/> 3 DAY <input type="checkbox"/> 2 DAY <input type="checkbox"/> 24 HOURS			<input type="checkbox"/> RESULTS NEEDED ON WEEKEND			
<input type="checkbox"/> LA - RWQCB REPORT FORMAT <input type="checkbox"/> UST AGENCY:			REQUESTED ANALYSIS			

SPECIAL INSTRUCTIONS OR NOTES: <input type="checkbox"/> EDD NOT NEEDED <input type="checkbox"/> SHELL CONTRACT RATE APPLIES <input type="checkbox"/> STATE REIMB RATE APPLIES <input checked="" type="checkbox"/> RECEIPT VERIFICATION REQUESTED		FIELD NOTES: Container/Preservative or PID Readings or Laboratory Notes TEMPERATURE ON RECEIPT C°									
---	--	--	--	--	--	--	--	--	--	--	--

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	NO. OF CONT.	TPH - Gas, Purgeable (8260B)	TPH - Diesel, Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	TPH-motor oil (8015M)	TDS (160.1)	Total Iron (6010B)	Total Lead (6010B)	Total Oil and Grease (1664A)	
		DATE	TIME																					
	MW-1	8/27/07	1140	W	5	X		X	X															
	MW-2		1025			X		X	X															
	MW-3		1250			X		X	X															
	MW-4		1352			X		X	X															
	MW-5		0950			X		X	X															
	TBW-N		1335			X		X	X															
	EW-1		1101			X		X	X															
	EW-2		1050			X		X	X															

Relinquished by: (Signature)	Received by: (Signature)	Date: <u>08/27/07</u>	Time: <u>1528</u>
Relinquished by: (Signature)	Received by: (Signature)	Date: <u>08/30/07</u>	Time: <u>16:30</u>
Relinquished by: (Signature)	Received by: (Signature)	Date: <u>8/31/07</u>	Time: <u>1000</u>



WORK ORDER #: 07 - 08 - 2171

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: Blaine Tech

DATE: 8/31/07

TEMPERATURE - SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
Chilled, cooler without temperature blank.
Chilled and placed in cooler with wet ice.
Ambient and placed in cooler with wet ice.
Ambient temperature.
C Temperature blank.

LABORATORY (Other than Calscience Courier):

- 4.1 C Temperature blank.
C IR thermometer.
Ambient temperature.

Initial: JP

CUSTODY SEAL INTACT:

Sample(s): Cooler: No (Not Intact): Not Present: [check]

Initial: JP

SAMPLE CONDITION:

Table with 4 columns: Description, Yes, No, N/A. Rows include Chain-Of-Custody document(s), Sampler's name, Sample container label(s), Sample container(s) intact, Correct containers and volume, Proper preservation, VOA vial(s) free of headspace, Tedlar bag(s) free of condensation.

Initial: JP

COMMENTS:

Blank lines for handwritten comments.

SHELL WELLHEAD INSPECTION FORM

(FOR SAMPLE TECHNICIAN)

Site Address 2120 MOUNTAIN ST., OAKLAND, CA Date 08-27-07
 Job Number 070827-6641 Technician WW Page 1 of 1

Well ID	Well Inspected - No Corrective Action Required	Well Box Meets Compliance Requirements *See Below	Water Bailed From Wellbox	Cap Replaced	Lock Replaced	Well Not Inspected (explain in notes)	New Deficiency Identified	Previously Identified Deficiency Persists	Notes
Mw-1	X	X							
Mw-2	X	X							1/2 BROKEN TABS
Mw-3	X	X					X		NO TAB
Mw-4	X	X							
Mw-5	X	X							
TBW-N	X	X						X	NO TAB
Ew-1	X	X							
Ew-2	X	X							

*Well box must meet all three criteria to be compliant: 1) WELL IS SECURABLE BY DESIGN (12" or less) 2) WELL IS MARKED WITH THE WORDS "MONITORING WELL" (12" or less) 3) WELL TAG IS PRESENT, SECURE, AND CORRECT

Notes: _____

WELL GAUGING DATA

Project # 070827-ww1 Date 03-27-07 Client SHELL

Site 98995740

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
MW-1	0857	2"	NO	SPM DETECTED			12.20	27.34		
MW-2	1011	2"					12.54	19.86		
MW-3	0818	2"					12.54	20.00		
MW-4	0837	4"					13.92	19.86		
MW-5	0932	2"					12.55	19.59		
TBWN	0828	4"					11.44	12.98		
EW-1	0852	4"	NO	SPM DETECTED			12.80	25.80		ext
EW-2	0843	4"					10.34	26.29	✓	ext.

SHELL WELL MONITORING DATA SHEET

BTS #: 070827-ww1	Site: 98995740
Sampler: WW	Date: 08-27-07
Well I.D.: MW-1	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 27.34	Depth to Water (DTW): 12.20
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 15.23	

Purge Method: ~~Bailer~~ NO BAILER Waterra Sampling Method: ~~Bailer~~

~~Disposable Bailer~~ Peristaltic Disposable Bailer

Positive Air Displacement Extraction Pump Extraction Port

Electric Submersible Other _____ Dedicated Tubing

Other: _____

2.4 (Gals.) X	3	=	7.2 Gals.
1 Case Volume	Specified Volumes		Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
1132	69.6	7.4	905	359	2.4	odor, cloudy
1133	68.1	6.9	865	371	4.8	" "
1137	67.6	7.1	795	439	6.0 7.2	" "

Did well dewater? Yes No Gallons actually evacuated: 7.2

Sampling Date: 8/27/07 Sampling Time: 1140 Depth to Water: 15.20

Sample I.D.: MW-1 Laboratory: STL Other: CH SCIENCE

Analyzed for: TPH-G BTEX MTBE TPH-D Other: BL CO C

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 070827-WW1	Site: 9895740
Sampler: WW	Date: 08-27-07
Well I.D.: MW-2	Well Diameter: ② 3 4 6 8
Total Well Depth (TD): 19.86	Depth to Water (DTW): 12.54
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 14.00	

Purge Method: ~~Bailer~~ Waterra Sampling Method: ~~Bailer~~
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

1.2 (Gals.) X 3 = 3.6 Gals.
 I Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
1015	68.7	7.2	944	>1000	1.2	black, cloudy
1017	66.5	7.0	952	>1000	2.4	" "
1019	66.3	7.0	975	>1000	3.6	" "

Did well dewater? Yes No Gallons actually evacuated: 3.6

Sampling Date: 08/27/07 Sampling Time: 1025 Depth to Water: 13.70

Sample I.D.: MW-2 Laboratory: STL Other: CAL SCIENCE

Analyzed for: TPH-G BTEX MTBE TPH-D Other: see coc

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: <u>070827</u>	Site: 998 <u>98995740</u>
Sampler: <u>PC, MP, KR</u>	Date: <u>8/27/07</u>
Well I.D.: <u>MW-3</u>	Well Diameter: <u>2</u> 3 4 6 8 ____
Total Well Depth (TD): <u>20.00</u>	Depth to Water (DTW): <u>12.54</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>14.03</u>	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Other: _____

$\frac{1.2}{1} \text{ (Gals.)} \times \frac{3}{3} = \frac{3.6}{3} \text{ Gals.}$ <p>I Case Volume Specified Volumes Calculated Volume</p>	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1105	72.1	6.1	596.9	204	1.2	cloudy
1109	71	6.27	597.5	387	1.2 2.4	cloudy
1110	70.5	6.37	7100 601.5	> 1000	1.2 3.6	cloudy

Did well dewater? Yes No Gallons actually evacuated: 3.6

Sampling Date: 8/27/07 Sampling Time: 1250 Depth to Water: ~~13.40~~ 13.01

Sample I.D.: MW-3 Laboratory: STL Other: calscience

Analyzed for: TPH-G BTEX MTBE TPH-D Other: see ac

EB I.D. (if applicable): @ Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 070827-WW1	Site: 9899 5740
Sampler: WW	Date: 08-27-07
Well I.D.: MW4	Well Diameter: 2 3 ④ 6 8 _____
Total Well Depth (TD): 19.86	Depth to Water (DTW): 13.92
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 15.11	

Purge Method: Bailer Watera Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

3.9 (Gals.) X 3 = 11.7 Gals.
 I Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1152	70.3	6.85	582.1	92	4	slight odor
	well dewatered			DTW: 17.60' @ 1156		
				16.95' @ 1240		
1350	67.0	7.4	638	49	—	odor, clear

Did well dewater? Yes No Gallons actually evacuated: 4

Sampling Date: 08-27-07 Sampling Time: 1352 Depth to Water: 16.60 @ 1152

Sample I.D.: MW-4 Laboratory: STL Other: CAL SCIENCE

Analyzed for: TPH-G BTEX MTBE TPH-D Other: SEE COC

EB I.D. (if applicable): @ Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 070827-WW1	Site: 98995740
Sampler: WW	Date: 08-27-07
Well I.D.: MW-5	Well Diameter: ② 3 4 6 8
Total Well Depth (TD): 19.59	Depth to Water (DTW): 12.55
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.96	

Purge Method: Bailer Water Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

1.1 (Gals.) X 3 = 3.3 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
0940	66.2	6.3	632	>1000	1.1	gray, chunky, odor.
0943	66.9	6.7	619	>1000	2.2	" "
0946	68.1	6.6	625	>1000	3.3	" "

Did well dewater? Yes No Gallons actually evacuated: 3.3

Sampling Date: 08-27-07 Sampling Time: 0950 Depth to Water: 12.57

Sample I.D.: MW-5 Laboratory: STL Other: CAL SCIENCE

Analyzed for: TPH-G BTEX MTBE TPH-D Other: see loc

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: <u>070827</u>	Site: <u>9899 5740</u>
Sampler: <u>PC, MP, KR</u>	Date: <u>8/27/07</u>
Well I.D.: <u>TBW-N</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): <u>12.98</u>	Depth to Water (DTW): <u>11.44</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>11.75</u>	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

<u>1.0</u> (Gals.) X <u>3</u> = <u>3.0</u> Gals. 1 Case Volume Specified Volumes Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1135</u>	<u>72.1</u>	<u>6.84</u>	<u>1131</u>	<u>>1000</u>	<u>~1</u>	<u>black, silty</u>
	<u>well dewatered</u>			<u>DTW: 12.52 @ 1140</u>		
<u>1333</u>	<u>72.27.3</u>		<u>1188</u>	<u>>1000</u>	<u>-</u>	<u>black, silty, od</u>

Did well dewater? Yes No Gallons actually evacuated: 1.1

Sampling Date: 8/27/07 Sampling Time: 1335 Depth to Water: 12.09 (2HR)

Sample I.D.: TBW-N Laboratory: STL Other: CalScience

Analyzed for: TPH-G BTEX MTBE TPH-D Other: see cc


EB I.D. (if applicable): @ _____ Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

Attachment B

System Analytical Laboratory Reports



July 16, 2007

Brian Wong
Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Subject: **CalScience Work Order No.: 07-07-0537**
Client Reference: 2120 Montana Street, Oakland, CA

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 7/10/2007 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard CalScience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read 'Don Burley', is written over a white background.

CalScience Environmental
Laboratories, Inc.
Don Burley
Project Manager

Analytical Report



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 07/10/07
Work Order No: 07-07-0537
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2120 Montana Street, Oakland, CA

Page 1 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
INF	07-07-0537-1	07/06/07	Aqueous	GC 5	07/10/07	07/11/07	070711B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	61	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	77	38-134			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MID 1	07-07-0537-2	07/06/07	Aqueous	GC 5	07/10/07	07/11/07	070711B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	78	38-134			


Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MID 2	07-07-0537-3	07/06/07	Aqueous	GC 5	07/10/07	07/11/07	070711B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	81	38-134			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
EFF	07-07-0537-4	07/06/07	Aqueous	GC 5	07/10/07	07/11/07	070711B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	78	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 07/10/07
Work Order No: 07-07-0537
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2120 Montana Street, Oakland, CA

Page 2 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-12-436-647	N/A	Aqueous	GC 5	07/10/07	07/11/07	070711B01

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	77	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 07/10/07
Work Order No: 07-07-0537
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: 2120 Montana Street, Oakland, CA

Page 1 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
INF	07-07-0537-1	07/06/07	Aqueous	GC/MS Z	07/13/07	07/13/07	070713L01

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	1.3	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	11	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	110	74-140				1,2-Dichloroethane-d4	123	74-146			
Toluene-d8	104	88-112				1,4-Bromofluorobenzene	105	74-110			

MID 1	07-07-0537-2	07/06/07	Aqueous	GC/MS Z	07/13/07	07/13/07	070713L01
-------	--------------	----------	---------	---------	----------	----------	-----------

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	112	74-140				1,2-Dichloroethane-d4	120	74-146			
Toluene-d8	102	88-112				1,4-Bromofluorobenzene	104	74-110			

MID 2	07-07-0537-3	07/06/07	Aqueous	GC/MS Z	07/13/07	07/14/07	070713L02
-------	--------------	----------	---------	---------	----------	----------	-----------

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.


Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	110	74-140				1,2-Dichloroethane-d4	118	74-146			
Toluene-d8	101	88-112				1,4-Bromofluorobenzene	106	74-110			

EFF	07-07-0537-4	07/06/07	Aqueous	GC/MS Z	07/13/07	07/14/07	070713L02
-----	--------------	----------	---------	---------	----------	----------	-----------

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	110	74-140				1,2-Dichloroethane-d4	124	74-146			
Toluene-d8	102	88-112				1,4-Bromofluorobenzene	108	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 07/10/07
Work Order No: 07-07-0537
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: 2120 Montana Street, Oakland, CA

Page 2 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-10-006-22,097	N/A	Aqueous	GC/MS Z	07/13/07	07/13/07	070713L01

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.


Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	106	74-140				1,2-Dichloroethane-d4	121	74-146			
Toluene-d8	104	88-112				1,4-Bromofluorobenzene	101	74-110			

Method Blank	099-10-006-22,105	N/A	Aqueous	GC/MS Z	07/13/07	07/14/07	070713L02
---------------------	--------------------------	------------	----------------	----------------	-----------------	-----------------	------------------

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	103	74-140				1,2-Dichloroethane-d4	122	74-146			
Toluene-d8	103	88-112				1,4-Bromofluorobenzene	106	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Quality Control - Spike/Spike Duplicate



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955


Date Received: 07/10/07
Work Order No: 07-07-0537
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
EFF	Aqueous	GC 5	07/10/07	07/11/07	070711S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	101	104	68-122	3	0-18	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955


Date Received: 07/10/07
Work Order No: 07-07-0537
Preparation: EPA 5030B
Method: EPA 8260B


Project 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-07-0430-9	Aqueous	GC/MS Z	07/13/07	07/13/07	070713S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	96	99	88-118	4	0-7	
Carbon Tetrachloride	110	122	67-145	10	0-11	
Chlorobenzene	100	102	88-118	2	0-7	
1,2-Dichlorobenzene	93	97	86-116	4	0-8	
1,1-Dichloroethene	103	115	70-130	10	0-25	
Toluene	102	104	87-123	2	0-8	
Trichloroethene	96	99	79-127	2	0-10	
Vinyl Chloride	86	99	69-129	14	0-13	4
Methyl-t-Butyl Ether (MTBE)	100	108	71-131	7	0-13	
Tert-Butyl Alcohol (TBA)	96	108	36-168	11	0-45	
Diisopropyl Ether (DIPE)	95	100	81-123	6	0-9	
Ethyl-t-Butyl Ether (ETBE)	101	104	72-126	3	0-12	
Tert-Amyl-Methyl Ether (TAME)	103	105	72-126	2	0-12	
Ethanol	107	106	53-149	1	0-31	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955


Date Received: 07/10/07
Work Order No: 07-07-0537
Preparation: EPA 5030B
Method: EPA 8260B


Project 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-07-0541-2	Aqueous	GC/MS Z	07/13/07	07/14/07	070713S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	97	96	88-118	0	0-7	
Carbon Tetrachloride	118	117	67-145	1	0-11	
Chlorobenzene	99	100	88-118	0	0-7	
1,2-Dichlorobenzene	95	93	86-116	2	0-8	
1,1-Dichloroethene	108	111	70-130	3	0-25	
Toluene	100	101	87-123	1	0-8	
Trichloroethene	106	105	79-127	1	0-10	
Vinyl Chloride	91	95	69-129	4	0-13	
Methyl-t-Butyl Ether (MTBE)	104	103	71-131	1	0-13	
Tert-Butyl Alcohol (TBA)	104	102	36-168	2	0-45	
Diisopropyl Ether (DIPE)	93	96	81-123	3	0-9	
Ethyl-t-Butyl Ether (ETBE)	101	101	72-126	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	103	103	72-126	0	0-12	
Ethanol	89	89	53-149	1	0-31	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955


Date Received: N/A
Work Order No: 07-07-0537
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-647	Aqueous	GC 5	07/10/07	07/11/07	070711B01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	104	106	78-120	2	0-10	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955


Date Received: N/A
Work Order No: 07-07-0537
Preparation: EPA 5030B
Method: EPA 8260B

Project: 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-22,097	Aqueous	GC/MS Z	07/13/07	07/13/07	070713L01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	102	107	84-120	5	0-8	
Carbon Tetrachloride	124	128	63-147	3	0-10	
Chlorobenzene	107	108	89-119	1	0-7	
1,2-Dichlorobenzene	103	101	89-119	2	0-9	
1,1-Dichloroethene	120	124	77-125	4	0-16	
Toluene	107	111	83-125	3	0-9	
Trichloroethene	111	119	89-119	7	0-8	
Vinyl Chloride	102	108	63-135	5	0-13	
Methyl-t-Butyl Ether (MTBE)	106	110	82-118	3	0-13	
Tert-Butyl Alcohol (TBA)	111	130	46-154	16	0-32	
Diisopropyl Ether (DIPE)	99	102	81-123	3	0-11	
Ethyl-t-Butyl Ether (ETBE)	104	104	74-122	0	0-12	
Tert-Amyl-Methyl Ether (TAME)	105	109	76-124	3	0-10	
Ethanol	120	131	60-138	9	0-32	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: N/A
Work Order No: 07-07-0537
Preparation: EPA 5030B
Method: EPA 8260B

Project: 2120 Montana Street, Oakland, CA


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-22,105	Aqueous	GC/MS Z	07/13/07	07/13/07	070713L02

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	104	102	84-120	3	0-8	
Carbon Tetrachloride	129	127	63-147	1	0-10	
Chlorobenzene	108	103	89-119	5	0-7	
1,2-Dichlorobenzene	102	96	89-119	6	0-9	
1,1-Dichloroethene	121	119	77-125	1	0-16	
Toluene	110	105	83-125	5	0-9	
Trichloroethene	115	112	89-119	2	0-8	
Vinyl Chloride	101	101	63-135	0	0-13	
Methyl-t-Butyl Ether (MTBE)	107	108	82-118	1	0-13	
Tert-Butyl Alcohol (TBA)	110	111	46-154	1	0-32	
Diisopropyl Ether (DIPE)	100	97	81-123	2	0-11	
Ethyl-t-Butyl Ether (ETBE)	103	100	74-122	3	0-12	
Tert-Amyl-Methyl Ether (TAME)	110	106	76-124	4	0-10	
Ethanol	109	115	60-138	5	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Work Order Number: 07-07-0537

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike or Matrix Spike Duplicate compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.



LAB:

- TA - Irvine, California.
- TA - Morgan Hill, California
- TA - Sacramento, California
- TA - Nashville, Tennessee
- Calscience
- Other: _____



SHELL Chair of Custody Record

NAME OF PERSON TO BILL: Denis Brown

ENVIRONMENTAL SERVICES

NETWORK DEV / FE

COMPLIANCE

BILL CONSULTANT

RMT/CRMT

CHECK BOX TO VERIFY IF NO INCIDENT # APPLIES

INCIDENT # (ES ONLY)

9 8 9 9 5 7 4 0

DATE: 7/6/07

PAGE: 1 of 1

SAMPLING COMPANY:
Conestoga-Rovers & Associates
ADDRESS:
19449 Riverside Drive, Suite 230, Sonoma, CA 95476
PROJECT CONTACT (Hardcopy or PDF Report to):
Brian Wong
TELEPHONE: 510-420-3345
FAX: 510-420-9170
E-MAIL: bwong@croworld.com

SITE ADDRESS: Street and City
2120 Montana Street, Oakland
State: CA
GLOBAL ID NO.: T0600101805
EDF DELIVERABLE TO (Name, Company, Office Location): Felicia Ballard, CRA, Sonoma
PHONE NO.: 707-933-2360
E-MAIL: sonomaedf@croworld.com
CONSULTANT PROJECT NO.: 240733-003
SAMPLER NAME(S) (Print): *STEWART KINTO*
LAB USE ONLY: 07-0537

TAT (STD IS 10 BUSINESS DAYS / RUSH IS CALENDAR DAYS):
 STD 5 DAY 3 DAY 2 DAY 24 HOURS
 RESULTS NEEDED ON WEEKEND

REQUESTED ANALYSIS

LA - RWQCB REPORT FORMAT UST AGENCY:

SPECIAL INSTRUCTIONS OR NOTES:

- EDD NOT NEEDED
- SHELL CONTRACT RATE APPLIES
- STATE REIMB RATE APPLIES
- RECEIPT VERIFICATION REQUESTED

Strip Midfluent Data from EDF files

Compliance Samples

Flowmeter = 851,627 Hour Meter = 7910.1


cc: PDF Report to ariel@croworld.com

TPH - Purgeable (8015)	TPH - Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	VOCs by 8260B	Semi-Volatiles by 8270C	Lead <input type="checkbox"/> Total <input type="checkbox"/> STLC <input type="checkbox"/> TCLP	LUFT5 <input type="checkbox"/> Total <input type="checkbox"/> STLC <input type="checkbox"/> TCLP	CAM17 <input type="checkbox"/> Total <input type="checkbox"/> STLC <input type="checkbox"/> TCLP	Test for Disposal (see attached)
------------------------	---------------------------	--------------	---	--------------	-------------	--------------	--------------	--------------	-----------------	-------------	-----------------	------------------	---------------	-------------------------	---	--	--	----------------------------------

FIELD NOTES:
 Container/Preservative
 or PID Readings
 or Laboratory Notes

LAB USE ONLY	Field Sample Identification		MATRIX	NO. OF CONT.	TPH - Purgeable (8015)	TPH - Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	VOCs by 8260B	Semi-Volatiles by 8270C	Lead <input type="checkbox"/> Total <input type="checkbox"/> STLC <input type="checkbox"/> TCLP	LUFT5 <input type="checkbox"/> Total <input type="checkbox"/> STLC <input type="checkbox"/> TCLP	CAM17 <input type="checkbox"/> Total <input type="checkbox"/> STLC <input type="checkbox"/> TCLP	Test for Disposal (see attached)	TEMPERATURE ON RECEIPT C°
	DATE	TIME																						
	INF	<u>7/6/07 12:00</u>	AQ	5	X	X	X																	VOAs w/HCI
	MID 1	<u>7/9/07 13:55</u>	AQ	5	X	X	X																	VOAs w/HCI
	MID 2	<u>7/9/07 13:55</u>	AQ	5	X	X	X																	VOAs w/HCI
	EFF	<u>7/10/07 10:17</u>	AQ	5	X	X	X																	VOAs w/HCI

Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>SEWER LOCATION</i>	Date: <u>7-9-07</u>	Time: <u>1355</u>
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>CEL</i>	Date: <u>7-9-07</u>	Time: <u>1355</u>
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>STAR Kanna (CEL)</i>	Date: <u>07-10-07</u>	Time: <u>1017</u>



WORK ORDER #: 07 - 07 - 0537

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: CRA

DATE: 07.10.07

TEMPERATURE - SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
Chilled, cooler without temperature blank.
Chilled and placed in cooler with wet ice.
Ambient and placed in cooler with wet ice.
Ambient temperature.
C Temperature blank.

LABORATORY (Other than Calscience Courier):

- 1.0 C Temperature blank.
C IR thermometer.
Ambient temperature.

Initial: [Signature]

CUSTODY SEAL INTACT:

Sample(s): Cooler: No (Not Intact) :

Not Present: [Signature]

Initial: SF


SAMPLE CONDITION:

Table with 4 columns: Description, Yes, No, N/A. Rows include Chain-Of-Custody document(s), Sampler's name, Sample container label(s), Sample container(s) intact, Correct containers and volume, Proper preservation, VOA vial(s) free of headspace, Tedlar bag(s) free of condensation.

Initial: [Signature]

COMMENTS:

Blank lines for handwritten comments.



August 27, 2007

Brian Wong
Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Subject: **CalScience Work Order No.: 07-08-1354**
Client Reference: 2120 Montana Street, Oakland, CA

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 8/18/2007 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard CalScience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read 'Danielle Gonsman', with a long horizontal flourish extending to the right.

CalScience Environmental
Laboratories, Inc.
Danielle Gonsman
Project Manager

Analytical Report



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 08/18/07
Work Order No: 07-08-1354
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2120 Montana Street, Oakland, CA

Page 1 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
INF	07-08-1354-1	08/16/07	Aqueous	GC 29	08/20/07	08/21/07	070820B03

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	87	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	72	38-134	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MID 1	07-08-1354-2	08/16/07	Aqueous	GC 29	08/20/07	08/21/07	070820B03

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	68	38-134	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MID 2	07-08-1354-3	08/16/07	Aqueous	GC 29	08/20/07	08/21/07	070820B03

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L


Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	72	38-134	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
EFF	07-08-1354-4	08/16/07	Aqueous	GC 29	08/20/07	08/21/07	070820B03

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	69	38-134	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 08/18/07
Work Order No: 07-08-1354
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2120 Montana Street, Oakland, CA

Page 2 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-12-436-808	N/A	Aqueous	GC 29	08/20/07	08/21/07	070820B03

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	69	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 08/18/07
Work Order No: 07-08-1354
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: 2120 Montana Street, Oakland, CA

Page 1 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
INF	07-08-1354-1	08/16/07	Aqueous	GC/MS EE	08/22/07	08/23/07	070822L02

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	0.44	0.50	0.14	1	J	p/m-Xylene	0.80	1.0	0.54	1	J
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	0.27	1.0	0.17	1	J
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	6.7	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	122	74-140				1,2-Dichloroethane-d4	116	74-146			
Toluene-d8	98	88-112				1,4-Bromofluorobenzene	82	74-110			

MID 1	07-08-1354-2	08/16/07	Aqueous	GC/MS EE	08/22/07	08/23/07	070822L02
-------	--------------	----------	---------	----------	----------	----------	-----------

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	131	74-140				1,2-Dichloroethane-d4	125	74-146			
Toluene-d8	98	88-112				1,4-Bromofluorobenzene	82	74-110			

MID 2	07-08-1354-3	08/16/07	Aqueous	GC/MS EE	08/22/07	08/23/07	070822L02
-------	--------------	----------	---------	----------	----------	----------	-----------

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.


Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	131	74-140				1,2-Dichloroethane-d4	127	74-146			
Toluene-d8	99	88-112				1,4-Bromofluorobenzene	82	74-110			

EFF	07-08-1354-4	08/16/07	Aqueous	GC/MS EE	08/22/07	08/23/07	070822L02
-----	--------------	----------	---------	----------	----------	----------	-----------

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	131	74-140				1,2-Dichloroethane-d4	123	74-146			
Toluene-d8	100	88-112				1,4-Bromofluorobenzene	80	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 08/18/07
Work Order No: 07-08-1354
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: 2120 Montana Street, Oakland, CA


Page 2 of 2


Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-10-006-22,533	N/A	Aqueous	GC/MS EE	08/22/07	08/23/07	070822L02

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	120	74-140				1,2-Dichloroethane-d4	114	74-146			
Toluene-d8	99	88-112				1,4-Bromofluorobenzene	82	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Quality Control - Spike/Spike Duplicate



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955


Date Received: 08/18/07
Work Order No: 07-08-1354
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
EFF	Aqueous	GC 29	08/20/07	08/21/07	070820S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	99	96	68-122	3	0-18	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955


Date Received: 08/18/07
Work Order No: 07-08-1354
Preparation: EPA 5030B
Method: EPA 8260B

Project 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-08-1365-15	Aqueous	GC/MS EE	08/22/07	08/23/07	070822S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	103	99	88-118	4	0-7	
Carbon Tetrachloride	99	101	67-145	1	0-11	
Chlorobenzene	98	97	88-118	1	0-7	
1,2-Dibromoethane	106	104	70-130	2	0-30	
1,2-Dichlorobenzene	93	94	86-116	0	0-8	
1,1-Dichloroethene	96	91	70-130	5	0-25	
Ethylbenzene	100	99	70-130	1	0-30	
Toluene	100	97	87-123	3	0-8	
Trichloroethene	96	92	79-127	4	0-10	
Vinyl Chloride	90	90	69-129	0	0-13	
Methyl-t-Butyl Ether (MTBE)	99	100	71-131	1	0-13	
Tert-Butyl Alcohol (TBA)	90	87	36-168	3	0-45	
Diisopropyl Ether (DIPE)	105	105	81-123	0	0-9	
Ethyl-t-Butyl Ether (ETBE)	96	98	72-126	3	0-12	
Tert-Amyl-Methyl Ether (TAME)	102	100	72-126	2	0-12	
Ethanol	87	90	53-149	3	0-31	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955


Date Received: N/A
Work Order No: 07-08-1354
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-808	Aqueous	GC 29	08/20/07	08/21/07	070820B03

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	100	100	78-120	0	0-10	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: N/A
Work Order No: 07-08-1354
Preparation: EPA 5030B
Method: EPA 8260B

Project: 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-22,533	Aqueous	GC/MS EE	08/22/07	08/22/07	070822L02

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	99	96	84-120	3	0-8	
Carbon Tetrachloride	97	97	63-147	0	0-10	
Chlorobenzene	98	96	89-119	2	0-7	
1,2-Dibromoethane	100	99	80-120	1	0-20	
1,2-Dichlorobenzene	94	94	89-119	0	0-9	
1,1-Dichloroethene	93	91	77-125	2	0-16	
Ethylbenzene	101	99	80-120	2	0-20	
Toluene	99	96	83-125	4	0-9	
Trichloroethene	97	94	89-119	3	0-8	
Vinyl Chloride	90	87	63-135	3	0-13	
Methyl-t-Butyl Ether (MTBE)	94	97	82-118	3	0-13	
Tert-Butyl Alcohol (TBA)	94	87	46-154	8	0-32	
Diisopropyl Ether (DIPE)	100	101	81-123	1	0-11	
Ethyl-t-Butyl Ether (ETBE)	90	97	74-122	7	0-12	
Tert-Amyl-Methyl Ether (TAME)	100	100	76-124	1	0-10	
Ethanol	90	83	60-138	8	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Work Order Number: 07-08-1354

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike or Matrix Spike Duplicate compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.



LAB:

- TA - Irvine, California
- TA - Morgan Hill, California
- TA - Sacramento, California
- TA - Nashville, Tennessee
- Calscience
- Other _____



SHELL Chair of Custody Record

1354

NAME OF PERSON TO BILL: Denis Brown		INCIDENT # (ES ONLY)	
<input checked="" type="checkbox"/> ENVIRONMENTAL SERVICES <input type="checkbox"/> NETWORK DEV / FE <input type="checkbox"/> COMPLIANCE		<input type="checkbox"/> CHECK BOX TO VERIFY IF NO INCIDENT # APPLIES 9 8 9 9 5 7 4 0	
<input type="checkbox"/> BILL CONSULTANT <input type="checkbox"/> RMT/CRMT		PO # _____ SAP or CRMT # _____	

DATE: 08/16/07
PAGE: 1 of 1

SAMPLING COMPANY: Conestoga-Rovers & Associates		LOG CODE: CETS	SITE ADDRESS: Street and City 2120 Montana Street, Oakland		State CA	GLOBAL ID NO.: T0600101805
ADDRESS: 19449 Riverside Drive, Suite 230, Sonoma, CA 95476			EDF DELIVERABLE TO (Name, Company, Office Location): Felicia Ballard, CRA, Sonoma		PHONE NO.: 707-933-2360	CONSULTANT PROJECT NO.: 240733-003
PROJECT CONTACT (Hardcopy or PDF Report to): Brian Wong			E-MAIL: sonomaedf@craworld.com		E-MAIL: sonomaedf@craworld.com	
TELEPHONE: 510-420-3345	FAX: 510-420-9170	E-MAIL: bwong@craworld.com	SAMPLER NAME(S) (Print): Ryan Messinger		LAB USE ONLY 07-08-1354	

TAT (STD IS 10 BUSINESS DAYS / RUSH IS CALENDAR DAYS):
 STD 5 DAY 3 DAY 2 DAY 24 HOURS RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT UST AGENCY: _____

SPECIAL INSTRUCTIONS OR NOTES:
 EDD NOT NEEDED
 SHELL CONTRACT RATE APPLIES
 STATE REIMB RATE APPLIES
 RECEIPT VERIFICATION REQUESTED

Strip Midfluent Data from EDF files

Compliance Samples


Flowmeter = _____ Hour Meter = _____

cc: PDF Report to afriel@craworld.com

REQUESTED ANALYSIS

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	NO. OF CONT.	TPH - Purgeable (8015M)	TPH - Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	VOCs by 8260B	Semi-Volatiles by 8270C	Lead <input type="checkbox"/> Total <input type="checkbox"/> STLC <input type="checkbox"/> TCLP	LUFT5 <input type="checkbox"/> Total <input type="checkbox"/> STLC <input type="checkbox"/> TCLP	CAM17 <input type="checkbox"/> Total <input type="checkbox"/> STLC <input type="checkbox"/> TCLP	Test for Disposal (see attached)	FIELD NOTES: Container/Preservative or PID Readings or Laboratory Notes	TEMPERATURE ON RECEIPT C°
		DATE	TIME																							
1	INF	08/16/07	0827	AQ	5	X	X	X																	VOAs w/HCI	
2	MID 1	08/16/07	0825	AQ	5	X	X	X																	VOAs w/HCI	
3	MID 2	08/16/07	0823	AQ	5	X	X	X																	VOAs w/HCI	
4	EFF	08/16/07	0820	AQ	5	X	X	X																	VOAs w/HCI	

Relinquished by: (Signature) <i>Ryan Messinger</i>	Received by: (Signature) <i>Secure Location (Emeryville Office)</i>	Date: 08/16/07	Time: 1442
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date: 8/17/07	Time: 1324
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date: 8/18/07	Time: 10:45



WORK ORDER #: 07 - 08 - 1354

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: CRA

DATE: 8/18/07

TEMPERATURE - SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
Chilled, cooler without temperature blank.
Chilled and placed in cooler with wet ice.
Ambient and placed in cooler with wet ice.
Ambient temperature.
C Temperature blank.

LABORATORY (Other than Calscience Courier):

- C Temperature blank.
3.0 C IR thermometer.
Ambient temperature.

Initial: RM

CUSTODY SEAL INTACT:

Sample(s): Cooler: No (Not Intact): Not Present: [check]

Initial: RM


SAMPLE CONDITION:

Table with 4 columns: Description, Yes, No, N/A. Rows include Chain-Of-Custody document(s), Sampler's name, Sample container label(s), Sample container(s) intact, Correct containers and volume, Proper preservation, VOA vial(s) free of headspace, Tedlar bag(s) free of condensation.

Initial: RM

COMMENTS:

Blank lines for handwritten comments.



September 21, 2007

Brian Wong
Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Subject: **CalScience Work Order No.: 07-09-0780**
Client Reference: 2120 Montana Street, Oakland, CA

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 9/13/2007 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard CalScience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read "Danielle Gonsman", with a long horizontal flourish extending to the right.

CalScience Environmental
Laboratories, Inc.
Danielle Gonsman
Project Manager

Analytical Report



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 09/13/07
Work Order No: 07-09-0780
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2120 Montana Street, Oakland, CA

Page 1 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
INF	07-09-0780-1	09/11/07	Aqueous	GC 22	09/13/07	09/13/07	070913B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	77	38-134			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MID 1	07-09-0780-2	09/11/07	Aqueous	GC 22	09/13/07	09/13/07	070913B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	79	38-134			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MID 2	07-09-0780-3	09/11/07	Aqueous	GC 22	09/13/07	09/13/07	070913B01


Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	52	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	76	38-134			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
EFF	07-09-0780-4	09/11/07	Aqueous	GC 22	09/13/07	09/13/07	070913B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	78	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Conestoga-Rovers & Associates
 19449 Riverside Drive, Suite 230
 Sonoma, CA 95476-6955

Date Received: 09/13/07
 Work Order No: 07-09-0780
 Preparation: EPA 5030B
 Method: EPA 8015B (M)

Project: 2120 Montana Street, Oakland, CA

Page 2 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-12-436-904	N/A	Aqueous	GC 22	09/13/07	09/13/07	070913B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	72	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 09/13/07
Work Order No: 07-09-0780
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: 2120 Montana Street, Oakland, CA

Page 1 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
INF	07-09-0780-1	09/11/07	Aqueous	GC/MS FF	09/19/07	09/19/07	070919L01

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	0.45	0.50	0.14	1	J	p/m-Xylene	0.95	1.0	0.54	1	J
Ethylbenzene	0.41	1.0	0.23	1	J	o-Xylene	0.50	1.0	0.17	1	J
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	5.7	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	100	74-140				1,2-Dichloroethane-d4	96	74-146			
Toluene-d8	99	88-112				1,4-Bromofluorobenzene	99	74-110			

MID 1	07-09-0780-2	09/11/07	Aqueous	GC/MS FF	09/19/07	09/19/07	070919L01
-------	--------------	----------	---------	----------	----------	----------	-----------

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	101	74-140				1,2-Dichloroethane-d4	97	74-146			
Toluene-d8	99	88-112				1,4-Bromofluorobenzene	99	74-110			

MID 2	07-09-0780-3	09/11/07	Aqueous	GC/MS FF	09/19/07	09/19/07	070919L01
-------	--------------	----------	---------	----------	----------	----------	-----------

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.


Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	102	74-140				1,2-Dichloroethane-d4	97	74-146			
Toluene-d8	99	88-112				1,4-Bromofluorobenzene	100	74-110			

EFF	07-09-0780-4	09/11/07	Aqueous	GC/MS M	09/15/07	09/15/07	070915L01
-----	--------------	----------	---------	---------	----------	----------	-----------

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	104	74-140				1,2-Dichloroethane-d4	104	74-146			
Toluene-d8	99	88-112				1,4-Bromofluorobenzene	92	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 09/13/07
Work Order No: 07-09-0780
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: 2120 Montana Street, Oakland, CA

Page 2 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	099-10-006-22,805	N/A	Aqueous	GC/MS M	09/15/07	09/15/07	070915L01

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.


Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	104	74-140				1,2-Dichloroethane-d4	103	74-146			
Toluene-d8	98	88-112				1,4-Bromofluorobenzene	91	74-110			


Method Blank	099-10-006-22,847	N/A	Aqueous	GC/MS FF	09/19/07	09/19/07	070919L01
--------------	-------------------	-----	---------	----------	----------	----------	-----------

Comment(s): -Results were evaluated to the MDL, concentrations \geq to the MDL but $<$ RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	101	74-140				1,2-Dichloroethane-d4	97	74-146			
Toluene-d8	99	88-112				1,4-Bromofluorobenzene	99	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Quality Control - Spike/Spike Duplicate



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955


Date Received: 09/13/07
Work Order No: 07-09-0780
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-09-0539-2	Aqueous	GC 22	09/13/07	09/13/07	070913S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	87	90	68-122	2	0-18	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955


Date Received: 09/13/07
Work Order No: 07-09-0780
Preparation: EPA 5030B
Method: EPA 8260B

Project 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
EFF	Aqueous	GC/MS M	09/15/07	09/15/07	070915S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	110	109	88-118	1	0-7	
Carbon Tetrachloride	92	96	67-145	4	0-11	
Chlorobenzene	104	104	88-118	0	0-7	
1,2-Dibromoethane	108	109	70-130	1	0-30	
1,2-Dichlorobenzene	103	104	86-116	0	0-8	
1,1-Dichloroethene	86	89	70-130	3	0-25	
Ethylbenzene	109	108	70-130	1	0-30	
Toluene	112	111	87-123	1	0-8	
Trichloroethene	104	104	79-127	0	0-10	
Vinyl Chloride	82	85	69-129	4	0-13	
Methyl-t-Butyl Ether (MTBE)	114	121	71-131	6	0-13	
Tert-Butyl Alcohol (TBA)	128	164	36-168	9	0-45	
Diisopropyl Ether (DIPE)	110	113	81-123	3	0-9	
Ethyl-t-Butyl Ether (ETBE)	110	117	72-126	6	0-12	
Tert-Amyl-Methyl Ether (TAME)	115	119	72-126	3	0-12	
Ethanol	118	124	53-149	5	0-31	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955


Date Received: 09/13/07
Work Order No: 07-09-0780
Preparation: EPA 5030B
Method: EPA 8260B

Project 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MID 1	Aqueous	GC/MS FF	09/19/07	09/19/07	070919S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	95	95	88-118	1	0-7	
Carbon Tetrachloride	96	95	67-145	0	0-11	
Chlorobenzene	101	101	88-118	0	0-7	
1,2-Dibromoethane	102	102	70-130	0	0-30	
1,2-Dichlorobenzene	99	100	86-116	1	0-8	
1,1-Dichloroethene	100	99	70-130	1	0-25	
Ethylbenzene	99	99	70-130	0	0-30	
Toluene	99	98	87-123	0	0-8	
Trichloroethene	103	103	79-127	0	0-10	
Vinyl Chloride	97	97	69-129	0	0-13	
Methyl-t-Butyl Ether (MTBE)	91	91	71-131	0	0-13	
Tert-Butyl Alcohol (TBA)	82	81	36-168	1	0-45	
Diisopropyl Ether (DIPE)	91	91	81-123	0	0-9	
Ethyl-t-Butyl Ether (ETBE)	90	90	72-126	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	91	90	72-126	1	0-12	
Ethanol	66	68	53-149	3	0-31	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955


Date Received: N/A
Work Order No: 07-09-0780
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-904	Aqueous	GC 22	09/13/07	09/13/07	070913B01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	91	98	78-120	7	0-10	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955


Date Received: N/A
Work Order No: 07-09-0780
Preparation: EPA 5030B
Method: EPA 8260B

Project: 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-22,805	Aqueous	GC/MS M	09/15/07	09/15/07	070915L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	104	106	84-120	2	0-8	
Carbon Tetrachloride	91	93	63-147	3	0-10	
Chlorobenzene	100	102	89-119	2	0-7	
1,2-Dibromoethane	96	99	80-120	3	0-20	
1,2-Dichlorobenzene	98	103	89-119	5	0-9	
1,1-Dichloroethene	118	133	77-125	12	0-16	X
Ethylbenzene	105	110	80-120	5	0-20	
Toluene	107	109	83-125	2	0-9	
Trichloroethene	100	102	89-119	2	0-8	
Vinyl Chloride	85	85	63-135	0	0-13	
Methyl-t-Butyl Ether (MTBE)	104	103	82-118	1	0-13	
Tert-Butyl Alcohol (TBA)	84	81	46-154	3	0-32	
Diisopropyl Ether (DIPE)	105	104	81-123	1	0-11	
Ethyl-t-Butyl Ether (ETBE)	103	105	74-122	2	0-12	
Tert-Amyl-Methyl Ether (TAME)	101	105	76-124	4	0-10	
Ethanol	97	99	60-138	2	0-32	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: N/A
Work Order No: 07-09-0780
Preparation: EPA 5030B
Method: EPA 8260B

Project: 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-22,847	Aqueous	GC/MS FF	09/19/07	09/19/07	070919L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	93	93	84-120	0	0-8	
Carbon Tetrachloride	96	96	63-147	0	0-10	
Chlorobenzene	101	101	89-119	0	0-7	
1,2-Dibromoethane	103	104	80-120	1	0-20	
1,2-Dichlorobenzene	100	100	89-119	0	0-9	
1,1-Dichloroethene	96	95	77-125	1	0-16	
Ethylbenzene	99	99	80-120	0	0-20	
Toluene	98	98	83-125	0	0-9	
Trichloroethene	101	102	89-119	1	0-8	
Vinyl Chloride	96	95	63-135	1	0-13	
Methyl-t-Butyl Ether (MTBE)	92	93	82-118	0	0-13	
Tert-Butyl Alcohol (TBA)	94	97	46-154	4	0-32	
Diisopropyl Ether (DIPE)	91	91	81-123	0	0-11	
Ethyl-t-Butyl Ether (ETBE)	91	90	74-122	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	92	93	76-124	0	0-10	
Ethanol	70	70	60-138	0	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Work Order Number: 07-09-0780

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.



LAB:

- TA - Irvine, Californ
- TA - Morgan Hill, California
- TA - Sacramento, California
- TA - Nashville, Tennessee
- Calscienc
- Other _____



SHELL Chair of Custody Record

NAME OF PERSON TO BILL: Denis Brown

ENVIRONMENTAL SERVICES

NETWORK DEV / FE

COMPLIANCE

BILL CONSULTANT

RMT/CRMT

CHECK BOX TO VERIFY IF NO INCIDENT # APPLIES

INCIDENT # (ES ONLY)

9 8 9 9 5 7 4 0

DATE: 09/11/07

PAGE: 1 of 1

SAMPLING COMPANY: **Conestoga-Rovers & Associates**
LOG CODE: **CETS**

ADDRESS: **19449 Riverside Drive, Suite 230, Sonoma, CA 95476**

PROJECT CONTACT (Hardcopy or PDF Report to): **Brian Wong**

TELEPHONE: **510-420-3345** FAX: **510-420-9170** E-MAIL: **bwong@croworld.com**

TAT (STD IS 10 BUSINESS DAYS / RUSH IS CALENDAR DAYS):
 STD 5 DAY 3 DAY 2 DAY 24 HOURS RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT UST AGENCY:

SPECIAL INSTRUCTIONS OR NOTES:
Strip Midfluent Data from EDF files
Compliance Samples
Flowmeter = _____ Hour Meter = _____
cc: PDF Report to afriel@croworld.com

- EDD NOT NEEDED
- SHELL CONTRACT RATE APPLIES
- STATE REIMB RATE APPLIES
- RECEIPT VERIFICATION REQUESTED

SITE ADDRESS: Street and City
2120 Montana Street, Oakland

State: **CA**

GLOBAL ID NO.: **T0600101805**

EDF DELIVERABLE TO (Name, Company, Office Location):
Felicia Ballard, CRA, Sonoma

PHONE NO.: **707-933-2360**

E-MAIL: **sonomaedf@croworld.com**

CONSULTANT PROJECT NO.: **240733-003**

SAMPLER NAME(S) (Print): **Ryan Messinger**

LAB USE ONLY
09-0780

REQUESTED ANALYSIS

TPH - Purgeable (8015M)	TPH - Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	VOCs by 8260B	Semi-Volatiles by 8270C	Lead <input type="checkbox"/> Total <input type="checkbox"/> STLC <input type="checkbox"/> TCLP	LUFT5 <input type="checkbox"/> Total <input type="checkbox"/> STLC <input type="checkbox"/> TCLP	CAM7 <input type="checkbox"/> Total <input type="checkbox"/> STLC <input type="checkbox"/> TCLP	Test for Disposal (see attached)
X	X	X	X															
X	X	X	X															
X	X	X	X															
X	X	X	X															

FIELD NOTES:
Container/Preservative
or PID Readings
or Laboratory Notes

TEMPERATURE ON RECEIPT C°

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	NO. OF CONT.
		DATE	TIME		
1	INF	09/11/07	1608	AQ	5
2	MID 1	09/11/07	1605	AQ	5
3	MID 2	09/11/07	1603	AQ	5
4	EFF	09/11/07	1600	AQ	5

Relinquished by: (Signature)
Ryan Messinger

Received by: (Signature)
Secure location (Emeryville Office)

Date: **09/12/07**

Time: **07:15**

Relinquished by: (Signature)
[Signature]

Received by: (Signature)
[Signature]

Date: **9/12/07**


Time: **10:15**

Relinquished by: (Signature)
[Signature]

Received by: (Signature)
[Signature]

Date: **9/13/07**

Time: **1030**



WORK ORDER #: 07 - 09 - 07 80

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: CRT

DATE: 9/13/07

TEMPERATURE - SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
Chilled, cooler without temperature blank.
Chilled and placed in cooler with wet ice.
Ambient and placed in cooler with wet ice.
Ambient temperature.
C Temperature blank.

LABORATORY (Other than Calscience Courier):

- 4.1 C Temperature blank.
C IR thermometer.
Ambient temperature.

Initial: JP

CUSTODY SEAL INTACT:

Sample(s): Cooler: No (Not Intact): Not Present: [check]

Initial: JP

SAMPLE CONDITION:

Table with 4 columns: Item, Yes, No, N/A. Rows include Chain-Of-Custody document(s), Sampler's name, Sample container label(s), Sample container(s) intact, Correct containers and volume, Proper preservation, VOA vial(s) free of headspace, Tedlar bag(s) free of condensation.

Initial: JP

COMMENTS:

Blank lines for handwritten comments.