AGENCY

DAVID J. KEARS, Agency Director





ENVIRONMENTAL HEALTH SERVICES

ENVIRONMENTAL PROTECTION 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577 (510) 567-6700

Mr. Ardavan Onsori (510) 337-9335

9310 Union City Blvd. Union City, CA 94587

August 22, 2007

Mr. Tom Bauhs Chevron Environmental Management Co. Rm. K2204 6001 Bollinger Canyon Rd. San Ramon, CA 94583

Dear Messrs. Bauhs and Onsori:

Subject: Fuel Leak Case RO0000185 & Global ID T0600102298, Chevron #9-7127, 0 I-580 & Grant Line Rd., Tracy, CA 95376

Alameda County Environmental Health (ACEH) staff has reviewed the file for the subject site including the May 15, 2007 Corrective Action Plan, prepared by CRA & Associates. This work plan responds to the County's February 26, 2007 letter requesting a new feasibility study/corrective action plan. The corrective action plan evaluated three remediation alternatives; oxygen injection, batch extraction and surfactant injection. The report recommends surfactant injection as the remediation of choice. Prior to approval of this recommended remediation approach, our office has the following technical comments for you to address and request you submit the technical report requested below.

TECHNICAL COMMENTS

- As you are aware, the Central Valley RWQCB has commented to you and CRA regarding their concerns with this technology, see attached May 9, 2006 letter to Mr. Bauhs. Our office echoes the Central Valley Board concerns and request that you provide the following:
 - Work plan for performing a bench scale test using contaminants at the site.
 - Work plan for contaminant characterization- Complete site characterization is essential for proper use of surfactant as a remediation tool. Such information should demonstrate the site subsurface has been completely characterized, and that any contaminant mobilized by surfactant injection will be captured by the extraction system. Such information must include, but not be limited to, capture zone analysis of an operating pump and treat system, cross-sections, maps delineating the contaminant plumes, monitoring well data, vertical and lateral definition of soil and groundwater contamination and gradient. Some of this information is included in your work plan, however, the capture zone analysis and the extent of the contamination in soil and groundwater have not been addressed. From the limited data to date, the site conceptual model stating that contamination is located in the capillary zone, 25-30' bgs has not been demonstrated. Please submit a work plan to complete contaminant characterization and verify the expected capture zone during extraction.

Messrs. Bauhs and Onson August 22, 2007 Page 2 of 4

- Details of Surfactant Addition and Monitoring- The work plan states that an infiltration trench approximately 20' in diameter around MW-1 will be constructed to apply the surfactant and groundwater will simultaneously be extracted from this well. This process is based upon assumptions that have not yet been demonstrated. There is the assumptions that the contaminant areas will be adequately contacted, that the surfactant will migrate vertically in a uniform manner, that there will be vacuum influence from the extraction well through the vadose zone and that there will be adequate treatment time between application and extraction. These items will require additional monitoring wells and sampling data from a pilot test to demonstrate the efficacy and control of application. Please explain how these concerns will be addressed.
- ROWD Application- Please submit a copy of your approved ROWD or a variance from the Water Board to our office prior to initiating any surfactant treatment.
- 2. CAP and Public Participation Process- Assuming your CAP has been approved by our agency, it must then go out for public comment. Please identify all property owners within a 500' radius of this site and their mailing address so they can be notified of the proposed CAP once it has been accepted by our office. You must also provide a site map indicating the limits of the property owners who have been notified. Alternative, should you resubmit your CAP work plan as interim remediation, to avoid the Public Participation requirement.

TECHNICAL REPORT REQUEST

Please submit the following technical report according to the following schedule:

- September 22, 2007- Work Plan for bench pilot test, contaminant characterization, estimate capture zone.
- September 22, 2007- Response to Surfactant Issues/Concerns

These reports are being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

ELECTRONIC SUBMITTAL OF REPORTS

Effective January 31, 2006, the Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of all reports in electronic form to the county's ftp site. Paper copies of reports will no longer be accepted. The electronic copy replaces the paper copy and will be used for all public information requests, regulatory review, and compliance/enforcement activities. Please do not submit reports as attachments to electronic mail. Submission of reports to the Alameda County ftp site is an addition to existing requirements for electronic submittal of information to the State Water Resources Control Board (SWRCB) Geotracker website. Submission of reports to the Geotracker website does not fulfill the requirement to submit documents to the Alameda County ftp site. In September 2004, the SWRCB adopted regulations that

Messrs. Bauhs and Oktori August 22, 2007 Page 3 of 4

require electronic submittal of information for groundwater cleanup programs. For several years, responsible parties for cleanup of leaks from underground storage tanks (USTs) have been required to submit groundwater analytical data, surveyed locations of monitor wells, and other data to the Geotracker database over the Internet. Beginning July 1, 2005, electronic submittal of a complete copy of all necessary reports was required in Geotracker (in PDF format). Please visit the SWRCB website at (http://www.swrcb.ca.gov/ust/cleanup/electronic reporting) for more information on these requirements. In order to facilitate electronic correspondence, we request that you provide up to date electronic mail addresses for all responsible and interested parties. Please provide current electronic mail addresses and notify us of future changes to electronic mail addresses by sending an electronic mail message to me at barney.chan@acqov.org.

PERJURY STATEMENT

All work plans, technical reports, or technical documents submitted to ACEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge." This letter must be signed by an officer or legally authorized representative of your company. Please include a cover letter satisfying these requirements with all future reports and technical documents submitted for this fuel leak case.

PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS

The California Business and Professions Code (Sections 6735, 6835, and 7835.1) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately registered or certified professional. For your submittal to be considered a valid technical report, you are to present site specific data, data interpretations, and recommendations prepared by an appropriately licensed professional and include the professional registration stamp, signature, and statement of professional certification. Please ensure all that all technical reports submitted for this fuel leak case meet this requirement.

UNDERGROUND STORAGE TANK CLEANUP FUND

Please note that delays in investigation, later reports, or enforcement actions may result in your becoming ineligible to receive grant money from the state's Underground Storage Tank Cleanup Fund (Senate Bill 2004) to reimburse you for the cost of cleanup.

AGENCY OVERSIGHT

If it appears as though significant delays are occurring or reports are not submitted as requested, we will consider referring your case to the Regional Board or other appropriate agency, including the County District Attorney, for possible enforcement actions. California Health and Safety Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.

Messrs. Bauhs and Onson-August 22, 2007 Page 4 of 4

If you have any questions, please call me at (510) 567-6765 or Donna Drogos at 510-567-6721.

Sincerely,

Barney M. Chan

Barney Ur Chan

Hazardous Materials Specialist

Enclosure: Messrs. Bauhs, Onsori & Ms. Chapman

cc: files, D. Drogos

Ms. J'ol Chapman, Cambria Environmental, 2000 Opportunity Drive, Suite 110,

Roseville, CA 95678

Ms. Vera Fischer, Central Valley RWQCB, 11020 Sun Center Drive, Ste. 200,

Rancho Cordova, CA 95670-6114

8_22_07 I580 Grant Line Rd

CAMBRIA

207 APR 11 FH 3: 26

March 30, 2007

Mr. Barney Chan
Alameda County Health Care Services (ACHCS), Dept of Environmental Health Alameda County
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502

APR 1 1 2807

Environmental Health

Re:

Project Manager Contact Change

Former Chevron Station 97127 I-580 & Grant Line Rd Tracy, CA



Dear Mr. Barney Chan,

On behalf of Chevron Environmental Management Company (Chevron), Cambria Environmental Technology, Inc. (Cambria) is writing to inform you of management changes regarding the referenced site.

The Chevron project manager is changing from Dana Thurman to Kelly Esters

1 000 2623

 Ms. Kelly Esters, Chevron Environmental Management Company, 6001 Bollinger Canyon Rd, San Ramon, CA 94583, (925) 842-1446, <u>kesters@chevron.com</u>

Please note these changes, effective immediately, for future correspondence. Thank you for your assistance.

Sincerely,

Cambria Environmental Technology, Inc.

Judith Moore

Office Administrator

cc: Kelly Esters, Chevron Environmental Management Company

Cambria Environmental Technology, Inc.

2000 Opportunity Drive Suite 110 Roseville, CA 95678 Tel (916) 677-3407 Fax (916) 677-3687

HEALTH CARE SERVICES

AGENCY

DAVID J. KEARS, Agency Director





ENVIRONMENTAL HEALTH SERVICES

ENVIRONMENTAL PROTECTION 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577

Mr. Ardavan Ons@f⁽⁰⁾ 567-6700 9310 Union City Blvd. (510) 337-9335 Union City, CA 94587

February 26, 2007

Mr. Dana Thurman Chevron Environmental Management Co. P.O. Box 6012, Rm K2236 San Ramon, CA 94583

Dear Messrs, Thurman and Onsori:

Subject: Fuel Leak Case RO0000185, Chevron #9-7127, 0 I-580 & Grant Line Rd., Tracy, CA 95376

Alameda County Environmental Health (ACEH) staff has reviewed the file for the subject site and determined that additional remediation will be required to progress this site towards case closure. The ineffectiveness of the belt skimmer in MW-1 and the consistent elevated TPHg and BTEX concentrations in MW-3 indicate that the current approach ie free product removal and natural attenuation cannot successfully remediate the site. The petroleum concentrations in MW-3 appear to be the result of the plume originating from the free product in the area of MW-1. Although a risk-based closure may have been considered in the past, we do not believe closure can be achieved without additional remediation. We have the following technical comments and request you submit the technical report requested below.

TECHNICAL COMMENTS

1. Feasibility Study/Interim Corrective Action Plan- As discussed the prior 4/03 FS/CAP recommended free product removal from MW-1 and natural attenuation. Additions of ORC and vacuum extraction from wells MW-1 and MW-3 were also done yet they have not significantly reduced the petroleum contamination at the site. We, therefore request that you evaluate additional corrective actions and submit a new FS/CAP using current available technologies. You should evaluate each considered action based upon its cost and ability to reach clean-up goals in a reasonable time frame. Please include your proposed clean-up goals in your report.

TECHNICAL REPORT REQUEST

Please submit your FS/CAP to our office by March 30, 2007.

ELECTRONIC SUBMITTAL OF REPORTS

Effective January 31, 2006, the Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of all reports in electronic form to the county's ftp site. Paper copies of reports will no longer be accepted. The electronic copy replaces the paper copy and will be used for all public information requests, regulatory review, and compliance/enforcement activities. Please do not submit reports as attachments to electronic mail.

Messrs. Thurman and Onsori February 27, 2007 Page 2 of 3

Submission of reports to the Alameda County ftp site is an addition to existing requirements for electronic submittal of information to the State Water Resources Control Board (SWRCB) Geotracker website. Submission of reports to the Geotracker website does not fulfill the requirement to submit documents to the Alameda County ftp site. In September 2004, the SWRCB adopted regulations that require electronic submittal of information for groundwater cleanup programs. For several years, responsible parties for cleanup of leaks from underground storage tanks (USTs) have been required to submit groundwater analytical data, surveyed locations of monitor wells, and other data to the Geotracker database over the Internet. Beginning July 1, 2005, electronic submittal of a complete copy of all necessary reports was required in Geotracker (in PDF format). Please visit the SWRCB website for more information on these requirements (http://www.swrcb.ca.gov/ust/cleanup/electronic reporting).

In order to facilitate electronic correspondence, we request that you provide up to date electronic mail addresses for all responsible and interested parties. Please provide current electronic mail addresses and notify us of future changes to electronic mail addresses by sending an electronic mail message to me at barney.chan@acgov.org.

PERJURY STATEMENT

All work plans, technical reports, or technical documents submitted to ACEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge." This letter must be signed by an officer or legally authorized representative of your company. Please include a cover letter satisfying these requirements with all future reports and technical documents submitted for this fuel leak case.

PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS

The California Business and Professions Code (Sections 6735, 6835, and 7835.1) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately registered or certified professional. For your submittal to be considered a valid technical report, you are to present site specific data, data interpretations, and recommendations prepared by an appropriately licensed professional and include the professional registration stamp, signature, and statement of professional certification. Please ensure all that all technical reports submitted for this fuel leak case meet this requirement.

UNDERGROUND STORAGE TANK CLEANUP FUND

Please note that delays in investigation, later reports, or enforcement actions may result in your becoming ineligible to receive grant money from the state's Underground Storage Tank Cleanup Fund (Senate Bill 2004) to reimburse you for the cost of cleanup.

Messrs. Thurman and Chsori February 27, 2007 Page 3 of 3

AGENCY OVERSIGHT

If it appears as though significant delays are occurring or reports are not submitted as requested, we will consider referring your case to the Regional Board or other appropriate agency, including the County District Attorney, for possible enforcement actions. California Health and Safety Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.

If you have any questions, please call me at (510) 567-6765.

Sincerely,

Barney M. Chan

Hazardous Materials Specialist

Bring a Cha

cc: files, D. Drogos

Ms. Laura Heberle, Cambria Environmental, 2000 Opportunity Drive, Suite 110, Roseville, CA 95678

Ms. Christyl Escarda, Central Valley RWQCB, 11020 Sun Center Drive, Ste. 200, Rancho Cordova, CA 95670-6114

2_26_07 I580 Grant Line Rd



California Regional Water Quality Control Board Central Valley Region

Robert Schneider, Chair



Sacramento Main Office

11020 Sun Center Drive #200, Rancho Cordova, California 95670-6114 Phone (916) 464-3291 • FAX (916) 464-4645 http://www.waterboards.ca.gov/centralvalley

9 May 2006

Mr. Thomas K. Bauhs Chevron Products Company P.O. Box 6012 San Ramon, CA 94583

APPLICATION/REPORT OF WASTE DISCHARGE (DRAFT), CHEVRON SERVICE STATION 9-2174, 7700 AUBURN BLVD, CITRUS HEIGHTS, SACRAMENTO COUNTY

The Central Valley Regional Water Quality Control Board (Water Board) staff have received your Application/Report of Waste Discharge General Information Form 200 (ROWD) for injection of surfactants at Chevron Service Station 9-2174, 7700 Auburn Blvd, Citrus Heights, submitted on your behalf by Cambria.

According to Cambria's *Site Conceptual Model and Proposal for Remedial Pilot Testing* (*SCM*), dated 4 August 2005, a pilot test to evaluate the effectiveness of applying surfactant compounds to soil and groundwater contamination at the site is proposed. The pilot test has proposed injecting a surfactant into the groundwater, allowing the surfactant to equilibrate, then recovering the surfactant and contaminants dissolved in the groundwater or adsorbed to soils by vacuum extraction.

Water Board staff have reviewed the draft ROWD submitted for the site and have the following comments:

- 1. A ROWD application is premature at this time. Prior to submitting a ROWD application, a bench scale test needs to be completed and the results evaluated to determine if surfactant technology would be successful at reducing petroleum concentrations at the site. The bench scale test should be conducted using soil and contaminants obtained from the site. A workplan for the bench scale test should be submitted to Sacramento County Environmental Management Department for approval, with Regional Board staff concurrence.
- 2. The information provided in the application is incomplete and does not provide specific information needed to determine if the proposed surfactant injection will have a negative effect on the beneficial uses of the local groundwater. Section VI, Other

California Environmental Protection Agency

Required Information, of the ROWD requests the applicant provide a *complete* characterization of the discharge. No information has been provided that details the injection procedure, recovery procedure, injection locations, best management practices that will be employed, length of test, MSDS sheets, monitoring procedures, etc. All of the information in the ROWD regarding the pilot test procedure is presented as a generalized narrative without substantive content. The application should, for example, contain information such as how the rate of surfactant injection will be determined such that the solution will not mound at the injection point and displace contaminants outward. Currently, the application only says "the rate of application will be low".

- 3. According to experts in the field of surfactant remediation, and Ivey International, Inc., the manufacturer of the surfactant proposed for use in the pilot test, complete site characterization is essential for proper use of surfactant as a remediation tool. Therefore, information should be provided in the application that demonstrates the site subsurface has been completely characterized, and that any contaminant mobilized by surfactant injection will be captured by an existing extraction system. Such information must include, but not be limited to, capture zone analysis of an operating pump and treat system, cross-sections, maps delineating the contaminant plumes, monitoring well data, vertical and lateral definition of soil and groundwater contamination, gradient and direction of groundwater flow, etc.
- 4. The ROWD should contain a copy of a bench scale test report, and information on how the results from the bench test will be used for the pilot study.

If you have any questions, please call me at 916-464-4607 or email at kamaru@waterboards.ca.gov.

KATHLEEN AMARU Associate Engineering Geologist

cc: Mr. David Herzog, Cambria Environmental Technology, Inc. Mr. Jack Bellan, Sacramento County Water Protection Division

CAMBRIA

February 25, 2005

Mr. Barney Chan ACHSA 1131 Harbor Bay Pkwy. Tracy, CA 94502-6577

RE: Hwy 580 & Grantline Rd, Tracy ACHSCA RO#: 0000185

Dear Mr. Chan:



This letter is to inform you of a change in management for the above-referenced site.

Effective immediately, the new ChevronTexaco project manager will be:

Mr. Mark Inglis ChevronTexaco 6001 Bollinger Canyon Rd., K-2256 San Ramon, CA 94583 Phone: 925-842-1589

Please contact either Mr. Mark Inglis or Cambria if you have any questions.

Regards,

Cambria Environmental Technology, Inc.

cc: Mark Inglis, Chevron Texaco

Cambria Environmental Technology, Inc.

5900 Hollis Street
Suite A
Emeryville, CA 94608
Tel (510) 420-0700
Site #: 97127

Schultz, Robert, Env. Health

RO-185

From:

Streich, Karen (stka) [stka@chevrontexaco.com]

Sent:

Tuesday, October 05, 2004 10:29 AM

To:

Schultz, Robert, Env. Health

Cc:

dtruslow@cambria-env.com

Subject: RE: GeoTracker

I'm positive. We've only got one site in that area. As long as you keep the one that has the data, the other one can be deleted.

Thanks a lot,

Karen

Karen Streich
Project Manager, Retail Business Unit
925-842-1589
stka@chevrontexaco.com
6001 Bollinger Canyon Rd, L2256
P.O. Box 6012
San Ramon, CA 94583-2324

----Original Message-----

From: Schultz, Robert, Env. Health [mailto:robert.schultz@acgov.org]

Sent: Tuesday, October 05, 2004 10:25 AM

To: Streich, Karen (stka) **Subject:** RE: GeoTracker

If you are certain that we are looking at just one site, I can delete the extra entry. Just to be certain, please confirm.

Thank you,

Bob

----Original Message----

From: Streich, Karen (stka) [mailto:stka@chevrontexaco.com]

Sent: Monday, October 04, 2004 9:33 PM

To: Schultz, Robert, Env. Health; Truslow, Dorothy

Subject: RE: GeoTracker

These are both the same site. Sounds like there was only data in the one listed as 9-7127. Can we just delete the other, since it's a duplicate, or is that a lot more complicated than I realize?

Thanks, Karen

----Original Message-----

From: Schultz, Robert, Env. Health [mailto:robert.schultz@acgov.org]

Sent: Monday, October 04, 2004 10:50 AM To: 'Truslow, Dorothy'; Streich, Karen (stka)

Subject: RE: GeoTracker

Go to site/facility finder (1st one under tools), enter city only

http://geotracker.swrcb.ca.gov/search/luft.asp? business_name=&main_street_number=&main_street_name=&city=tracy&county=

first chevron listed - let's get this sorted out and done thanks

BACK TO SEARCH | GEOTRACKER HOME

LUFT Search Results		142 records found		Page 1 of 5		
SITE NAME	ADDRESS	CITY	COUNTY	STATUS		
11TH ST W	8111 11TH ST W	TRACY	SAN JOÀQUIN	OPEN	REPORT	SHOW ON MAP
7-11 #32262	2360 GRANT LINE ROAD	TRACY	SAN JOAQUIN	OPEN	REPORT	SHOW ON MAP
7-11 STORE #20304	455 GRANT LINE RD W	TRACY	SAN JOAQUIN	CLOSED	REPORT	SHOW ON MAP
AGRICULTURAL COMMISSION	503 10TH ST E	TRACY	SAN JOAQUIN	OPEN	REPORT	SHOW ON MAP
AMERICAN TRAN. CORP	651 MAC ARTHUR DR S	TRACY	SAN JOAQUIN	CLOSED	REPORT	SHOW ON MAP
ARCO #2093	3425 TRACY BLVD N	TRACY	SAN JOAQUIN	OPEN	REPORT	SHOW ON MAP
ARCO #6100	25775 PATTERSON PASS RD S	TRACY	SAN JOAQUIN	OPEN	REPORT	SHOW ON MAP
B C & D PROPERTY	1129 11TH ST W	TRACY	SAN JOAQUIN	CLOSED	REPORT	SHOW ON MAP
BEACON (CONOCO/KAYO/FAST GAS)	153 11TH ST E	TRACY	SAN JOAQUIN	OPEN	REPORT	SHOW ON MAP
BILL'S BAIT & BEACON GAS	515 11 T H ST W	TRACY	SAN JOAQUIN	CLOSED	REPORT	SHOW ON MAP
BJJ COMPANY CASE #1	757 11TH STREET E	TRACY	SAN JOAQUIN	CLOSED	REPORT	
BOAT SALES & SERVICE	2353 TOSTE RD	TRACY	SAN JOAQUIN	OPEN	REPORT	SHOW ON MAP
BOGETTI/PAULSON FARM	700 LINNE RD W	TRACY	SAN JOAQUIN	CLOSED	REPORT	SHOW ON MAP
BOYD SERVICE CENTER	560 TRACY BLVD	TRACY	SAN JOAQUIN	OPEN	REPORT	<u>SHOW</u> ON MAP
BP 11194	2375 TRACY BLVD N	TRACY	SAN JOAQUIN	OPEN	REPORT	SHOW ON MAP
C & B EQUIPMENT	7474 11TH ST W	TRACY	SAN JOAQUIN	CLOSED	REPORT	SHOW ON MAP
C. NAVARRA PROPERTY	7500 11TH ST W	TRACY	SAN JOAQUIN	OPEN	REPORT	SHOW ON MAP
CA HIGHWAY PATROL	385 GRANT LINE RD W	TRACY	SAN JOAQUIN	OPEN	REPORT	SHOW ON MAP
CAGE-N-PLAY	68 11TH ST E	TRACY	SAN JOAQUIN	OPEN	REPORT	SHOW ON MAP
CALDRON GENERAL STORE	12750 BYRON RD W	TRACY	SAN JOAQUIN	CLOSED	REPORT	SHOW ON MAP
CALIFORNIA WELDING	1000 11TH ST E	TRACY	SAN JOAQUIN	CLOSED	REPORT	SHOW ON MAP
CASTLE ROCK FOREST FIRE STN	34580 CORRAL HOLLO'RD	WTRACY	SAN JOAQUIN	CLOSED	REPORT	SHOW ON MAP
CHEVRON	UNKNOWN I 580 & GRANTLINE RD	TRACY	ALAMEDA	OPEN	REPORT	SHOW ON MAP
CHEVRON #9-0959	103 11TH ST W	TRACY	SAN JOAQUIN	CLOSED	REPORT	SHOW ON MAP
	575 GRANT LINE RD		SAN			SHOW

CHEVRON #9-8632 CHEVRON BANTA TERMINAL-UST	W 22888 KASSON RD	TRACY TRACY	JOAQUIN SAN JOAQUIN	OPEN OPEN	REPORT	ON MAP
CLOVER MIDDLE SCHOOL	51 BEVERLY PL E	TRACY	SAN JOAQUIN	CLOSED	REPORT	SHOW ON MAP
COAST COUNTIES EXPRESS	4131 INDUSTRIAL WAY	TRACY	SAN JOAQUIN	CLOSED	REPORT	SHOW ON MAP
CORRAL HOLLOW TRUCK STOP	30600 CORRAL HOLLOV RD	TRACY	SAN JOAQUIN	CLOSED	REPORT	SHOW ON MAP
COUNTRY MART TEXACO	34243 CHRISMAN RD S	TRACY	SAN JOAQUIN	CLOSED	REPORT	SHOW ON MAP
Jump to page: 1 2 3 4 5					N	ext 30

----Original Message-----

From: Truslow, Dorothy [mailto:dtruslow@cambria-env.com]

Sent: Monday, October 04, 2004 10:48 AM

To: Schultz, Robert, Env. Health; 'Streich, Karen (stka)'

Subject: RE: GeoTracker

I still do not see this site when I search by city only.

Following is the list I get when I search "Request Additional Facilities" using only the City. I do not show any results when I search "View Associated Facilities" using only Tracy as the city.

T0607700011 BP 11194	OPEN	2375 TRACY BLVD N	TRACY
T0607700026 DEUEL VOCATIONAL INSTITION - Maint	tenance OPEN	23500 KASSON RD	TRACY
T0607700028 BEACON (CONOCO/KAYO/FAST GAS)	OPEN	153 11TH ST E	TRACY
T0607700036 ARCO #2093	OPEN	3425 TRACY BLVD N	TRACY
T0607700047 RUSSELLS FLOWER PAVILLION	CLOSED	152 11TH ST E	TRACY
T0607700095 FAYETTE MANUFACTURING CORP	OPEN	7675 11TH ST W	TRACY
T0607700097 SINCLAIR TRUCKING	OPEN	3780 LINNE RD W	TRACY
T0607700102 SHELL #204-7884-0901	OPEN	3725 TRACY BLVD N	TRACY
T060770 <u>0120</u> FOOD & LIQUOR	OPEN	15 GRANT LINE RD E	TRACY
T0607700192 ARCO #6100	OPEN	25775 PATTERSON PASS RD S	TRACY
T0607700214 WELDON CHURCH RESIDENCE	OPEN	104 BEVERLY PL W	TRACY
T0607700285 GEORGE'S SERVICE	OPEN	1600 DURHAM FERRY RD W	TRACY
T0607700322 STRONG PROPERTY	OPEN	5157 BUS LOOP 205 W	TRACY
T0607700371 RMC PACIFIC MATERIALS	OPEN	30350 TRACY BLVD S	TRACY
T0607700373 ED'S MUFFLER SHOP	OPEN	595 11TH ST E	TRACY
T0607700466 UNOCAL (FORMERLY SCOTTY'S)	OPEN	574 GRANT LINE RD W	TRACY
T0607700509 CURTISS PONTIAC-CADILLAC	OPEN	2450 TOSTE RD	TRACY
T0607700535 CHEVRON #9-0959	CLOSED	103 11TH ST W	TRACY
T0607700536 SCOTTY'S BAIT & TACKLE #2	OPEN	2420 GRANT LINE RD W	TRACY
T0607700606 C. NAVARRA PROPERTY	OPEN	7500 11TH ST W	TRACY
T0607700627 TRACY BLVD CHEVRON	OPEN	3775 TRACY BLVD N	TRACY
T0607700631 REICHS GROCERY	CLOSED	7505 LINNE RD	TRACY

	_	'				
T0607700666	UNOCAL #1)123 (WELLS FARGO PROPERTY)	CLOSED	1034 CENTRAL AVE	TRACY		
T0607700670	CHEVRON #9-8632	OPEN	575 GRANT LINE RD W	TRACY		
T0607700797	BOAT SALES & SERVICE	OPEN	2353 TOSTE RD	TRACY		
T0607700807	J & B MURPHY TRUCKING	OPEN	355 ENTERPRISE	TRACY		
T0607700846	POMBO RANCH	OPEN	24100 LAMMERS RD S	TRACY		
T0607700893	11TH ST W	OPEN	8111 11TH ST W	TRACY		
T0607724298	SHELL SERVICE STATION	OPEN	2375 GRANT LINE	TRACY		
T0607729562	7-11 #32262	OPEN	2360 GRANT LINE ROAD	TRACY		
T0607791873	SOUZA II LLC	OPEN	612 11TH ST W	TRACY		
T0607793645	FORMER RESTAURANT	OPEN	95 11TH ST W	TRACY		
T0607799502	PACIFIC BELL	CLOSED	10 12 TH STREET E	TRACY		
Sent: Monday, October 04, 2004 10:26 AM To: 'Truslow, Dorothy'; 'Streich, Karen (stka)' Subject: RE: GeoTracker Hi Dorothy: Try an address search using only the city. Bob Original Message From: Truslow, Dorothy [mailto:dtruslow@cambria-env.com] Sent: Monday, October 04, 2004 10:19 AM To: Schultz, Robert, Env. Health; 'Streich, Karen (stka)' Subject: RE: GeoTracker						
Bob, Karen -						
I am unable to locate:						
CHEVRON (T0600100288) - (SHOW ON MAP) UNKNOWN I 580 & GRANTLINE RD						
In GeoTracker. I copied and pasted the given Global ID into both the "View Associated Facilities" and "Request Additional Facilities" searches.						
Clobal ID TOCOMICATOR is the one listed in the Charge SAR database for						

Global ID T0600102298 is the one listed in the Chevron SAR database for site #9-7127. I could not locate a duplicate listing for the site in the database.

Regards,

Dorothy

```
----Original Message----
From: Schultz, Robert, Env. Health [mailto:robert.schultz@acgov.org]
Sent: Monday, October 04, 2004 10:04 AM
```

To: 'Streich, Karen (stka)'; 'dtruslow@cambria-env.com'

Subject: RE: GeoTracker

Karen and Dorothy:

Two sites are in Geotracker:

CHEVRON (T0600100288) - (SHOW ON MAP) UNKNOWN I 580 & GRANTLINE RD TRACY , CA 94550 ALAMEDA COUNTY

and

CHEVRON #9-7127 (T0600102298) I-580 & GRANT LINE RD near Tracy , CA 95376

The first one has no electronic data, the second does.

Global id are slightly different. I am required to review and accept all submittals to geotracker, and the state has begun tracking submittal/acceptance. If there are two entries for the same site, that needs

to be taken care of. Can you help straighten this out? The locations on the

Geotracker map are slightly different - maybe that will help.

Thank you, Bob

----Original Message-----

From: Streich, Karen (stka) [mailto:stka@chevrontexaco.com]

Sent: Friday, October 01, 2004 4:06 PM

To: Schultz, Robert, Env. Health

Subject: FW: GeoTracker

206127 is a former AST bulk plant, so data is not uploaded to Geotracker.

9-7127 is in Geotracker. The Global ID is in Dorothy's email, below, so that might help you find it.

Let me know if you need anything else.

Thanks, Karen

Karen Streich
Project Manager, Retail Business Unit
925-842-1589
stka@chevrontexaco.com
6001 Bollinger Canyon Rd, L2256
P.O. Box 6012
San Ramon, CA 94583-2324

----Original Message-----

From: Truslow, Dorothy [mailto:dtruslow@cambria-env.com]

Sent: Friday, October 01, 2004 2:03 PM

To: Streich, Karen (stka) Subject: RE: GeoTracker

Okay. Apparently only GW Monitoring data has been uploaded for 9-7127. The most recent submission was in May of this year by Gettler Ryan.

If I can be of further assistance, let me know.

Regards,

Dorothy

----Original Message----

From: Streich, Karen (stka) [mailto:stka@chevrontexaco.com]

Sent: Friday, October 01, 2004 12:19 PM

To: Truslow, Dorothy Subject: RE: GeoTracker

Thanks a lot, Dorothy. I just approved the access for 9-7127.

206127 is an above-ground storage tank site. Does AST site data go into Geotracker, too, or just USTs?

Thanks, Karen

Karen Streich
Project Manager, Retail Business Unit
925-842-1589
stka@chevrontexaco.com
6001 Bollinger Canyon Rd, L2256
P.O. Box 6012
San Ramon, CA 94583-2324

----Original Message----

From: Truslow, Dorothy [mailto:dtruslow@cambria-env.com]

Sent: Friday, October 01, 2004 11:42 AM

To: Streich, Karen (stka) Subject: RE: GeoTracker

Hi, Karen -

Searching GeoTracker by address can be frustrating. Searching by Global ID# is the best way to find the specific site you want.

I found 9-7127 in GeoTracker, (Global ID# is: T0600102298) however, Cambria has not uploaded any data for this site. We do not currently have access to it, so I can't see what, if anything, has been uploaded. I've just requested access. If you can log in and grant permission, I can look at the site record.

I can't find 20-6127 in GeoTracker. According to the database, this

1 , j

site doesn't have a Global ID number and, therefore, has never been entered into the GeoTracker system. Closure for this site was requested on 6/9/2004 from Alameda County Health Care Services Agency.

Regards,

Dorothy

----Original Message----

From: Streich, Karen (stka) [mailto:stka@chevrontexaco.com]

Sent: Friday, October 01, 2004 11:17 AM

To: dtruslow@cambria-env.com

Subject: FW:

Hi Dorothy,

I met with Alameda County Wed. Bob Schultz is the case worker for my sites in the Livermore Valley area. Attached is a message from him with a couple of sites he can't find in Geotracker. Do you know whether data for these sites is uploaded? If not, why not? If so, is there some search trick Bob needs to know to find the data?

Thanks a lot, Karen

Karen Streich
Project Manager, Retail Business Unit
925-842-1589
stka@chevrontexaco.com
6001 Bollinger Canyon Rd, L2256
P.O. Box 6012
San Ramon, CA 94583-2324

----Original Message-----

From: Schultz, Robert, Env. Health [mailto:robert.schultz@acgov.org]

Sent: Thursday, September 30, 2004 4:46 PM

To: Streich, Karen (stka)

Subject:

Hi Karen:

Nice seeing you yesterday. Here are the sites for which I can't locate the geotracker uploads: RO-185, Chevron 9-7127 (Tracy) RO-2466, Chevron 206127 (Alameda) Since the second site is a marine terminal/AST site, I need to confirm that Geotracker uploads are required. Thanks, Bob

Robert W. Schultz, R.G. Hazardous Materials Specialist Alameda County Environmental Health 1131 Harbor Bay Parkway Alameda, CA 94502 510-567-6719 (direct) 510-337-9335 (facsimile)

CAMBRIA

Alameda County

JUN 2 5 2003

June 20, 2003

Environmental Health

Mr. Scott Seery
Alameda County Health Care Services Agency
Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502

Re:

Remediation System Installation

Former Chevron SS 9-7127 I-580 & Grant Line Road Tracy, California Cambria Project No. 31D-1656



Dear Mr. Seery:

On behalf of Chevron Products Company (Chevron), Cambria Environmental Technology, Inc. (Cambria) is submitting this letter to notify you that Chevron is implementing the remediation recommendation contained in the document, *Remedial Action Plan and Feasibility Study*, by Delta Environmental Consultants, submitted to you April 30, 2003. This notification is given per our conversation regarding the site on June 20, 2003.

The occurrence of separate phase hydrocarbons (SPH) in well MW-1 prompted the recommendation for installation of a mechanical skimmer system to continually remove SPH from the subsurface. Chevron is contracting with EIC Global Solutions of Alpharetta, Georgia for the installation of a belt skimmer to remediate SPH in the vicinity of the former underground storage tanks (USTs). We hope to have this unit installed and operating by the end of July.

Chevron requests a letter documenting your concurrence with this remedial approach for this site. If you have any questions or comments please contact me at (510) 420-3348.

Sincerely,

cc:

Cambria Environmental Technology, Inc.

Cambria Environmental Technology, Inc. Robert Foss, R.G. Senior Project Geologist

5900 Hollis Street Suite A Emeryville, CA 94608 Tel (510) 420-0700 Fax (510) 420-9170

Ms. Karen Streich, Chevron Products Company

AGENCY

DAVID J. KEARS, Agency Director





ENVIRONMENTAL PROTECTION 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577 (510) 567-6700 FAX (510) 337-9335

RO0000185

October 29, 2002

Mr. Karen Streich Chevron P.O. Box 6004 San Ramon, CA 94583 Mr. Ardavan Onsori 29310 Union City Blvd Union City, CA 94587

RE: Feasibility Study for Chevron 9-7127 at 1-580 and Grant Line Rd, Tracy, CA

Dear Ms. Streich and Mr. Onsori:

In February 2002, I requested that a Remedial Action Plan (RAP) be submitted for the above referenced site. Please let me clarify that the RAP should evaluate several technically and economically feasible methods to remediate soil and groundwater, and will adequately protect human health and safety, the environment, eliminate nuisance conditions, and protect water resources. Of the technical methods evaluated, the RAP shall detail the cleanup alternative you plan to implement at the site. The RAP should also propose verification monitoring to confirm completion and or effectiveness of cleanup at the site.

The required RAP is due within 45 days of the date of this letter, or by December 20, 2002. If you have any questions, I can be reached at (510) 567-6762.

eva chu

Hazardous Materials Specialist

email: Ben Heningburg, Delta Environmental

chevrontracy-15





DAVID J. KEARS, Agency Director

ENVIRONMENTAL HEALTH SERVICES

ENVIRONMENTAL PROTECTION 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577 (510) 567-6700 FAX (510) 337-9335

R00000185

February 7, 2002

Mr. Tom Bauhs Chevron P.O. Box 6004 San Ramon, CA 94583 Mr. Ardavan Onsori 29310 Union City Blvd Union City, CA 94587

RE: RAP for Former Chevron 9-7127 at I-580 and Grant Line Rd, Tracy, CA

Dear Messrs. Bauhs and Onsori:

I have completed review of Gettler-Ryan's December 2001 *Groundwater Monitoring Sampling Report* prepared for the above referenced site. Onsite monitoring wells were sampled in November 2001. Well MW-1 contained separate phase hydrocarbon and Well MW-3 contained 100,000ppb TPHg and 23,000ppb benzene. A review of historic groundwater data reveals that hydrocarbon concentrations in Well MW-3 are increasing. This suggests that the plume is slowly migrating from the source area (former tank pit) to beyond well MW-3.

Although past investigations completed to date suggest that the plume does not pose a risk to human health and is not likely to impact the lower aquifer (at greater than 300 feet bgs), active remediation is now required to minimize the spread of contamination into previously uncontaminated zones. The prior use of ORC and hydrogen peroxide does not appear to help biodegrade hydrocarbons at the site. At this time, a workplan for the remediation of elevated hydrocarbons in groundwater using another technology is required. The workplan is due within 90 days of the date of this letter, or by May 13, 2001.

If you have any questions, I can be reached at (510) 567-6762.

eva chu

Hazardous Materials Specialist

email: James Brownell

chevrontracy-14

AGENCY



DAVID J. KEARS, Agency Director

ENVIRONMENTAL HEALTH SERVICES

ENVIRONMENTAL PROTECTION 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577 (510) 567-6700 FAX (510) 337-9335

RO0000185

May 10, 2001

Mr. Tom Bauhs Chevron Products P.O. Box 6004 San Ramon, CA 94583

RE: Interim Corrective Action Plan (CAP) for Former Chevron Service Station 9-7127

at 1-580 and Grant Line Road, Tracy, CA

Dear Mr. Bauhs:

I have completed review of Delta Environmental Consultants, Inc.'s (Delta) May 2001 Interim Corrective Action Plan prepared for the above referenced site. Delta proposed to hand-bail separate phase hydrocarbon (SPH) from well MW-1 on a monthly basis. In between the SPH bailing events, a passive product skimmer will be place in MW-1. In addition, Delta proposed to decommission the onsite domestic well. The proposed interim CAP is acceptable.

This office is not in receipt of a semi-annual monitoring report (SMR) since September 2000. Groundwater data from the October 2000 sampling event, however, was included in the May 2001 report. The SMR is past due. In the meantime, you should continue with semi-annual monitoring of all onsite wells. Technical reports are due 60 days upon completion of field work. For the next sampling event, please confirm MTBE and other ether oxygenates using EPA Method 8260.

If you have any questions, I can be reached at (510) 567-6762.

eva chu

Hazardous Materials Specialist

email: Ben Heningburg

Chu, Eva, Env. Health

From:

Chu, Eva, Env. Health April 05, 2001 3:02 PM 'Brownell, James'; 'Bauhs, Tom' Former Chevron 9-7127

Sent: To:

Subject:

Hi,

I just wanted an update from you on what actions are planned for the former Chevron site at I-580 and Grantline Road. It appears that ORC didn't have much effect in reducing petroleum hydrocarbon concentrations. And it was not conclusive that H202 helped either. We had entertained the thought of continuing with H202. As you know, the TPHg and BTEX concentrations are relatively high and the Central RWQCB won't close the case with these levels. Please let me know what your thoughts are.

evachu

Alameda County Environmental Health 1131 Harbor Bay Parkway Alameda, CA 94502 (510) 567-6762 (510) 337-9335 fax



facsimile massainal

To: E							
	MEDA		<i>∈ N_5</i> Ph	one: S) 364	4 6	
From: CHZIS			i	te:			
					otal Pages		
Project No./Ref:					1.		
□ Urgent — □ Fo	or Review) Please Com	ment SEP	ease Reply	□ Per Re	quest *	
(A) (A) (■)		•	•	•	•	•	
Comments:	HI EVA	<u> </u>					
7415	15	THE	BELL	ASE.	AGRE	EMEN	
AND THE PROPERTY OF THE	E TAL			184 (N.Y			
241117				a sila aka	n de la companya de La companya de la co		ti iliya ka
<u> Koved</u>		 2					
T WON	ILD A	PPRECL	ATE .	17	TE .	YOU	•
HAVE	ANY	QUEST	1005	PLEA	5 <i>6</i>	SIVE	
ME A	CAL						
To Alak So	- 700		14				
			- Tade				
	anto		- ale			<u> </u>	· ·
					•	y 187	
							•
	. ,						

MAR 08'99

10:41 No.004 P.02

GRAY DAVIS, GONORO

STATE OF CAUPORNAL THE RESOURCES AGENCY

ID 209-445-5370

DEPARTMENT OF WATER RESOURCES

SAN JOACHUM DISTRICT 8574 Sant Shinara Avenus Freene, Camonia 93785-6373. (559) 445-5443 (850) 446-8370 (FAK)

DWR SJD FRESNO



WELL INFORMATION RELEASE AGREEMENT (for Use by Governmental Agencies and their Contracted Consultants)

Project GRANTLINE RD. TRAC	Contract Number AA 51
County ALAMEDA	the state of the s
Township, Range, and Section	O May It smalled Published And Advanced
In order to conduct a study in the above area, we Department of Water Resources to inspect or opursuant to Section 13751 of the California Water Pertinent to our study which are on file in your of	opy Well Completion Reports made ter Gode and Well Data Reports
in accordance with the requirements of Section that information obtained directly from such will not be disseminated or published without the disseminated or di	reports will be kept confidential and ut written permission of the well
owner. Additionally, we agree that any copies inspection by the public but will be used solely t	by this governmental agency for
conducting this study. Copies obtained will be t	stamped "CONFIDENTIAL" or "FOR
OFFICIAL USE ONLY" and will be kept in a resi the staff of this governmental agency or our con	tracted rice, access to which is lithied to itracted consultants. Upon completion
of this work, all copies furnished to our consult	ants will be returned to this
governmental agency.	
RAM, INC	Alamada Co. Envronmental Kacklin
Consultant	Governmental Agency
3912 PORTULA DR. Ste 8	1131 Harbor Pan Parkway
SANTA CIZUZ CA 95062	Alamoda CA 94502
City, State, and Zip Gode	Chy, State, and Zip Code
By Christof Cottle	By EVa CHU
STAFF GEOLOGIST	Haz Mat Specialist
1831) 775 - 8141	150, 567-6762
(831) 775 - 8141 Telephone	Telephone
1831, 475-8249	(570) 337-9335
Fax	3/11/GG
3/16/99 Date	Date
⇔	

AGENCY

DAVID J. KEARS, Agency Director



ENVIRONMENTAL HEALTH SERVICES

1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577 (510) 567-6700 (510) 337-9335 (FAX)

StID 4100

February 5, 1999

Mr. Phil Briggs Chevron, Building L P.O.Box 5004 San Ramon, CA 94583-0804

RE:

Vertical Extent of Groundwater Contamination at the Former Chevron Service Station at I-580 and Grant Line Road, Tracy, CA

Dear Mr. Briggs:

I have completed the review of the case file for the above referenced site to determine what issues may need to be addressed before the site can be designated a low risk groundwater case. There appears to be two criteria that does not meet the Central Valley RWQCB's guidance for no further action at a leaking underground storage tank site (the draft Appendix B is enclosed). The two issues that need further interpretation or characterization are:

1. No existing water supply wells, deeper aquifers, surface waters or other receptors are threatened by pollutants remaining in the aquifer.

The onsite domestic well contained detectable levels of benzene (up to 6.4ppb) in 1987 and 1989 (see attached table). It is assumed this well is constructed and screened deeper than the onsite groundwater monitoring wells. It must be verified that groundwater contamination has not impacted the deeper aquifer. Therefore, the vertical extent of the contaminant plume must be determined.

2. The total pollutant mass remaining in the groundwater is decreasing at predicted rates and neither creates, nor threatens to create, a risk to human health and safety or future beneficial uses(s) of the aquifer.

Onsite groundwater monitoring wells MW-1 and MW-3 continues to contain measurable free product or a heavy sheen. Recent benzene levels were at 24,000ppb. Active remediation appears necessary to reduce the total pollutant mass in groundwater.

A workplan and/or discussion to address the above issues should be submitted to this office for review within 60 days of the date of this letter, or by April 9, 1999. If you have any questions, I can be reached at (510) 567-6762.

Hazardous Materials Specialist

enclosures

chvrontracy12

5/10/99 - Extension granted for submitted of up a discussion to

May 21,1999.

Ask to Kristen Roben @ 916/255-3076 cv-Rwack about clos. 600 Ask JS to never it RMMs response males sense.

AGENCY

DAVID J. KEARS, Agency Director



StID 4100

August 3, 1998

Mr. Phil Briggs Chevron, Building L P.O.Box 5004

San Ramon, CA 94583-0804

ENVIRONMENTAL HEALTH SERVICES

1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577 (510) 567-6700 (510) 337-9335 (FAX)

RE: ORC for Wells at Former Chevron Service Station #9-7127, I-580 and Grantline Road Near Tracy, CA

Dear Mr. Briggs:

Thank you for the submittal of the recent semi-annual monitoring report and charts comparing various indicator parameters across the dissolved plume against BTEX concentrations. Most of the bio-parameters analyzed suggest that intrinsic bioremediation is occurring at the site. Therefore, per your request, you may add Oxygen Releasing Compound (ORC) to the wells located in the plume (MW-1, MW-3, and MW-4). Hopefully, this will expedite plume reduction.

In a recent telephone conversation, you requested a letter approving the construction/development of the site. The LOP program evaluates if there would be any restriction to development due to residual hazardous waste at the site. For this site, it has been determined that volatilization of residual hydrocarbon contamination in soil and groundwater to indoor or outdoor air (for a commercial scenario) does not pose an excess risk to human health. However, there is a potential for contaminants to leach from soil into groundwater. Groundwater ingestion is a problem that will be remedied with the installation of a carbon adsorption canister to the existing water supply line at the time of proposed construction, as we have previously discussed and agreed.

Other aspects of land development, such as the installation of a private sewage disposal system or the availability of a potable water supply, can be addressed by Mr. Joe Winchester (land-use staff). He can be reached at (510) 567-6712.

If you have any other questions, I can be reached at (510) 567-6762.

eva chu

Hazardous Materials Specialist

c: Ardavan Onsori, 29310 Union City Blvd, Union City, CA 94587 Joe Winchester, ACDEH

chyrontracy-11



September 25, 1997

Mr. Ardavan Onsori 29310 Union City Blvd. Union City, CA 94587 Chevron Products Company 6001 Boltinger Canyon Road Building L San Ramon, CA 94583 P.O. Box 6004 San Ramon, CA 94583-0904

Marketing - Sales West Phone 510 842-9500

Re: Former Chevron Service Station #9-7127

Interstate 580 and Grantline Road

near Tracy, California

Dear Mr. Onsori:

This letter is to clarify the use or abandonment of the existing onsite water supply well as noted in my letter of September 18, 1997.

As stated in my previous letters and in verbal conversations, this well was installed when the station was built and was only used to provide water to operate the rest rooms. This well was never used to provide drinking water for the station as it was never in compliance with the California State Drinking Water Standards. Bottled water was provided at the station for drinking water use of customers and employees.

Because of the existing presence of dissolved hydrocarbons in the groundwater, there is a possible human risk if someone ingests the water from the supply well. As stated in the Risk Based Corrective Action(RBCA) plan, to eliminate this risk, the well can be abandoned or carbon adsorption canisters can be installed on the well to treat the water prior to use.

Note that the carbon adsorption canisters would only be installed to treat the petroleum hydrocarbons in the groundwater and nothing else. The water from the well would continue to <u>not meet</u> the California State Drinking Water Standards and therefore non-potable for human consumption.

If you decide to retain the well, Chevron will pay for the initial installation of the carbon canisters with you agreeing to take over title to the canisters and replacement of the carbon canisters as needed due to your operation.

September 25, 1997 Mr. Ardavan Onsori Former Chevron Service Station #9-7127 page 2

If you have any questions or comments call me at (510) 842-9136.

Sincerely,

CHEVRON PRODUCTS COMPANY

Philip Klayer

Philip R. Briggs

Site Assessment and Remediation Project Manager

cc. Ms. Eva Chu

Alameda County Health Care Services Department of Environmental Health 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577

Mr. John Moody RWQCB-Central Valley Region 3443 Routier Road Sacramento, CA 95927-3098

Mr. & Mrs. Joe Jess Jess Ranch Route 5, Box 704-A Tracy, CA 95376

Ms. Bette Owen, Chevron



September 18, 1997

Mr. Ardavan Onsori 29310 Union City Blvd. Union City, CA 94587 Chevron Products Company 6001 Bollinger Canyon Road Building L San Ramon, CA 94583 P.O. Box 6004 San Ramon, CA 94583-0904

Marketing - Sales West Phone 510 842-9500

Re:

Former Chevron Service Station #9-7127 Interstate 580 and Grantline Road near Tracy, California

Dear Mr. Onsori:

The Risk Based Corrective Action (RBCA) plan has been reviewed by Alameda County Health Care Services (ACHCS) and it appears that there is no risk for volatilization from soil and ground water to indoor or outdoor air for any commercial activity on the site. A copy of the ACHCS- RBCA evaluation letter dated September 11, 1997 is enclosed.

However, there is a possible human health risk from ingestion of the ground water. To eliminate this risk, the existing onsite water supply well can be abandoned or carbon adsorption canisters will need to be installed to treat the water prior to use. As noted in the ACHCS letter either procedure is acceptable, but they need to know which procedure will be enacted by you.

Based on the review and acceptance of the RBCA, Chevron believes that any planning/permitting for commercial construction can proceed. As you are aware, planning approval along with construction permits will be required before any construction can proceed. As noted in previous correspondence, Chevron will assist, if needed, in securing environmental permits relating to the RBCA requirements.

Chevron will continue to monitor the site as per previous correspondence. If you have any questions or comments call me at (510) 842-9136.

Sincerely,

CHEVRON PRODUCTS COMPANY

Philip R. Briggs

Site Assessment and Remediation Project Manager

Enclosure

September 18, 1997 Mr. Ardavan Onsori Former Chevron Service Station # 9-7127 Page 2

cc. Ms. Bette Owen, Chevron

Mr. John Moody RWQCB-Central Valley Region 3443 Routier Road Sacramento, CA 95827-3098

Ms. Eva Chu Alameda County Health Care Services Department of Environmental Health 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577

Mr. & Mrs. Joe Jess Jess Ranch Route 5, Box 704-A Tracy, CA 95376

Mr. Ross Tinline Pacific Environmental Group 2025 Gateway Place, Suite 440 San Jose, CA 95110

AGENCY

DAVID J. KEARS, Agency Director



ENVIRONMENTAL HEALTH SERVICES

ENVIRONMENTAL PROTECTION 1131 Harbor Bay Parkway. Suite 250 Alameda. CA 94502-6577 (510) 567-6700 FAX (510) 337-9335

StID 4100

September 11, 1997

Mr. Philip Briggs Chevron, Building L P.O. Box 5004 San Ramon, CA 94583-0804

Re: RBCA Evaluation for Former Chevron SS #9-7127, Interstate I-580 and Grantline Road, Tracy, CA

Dear Mr. Briggs:

Pacific Environmental Group's revised Risk-Based Corrective Action-Tier 2, dated August 1997, has been reviewed and it appears that residual hydrocarbons in soil and groundwater do not pose a risk greater than 10⁻⁵ for volatilization from soil and groundwater to indoor and outdoor air for a commercial scenario. However, groundwater ingestion can still pose a human health risk. Please advise this agency if the onsite water supply well will be properly abandoned or carbon adsorption vessels will be installed to treat water from the well prior to use. Either option is acceptable.

If you have any questions, I can be reached at (510) 567-6762.

eva chu

Hazardous Materials Specialist

c: Ardavan Onsori, 29310 Union City, CA 94587

chvront.10



August 5, 1997

Ms. Eva Chu Alameda County Health Care Services Department of Environmental Health 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577 Chevron Products Company 6001 Bollinger Canyon Road Building L San Ramon, CA 94583 P.O. Box 6004 San Ramon, CA 94583-0904

Marketing - Sales West Phone 510 842-9500

Dear Ms. Chu:

With the recent reorganization that has taken place within your group, I would like to set up a meeting with you and/or replacement to discuss the six Chevron projects that you manage. I will be available on 8/21, 8/25-8/27, 9/2-9/5 and 9/8-9/12.

Items I would like to discuss are: reductions in monitoring frequency, reduction in wells sampled and/or abandonment of wells, utilizing "no purge" method in sampling wells, and any other pertinent data.

Advise your schedule as soon as possible, as I plan to set up meetings with the other case workers that are responsible for my other projects.

If you have any questions, call me at (510) 842-9136.

Sincerely,

CHEVRON PRODUCTS COMPANY

Philip R Bengar

Philip R. Briggs

Site Assessment and Remediation Project Manager

discussed Ganthin - 2580

San Leandro - 98th

cc. Mr. Tom Peacock, ACHCS

LOP - ANGE RECORD REQUEST FORM




Mark Out What Needs Changing and Hand to LOP Data Entry (Name/Address changes go to Annual Programs Data Entry)

Insp:

	AGENCY # : 10000 SOURCE OF FUNDS: F StID : 4100 LOC: SITE NAME: Altamont Chevron #9-7127 ADDRESS : 0 I-580 & Grantline CITY/ZIP: Tracy 95376	SUBSTANCE: 8006619 DATE REPORTED: 04/04/91 DATE CONFIRMED: MULTIPLE RPS: Y					
	SITE STATUS						
C F F F F	CASE TYPE: S CONTRACT STATUS: 4 PRIOR COD RP SEARCH: S PRELIMINARY ASMNT: DATE UNDERWAY: REM INVESTIGATION: DATE UNDERWAY: REMEDIAL ACTION: DATE UNDERWAY: POST REMED ACT MON: DATE UNDERWAY:	E:2A4 EMERGENCY RESP: DATE COMPLETED: DATE COMPLETED: DATE COMPLETED: DATE COMPLETED: DATE COMPLETED:					
I	ENFORCEMENT ACTION TYPE: 1 DATE ENFORCEMENT ACTION TAKEN: 05/04/92 LUFT FIELD MANUAL CONSID: CASE CLOSED: DATE EXCAVATION STARTED: 04/04/91 REMEDIAL ACTIONS TAKEN:						
	RESPONSIBLE PARTY INFORMATION						
F	RP#1-CONTACT NAME: Ardavan Onsori COMPANY NAME: N/a ADDRESS: 29310 Union City Blvd CITY/STATE: Union City, C A 94587	New property miner					
F	RP#2-CONTACT NAME: Attn. Phil Briggs COMPANY NAME: Chevron ADDRESS: P. O. Box 5004 CITY/STATE: San Ramon, C A 94583-080	4					
F	RP#3-CONTACT NAME: William Carnazzo COMPANY NAME: Carnazzo Land Co ADDRESS: P. O. Box 6031 CITY/STATE: Atascadero, C A 93423	former property anno					
	INSPECTOR VERIFICATION:						
	NAME SIGNATURE	DATE					
	DATA ENTRY INP	Case Progress Changes					
ı	ANNPGMS LOP DATE	LOP DATE					





November 15, 1996

96 NOV 19 PM 3: 35

Ms. Eva Chu Alameda County Health Care Services Department of Environmental Health 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577 Chevron Products Company 6001 Bollinger Canyon Road Building L San Ramon, CA 94583

P.O. Box 5004 San Ramon, CA 94583-0804

Marketing —Northwest Region Phone 510 842 9500

Re:

Former Chevron Service Station #9-7127 Interstate 580 and Grantline Road near Tracy, California

Dear Ms. Chu:

This confirms our phone conversation of today, acknowledging the reduction in the sampling frequency for the monitoring wells at this site, to semi-annually and annually I also advised you that there has been a change in property owners for this site. The new property owner is:

Ardavan Onsori. 29310 Union City Blvd. Union City, CA 94587. Phone: (510) 441-0585

If you have any questions or comments call me at (510) 842-9136.

Sincerely,

CHEVRON PRODUCTS COMPANY

Philip R. Briggs

Site Assessment and Remediation Project Manager

cc. Ms. Bette Owen, Chevron

Mr. Ardavan Onsori 29310 Union City Blvd. Union City, CA 94587 Past P.O. William Carnazzo
Carnazzo Land Co.
P.O. Bix6031
Atascaduro, CA 93423

ALAMEDA COUNTY HEALTH CARE SERVICES

AGENCY



ENVIRONMENTAL HEALTH SERVICES ENVIRONMENTAL PROTECTION (LOP) 1131 Harbor Bay Parkway, Suite 250

Alameda, CA 94502-6577

(510) 567-6700 FAX (510) 337-9335

DAVID J. KEARS, Agency Director

StID 4100

November 8, 1996

Mr. Philip Briggs Chevron, Building L P.O. Box 5004 San Ramon, CA 94583-0804

RE: Sampling Frequency for Former Chevron SS #9-7127, Interstate 580 and Grantline Road, near Tracy

Dear Mr. Briggs:

Thank you for the second and third Quarter Groundwater Monitoring reports for 1996 for the above referenced site. The reports have been reviewed and there is now sufficient data collected where the sampling frequency for the groundwater monitoring wells may be changed as follows:

- 1. Sample semi-annually (in May and November) wells MW-1, MW-3, MW-4, and MW-6; and,
- 2. Sample annually (in May) wells MW-2, MW-5, MW-7, MW-8.

If you have any questions, I can be reached at (510) 567-6762.

eva chu

Hazardous Materials Specialist



DAVID J. KEARS, Agency Director



RAFAT A. SHAHID, DIRECTOR

DEPARTMENT OF ENVIRONMENTAL HEALTH
1131 Harbor Bay Parkway

Alameda, CA 94502-6577 (510) 567-6700

StID 4100

March 29, 1996

Mr. Kenneth Kan Chevron P.O. Box 5004 San Ramon, CA 94583-0804

RE: Risk Assessment Work Plan Approval for Former Chevron #9-7172, Hwy I-580/Grantline Rd, Tracy, CA 95376

Dear Mr. Kan:

I have completed review of Pacific Environmental Group, Inc's March 1996 Risk Assessment Work Plan, and Addendum to said workplan for the above referenced site. The proposal to determine human health risk associated with the future development of the site using ASTM's RBCA Tier 1 and Tier 2 framework is acceptable. The completed RBCA evaluation is due within 60 days of the date of this letter.

If you have any questions, I can be reached at (510) 567-6762.

eva chu

Hazardous Materials Specialist

c: Mark Sullivan, PEG, 2025 Gateway Pl, Suite 440, San Jose 95110 files

chvront.8

AGENCY DAVID J. KEARS, Agency Director



RAFAT A. SHAHID, DIRECTOR

DEPARTMENT OF ENVIRONMENTAL HEALTH

1131 Harbor Bay Parkway Alameda, CA 94502-6577 (510) 567-6777

StID 4100

February 5, 1996

Mr. Kenneth Kan Chevron P.O. Box 5004 San Ramon, CA 94583-0804

RE: Risk Analysis for Former Chevron #9-7127, Hwy I-580/Grantline Rd, Tracy, CA 95376

Dear Mr. Kan:

I have completed review of Pacific Environmental Group's January 1996 Groundwater Investigation Report for the above referenced site. This report documents the installation of three additional groundwater monitoring wells (MW-6, MW-7, and MW-8) to delineate the off-site extent of dissolved hydrocarbons in groundwater. Soil and groundwater samples from the wells did not contain detectable levels of TPH-G or BTEX. It appears that the extent of the contaminant plume has been delineated.

The most recent groundwater sampling event (November 1995) exhibited up to 15,000 ppb benzene in well MW-1 and 8,000 ppb benzene in well MW-3. Currently, there are tentative plans to develop this site. Before development commences a risk analysis should be performed, possibly using the American Society of Testing and Materials' (ASTM) standard for Risk-Based Corrective Action (RBCA), to determine cleanup levels that are protective of human health. Results of the risk analysis would also determine the types of development which is appropriate/acceptable at this site.

If you have any questions, I can be reached at (510) 567-6762.

eva chu

Hazardous Materials Specialist

cc: files

chvront.7

ALAMEDA COUNTY HAZARDOUS MATERIALS DIVISION

11/21/95

UNDERGROUND STORAGE TANK CLEANUP SITE

AGENCY#: 10000 SOURCE OF FUNDS: F-FEDERAL INSPECTOR: EC

StID: 4100 SUBSTANCE: 8006619 -Gasoline

DATE REPORTED : 04/04/91 SITE NAME: Altamont Chevron #9-7127

DATE CONFIRMED: ADDRESS : 0 I-580 & Grantline CITY/ZIP : Tracy, CA 95376 MULTIPLE RP's : Y

CASE TYPE: S CONTRACT STATUS: 4 PRIOR: EMERGENCY RESPONSE:

DATE END: 05/04/92 RP SEARCH : S

PRELIM ASSESSMENT:
REMEDIAL INVESTIG:
REMEDIAL ACTION: DATE BEGIN: DATE BEGIN: DATE END: DATE END: DATE END: DATE BEGIN: POST REMED MONITOR: DATE BEGIN: DATE END:

TYPE ENFORCEMENT ACTION TAKEN: 1 DATE OF ENFORC. ACTION: 05/04/92

UNDERGROUND STORAGE TANK CLEANUP SITE - SCREEN #2

CASE CLOSED: on: LUFT FIELD MANUAL CONSIDERATION:

DT EXC START: 04/04/91 REMEDIAL ACTIONS TAKEN:

RP COST: RP #1: CONTACT: William Carnazzo Ph: RP COMPANY NAME: Carnazzo Land Co.

ADDRESS: P. O. Box 6031

CITY/STATE: Atascadero, C A 93423

∆BaMENT:

SITE ID#: 4100 ADDITIONAL RP'S

RP #2

CONTACT NAME: Attn. Kenneth Kan

COMPANY NAME: Chevron
ADDRESS: P. O. Box 5004 RP Ph:

CITY/ST/ZIP: San Ramon, C A 94583-0804



FACSIMILE TRANSMITTAL

DATE: 19/15/95 PROJECT #: 329-004.1B
TO: EVA CHU FAX: (610) 337-9339
RE: WELL COCATION MAP
FROM: DAVE PENNEMA
IF YOU HAVE ANY PROBLEMS RECEIVING THIS FACSIMILE, PLEASE CALL (408) 441-7500
SHEETS TO FOLLOW COVER PAGE
COMMENTS: MO. CAU - PER YOUR TISCUESION WHIN
KENNETH KAN OF CHEIRON, TIVE SENT YOU
A MAD Showing THE DIOPOSED WELL COCATIONS
FOR THE CONVENT INVESTIGNATION at FORMER
CHEVRON STATEN 9-1127 Cocated at TRACY.
PUBLIE CALL IF por HAVE ANY GUESTIONS,
THE REINSMA
You have received this facsimile from 408-441-9102
2025 Gateway Place, Suite 440. San Jose, California 95110 (408) 441-7500 FAX (408) 441-7539

' O



FACSIMILE TRANSMITTAL

DATE:	7/17/95	· · · · · · · · · · · · · · · · · · ·	PROJECT #:	325-004,1B	, (New yorks),
TO:	EVA CAU	'L	FAX:	(510) 337-9345	
	CUSA St	c# 9-71.	27		
	JAKE PEN		TUIC EACCIM	ILE, PLEASE CALL (408) 441-75	.00
IF YOU H	AVE ANT PROBLEM	15 RECEIVING) Tuis tacsim	ILE, FLEASE CALL (400) 447-73	••
	SI	EETS TO FO	LLOW COVER 1	PAGE	
		1			
COMMENT	s: PLEASE	care	- 76 Ds	cuss.	n en
				Thouk you	Non
				DHEREN	ima
				anderen i Marketenere entreteren en Market erretere (h. 1875). En 1876 e filoso e filoso e filoso e e e e eleg En 1886 e filoso en entreteren en entreteren en 1876 e filoso e en 1876 e filoso e filoso e filoso e e e e en	
	Million and the second		and the second of the second o	yan ayan sa manan manan ang m <u>anang manan</u> ing ang ay	

2025 Gateway Place, Suite 440, San Jose, California 95110

(408) 441-7500

FAX (408) 441-7539

	POSIT / 1	AZARDOUS REFUND A	MATER] CCOUNT	IAL DI' SHEET		printed03/21/95	
	SITE INFORMATION		П	St.ID:	4100 S	ite#: 406	-
0 I 58 Tracy	ont Chevron 0 Grant Line Rd 95376 Contact: Chone :		Ц	PROJECTION PROPRIMENTA PROJECTION PROJECTION PROJECTION PROJECTION PROJECTION PROJECTION PROJECTION	CT#: CT TYPE Gil Wi SHEET	4063 : R star	
PROP	ERTY OWNER INFORMATION			PAY	OR IN	FORMATION	
Owner (Contact: Phone :		P O B Brent Payor	ox 1236 wood Contac	CA	94513 cal Hovano	# 47 der
Date == === =	Action Taken	Time In C	ut j	Hours Spent/ Depstd =====	Balnce	Money Spent/ Depositd	Balance
	Balance from Prev.Page					• • • • •	
03/13/91	Rcpt# 592363 Deposit of \$1,284.00 @ Codathan hearing, Prop	007	(14.26		~~~~~	
6-7-91	review ULP	@ 75		.5			
7/1/-71	sevier Chevron Letters	@ 75		,5			
744-91	revew sanding repo	₩ <u>@</u> ∑ ∑	(,	5			


115-71 Nevren Chevron Letters @ >	5_0,5
714-91 revew sampling report @"	
71891 review fag of sampling @>	7 0.5
A-30.91 review CRWQCB later and o	
7-26-91 server report Chevin	
10-1-91 call Vancy Vubelieb	0.5
4-29.92 reven case file, tromfer ad	um 015
zero balance, close The	case
UPON COMPLETT	ON OF DECTE -
PROJ COMPLETED BY : Thomas Pean	State Forms A,B & C ATTACH: Billing Adjustment*
DATE OF COMPLETION : $3-21-95$	DATE SENT TO BILLING:
TOTAL COST OF PROJECT:	REFUND AMOUNT: Rev. 1/93

ALAMEDA COUNTY --- Inspection Priority Brief --- UNDERGROUND TANK PROGRAM

UTIPbrf3	- city Oakland as of 01/	/05/95 page 1				FEES I	MEXT DUE_			Last	L
						State	County	Permit	#	Site	UGT
StID Stat	t Facility Name	Address	City	Zip	Phone#	Surcharge	Annual	Issued	Tanks	Visit	Insp
3204 C	BART Oakland Shop	601 E 8th St	Oakland	94606		06/05/96	TA	06/07/91	4	12/08/93	12/2
1124 C	Kilpatrick's Bakery	955 Kennedy St	Oakland	94606	415-436-5350	10/27/98	T6	11/18/93	1	01/31/91	
35 C	Yuen's Exxon Service	1901 Park Blvd	Oakland	94606	415-893-4204	06/25/94	T1	11/10/93	1	03/28/94	
2974 C	Right Away Redy Mix, Inc.	401 Kennedy St	Oakland	94606	415-536-1900	04/01/98	T4	11/02/90	1	11/12/91	,
3292 C	Peralta College Corp. Yard	501 5th Ave	Oakland	94606	466-7336	04/01/08	T4	11/02/30	3	03/14/94	
3908 C	Chevron U S A #201919	2142 E 12th St	' Oakland	94606	436-3777	03/01/98	T1	07/23/93	_	12/21/93	
3907 C	Rose Exterminator	1512 E 12th St	Oakland	94606	532-0110	10/30/94	TA	07/23/23	1	09/13/94	
245 C	Exxon R/S #7-0238	2200 E 12th St	Oakland	94606	415-535-1672	05/24/98	TB	07/14/93	4	12/21/93	•
1650 F	Omega Termite Control	807 75th Ave	Oakland	94606	415-562-1333	12/30/95	10	0//14/33	-1	08/16/94	
2 C	F & M Auto Service	1839 Foothill Blvd	Oakland	94606	533-7673	11/28/98	Т9	12/22/93	3	06/17/94	•
206 C	Contractors Equipment Rentals	2250 E 12th St	Oakland	94606	415-536-1377	02/16/99	T1	12/22/55	1	05/12/94	
3906 C	Century Petroleum	403 E 12th St	Oakland	94606	834-6393	10/03/98	T2		3	12/28/93	
191 C	Bay Area/Diablo Petroleum Co.	421 23rd Ave	Oakland	94606	783-6500	03/28/99	T5	04/29/94	5	03/10/94	-
229 C	Gerard Tire	2101 Park Blvd	Oakland	94606	415-893-1843	12/20/94	TC	09/16/93	1	09/20/93	
512 C	Unocal SS #0018	6201 Claremont Ave	Oakland	94618	510-655-9430	10/14/98	TB	11/16/93	3	08/24/94	
3066 C	C.A.R. Service	5865 Broadway Terrace	Oakland	94618	415-547-0170	11/27/95	TB	10/17/91	3	01/28/94	
3618 C	Broadway Shell #204-5510-0352	5755 Broadway	Oakland	94618	415-547-4101	12/01/98	TB	02/01/94	3	02/03/94	
4071 C	Caldecott Tunnel Fac. #6	0 West End Caldecott Tunnel	Oakland	94618	415-848-3482	11/18/98	T 6		1	04/04/94	
3887 C	Merritt Roof Co.	1044 5th Ave	Oakland	94606		05/05/98	Т3		1	02/28/94	
219 C	Unocal SS #0064	200 E 18th St	Oakland	94606	510-834-8838	02/25/98	TB	04/28/93	2	02/28/94	02/2
3633 C	R M C Lonestar	333 23rd Ave	Oakland	94606	533-5054	08/16/98	T 9	08/19/93	1	04/22/94	
514 C	Sheaff's Service Garage	5930 College Ave	Oakland	94618	415-658-3070	04/17/99	T 7		2	07/01/94	07/0
3135 C	Saroni T.F.I.	727 Kennedy St	Oakland	94606	415-261-8632	10/28/97	T 6	10/13/93	2	07/19/94	07/1
676 C	Unocal SS #1028	5300 Broadway	Oakland	94618	415-653-4443	10/12/94	TB	03/16/93	3	09/14/94	09/1
3409 C	Oakland Ready Mix Co.	401 Embarcadero	Oakland	94606	415-452-4777	11/01/97	TA		1	12/07/94	11/3
3902 C	Lake Merrit Storm Lift Station	0 7th St At E 8th St	Oakland	94606	415-763-1384	10/16/95	Т9	07/28/93	ı		
32 <u>84</u> C	Commercial Tire Co.	1200 E 12th St	Oakland	94606	415-261-2200	06/18/96	T4		2	02/13/91	
C	P & N Shell #204-5508-6064	510 E 14th St	Oakland	94606	452-9177	12/01/98	TB	01/20/94	3	12/28/93	
1057 C	Alameda Cab Co,	1632 E 14th St	Oakland	94606		09/04/96	Т6		3	03/03/94	
4108 C	Courier Express	1092 Calcott Place	Oakland	94606	415-261-6949	10/03/98	Т9		1		
3719 C	College Shell #204-5508-3343	6039 College Ave	Oakland	94618	415-420-8860	12/01/98	TB	01/20/94	3	01/31/94	
1222 C	Crowley Marine Services	321 Embarcadero & Cove	Oakland	94606	510-891-7015	04/12/98	T4		3	05/27/93	
F	Owner/Operator	2109 Frederick St	Oakland	94606		12/30/95					

UNDERGROUND TANK Status Codes: C (or B) - Current in UGT Program

F - awaiting State tank FORMS (suspect should be in program) R - Rt'd mail from address-CH



October 26, 1994



Chevron U.S.A. Products Company 6001 Bollinger Canyon Rd., Bldg. L P.O. Box 5004 San Ramon, CA 94583-0804

Has there been adoquate source removal?

Encheasing concentration TPH-BTEX in MW-3 donngradient from theme pot I disposed to family and pot I disposed to family and mw-1

Site Assessment & Remediation Group Phone (510) 842-9500

Ms. Eva Chu Alameda County Environmental Health 80 Swan Way, Room 200 Oakland, CA 94621

Re: Former Chevron Service Station No. 9-7127

Highway I-580 and Grantline Rd., Tracy, California

Dear Ms. Chu:

At the request of Chevron, Weiss Associates gathered all the data to date and evaluated the appropriate remedial action for this site. They examined the site and prepared a Comprehensive Site Evaluation and Proposed Future Action Plan.

In their plan, they recommend the installation of one additional monitoring well to assist in a more accurate determination of the plume distribution. After the installation of this well, they recommend sampling and monitoring all the wells on a quarterly frequency through summer of 1995. If no significant migration occurs and concentration decreases due to natural biodegradation, Weiss recommends reducing the sampling and monitoring frequency to semi-annual.

After your office has reviewed the plan and informed our office of your acceptance, Chevron will request its consultant to prepare a work plan for the installation of one additional monitoring well.

Please review the enclosed document from Weiss Associates dated October 13, 1994. For the latest information on groundwater results, please refer to the enclosed report from Sierra Environmental Services dated October 7, 1994. If you have any questions or comments, please feel free to call me at (510) 842-8752.

Sincerely,

Chevron U.S.A. Products Co.

Kenneth Kan Engineer

LKAN/MacFile 9-7127R10

Enclosures

cc: Mr. Eddy So RWQCB-S.F.Bay Region 2101 Webster Street, Suite 500 Oakland, CA 94612

cc: William S. Carnazzo M.D. Carnazzo Land Company, Inc. P.O. Box 6031 Atascadero, CA 93423

> Mr. & Mrs. Joe Jess Jess Ranch Route 5, Box 704-A Tracy, CA 95376

Ms. Bette Owen Chevron U.S.A.Products Co.

RAFAT A. SHAHID, Assistant Agency Director

DEPARTMENT OF ENVIRONMENTAL HEALTH Hazardous Materials Division 80 Swan Way, Rm. 200 Oakland, CA 94621 (510) 271-4320

StID 4100

November 14, 1994

Mr. Kenneth Kan Chevron USA P.O. Box 5004 San Ramon, CA 94583-0804

RE: Additional Site Investigation at Former Chevron #9-7127, Hwy I-580/Grantline Rd, Tracy, CA 95376

Dear Mr. Kan:

I have completed review of Weiss Associates's (WA) October 1994 Comprehensive Site Evaluation and Proposed Future Action Plan and Sierra Environmental's October 1994 quarterly monitoring report for the above referenced site. WA concluded that "additional plume definition and quarterly monitoring to more fully establish the plume location, and to determine whether significant offsite transport is occuring" is needed before recommending this site become a potential candidate for establishment of a non-attainment area. To obtain these data, WA is proposing that an additional monitoring well be installed north of the former septic tank pit, near the location of boring B-3. This office concurs with the above recommendations and field activities for the installation of well MW-6 should commence within 45 days of the date of this letter, or by January 4, 1994.

I was under the impression that Highway I-580 is north of the subject property. If this is the case, additional wells west or south of MW-4 is possible, if needed, to further delineate the extent of the contaminant plune in these directions. Please show I-580 in relation to the property in future reports.

WA does not believe that groundwater and soil vapor extraction is feasible for this site. However, there are other remedial technologies available, such as air sparging to enhance natural biodegradation, which your consultants should consider for site remediation.

If you have any questions, I can be reached at (510) 567-6762.

eva chu

Hazardous Materials Specialist

cc: Cynthia Okano, WA 5500 Shellmound St, Emeryville 94608 files (chyront6)

ALAMEDA COUNTY HEALTH CARE SERVICES AGENCY



DAVID J. KEARS, Agency Director

RAFAT A. SHAHID, ASST. AGENCY DIRECTOR

DEPARTMENT OF ENVIRONMENTAL HEALTH

State Water Resources Control Board Division of Clean Water Programs UST Local Oversight Program 80 Swan Way, Rm 200 Oakland, CA 94621

akiand, UA 94621

(510) 271-4530

StID 4100

July 19, 1994

Mr. Kenneth Kan Chevron USA P.O. Box 5004 San Ramon, CA 94583-0804

RE: Additional Investigations at Former Chevron #9-7127, Hyw I-580/Grantline Rd, Tracy, CA 95376

Dear Mr. Kan:

I have completed review of Sierra Environmental's report of groundwater monitoring/sampling performed on April and June 1994 for the above referenced site. Results of laboratory analysis of groundwater show elevated levels of dissolved hydrocarbons in wells MW-1, 3, and 4. Groundwater flow direction is predominately to the NE to E, when using elevations from wells MW-2, 3, and 4.

At this time, additional investigations are required to determine the extent of the contaminant plume. At least one well should be advanced north of the former septic tank pit. Please submit a workplan for the proposed work to this office by August 26, 1994.

Once the site has been characterized, a Corrective Action Plan, or CAP, is required to identify and evaluate all feasible alternatives for cleanup of soil and groundwater impacts resulting from the unauthorized release at this site. This CAP was requested in my letter dated April 8, 1994, but an extension for the submittal of this workplan is granted at this time. The CAP is due once the site has been characterized.

Also, monthly groundwater monitoring should be conducted at this site for the next 6 months, at which time it will be determined if there is sufficient data to determine groundwater flow direction.

If you have any questions, I can be reached at (510) 337-2869.

eva chu

Hazardous Materials Specialist

cc: files (clivront5)

ALAMEDA COUNTY HEALTH CARE SERVICES AGENCY

DAVID J. KEARS, Agency Director

RAFAT A. SHAHID, ASST. AGENCY DIRECTOR

DEPARTMENT OF ENVIRONMENTAL HEALTH State Water Resources Control Board Division of Clean Water Programs

> 80 Swan Way, Rm 200 Oakland, CA 94621

UST Local Oversight Program

(510) 271-4530

StID 4100

April 8, 1994

Mr. Kenneth Kan Chevron P.O. Box 5004 San Ramon, CA 94583-0804

Subject: CAP for Former Chevron #9-7127, Hwy I-580/Grantline Rd,

Tracy, CA 95376

Dear Mr. Kan:

I have completed review of Sierra Environmental's March 1994 Quarterly Monitoring Report for the above referenced site. Groundwater flow direction at the time of sampling was toward the easterly direction. Previous flow direction has been toward the north, northwest. At this time, water elevations should be measured on a monthly basis to verify groundwater flow direction. Also, a quarterly sampling schedule should be established for the site. The next sampling episode should be in May 1994.

Additionally, pursuant to requirements set forth under Article 11, 23CCR, Section 2720 et seq., you are further directed to submit a Corrective Action Plan (CAP) proposal for further investigation of this site, and to identify and evaluate all feasible alternatives for cleanup of soil and groundwater impacts resulting from the unauthorized release at this site. proposal is due within 45 days of the date of this letter.

Please be advised that this is a formal request for technical reports pursuant to Title 23, CCR, Section 2722(c). Any extensions of the stated deadlines, or modifications of the required tasks, must be confirmed in writing by this agency.

Should you have any questions about the content of this letter, please contact me at (510) 271-4530.

Hazardous Materials Specialist

files cc:

chvront4



November 24, 1993

Chevron U.S.A. Products Company 2410 Camino Ramon San Ramon, CA 94583 PO. Box 5004 San Ramon, CA 94583-0804

Marketing Department Phone 510 842 9500

William S. Carnazzo, M.D. Carnazzo Land Company, Inc. P.O. Box 6031 Atascadero, CA 93423

Re: Former Chevron Service Station No. 9-7127

Highway I-580 and Grantline Rd., Tracy, California

Dear Dr. Carnazzo:

In response to your letter dated March 30, 1993, Chevron retained Pacific Environmental Group, Inc. to investigate and determine if there is contamination in the water well and if it poses any health risk.

During this time, Pacific Environmental Group (PEG) was instructed by Chevron to sample theo well on a weekly basis as part of their investigation as well as monitoring the well for health reasons. After forty-five (45) sampling events, there have been only two events when benzene toluene, and xylenes were detected. The detection of toluene at 3 ppb and xylenes at 2 ppb occurred on January 29, 1993, and the detection of benzene at 0.8 ppb occurred on March 19,0 1993. The detection of benzene, toluene, and xylenes in the first quarter may have been anomaly since the previous sampling events did not detect any dissolved gasoline constituents.

Furthermore, if the well was impacted from Chevron's operation, the contamination in most cases would have already been detected. Based on data from the last 45 sampling events, it appears that the water well has not been impacted.

Environmental Health Consultants (EHC) under the request of Pacific Environmental Group (PEG) investigated your concerns on the health and safety issues. EHC has done extensive research in the following sources:

- US EPA Integrated Risk Information System (IRIS) Database
- Proposition 65 Requirements
- California State Maximum Contaminant Levels (MCLs)
- US EPA Office of Drinking Water
- US Department of Agriculture
- California State Department of Food & Agriculture
- Veterinarian referred by the State Department of Food & Agriculture at U.C. Davis

Based on their research and PEG sampling results, EHC have indicated in their letter that there is minimal to no health risk involved in livestock consuming this water. Since there is no human consumption, EHC has calculated the human health risk for comparison purposes only, and the risk is minimal based on their comparison.

In regards to your question on whether or not this can be 100% controlled, it is difficult to say because no one can anticipate or foresee every possible situation.



Page 2 Former Chevron Station 9-7127 Tracy November 24, 1993

The decision on whether or not to cap the well either temporarily or permanently is your decision not Chevron's decision. Although it is your decision, it is better to cap the well permanently to eliminate potential health risks.

Based on PEG's sampling results and EHC's letter, Chevron will cease the weekly sampling event of the water well at our former site.

Hopefully, the results of this investigation will help you in understanding the situation.

Please refer to the enclosed letter from EHC dated September 20, 1993 and PEG Table 1 Water Well Analytical Data dated November 22, 1993 for additional information. If you have any questions or comments, please feel free to call me at (510) 842-8752.

Sincerely,

Chevron U.S.A. Products Co.

Kenneth Kan Engineer

LKAN/MacFile 9-7127P2

Enclosure

cc: Mr. Eddy So, RWQCB-S.F.Bay Region 2101 Webster Street, Suite 500, Oakland, CA 94612

Ms. Eva Chu, Alameda County Environmental Health 80 Swan Way, Room 200, Oakland, CA 94621

Mr. & Mrs. Joe Jess, Jess Ranch Route 5, Box 704-A, Tracy, CA 95376

Mr. Jeff Hartwig Chevron U.S.A. Products Co.

Mr. John Randall Chevron U.S.A. Products Co.

Jon Robbins Chevron U.S.A. Products Co.

Ms. Bette Owen Chevron U.S.A.Products Co.





Environmental Health Consultants

P.O. Box 117910 Burlingame, CA 94011-7910

(415) 347-9205

SEP 22 1993

September 20, 1993

Mr. Steven Krcik
Pacific Environmental Group, Inc.
2025 Gateway Place, Ste. 440
San Jose, Ca 95110

Dear Steve:

This letter provides a limited health risk evaluation concerning benzene, toluene and xylenes found in the groundwater at the former Chevron Station #9-7127 in Tracy, California. Ethylbenzene and total petroleum hydrocarbons (TPH) as gasoline are not being evaluated since there were no instances of detection for these compounds.

The groundwater monitoring data indicates only one instance of detection of benzene, toluene and xylenes during the period from December 10, 1992 through September 9, 1993. Benzene was found at 0.8 micrograms per liter (ug/L), toluene at 3 ug/L and total xylenes at 2 ug/L.

Based upon the information you have provided, the risk question in this instance involves two possibilities. First, there is the question of human consumption. According to Mrs. Connie Jess and Mr. Joseph Jess, the groundwater is used for cleaning, watering the grass and livestock consumption. The water is not used for human consumption. As such, human consumption is not a known route of exposure to the constituents detected in the groundwater.

Second, the groundwater is reportedly used as drinking water for cows. As such, there is the question of exposure to the cows and the question of human consumption of milk or beef from the cows, depending upon the types of cows raised on the property.

We have researched these risk concerns through the sources listed below:

- a) Computer search on the USEPA Integrated Risk Information System (IRIS) Database
- b) Proposition 65 requirements
- c) Drinking water Maximum Contaminant Levels (MCLs)
- d) USEPA Office of Drinking Water
- e) US Department of Agriculture
- f) California Department of Food and Agriculture
- g) The state Veterinarian at UC Davis.

Human Risk

Proposition 65 regulates carcinogenic materials and reproductive Benzene is listed under Proposition 65 as a human carcinogen and toluene is listed as a reproductive toxin. Xylenes do not appear in either category. Under Proposition 65, the MCLs have been incorporated by reference as No Significant Risk Levels (NSRLs) for an excess carcinogenic risk of 1/100,000.

For benzene, there is a designated NSRL which is equal to 3.5 ug/L. The California MCL for benzene is presently 1 ug/L. There is a The groundwater proposed federal MCL of 0 ug/L. concentration found at the site is less than the Proposition 65 NSRL and the current MCL. As such, the groundwater concentration of benzene would not be considered to pose a 1/100,000 excess cancer risk under Proposition 65. The groundwater concentration does, however, exceed the concentration listed by USEPA representing a lifetime cancer risk of 1/1,000,000 (one in one house million). The listed concentration is 0.66 ug/L.

There is no MCL listed for toluene. Under Proposition 65, the reproductive warning level corresponds to a groundwater concentration of 3500 ug/L. Clearly, this level is substantially greater than the detected level of 3 ug/L.

The California MCL for xylenes is 1750 uq/L. The detected concentration is substantially lower than the MCL.

The California MCL for ethylbenzene is 680 ug/L. Ethylbenzene was not detected in any sampling event during the time period listed above.

There is no California MCL for TPH as gasoline. TPH as gasoline was not detected in any sampling event during the time period listed above.

The human health risk was calculated for comparison purposes only, since the information provided indicates there is no current human consumption of the groundwater.

Livestock Risk

There are no regulatory values listed for drinking water provided to livestock. My discussions with the various agencies including California Department of Food and Agriculture and USEPA revealed there are no formal studies which have been conducted for this purpose. The USEPA Office of Drinking Water in Washington, D.C. referred me to the USDA. USDA was not able to provide any assistance with regard to the compounds of concern.

I spoke with Dr. Frank Galey at UC Davis. Dr. Galey is a Veterinary Toxicologist who was referred by the State Department of

Food and Agriculture. Dr. Galey provided his opinion that so long as the constituent concentrations were below the MCLs, he would not expect to see any adverse affect on the health of the cow. In addition, he stated that since the compounds in question would be expected to be well metabolized by the liver, the detected materials would not be expected to bioaccumulate in the cows or be passed on for human consumption.

Conclusion

Based upon the discussion above, the detected benzene, toluene and xylenes concentrations do not pose a risk under current California requirements. The benzene concentration did exceed the proposed federal MCL and the USEPA 1/1,000,000 cancer risk concentration. However, the benzene has only been detected once in a nine-month period, bioaccumulation in the cows is not expected to occur and the groundwater is not used for human consumption. USEPA cancer risk values and the Proposition 65 NSRLs assume lifetime exposures to a given material, as opposed to intermittent or isolated exposures. In light of the fact that human consumption of this water has been indicated not to occur, and the presence of benzene has not been shown to be a consistent problem, the actual cancer risk would be expected to be less than 1/1,000,000.

The use of the groundwater for watering and cleaning purposes could possibly generate airborne concentrations of the detected compounds. While I would expect such concentrations would be extremely low, the airborne pathway has not been included in this assessment. Additional information and further data would be necessary in order to assess this pathway.

This assessment should be qualified by the fact that there is only one instance of detection of the site constituents. Repeated testing over a nine-month period has failed to demonstrate continued presence of the materials in question. While a single instance should not be ignored, the risk associated with exposure would have to be based upon a statistical certainty that the materials are, in fact, present to create exposure. It is possible that the isolated instance of detection could be considered an anomaly.

I hope this information proves useful in the decision process for the site. If you have any questions or require additional information, please feel free to contact me.

Sincerely,

Ìrene S. Fanelli, CIH

Irene S. Fanelli

President

Table 1 Water Well Analytical Data Total Petroleum Hydrocarbons (TPH as Gasoline and BTEX Compounds)

Former Chevron U.S.A. Service Station 9-7127 Highway I-580 at Grant Line Road Tracy, California

Sample Date	TPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)
12/10/92	ND	ND	ND	ND	ND
01/07/93	ND	ND	· ND	ND	ND
01/22/93	ND	ND	ND.	ND	ND
01/29/93	ND	ND	3	ND	2
02/04/93	ND	ND	ND	ND	ND
02/12/93	ND	ND	ND	ND	. ND
02/19/93	ND	ND	ND	ND	ND
02/26/93	ND	ND	ND	ND	ND
03/04/93	ŅD	ND	ND	ND	ND
03/11/93	ND	ND	ND	ND	ND
03/19/93	ND	0.8	ND :	ND	ND
03/25/93	ND	ND	ND	ND	ND
04/01/93	ND	ND	ND	ND	ND
04/08/93	ND	ND	ND	ND	ND
04/15/93	ND.	ND	ND	ND	ND
04/23/93	ND	ND	ND	ND	ND
04/29/93	ND	ND	ND	ND	ND
05/07/93	ND	ND	ND	ND	ND
05/13/93	ND	ND	ND	ND	ND .
05/20/93	ND	ND	ND	ND	ND
05/21/93	ND	ND	ND	ND	ND
06/04/93	ND	· ND	ND	ND	ND
06/11/93	ND	ND	ND	ND	ND
06/18/93	ND	ND	ND -	ND	ND
06/24/93	ND	ND .	ND	ND	ND
07/01/93	ND	·· ND	ND	ND	ND
07/08/93	ND	ND	ND	ND	ND
07/16/93	ND ND	ND	ND	ND	ND
07/23/93	ND	ND	ND	ND ·	ND
07/29/93	ND	ND	ND	ND	ND
08/05/93	ND	ND ND	ND	ND	ND

Table 1 (continued) Water Well Analytical Data Total Petroleum Hydrocarbons (TPH as Gasoline and BTEX Compounds)

Former Chevron U.S.A. Service Station 9-7127 Highway I-580 at Grant Line Road Tracy, California

Sample Date	TPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)
08/12/93	ND .	ND	ND	ND	ND
08/19/93	ND	ND	ND	ND	ND
08/26/93	ND	ND	l ND	ND .	ND
09/02/93	ND	ND	ND	ND	ND
09/09/93	ND	ND	ND	ND	ND
09/17/93	ND	ND	ND	ND	ND
09/23/93	ND	ND	ND	ND .	ND
10/01/93	ND	ND	ND	ND	ND
10/07/93	ND	ND	ND	ND	ND
10/15/93	ND	ND	ND	ND	ND
10/21/93	ND	ND	ND	ND	ND
10/28/93	ND	ND	ND	ND	ND
11/05/93	ND	ND	ND	ND	ND
11/12/93	ND	ND	ND	ND	ND
Detection					
Limits:	50	0.5	0.5	0.5	0.5

ppb = Parts per billion

ND = Not detected at or above limit of detection

3250402/TABLE1 November 22, 1993

^{*} The trip blank (TB-1) also contained detectable xylenes at 0.9 ppb.



Chevron U.S.A. Products Company 2410 Camino Ramon, San Ramon, California • Phone (510) 842-9500

Mail Address: P.O. Box 5004, San Ramon, CA 94583-0804

/pc

April 5, 1993

Ms. Eva Chu Alameda County Environmental Health 80 Swan Way, Room 200 Oakland, CA 94621

Re: Former Chevron Service Station No. 9-7127

Highway I-580 and Grantline Rd.

Tracy, California

Dear Ms. Chu:

Chevron has received your letter dated March 29, 1993 on April 2 requesting additional investigation at the above referenced site. Chevron is in the process of preparing a work plan for your approval.

If you have any questions or comments, please feel free to call me at (510) 842-8752.

Sincerely,

Chevron U.S.A. Products Co.

Kenneth Kan Engineer

LKAN MacFile 9-7127R4

cc: Mr. Eddy So RWQCB-S.F.Bay Region 2101 Webster Street, Suite 500 Oakland, CA 94612

> William S. Carnazzo, M.D. Carnazzo Land Company, Inc. P.O. Box 6031, Atascadero, CA 93423

Ms. Bette Owen Chevron U.S.A.Products Co.

ALAMEDA COUNTY HEALTH CARE SERVICES AGENCY

DAVID J. KEARS, Agency Director

RAFAT A. SHAHID, ASST. AGENCY DIRECTOR

StID 4100

March 29, 1993

Mr. Kenneth Kan Chevron USA P.O.Box 5044 San Ramon, CA 94583-0804 DEPARTMENT OF ENVIRONMENTAL HEALTH
State Water Resources Control Board
Division of Clean Water Programs
UST Local Oversight Program
80 Swan Way, Rm 200
Oakland, CA 94621
(510) 271-4530

Subject: Groundwater Investigation for Former Chevron #9-7127, Highway I-580 and Grantline Road, Tracy, CA 95376

Dear Mr. Kan:

This office has completed review of Pacific Environmental Group's soil and groundwater investigation report, dated March 22, 1993, for the above referenced site. Water samples collected indicate groundwater to be impacted by the fuel release from the former underground storage tanks (USTs).

At this time additional investigation is required to determined the extent and severity of groundwater contamination on-site and possibly off-site. A workplan detailing this investigation should be submitted to this office for review within 45 days of the date of this letter. Information gathered from this investigation will be used to identify and evaluate all feasible alternatives for cleanup of soil and groundwater.

Please be advised that this is a formal request for technical reports pursuant to Title 23, CCR, Section 2722(c). Any extensions of the stated deadlines, or modifications of the required tasks, must be confirmed in writing by either this agency or the RWQCB. Copies of all proposals and reports must also be sent to Ms. Beth Thayer of the CV-RWQCB. Their address is 3443 Routier Rd., Suite A, Sacramento, CA 95827-3098.

Should you have any questions about the content of this letter, please contact me at (510) 271-4530.

Sincerely,

Eva Chu

Hazardous Materials Specialist

CC: Beth Thayer, CV- RWQCB, 3443 Routier Rd., Suite A, Sacramento, CA 95827-3098

Gil Jensen, Alameda County District Attorney's Office Edgar Howell/files

ChvronT3



Chevron U.S.A. Products Company

2410 Camino Ramon, San Ramon, California • Phone (510) 842-9500 Mail Address: P.O. Box 5004, San Ramon, CA 94583-0804

October 28, 1992

Ms. Eva Chu Alameda County Environmental Health 80 Swan Way, Room 200 Oakland, CA 94621

Re: Former Chevron Service Station No. 9-7127

Highway I-580 and Grantline Rd.

Tracy, CA 94546

Dear Ms. Chu:

Enclosed is an addendum to Pacific Environmental Group's work plan dated July 3, 1991. PEG prepared the addendum in response to your letter dated July 10, 1992.

Your office will be notified when drilling will begin.

If you have any questions or comments, please feel free to call me at (510) 842-8752.

Sincerely,

Chevron U.S.A. Products Co.

Kenneth Kan Engineer

LKAN/MacFile 9-7127R2

Enclosure

cc: Mr. Eddy So

11/2/92 par Kenkan. they plan to convort & B' anto

New it Gw is encountered. O dept this well

Region

they contain. will they install 2 ither

ver, Suite 500 wells - 1 to N of wo/Fo pot.

RWQCB-S.F.Bay Region 2101 Webster Street, Suite 500 Oakland, CA 94612

Ms. Bette Owen

Chevron U.S.A.Products Co.



Chevron U.S.A. Products Company

2410 Camino Ramon, San Ramon, California • Phone (510) 842-9500 Mail Address: P.O. Box 5004, San Ramon, CA 94583-0804

Marketing Department

July 28, 1992

Ms. Eva Chu Alameda County Environmental Health 80 Swan Way, Room 200 Oakland, CA 94621

Re: Former Chevron Service Station No. 9-7127

Highway I-580 and Grantline Rd.

Tracy, CA 94546

Dear Ms. Chu:

In response to your letter dated July 10, 1992, the following items were addressed as follow:

Chevron will install three (3) groundwater monitoring wells to determine the direction of the leader groundwater if the first well shows groundwater contamination after it has been where the first well shows groundwater contamination after it has been when I will be the first well shows groundwater contamination after it has been when I will be the first well shows groundwater contamination after it has been when I will be the first well shows groundwater contamination after it has been when I will be the first well shows groundwater contamination after it has been when I will be the first well shows groundwater contamination after it has been when I will be the first well shows groundwater contamination after it has been when I will be the first well shows groundwater contamination after it has been when I will be the first well shows groundwater contamination after it has been when I will be the first well after t developed and purged. I at UST get and I at we get

Item 2. The following reports documenting previous field activities are enclosed in this report:

EA Engineering Science and Technology (November 1987)

Gettler-Ryan Inc. (September 14, 1989)

Kleinfelders's January 1988 and March 1988 reports will be forwarded to your office once Chevron receives them from Kleinfelder.

For Kleinfelder's December 1987 report, there is no report. This date refers to when the site assessment occurred, and it is documented in Kleinfelder's January 6, 1988 report.

As for additional borings east and west of the gasoline underground storage tanks (USTs) and north of the pump islands, these borings were done as documented in Kleinfelder's report dated January 6, 1988 and referenced in Gettler-Ryan's report dated September 14, 1992. The sample from underneath the gasoline UST was collected on the hard pan horizon.

**The sample from underneath the gasoline UST was collected on the hard pan horizon.

This sample is not representative of what was left in the excavated pit. Soil was removed until only the hard pan horizon remained, and further excavation was not feasible.

Item 4. Addendum for this work plan will be prepared. It will include the selection of screen size, casing type, diameter, etc. for the construction and installation of these monitoring wells.

Item 5. Addendum previously mentioned will include a Quality Assurance/Quality Control (QA/QC) plan.

Item 6. A site and safety plan will also be included in the addendum.

Page 2 July 28, 1992

An extension is being requested for the preparation of an addendum to the July 3, 1991 Pacific Environmental Group (PEG) work plan because PEG is no longer the active consultant for this site. In addition, your response to this work plan was nearly a year so the consultant is probably going need to review the entire project. Also, your letter was received eleven (11) days after the date of the letter so a timely response within 20 days is not possible. A 60-90 day day extension is being requested.

If you have any questions or comments, please feel free to call me at (510) 842-8752.

Sincerely,

Chevron U.S.A. Products Co.

Kenneth Kan Engineer

LKAN/MacFile 9-7127R

Enclosure

cc: Mr. Eddy So RWQCB-S.F.Bay Region 2101 Webster Street, Suite 500 Oakland, CA 94612

> Ms. Bette Owen Chevron U.S.A.Products Co.

ALAMEDA COUNTY

HEALTH CARE SERVICES

AGENCY

DAVID J. KEARS, Agency Director



RAFAT A. SHAHID, Assistant Agency Director

StID 4100

July 10, 1992

Ms. Nancy Vukelich Chevron USA P.O. Box 5004 San Ramon, CA 94583-0804 DEPARTMENT OF ENVIRONMENTAL HEALTH Hazardous Materials Division 80 Swan Way, Rm. 200 Oakland, CA 94621 (510) 271-4320

Subject: Work Plan for Former Chevron Station 9-7127

Highway I-580 and Grantline Rd., Tracy 95376

Dear Ms. Vukelich:

This office has reviewed the work plan prepared by Pacific Environmental Group, Inc. (PEG), dated July 3, 1991, and find the following items needing clarification and/or modification:

- 1. A minimum of three monitoring wells is to be installed if ground water gradient cannot be confirmed. One downgradient well each must be installed within 10' of both the fuel underground storage tank (UST) and waste oil/fuel tank pits.
- 2. The work plan makes reference to several field activities performed by EA Engineering Science and Technology (November 1987). Kleinfelder (December 1987, January and March 1988), and Gettler-Ryan Inc. (September 1989). To our knowledge, these reports were never sent to this office for review. As these reports will help to evaluate the site history and possible appropriate course of action, we are requesting that copies of these reports be sent.

Be advised that additional soil borings may be needed east and west of the fuel UST pit and north of the former dispenser island to adequately determine the lateral extent of soil contamination should our review of these reports indicate so.

- 3. A proposal should be submitted to address the remediation of contaminated soil under the former fuel UST pit (up to 710 parts per million of total petroleum hydrocarbons as gasoline was detected at a depth of 14' below ground surface).
- 4. Monitoring well construction plans should include the rationale for the selection of screen slot size, casing type, diameter, etc. Include plans for characterizing and disposing of cuttings.

Ms. Nancy Vukelich Former Chevron Station 9-7127 July 10, 1992

- 5. Ground water sampling proposal should include a Quality Assurance/Quality Control (QA/QC) plan. This QA/QC plan must include appropriate elements identified in Table 3-7, Appendix D, of the State Water Resources Control Board LUFT Field Manual. Also, the sampling plan should include sampling of the on-site domestic well for TPH-D, TPH-G, and BTEX. Discuss the Chain of Custody procedures to be followed.
- 6. A Site Safety Plan must be provided which adheres to criteria outlined in Title 29 of the Code of Federal Regulations, Part 1910.120.

Please respond to the items listed above within 20 days of the date of this letter. Your response should be in the form of an addendum to the July 3, 1991 PEG work plan. Once the proposal is approved, field work should commence within 60 days. Please submit a project time schedule for when each aspect of the subsurface investigation and remediation will occur.

Summary reports should be submitted to this office <u>and</u> to Mr. Eddy So of the RWQCB within 45 days upon completion of field activities. Subsequent reports are to be submitted quarterly until this site qualifies for final RWQCB "sign off."

Please be advised that this is a formal request for technical reports pursuant to California Water Code Section 13267(b). Any extensions of the stated deadlines, or modifications of the required tasks, must be confirmed in writing by either this agency or the RWQCB.

If you have any questions about the content of this letter, please contact Ms. Eva Chu at (510) 271-4530.

Sincerely,

Scott O. / Seery, CHMM

Senior Hazardous Materials Specialist

cc: Eddy So, RWQCB

Mark Thomson, Alameda County District Attorney's Office Jerry Mitchel, Pacific Environmental Group, Inc.,

620 Contra Costa Blvd., Suite 209, Pleasant Hill,

California, 94523

Edgar Howell/files

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD— CENTRAL VALLEY REGION

3443 ROUTIER ROAD, SUITE A SACRAMENTO, CA 95827-3098 PHONE: (916) 361-5600

PHONE: (916) 361-5600 FAX: (916) 361-5686 91 SEP 26 FII 3: 17



25 September 1991

Mr. Ariu Levi Alameda County Env. Health Swan Way, Room 200 Oakland, CA 94621

UGT SITE FOR WHICH NO UNAUTHORIZED LEAK REPORT FORM HAS BEEN SUBMITTED TO THE REGIONAL BOARD

We received correspondence for a site known as:

Facility Name: CHEVRON #4-7127

Street Address: I580/GRANT LINE ROAD

City & County: TRACY, ALAMEDA

Responsible Party: CHEVRON

Our files do not have any record of an Unauthorized Leak Report (ULR) for this site. The information on the ULR is necessary for us to confirm that this is an UGT site and to place the site on our computer database and track the progress of the site investigation and remediation. If you have an ULR in your files please send us a copy, if not, please either have the Responsible Party or County staff complete the form (copy enclosed).

If this site is not a UGT leak, please write on the form an explanation so we can remove it from the database.

If you have any questions please contact me at (916) 361-5730. Thank you for your assistance.

BETTY MORENO

Staff Services Analyst

Enclosures

GOLDEN WEST

Builders / General Contractors / Environmental Services
CONTRACTORS LICENSE NO. 432103

1060 Minnesota Avenue • P.O. Box 1236 • Brentwood, CA 94513

(H15) 634-1998

Cox (H15) 634-251535

		LETTER OF	TRANSMITTAL
TO SUSA	n Hugo		DATE 1-29-91
	la County	EHD	PROJECT NO91- 269
80 Sv	. l		FACILITY altament Chevron
Oakla		14621	LOCATION LIVERMOTE
	,		
WE ARE SENDING Y	YOU OF HEREWITH ○	UNDER SEPARATE COVER	R VIA
O QUOTATIONS	r bermin	O PLANS O SPECIFICATIONS	O COPY OF LETTER
·		J	
COPIES	DATED	NO.	DESCRIPTION
			JESCHI' (TOIL)
 			
-			
			,
O FOR YOUR IN			O FOR YOUR REVIEW AND COMMENTS
FOR YOUR US	PROVAL		AS REQUESTED APPROVED
	PPROVAL AND RETU PRRECTIONS AND RE		REVISED
O			PLEASE RETURNCOPIES TO ME
REMARKSS	usun - pi	our con	wersation
	<u> </u>		
COPIES TO.			
			12 1. 1. 1.
		BY _	Kuwandezyk
LETTER OF TRANSM	MITTAL		U I

	UNDERGROUND STORAGE TANK UNAUTHORIZED RELEASE (LEAK) / CONTAMINATIO	N SITE REPORT
	HAS STATE OFFICE OF EMERGENCY SERVICES YES NO PORT DATE HAS STATE OFFICE OF EMERGENCY SERVICES PORT DATE FOR LOCAL AGENCY USE ONLY 1 HEREBY CERTIFY THAT I HAVE DISTRIBUTED THIS INFORM DISTRIBUTION SHOWN ON THE INSTRUCTION SHEET ON THE	- disability (area) - 1500 filosofis (all area) - 1500 filosofis (area) - 1500 filosofis (area) - 1500 filosofis
	M 6 O O TO 9 1 V SIGNED SIGNED	A DATE
TED BY	REPRESENTING OWNER/OPERATOR REGIONAL BOARD COMPANY OR AGENCY NAME	eld
REPORTED	DOCAL AGENCY OTHER FORMER JOHNSON 2-PUTTY CHEVRON US	AINC.
иi	NAME CAMINOTREET CAMON SAN GINAMON CAST	TATE 94523
RESPONSIBLE PARTY	CHEVRON USA INX. UNKNOWN	()
RES	STREET CITY ST FACILITY NAME (IF APPLICABLE) OPERATOR	FATE ZIP
ATION	Former Service Station Paula Letoe	()
SITE LOCATION		anely 9,537
	LOCAL AGENCY AGENCY NAME CONTACT PERSON	
IMPLEMENTING AGENCIES	Alameda County Heath GILWIStal Lavry Seto	1415)0714300 PHONE
-		(4157464 1 255 QUANTITY LOST (GALLONS)
SUBSTANCES	Gasoline	UNKNOWN
_		
-	DATE DISCOVERED HOW DISCOVERED INVENTORY CONTROL SUBSURFACE MONITORING	UNKNOWN UNKNOWN
-	DATE DISCOVERED HOW DISCOVERED INVENTORY CONTROL SUBSURFACE MONITORING OTHER	NUISANCE CONDITIONS
RY/ABATEMENT	DATE DISCOVERED HOW DISCOVERED INVENTORY CONTROL SUBSURFACE MONITORING OTHER	NUISANCE CONDITIONS PPLY) REPAIR PIPING
DISCOVERY/ABATEMENT	DATE DISCOVERED	NUISANCE CONDITIONS PPLY) REPAIR PIPING
RY/ABATEMENT	DATE DISCOVERED	NUISANCE CONDITIONS PPLY) REPAIR PIPING
DISCOVERY/ABATEMENT	DATE DISCOVERED	PPLY) REPAIR PIPING ACE CHANGE PROCEDURE SPILL OTHER
CASE SOURCE/ DISCOVERY/ABATEMENT	DATE DISCOVERED	NUISANCE CONDITIONS PPLY) REPAIR PIPING ACE CHANGE PROCEDURE SPILL OTHER HAVE ACTUALLY BEEN AFFECTED;
SOURCE/ DISCOVERY/ABATEMENT	DATE DISCOVERED	NUISANCE CONDITIONS PPLY) REPAIR PIPING ACE CHANGE PROCEDURE SPILL OTHER HAVE ACTUALLY BEEN AFFECTED) ACTERIZATION ONITORING IN PROGRESS
CURRENT CASE SOURCE/ DISCOVERY/ABATEMENT STATUS TYPE CAUSE	DATE DISCOVERED HOW DISCOVERED INVENTORY CONTROL SUBSURFACE MONITORING OM L O O OTHER DATE DISCHARGE BEGAN METHOD USED TO STOP DISCHARGE (CHECK ALL THAT AN REMOVE CONTENTS CLOSE TANK & REMOVE HAS DISCHARGE BEEN STOPPED? WE NO IF YES, DATE OF TANK OTHER SOURCE OF DISCHARGE TANK LEAK UNKNOWN CHECK ONE ONLY UNDETERMINED SOIL ONLY GROUNDWATER DRINKING WATER - (CHECK ONLY IF WATER WELLS HEAK BEING CONFIRMED) PRELIMINARY SITE ASSESSMENT WORKPLAN SUBMITTED REMOVE EDEE BROOLLY CEANUP MORE CLOSE TANK OF THE POST CLEANUP MORE CHECK APPROPRIATE ACTION(S) PECAVATE A DISPOSE (ED) PREMOVE EDEE BROOLLOT (ED)	NUISANCE CONDITIONS PPLY) REPAIR PIPING ACE CHANGE PROCEDURE SPILL OTHER HAVE ACTUALLY BEEN AFFECTED) ACTERIZATION ONITORING IN PROGRESS WAY ENHANCED BIO DEGRADATION (IT)
CASE SOURCE/ DISCOVERY/ABATEMENT	DATE DISCOVERED HOW DISCOVERED INVENTORY CONTROL SUBSURFACE MONITORING OM L O O OTHER DATE DISCHARGE BEGAN METHOD USED TO STOP DISCHARGE (CHECK ALL THAT AN REMOVE CONTENTS CLOSE TANK & REMOVE HAS DISCHARGE BEEN STOPPED? WE NO IF YES, DATE OF TANK OTHER SOURCE OF DISCHARGE TANK LEAK UNKNOWN CHECK ONE ONLY UNDETERMINED SOIL ONLY GROUNDWATER DRINKING WATER - (CHECK ONLY IF WATER WELLS HEAK BEING CONFIRMED) PRELIMINARY SITE ASSESSMENT WORKPLAN SUBMITTED REMOVE EDEE BROOLLY CEANUP MORE CLOSE TANK OF THE POST CLEANUP MORE CHECK APPROPRIATE ACTION(S) PECAVATE A DISPOSE (ED) PREMOVE EDEE BROOLLOT (ED)	NUISANCE CONDITIONS PPLY) REPAIR PIPING ACE CHANGE PROCEDURE SPILL OTHER HAVE ACTUALLY BEEN AFFECTED; ACTERIZATION ONITORING IN PROGRESS NAY
CURRENT CASE SOURCE/ DISCOVERY/ABATEMENT STATUS TYPE CAUSE	DATE DISCOVERED	NUISANCE CONDITIONS PPLY) REPAIR PIPING ACE CHANGE PROCEDURE SPILL OTHER HAVE ACTUALLY BEEN AFFECTED) ACTERIZATION ONITORING IN PROGRESS NAY ENHANCED BIO DEGRADATION (IT) REPLACE SUPPLY (RS)

2ND COPY SENT

SC 05 (8/90)

INSTRUCTIONS

EMERGENCY
Indicate whether emergency response personnel and equipment were involved at any time. If so, a mazardous Material Incident Report should be filed with the State Office of Emergency Services (OES) at 2800 Maadowview Road. Sacramento, CA 95832. Copies of the OES report form may be obtained at your local underground storage tank permitting agency. Indicate whether the OES report has been filed as of the date of this report.

LOCAL AGENCY ONLY
To avoid duplicate notification purguant to Health and Safety onde Section
25130.5, a government employee should sign and date the form in this block
A signature here does not mean that the leak has been determined to pose a
significant threat to impan health or safety, only that notification
procedures have ham followed if required.

RÉPORTED BY

Enter your name, telephone number, and address. Indicate which party you represent and provide company or represent and provide company or represent.

RESPONSIBLE PARTY

Enter name, telephone number, contact person, and address of the party responsible for the leak. The responsible party would normally be the tank owner.

Enter information regarding the wank facility. At a minimum, you must provide the facility name and full address.

IMPLEMENTING AGENCIES

Enter names of the local agency and Regional Water Quality Control Board involved.

SUBSTANCES INVOLVED

Enter the name and quantity lost of the hazardous substance involved. Room is provided for information on two substances if appropriate. If more than two substances leaked list the two of most concern for cleanup.

DISCOVERY/ABATEMENT
Provide information regarding the discovery and abatement of the leak

SOURCE/CAUSE Indicate source(s) of leak. Theck box(es) indicating cause of leak.

CASE TYPE
Indicate the case type category for this leak. Check home box only. Case type is based on the most sensitive resource affected. For example, if both soil and ground water have been affected, case type will be "Ground Water". Indicate "Drinking Mater" only if one or more municipal or domestic water wells have actually been affected. A "Ground Water" designation does not imply that the affected water cannot be, or is not, used for drinking water, but only that water wells have not yet been affected. It is understood that case type may change upon further investigation.

CURRENT STATUS
Indicate the category which best describes the current status of the case.
Check one box only. The response should be relative to the case type. For example, if case type is "Ground Water", then "Current Status" should refer to the status of the ground water investigation or cleanup, as opposed to that of soil. Descriptions of options follow:

No Action Taken - No action has been taken by responsible party beyond initial report of leak.

Leek Being Confirmed - Leak suspected at site, but has not been confirmed. Preliminary Site Assessment Workplan Submitted - workplan/proposal requested of/submitted by responsible party to determine whether ground water has been, or will be, impacted as a result of the release. Preliminary Site Assessment Underway - implementation of workplan. Pollution Characterization - responsible party is in the process of fully defining the extent of contamination in soil and ground water and assessing impacts on surface and/or ground water.

Remediation Plan - remediation plan submitted evaluating long term remediation options. Proposal and implementation schedule for appropriate remediation options also submitted.

Cleanup Underway - implementation of remediation plan.

Post Cleanup Monitoring in Progress - periodic ground water or other monitoring at site, as secessary to verify and/or evaluate effectiveness of remedial activities.

Case Closed - regionel board and local gency in concurrence that no

IMPORTANT: THE INFORMATION PROVIDED ON THIS FORM IS INTENDED FOR GENERAL STATISTICAL PURPOSES ONLY AND IS NOT TO BE CONSTRUED AS REFRESENTING THE OFFICIAL POSITION OF ANY GOVERNMENTAL AGENCY

REMEDIAL ACTION
Indicate which action have been used to cleanup or remediate the leak,
Descriptions of options fellow:

Cap Syte - install borizontal impermeable layer to reduce mainfall infiltration.

Containment Barrier - install vertical dike to block borizontal movement of -

Excavate and Dispose - remove contaminated soil and dispose in approved

Excevate and Treat - remove contaminated soil and treat (includes apread or land farming).

Remove Free Product - remove floating product from water table.

<u>Pump and Treat Groundwater</u> - generally employed to remove dissolved contaminants.

Enhanced Biodegradation - use of any available technology to promote bacterial decomposition of contaminants.

Replace Supply - provide alternative water supply to affected parties.

Treatment at Hookup - install water treatment devices at each dwelling or other place of use.

Vacuum Extract - use pumps or blowers to draw air through soil.

Vent Soil - bore holes in soil to allow volatilization of contaminants.

No Action Required - incident is minor, requiring no semedial action.

COMMENTS - Use this space to elaborate on any espects of the incident.

SIGNATURE - Sign the form in the space provided.

further work is necessary at the site

DISTRIBUTION

If the form is completed by the tank owner or his agent, retain the last copy and forward the remaining copies intact to your local bank permitting agency for distribution.

1. Original - Local Tank Permitting Agency

- State Water Resources Control Edard, Division of Clean Water Programs. Underground Storage Tank Program, P.O. Box 944212, Sacremento, CA 94244-2120
- 3. Regional Water Quality Control Board
- Local Health Officer and County Board of Supervisors or their designed to receive Proposition 65 notifications.
- . Owner/responsible party.

	UNDERGROUND STORAGE TANK UNAUTHORIZED RELEASE (LEAK) / CONTAMINATION SITE REPORT								
	YES X NO REPORT SEEN FILED YES NO THERE	OCAL AGENCY USE ONLY BY CERTIFY THAT I HAVE DISTRIBUTED THIS INFORMATION ACCORDING TO THE BUTION SHOWN ON THE INSTRUCTION SHEET ON THE BACK PAGE OF THIS FORM.							
0	Ou lau O o 7 o 9 v 1 v signed	DATE							
REPORTED BY		NY OR AGENCY NAME CHEVRON USA INC							
	2470 Cammenter Ranon SA	V RAMON CATE 94583							
RESPONSIBLE PARTY	E CHEVRONOIL TNC. UNKNOWN CONTA	CT PERSON PHONE ()							
řž	FACILITY NAME (IF APPLICABLE) OPERA	TOR A PHONE							
NOIT	Former Service Soleton 1/	CHA PEKUL ()							
SITE LOCATION	CROSS STREET	CONTRACY HEATEDAY 5370							
0	LOCAL AGENCY AGENCY NAME CONTA	CT PERSON PHONÉ							
	BEGIONAL BOARD County Health GV	Wisdam LARRY SERTO 1915TDY 430 O							
\vdash	141	QUANTITY LOST (GALLONS)							
SUBSTANCES	Basine.	UNKNOWN							
WENT	DATE DISCOVERED HOW DISCOVERED INVENTORY OF TANK TEST TANK TEST TANK TEST								
RY/ABATEMENT	DATE DISCHARGE BEGAN METHO	D USED TO STOP DISCHARGE (CHECK ALL THAT APPLY)							
DISCOVERY		EMOVE CONTENTS CLOSE TANK & REMOVE REPAIR PIPING EPAIR TANK CLOSE TANK & FILL IN PLACE CHANGE PROCEDURE EPLACE TANK OTHER							
· +	COLLEGE OF DISCULPTEE								
SOURCE/	TANK LEAK UNKNOWN OVERFILL PIPING LEAK OTHER CORROSION	RUPTURE/FAILURE SPILL UNKNOWN OTHER							
CASE	CHECK ONE ONLY UNDETERMINED SOIL ONLY GROUNDWATER DR	INKING WATER - (CHECK ONLY IF WATER WELLS HAVE ACTUALLY BEEN AFFECTED)							
	CHECK ONE ONLY								
CUARENT	PRELIMINARY SITE ASSESSMENT WORKPI LEAK BEING CONFIRMED PRELIMINARY SITE ASSESSMENT UNDERV CASE CLOSED (CLEANUP COMPLETED OR	VAY POST CLEANUP MONITORING IN PROGRESS							
REMEDIAL ACTION	CHECK APPROPRIATE ACTION(S) (SEE BACK FORDETALS) CAP SITE (CD) EXCAVATE & DISPOSE (ED) EXCAVATE & TREAT (ET) CONTAINMENT BARRIER (CB) NO ACTION REQUIRED (NA) VACUUM EXTRACT (VE) OTHER (OT)	REMOVE FREE PRODUCT (FP) ENHANCED BIO DEGRADATION (IT) PUMP & TREAT GROUNDWATER (GT) REPLACE SUPPLY (RS) TREATMENT AT HOOKUP (HU) VENT SOIL (VS)							
COMMENTS	COMMENIS								

INSTRUCTIONS

EMERGENC'

Andicate whether emergency response personnel and equipment were involved at any time. If so, a Hazardous Material Incident Report should be filed with the State Office of Emergency Services (OES) at 2800 Meadowview Road, Sacramento, CA 95832. Copies of the OES report form may be obtained at your local underground storage tank permitting agency. Indicate whether the OES report has been filed as of the date of this report.

LOCAL AGENCY ONLY

To avoid duplicate notification pursuant to Health and Safety code Section 25180.5, a government employee should sign and date the form in this block. A signature here does not mean that the leak has been determined to pose a dignificant threat to buman health or safety, only that notification procedures have been followed if required.

REPORTED BY

Enter your name, telephone number, and address. Indicate which party you represent and provide company or agency name.

RESPONSIBLE PARTY

Enter name, telephone number, contact person, and address of the party responsible for the leak. The responsible party would normally be the tank owner.

SITE LOCATION

Enter information regarding the tank facility. At a minimum, you must provide the facility mane and full address.

IMPLEMENTING AGENCIES

Enter names of the local agency and Regional Water Quality Control Board involved.

SUBSTANCES INVOLVED

Enter the name and quantity lost of the hazardous substance involved. Room is provided for information on two substances if appropriate. If more than two substances leaked, list the two of most concern for cleanup.

DISCOVERY/ABATEMENT

Provide information regarding the discovery and abatement of the leak.

SOURCE/CAUSE

Indicate source(s) of leak. Check box(es) indicating cause of leak.

CASE TYPE

Indicate the case type category for this leak. Check one box only. Case type is based on the most sensitive resource affected. For example, if both soil and ground water have been affected, case type will be "Ground Water". Indicate "Drinking Water" only if one or more municipal or domestic water wells have actually been affected. A "Ground Water" designation does not imply that the affected water cannot be, or is not, used for drinking water, but only that water wells have not yet been affected. It is understood that case type may change upon further investigation.

CURPENT STATUS

Indicate the category which best describes the current status of the case. Check one box only. The response should be relative to the case type. For example, if case type is "Ground Water", then "Current Status" should refer to the status of the ground water investigation or cleanup, as opposed to that of soil. Descriptions of options follow:

No Action Taken - No action has been taken by responsible party beyond initial report of leak.

Leak Being Confirmed - Leak suspected at site, but has not been confirmed. Preliminary Site Assessment Workplan Submitted - workplan/proposal requested of/submitted by responsible party to determine whether ground water has been or will be, impacted as a result of the release. Preliminary Site Assessment Underway - implementation of workplan. Pollution Characterization - responsible party is in the process of fully defining the extent of contamination in soil and ground water and assessing impacts on surface and/or ground water.

Remediation Plan - remediation plan submitted evaluating long term remediation options. Proposal and implementation schedule for appropriate remediation options also submitted:

Cleanup Underway - implementation of remediation plan.

Fost Cleanup Monitoring in Progress - periodic ground water or other monitoring at site, as necessary, to verify and/or evaluate effectiveness of remedial activities.

<u>Case Closed</u> - regional board and local agency in concurrence that no further work is necessary at the site.

IMPORTANT: THE INFORMATION PROVIDED ON THIS FORM IS INTENDED FOR GENERAL STATISTICAL PURPOSES ONLY AND IS NOT TO BE CONSTRUED AS REPRESENTING THE OFFICIAL POSITION OF ANY GOVERNMENTAL AGENCY

REMEDIAL ACTION

Indicate which action have been used to cleanup or remediate the leak. Descriptions of options follow:

Cap Site - install horizontal impermeable layer to reduce rainfall infiltration.

<u>Containment Barrier</u> - install vertical dike to block horizontal movement of contaminant.

Excavate and Dispose - remove contaminated soil and dispose in approved site.

Excavate and Treat - remove contaminated soil and treat (includes spreading or land farming).

Remove Free Product - remove floating product from water table.

Pump and Treat Groupdwater - generally employed to remove dissolved contaminants.

Enhanced Biodegradation - use of any available technology to promote bacterial decomposition of contaminants.

Replace Supply - provide alternative water supply to affected parties.

Treatment at Hookug - install water treatment devices at each dwelling or other place of use.

<u>Vacuum Extract</u> - use pumps or blowers to draw air through soil.

<u>Vent Soil</u> - bore holes in soil to allow volatilization of contaminants.

No Action <u>Required</u> - incident is minor, requiring no remedial action.

COMMENTS - Use this space to elaborate on any aspects of the incident.

SIGNATURE - Sign the form in the space provided.

DISTRIBUTION

If the form is completed by the tank owner or his agent, retain the last copy and forward the remaining copies intact to your local tank permitting agency for distribution.

1. Original - Local Tank Permitting Agency

2. State Water Resources Control Board, Division of Clean Water Programs, Underground Storage Tank Program, P.O. Box 944212, Sacramento, CA 94244-

Regional Water Quality Control Board Local Health Officer and County Board of Supervisors or their designes to receive Proposition 65 notifications.

5. Owner/responsible party.

June 5, 1991

DEPARTMENT OF ENVIRONMENTAL HEALTH Hazardous Materials Program 80 Swan Way, Rm. 200 Oakland, CA 94621 (415)

Ms. Nancy Vukelich Chevron, U.S.A. P.O. Box 5004 San Ramon, CA 94583-0804

RE: Site investigation and remediation requirements following underground tank removals from former Chevron 9-7127, I-580 & Grantline Rd., Alameda County

Dear Ms. Vukelich:

On April 4, 1991, Golden West Builders removed five underground storage tanks from the above location, three that contained gasoline, one that contained waste oil, and one that contained heating oil. Gasoline contamination during the removal was obvious. Results of soil samples collected from beneath the tanks confirmed this contamination, showing levels of gasoline at up to 5,700 parts per million (ppm). Apparently, additional excavation occurred several weeks later, and soil samples collected after this excavation was completed still contained gasoline. Based on this information, the Regional Water Quality Control Board (RWQCB) requires a preliminary contaminant assessment to be initiated at this site. Please file an Unauthorized Release Report with this office immediately. Then, please submit a preliminary assessment work plan to us that addresses the points raised in this letter and its attachment.

This office will be the lead agency overseeing environmental investigation and cleanup activities at the site. The RWQCB is currently unable to manage the large number of fuel leak cases within Alameda County, and has therefore delegated this authority to our office. However, you must keep the Water Board apprised of all actions taken to characterize and remediate contamination at this site, because the Board retains the ultimate responsibility for ensuring protection of waters of the state.

The preliminary investigation should assess the extent of soil and groundwater contamination resulting from the tanks. The information gathered by this investigation will dictate whether additional actions are needed at the site. The preliminary assessment should be designed to provide all of the information in the format shown in the attachment at the end of this letter, which is based on RWQCB guidelines. At least three monitoring wells shall be installed around the former gasoline tank pit, to enable determination of groundwater flow direction beneath the site, and to check for the extent (if any) of groundwater contamination.

Ms. Nancy Vukelich June 5, 1991 Page 2 of 2

Until remediation is complete, Chevron must submit reports to this office and to the RWQCB every three months (or at a more frequent interval, if specified at any time by either agency). These reports must include information pertaining to further investigative results; the methods and costs of cleanup actions implemented to date; and the method and location of disposal of any contaminated material.

Soils contaminated at hazardous waste concentrations (defined specifically as above 1,000 ppm gasoline) should be transported by a licensed hazardous waste hauler and disposed of or treated at a facility approved by the CA Department of Health Services. Soils contaminated below the hazardous waste threshold may be managed as nonhazardous, but are still subject to the RWQCB's waste discharge requirements. Copies of manifests or receipts for all soil disposal must be sent to this office. Currently stockpiled soil may require further characterization prior to disposal.

Please submit a work plan to this office no later than July 3, 1991. Copies of the proposal should also be sent to the RWQCB (attention: Lester Feldman). Because we are overseeing this site under the designated authority of the Water Board, this letter constitutes a formal request for technical reports, per Sec. 13267(b) of the California Water Code. Failure to respond in a timely manner could result in civil liabilities under the Water Code of up to \$1,000 per day. Other violations of California law may also be cited.

If you have any questions about this letter or about remediation requirements established by the RWQCB, please contact the undersigned at 271-4320.

Sincerely,

Gil Wistar

Theo M. Witas

Hazardous Materials Specialist

enclosure

cc: Howard Hatayama, DOHS
Lester Feldman, San Francisco Bay RWQCB
Rafat Shahid, Asst. Agency Director, Environmental Health
files

white -env.health yellow -facility pink -files

ALAMEDA COUNTY, DEPARTMENT OF ENVIRONMENTAL HEALTH

80 Swan Way, #200 Oakland, CA 94621 (415) 271-4320

Hazardous Materials Inspection Form

11,111

				,
•			Site Site Name Ottamon Pass Charon Date 1	4,91
l.A	BUSINESS PLANS (Title 19) 1. Immediate Reporting 2. Bus. Plan Stds.	2703 25503(b)	Site Address I 580 / Grantline Rd	
	3. RR Cars > 30 days 4, Inventory Information 5, inventory Complete	25503.7 25504(a) 2730	city Wameda Co. Zip 94 Phone	
	6. Emergency Response 7. Tratning 8. Deficiency 9. Modification	25504(b) 25504(c) 25505(a)	MAX AMT stored > 500 lbs, 55 gal., 200 cft.?	
	ACUTELY HAZ. MAT'LS	25505(b)	Inspection Categories: I. Haz. Mat/Waste GENERATOR/TRANSPORTER	
	10. Registration form filed 11. Form Complete 12. RMPP Contents 13. Implement 5ch. Regid? (Y/N)	25533(a) 25533(b) 25534(c)	11. Business Pians, Acute Hazardous Materials III. Underground Tanks	
		25524(c) 25534(d) 25534(g)	 Calif. Administration Code (CAC) or the Health & Safety Code (HS&C))
	17. Certification 18. Exemption Request? (Y/N) 19. Trade Secret Requested?	25534() 25536(b) 25538	Comments: Remaral of five single-wall underground to	ark, al
III. 1	UNDERGROUND TANKS (Title	23)	made of fiberglass. Three of the tanks con	
General	1. Permit Application 2. Pipeline Leak Detection 3. Records Maintenance 4. Release Report 5. Closure Plans	25284 (H&S) 25292 (H&S) 2712 2651 2670	gasoline, and are together in one are: the of	they cludy.
ng Tanke			The later two tanks are nound of solveries. All of the tanks are interes, with no vioible. Several of the Jarges tanks have a mation of the Structural ribs. First soil sample taken ut a depth of a	Ades Relam-
Monitoring for Existing Tan	Annual tank testing Contrible leak det Vadase/gnatwater man. b) Daily inventory Annual tank testing Contrible leak det		3 feet, adjacent to large ont and below vapor proving. This will recommend the same, a	return
Mo	7) Weekly Tank Gauge Annual tank tsting 8) Annual Tank Testing Daily Inventory		smellet of gasokine. Bockfill/soil at base of pit contaminated.	Because
	9) Other	2643	of concreto or bedrock in the pio, some soil sample taken from sidewalls rather than beneath tank	les were
	8. Inventory Rec. 9. Soil Testing . 10. Ground Water.	2644 2646 2647	a Strong oder of aged gasoline in their same	J. Harre Le
Tanks	11.Monitor Plan 12.Access. Secure 13.Plans Submit	2632 2634 2711		ending at
X.	Date: 14. As Built Date:	2635	collected from rate oil pet it passible. Several	pipeline
ey (8/88		samples and stockarle as samples also collected.	
	Contact: _	Dordon	- Johnson	N, W
	Title:	Em	Rep : Inspector:	

Inspector: Signature:

ALAMEDA COUNTY HEALTH CARE SERVICES AGENCY DEPARTMENT OF ENVIRONMENTAL HEALTH HAZARDOUS MATERIALS DIVISION

80 SWAN WAY, ROOM 200 OAKLAND, CA 94621 PHONE NO. 415/271-4320 PHONE NO.

3/25/91 DEPARTMENT OF ENVIRONMENTAL NEALTH 475 - 27th Street, Tithe Floor Telaphann (SE) 874-7237 ACCEPTED Cattern, GA 1.5.2

Those plans have been reviewed and found to be enough-

heat a laws. Changes to your plans is discalled an early laws. The project proposed to take to have referred for soeb's and exsertitly next the requirements of Sixt ands of any inquired building pecially for confibration Department are to equity compliance with State and

One cripy of those acremient plans are to be one looked with avertable one introduced with

Any change on allenstions of these plans and innefficial

must be sub-stind to the Loyan and the Parkins fine. Building Inspection than the red to do rethe if a changes most the continuous of the rad book beautions. Notfly fils Dearmont at less 46 hours prior to following required inspections:

Removal of Tenk and Riping

Issuance of a pormit to operate is dependent on optioner with accepted plans and all applicable laws THERE IS A THANKCIAL PENALTY FOR NOT OSTAINING THESE INSTRUMS. regulations.

UNDERGROUND TANK CLOSURE/MODIFICATION PLANS

- Final Impostion Seat Cares

1.	Business Name <u>Altamont Chevron</u>
	Business Owner Charlan U.S.A. Inc
2.	site Address 1-580 & Grant Line Rd
	city Liver more zip 94550 Phone N/A
3.	Mailing Address <u>A410 Camino Ramon</u>
	city <u>San Ramon</u> Ca zip 94583 Phone (415) 842-952
4.	Land Owner Carnazzo Land Company
	Address 10.60x 6031 city, state atascadeso Ca zip 93423
5.	EPA I.D. No
6.	contractor Golden West Builders
	Address 1060 Minnesota ave
	city Brentwood (a 94513 phone (415) 634-1998
	License Type A, B, C-9, HAZ. ID# 432103
7.	Consultant Blaine Tech Services
	Address 1370 Tully Rd Ste 505
3	city San Jose Phone (408) 995-5535
(

592363 313191 61,284.€≥

8. Contact Person for Investigation
Name Gordon Johnson Title Engineer
Phone (415) 842-9521
9. Total No. of Tanks at facility5
10. Have permit applications for all tanks been submitted to this office? Yes $[X]$ No $[$
11. State Registered Hazardous Waste Transporters/Facilities
a) Product/Waste Tranporter
Name Erickson Trucking EPA I.D. No. CAD 009466392
Address 255 Parr Blvd
city Richmond state Ca zip 94801
b) Rinsate Transporter
Name Ecickson Trucking EPA I.D. No. CAD DO946639
Address 255 Parr Blvd
city <u>Richmond</u> state <u>Ca</u> zip <u>94801</u>
c) Tank Transporter
Name <u>Erickson Trucking</u> EPA I.D. No. <u>CAD 009466397</u>
Address 255 Parr Blvd
city - Richmond state (a zip 9480)
d) Tank Disposal Site
Name Erickson Trucking EPA I.D. No. CAD 009466392
Address 255 Parc Blvd.
city <u>Richmond</u> state <u>Ca</u> zip 94801
e) Contaminated Soil Transporter
Name Frickson Trucking EPA I.D. No. CAD DO9 466392
Address <u>ass</u> Parr Blvd
city <u>Richmond</u> state <u>Ca</u> zip <u>94801</u>

	2 Collecto			
Name	Richard Blam	رف	_	
Comp	pany Blaine Tech 3	Dervices		
Addı	ress 1370 Tully	Rd. Ste	<u>505</u>	
City	San Jose sta	ate <u>(a</u> Zip <u>951</u>	22_ Phone	
	ing Information for each			
Tank or Area		Material	Location	
Capacity	Historic Contents	sampled	& Depth	
	(past 5 years)			
5750 gol (6	S Regular Unleaded	Soil	below tank bottom at	
9500 gal look	Supreme Unleaded	Soil	13' depth	
9500 gal (101	g Regular Leaded	501		
1500 gal	Waste Oil	Zaril		
850 gal	Fuel Oil	कार्गर		
J				
	anks or pipes leaked in No record			
	methods used for rendering, describe. Inject and	Ţ.		
	ibs per 1000 gallon	1		
An exp	closion proof combustible inertness.	gas meter shall	be used to verify	
16. Labora	ntories			
Name _	Superior analyt	ical Labs		
Addres	s 825 arnold	Ste 114		
City	Martinez	State Ca	Zip 94553	
	Certification No. DDHS		. 1	
2000	TOLULIZOR HO. DOTT			

A-30 - 5-35

17. Chemical Methos to be used for Analyzin Samples

Contaminant Sought	EPA, DHS, or Other Sample Preparation Method Number	EPA, DHS, or Other Analysis Number		
Diesel TPH-D	EPA 3550	GCFID MODIFIED BOIST		
BTX-E	EPA: 5030	EPA 8020		
Crossline	•			
TH-G	GPA 5030	GCFID MEDIFIED EPA 8015		
BIX-E	EPA SO30	EPA 8020		
total lead	EPA 3050	EPA 7421		
Fuel Oil				
1111-D	EPA 3550	GCFID MODIFIED EPA BOIS		
BTX-E	EPA 5030	GPA 8020		
woste Oil -	per alameda County regi	firements (attached)		

18. Submit Site Safety Plan

- 19. Workman's Compensation: Yes [x] No []

 Copy of Certificate enclosed? Yes [x] No []

 Name of Insurer State Fund 571-1486-90 Ext-10-1-91
- 20. Plot Plan submitted? Yes [x] No []
- 21. Deposit enclosed? Yes [X] No []
- 22. Please forward to this office the following information within 60 days after receipt of sample results.
 - a) Chain of Custody Sheets
 - b) Original Signed Laboratory Reports
 - c) TSD to Generator copies of wastes shipped and received
 - d) Attachment A summarizing laboratory results

TABLE #2 REVISED 10 AUGUST 1990

RECOMMENDED MINIMUM VERIFICATION ANALYSES FOR UNDERGROUND TANK LEAKS

		****	WATER AN	ALYSIS		
YDROCARBON LEAK SOLD ANALYZE						
	TPH G	GCFID(5030)	TPH C	GCFID(5030)		
Unknown Fuel	TPH D	GCFID(3550)	TPH D	GCFID(3510)		
	NAVET	2020 or 8740	BTXEE	602, 624 or 8260		
•	or TPH AND BIXEE by 8260 CRYOGENIC FOCUSING					
			TPH G	GCFID(5030)		
Leaded Gas		GCFID(5030) 8020 or 8240	BTX&B	602, 624 or 8260		
	BIXEE	- 8020 OE 0270 m RTYER hy 8760 CI	YOGENIC FOO	CUSING		
	OF THE AND BIXER by 8260 CRYOGENIC FOCUSING TOTAL LEAD AA TOTAL LEAD AA					
	Ontional					
€ ;	TEL.	DHS-LUFT	TEL	DHS-LUFT		
	EDB	DHS-AB1803	EDB	DES-AB1803		
				GCFID(5030)		
Unleaded Gas	TPH G		TPH G	602, 624 or 8260		
VIII.	BIXEE	8020 or 8240	BIXLE	MISTING		
	OF TPH A	ED BIXEE by 8260 C	KIOGERIAG TO			
	TPH D	GCFID(3550)	TPH D	GCFID(3510)		
<u>Diesel</u>	WOTER.	8020 or 8240	BIXLE	602, 624 or 8260		
•	or TPH A	ND BIXEE by 8260 C	RYOGENIC FO	Cusing		
•	VL 11					
Jet Fuel	TPH D	GCFID(3550)	TPH D	GCFID(3510)		
Jet ruer	BIXER	8020 or 8240	BIKEE	602, 624 or 8260		
	or TPH A	ND BIXLE by 8260 C	KAOGENIC LO	Charke		
		00FTD/9550\	TPH D	GCFID(3510)		
Kerosene	TPH D	GCFID(3550) 8020 or 8240	BIXEE	602, 624 or 8260		
	BIXEE	ND BIXER by 8260 C	RYOGENIC FO	CUSTNG		
•	.01 114 A	in niver of each -				
m stranian Ail	TPH D	GCFID(3550)	TPH D	GCFID(3510)		
Fuel/Weating Oil	DTTLT	8020 or 8240	BIXEK	602, 624 or 8260		
	or TPH AND BIXEE by 8260 CRYOGENIC FOCUSING					
			CL HC	601 or.624		
Chlorinated Solvents	CL HC	8010 or 8240		602 or 624		
	BIXER	8020 or 8240 AND BTXEE 8260	or CL EC	AND BIXEE 8260		
	OF CL AC	, AND BLACK ORCO				
w . Allowington Columnia	TPR D	GCFID(3550)		CCFID(3510)		
Non Chlorinated Solvents	BTILE	8020 or 8240	BTKLE	602 or. 624		
	OF TPH A	ND BIXER 8260	or TPH AN	D BTXEE 8260		
	*		-mm -0	GCFID(5030)		
Waste and Used Oil or Unknown	TPH G	GCFID(5030)	TPH G	GCFID(3510)		
	TPH D	GCFID(3550) ND BTXEE by 8260 (ERYOGENIC FO			
(All analyses must be	OF THE	5520 DEF	0 & G	3350 PEL		
completed and submitted)	O & C BIXEE	8020 or 8240	BIXEE	602, 624 or 8260		
	Ct TC	8010 or 8240	CL HC	601 or 624		
	ICAP or	AA TO DETECT HETAL	Ls: Cd, Cr,	Pb. Zn. Ni		
	METHOD 8270 FOR SOIL OR WATER TO DETECT:					
	PCB*		PCB* PCP*			
	PCP+		PNA			
	PNA	· ·	CREOSOTE			
	CREUSOT	<u> </u>				

*If found, analyze for dibenzofurans (PCBs) or dioxins (PCP)

. 16:30 GW P.05

I declare that to the best of my knowledge and belief the utatements and information provided above are correct and true. I understand that information in addition to that provided above may be needed in order to obtain an approval from the Department of Environmental Health and that no work is to begin on this project until this plan is approved.


I understand that any changes in design, materials or equipment will void this plan if prior approval is not obtained.

I understand that all work performed during this project will be done in compliance with all applicable OSHA (Occupational Saftey and Health Administration) requirements concerning personnel and safety.

I will notify the Department of Environmental Health at least two (2) working days (48 hours) after approval of this closure plan in advance to schedule any required inspections. I understand that site and worker safety are solely the responsibility of the property owner or his agent and that this responsibility is not shared nor assumed by the County of Alameda.

Signature of Contractor	
Name (please type) Ken Vandegrift	
signature ten Vandegrift	
Date 3-12-91	į
Signature of Site Owner or Operator Name (please type) Loosdon Johnson	
Name (please type) Loordon Johnson signature Bondon Johnson	
Date 3-11-91	4,

- 4 -





P.O. BOX 807, SAN FRANCISCO, CA 94101-0807

CERTIFICATE OF WORKERS' COMPENSATION INSURANCE

POLICY NUMBER: GRP 571-90 UT 1486

CERTIFICATE EXPIRES: 10-01-91

COUNTY OF ALAMEDA EHD - HAZADOUS MATERIAL DIVISION 80 SWAN WAY, RM. 200 OAKLAND, CA 94621

RE: Altamont Chevron

I-580 & S. Grant Line Rd.

Livermore, CA

This is to certify that we have issued a valid Workers' Compensation insurance policy in a form approved by the California Insurance Commissioner to the employer named below for the policy period indicated.

This policy is not subject to cancellation by the Fund except upon ten days' advance written notice to the employer.

We will also give you TEN days' advance notice should this policy be cancelled prior to its normal expiration.

This certificate of insurance is not an insurance policy and does not amend, extend or alter the coverage afforded by the policies listed herein. Notwithstanding any requirement, term, or condition of any contract or other document with respect to which this certificate of insurance may be issued or may pertain, the insurance afforded by the policies described herein is subject to all the terms, exclusions and conditions of such policies.

PRESIDENT

FAX (415) 634-2515

EMPLOYER

GOLDEN WEST BUILDERS P.O. BOX 1236 BRENTWOOD, CA 94513